



NORTHERN &  
CENTRAL  
DELTA-  
MENDOTA

# Final Draft Groundwater Sustainability Plan

For the Northern and Central Delta-Mendota Regions

November 2019



*This page intentionally left blank.*



# Appendix E

## Hydrographs for Sustainable Management Criteria




*This page intentionally left blank.*



**Aquifer Designation:** Lower  
**Screen Interval(s):** 230-475 feet

**01-001**


- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold



**Aquifer Designation:** Lower  
**Screen Interval(s):** 235-475 feet

**01-002**

- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold








**Aquifer Designation: Upper**  
**Screen Interval(s): 115-135 feet**

**01-004**


- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold

**Year**



Aquifer Designation: Upper  
Screen Interval(s): 120-150 feet

01-005



Aquifer Designation: Lower  
Screen Interval(s): 120-210 feet

01-006

- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold






**Aquifer Designation:** Lower  
**Screen Interval(s):** 400-570 feet (assumed)

**01-007**


- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold



**Aquifer Designation:** Lower  
**Screen Interval(s):** 290-470 feet (assumed)

**01-008**


- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold



Aquifer Designation: Upper  
Screen Interval(s): 150-360 feet

02-001

- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold








Aquifer Designation: Upper  
Screen Interval(s): 220-250 feet

03-001

- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold


Year



Aquifer Designation: Upper  
Screen Interval(s): 220-250 feet

03-002

- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold






**Aquifer Designation:** Upper  
**Screen Interval(s):** 130-250 feet

**03-003**

**Note:** 03-001 used as a proxy


- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold



Aquifer Designation: Lower  
Screen Interval(s): 400-570 feet

04-001


- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold



Aquifer Designation: Lower  
Screen Interval(s): 390-410 feet


06-001

- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold



Aquifer Designation: Upper  
Screen Interval(s): 95-115 feet


06-002



Aquifer Designation: Lower  
Screen Interval(s): 280-380 feet

06-003


- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold



Aquifer Designation: Upper  
Screen Interval(s): 140-160 feet; 200-240 feet

06-004


- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold



**Aquifer Designation:** Lower  
**Screen Interval(s):** 335-355 feet

**07-002**

- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold






Aquifer Designation: Upper  
Screen Interval(s): 150-160 feet

07-003

- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold


Year



Aquifer Designation: Upper  
Screen Interval(s): 140-200 feet (assumed)

07-004


- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold



**Aquifer Designation:** Lower  
**Screen Interval(s):** 425 - 455 feet; 495 - 615 feet

**07-005**


- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold



**Aquifer Designation:** Lower  
**Screen Interval(s):** 440 - 600 feet; 640 - 720 feet

**07-006**


- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold



Aquifer Designation: Lower  
Screen Interval(s): 530-550 feet

07-007


- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold



Aquifer Designation: Lower  
Screen Interval(s): 542-982 feet

07-008


- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold



Aquifer Designation: Upper  
Screen Interval(s): 434-510 feet

07-009


- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold



**Aquifer Designation:** Upper  
**Screen Interval(s):** 295-535 feet

**07-010**

- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold






Aquifer Designation: Upper  
Screen Interval(s): 300-390 feet

07-011


- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold



**Aquifer Designation:** Upper  
**Screen Interval(s):** 270-390 feet

**07-012**


- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold



**Aquifer Designation:** Upper  
**Screen Interval(s):** 220-240 feet; 280-340 feet

**07-013**


- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold



**Aquifer Designation:** Lower  
**Screen Interval(s):** 650-690 feet

**07-014**


- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold



**Aquifer Designation:** Lower  
**Screen Interval(s):** 630-670 feet


**07-015**

- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold



Aquifer Designation: Lower  
Screen Interval(s): 185-225 feet

07-016




**Aquifer Designation:** Upper  
**Screened Interval(s):** 170-253 feet

**07-017**

- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold

**Note:** 09S10E26M001M used as a proxy




**Aquifer Designation:** Upper  
**Screen Interval(s):** 165-205 feet

**07-018**

**Note:** 07-009 used as a proxy

- Groundwater Surface Elevation
- Measurable Objective
- Minimum Threshold





Prepared by:



In association with:



📍 1545 River Park Dr., Suite 425  
Sacramento, CA 95815  
☎ 916.999.8700