

LIBRARY
UNIVERSITY OF CALIFORNIA
DAVIS



2824
2
2
39-58
1.2

STATE OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES

UNIVERSITY OF CALIFORNIA
LIBRARY

DAVIS
COPY 2

BULLETIN NO. 39-58

**WATER SUPPLY CONDITIONS IN
SOUTHERN CALIFORNIA
DURING 1957-1958**

VOLUME II


**PRECIPITATION AND WATER LEVEL DATA
CENTRAL COASTAL AND LOS ANGELES REGIONS**

EDMUND G. BROWN
Governor



HARVEY O. BANKS
Director of Water Resources

AUGUST, 1960





STATE OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES

BULLETIN NO. 39-58

WATER SUPPLY CONDITIONS IN
SOUTHERN CALIFORNIA
DURING 1957-1958

VOLUME II

PRECIPITATION AND WATER LEVEL DATA
CENTRAL COASTAL AND LOS ANGELES REGIONS

EDMUND G. BROWN
Governor



HARVEY O. BANKS
Director of Water Resources

AUGUST, 1960

VOLUMES OF BULLETIN NO. 39-58

Volume I — Text.

Volume II — Precipitation and Water Level Data, Central Coastal, and Los Angeles Regions.

Volume III — Precipitation and Water Level Data, Lahontan, Colorado River Basin, Santa Ana, and San Diego Regions.

TABLE OF CONTENTS

| | <u>Page</u> |
|--|-------------|
| INTRODUCTION | |
| Areal Designation Code | 1 |
| Precipitation Station Designation | 2 |
| Well Numbering System | 2 |
| Flowing or Dry Well | 3 |
| Questionable Measurements | 3 |
| Agency Code | 4 |
| Agency Code for Central Coastal Region No. 3 | 4 |
| Agency Coding for Los Angeles Region No. 4 | 4 |

APPENDIXES

| | |
|---|-----|
| A. Records of Seasonal Precipitation at Stations in Central Coastal Region No. 3 and Los Angeles Region No. 4 | A-1 |
| B. Records of Ground Water Levels at Wells in Central Coastal Region No. 3 | B-1 |
| C. Records of Ground Water Levels at Wells in Los Angeles Region No. 4 | C-1 |

PLATES

(Plates listed below are bound at the end of their respective Appendixes)

Plate No.

- | | |
|-----|---|
| E-1 | Location of Ground Water Basins, San Luis Obispo and Santa Barbara Counties, Central Coastal Region No. 3 |
| C-1 | Location of Ground Water Basins, Los Angeles Coastal Region No. 4 |

INTRODUCTION

This volume contains the water level records and previously unpublished seasonal precipitation data for 1957-58, for the Los Angeles Region, and San Luis Obispo and Santa Barbara Counties of the Central Coastal Region. Appendix A contains the unpublished seasonal precipitation data for stations in these areas, together with elevations of the gages and the agencies from which the data were collected. Appendix B contains depth to ground water measurements and water surface elevations for wells in Central Coastal Region No. 3, together with reference point elevations and the agencies from which the data were collected. Appendix C contains the same information for Los Angeles Region No. 4.

To facilitate machine procedures for presentation of basic hydrologic data published in this report, codes were adopted and used to designate hydrologic areas, precipitation stations and wells. These codes are described in the following paragraphs.

Areal Designation Code

The areal designation code is based on a decimal numbering system using the form x-xx.xx. The number to the left of the dash refers to the geographic region as defined in Section 13040 of the State Water Code. The two digits to the left of the decimal point refer to a hydrologic unit, which generally comprises a major watershed, including area overlying both water-bearing and nonwater-bearing formations. For simplification, the designation is also given to hydrologic unit groups of small adjacent watershed areas with similar hydrologic conditions which drain directly to the ocean. An example of the latter is the Malibu Hydrologic Unit. The two

digits to the right of the decimal point refer to a subunit within the hydrologic unit, including, as before, areas overlying both water-bearing and nonwater-bearing formations. The locations and numerical codings for the hydrologic units and subunits within the area treated in this report are shown on Plates B-1 and C-1.

Precipitation Station Designation

Precipitation stations are designated by their longitude and latitude to the nearest second. This gives the location of the station within an accuracy range of about 100 feet.

Well Numbering System

The well numbering system found in this report is that utilized by the United States Geological Survey, and adopted by the Department of Water Resources.

Once the township, range, and section are found, each section is divided into 40-acre plots, called lots, lettered as follows:

| | | | |
|---|---|---|---|
| D | C | B | A |
| E | F | G | H |
| M | L | K | J |
| N | P | Q | R |

Within each of these lots, wells are numbered according to the order in which they were assigned State Well Numbers. For example, a well which has the number 10N/18E-26A1,S, would be in Township 10 North, Range 18 East, Section 26, San Bernardino Base and Meridian, and would be the first well assigned a State Well Number in Lot A. In this report, well

numbers are referenced either to the San Bernardino Base and Meridian (S) or to the Mount Diablo Base and Meridian (M).

For some wells, the letter following the section number is "x". This means that although the well has been field located and its position accurately plotted with respect to other features in its neighborhood, the map control for the Public Land Survey which is currently available is too poor to warrant assignment of an accurate lot letter.

Flowing or Dry Well

In the tabulation of ground water levels at wells, the code "FLOW" and "DRY" are used for flowing and dry measurements, respectively. These codings are found in the column presenting information on distance from reference point to water surface.

Questionable Measurements

Certain of the measurements in Appendixes B and C in the column "Dist. R. P. to water surface" may be followed with an asterisk superscript, which indicates a questionable measurement. Depth to ground water measurements may be questionable because (a) the well was being pumped at the time of measurement, (b) a nearby pump was operating, (c) the casing was leaking or wet, (d) the well was pumped recently, or (e) the measurement was determined to be questionable by the computer. Items "a" through "d" were noted by the fieldmen and included when the data were procured from the various agencies which collected them. As for item "e", the computer was programmed to "flag" all measurements for which the change in elevation is unreasonable. This "reasonableness check" was installed primarily to find

errors in transcription and to point out possible pumping error measurements. Apparently unreasonable measurements have been reviewed, and where possible, errors resulting from incorrect transcription removed. The reason for an asterisk on any given measurement may be obtained through the Southern California District Office of the Department of Water Resources.

Agency Code

Presented in the following list are the code numbers for the agencies from which data on precipitation and water level were obtained. The agency code consists of a five-digit number, the first digit of which is a region number. Thus, 41101 refers to agency 1101 in Region 4. Because of limitations of punch card space, the region number has been omitted. The four-digit agency code should therefore always be referred to the region in which the station or well is located.

Agency Code for Central Coastal Region No. 3

Agency Code

Agency Name

| | |
|------|--|
| 4002 | U. S. Army Corps of Engineers at Los Angeles |
| 4004 | U. S. Weather Bureau |
| 4111 | San Luis Obispo County Farm Agent |
| 5000 | U. S. Geological Survey at Santa Barbara |
| 5050 | Department of Water Resources |

Agency Code for Los Angeles Region No. 4

Agency Code

Agency Name

| | |
|------|--|
| 1050 | Department of Water Resources |
| 1101 | Los Angeles County Flood Control District |
| 1200 | Los Angeles Department of Water and Power |
| 2100 | Ventura County Flood Control District |
| 2400 | United Water Conservation District |
| 3100 | San Bernardino County Flood Control District |
| 3102 | Orange County Flood Control District |
| 4004 | U. S. Weather Bureau |
| 4206 | Long Beach Water Department |
| 4209 | Oxnard Water Department |
| 5003 | U. S. Navy at Port Hueneme |

APPENDIX A

RECORDS OF SEASONAL PRECIPITATION AT STATIONS IN
CENTRAL COASTAL REGION NO. 3
AND
LOS ANGELES REGION NO. 4

TABLE OF CONTENTS

| | <u>Page</u> |
|--|-------------|
| CENTRAL COASTAL REGION NO. 3 | |
| Salinas Valley 30400 | A- 1 |
| Arroyo Grande Group 31100 | A- 1 |
| Santa Maria River Valley 31200 | A- 1 |
| Cuyama River Valley 31300 | A- 1 |
| Santa Ynez River Valley 31500 | A- 1 |
| South Coast Basins, Santa Barbara County 31600 | A- 1 |
| Carrizo Plain 31900 | A- 1 |
| Santa Barbara County Coastal Group 32200 | A- 1 |
| LOS ANGELES REGION NO. 4 | |
| Upper Ojai Valley 40100 | A- 2 |
| Ojai Valley 40200 | A- 2 |
| Ventura River Valley 40300 | A- 2 |
| Santa Clara River Valley 40400 | A- 2 |
| Acton Valley 40500 | A- 4 |
| Pleasant Valley 40600 | A- 5 |
| Arroyo Santa Rosa Valley 40700 | A- 5 |
| Las Posas Valley 40800 | A- 5 |
| Simi Valley 40900 | A- 5 |
| Conejo Valley 41000 | A- 5 |
| Coastal Plain, Los Angeles County 41100 | A- 5 |
| San Fernando Valley 41200 | A- 9 |
| San Gabriel Valley 41300 | A-12 |
| Upper Santa Ana Valley, Los Angeles County 41400 | A-16 |
| Malibu Coastal Group 41600 | A-17 |

SEASONAL PRECIPITATION FOR 1957-58
CENTRAL COASTAL REGION NO. 3
(Season - July 1 through June 30)

| <u>Station designation</u> | | <u>Elevation,</u> | <u>Precipitation,</u> | <u>Agency code</u> |
|---|------------------|-------------------|-----------------------|----------------------|
| <u>Latitude</u> | <u>Longitude</u> | <u>in feet</u> | <u>in inches</u> | <u>for source of</u> |
| | | <u>USGS datum</u> | | <u>information</u> |
| <u>Salinas Valley 30400</u> | | | | |
| 35° 32' 06" | 120° 36' 41" | 1,150 | 23.36 | 4111 |
| 35° 32' 56" | 120° 42' 21" | 800 | 36.83 | 4111 |
| 35° 43' 02" | 120° 22' 23" | 1,650 | 21.91 | 4111 |
| <u>Arroyo Grande Group 31100</u> | | | | |
| 35° 08' 20" | 120° 32' 40" | 201 | 34.02 | 4002 |
| <u>Santa Maria River Valley 31200</u> | | | | |
| 34° 54' 36" | 120° 11' 08" | 3,248 | 36.79 | 4002 |
| 34° 59' 40" | 120° 22' 34" | 430 | 24.33 | 4002 |
| 35° 07' 00" | 120° 23' 17" | 770 | 37.13 | 4111 |
| <u>Cuyama River Valley 31300</u> | | | | |
| 34° 38' 22" | 119° 19' 19" | 6,740 | 37.07 | 2100 |
| 34° 41' 00" | 119° 21' 12" | 3,500 | 23.47 | 2100 |
| <u>Santa Ynez River Valley 31500</u> | | | | |
| 34° 32' 00" | 120° 10' 30" | 680 | 47.70 | 4002 |
| 34° 35' 20" | 120° 29' 40" | 1,000 | 37.39 | 4002 |
| 34° 35' 49" | 120° 08' 10" | 480 | 26.39 | 4002 |
| 34° 35' 53" | 120° 27' 08" | 500 | 33.63 | 4002 |
| <u>South Coast Basins, Santa Barbara County 31600</u> | | | | |
| 34° 26' 27" | 119° 39' 19" | 460 | 33.69 | 4002 |
| 34° 27' 54" | 119° 42' 30" | 1,000 | 44.89 | 2100 |
| <u>Carrizo Plain 31900</u> | | | | |
| 35° 21' 14" | 119° 59' 06" | 2,050 | 16.65 | 4111 |
| 35° 23' 42" | 120° 05' 41" | 2,040 | 14.85 | 4111 |
| <u>Santa Barbara County Coastal Group 32200</u> | | | | |
| 34° 26' 57" | 120° 28' 15" | 110 | 17.57 | 4002 |

SEASONAL PRECIPITATION FOR 1957-58
 LOS ANGELES REGION NO. 4
 (Season - July 1 through June 30)

| <u>Station designation</u> | | <u>Elevation,</u> <u>in feet</u> | <u>Precipitation,</u> <u>in inches</u> | <u>Agency code</u> <u>for source of</u> <u>information</u> |
|---------------------------------------|------------------|-------------------------------------|---|--|
| <u>Latitude</u> | <u>Longitude</u> | <u>USGS datum</u> | | |
| <u>Upper Ojai Valley 40100</u> | | | | |
| 34° 24' 44" | 119° 10' 08" | 2,570 | 45.75 | 2100 |
| 34° 26' 08" | 119° 08' 02" | 1,560 | 44.57 | 2100 |
| 34° 26' 09" | 119° 11' 36" | 1,250 | 36.39 | 2100 |
| <u>Ojai Valley 40200</u> | | | | |
| 34° 26' 28" | 119° 13' 13" | 800 | 37.12 | 2100 |
| 34° 26' 58" | 119° 16' 13" | 750 | 37.53 | 2100 |
| 34° 27' 02" | 119° 14' 48" | 750 | 33.38 | 2100 |
| 34° 27' 34" | 119° 14' 48" | 920 | 36.58 | 2100 |
| 34° 27' 58" | 119° 10' 49" | 1,360 | 37.36 | 2100 |
| 34° 28' 28" | 119° 11' 52" | 1,300 | 37.40 | 2100 |
| 34° 31' 04" | 119° 10' 50" | 5,000 | 52.02 | 2100 |
| <u>Ventura River Valley 40300</u> | | | | |
| 34° 16' 56" | 119° 17' 30" | 100 | 25.49* | 2100 |
| 34° 22' 06" | 119° 20' 12" | 400 | 41.06 | 2100 |
| 34° 22' 25" | 119° 13' 42" | 800 | 37.20 | 2100 |
| 34° 23' 42" | 119° 18' 03" | 505 | 39.19 | 2100 |
| 34° 25' 28" | 119° 21' 15" | 660 | 42.49 | 2100 |
| 34° 25' 32" | 119° 21' 22" | 750 | 42.37 | 2100 |
| 34° 25' 45" | 119° 18' 35" | 600 | 39.64 | 2100 |
| 34° 25' 51" | 119° 18' 53" | 650 | 40.58 | 2100 |
| 34° 26' 58" | 119° 16' 13" | 750 | 37.53 | 2100 |
| 34° 27' 29" | 119° 17' 41" | 750 | 42.90 | 2100 |
| 34° 28' 55" | 119° 17' 30" | 950 | 46.11 | 2100 |
| 34° 28' 58" | 119° 17' 37" | 870 | 46.66 | 2100 |
| 34° 29' 05" | 119° 18' 25" | 1,040 | 52.65 | 2100 |
| 34° 29' 34" | 119° 19' 37" | 1,150 | 59.79 | 2100 |
| <u>Santa Clara River Valley 40400</u> | | | | |
| 34° 08' 42" | 119° 12' 30" | 10 | 20.10 | 2100 |
| 34° 09' 26" | 119° 04' 39" | 20 | 19.19 | 2100 |
| 34° 12' 07" | 119° 12' 25" | 36 | 23.06 | 2100 |
| 34° 16' 40" | 119° 12' 10" | 300 | 29.10 | 2100 |
| 34° 16' 47" | 119° 15' 27" | 200 | 29.50 | 2100 |

* Partially estimated by comparison with nearby stations.

SEASONAL PRECIPITATION FOR 1957-58
 LOS ANGELES REGION NO. 4
 (continued)

| <u>Station designation</u> | | <u>Elevation,</u> | <u>Precipitation,</u> | <u>Agency code</u> |
|---|------------------|-------------------|-----------------------|----------------------|
| <u>Latitude</u> | <u>Longitude</u> | <u>in feet</u> | <u>in inches</u> | <u>for source of</u> |
| | | <u>USGS datum</u> | | <u>information</u> |
| <u>Santa Clara River Valley 40400 (continued)</u> | | | | |
| 34° 16' 49" | 119° 15' 33" | 190 | 25.41 | 2100 |
| 34° 17' 05" | 119° 08' 38" | 170 | 26.82 | 2100 |
| 34° 17' 07" | 119° 09' 20" | 190 | 29.01 | 2100 |
| 34° 19' 28" | 118° 34' 14" | 2,850 | 49.53 | 1101 |
| 34° 19' 55" | 119° 07' 25" | 335 | 27.05 | 2100 |
| 34° 20' 18" | 118° 36' 44" | 3,340 | 43.46 | 1101 |
| 34° 21' 18" | 118° 27' 02" | 3,160 | 36.41 | 1101 |
| 34° 21' 19" | 119° 03' 42" | 290 | 31.11 | 2100 |
| 34° 21' 23" | 119° 04' 25" | 275 | 33.00 | 2100 |
| 34° 21' 24" | 118° 39' 42" | 2,850 | 34.30 | 1101 |
| 34° 21' 54" | 118° 56' 42" | 400 | 32.91 | 2100 |
| 34° 22' 13" | 118° 30' 46" | 1,325 | 34.87 | 1101 |
| 34° 22' 27" | 119° 00' 50" | 400 | 32.49 | 2100 |
| 34° 22' 40" | 118° 28' 35" | 1,490 | 35.81 | 1101 |
| 34° 23' 00" | 118° 57' 52" | 430 | 32.84 | 2100 |
| 34° 23' 13" | 118° 25' 03" | 1,780 | 37.07 | 1101 |
| 34° 23' 50" | 118° 38' 18" | 1,150 | 28.75 | 1101 |
| 34° 23' 42" | 118° 51' 06" | 600 | 31.91 | 2100 |
| 34° 23' 54" | 118° 55' 06" | 450 | 33.90 | 2100 |
| 34° 24' 08" | 118° 44' 10" | 675 | 31.99 | 2100 |
| 34° 24' 20" | 118° 45' 20" | 720 | 29.11 | 2100 |
| 34° 24' 22" | 118° 45' 22" | 730 | 30.22 | 2100 |
| 34° 24' 59" | 118° 49' 02" | 640 | 31.17 | 2100 |
| 34° 24' 37" | 118° 52' 43" | 470 | 31.13 | 2100 |
| 34° 24' 39" | 118° 47' 37" | 700 | 29.65 | 2100 |
| 34° 24' 44" | 119° 10' 08" | 2,570 | 45.75 | 2100 |
| 34° 24' 56" | 118° 32' 51" | 1,150 | 24.50 | 1101 |
| 34° 25' 19" | 118° 32' 25" | 1,170 | 21.32 | 1101 |
| 34° 25' 21" | 118° 34' 26" | 1,096 | 22.27 | 1101 |
| 34° 25' 40" | 119° 05' 26" | 960 | 38.60 | 2100 |
| 34° 26' 04" | 118° 26' 06" | 1,625 | 25.44 | 1101 |
| 34° 26' 23" | 118° 36' 20" | 1,001 | 22.93 | 1101 |
| 34° 27' 52" | 118° 36' 57" | 1,066 | 23.99 | 1101 |

SEASONAL PRECIPITATION FOR 1957-58
LOS ANGELES REGION NO. 4
(continued)

| <u>Station designation</u> | | <u>Elevation,</u> | <u>Precipitation,</u> | <u>Agency code</u> |
|---|------------------|-------------------|-----------------------|----------------------|
| <u>Latitude</u> | <u>Longitude</u> | <u>in feet</u> | <u>in inches</u> | <u>for source of</u> |
| | | <u>USGS datum</u> | | <u>information</u> |
| <u>Santa Clara River Valley 40400 (continued)</u> | | | | |
| 34° 28' 23" | 118° 45' 27" | 1,140 | 34.37 | 2100 |
| 34° 28' 44" | 118° 41' 04" | 1,725 | 29.61 | 1101 |
| 34° 29' 37" | 118° 27' 25" | 1,625 | 27.21 | 1101 |
| 34° 30' 47" | 118° 21' 31" | 2,350 | 24.28 | 1101 |
| 34° 30' 47" | 118° 45' 26" | 1,150 | 32.59 | 2100 |
| 34° 31' 04" | 119° 10' 50" | 5,000 | 52.02 | 2100 |
| 34° 32' 02" | 118° 31' 27" | 1,580 | 30.37 | 1101 |
| 34° 33' 29" | 118° 54' 14" | 3,545 | 43.98 | 2100 |
| 34° 33' 39" | 119° 09' 56" | 3,070 | 45.94 | 2100 |
| 34° 34' 27" | 119° 21' 36" | 5,050 | 56.94 | 2100 |
| 34° 35' 14" | 118° 21' 45" | 3,050 | 30.94 | 1101 |
| 34° 35' 50" | 119° 19' 30" | 4,150 | 46.20 | 2100 |
| 34° 38' 22" | 119° 19' 19" | 6,740 | 37.07 | 2100 |
| 34° 38' 28" | 119° 03' 11" | 4,900 | 29.70 | 2100 |
| 34° 39' 35" | 118° 22' 38" | 3,325 | 32.29 | 1101 |
| 34° 40' 34" | 118° 46' 53" | 2,425 | 26.62 | 1101 |
| 34° 44' 37" | 118° 42' 43" | 4,025 | 25.30 | 1101 |
| 34° 47' 18" | 118° 49' 54" | 3,650 | 18.47 | 1101 |
| 34° 49' 59" | 119° 04' 12" | 5,800 | 26.44* | 2100 |
| <u>Acton Valley 40500</u> | | | | |
| 34° 22' 26" | 118° 12' 20" | 5,450 | 35.35 | 1101 |
| 34° 22' 44" | 118° 01' 53" | 6,925 | 20.38 | 1101 |
| 34° 22' 46" | 118° 09' 03" | 5,600 | 39.10 | 1101 |
| 34° 23' 27" | 118° 04' 50" | 4,950 | 25.00 | 1101 |
| 34° 23' 45" | 118° 17' 12" | 4,450 | 40.06 | 1101 |
| 34° 25' 20" | 118° 11' 52" | 3,100 | 20.74 | 1101 |
| 34° 26' 15" | 118° 17' 38" | 2,250 | 22.52 | 1101 |
| 34° 27' 02" | 118° 11' 52" | 2,550 | 15.61 | 1101 |
| 34° 27' 24" | 118° 19' 59" | 2,050 | 18.77 | 1101 |
| 34° 27' 51" | 118° 09' 25" | 2,900 | 15.36 | 1101 |
| 34° 29' 31" | 118° 16' 30" | 2,920 | 14.96 | 2100 |
| 34° 29' 38" | 118° 05' 24" | 3,610 | 13.51 | 1101 |
| 34° 30' 50" | 118° 14' 10" | 3,250 | 13.99 | 1101 |
| 34° 35' 14" | 118° 21' 45" | 3,050 | 30.94 | 1101 |

* Partially estimated by comparison with nearby stations.

SEASONAL PRECIPITATION FOR 1957-58
LOS ANGELES REGION NO. 4
(continued)

| <u>Station designation</u> | | <u>Elevation,</u> | <u>Precipitation,</u> | <u>Agency code</u> |
|--|------------------|-------------------|-----------------------|----------------------|
| <u>Latitude</u> | <u>Longitude</u> | <u>in feet</u> | <u>in inches</u> | <u>for source of</u> |
| | | <u>USGS datum</u> | | <u>information</u> |
| <u>Pleasant Valley 40600</u> | | | | |
| 34° 12' 17" | 119° 04' 04" | 60 | 21.60 | 2100 |
| 34° 13' 50" | 119° 04' 13" | 170 | 24.23 | 2100 |
| 34° 14' 28" | 119° 01' 05" | 205 | 25.85 | 2100 |
| <u>Arroyo Santa Rosa Valley 40700</u> | | | | |
| 34° 14' 10" | 118° 56' 01" | 275 | 24.47 | 2100 |
| <u>Las Posas Valley 40800</u> | | | | |
| 34° 09' 26" | 119° 04' 39" | 20 | 19.19 | 2100 |
| 34° 14' 28" | 119° 01' 05" | 205 | 25.85 | 2100 |
| 34° 15' 47" | 118° 59' 46" | 300 | 26.45 | 2100 |
| 34° 16' 08" | 119° 02' 04" | 375 | 28.36 | 2100 |
| 34° 17' 03" | 118° 52' 58" | 500 | 26.51 | 2100 |
| 34° 17' 45" | 118° 52' 34" | 720 | 26.39 | 2100 |
| 34° 18' 58" | 118° 53' 08" | 800 | 30.38 | 2100 |
| 34° 21' 24" | 118° 39' 42" | 2,850 | 34.30 | 1101 |
| <u>Simi Valley 40900</u> | | | | |
| 34° 15' 31" | 118° 45' 13" | 855 | 26.21 | 2100 |
| 34° 15' 44" | 118° 39' 32" | 1,100 | 34.22 | 2100 |
| 34° 16' 17" | 118° 44' 05" | 925 | 26.13 | 2100 |
| 34° 17' 12" | 118° 43' 09" | 1,010 | 25.45 | 2100 |
| 34° 17' 53" | 118° 43' 16" | 1,080 | 27.01 | 2100 |
| <u>Conejo Valley 41000</u> | | | | |
| 34° 09' 50" | 118° 50' 11" | 900 | 27.31 | 2100 |
| 34° 10' 43" | 118° 50' 59" | 870 | 28.43 | 1101 |
| 34° 10' 55" | 118° 53' 15" | 650 | 32.17 | 2100 |
| 34° 11' 46" | 118° 56' 05" | 850 | 24.83 | 2100 |
| 34° 14' 52" | 118° 50' 26" | 730 | 25.34 | 2100 |
| <u>Coastal Plain, Los Angeles County 41100</u> | | | | |
| 33° 44' 12" | 118° 19' 57" | 950 | 23.88 | 1101 |
| 33° 44' 20" | 118° 21' 30" | 150 | 19.16 | 1101 |
| 33° 44' 30" | 118° 24' 38" | 125 | 17.85 | 1101 |
| 33° 44' 37" | 118° 17' 47" | 150 | 21.20 | 1101 |
| 33° 44' 52" | 118° 24' 29" | 250 | 19.30 | 1101 |

SEASONAL PRECIPITATION FOR 1957-58
 LOS ANGELES REGION No. 4
 (continued)

| <u>Station designation</u> | | <u>Elevation,</u> <u>in feet</u> | <u>Precipitation,</u> <u>in inches</u> | <u>Agency code</u> <u>for source of</u> <u>information</u> |
|--|------------------|-------------------------------------|---|--|
| <u>Latitude</u> | <u>Longitude</u> | <u>USGS datum</u> | | |
| <u>Coastal Plain, Los Angeles County 41100 (continued)</u> | | | | |
| 33° 45' 25" | 118° 21' 11" | 1,275 | 21.54 | 1101 |
| 33° 45' 37" | 118° 19' 47" | 825 | 29.25 | 1101 |
| 33° 45' 44" | 118° 08' 23" | 25 | 19.13 | 1101 |
| 33° 46' 06" | 118° 11' 28" | 150 | 21.01 | 1101 |
| 33° 46' 10" | 118° 11' 37" | 68 | 20.34 | 1101 |
| 33° 46' 30" | 118° 22' 58" | 1,240 | 26.61 | 1101 |
| 33° 46' 34" | 118° 20' 36" | 490 | 25.10 | 1101 |
| 33° 46' 46" | 118° 08' 36" | 15 | 19.62 | 1101 |
| 33° 47' 16" | 118° 12' 08" | 11 | 19.29 | 1101 |
| 33° 47' 27" | 118° 15' 30" | 40 | 20.53 | 1101 |
| 33° 47' 31" | 118° 10' 13" | 40 | 18.17 | 1101 |
| 33° 47' 47" | 118° 22' 12" | 450 | 24.57 | 1101 |
| 33° 48' 38" | 118° 04' 38" | 23 | 17.84 | 1101 |
| 33° 48' 48" | 118° 06' 55" | 26 | 18.70 | 1101 |
| 33° 49' 28" | 118° 10' 14" | 71 | 20.42 | 1101 |
| 33° 49' 35" | 118° 07' 12" | 40 | 19.08 | 1101 |
| 33° 49' 52" | 118° 19' 41" | 85 | 20.76 | 4216 |
| 33° 49' 54" | 118° 13' 30" | 30 | 19.88 | 1101 |
| 33° 50' 28" | 118° 23' 22" | 75 | 19.28 | 1101 |
| 33° 50' 35" | 118° 07' 09" | 47 | 21.07 | 1101 |
| 33° 51' 37" | 118° 14' 01" | 195 | 20.38 | 1101 |
| 33° 51' 45" | 118° 07' 43" | 55 | 22.29 | 1101 |
| 33° 51' 48" | 118° 04' 58" | 52 | 20.57 | 1101 |
| 33° 51' 48" | 118° 11' 06" | 50 | 20.21 | 1101 |
| 33° 52' 07" | 118° 19' 55" | 65 | 20.70 | 1101 |
| 33° 52' 55" | 118° 07' 25" | 70 | 22.20 | 1101 |
| 33° 53' 00" | 118° 23' 19" | 182 | 19.43 | 1101 |
| 33° 53' 13" | 118° 00' 56" | 86 | 21.59 | 3102 |
| 33° 53' 30" | 118° 09' 36" | 70 | 22.76 | 1101 |
| 33° 53' 42" | 118° 13' 34" | 68 | 20.06 | 1101 |
| 33° 53' 52" | 118° 04' 00" | 85 | 21.57 | 1101 |
| 33° 54' 57" | 118° 25' 05" | 150 | 19.27 | 1101 |
| 33° 56' 14" | 118° 09' 22" | 102 | 21.33 | 1101 |
| 33° 56' 26" | 117° 59' 30" | 253 | 21.29 | 1101 |
| 33° 56' 56" | 118° 15' 17" | 121 | 21.46 | 1101 |

SEASONAL PRECIPITATION FOR 1957-58
 LOS ANGELES REGION NO. 4
 (continued)

| <u>Station designation</u> | | <u>Elevation,</u> <u>in feet</u> | <u>Precipitation,</u> <u>in inches</u> | <u>Agency code</u> <u>for source of</u> <u>information</u> |
|--|------------------|-------------------------------------|---|--|
| <u>Latitude</u> | <u>Longitude</u> | <u>USGS datum</u> | | |
| <u>Coastal Plain, Los Angeles County 41100 (continued)</u> | | | | |
| 33° 57' 08" | 117° 55' 26" | 625 | 27.09 | 3102 |
| 33° 57' 16" | 118° 12' 18" | 114 | 21.58 | 1101 |
| 33° 57' 38" | 118° 08' 07" | 131 | 22.63 | 1101 |
| 33° 57' 54" | 118° 21' 15" | 155 | 20.67 | 1101 |
| 33° 57' 58" | 118° 18' 24" | 173 | 23.00 | 1101 |
| 33° 58' 09" | 117° 50' 40" | 720 | 29.50 | 3102 |
| 33° 58' 27" | 118° 01' 57" | 340 | 21.95 | 1101 |
| 33° 58' 37" | 118° 08' 48" | 140 | 20.40 | 1101 |
| 33° 58' 41" | 117° 49' 58" | 748 | 30.03 | 3102 |
| 33° 58' 45" | 118° 11' 16" | 145 | 23.16 | 1101 |
| 33° 59' 18" | 118° 01' 30" | 495 | 22.90 | 1101 |
| 33° 59' 20" | 118° 04' 58" | 170 | 23.98 | 1101 |
| 33° 59' 20" | 118° 13' 03" | 175 | 22.69 | 1101 |
| 33° 59' 21" | 118° 27' 15" | 55 | 20.63 | 1101 |
| 33° 59' 25" | 118° 06' 33" | 155 | 22.79 | 1101 |
| 33° 59' 52" | 118° 03' 10" | 280 | 23.69 | 1101 |
| 34° 00' 08" | 118° 22' 32" | 392 | 19.79 | 1101 |
| 34° 00' 20" | 118° 03' 30" | 280 | 23.54 | 1101 |
| 34° 00' 25" | 118° 21' 47" | 460 | 20.03 | 1101 |
| 34° 00' 40" | 118° 06' 15" | 215 | 24.11 | 1101 |
| 34° 00' 48" | 118° 29' 32" | 80 | 25.11 | 1101 |
| 34° 00' 49" | 118° 25' 32" | 92 | 22.69 | 1101 |
| 34° 01' 14" | 118° 17' 15" | 208 | 23.27 | 1101 |
| 34° 01' 15" | 118° 05' 00" | 225 | 24.27 | 1101 |
| 34° 02' 00" | 118° 18' 46" | 203 | 22.60 | 1101 |
| 34° 02' 27" | 118° 07' 42" | 305 | 24.35 | 1101 |
| 34° 02' 38" | 118° 31' 36" | 320 | 28.29 | 1101 |
| 34° 02' 44" | 118° 26' 57" | 232 | 25.74 | 1101 |
| 34° 02' 54" | 118° 24' 06" | 185 | 24.44 | 1101 |
| 34° 03' 06" | 118° 30' 32" | 265 | 23.40 | 1101 |
| 34° 03' 08" | 118° 14' 46" | 385 | 23.78 | 1101 |
| 34° 03' 09" | 118° 14' 13" | 300 | 23.39 | 1101 |
| 34° 03' 19" | 118° 27' 22" | 355 | 27.19 | 1101 |
| 34° 03' 33" | 118° 14' 07" | 282 | 22.94 | 1101 |
| 34° 03' 34" | 118° 33' 25" | 700 | 21.19 | 1101 |

SEASONAL PRECIPITATION FOR 1957-58
LOS ANGELES REGION NO. 4
(continued)

| <u>Station designation</u> | | <u>Elevation,</u> | <u>Precipitation,</u> | <u>Agency code</u> |
|--|------------------|-------------------|-----------------------|----------------------|
| <u>Latitude</u> | <u>Longitude</u> | <u>in feet</u> | <u>in inches</u> | <u>for source of</u> |
| | | <u>USGS datum</u> | | <u>information</u> |
| <u>Coastal Plain, Los Angeles County 41100 (continued)</u> | | | | |
| 34° 03' 45" | 118° 28' 51" | 418 | 28.00 | 1101 |
| 34° 03' 46" | 118° 11' 54" | 400 | 23.81 | 1101 |
| 34° 03' 50" | 118° 21' 29" | 175 | 22.69 | 1101 |
| 34° 04' 13" | 118° 19' 23" | 225 | 23.02 | 1101 |
| 34° 04' 27" | 118° 23' 57" | 290 | 26.33 | 1101 |
| 34° 04' 31" | 118° 14' 46" | 450 | 23.52 | 1101 |
| 34° 04' 44" | 118° 11' 16" | 620 | 24.81 | 1101 |
| 34° 04' 49" | 118° 10' 51" | 525 | 25.57 | 1101 |
| 34° 04' 50" | 118° 28' 12" | 570 | 29.63 | 1101 |
| 34° 04' 55" | 118° 14' 22" | 700 | 18.23 | 1101 |
| 34° 05' 02" | 118° 15' 11" | 475 | 23.40 | 1101 |
| 34° 05' 10" | 118° 28' 57" | 1,025 | 32.03 | 1101 |
| 34° 05' 19" | 118° 17' 34" | 335 | 21.87 | 1101 |
| 34° 05' 28" | 118° 19' 30" | 305 | 22.55 | 1101 |
| 34° 05' 43" | 118° 24' 40" | 585 | 21.93 | 1101 |
| 34° 05' 58" | 118° 15' 25" | 540 | 20.83 | 1101 |
| 34° 06' 08" | 118° 15' 54" | 455 | 24.33 | 1101 |
| 34° 06' 10" | 118° 21' 23" | 440 | 21.54 | 1101 |
| 34° 06' 21" | 118° 27' 13" | 865 | 30.04 | 1101 |
| 34° 06' 22" | 118° 26' 50" | 975 | 28.33 | 1101 |
| 34° 06' 25" | 118° 28' 26" | 1,300 | 24.14 | 1101 |
| 34° 07' 04" | 118° 19' 55" | 750 | 24.26 | 1101 |
| 34° 07' 06" | 118° 10' 39" | 620 | 25.02 | 1101 |
| 34° 07' 12" | 118° 18' 20" | 750 | 22.59 | 1101 |
| 34° 07' 12" | 118° 30' 12" | 1,225 | 33.85 | 1101 |
| 34° 07' 14" | 118° 24' 38" | 867 | 26.19 | 1101 |
| 34° 07' 18" | 118° 17' 04" | 850 | 24.75 | 1101 |
| 34° 07' 18" | 118° 21' 46" | 1,025 | 27.86 | 1101 |
| 34° 07' 19" | 118° 30' 52" | 1,465 | 25.42 | 1101 |
| 34° 07' 24" | 118° 18' 11" | 1,100 | 24.32 | 1101 |
| 34° 07' 27" | 118° 27' 15" | 943 | 28.52 | 1101 |
| 34° 07' 32" | 118° 16' 58" | 900 | 26.73 | 1101 |
| 34° 07' 36" | 118° 18' 01" | 1,400 | 23.26 | 1101 |
| 34° 07' 38" | 118° 30' 03" | 1,625 | 30.26 | 1101 |
| 34° 07' 45" | 118° 24' 20" | 1,100 | 27.20 | 1101 |

SEASONAL PRECIPITATION FOR 1957-58
 LOS ANGELES REGION NO. 4
 (continued)

| <u>Station designation</u> | | <u>Elevation,</u> | <u>Precipitation,</u> | <u>Agency code</u> |
|--|------------------|-------------------|-----------------------|----------------------|
| <u>Latitude</u> | <u>Longitude</u> | <u>in feet</u> | <u>in inches</u> | <u>for source of</u> |
| | | <u>USGS datum</u> | | <u>information</u> |
| <u>Coastal Plain, Los Angeles County 41100 (continued)</u> | | | | |
| 34° 07' 48" | 118° 18' 07" | 1,600 | 23.75 | 1101 |
| 34° 07' 51" | 118° 29' 26" | 1,425 | 29.45 | 1101 |
| 34° 07' 52" | 118° 28' 42" | 1,325 | 29.33 | 1101 |
| 34° 08' 47" | 118° 11' 22" | 963 | 25.53 | 1101 |
| <u>San Fernando Valley 41200</u> | | | | |
| 34° 07' 18" | 118° 17' 04" | 850 | 24.75 | 1101 |
| 34° 07' 32" | 118° 16' 58" | 900 | 26.73 | 1101 |
| 34° 07' 38" | 118° 30' 03" | 1,625 | 30.26 | 1101 |
| 34° 07' 45" | 118° 24' 20" | 1,100 | 27.20 | 1101 |
| 34° 07' 48" | 118° 17' 34" | 1,200 | 25.02 | 1101 |
| 34° 07' 48" | 118° 18' 07" | 1,600 | 23.75 | 1101 |
| 34° 07' 51" | 118° 29' 26" | 1,425 | 29.45 | 1101 |
| 34° 07' 52" | 118° 28' 42" | 1,325 | 29.33 | 1101 |
| 34° 08' 02" | 118° 17' 18" | 650 | 26.05 | 1101 |
| 34° 08' 02" | 118° 17' 27" | 600 | 20.15 | 1101 |
| 34° 08' 02" | 118° 27' 32" | 1,190 | 29.96 | 1101 |
| 34° 08' 15" | 118° 30' 57" | 1,240 | 33.62 | 1101 |
| 34° 08' 29" | 118° 24' 26" | 680 | 28.89 | 1101 |
| 34° 08' 34" | 118° 18' 08" | 950 | 26.24 | 1101 |
| 34° 08' 40" | 118° 18' 10" | 987 | 27.43 | 1101 |
| 34° 08' 48" | 118° 17' 48" | 625 | 26.19 | 1101 |
| 34° 08' 57" | 118° 30' 55" | 1,000 | 29.30 | 1101 |
| 34° 09' 00" | 118° 14' 27" | 603 | 25.62 | 1101 |
| 34° 09' 02" | 118° 10' 57" | 950 | 28.50 | 1101 |
| 34° 09' 07" | 118° 15' 40" | 530 | 25.00 | 1101 |
| 34° 09' 07" | 118° 36' 35" | 986 | 26.08 | 1101 |
| 34° 09' 13" | 118° 12' 01" | 975 | 25.10 | 1101 |
| 34° 09' 21" | 118° 18' 20" | 470 | 26.77 | 1101 |

SEASONAL PRECIPITATION FOR 1957-58
 LOS ANGELES REGION NO. 4
 (continued)

| Station designation | | Elevation, in feet | Precipitation, in inches | Agency code for source of information |
|--|--------------|-----------------------|-----------------------------|---|
| Latitude | Longitude | USGS datum | | |
| <u>San Fernando Valley 41200 (continued)</u> | | | | |
| 34° 09' 23" | 118° 21' 56" | 593 | 23.78 | 1101 |
| 34° 09' 24" | 118° 38' 14" | 924 | 30.81 | 1101 |
| 34° 09' 54" | 118° 15' 05" | 615 | 25.50 | 1101 |
| 34° 10' 07" | 118° 32' 07" | 785 | 26.08 | 1101 |
| 34° 10' 16" | 118° 35' 56" | 891 | 29.10 | 1101 |
| 34° 10' 57" | 118° 11' 47" | 1,345 | 30.84 | 1101 |
| 34° 11' 04" | 118° 16' 32" | 890 | 22.54 | 1101 |
| 34° 11' 15" | 118° 31' 15" | 720 | 23.91 | 1101 |
| 34° 11' 18" | 118° 16' 20" | 1,250 | 27.77 | 1101 |
| 34° 11' 22" | 118° 30' 25" | 724 | 29.85 | 1101 |
| 34° 11' 33" | 118° 14' 28" | 1,200 | 29.31 | 1101 |
| 34° 11' 37" | 118° 39' 27" | 925 | 29.23 | 1101 |
| 34° 11' 39" | 118° 23' 17" | 717 | 21.06 | 1101 |
| 34° 12' 10" | 118° 12' 40" | 1,300 | 30.89 | 1101 |
| 34° 12' 18" | 118° 17' 03" | 1,610 | 28.38 | 1101 |
| 34° 12' 42" | 118° 19' 36" | 1,000 | 23.20 | 1101 |
| 34° 13' 15" | 118° 13' 45" | 1,600 | 29.22 | 1101 |
| 34° 13' 29" | 118° 15' 23" | 1,410 | 36.03 | 1101 |
| 34° 13' 34" | 118° 36' 58" | 865 | 29.82 | 1101 |
| 34° 13' 43" | 118° 32' 53" | 795 | 27.31 | 1101 |
| 34° 13' 53" | 118° 28' 04" | 828 | 23.11 | 1101 |
| 34° 13' 58" | 118° 10' 27" | 850 | 29.35 | 1101 |
| 34° 14' 16" | 118° 13' 42" | 2,310 | 37.65 | 1101 |
| 34° 14' 19" | 118° 21' 33" | 1,050 | 21.71 | 1101 |
| 34° 14' 20" | 118° 20' 27" | 1,225 | 23.57 | 1101 |
| 34° 14' 52" | 118° 15' 43" | 2,100 | 26.23 | 1101 |
| 34° 14' 53" | 118° 15' 07" | 2,275 | 38.73 | 1101 |
| 34° 14' 57" | 118° 26' 40" | 902 | 20.52 | 1101 |
| 34° 15' 21" | 118° 24' 24" | 955 | 22.90 | 1101 |
| 34° 15' 27" | 118° 20' 06" | 1,360 | 22.87 | 1101 |
| 34° 15' 41" | 118° 13' 50" | 4,425 | 35.50 | 1101 |
| 34° 15' 43" | 118° 17' 33" | 1,690 | 25.79 | 1101 |
| 34° 15' 52" | 118° 15' 13" | 3,400 | 33.87 | 1101 |
| 34° 16' 03" | 118° 17' 50" | 1,605 | 27.19 | 1101 |

SEASONAL PRECIPITATION FOR 1957-58
LOS ANGELES REGION NO. 4
(continued)

| <u>Station designation</u> | | <u>Elevation,</u> <u>in feet</u> | <u>Precipitation,</u> <u>in inches</u> | <u>Agency</u> <u>for source of</u> <u>information</u> |
|--|------------------|-------------------------------------|---|---|
| <u>Latitude</u> | <u>Longitude</u> | <u>USGS datum</u> | | |
| <u>San Fernando Valley 41200 (continued)</u> | | | | |
| 34° 16' 05" | 118° 14' 11" | 5,025 | 38.44 | 1101 |
| 34° 16' 17" | 118° 35' 12" | 1,127 | 32.29 | 1101 |
| 34° 16' 22" | 118° 27' 50" | 950 | 25.51 | 2100 |
| 34° 16' 36" | 118° 10' 15" | 3,100 | 52.90 | 1101 |
| 34° 16' 39" | 118° 36' 13" | 1,254 | 35.30 | 1101 |
| 34° 16' 42" | 118° 17' 43" | 1,500 | 27.97 | 1101 |
| 34° 16' 58" | 118° 30' 46" | 1,150 | 26.77 | 1101 |
| 34° 17' 12" | 118° 13' 32" | 1,850 | 44.66 | 1101 |
| 34° 17' 18" | 118° 28' 54" | 1,150 | 30.55 | 1101 |
| 34° 17' 37" | 118° 21' 38" | 1,275 | 25.43 | 1101 |
| 34° 17' 46" | 118° 22' 29" | 1,450 | 25.03 | 1101 |
| 34° 18' 00" | 118° 16' 06" | 1,650 | 31.27 | 1101 |
| 34° 18' 33" | 118° 24' 14" | 1,300 | 29.50 | 1101 |
| 34° 18' 38" | 118° 08' 17" | 2,850 | 37.54 | 1101 |
| 34° 18' 40" | 118° 28' 20" | 1,250 | 30.59 | 1101 |
| 34° 18' 49" | 118° 29' 30" | 1,248 | 32.73 | 1101 |
| 34° 19' 12" | 118° 24' 59" | 1,455 | 30.33 | 1101 |
| 34° 19' 31" | 118° 26' 56" | 1,425 | 33.93 | 1101 |
| 34° 19' 35" | 118° 24' 45" | 1,730 | 29.88 | 1101 |
| 34° 19' 37" | 118° 00' 17" | 5,250 | 42.42 | 1101 |
| 34° 19' 48" | 118° 19' 03" | 2,330 | 30.54 | 1101 |
| 34° 19' 50" | 118° 25' 45" | 1,680 | 23.54 | 1101 |
| 34° 19' 54" | 118° 20' 37" | 1,900 | 33.00 | 1101 |
| 34° 20' 18" | 118° 36' 44" | 3,340 | 43.46 | 1101 |
| 34° 20' 53" | 118° 22' 25" | 2,075 | 40.54 | 1101 |
| 34° 20' 55" | 118° 02' 55" | 4,300 | 29.44 | 1101 |
| 34° 21' 03" | 118° 16' 53" | 4,500 | 31.91 | 1101 |
| 34° 21' 07" | 118° 20' 38" | 3,225 | 40.69 | 1101 |
| 34° 21' 18" | 118° 27' 02" | 3,160 | 36.41 | 1101 |
| 34° 21' 40" | 118° 18' 28" | 3,000 | 45.74 | 1101 |

SEASONAL PRECIPITATION FOR 1957-58
LOS ANGELES REGION NO. 4
(continued)

| <u>Station designation</u> | | <u>Elevation,</u> | <u>Precipitation,</u> | <u>Agency</u> |
|--|------------------|-------------------|-----------------------|----------------------|
| <u>Latitude</u> | <u>Longitude</u> | <u>in feet</u> | <u>in inches</u> | <u>for source of</u> |
| | | <u>USGS datum</u> | | <u>information</u> |
| <u>San Fernando Valley 41200 (continued)</u> | | | | |
| 34° 22' 26" | 118° 12' 20" | 5,450 | 35.35 | 1101 |
| 34° 22' 44" | 118° 01' 53" | 6,925 | 20.38 | 1101 |
| 34° 22' 46" | 118° 09' 03" | 5,600 | 39.10 | 1101 |
| 34° 23' 19" | 118° 05' 26" | 4,600 | 25.00 | 1101 |
| 34° 23' 27" | 118° 04' 50" | 4,950 | 27.22 | 1101 |
| 34° 23' 45" | 118° 17' 12" | 4,450 | 40.06 | 1101 |
| <u>San Gabriel Valley 41300</u> | | | | |
| 33° 59' 05" | 117° 47' 00" | 950 | 32.03 | 3102 |
| 33° 59' 40" | 117° 59' 27" | 860 | 27.86 | 1101 |
| 34° 00' 12" | 117° 56' 19" | 380 | 29.24 | 1101 |
| 34° 00' 13" | 117° 51' 09" | 533 | 27.93 | 1101 |
| 34° 00' 26" | 117° 59' 42" | 575 | 28.96 | 1101 |
| 34° 01' 00" | 117° 55' 15" | 460 | 28.13* | 1101 |
| 34° 01' 14" | 117° 58' 40" | 314 | 27.30 | 1101 |
| 34° 02' 02" | 118° 02' 40" | 230 | 22.38 | 1101 |
| 34° 02' 32" | 117° 55' 49" | 375 | 27.56 | 1101 |
| 34° 02' 35" | 118° 04' 50" | 285 | 26.53 | 1101 |
| 34° 02' 48" | 117° 50' 43" | 755 | 32.10 | 1101 |
| 34° 03' 09" | 118° 00' 04" | 293 | 25.85 | 1101 |
| 34° 03' 19" | 117° 54' 23" | 467 | 28.47 | 1101 |
| 34° 03' 51" | 117° 57' 00" | 358 | 28.07 | 1101 |
| 34° 03' 58" | 117° 46' 21" | 840 | 32.47 | 4752 |
| 34° 04' 10" | 117° 50' 47" | 975 | 30.49 | 1101 |
| 34° 04' 30" | 118° 02' 30" | 275 | 27.66 | 1101 |
| 34° 05' 30" | 117° 48' 22" | 1,030 | 31.46 | 1101 |
| 34° 05' 36" | 117° 57' 40" | 386 | 26.51 | 1101 |
| 34° 05' 40" | 118° 07' 43" | 485 | 29.26 | 1101 |
| 34° 06' 00" | 117° 50' 02" | 805 | 34.04 | 1101 |
| 34° 06' 03" | 117° 46' 12" | 1,050 | 32.21 | 1101 |

* Partially estimated

SEASONAL PRECIPITATION FOR 1957-58
 LOS ANGELES REGION NO. 4
 (continued)

| Station designation | | Elevation, in feet | Precipitation, in inches | Agency code for source of information |
|---|--------------|-----------------------|-----------------------------|---|
| Latitude | Longitude | USGS datum | | |
| <u>San Gabriel Valley 41300 (continued)</u> | | | | |
| 34° 06' 18" | 118° 06' 32" | 472 | 27.82 | 1101 |
| 34° 06' 26" | 117° 51' 17" | 732 | 34.04 | 1101 |
| 34° 06' 31" | 118° 03' 25" | 404 | 27.01 | 1101 |
| 34° 06' 53" | 117° 54' 56" | 505 | 29.94 | 1101 |
| 34° 06' 58" | 118° 09' 05" | 690 | 28.91 | 1101 |
| 34° 07' 00" | 118° 07' 59" | 608 | 29.02 | 1101 |
| 34° 07' 06" | 117° 47' 38" | 1,070 | 34.26 | 1101 |
| 34° 07' 39" | 117° 47' 42" | 1,110 | 35.38 | 1101 |
| 34° 07' 42" | 118° 04' 22" | 547 | 27.89 | 1101 |
| 34° 07' 48" | 118° 09' 12" | 780 | 29.10 | 1101 |
| 34° 07' 57" | 117° 49' 09" | 960 | 37.12 | 1101 |
| 34° 07' 57" | 117° 53' 32" | 615 | 32.95 | 1101 |
| 34° 07' 57" | 118° 10' 27" | 850 | 29.35 | 1101 |
| 34° 08' 02" | 117° 54' 14" | 602 | 32.41 | 1101 |
| 34° 08' 14" | 118° 07' 25" | 795 | 30.41 | 1101 |
| 34° 08' 22" | 117° 51' 54" | 782 | 33.97 | 1101 |
| 34° 08' 23" | 117° 51' 33" | 822 | 34.76 | 1101 |
| 34° 08' 26" | 117° 58' 02" | 548 | 31.35 | 1101 |
| 34° 08' 47" | 118° 04' 03" | 635 | 30.19 | 1101 |
| 34° 08' 48" | 118° 02' 59" | 565 | 30.46 | 1101 |
| 34° 08' 51" | 117° 54' 55" | 675 | 30.62 | 1101 |
| 34° 08' 52" | 118° 05' 14" | 705 | 30.42 | 1101 |
| 34° 08' 57" | 118° 00' 04" | 560 | 33.54 | 1101 |
| 34° 08' 58" | 117° 52' 01" | 895 | 34.32 | 1101 |
| 34° 09' 00" | 117° 45' 32" | 1,680 | 39.52 | 1101 |
| 34° 09' 01" | 117° 56' 47" | 755 | 32.64 | 1101 |
| 34° 09' 02" | 118° 10' 57" | 950 | 28.50 | 1101 |
| 34° 09' 05" | 117° 46' 28" | 1,350 | 39.57 | 1101 |
| 34° 09' 17" | 117° 57' 05" | 905 | 33.37 | 1101 |

SEASONAL PRECIPITATION FOR 1957-58
LOS ANGELES REGION NO. 4
(continued)

| <u>Station designation</u> | | <u>Elevation,</u> | <u>Precipitation,</u> | <u>Agency cod</u> |
|---|------------------|-------------------|-----------------------|-------------------|
| <u>Latitude</u> | <u>Longitude</u> | <u>in feet</u> | <u>in inches</u> | <u>for source</u> |
| | | <u>USGS datum</u> | | <u>informatio</u> |
| <u>San Gabriel Valley 41300 (continued)</u> | | | | |
| 34° 09' 22" | 117° 50' 57" | 1,165 | 37.02 | 1101 |
| 34° 09' 23" | 117° 57' 58" | 935 | 34.37 | 1101 |
| 34° 09' 27" | 118° 02' 36" | 665 | 31.47 | 1101 |
| 34° 09' 32" | 118° 02' 02" | 611 | 33.21 | 1101 |
| 34° 09' 47" | 117° 53' 37" | 845 | 35.32 | 1101 |
| 34° 09' 47" | 118° 02' 21" | 700 | 32.17 | 1101 |
| 34° 09' 48" | 118° 09' 27" | 918 | 30.22 | 1101 |
| 34° 09' 48" | 118° 10' 53" | 1,120 | 28.90 | 1101 |
| 34° 09' 49" | 117° 54' 06" | 790 | 35.32 | 1101 |
| 34° 10' 03" | 117° 46' 02" | 1,500 | 42.53 | 1101 |
| 34° 10' 03" | 118° 07' 17" | 985 | 31.71 | 1101 |
| 34° 10' 04" | 117° 59' 35" | 1,010 | 34.07 | 1101 |
| 34° 10' 06" | 118° 05' 33" | 880 | 33.83 | 1101 |
| 34° 10' 11" | 118° 02' 51" | 985 | 34.87 | 1101 |
| 34° 10' 13" | 117° 43' 16" | 3,625 | 48.43 | 1101 |
| 34° 10' 15" | 118° 01' 54" | 935 | 34.97 | 1101 |
| 34° 10' 19" | 118° 10' 41" | 985 | 30.59 | 1101 |
| 34° 10' 34" | 117° 48' 26" | 1,775 | 43.21 | 1101 |
| 34° 10' 34" | 117° 59' 14" | 1,378 | 36.05 | 1101 |
| 34° 10' 34" | 118° 02' 32" | 1,100 | 34.88 | 1101 |
| 34° 10' 39" | 118° 09' 56" | 1,050 | 31.34 | 1101 |
| 34° 10' 48" | 118° 07' 01" | 1,186 | 32.77 | 1101 |
| 34° 10' 50" | 117° 58' 18" | 1,775 | 40.99 | 1101 |
| 34° 10' 53" | 117° 52' 43" | 1,210 | 39.65 | 1101 |
| 34° 10' 54" | 118° 04' 42" | 1,400 | 35.75 | 1101 |
| 34° 10' 57" | 118° 11' 47" | 1,345 | 30.84 | 1101 |
| 34° 11' 03" | 118° 01' 09" | 1,400 | 34.45 | 1101 |
| 34° 11' 08" | 118° 10' 19" | 1,090 | 31.83 | 1101 |
| 34° 11' 36" | 118° 05' 18" | 2,550 | 36.88 | 1101 |
| 34° 11' 38" | 117° 57' 52" | 2,725 | 50.84 | 1101 |
| 34° 11' 41" | 117° 44' 26" | 2,765 | 47.02 | 1101 |

SEASONAL PRECIPITATION FOR 1957-58
 LOS ANGELES REGION NO. 4
 (continued)

| Station designation | | Elevation, in feet | Precipitation, in inches | Agency code for source of information |
|---|--------------|-----------------------|-----------------------------|---|
| Latitude | Longitude | USGS datum | | |
| <u>San Gabriel Valley 41300 (continued)</u> | | | | |
| 34° 11' 46" | 118° 01' 20" | 2,175 | 42.92 | 1101 |
| 34° 11' 47" | 118° 10' 29" | 1,080 | 31.94 | 1101 |
| 34° 11' 52" | 118° 11' 05" | 1,155 | 30.73 | 1101 |
| 34° 11' 57" | 118° 07' 22" | 1,643 | 33.61 | 1101 |
| 34° 12' 10" | 118° 12' 40" | 1,300 | 30.89 | 1101 |
| 34° 12' 12" | 118° 11' 40" | 1,270 | 33.23 | 1101 |
| 34° 12' 15" | 118° 08' 23" | 1,580 | 35.14 | 1101 |
| 34° 12' 20" | 117° 45' 40" | 2,750 | 47.37 | 1101 |
| 34° 12' 27" | 118° 10' 00" | 1,181 | 33.77 | 1101 |
| 34° 12' 33" | 118° 10' 12" | 1,220 | 33.33 | 1101 |
| 34° 12' 53" | 118° 08' 48" | 2,110 | 32.90 | 1101 |
| 34° 12' 56" | 118° 10' 10" | 1,515 | 34.63 | 1101 |
| 34° 13' 00" | 118° 09' 58" | 1,825 | 29.63 | 1101 |
| 34° 13' 03" | 118° 10' 05" | 1,707 | 36.64 | 1101 |
| 34° 13' 06" | 117° 58' 39" | 4,715 | 57.65 | 1101 |
| 34° 13' 09" | 118° 09' 51" | 2,022 | 34.63 | 1101 |
| 34° 13' 15" | 118° 13' 45" | 1,600 | 29.22 | 1101 |
| 34° 13' 17" | 118° 09' 19" | 2,035 | 37.60 | 1101 |
| 34° 13' 18" | 118° 09' 59" | 2,207 | 33.06 | 1101 |
| 34° 13' 27" | 118° 03' 32" | 5,650 | 55.66 | 1101 |
| 34° 13' 30" | 117° 55' 15" | 4,160 | 56.55 | 1101 |
| 34° 13' 30" | 118° 07' 50" | 2,800 | 40.87 | 1101 |
| 34° 13' 33" | 117° 50' 48" | 1,500 | 45.54 | 1101 |
| 34° 13' 35" | 118° 06' 33" | 4,450 | 25.00 | 1101 |
| 34° 13' 40" | 118° 12' 42" | 2,020 | 35.16 | 1101 |
| 34° 13' 50" | 118° 01' 35" | 4,160 | 51.55 | 1101 |
| 34° 13' 51" | 118° 02' 19" | 3,225 | 54.07 | 1101 |
| 34° 14' 00" | 118° 10' 30" | 2,300 | 42.62 | 1101 |
| 34° 14' 10" | 117° 48' 18" | 1,600 | 44.43 | 1101 |
| 34° 14' 20" | 117° 51' 36" | 1,530 | 53.42 | 1101 |
| 34° 14' 20" | 118° 06' 00" | 5,300 | 52.29 | 1101 |

SEASONAL PRECIPITATION FOR 1957-58
 LOS ANGELES REGION NO. 4
 (continued)

| <u>Station designation</u> | | Elevation, in feet | Precipitation, in inches | Agency code for source of information |
|---|------------------|-----------------------|-----------------------------|---|
| <u>Latitude</u> | <u>Longitude</u> | <u>USGS datum</u> | | |
| <u>San Gabriel Valley 41300 (continued)</u> | | | | |
| 34° 14' 36" | 117° 45' 40" | 2,000 | 44.65 | 1101 |
| 34° 14' 37" | 117° 57' 37" | 2,330 | 54.75 | 1101 |
| 34° 14' 40" | 118° 10' 50" | 1,800 | 30.37 | 1101 |
| 34° 15' 30" | 118° 11' 45" | 2,800 | 38.64 | 1101 |
| 34° 15' 33" | 118° 09' 15" | 2,980 | 34.49 | 1101 |
| 34° 15' 49" | 117° 42' 38" | 3,865 | 47.22 | 1101 |
| 34° 15' 58" | 118° 08' 37" | 3,290 | 46.21 | 1101 |
| 34° 16' 43" | 118° 04' 38" | 5,550 | 59.81 | 1101 |
| 34° 16' 53" | 118° 00' 07" | 5,050 | 36.31 | 1101 |
| 34° 17' 04" | 117° 51' 58" | 4,025 | 55.07 | 1101 |
| 34° 18' 06" | 117° 50' 20" | 4,010 | 52.75 | 1101 |
| 34° 18' 46" | 117° 48' 32" | 7,700 | 47.81 | 1101 |
| 34° 19' 05" | 118° 00' 30" | 5,275 | 41.18 | 1101 |
| 34° 20' 23" | 117° 56' 21" | 7,925 | 41.01 | 1101 |
| 34° 20' 30" | 117° 41' 35" | 5,680 | 39.23 | 1101 |
| 34° 20' 50" | 117° 49' 57" | 7,590 | 64.50 | 1101 |
| 34° 21' 18" | 117° 52' 32" | 6,665 | 65.54 | 1101 |
| 34° 22' 26" | 117° 45' 05" | 6,600 | 55.73 | 1101 |
| <u>Upper Santa Ana Valley, Los Angeles County 41400</u> | | | | |
| 34° 01' 34" | 117° 46' 06" | 820 | 32.85 | 1101 |
| 34° 03' 17" | 117° 45' 02" | 876 | 31.18 | 1101 |
| 34° 05' 45" | 117° 42' 57" | 1,180 | 34.15 | 1101 |
| 34° 07' 22" | 117° 43' 11" | 1,403 | 34.31 | 1101 |
| 34° 07' 35" | 117° 43' 55" | 1,350 | 34.73 | 1101 |
| 34° 08' 02" | 117° 44' 38" | 1,510 | 37.75 | 1101 |
| 34° 08' 54" | 117° 41' 52" | 1,810 | 40.74 | 1101 |
| 34° 09' 20" | 117° 40' 55" | 2,090 | 40.27 | 1101 |
| 34° 09' 24" | 117° 40' 20" | 2,120 | 40.81 | 1101 |
| 34° 09' 36" | 117° 42' 07" | 2,120 | 44.41 | 1101 |
| 34° 11' 48" | 117° 41' 45" | 5,200 | 58.66 | 1101 |
| 34° 12' 50" | 117° 40' 10" | 3,200 | 57.06 | 1101 |

SEASONAL PRECIPITATION FOR 1957-58
LOS ANGELES REGION NO. 4
(continued)

| <u>Station designation</u> | | <u>Elevation,</u> | <u>Precipitation,</u> | <u>Agency code</u> |
|-----------------------------------|------------------|-------------------|-----------------------|----------------------|
| <u>Latitude</u> | <u>Longitude</u> | <u>in feet</u> | <u>in inches</u> | <u>for source of</u> |
| | | <u>USGS datum</u> | | <u>information</u> |
| <u>Malibu Coastal Group 41600</u> | | | | |
| 34° 01' 10" | 118° 47' 46" | 115 | 24.72 | 1101 |
| 34° 01' 50" | 118° 50' 32" | 15 | 23.70 | 1101 |
| 34° 02' 00" | 118° 42' 42" | 160 | 26.30 | 1101 |
| 34° 02' 47" | 118° 38' 18" | 145 | 27.74 | 1101 |
| 34° 02' 55" | 118° 46' 25" | 1,050 | 29.25 | 1101 |
| 34° 03' 34" | 118° 33' 25" | 700 | 21.19 | 1101 |
| 34° 03' 37" | 118° 44' 23" | 1,300 | 37.75 | 1101 |
| 34° 04' 41" | 118° 41' 35" | 600 | 36.83 | 1101 |
| 34° 04' 51" | 118° 31' 10" | 660 | 36.31 | 1101 |
| 34° 04' 58" | 118° 49' 38" | 1,500 | 41.80 | 1101 |
| 34° 05' 00" | 118° 51' 55" | 1,290 | 36.16 | 1101 |
| 34° 05' 35" | 118° 48' 52" | 1,700 | 43.19 | 1101 |
| 34° 05' 37" | 118° 39' 22" | 1,318 | 41.69 | 1101 |
| 34° 06' 20" | 118° 47' 29" | 975 | 36.41 | 1101 |
| 34° 06' 29" | 118° 37' 41" | 1,010 | 44.53 | 1101 |
| 34° 06' 32" | 118° 33' 31" | 1,980 | 30.86 | 1101 |
| 34° 07' 44" | 118° 34' 42" | 1,415 | 33.73 | 1101 |
| 34° 07' 50" | 118° 47' 52" | 825 | 31.37 | 1101 |
| 34° 08' 08" | 118° 45' 08" | 800 | 29.67 | 1101 |
| 34° 09' 00" | 118° 53' 59" | 1,040 | 34.20 | 1101 |
| 34° 09' 40" | 118° 44' 08" | 1,000 | 27.72 | 1101 |

APPENDIX B

RECORDS OF GROUND WATER LEVELS AT WELLS
CENTRAL COASTAL REGION NO. 3

TABLE OF CONTENTS

| | <u>Page</u> |
|--|-------------|
| Salinas Valley 30400 | B- 1 |
| Paso Robles Basin 30406 | B- 1 |
| San Luis Obispo Group 30800 | B- 2 |
| Morro Basin 30801 | B- 2 |
| Los Osos Basin 30803 | B- 2 |
| San Luis Obispo Basin 30804 | B- 2 |
| Pismo Basin 30805 | B- 2 |
| Arroyo Grande Group 31100 | B- 3 |
| Arroyo Grande Basin 31101 | B- 3 |
| Nipomo Mesa Basin 31102 | B- 3 |
| Santa Maria River Valley 31200 | B- 4 |
| Cuyama River Valley 31300 | B-11 |
| San Antonio Creek Valley 31400 | B-13 |
| Santa Ynez River Valley 31500 | B-14 |
| Lompoc Subarea 31501 | B-14 |
| Santa Rita Subarea 31502 | B-27 |
| Buellton Subarea 31503 | B-33 |
| Santa Ynez Subarea 31504 | B-39 |
| Headwater Subarea 31505 | B-49 |
| South Coast Basins, Santa Barbara County 31600 | B-51 |
| Goleta Basin 31601 | B-51 |
| Santa Barbara Basin 31602 | B-56 |
| Carpinteria Basin 31604 | B-57 |

| | <u>Page</u> |
|----------------------------------|-------------|
| Carrizo Plain 31900 | B-63 |
| Cambria Group 32100 | B-63 |
| San Simeon Basin 32103 | B-63 |
| Santa Rosa Basin 32104 | B-63 |
| Villa Basin 32105 | B-63 |
| Toro Basin 32108 | B-63 |

PLATE

Plate No.

B-1

Bound at end of
Appendix B

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SALINAS VALLEY | | | | | | | | | | | |
| PASO ROBLES BASIN | | | | | | PASO ROBLES BASIN | | | | | |
| 30400 | | | | | | | | | | | |
| 24S/10E-11C01 M | 620.0 | 3-16-58 | 56.6 | 563.4 | 5050 | 26S/12E-09M02 M | 652.0 | 3-20-58 | 12.2 | 639.8 | 5050 |
| 24S/11E-23N01 M | 557.5 | 3-18-58 | 19.5 | 538.0 | 5050 | 26S/12E-26D01 M | 829.0 | 3-19-58 | 183.0 | 646.0 | 5050 |
| 24S/11E-25N01 M | 604.5 | 3-18-58 | 39.4 | 565.1 | 5050 | 26S/12E-26E01 M | 840.0 | 10-17-57 | 190.0 | 650.0 | 5050 |
| 24S/11E-33R01 M | 565.0 | 3-18-58 | 32.5 | 532.5 | 5050 | 26S/12E-27H02 M | 835.0 | 10-17-57 | 179.0 | 666.5 | 5050 |
| 24S/11E-35D01 M | 572.1 | 3-18-58 | 35.0* | 537.1 | 5050 | 26S/13E-10D01 M | 800.0 | 3-19-58 | 166.7 | 668.3 | 5050 |
| 24S/11E-35J01 M | 617.8 | 3-18-58 | 62.3 | 555.5 | 5050 | 26S/13E-14R01 M | 985.0 | 10-16-57 | 119.0 | 681.0 | 5050 |
| 24S/12E-23G01 M | 1160.0 | 3-17-58 | 110.9 | 1049.1 | 5050 | 26S/15E-28O02 M | 1112.0 | 3-18-58 | 15.3* | 784.7 | 5050 |
| 24S/15E-27L01 M | 1212.0 | 10-17-57 | 51.0* | 1161.0 | 5050 | 26S/15E-29N01 M | 1135.0 | 10-16-57 | 149.0 | 856.0 | 5050 |
| 24S/15E-33C01 M | 1253.0 | 3-21-58 | 66.0* | 1187.0 | 5050 | 26S/15E-32B01 M | 1120.0 | 3-18-58 | 146.2 | 858.8 | 5050 |
| 24S/15E-33C02 M | 1253.0** | 10-17-57 | 26.0 | 1227.0 | 5050 | 26S/15E-33K01 M | 1100.0 | 10-16-57 | 1.4 | 983.6 | 5050 |
| 25S/11E-35G01 M | 880.0 | 3-20-58 | 35.5 | 844.5 | 5050 | 27S/12E-02D01 M | 810.0 | 3-21-58 | FLOW | 983.6 | 5050 |
| 25S/12E-17J01 M | 640.0 | 3-18-58 | 62.0 | 578.0 | 5050 | 27S/12E-21N01 M | 748.0 | 10-16-57 | 123.5 | 1011.5 | 5050 |
| 25S/12E-17R01 M | 640.0 | 3-18-58 | 43.0 | 597.0 | 5050 | 27S/12E-21N01 M | 775.0 | 10-16-57 | 61.3 | 1050.7 | 5050 |
| 25S/12E-26K01 M | 749.0 | 10-17-57 | 99.5 | 649.5 | 5050 | 27S/13E-09K01 M | 885.0 | 3-21-58 | 45.5 | 1066.5 | 5050 |
| 25S/12E-32A01 M | 656.0** | 3-20-58 | 53.8 | 602.2 | 5050 | 27S/13E-09K01 M | 885.0 | 10-17-57 | 46.0 | 1054.0 | 5050 |
| 25S/13E-11E01 M | 1186.0** | 3-18-58 | 65.5 | 1120.5 | 5050 | 27S/13E-24N01 M | 1030.0 | 3-21-58 | 25.0 | 1075.0 | 5050 |
| 25S/16E-17L01 M | 1165.0 | 10-17-57 | 38.7* | 1126.3 | 5050 | 27S/15E-32E01 M | 775.0 | 10-17-57 | 169.0* | 641.0 | 5050 |
| 25S/16E-30M01 M | 1218.0 | 3-21-58 | 37.7 | 1127.3 | 5050 | 27S/15E-32E01 M | 748.0 | 3-19-58 | 116.2 | 693.8 | 5050 |
| 26S/12E-04N01 M | 675.0 | 3-21-58 | 77.7 | 1140.3 | 5050 | 27S/15E-32E01 M | 775.0 | 3-18-58 | 3.7 | 744.3 | 5050 |
| 26S/12E-04N01 M | 675.0 | 10-16-57 | 49.5 | 625.5 | 5050 | 27S/15E-32E01 M | 775.0 | 10-15-57 | 14.0 | 734.0 | 5050 |
| 26S/12E-04N01 M | 675.0 | 10-16-57 | 49.5 | 625.5 | 5050 | 27S/15E-32E01 M | 775.0 | 3-18-58 | 26.6 | 750.4 | 5050 |
| 26S/12E-04N01 M | 675.0 | 3-20-58 | 42.0 | 633.0 | 5050 | 27S/15E-32E01 M | 775.0 | 10-15-57 | 33.5 | 741.5 | 5050 |
| 26S/12E-04N01 M | 675.0 | 3-20-58 | 42.0 | 633.0 | 5050 | 27S/15E-32E01 M | 775.0 | 3-18-58 | 26.6 | 750.4 | 5050 |
| 26S/12E-09M02 M | 682.0 | 10-16-57 | 21.5 | 630.5 | 5050 | 27S/15E-32E01 M | 775.0 | 3-18-58 | FLOW | 750.4 | 5050 |
| | | | | | | 27S/15E-32E01 M | 775.0 | 10-17-57 | 10.6 | 1019.4 | 5050 |
| | | | | | | 27S/15E-32E01 M | 775.0 | 3-18-58 | 4.4 | 1025.6 | 5050 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------|--------------------|---------------------|--------------------------------------|-----------------------------|-----------------------|-----------------------|--------------------|---------------------|--------------------------------------|-----------------------------|-----------------------|
| SALINAS VALLEY | | | | | | SAN LUIS OBISPO GROUP | | | | | |
| PASO ROBLES BASIN | | | | | | MORRO BASIN | | | | | |
| | | 30400 | 30406 | 30400 | 5050 | 295/11E-19P01 M | 79.1 | 10-18-57 3-17-58 | 49.8 37.0* | 29.3 42.1 | 5050 |
| 275/15E-13A01 M | 1155.0 | 3-20-58 | 20.0 | 1135.0 | 5050 | 295/11E-30D01 M | 63.0 | 10-18-57 3-17-58 | 25.6 24.2 | 37.4 38.8 | 5050 |
| 275/16E-21E02 M | 1255.0 | 3-21-58 | 56.8 | 1198.2 | 5050 | LOS OSOS BASIN | | | | | |
| 285/12E-10G01 M | 825.0 | 10-17-57 3-22-58 | 15.8 4.4 | 809.2 820.6 | 5050 | 30S/11E-07K01 M | 50.0 | 10-18-57 3-18-58 | 44.1 43.1 | 5.9 6.9 | 5050 |
| 285/12E-13N01 M | 850.8 | 10-15-57 3-22-58 | 11.9 4.8 | 838.9 846.0 | 5050 | 30S/11E-21E01 M | 75.4 | 10-18-57 3-18-58 | 29.6 19.5 | 45.8 55.9 | 5050 |
| 285/12E-14G01 M | 830.1 | 10-15-57 3-22-58 | 6.0 2.9 | 824.1 827.2 | 5050 | SAN LUIS OBISPO BASIN | | | | | |
| 285/12E-36N01 M | 911.0 | 10-15-57 3-21-58 | 21.8 1.6 | 889.2 909.4 | 5050 | 31S/12E-04K01 M | 130.0 | 10-18-57 3-18-58 | 19.1 3.6 | 110.9 126.4 | 5050 |
| 285/13E-31K01 M | 884.8 | 3-21-58 | 3.2 | 881.6 | 5050 | 31S/12E-14C01 M | 135.0 | 10-18-57 3-21-58 | 15.4 9.5 | 119.6 125.5 | 5050 |
| 285/14E-07E01 M | 1150.0 | 3-18-58 | 12.5 | 1137.5 | 5050 | 31S/12E-28N01 M | 40.0 | 10-18-57 3-18-58 | 9.0 5.6 | 31.0 34.4 | 5050 |
| 295/13E-05K02 M | 928.5 | 10-15-57 3-21-58 | 21.2 6.5 | 907.3 922.0 | 5050 | 31S/13E-19H01 M | 263.0 | 10-20-57 3-21-58 | 21.0 17.8 | 242.0 245.2 | 5050 |
| 295/13E-06A01 M | 920.0 | 10-15-57 3-21-58 | 62.2 32.7 | 857.8 887.3 | 5050 | PISMO BASIN | | | | | |
| 295/13E-08N01 M | 934.8 | 10-15-57 3-21-58 | 11.6 1.5 | 923.2 933.3 | 5050 | 31S/13E-16N01 M | 325.0 | 10-20-57 3-21-58 | 51.0 10.0 | 274.0 315.0 | 5050 |
| 295/13E-19H01 M | 1002.6 | 10-15-57 3-21-58 | 15.9 2.7 | 986.7 999.9 | 5050 | 32S/12E-13R01 M | 9.9 | 3-18-58 | 4.0 | 5.9 | 5050 |

GROUND WATER LEVELS AT WELLS

| State Well Number | P.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | P.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------|--------------------|---------------------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|---------------------|-------------------------------------|-----------------------------|-----------------------|
| ARROYO GRANDE GROUP | | | | | | | | | | | |
| ARROYO GRANDE BASIN | | | | | | | | | | | |
| 12N/35W-30P01 S | 26.0 | 3-18-58 | 4.4 | 25.6 | 5050 | 32S/13E-31G03 M | 20.2 | 3-18-58 | 5.2 | 15.0 | 5050 |
| 31S/14E-27E01 M | 468.0 | 10-19-57 3-20-58 | 16.4 6.2 | 451.6 461.8 | 5050 5050 | 32S/13E-33K01 M | 52.3 | 10-19-57 3-19-58 | 15.8 23.0* | 36.5 29.3 | 5050 |
| 31S/14E-28R01 M | 440.0 | 10-19-57 | 10.8 | 429.2 | 5050 | 32S/13E-33L02 M | 42.1 | 10-19-57 3-19-58 | 26.2 15.5 | 17.9 26.6 | 5050 |
| 31S/14E-31K01 M | 342.0 | 10-19-57 3-20-58 | 12.2* 10.8 | 329.8 331.2 | 5050 5050 | 32S/14E-19A01 M | 290.9 | 10-19-57 3-20-58 | 27.2 10.9 | 263.7 280.0 | 5050 |
| 31S/14E-31L01 M | 336.3 | 10-19-57 3-20-58 | 16.2 8.5 | 320.1 327.8 | 5050 | NIPOMO MESA BASIN | | | | | |
| 31S/14E-32G01 M | 420.0 | 10-19-57 3-20-58 | 4.3* 1.9 | 376.8 404.1 | 5050 | 11N/34W-18D01 S | 365.0 | 3-19-58 | 275.3 | 89.7 | 5050 |
| 31S/14E-32G02 M | 365.5 | 10-19-57 3-20-58 | 38.0 16.7 | 327.5 348.8 | 5050 | 11N/35W-07R01 S | 145.0 | 3-19-58 | 57.6 | 87.4 | 5050 |
| 31S/14E-33B01 M | 398.6 | 10-19-57 3-20-58 | 12.7* 7.0 | 385.9 391.6 | 5050 | 12N/35W-29R01 S | 230.0 | 3-19-58 | 104.2 | 125.8 | 5050 |
| 31S/14E-33D01 M | 418.0 | 10-19-57 | 4.5 | 372.5 | 5050 | | | | | | |
| 32S/13E-12C01 M | 271.0 | 10-19-57 3-20-58 | 26.5 17.0 | 244.5 254.0 | 5050 | | | | | | |
| 32S/13E-12D03 M | 238.0 | 10-19-57 3-20-58 | 20.4 18.1 | 217.6 219.9 | 5050 | | | | | | |
| 32S/13E-22D01 M | 129.0 | 10-19-57 3-20-58 | 36.7 28.3 | 92.3 100.7 | 5050 | | | | | | |
| 32S/13E-23F01 M | 161.8 | 10-19-57 3-20-58 | 19.5 16.5 | 142.3 145.3 | 5050 | | | | | | |
| 32S/13E-28G01 M | 86.9 | 10-19-57 3-19-58 | 33.8 21.6 | 53.1 65.3 | 5050 | | | | | | |
| 32S/13E-29N01 M | 62.8 | 10-19-57 3-18-58 | 91.3 72.1 | - 9.3 | 5050 | | | | | | |
| 32S/13E-31G02 M | 19.9 | 10-19-57 3-18-58 | 14.5 11.3 | 5.4 8.6 | 5050 | | | | | | |
| 32S/13E-31G03 M | 20.2 | 10-19-57 | 12.1 | 8.1 | 5050 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------|--------------------|-------------------------------|--------------------------------------|------------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA MARIA RIVER VALLEY | | | | | | | | | | | |
| 9N/32W-06P01 S | 412.0 | 5-19-58 | 97.3 | 314.7 | 5000 | 9N/32W-22D01 S | 500.0 | 5-19-58 | 7.5 | 312.00 | 5000 |
| 9N/32W-07N01 S | 426.0 | 7-01-57 7-25-57 8-22-57 | 107.0 110.5 110.8 | 319.0 319.5 315.2 | 5000 | 9N/32W-22H01 S | 581.0 | 5-20-58 | 9.8 | 571.2 | 5000 |
| | | 10-01-57 11-26-57 | 100.4 101.4 | 324.6 325.9 | | 9N/32W-23E01 S | 521.0 | 5-20-58 | 8.6 | 512.4 | 5000 |
| | | 12-27-57 | 99.9 | 326.1 | | 9N/32W-23G01 S | 532.0 | 5-19-58 | 6.9 | 525.1 | 5000 |
| | | 1-01-58 | 110.1 | 315.9 | | 9N/32W-23K01 S | 530.0 | 5-19-58 | 8.1 | 521.9 | 5000 |
| | | 1-30-58 | 111.0 | 315.0 | | 9N/32W-24E01 S | 546.0 | 5-19-58 | 11.2 | 534.8 | 5000 |
| | | 3-25-58 | 104.4 | 321.6 | | 9N/33W-01L01 S | 389.0 | 5-20-58 | 76.3 | 312.7 | 5000 |
| | | 4-01-58 | 116.5* | 309.5 | | 9N/33W-01L02 S | 387.0 | 5-20-58 | 62.1 | 324.9 | 5000 |
| | | 4-30-58 | 94.8 | 331.2 | | 9N/33W-02A01 S | 379.3 | 7-01-57 | 89.0 | 290.3 | 5000 |
| | | 5-28-58 | 91.1 | 334.9 | | | 379.2 | 10-01-57 | 92.1 | 287.1 | |
| 9N/32W-07R02 S | 420.0 | 5-20-58 | 40.3* | 379.7 | 5000 | | 379.2 | 1-01-58 | 86.5 | 292.7 | |
| 9N/32W-08G01 S | 480.0 | 5-19-58 | 139.0 | 341.0 | 5000 | | 379.2 | 1-30-58 | 87.3 | 292.0 | |
| 9N/32W-16E01 S | 418.0 | 5-19-58 | 17.4 | 400.6 | 5000 | | 379.3 | 2-24-58 | 92.8 | 296.5 | |
| 9N/32W-16L01 S | 470.0 | 5-20-58 | 14.2 | 455.8 | 5000 | | 379.2 | 3-25-58 | 77.1 | 302.2 | |
| 9N/32W-16L02 S | 475.0 | 5-20-58 | 13.1 | 451.9 | 5000 | | 379.2 | 4-01-58 | 74.8 | 304.4 | |
| 9N/32W-17G01 S | 450.0 | 7-25-57 | 57.5 | 392.5 | 5000 | | 379.3 | 4-30-58 | 59.2 | 320.1 | |
| | | 8-22-57 | 56.0 | 394.0 | | | 379.3 | 5-28-58 | 52.9 | 323.4 | |
| | | 9-27-57 | 56.7 | 393.3 | | 9N/33W-09A01 S | 556.0 | 5-20-58 | 211.2 | 344.8 | 5000 |
| | | 10-31-57 | 56.4 | 393.6 | | 9N/33W-09R01 S | 657.0 | 5-20-58 | 216.2 | 440.8 | 5000 |
| | | 1-30-58 | 61.3 | 388.7 | | 9N/34W-02A01 S | 344.0 | 6-11-58 | 215.5* | 128.5 | 5000 |
| | | 3-25-58 | 46.0 | 404.0 | | 9N/34W-03N01 S | 264.0 | 7-25-57 | 182.8* | 81.2 | 5000 |
| | | 4-30-58 | 32.0 | 418.0 | | | | 8-22-57 | 183.0* | 81.0 | |
| 9N/32W-17H01 S | 421.0 | 5-19-58 | 23.4 | 397.6 | 5000 | | | 9-27-57 | 183.2* | 80.8 | |
| 9N/32W-18H01 S | 443.0 | 7-25-57 | 72.2 | 370.8 | 5000 | | | 10-31-57 | 183.9* | 80.1 | |
| | | 8-22-57 | 73.1 | 369.9 | | | | 11-26-57 | 182.2* | 81.8 | |
| | | 9-27-57 | 83.4 | 359.6 | | | | 12-27-57 | 183.1* | 80.9 | |
| | | 10-31-57 | 81.1 | 361.9 | | | | 1-30-58 | 183.1* | 80.9 | |
| | | 11-26-57 | 80.2 | 362.8 | | | | 2-25-58 | 182.8* | 81.2 | |
| | | 12-27-57 | 78.2 | 364.8 | | | | 3-25-58 | 183.2* | 80.8 | |
| | | 1-30-58 | 81.1 | 361.9 | | | | 4-30-58 | 183.2* | 80.8 | |
| | | 3-25-58 | 83.2 | 359.8 | | | | 5-28-58 | 183.1* | 80.9 | |
| | | 4-30-58 | 78.2 | 364.8 | | | | 6-23-58 | 183.6* | 80.4 | |
| | | 4-30-58 | 64.0 | 379.0 | | 9N/34W-06K02 S | 159.0 | 7-25-57 | 89.9* | 69.1 | 5000 |
| | | 6-23-58 | 53.0 | 390.0 | | | | 8-22-57 | 89.6 | 69.2 | |
| 9N/32W-22C01 S | 481.0 | 5-20-58 | 9.3 | 471.7 | 5000 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|---|--|--|-----------------------|--------------------------|--------------------|---|---|---|-----------------------|
| SANTA MARIA RIVER VALLEY | | | | | | | | | | | |
| SANTA MARIA RIVER VALLEY | | | | | | SANTA MARIA RIVER VALLEY | | | | | |
| 9N/34W-06K02 S CONT. | 160.0 | 9-27-57 10-31-57 11-26-57 12-27-57 1-30-58 3-25-58 4-30-58 5-28-58 6-23-58 | 89.0 88.2 89.5* 88.8* 91.7 89.4* 89.0* 90.8* | 71.0 71.8 70.5 71.2 68.3 70.6 71.0 69.2 | 5000 | 10N/33W-17N01 S | 287.0 | 5-27-58 | 116.2 | 170.8 | 5000 |
| 9N/34W-08H01 S | 224.0 | 1-30-58 2-25-58 3-25-58 4-30-58 6-23-58 | 143.6* 122.6 121.2 135.0* 146.0* | 80.4 101.4 102.8 89.0 78.0 | 5000 | 10N/33W-18M01 S | 265.0 | 5-27-58 | 130.6* | 134.4 | 5000 |
| 9N/34W-09J01 S | 279.0 | 6-11-58 | 222.9 | 56.1 | 5000 | 10N/33W-18P01 S | 272.0 | 5-27-58 | 121.7 | 150.3 | 5000 |
| 9N/34W-11H01 S | 395.0 | 6-11-58 | 141.8 | 253.2 | 5000 | 10N/33W-19B01 S | 275.0 | 7-01-57 7-25-57 9-27-57 10-01-57 10-30-57 11-26-57 12-27-57 | 155.1* 128.2* 128.5* 112.2 122.3* 154.1 150.7 | 119.9 146.8 146.5 112.2 152.7 170.9 121.3 | 5000 |
| 10N/33W-07M01 S | 256.0 | 5-27-58 | 95.6 | 160.4 | 5000 | 10N/33W-19E02 S | 271.0 | 5-27-58 11-10-58 | 150.1 145.6 | 120.9 125.4 | 5000 |
| 10N/33W-07P01 S | 256.0 | 10-31-57 11-26-57 12-27-57 1-30-58 2-25-58 3-25-58 4-30-58 5-28-58 6-24-58 | 126.4 127.5 125.8 126.5 127.1 128.9 124.4 | 144.8 144.2 145.8 144.8 144.8 145.7 145.6 145.9 147.6 173.3 180.2 181.5 | 5000 | 10N/33W-20B01 S | 285.0 | 5-23-58 | 104.2 | 180.8 | 5000 |
| 10N/33W-07R01 S | 270.0 | 7-25-57 8-27-57 9-27-57 10-31-57 11-26-57 12-27-57 1-30-58 2-25-58 3-25-58 4-30-58 5-28-58 6-24-58 | 125.2 125.8 125.2 126.2 126.0 126.3 124.4 124.4 124.4 124.4 124.4 124.4 | 144.8 144.2 145.8 144.8 144.8 145.7 145.6 145.9 147.6 173.3 180.2 181.5 | 5000 | 10N/33W-20C01 S | 289.0 | 5-23-58 | 109.5 | 179.5 | 5000 |
| 10N/33W-16M01 S | 294.0 | 5-23-58 | 39.9 | 254.1 | 5000 | 10N/33W-20E01 S | 276.0 | 5-23-58 | 153.6 | 122.4 | 5000 |
| 10N/33W-16N02 S | 291.0 | 5-23-58 | 42.1 | 248.9 | 5000 | 10N/33W-20H01 S | 301.0 | 4-30-58 5-28-58 | 110.4 103.9 | 190.6 197.1 | 5000 |
| 10N/33W-17F01 S | 271.0 | 5-23-58 | 99.6 | 171.4 | 5000 | 10N/33W-20L01 S | 295.0** | 5-23-58 | 14.0 | 146.0 | 5000 |
| 10N/33W-17J01 S | 297.0** | 5-23-58 | 62.2 | 234.8 | 5000 | 10N/33W-20N03 S | 314.0 | 5-27-58 | 179.3 | 134.7 | 5000 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SANTA MARIA RIVER VALLEY | | | | | | | | | | | |
| 10N/33W-20F01 S | 287.0 | 5-22-58 | 152.8 | 134.2 | 5000 | 10N/33W-30G01 S | 300.0 | 7-01-57 | 197.1 | 102.9 | 5000 |
| 10N/33W-21D01 S | 300.0 | 5-23-58 | 96.0 | 204.0 | 5000 | | 320.0 | 10-01-57 | 193.6 | 126.4 | |
| 10N/33W-21F05 S | 312.0** | 5-23-58 | 87.0 | 225.0 | 5000 | | | 1-01-58 | 186.2 | 131.8 | |
| 10N/33W-21N02 S | 308.0 | 1-30-58 | 149.3 | 158.7 | 5000 | 10N/33W-30H01 S | 310.0 | 4-01-58 | 183.8 | 133.2 | |
| 10N/33W-27G01 S | 338.0 | 7-01-57 | 86.6 | 251.4 | 5000 | | | 7-01-57 | 186.0 | 127.0 | 5000 |
| | | 10-01-57 | 97.2 | 240.8 | | | | 10-01-57 | 186.0 | 124.0 | |
| | | 1-01-58 | 97.5 | 240.5 | | | | 1-01-58 | 184.0 | 126.0 | |
| | | 4-01-58 | 66.6 | 271.4 | | 10N/33W-30L01 S | 325.0 | 4-01-58 | 182.0 | 128.0 | |
| 10N/33W-27K02 S | 345.0 | 9-27-57 | 100.3 | 244.7 | 5000 | | | 7-01-57 | 198.0 | 127.0 | 5000 |
| | | 10-31-57 | 99.7 | 245.3 | | | | 10-01-57 | 197.8 | 127.2 | 5000 |
| | | 11-26-57 | 99.1 | 245.9 | | 10N/33W-30H01 S | 325.0 | 1-01-58 | 190.8 | 134.2 | |
| | | 12-27-57 | 98.1 | 246.9 | | | | 4-01-58 | 189.8 | 135.2 | |
| | | 4-30-58 | 60.6 | 284.4 | | 10N/33W-30R01 S | 340.0 | 7-01-57 | 179.3 | 160.7 | 5000 |
| | | 5-28-58 | 50.8 | 294.2 | | | 335.0 | 10-01-57 | 182.0 | 133.0 | |
| | | 6-24-58 | 47.6 | 297.4 | | | | 1-01-58 | 179.0 | 136.0 | |
| 10N/33W-27R01 S | 352.0 | 5-20-58 | 56.5 | 295.5 | 5000 | | | 4-01-58 | 178.4 | 136.6 | |
| 10N/33W-28A01 S | 325.0 | 7-01-57 | 91.8 | 233.2 | 5000 | 10N/33W-33H01 S | 403.0 | 9-27-57 | 228.1 | 174.9 | 5000 |
| | | 9-27-57 | 102.0 | 223.0 | | | | 10-31-57 | 228.0 | 175.0 | |
| | | 10-01-57 | 101.8 | 223.2 | | | | 11-26-57 | 227.5 | 173.5 | |
| | | 12-27-57 | 99.0 | 226.0 | | | | 12-27-57 | 226.9 | 176.1 | |
| | | 1-01-58 | 99.3 | 225.7 | | | | 1-30-58 | 230.4 | 172.6 | |
| | | 1-30-58 | 99.5 | 225.5 | | | | 2-23-58 | 230.3 | 172.7 | |
| | | 2-23-58 | 99.1 | 225.9 | | | | 3-25-58 | 230.5 | 172.5 | |
| | | 4-01-58 | 91.4 | 233.6 | | 10N/33W-34B01 S | 351.0 | 4-30-58 | 233.8 | 169.2 | |
| | | 5-28-58 | 67.7 | 257.3 | | | | 6-24-58 | 231.2 | 171.8 | |
| | | 6-24-58 | 60.4 | 264.6 | | 10N/33W-34D01 S | 421.0 | 5-20-58 | 121.8 | 229.2 | 5000 |
| 10N/33W-28C01 S | 295.0 | 5-22-58 | 138.8 | 156.2 | 5000 | 10N/33W-34H01 S | 352.0 | 5-20-58 | 196.4 | 224.6 | 5000 |
| 10N/33W-28F01 S | 318.0 | 5-22-58 | 144.1 | 173.9 | 5000 | | | 5-20-58 | 107.7 | 244.3 | 5000 |
| | | 11-10-58 | 121.2 | 196.8 | | 10N/33W-35C01 S | 355.0 | 5-20-58 | 21.2 | 333.8 | 5000 |
| 10N/33W-28J02 S | 328.0 | 5-23-58 | 110.1 | 217.9 | 5000 | 10N/33W-35R02 S | 377.0 | 5-20-58 | 62.4 | 314.6 | 5000 |
| 10N/33W-28R01 S | 328.0 | 5-22-58 | 156.8 | 171.2 | 5000 | 10N/33W-36A01 S | 367.0 | 5-19-58 | 10.8 | 356.2 | 5000 |
| 10N/33W-29F01 S | 323.0 | 5-22-58 | 175.3 | 147.7 | 5000 | 10N/33W-01F01 S | 236.0 | 6-03-58 | 53.8 | 182.2 | 5000 |
| 10N/33W-29H01 S | 329.0 | 5-22-58 | 172.0 | 157.0 | 5000 | 10N/33W-01J01 S | 259.0 | 5-27-58 | 31.4 | 227.6 | 5000 |
| 10N/33W-29L01 S | 329.0 | 5-22-58 | 164.5 | 164.5 | 5000 | 10N/33W-01R01 S | 250.0 | 5-27-58 | 27.0 | 223.0 | 5000 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA MARIA RIVER VALLEY | | | | | | | | | | | |
| 10N/34W-02B01 S | 219.0 | 6-03-58 | 38.2 | 180.8 | 5000 | 10N/34W-08R05 S | 178.0 | 6-04-58 | 119.1 | 312.00 | 5000 |
| 10N/34W-02D01 S | 227.0 | 6-03-58 | 112.8 | 114.2 | 5000 | 10N/34W-09F01 S | 189.0 | 7-01-57 | 130.0 | 59.0 | 5000 |
| 10N/34W-02R01 S | 231.0 | 7-01-57 | 131.1 | 99.9 | 5000 | | 10-01-57 | 135.6 | 53.4 | | |
| | 230.0 | 7-25-57 | 134.1 | 96.6 | | | 1-01-58 | 132.0 | 57.0 | | |
| | 231.0 | 10-31-57 | 138.5 | 92.7 | | | 4-01-58 | 129.0 | 60.0 | | |
| | | 12-27-57 | 143.1* | 87.9 | | 10N/34W-09J02 S | 199.0 | 6-05-58 | 130.2 | 68.8 | 5000 |
| | | 1-01-58 | 130.2 | 100.8 | | 10N/34W-09L01 S | 188.0 | 6-04-58 | 126.2 | 61.8 | 5000 |
| | | 1-30-58 | 141.6* | 89.1 | | 10N/34W-09Q01 S | 173.0 | 6-05-58 | 132.4 | 40.6 | 5000 |
| | | 3-25-58 | 121.3 | 109.7 | | 10N/34W-10A02 S | 209.0 | 6-05-58 | 137.6* | 71.4 | 5000 |
| | | 4-01-58 | 117.5 | 113.5 | | 10N/34W-10L01 S | 203.0 | 6-05-58 | 138.6* | 64.4 | 5000 |
| | | 4-30-58 | 105.4 | 125.6 | | 10N/34W-10N01 S | 199.0 | 6-05-58 | 133.9 | 65.1 | 5000 |
| | | 5-28-58 | 98.8 | 132.2 | | 10N/34W-11H01 S | 234.0 | 6-05-58 | 123.2 | 110.8 | 5000 |
| 10N/34W-03P01 S | 203.0 | 6-03-58 | 137.2* | 65.8 | 5000 | 10N/34W-11H02 S | 233.0 | 6-05-58 | 129.9 | 103.1 | 5000 |
| 10N/34W-04N02 S | 182.0 | 6-04-58 | 123.7 | 58.3 | 5000 | 10N/34W-11R01 S | 237.0 | 6-05-58 | 140.5 | 96.5 | 5000 |
| 10N/34W-04R01 S | 193.0 | 8-22-57 | 139.3 | 53.7 | 5000 | 10N/34W-12B02 S | 241.0 | 6-03-58 | 51.3 | 189.7 | 5000 |
| | | 9-27-57 | 139.1 | 53.9 | | 10N/34W-12E01 S | 233.0 | 6-05-58 | 116.4 | 116.6 | 5000 |
| | | 10-31-57 | 138.5 | 54.5 | | 10N/34W-12F01 S | 244.0 | 6-05-58 | 104.6 | 139.4 | 5000 |
| | | 11-26-57 | 137.9 | 55.1 | | 10N/34W-12P01 S | 244.0 | 6-05-58 | 134.8* | 109.2 | 5000 |
| | | 12-27-57 | 138.3 | 54.7 | | 10N/34W-13Q01 S | 251.0 | 6-05-58 | 171.4* | 79.6 | 5000 |
| | | 1-30-58 | 136.6 | 56.4 | | 10N/34W-14E02 S | 225.0 | 10-31-57 | 162.9 | 62.1 | 5000 |
| | | 2-25-58 | 135.2 | 57.8 | | | 11-29-57 | 162.4 | 62.6 | | |
| | | 3-25-58 | 134.1 | 58.9 | | | 12-29-57 | 161.4 | 63.6 | | |
| | | 4-30-58 | 132.1 | 60.9 | | | 1-20-58 | 159.1 | 65.2 | | |
| | | 5-28-58 | 128.5 | 64.5 | | | 2-25-58 | 159.8 | 65.1 | | |
| | | | | | | | 3-25-58 | 159.1 | 65.7 | | |
| | | | | | | | 4-30-58 | 160.3* | 64.7 | | |
| 10N/34W-05E01 S | 156.0 | 6-04-58 | 90.6 | 65.4 | 5000 | | 5-28-58 | 160.0* | 65.0 | | |
| 10N/34W-05R01 S | 176.0 | 6-04-58 | 112.8 | 63.2 | 5000 | 10N/34W-16D01 S | | 6-06-58 | DRY | | 5000 |
| 10N/34W-06N01 S | 153.0 | 7-01-57 | 103.6 | 49.4 | 5000 | 10N/34W-16D02 S | 184.0 | 6-06-58 | 123.6 | 60.4 | 5000 |
| | | 10-01-57 | 105.9* | 47.1 | | | | | | | |
| | | 1-01-58 | 103.5 | 49.5 | | | | | | | |
| | | 3-25-58 | 98.4 | 53.6 | | | | | | | |
| | | 4-01-58 | 98.3 | 24.7 | | | | | | | |
| | | 6-23-58 | 96.5 | 56.5 | | | | | | | |
| 10N/34W-07B01 S | 162.0 | 6-04-58 | 104.3* | 57.7 | 5000 | | | | | | |
| 10N/34W-07R01 S | 171.0 | 6-04-58 | 110.4 | 60.6 | 5000 | | | | | | |
| 10N/34W-08G01 S | 175.0 | 6-04-58 | 113.5 | 61.5 | 5000 | | | | | | |
| 10N/34W-08R01 S | 178.0 | 6-04-58 | 118.2 | 59.8 | 5000 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|--------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA MARIA RIVER VALLEY | | | | | | SANTA MARIA RIVER VALLEY | | | | | |
| 10N/34W-16E02 S | 185.0 | 6-06-58 | 125.3 | 59.7 | 5000 | 10N/34W-24K03 S | 245.0 | 7-01-57 | 94.8* | 312.00 | 5000 |
| 10N/34W-16J03 S | 180.0 | 6-06-58 | 140.5 | 39.5 | 5000 | | | 10-01-57 | 145.7* | 150.2 | |
| 10N/34W-17J02 S | 140.0 | 6-06-58 | 105.3 | 34.7 | 5000 | | | 1-01-58 | 137.9* | 99.3 | |
| 10N/34W-18A01 S | 174.0 | 6-06-58 | 111.8* | 62.2 | 5000 | 10N/34W-25A01 S | 307.0 | 4-01-58 | 134.8 | 110.2 | |
| 10N/34W-19A01 S | 165.0 | 6-06-58 | 104.0 | 61.0 | 5000 | | | 9-11-57 | 132.4 | 114.6 | 5000 |
| 10N/34W-20H01 S | 183.0 | 10-30-57 | 123.4 | 59.6 | 5000 | 10N/34W-25C01 S | 280.0 | 11-10-58 | 132.1 | 114.9 | 5000 |
| | | 12-27-57 | 122.1 | 60.9 | 5000 | | | 5-22-58 | 174.1 | 105.9 | 5000 |
| | | 1-30-58 | 120.9 | 62.1 | 5000 | 10N/34W-26A02 S | 267.0 | 5-22-58 | 191.9 | 75.1 | 5000 |
| | | 3-25-58 | 118.4 | 64.6 | 5000 | 10N/34W-26H02 S | 259.0 | 5-22-58 | 187.1 | 71.9 | 5000 |
| | | 5-28-58 | 120.0* | 63.0 | 5000 | | | 5-22-58 | 187.1 | 71.9 | 5000 |
| | | 6-23-58 | 121.6* | 61.4 | 5000 | 10N/34W-29N01 S | 200.0 | 9-27-57 | 128.0 | 72.0 | 5000 |
| 10N/34W-22R01 S | 218.0 | 7-01-57 | 150.8 | 67.2 | 5000 | | | 10-31-57 | 128.4 | 71.6 | |
| | | 10-01-57 | 154.5 | 63.5 | 5000 | | | 11-26-57 | 128.9 | 71.1 | |
| | | 11-26-57 | 153.8 | 64.2 | 5000 | | | 12-27-57 | 127.1 | 72.9 | |
| | | 12-27-57 | 151.1 | 66.9 | 5000 | | | 1-30-58 | 126.7 | 73.3 | |
| | | 1-01-58 | 151.3 | 66.7 | 5000 | | | 2-25-58 | 125.2 | 74.8 | |
| | | 1-30-58 | 158.2* | 59.8 | 5000 | | | 3-25-58 | 124.1 | 75.9 | |
| | | 2-24-58 | 150.3 | 67.7 | 5000 | | | 6-12-58 | 60.6 | 37.4 | 5000 |
| | | 4-01-58 | 149.3 | 68.7 | 5000 | 10N/35W-03D01 S | 98.0 | 10-01-57 | 29.3 | 20.7 | 5000 |
| | | 5-28-58 | 151.3 | 66.7 | 5000 | 10N/35W-07F01 S | 50.0 | 12-27-57 | 16.1 | 33.9 | |
| | | 6-24-58 | 151.9 | 66.1 | 5000 | | | 1-01-58 | 16.3 | 33.7 | |
| 10N/34W-23H01 S | 243.0 | 7-01-57 | 155.6 | 87.4 | 5000 | | | 1-30-58 | 16.1 | 33.9 | |
| | | 7-25-57 | 158.4 | 84.6 | 5000 | | | 2-25-58 | 14.7 | 35.3 | |
| | | 9-27-57 | 152.4 | 90.6 | 5000 | | | 3-25-58 | 14.2 | 35.8 | |
| 242.0 | | 10-01-57 | 155.3 | 86.7 | 5000 | | | 4-01-58 | 13.2 | 36.8 | |
| 243.0 | | 10-31-57 | 151.5 | 91.5 | 5000 | | | 4-30-58 | 16.4 | 33.6 | |
| | | 11-26-57 | 151.2 | 91.8 | 5000 | | | 7-25-57 | 39.4** | 13.6 | 5000 |
| | | 12-27-57 | 147.9 | 95.1 | 5000 | | | 8-22-57 | 40.4* | 12.9 | |
| | | 1-01-58 | 152.7 | 90.3 | 5000 | | | 9-27-57 | 38.8** | 14.2 | |
| | | 1-30-58 | 148.0 | 95.0 | 5000 | | | 10-31-57 | 37.2* | 15.8* | |
| | | 2-25-58 | 146.8 | 96.2 | 5000 | | | 11-26-57 | 36.7* | 16.3 | |
| | | 3-25-58 | 146.4 | 96.6 | 5000 | | | 12-27-57 | 25.1 | 27.9 | |
| | | 4-01-58 | 146.0 | 97.0 | 5000 | | | 1-30-58 | 24.3 | 28.7 | |
| | | 4-30-58 | 150.6 | 92.4 | 5000 | | | 3-25-58 | 22.1 | 30.9 | |
| | | 5-28-58 | 153.5 | 89.5 | 5000 | | | 4-30-58 | 24.7 | 28.3 | |
| | | 7-01-58 | 159.2 | 83.8 | 5000 | | | 5-28-58 | 26.6 | 26.4 | |
| 10N/34W-24K01 S | 250.0 | 7-01-57 | 132.7 | 117.3 | 5000 | | | 6-23-58 | 36.6 | 16.4 | |
| 10N/34W-24K02 S | 244.0 | 4-01-58 | 141.5 | 102.5 | 5000 | 10N/35W-09F01 S | 89.0 | 7-01-57 | 54.8 | 34.2 | 5000 |
| | | 4-01-58 | 137.3 | 106.7 | 5000 | | | 7-25-57 | 60.1 | 28.9 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SANTA MARIA RIVER VALLEY | | | | | | SANTA MARIA RIVER VALLEY | | | | | |
| 10N/35W-09F01 S CONT. | 89+0 | 8-22-57 | 60+9 | 31200 | 5000 | 10N/35W-24B01 S CONT. | 144+0 | 9-27-57 | 97+8 | 31200 | 5000 |
| | | 9-27-57 | 57+5 | 28+1 | | | | 10-01-57 | 99+2 | 46+2 | |
| | | 10-01-57 | 54+5 | 31+5 | | | | 11-26-57 | 95+3* | 44+8 | |
| | | 10-31-57 | 54+1 | 34+9 | | | | 12-27-57 | 91+4 | 48+7 | |
| | | 12-27-57 | 46+7 | 42+3 | | | | 1-01-58 | 137+9* | 52+6 | |
| | | 1-01-58 | 44+2 | 44+8 | | | | 1-30-58 | 94+9 | 6+1 | |
| | | 1-30-58 | 43+4 | 45+6 | | | | 2-25-58 | 88+3 | 49+1 | |
| | | 2-25-58 | 41+4 | 47+6 | | | | 3-25-58 | 87+2 | 55+7 | |
| | | 3-25-58 | 40+7 | 48+3 | | | | 4-01-58 | 86+4 | 56+8 | |
| | | 4-01-58 | 39+7 | 49+3 | | | | 6-12-58 | 81+1 | 57+6 | |
| | | 6-23-58 | 54+1 | 34+9 | | | | 6-12-58 | 81+1 | 57+9 | |
| 10N/35W-09G01 S | 89+0 | 7-01-57 | 54+8 | 34+2 | 5000 | 10N/35W-24N02 S | 139+0 | 6-12-58 | 81+1 | 57+9 | 5000 |
| 10N/35W-09N01 S | 87+0 | 7-01-57 | 48+0 | 39+0 | 5000 | 10N/35W-27R01 S | 123+0 | 6-11-58 | 68+2 | 56+8 | 5000 |
| | | 10-01-57 | 60+0 | 27+0 | | | | 11-26-57 | 255+8 | 50+2 | 5000 |
| | | 1-01-58 | 41+3 | 45+7 | | | | 6-03-58 | 32+9 | 217+1 | 5000 |
| | | 4-01-58 | 36+8 | 50+2 | | | | 6-03-58 | 41+1 | 184+9 | 5000 |
| 10N/35W-11E01 S | 124+0 | 6-12-58 | 76+4 | 47+6 | 5000 | 11N/34W-27R01 S | 226+0 | 6-03-58 | 41+1 | 184+9 | 5000 |
| 10N/35W-11R01 S | 133+0 | 6-12-58 | 78+8 | 54+2 | 5000 | 11N/34W-30D01 S | 151+0 | 6-12-58 | 68+3 | 82+7 | 5000 |
| 10N/35W-12B01 S | 146+0 | 6-12-58 | 88+5 | 57+5 | 5000 | 11N/34W-30D01 S | 148+0 | 7-01-57 | 95+5 | 52+5 | 5000 |
| 10N/35W-12J01 S | 128+0 | 6-12-58 | 97+2 | 30+8 | 5000 | 11N/34W-30D01 S | 230+0 | 10-01-57 | 100+0 | 48+0 | 5000 |
| 10N/35W-12M01 S | 128+0 | 7-01-57 | 91+9 | 36+1 | 5000 | 11N/34W-34A01 S | 210+0 | 1-01-58 | 98+8 | 49+2 | 5000 |
| | | 10-01-57 | 91+1 | 39+0 | | | | 4-01-58 | 91+2 | 56+8 | 5000 |
| | | 1-01-58 | 87+0 | 41+6 | | | | 6-03-58 | 59+3 | 170+7 | 5000 |
| | | 4-01-58 | 84+2 | 45+8 | | | | 10-31-57 | 104+2 | 105+8 | 5000 |
| 10N/35W-13J01 S | 142+0 | 6-12-58 | 83+3 | 58+7 | 5000 | 11N/34W-34J02 S | 210+0 | 11-26-57 | 103+3 | 106+7 | 5000 |
| 10N/35W-14D01 S | 125+0 | 6-12-58 | 77+3* | 47+7 | 5000 | | | 12-27-57 | 103+9 | 106+1 | 5000 |
| 10N/35W-21B01 S | 94+0 | 7-01-57 | 42+3 | 51+7 | 5000 | 11N/35W-17L01 S | 53+0 | 2-25-58 | 101+6 | 108+2 | 5000 |
| | | 10-01-57 | 39+2* | 54+8 | | | | 3-25-58 | 94+0 | 116+0 | 5000 |
| | | 11-26-57 | 38+2 | 55+8 | | | | 6-13-58 | 16+3 | 36+7 | 5000 |
| | | 12-27-57 | 36+7 | 57+3 | | | | 6-13-58 | *6 | 48+4 | 5000 |
| | | 1-01-58 | 41+0 | 53+0 | | | | 6-12-58 | 23+9 | 14+1 | 5000 |
| | | 4-01-58 | 34+5 | 59+5 | | | | 7-01-57 | 22+6 | 26+4 | 5000 |
| | | 4-30-58 | 40+9* | 53+1 | | | | 10-01-57 | 22+0 | 30+2 | 5000 |
| | | 5-28-58 | 39+1 | 54+9 | | | | 12-27-57 | 18+8 | 27+0 | 5000 |
| 10N/35W-22A01 S | 113+0 | 6-12-58 | 69+6 | 43+4 | 5000 | 11N/35W-19G01 S | 38+0 | 1-01-58 | 16+3 | 32+7 | 5000 |
| 10N/35W-24B01 S | 144+0 | 7-01-57 | 96+3 | 47+7 | 5000 | 11N/35W-20E01 S | 49+0 | 1-30-58 | 15+6 | 33+4 | 5000 |
| | | | | | | | | 2-25-58 | 14+5 | 34+5 | 5000 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SANTA MARIA RIVER VALLEY | | | | | | | | | | | |
| 11N/35W-20E01 S | 49.0 | 3-25-58 | 13.7 | 35.3 | 5000 | 11N/35W-35A01 S | 123.0 | 7-01-57 | 78.6 | 31200 | 5000 |
| | | 4-01-58 | 13.1 | 35.9 | | | | 10-01-57 | 83.9 | 44.4 | |
| | | 4-30-58 | 14.9 | 34.1 | | | | 1-01-58 | 77.6 | 39.1 | |
| | | 6-23-58 | 21.7 | 27.3 | | | | 4-01-58 | 71.6 | 45.4 | |
| 11N/35W-25H01 S | 136.0 | 7-25-57 | 68.3 | 67.7 | 5000 | | | | | 51.4 | |
| | | 8-22-57 | 68.3 | 67.7 | | | | | | | |
| | | 9-27-57 | 84.2 | 51.8 | | | | | | | |
| | | 11-26-57 | 64.8 | 51.2 | | | | | | | |
| | | 12-27-57 | 78.1 | 57.9 | | | | | | | |
| | | 1-30-58 | 78.0 | 60.0 | | | | | | | |
| | | 2-23-58 | 73.6 | 60.4 | | | | | | | |
| 11N/35W-26J03 S | 130.0 | 6-12-58 | 63.9 | 66.1 | 5000 | | | | | | |
| 11N/35W-26H02 S | 107.0 | 7-25-57 | 81.1* | 25.9 | 5000 | | | | | | |
| | | 8-22-57 | 82.3* | 24.8 | | | | | | | |
| | | 9-27-57 | 86.7* | 24.8 | | | | | | | |
| | | 10-31-57 | 68.0 | 59.3 | | | | | | | |
| | | 11-26-57 | 68.1 | 58.9 | | | | | | | |
| | | 12-27-57 | 64.1 | 42.7 | | | | | | | |
| | | 1-30-58 | 64.1 | 42.9 | | | | | | | |
| | | 2-25-58 | 62.3 | 46.7 | | | | | | | |
| | | 3-25-58 | 61.3 | 45.7 | | | | | | | |
| | | 4-30-58 | 63.0 | 46.7 | | | | | | | |
| | | 5-28-58 | 66.0 | 46.0 | | | | | | | |
| | | 6-23-58 | 70.1* | 42.9 | | | | | | | |
| | | | 74.6** | 32.4 | | | | | | | |
| 11N/35W-27H03 S | 97.0 | 6-13-58 | 66.5 | 30.5 | 5000 | | | | | | |
| 11N/35W-28M01 S | 77.0 | 7-01-57 | 55.7 | 21.3 | 5000 | | | | | | |
| | | 10-01-57 | 46.7 | 50.3 | | | | | | | |
| | | 1-01-58 | 38.3 | 38.3 | | | | | | | |
| | | 4-01-58 | 34.1 | 42.9 | | | | | | | |
| 11N/35W-33G01 S | 92.0 | 7-01-57 | 57.4 | 34.6 | 5000 | | | | | | |
| | 91.0 | 10-01-57 | 57.4 | 33.6 | | | | | | | |
| | 92.0 | 10-21-57 | 54.4 | 37.6 | | | | | | | |
| | | 1-27-57 | 52.7 | 39.4 | | | | | | | |
| | | 1-30-58 | 55.2 | 41.5 | | | | | | | |
| | | 2-25-58 | 48.3 | 36.8 | | | | | | | |
| | | 3-25-58 | 47.0 | 43.7 | | | | | | | |
| | | 4-01-58 | 45.1 | 46.0 | | | | | | | |
| | | 4-30-58 | 49.0 | 45.9 | | | | | | | |
| | | 5-28-58 | 49.2 | 43.0 | | | | | | | |
| | | 6-12-58 | 53.5 | 38.5 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|---------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| CUYAMA RIVER VALLEY | | | | | | | | | | | |
| CUYAMA RIVER VALLEY | | | | | | CUYAMA RIVER VALLEY | | | | | |
| 7N/24W-13C02 S | 3420.0 | 7-24-57 | 36.5 | 3383.5 | 5000 | 9N/24W-33M01 S | 3050.0 | 5-26-58 | 192.1 | 2857.9 | 5000 |
| | | 9-26-57 | 36.9 | 3383.1 | | | | 7-24-57 | 148.0 | 2402.0 | |
| | | 10-29-57 | 37.5 | 3382.5 | | | | 8-21-57 | 147.9 | 2402.1 | |
| | | 11-27-57 | 36.7 | 3383.3 | | | | 9-26-57 | 147.7 | 2402.3 | |
| | | 1-26-57 | 38.8 | 3381.2 | | | | 10-29-57 | 146.6 | 2403.4 | |
| | | 1-29-58 | 37.7 | 3382.3 | | | | 11-27-57 | 145.2 | 2404.8 | |
| | | 2-24-58 | 27.4 | 3392.6 | | | | 12-27-57 | 145.9 | 2404.1 | |
| | | 3-24-58 | 21.5 | 3398.5 | | | | 1-26-58 | 147.3 | 2402.7 | |
| | | 4-28-58 | 20.9 | 3399.1 | | | | 4-28-58 | 147.9 | 2402.1 | |
| | | 5-26-58 | 21.0 | 3399.0 | | | | 5-26-58 | 147.8 | 2402.2 | |
| | | 6-24-58 | 21.2 | 3398.8 | | | | 6-24-58 | 154.1 | 2395.9 | |
| CUYAMA RIVER VALLEY | | | | | | | | | | | |
| 8N/24W-08L01 S | 3051.0 | 7-24-57 | 157.8* | 2893.2 | 5000 | 9N/25W-03D01 S | 2500.0 | 2-24-58 | 267.4 | 2232.6 | 5000 |
| | | 8-21-57 | 142.8* | 2908.2 | | | | 3-24-58 | 268.0 | 2232.0 | |
| | | 9-26-57 | 144.8* | 2906.2 | | | | 4-28-58 | 268.0 | 2232.0 | |
| | | 10-29-57 | 147.5 | 2903.5 | | | | 5-26-58 | 268.1 | 2231.9 | |
| | | 11-27-57 | 146.8 | 2904.2 | | | | 7-24-57 | 110.0 | 2590.0 | |
| | | 12-26-57 | 153.0 | 2898.0 | | | | 10-29-57 | 107.1 | 2592.9 | |
| | | 1-29-58 | 154.1 | 2896.9 | | | | 11-27-57 | 106.3 | 2593.7 | |
| | | 2-24-58 | 154.3 | 2896.7 | | | | 12-26-57 | 106.6 | 2593.4 | |
| | | 3-24-58 | 153.3 | 2897.7 | | | | 1-26-58 | 106.2 | 2593.8 | |
| | | 4-28-58 | 129.3* | 2921.7 | | | | 2-24-58 | 105.9 | 2594.1 | |
| | | 5-26-58 | 133.3* | 2917.7 | | | | 4-28-58 | 101.4 | 2598.6 | |
| | | 6-24-58 | 94.3* | 2956.7 | | | | 1-29-58 | 292.8 | 2283.2 | |
| CUYAMA RIVER VALLEY | | | | | | | | | | | |
| 9N/24W-19D01 S | 2791.0 | 7-24-57 | 80.0 | 2711.0 | 5000 | 9N/26W-04J01 S | 2576.0 | 4-28-58 | 291.7 | 2264.3 | 5000 |
| | | 8-21-57 | 80.7 | 2710.3 | | | | 7-24-57 | 81.9 | 2312.1 | |
| | | 9-26-57 | 80.9 | 2710.1 | | | | 10-29-57 | 81.9 | 2312.1 | |
| | | 10-29-57 | 80.8 | 2710.2 | | | | 11-27-57 | 81.9 | 2312.1 | |
| | | 11-27-57 | 80.8 | 2710.2 | | | | 12-27-57 | 82.2 | 2311.8 | |
| | | 1-26-58 | 84.8 | 2706.9 | | | | 1-29-58 | 82.5 | 2311.5 | |
| | | 1-29-58 | 80.4 | 2706.9 | | | | 3-24-58 | 81.7 | 2312.3 | |
| | | 3-24-58 | 80.2 | 2710.8 | | | | 5-26-58 | 80.9 | 2313.1 | |
| | | 4-28-58 | 75.5 | 2715.5 | | | | 2-24-58 | 185.5 | 2213.5 | |
| | | 5-26-58 | 73.2 | 2717.8 | | | | 3-24-58 | 151.2 | 2217.8 | |
| | | 6-24-58 | 72.1 | 2718.9 | | | | 7-24-57 | 228.3 | 2242.7 | |
| CUYAMA RIVER VALLEY | | | | | | | | | | | |
| 9N/24W-33M01 S | 3050.0 | 7-24-57 | 192.2 | 2857.8 | 5000 | 10N/25W-22E01 S | 2369.0 | 2-24-58 | 185.5 | 2213.5 | 5000 |
| | | 8-21-57 | 192.6 | 2857.4 | | | | 3-24-58 | 151.2 | 2217.8 | |
| | | 9-26-57 | 192.9 | 2857.1 | | | | 7-24-57 | 228.3 | 2242.7 | |
| | | 10-29-57 | 193.7 | 2856.3 | | | | 8-21-57 | 228.4 | 2242.6 | |
| | | 11-27-57 | 193.7 | 2856.3 | | | | 9-26-57 | 228.7 | 2242.3 | |
| | | 12-26-57 | 193.9 | 2856.1 | | | | 10-29-57 | 228.9 | 2242.1 | |
| | | 1-29-58 | 194.3 | 2855.7 | | | | 11-27-57 | 230.0 | 2241.0 | |
| | | 2-24-58 | 194.4 | 2855.6 | | | | 12-26-57 | 230.0 | 2241.0 | |
| | | 3-24-58 | 194.7 | 2855.3 | | | | 1-29-58 | 230.4 | 2240.6 | |
| | | 4-28-58 | 192.9 | 2857.1 | | | | 2-24-58 | 230.4 | 2240.6 | |
| | | | | | | | | 3-24-58 | 230.7 | 2240.3 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|--------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| CUYAMA RIVER VALLEY | | | | | | | | | | | |
| 31300 | | | | | | 31300 | | | | | |
| 10N/25W-24E01 S CONT. | 2471.0 | 4-28-58 | 230.8 | 2240.2 | 5000 | 10N/26W-22A01 S CONT. | 2226.0 | 2-24-58 | 22.8 | 2203.2 | 5000 |
| | | 5-26-58 | 229.1 | 2241.9 | | | | 3-24-58 | 20.3 | 2205.7 | |
| | | 6-24-58 | 231.4 | 2239.6 | | | | 4-28-58 | 20.4 | 2205.6 | |
| 10N/25W-28F01 S | 2341.0 | 1-29-58 | 162.0 | 2179.0 | 5000 | | | 5-26-58 | 34.3 | 2191.7 | |
| | | 2-24-58 | 162.2 | 2178.8 | | | | 6-24-58 | 34.6 | 2191.4 | |
| | | 3-24-58 | 161.2 | 2179.8 | | | | 2-24-58 | 138.6 | 2237.4 | 5000 |
| 10N/25W-29P01 S | 2370.0 | 11-27-57 | 152.9 | 2217.1 | 5000 | 10N/26W-27N01 S | 2376.0 | 3-24-58 | 138.7 | 2237.3 | |
| | | 2-24-58 | 151.3 | 2218.7 | | | | 4-28-58 | 138.7 | 2237.3 | |
| | | 7-24-57 | 129.0* | 2211.0 | 5000 | | | 5-26-58 | 138.9 | 2237.1 | |
| 10N/25W-30P01 S | 2340.0 | 8-21-57 | 130.1* | 2209.9 | | 10N/27W-11A02 S | 1982.0 | 6-24-58 | 139.1 | 2236.9 | |
| | | 9-26-57 | 118.2 | 2221.8 | | | | 7-24-57 | 56.7* | 1925.3 | 5000 |
| | | 10-29-57 | 118.2 | 2221.8 | | | | 8-21-57 | 57.9* | 1924.1 | |
| | | 11-27-57 | 117.3 | 2222.0 | | | | 9-26-57 | 58.2* | 1923.8 | |
| | | 12-26-57 | 116.0* | 2222.0 | | | | 10-29-57 | 54.6* | 1927.4 | |
| | | 1-29-58 | 115.3* | 2222.9 | | | | 11-27-57 | 54.8* | 1927.9 | |
| | | 2-24-58 | 115.1 | 2222.9 | | | | 12-26-57 | 54.0* | 1928.0 | |
| | | 3-24-58 | 115.4 | 2224.6 | | | | 1-29-58 | 28.5 | 1953.5 | |
| | | 4-28-58 | 117.0* | 2223.0 | | | | 2-24-58 | 27.6 | 1954.4 | |
| | | 5-26-58 | 122.3* | 2217.7 | | | | 3-24-58 | 26.3 | 1955.7 | |
| | | 10-29-57 | 52.3 | 2059.7 | 5000 | | | 4-24-58 | 25.2 | 1956.8 | |
| 10N/26W-04R01 S | 2112.0 | 11-27-57 | 51.3 | 2060.7 | | 10N/27W-11C01 S | 1964.0 | 5-26-58 | 24.1 | 1957.9 | |
| | | 1-29-58 | 28.5 | 2083.5 | | | | 6-24-58 | 50.0* | 1932.0 | |
| | | 4-28-58 | 26.0 | 2086.0 | | | | 9-26-57 | 36.1 | 1927.9 | 5000 |
| | | 7-24-57 | 54.9 | 2106.1 | 5000 | | | 11-27-57 | 34.0 | 1930.0 | |
| 10N/26W-16001 S | 2161.0 | 8-21-57 | 53.2 | 2107.8 | | | | 2-24-58 | 32.9* | 1931.1 | |
| | | 9-26-57 | 54.6 | 2106.4 | | | | 3-24-58 | 21.5 | 1942.5 | |
| | | 10-29-57 | 51.3 | 2109.7 | | | | 4-28-58 | 20.1 | 1943.9 | |
| | | 11-27-57 | 48.8 | 2112.2 | | | | 5-26-58 | 27.2* | 1936.8 | |
| | | 12-26-57 | 46.6 | 2114.4 | | | | 6-24-58 | 31.9 | 1932.1 | |
| | | 1-29-58 | 48.5 | 2112.5 | | | | 1-29-58 | 56.9 | 2143.1 | 5000 |
| | | 2-24-58 | 44.4 | 2116.6 | | 10N/27W-11H01 S | 2200.0 | 2-24-58 | 56.0 | 2144.0 | |
| | | 3-24-58 | 43.1 | 2117.9 | | | | 3-24-58 | 41.1 | 2158.9 | |
| | | 4-28-58 | 43.2 | 2117.8 | | | | 4-28-58 | 39.9 | 2160.1 | |
| | | 5-26-58 | 46.6 | 2114.4 | | | | 5-26-58 | 38.1 | 2161.9 | |
| | | 6-24-58 | 52.0 | 2109.0 | | | | 7-24-57 | 63.6* | 1982.4 | |
| 10N/26W-22A01 S | 2226.0 | 7-24-57 | 36.6 | 2189.4 | 5000 | 10N/27W-12R01 S | 2046.0 | 8-21-57 | 62.9 | 1983.1 | |
| | | 8-21-57 | 35.6 | 2190.4 | | | | 9-26-57 | 63.1 | 1982.9 | |
| | | 9-26-57 | 33.2 | 2192.8 | | | | 10-29-57 | 61.1 | 1984.9 | |
| | | 10-29-57 | 24.2 | 2201.8 | | | | 11-27-57 | 61.1 | 1984.9 | |
| | | 11-27-57 | 20.6 | 2205.4 | | | | 12-27-57 | 58.7 | 1987.3 | |
| | | 12-27-57 | 20.1 | 2205.9 | | | | 2-24-58 | 56.6 | 1989.4 | |
| | | 1-29-58 | 20.2 | 2205.8 | | | | 3-24-58 | 56.2 | 1989.8 | |
| | | | | | | | | 4-28-58 | 55.2 | 1990.8 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|--|---|---|-----------------------|-------------------------|--------------------|---|--|--|-----------------------|
| SAN ANTONIO CREEK VALLEY | | | | | | | | | | | |
| 8N/32W-29N02 S | 580.0 | 3-25-58 6-26-58 | 29.8* 32.3 | 550.2 547.7 | 5000 | 8N/33W-20001 S CONT. | 410.0 | 4-30-58 5-28-58 6-26-58 | 29.9 29.9 28.5 | 314.00 380.1 381.5 | 5000 |
| 8N/32W-29R03 S | 600.0 | 9-27-57 12-27-57 3-25-58 6-26-58 | 51.4 46.0 38.2 40.1 | 548.6 556.0 561.8 559.9 | 5000 | 8N/33W-20R01 S | 412.0 | 7-25-57 11-26-57 2-25-58 3-25-58 | 32.9 32.3 30.6 30.8 | 379.1 379.7 381.4 381.2 | 5000 |
| 8N/32W-30G01 S | 550.0 | 9-27-57 12-27-57 3-25-58 6-24-58 | 31.2 22.1 14.6 18.8 | 518.8 527.9 535.4 531.2 | 5000 | 8N/34W-23B01 S | 312.0 | 7-24-57 8-22-57 9-27-57 10-31-57 11-26-57 12-27-57 1-30-58 2-25-58 3-25-58 4-30-58 5-28-58 6-26-58 | 25.1* 21.9* 21.3* 20.9* 20.5* 20.5* 20.4 19.8* 19.1 17.1* 19.8* 18.5* | 286.9 290.1 290.7 291.1 291.3 291.5 291.6 292.2 292.9 294.3 292.2 293.5 | 5000 |
| 8N/32W-30H04 S | 550.0 | 12-27-57 3-25-58 6-26-58 | 27.2 20.1 25.5 | 522.8 529.9 524.5 | 5000 | | | | | | |
| 8N/32W-30K02 S | 556.0 | 8-22-57 9-27-57 10-31-57 11-26-57 12-27-57 1-30-58 2-25-58 3-25-58 4-30-58 5-28-58 6-26-58 | 33.4 26.0 20.6 18.6 18.7 16.0 13.7 11.8 8.7 11.1* 14.4 | 522.6 530.0 535.4 537.4 537.3 540.0 542.3 544.2 547.3 544.9 541.6 | 5000 | | | | | | |
| 8N/32W-35001 S | 741.0 | 11-08-57 1-25-57 1-27-57 1-27-57 1-27-57 1-27-57 4-30-58 5-28-58 6-26-58 | 166.3 160.4 169.0 162.7 170.0 170.0 72.0 69.9* 619.4 122.1 | 576.7 580.6 582.7 582.7 720.0 720.0 720.0 691.1 619.4 618.9 | 5000 | | | | | | |
| 8N/33W-20001 S | 410.0 | 7-25-57 8-22-57 9-27-57 10-31-57 11-26-57 12-27-57 1-30-58 2-25-58 3-25-58 | 35.8 36.2 32.6 32.4 32.1 31.3 30.8 | 374.2 373.8 377.4 377.6 377.9 378.7 379.2 | 5000 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|---|--|--|-----------------------|-------------------------|--------------------|--|---|--|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA YNEZ RIVER VALLEY | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| LOMPOC SUBAREA | | | | | | LOMPOC SUBAREA | | | | | |
| 31500 | | | | | | 31501 | | | | | |
| 6N/34W-03B01 S | 108.6 | 11-13-57 4-24-58 | 42.7 35.3 | 65.9 73.3 | 5000 | 6N/34W-12G03 S | 125.2 | 3-25-58 | 12.1 | 113.1 | 5000 |
| 6N/34W-03K01 S | 145.0 146.0 | 11-13-57 4-24-58 | 47.1 26.3 | 97.9 123.7 | 5000 | 6N/34W-12K01 S | 152.5 | 3-26-58 | 35.9 | 116.6 | 5000 |
| 6N/34W-04F03 S | 98.0 | 7-26-57 8-28-57 9-27-57 10-30-57 11-26-57 12-30-57 | 54.2 53.1 52.3 51.7 52.1 50.6 | 43.8 44.9 45.7 46.3 45.9 47.4 | 5000 | 7N/33W-30C01 S | 235.8 | 8-27-57 9-23-57 10-29-57 11-25-57 12-27-57 1-30-58 | 159.0 159.4 159.4 159.2 159.4 159.4 | 76.8 76.8 76.4 76.5 76.5 76.4 | 5000 |
| | | 2-27-58 4-08-58 4-29-58 5-29-58 6-24-58 | 48.9 47.6 46.7* 46.7* 48.2 | 48.1 50.4 52.5 51.3 49.8 | | 7N/34W-09H03 S | 277.0 | 7-24-57 10-28-57 11-25-57 5-28-58 6-25-58 | 14.0 14.4 14.3 13.7 14.9 | 263.0 262.6 262.7 265.3 262.1 | 5000 |
| 6N/34W-04L02 S | 97.0 | 11-13-57 4-28-58 | 53.8 47.8 | 43.2 49.2 | 5000 | 7N/34W-12E01 S | 387.9 | 7-01-57 7-15-57 8-01-57 8-15-57 9-01-57 9-11-57 | 307.2 307.1 307.1 307.3 307.3 307.3 | 80.7 80.8 80.8 80.6 80.6 80.6 | 5000 |
| 6N/34W-05C01 S | 76.0 | 11-13-57 4-24-58 | 31.8 25.4 | 44.2 50.6 | 5000 | | | 11-15-57 12-01-57 12-15-57 1-01-58 6-06-58 6-15-58 | 307.2 307.4 307.2 307.5 305.2 305.1 | 80.7 80.7 80.4 80.4 80.8 80.9 | 5000 |
| 6N/34W-05C03 S | 77.0 | 11-13-57 4-24-58 | 35.2 30.6 | 41.8 46.4 | 5000 | | | 7-23-57 8-28-57 4-08-58 5-29-58 6-24-58 | 201.9 202.8 203.2 203.2 200.9 | 67.0 66.1 65.7 65.7 68.0 | 5000 |
| 6N/34W-05D01 S | 75.0 | 11-13-57 4-24-58 | 32.0 27.1 | 43.0 47.9 | 5000 | | | 1-30-58 2-27-58 3-26-58 4-25-58 5-28-58 6-25-58 | 200.9 197.9 202.3 202.3 202.3 203.1 | 78.0 78.0 66.6 66.6 65.8 | 5000 |
| 6N/34W-05F01 S | 82.0 | 11-13-57 4-24-58 | 36.2 30.2 | 45.8 51.8 | 5000 | | 386.0 | | | | |
| 6N/34W-05H05 S | 88.0 | 11-13-57 | 49.1* | 38.9 | 5000 | 7N/34W-14F01 S | 268.9 | 7-23-57 | 201.9 | 67.0 | 5000 |
| 6N/34W-06C02 S | 100.8 | 8-28-57 4-08-58 5-29-58 6-24-58 | 66.3 55.8 56.2 58.8 | 34.5 45.0 44.6 42.0 | 5000 | | | 8-28-57 10-28-57 11-25-57 12-27-57 1-30-58 2-27-58 3-26-58 4-25-58 6-25-58 | 201.9 202.8 203.2 203.2 200.9 197.9 202.3 202.3 203.1 | 66.1 65.7 65.7 68.0 78.0 66.6 66.6 65.8 | 5000 |
| 6N/34W-06D01 S | 76.0 | 4-25-58 | 34.8 | 41.2 | 5000 | | | | | | |
| 6N/34W-06D02 S | 74.5 | 11-13-57 4-25-58 | 37.4 31.2 | 37.1 43.3 | 5000 | | | | | | |
| 6N/34W-06D02 S | 141.0 | 11-07-57 | 9.4 | 131.6 | 5000 | 7N/34W-20K02 S | 75.0** | 3-18-58 | 26.1 | 48.9 | 5000 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|---|--|--|-----------------------|-------------------------|--------------------|---|--|--|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| 31500 | | | | | | 31501 | | | | | |
| LOMPOC SUBAREA | | | | | | LOMPOC SUBAREA | | | | | |
| 7N/34W-21E01 S | 82.0** | 6-01-58 6-15-58 | 18.8 1.2 | 63.2 62.6 | 5000 | 7N/34W-22M01 S | 62.0 | 6-18-58 | 18.4 | 43.6 | 5000 |
| 7N/34W-22E01 S | 108.0** | 10-30-57 | 4.9 | 62.1 | 5000 | 7N/34W-22O04 S | 83.8 | 7-05-57 | 17.2 | 66.6 | 5000 |
| 7N/34W-22F02 S | 96.0 | 7-05-57 7-23-57 12-11-57 2-14-58 5-21-58 6-18-58 | 34.2 34.7 34.4 33.4 31.8 31.8 | 61.8 61.3 61.6 62.6 64.2 64.2 | 5000 | | | 7-23-57 8-16-57 9-04-57 9-18-57 9-27-57 10-28-57 11-20-57 12-11-57 | 17.2 17.3 17.5 17.6 17.7 18.1 18.4 18.5 | 66.6 66.5 66.3 66.2 66.1 65.4 65.3 63.9 | |
| 7N/34W-22J01 S | 99.9 | 7-05-57 7-23-57 8-16-57 9-04-57 9-18-57 9-27-57 10-28-57 11-20-57 12-11-57 | 37.3 35.9 35.0 35.9 33.6 33.5 32.2 32.8 | 62.6 64.0 64.9 64.0 66.3 66.4 66.7 67.1 | 5000 | | | 7-05-57 8-16-57 9-04-57 9-18-57 10-28-57 11-20-57 12-11-57 | 8.2 9.5 10.2 10.6 11.6 11.8 12.0 | 64.7 64.0 63.4 62.9 62.5 61.3 61.3 60.6 60.0 59.0 | 5000 |
| 7N/34W-22J06 S | 91.0 | 11-06-57 | 31.6 | 59.4 | 5000 | 7N/34W-22O05 S | 72.9 | 7-05-57 | 8.2 | 64.7 | 5000 |
| 7N/34W-22L01 S | 94.0 | 8-16-57 9-18-57 9-27-57 12-11-57 1-09-58 2-14-58 4-09-58 5-07-58 6-18-58 6-24-58 | 32.1 32.3 32.4 32.4 32.5 31.2 31.2 29.3 29.3 35.1 | 61.9 61.7 61.6 61.5 61.4 62.8 62.8 64.7 64.9 64.6 | 5000 | | | 7-23-57 8-16-57 9-04-57 9-18-57 10-28-57 11-20-57 12-11-57 1-09-58 2-14-58 4-09-58 5-07-58 6-18-58 | 8.9 9.5 10.0 10.2 10.6 11.2 11.6 11.8 12.0 12.0 12.9 13.5 14.0 | 65.0 64.4 63.9 63.4 63.3 62.8 62.3 61.9 61.4 60.9 60.4 59.4 | |
| 7N/34W-22M01 S | 62.0 | 2-14-58 | 20.2 | 41.8 | 5000 | 7N/34W-22O06 S | 73.6 | 7-05-57 | 7.5 | 66.1 | 5000 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|--|--|--|-----------------------|-------------------|--------------------|--|--|--|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| 31500 | | | | | | 31501 | | | | | |
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| LOMPOC SUBAREA | | | | | | LOMPOC SUBAREA | | | | | |
| 7N/34W-22006 S | 73.6 | 2-14-58 4-09-58 5-07-58 5-21-58 6-18-58 | 4.4 3.9 4.3 4.9 5.0 | 69.2 69.7 69.3 68.7 68.6 | 5000 | 7N/34W-24N01 S | 130.9 | 4-30-58 | 60.7 | 70.2 | 5000 |
| 7N/34W-23101 S | 102.0 | 7-05-57 7-13-57 8-16-57 9-04-57 9-18-57 9-27-57 10-28-57 11-20-57 12-11-57 1-09-58 1-23-58 2-14-58 3-6-58 3-13-58 3-20-58 4-09-58 5-20-58 6-18-58 | 4.5 4.9 4.3 4.4 3.8 3.2 3.3 3.7 4.0 3.6 3.7 3.6 3.6 3.8 3.6 3.5 3.8 3.2 | 58.5 60.1 60.7 60.6 63.2 63.6 63.3 65.0 65.3 65.2 63.8 65.5 66.2 61.5 62.8 | 5000 | 7N/34W-25D01 S | 128.0 | 9-27-57 12-11-57 1-23-58 2-14-58 4-09-58 5-07-58 7-05-57 9-04-57 11-20-57 12-11-57 1-23-58 2-14-58 3-6-58 3-13-58 3-20-57 4-09-58 5-21-58 6-18-58 | 66.5 67.3 68.2 67.6 57.7 58.0 70.6 71.8 68.4 68.9 60.7 67.1 69.8 71.0 | 5000 | 5000 |
| 7N/34W-23002 S | 114.0 | 7-23-57 8-16-57 9-04-57 9-18-57 9-27-57 10-28-57 11-20-57 12-11-57 1-09-58 2-14-58 3-6-58 3-13-58 3-20-58 4-09-58 5-20-58 6-18-58 | 7.9 7.7 7.1 6.5 5.6 4.5 4.3 4.4 4.7 4.5 4.7 4.4 4.5 4.0 4.5 3.2 | 34.3 35.5 36.9 37.5 36.6 38.7 40.3 39.7 39.3 38.7 38.3 38.7 38.8 38.8 40.5 39.2 | 5000 | 7N/34W-25F01 S | 136.9 | 7-05-57 9-04-57 11-20-57 12-11-57 1-23-58 2-14-58 3-6-58 3-13-58 3-20-57 4-09-58 5-21-58 6-18-58 | 70.6 68.5 68.4 60.7 67.1 69.8 71.0 | 5000 | 5000 |
| 7N/34W-24E02 S | 178.7 | 7-24-57 9-23-57 10-28-57 2-27-58 3-28-58 5-28-58 6-25-58 | 11.0 11.2 11.6 10.7 10.6 11.6 11.8 | 68.0 66.5 62.4 70.0 69.1 62.3 61.9 | 5000 | 7N/34W-25F02 S | 135.0 | 4-25-58 | 55.6 | 79.4 | 5000 |
| 7N/34W-24N01 S | 130.9 | 9-23-57 | 63.5 | 67.4 | 5000 | 7N/34W-25P01 S | 119.4 | 7-05-57 7-23-57 11-20-57 12-11-57 1-23-58 2-14-58 5-21-58 | 51.0 51.3 51.3 51.2 50.5 49.9 47.2 | 68.4 68.1 69.0 69.1 69.8 70.4 73.1 | 5000 |
| | | 7-24-57 9-23-57 10-28-57 2-27-58 3-28-58 5-28-58 6-25-58 | 11.0 11.2 11.6 10.7 10.6 11.6 11.8 | 68.0 66.5 62.4 70.0 69.1 62.3 61.9 | 5000 | 7N/34W-26C03 S | 105.0 | 7-05-57 10-28-57 12-11-57 1-09-58 5-07-58 | 78.8 76.6 75.9 75.6 72.0 | 73.2 75.4 76.1 76.4 80.0 | 5000 |
| | | 7-24-57 9-23-57 10-28-57 2-27-58 3-28-58 5-28-58 6-25-58 | 11.0 11.2 11.6 10.7 10.6 11.6 11.8 | 68.0 66.5 62.4 70.0 69.1 62.3 61.9 | 5000 | | | 7-05-57 7-23-57 8-16-57 9-04-57 9-18-57 9-27-57 10-28-57 11-20-57 12-11-57 1-09-58 2-14-58 3-6-58 3-13-58 3-20-57 4-09-58 5-21-58 6-18-58 | 36.0 35.6 35.3 35.3 34.7 34.7 34.8 35.1 35.1 35.6 35.6 35.4 35.8 35.1 | 69.0 69.4 69.7 69.7 70.3 70.3 70.2 70.0 69.9 69.6 69.6 69.4 69.2 69.9 | 5000 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA YNEZ RIVER VALLEY | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| LOMPOC SUBAREA | | | | | | LOMPOC SUBAREA | | | | | |
| 31500 | | | | | | | | | | | |
| 31501 | | | | | | | | | | | |
| 7N/34W-26C03 S | 105.0 | 5-07-58 | 34.5 | 70.5 | 5000 | 7N/34W-26H02 S | 116.0 | 5-21-58 | 45.0 | 71.0 | 5000 |
| | | 5-21-58 | 34.3 | 70.7 | | | | 6-18-58 | 45.6 | 70.4 | |
| | | 6-18-58 | 34.0 | 71.0 | | | | | | | |
| 7N/34W-26C04 S | 105.0 | 7-05-57 | 40.0 | 65.0 | 5000 | 7N/34W-26H03 S | 116.0 | 7-23-57 | 47.0 | 69.0 | 5000 |
| | | 7-23-57 | 40.4 | 64.6 | | | | 8-01-57 | 47.1 | 68.9 | |
| | | 9-18-57 | 40.3 | 64.7 | | | | 8-15-57 | 47.4 | 68.6 | |
| | | 9-27-57 | 40.8 | 64.2 | | | | 9-04-57 | 47.7 | 68.3 | |
| | | 10-28-57 | 39.9 | 65.1 | | | | 9-18-57 | 47.5 | 68.5 | |
| | | 11-20-57 | 37.9 | 67.1 | | | | 9-27-57 | 47.1 | 68.9 | |
| | | 12-11-57 | 43.0 | 62.0 | | | | 10-28-57 | 48.7 | 57.3 | |
| | | 1-09-58 | 39.6 | 65.4 | | | | 11-20-57 | 46.4 | 59.5 | |
| | | 1-23-58 | 39.5 | 65.5 | | | | 12-11-57 | 45.8 | 70.2 | |
| | | 2-14-58 | 39.3 | 65.7 | | | | 1-08-58 | 45.6 | 70.4 | |
| | | 4-09-58 | 37.9 | 67.1 | | | | 1-23-58 | 45.4 | 70.6 | |
| | | 5-07-58 | 38.0 | 67.0 | | | | 5-10-58 | 45.1 | 70.6 | |
| | | 5-21-58 | 38.2 | 66.8 | | | | 4-10-58 | 44.5 | 71.5 | |
| | | 6-18-58 | 38.2 | 66.8 | | | | 4-10-58 | 44.0 | 72.0 | |
| | | 7-23-57 | 53.4 | 58.6 | 5000 | | | 5-01-58 | 43.9 | 72.1 | |
| | | 10-28-57 | 52.4* | 59.6 | | | | 5-15-58 | 43.9 | 72.1 | |
| | | 11-20-57 | 50.7* | 61.3 | | | | 6-01-58 | 44.5 | 71.5 | |
| | | 12-11-57 | 42.3 | 69.7 | | | | 6-15-58 | 44.6 | 71.4 | |
| | | 1-09-58 | 47.4* | 64.6 | | | | | | | |
| | | 1-23-58 | 47.6 | 72.7 | | | | | | | |
| | | 4-09-58 | 39.3 | 72.7 | | | | | | | |
| 7N/34W-26F07 S | 113.0 | 12-11-57 | 44.8 | 68.2 | 5000 | 7N/34W-26N04 S | 79.8 | 7-05-57 | 16.5 | 63.3 | 5000 |
| | | 2-14-58 | 46.6 | 66.4 | | | | 7-23-57 | 17.3 | 62.5 | |
| | | 4-09-58 | 40.1 | 72.9 | | | | 8-16-57 | 18.4 | 61.4 | |
| | | 5-07-58 | 43.0 | 70.0 | | | | 9-04-57 | 18.6 | 61.2 | |
| | | 7-05-57 | 48.8 | 67.2 | | | | 9-18-57 | 19.2 | 60.6 | |
| | | 7-23-57 | 52.1 | 63.9 | | | | 10-28-57 | 19.7 | 60.1 | |
| | | 8-16-57 | 50.9 | 65.1 | | | | 11-20-57 | 20.0 | 59.8 | |
| | | 9-04-57 | 50.2 | 65.8 | | | | 11-20-57 | 20.3 | 59.5 | |
| | | 9-18-57 | 50.6 | 65.4 | | | | 12-11-57 | 20.6 | 59.2 | |
| | | 9-27-57 | 51.0 | 65.0 | | | | 1-09-58 | 20.8 | 59.0 | |
| | | 10-28-57 | 50.4 | 65.6 | | | | 1-23-58 | 20.5 | 59.3 | |
| | | 11-20-57 | 47.9 | 68.1 | | | | 2-14-58 | 5.9 | 73.9 | |
| | | 12-11-57 | 48.0 | 68.0 | | | | 4-09-58 | 5.0 | 74.8 | |
| | | 1-09-58 | 46.0 | 70.0 | | | | 5-07-58 | 4.1 | 75.7 | |
| | | 1-23-58 | 46.7 | 69.3 | | | | 6-18-58 | 4.6 | 75.2 | |
| | | 2-14-58 | 46.5 | 69.5 | | | | | | | |
| | | 4-09-58 | 44.0 | 72.0 | | | | | | | |
| | | 5-07-58 | 44.6 | 71.4 | | | | | | | |
| | | | 44.6 | | | | | | | | |
| 7N/34W-26H02 S | 116.0 | 7-05-57 | 48.8 | 67.2 | 5000 | 7N/34W-26N05 S | 78.4 | 7-05-57 | 14.8 | 65.6 | 5000 |
| | | 7-23-57 | 52.1 | 63.9 | | | | 7-23-57 | 15.7 | 62.7 | |
| | | 8-16-57 | 50.9 | 65.1 | | | | 8-16-57 | 16.7 | 61.7 | |
| | | 9-04-57 | 50.2 | 65.8 | | | | 9-04-57 | 17.1 | 61.3 | |
| | | 9-18-57 | 50.6 | 65.4 | | | | 9-18-57 | 17.8 | 60.6 | |
| | | 9-27-57 | 51.0 | 65.0 | | | | 9-27-57 | 18.0 | 60.0 | |
| | | 10-28-57 | 50.4 | 65.6 | | | | 10-28-57 | 18.0 | 59.8 | |
| | | 11-20-57 | 47.9 | 68.1 | | | | 11-20-57 | 18.9 | 59.5 | |
| | | 12-11-57 | 48.0 | 68.0 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA YNEZ RIVER VALLEY | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| LOMPOC SUBAREA | | | | | | LOMPOC SUBAREA | | | | | |
| 7N/34W-26N05 S | 78.4 | 12-11-57 | 19.0 | 59.4 | 5000 | 7N/34W-27A05 S | 82.2 | 9-04-57 | 16.0 | 66.2 | 5000 |
| CONT. | | 1-09-58 | 19.2 | 59.2 | | CONT. | | 9-18-57 | 16.2 | 66.0 | |
| | | 1-23-58 | 18.9 | 59.5 | | | | 9-27-57 | 16.3 | 65.9 | |
| | | 2-14-58 | 5.4 | 73.0 | | | | 10-28-57 | 16.7 | 65.5 | |
| | | 4-09-58 | 4.5 | 73.9 | | | | 11-20-57 | 17.1 | 65.1 | |
| | | 5-07-58 | 3.8 | 74.6 | | | | 12-11-57 | 16.8 | 65.4 | |
| | | 6-18-58 | 4.6 | 73.8 | | | | 1-09-58 | 17.5 | 64.7 | |
| | | | | | | | | 1-23-58 | 17.4 | 64.8 | |
| 7N/34W-26002 S | 112.3 | 7-05-57 | 44.4 | 67.9 | 5000 | | | 2-14-58 | 12.9 | 69.3 | |
| | | 7-23-57 | 45.3 | 67.0 | | | | 4-09-58 | 9.6 | 72.6 | |
| | | 8-16-57 | 46.5 | 65.8 | | | | 5-07-58 | 10.1 | 72.1 | |
| | | 9-04-57 | 47.0* | 65.3 | | | | 5-21-58 | 10.3 | 71.9 | |
| | | 9-18-57 | 47.3 | 65.0 | | | | 6-18-58 | 10.9 | 71.3 | |
| | | 9-27-57 | 47.4 | 64.9 | | | | | | | |
| | | 10-28-57 | 47.4 | 64.9 | | 7N/34W-27A06 S | 77.5 | 7-05-57 | 8.9 | 68.6 | 5000 |
| | | 11-20-57 | 47.0 | 65.3 | | | | 7-23-57 | 8.7 | 68.8 | |
| | | 12-11-57 | 46.9 | 65.4 | | | | | | | |
| | | 1-09-58 | 46.3 | 66.0 | | 7N/34W-27E01 S | 91.0 | 7-05-57 | 38.6 | 52.4 | 5000 |
| | | 1-23-58 | 46.4 | 65.9 | | | | 8-16-57 | 39.6 | 51.4 | |
| | | 2-14-58 | 45.4 | 66.9 | | | | 9-04-57 | 37.4 | 53.6 | |
| | | 4-09-58 | 40.3 | 72.0 | | | | 9-18-57 | 37.0 | 54.0 | |
| | | 5-07-58 | 58.0* | 54.3 | | | | 10-28-57 | 36.6 | 54.4 | |
| | | 5-21-58 | 37.7 | 74.6 | | | | 11-20-57 | 36.4 | 54.6 | |
| | | 6-18-58 | 36.0 | 76.3 | | | | 12-11-57 | 35.6 | 56.4 | |
| 7N/34W-26004 S | 96.0 | 7-05-57 | 34.4 | 61.6 | 5000 | | | 1-09-58 | 35.0 | 56.0 | |
| | | 7-28-57 | 34.6 | 61.4 | | | | 1-23-58 | 35.5 | 55.5 | |
| | | 8-16-57 | 37.6 | 58.4 | | | | 2-14-58 | 33.3 | 57.7 | |
| | | 9-04-57 | 36.1 | 59.9 | | | | 4-09-58 | 28.8 | 62.2 | |
| | | 1-09-58 | 30.2 | 65.4 | | 7N/34W-27F01 S | 93.6 | 7-05-57 | 45.6 | 48.0 | 5000 |
| | | 2-14-58 | 28.6 | 67.8 | | | | 9-18-57 | 40.3 | 53.3 | |
| | | 4-09-58 | 25.3 | 70.7 | | | | 9-27-57 | 39.2 | 54.4 | |
| | | 5-21-58 | 26.7 | 69.3 | | | | 10-28-57 | 38.1 | 55.5 | |
| | | | | | | | | 11-20-57 | 38.2 | 55.4 | |
| | | 7-06-57 | 39.4 | 63.6 | 5000 | | | 12-11-57 | 37.6 | 56.0 | |
| 7N/34W-26R03 S | 103.0 | 9-18-57 | 40.2 | 62.8 | | | | 1-09-58 | 36.9 | 56.7 | |
| | | 11-20-57 | 41.4 | 61.6 | | | | 1-23-58 | 37.2 | 56.4 | |
| | | 12-11-57 | 37.0 | 66.0 | | | | 2-14-58 | 35.5 | 58.1 | |
| | | 1-23-58 | 36.4 | 66.6 | | | | 4-09-58 | 31.4 | 62.2 | |
| | | 2-14-58 | 34.9 | 68.1 | | | | 5-07-58 | 34.7 | 58.9 | |
| | | 5-07-58 | 27.9 | 75.1 | | | | 5-21-58 | 34.5* | 59.1 | |
| | | 5-21-58 | 28.9 | 74.1 | | | | 6-18-58 | 34.0 | 59.6 | |
| 7N/34W-27A05 S | 82.2 | 7-05-57 | 14.8 | 67.4 | 5000 | 7N/34W-27F04 S | 96.0 | 9-18-57 | 40.2 | 55.8 | 5000 |
| | | 7-23-57 | 15.2 | 67.0 | | | | 9-27-57 | 40.4 | 55.6 | |
| | | 8-16-57 | 15.7 | 66.5 | | | | 10-28-57 | 39.9 | 56.1 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-------------------------|---------------------|------|--------------------------------------|------------------------------|-----------------------|-------------------------|---------------------|------|--------------------------------------|------------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA YNEZ RIVER VALLEY | | | SANTA YNEZ RIVER VALLEY | | | SANTA YNEZ RIVER VALLEY | | | SANTA YNEZ RIVER VALLEY | | |
| 31500 | | | 31501 | | | 31501 | | | 31500 | | |
| LOMPOC SUBAREA | | | | | | | | | | | |
| 7N/34W-27F04 S | | | 7N/34W-28A03 S | | | 7N/34W-28B01 S | | | 7N/34W-28D03 S | | |
| 96.0 | | | 39.9 | | | 56.1 | | | 96.0 | | |
| 11-20-57 | | | 39.4 | | | 56.6 | | | 4-16-58 | | |
| 12-11-57 | | | 39.4 | | | 57.1 | | | 27.3 | | |
| 1-09-58 | | | 38.9 | | | 57.1 | | | 36.8 | | |
| 1-23-58 | | | 39.3 | | | 58.5 | | | 11-08-57 | | |
| 2-14-58 | | | 37.5 | | | 62.5 | | | 33.2 | | |
| 4-09-58 | | | 33.5 | | | 62.5 | | | 24.6 | | |
| 5-21-58 | | | 33.7 | | | 62.3 | | | 57.4 | | |
| 9-27-57 | | | 27.0 | | | 64.0 | | | 82.0 | | |
| 12-11-57 | | | 25.5 | | | 65.5 | | | 82.0 | | |
| 1-09-58 | | | 24.8 | | | 66.2 | | | 32.8 | | |
| 1-23-58 | | | 24.9 | | | 66.1 | | | 49.2 | | |
| 2-14-58 | | | 23.4 | | | 67.6 | | | 57.7 | | |
| 5-07-58 | | | 21.9 | | | 69.1 | | | 48.8 | | |
| 6-21-58 | | | 22.0 | | | 69.0 | | | 57.4 | | |
| 6-18-58 | | | 22.8 | | | 68.2 | | | 57.4 | | |
| 7-05-57 | | | 13.2 | | | 68.1 | | | 49.2 | | |
| 7-23-57 | | | 13.4 | | | 67.9 | | | 57.7 | | |
| 8-16-57 | | | 13.8 | | | 67.5 | | | 57.7 | | |
| 9-04-57 | | | 14.2 | | | 67.1 | | | 47.5 | | |
| 9-18-57 | | | 14.7 | | | 66.6 | | | 37.4 | | |
| 10-28-57 | | | 15.0 | | | 66.3 | | | 36.8 | | |
| 10-28-57 | | | 14.2 | | | 67.1 | | | 47.9 | | |
| 1-23-58 | | | 13.0 | | | 66.3 | | | 51.3 | | |
| 2-14-58 | | | 12.1 | | | 66.2 | | | 51.2 | | |
| 5-07-58 | | | 5.1 | | | 76.2 | | | 51.7 | | |
| 5-07-58 | | | 5.1 | | | 76.2 | | | 51.7 | | |
| 5-21-58 | | | 6.1 | | | 75.2 | | | 51.6 | | |
| 6-18-58 | | | 6.5 | | | 74.8 | | | 51.6 | | |
| 8-16-57 | | | 9.4 | | | 68.1 | | | 51.6 | | |
| 9-04-57 | | | 9.8 | | | 67.7 | | | 51.6 | | |
| 9-17-57 | | | 10.1 | | | 67.4 | | | 51.6 | | |
| 9-27-57 | | | 9.4 | | | 68.1 | | | 51.6 | | |
| 10-28-57 | | | 9.7 | | | 67.8 | | | 51.6 | | |
| 11-20-57 | | | 10.0 | | | 67.5 | | | 51.6 | | |
| 12-11-57 | | | 10.0 | | | 67.5 | | | 51.6 | | |
| 1-09-58 | | | 10.5 | | | 67.0 | | | 51.6 | | |
| 1-23-58 | | | 10.1 | | | 67.4 | | | 51.6 | | |
| 2-14-58 | | | 4.8 | | | 72.7 | | | 51.6 | | |
| 4-17-58 | | | 26.6 | | | 69.4 | | | 51.6 | | |
| 11-06-57 | | | 37.4 | | | 17.6 | | | 51.6 | | |
| 11-08-57 | | | 33.7 | | | 62.3 | | | 51.6 | | |
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| 7N/34W-27H01 S | | | 7N/34W-28H02 S | | | 7N/34W-28H01 S | | | 7N/34W-28H02 S | | |
| 81.3 | | | 90.1 | | | 87.0 | | | 90.1 | | |
| 7-05-57 | | | 38.9 | | | 39.5 | | | 38.9 | | |
| 7-23-57 | | | 38.7 | | | 39.5 | | | 38.9 | | |
| 8-16-57 | | | 38.7 | | | 39.5 | | | 38.9 | | |
| 9-04-57 | | | 38.7 | | | 39.5 | | | 38.9 | | |
| 9-18-57 | | | 39.1 | | | 39.1 | | | 38.9 | | |
| 10-28-57 | | | 35.7 | | | 35.7 | | | 38.9 | | |
| 11-20-57 | | | 35.8 | | | 35.8 | | | 38.9 | | |
| 12-11-57 | | | 35.3 | | | 35.3 | | | 38.9 | | |
| 1-09-58 | | | 35.4 | | | 35.4 | | | 38.9 | | |
| 1-23-58 | | | 34.2 | | | 34.2 | | | 38.9 | | |
| 2-14-58 | | | 32.5 | | | 32.5 | | | 38.9 | | |
| 4-09-58 | | | 28.1 | | | 28.1 | | | 38.9 | | |
| 5-21-58 | | | 31.0 | | | 31.0 | | | 38.9 | | |
| 6-18-58 | | | 32.9 | | | 32.9 | | | 38.9 | | |
| 8-28-57 | | | 38.9 | | | 38.9 | | | 38.9 | | |
| 9-07-57 | | | 38.7 | | | 38.7 | | | 38.9 | | |
| 10-28-57 | | | 36.3 | | | 36.3 | | | 38.9 | | |
| 11-26-57 | | | 32.5 | | | 32.5 | | | 38.9 | | |
| 12-30-57 | | | 32.2 | | | 32.2 | | | 38.9 | | |
| 1-31-58 | | | 33.8 | | | 33.8 | | | 38.9 | | |
| 2-26-58 | | | 32.3 | | | 32.3 | | | 38.9 | | |
| 4-08-58 | | | 26.8 | | | 26.8 | | | 38.9 | | |
| 4-28-58 | | | 27.9 | | | 27.9 | | | 38.9 | | |
| 6-24-58 | | | 29.6 | | | 29.6 | | | 38.9 | | |
| 4-25-58 | | | 28.4 | | | 28.4 | | | 38.9 | | |
| 11-08-57 | | | 35.0 | | | 35.0 | | | 38.9 | | |
| 4-17-58 | | | 26.6 | | | 26.6 | | | 38.9 | | |
| 7-26-57 | | | 27.2 | | | 27.2 | | | 38.9 | | |
| 8-28-57 | | | 24.2 | | | 24.2 | | | 38.9 | | |
| 9-27-57 | | | 24.2 | | | 24.2 | | | 38.9 | | |
| 10-30-57 | | | 23.5 | | | 23.5 | | | 38.9 | | |
| 11-26-57 | | | 23.0 | | | 23.0 | | | 38.9 | | |
| 12-30-57 | | | 21.2 | | | 21.2 | | | 38.9 | | |
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| 7N/34W-27M02 S | | | 7N/34W-28J01 S | | | 7N/34W-28L02 S | | | 7N/34W-28R01 S | | |
| 96.0 | | | 90.7 | | | 84.0 | | | 90.7 | | |
| 4-17-58 | | | 26.6 | | | 26.6 | | | 26.6 | | |
| 7N/34W-27N04 S | | | 7N/34W-28O03 S | | | 7N/34W-28P01 S | | | 7N/34W-28Q01 S | | |
| 55.0 | | | 96.0 | | | 84.0 | | | 96.0 | | |
| 11-06-57 | | | 37.4 | | | 37.4 | | | 37.4 | | |
| 7N/34W-28A03 S | | | 7N/34W-28B01 S | | | 7N/34W-28C01 S | | | 7N/34W-28D01 S | | |
| 96.0 | | | 33.7 | | | 62.3 | | | 62.3 | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| LOMPOC SUBAREA | | | | | | LOMPOC SUBAREA | | | | | |
| 31500 | | | | | | 31500 | | | | | |
| 7N/34W-28R01 S | 77.0 | 1-31-58 | 20.6 | 56.4 | 5000 | 7N/34W-29E05 S | 69.8 | 6-24-58 | 22.7 | 47.1 | 5000 |
| CONT. | | 2-28-58 | 20.2 | 56.8 | | 7N/34W-29N01 S | 68.7 | 11-08-57 | 28.2 | 40.5 | 5000 |
| | | 4-08-58 | 16.3 | 60.7 | | 7N/34W-29N02 S | 69.0 | 11-08-57 | 28.8 | 40.2 | 5000 |
| | | 4-28-58 | 15.8 | 61.2 | | 7N/34W-30A03 S | 64.0 | 11-08-57 | 27.9 | 36.1 | 5000 |
| | | 5-29-58 | 22.5 | 54.5 | | | | 3-16-58 | 18.8 | 45.2 | |
| | | 6-24-58 | 19.7 | 57.3 | | | | | | | |
| 7N/34W-28R02 S | 70.5 | 7-26-57 | 15.4 | 55.1 | 5000 | 7N/34W-30A04 S | 72.0 | 11-08-57 | 26.2 | 45.8 | 5000 |
| | | 8-28-57 | 16.2 | 54.3 | | 7N/34W-30E01 S | 56.0 | 11-08-57 | 21.0 | 35.0 | 5000 |
| | | 9-27-57 | 16.4 | 54.1 | | 7N/34W-30F01 S | 59.0 | 4-16-58 | 12.8 | 43.2 | |
| | | 10-30-57 | 16.4 | 54.1 | | | | | | | |
| | | 11-26-57 | 16.0 | 54.5 | | 7N/34W-30F01 S | 59.0 | 11-08-57 | 22.6 | 36.4 | 5000 |
| | | 12-30-57 | 16.5 | 54.0 | | 7N/34W-30L03 S | 63.4 | 7-26-57 | 28.2 | 35.2 | 5000 |
| | | 1-31-58 | 15.9 | 54.6 | | | | | | | |
| | | 2-28-58 | 15.5 | 55.0 | 5000 | | | | | | |
| 7N/34W-28R03 S | 58.0 | 11-06-57 | 37.2 | 20.8 | | | | | | | |
| | | 4-17-58 | 30.3 | 27.7 | | | | | | | |
| 7N/34W-29E03 S | 64.7 | 11-08-57 | 26.9 | 37.8 | 5000 | | | | | | |
| | | 4-17-58 | 17.0 | 47.7 | | | | | | | |
| 7N/34W-29E04 S | 68.7 | 7-26-57 | 36.0 | 32.7 | 5000 | | | | | | |
| | | 8-28-57 | 34.3 | 34.4 | | | | | | | |
| | | 9-27-57 | 28.0 | 40.7 | | | | | | | |
| | | 10-30-57 | 27.1 | 41.6 | | | | | | | |
| | | 11-26-57 | 29.8 | 38.9 | | | | | | | |
| | | 12-30-57 | 27.3 | 41.4 | | | | | | | |
| | | 1-31-58 | 25.5 | 43.2 | | | | | | | |
| | | 2-28-58 | 22.1 | 46.6 | | | | | | | |
| | | 4-08-58 | 19.4 | 49.3 | | | | | | | |
| | | 4-28-58 | 21.9 | 46.8 | | | | | | | |
| | | 5-29-58 | 29.2 | 39.5 | | | | | | | |
| | | 6-24-58 | 29.3 | 39.4 | | | | | | | |
| 7N/34W-29E05 S | 69.8 | 7-26-57 | 25.4 | 44.4 | 5000 | 7N/34W-30L04 S | 60.5 | 8-28-57 | 28.2 | 32.3 | 5000 |
| | | 8-28-57 | 25.6 | 44.2 | | | | | | | |
| | | 9-27-57 | 25.3 | 44.5 | | | | | | | |
| | | 10-30-57 | 25.2 | 44.6 | | | | | | | |
| | | 11-26-57 | 25.0 | 44.8 | | | | | | | |
| | | 12-30-57 | 24.9 | 44.9 | | | | | | | |
| | | 1-31-58 | 24.8 | 45.0 | | | | | | | |
| | | 2-28-58 | 24.3 | 45.5 | | | | | | | |
| | | 4-08-58 | 23.4 | 46.4 | | | | | | | |
| | | 4-28-58 | 22.2 | 47.6 | | | | | | | |
| | | 5-29-58 | 22.1 | 47.7 | | | | | | | |
| | | | | | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA YNEZ RIVER VALLEY | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| LOMPOC SUBAREA | | | | | | LOMPOC SUBAREA | | | | | |
| 7N/34W-31A02 S | 67.6 | 4-16-58 | 20.5 | 47.1 | 5000 | 7N/34W-32A04 S | 80.2 | 7-26-57 | 28.6 | 51.6 | 5000 |
| 7N/34W-31B04 S | 72.0 | 11-08-57 | 27.2 | 44.8 | 5000 | | | 8-28-57 | 28.3 | 51.9 | |
| | | 4-24-58 | 19.2 | 52.8 | | | | 9-27-57 | 28.3* | 51.9 | |
| 7N/34W-31C02 S | 65.7 | 8-28-57 | 30.3 | 35.4 | 5000 | | | 10-30-57 | 28.4 | 51.8 | |
| | | 9-27-57 | 28.9 | 36.8 | | | | 11-26-57 | 28.7 | 51.5 | |
| | | 10-30-57 | 26.5 | 39.2 | | | | 12-30-57 | 28.9 | 51.3 | |
| | | 11-26-57 | 30.9 | 34.8 | | | | 1-31-58 | 28.5 | 51.7 | |
| | | 12-30-57 | 23.7 | 42.0 | | | | 2-28-58 | 28.2 | 52.0 | |
| | | 1-31-58 | 27.1 | 38.6 | | | | 4-08-58 | 28.8 | 51.4 | |
| | | 2-28-58 | 21.9 | 43.8 | | | | 4-28-58 | 28.4 | 51.8 | |
| | | 4-08-58 | 19.6 | 46.1 | | | | 6-24-58 | 27.4 | 52.8 | |
| | | 4-29-58 | 20.1 | 45.6 | | | | | | | |
| | | 5-29-58 | 26.6 | 39.1 | | | | | | | |
| | | 6-24-58 | 27.2 | 38.5 | | | | | | | |
| 7N/34W-31C03 S | 65.4 | 7-26-57 | 16.9* | 48.5 | 5000 | 7N/34W-32B01 S | 78.0 | 11-14-57 | 34.2 | 43.8 | 5000 |
| | | 4-29-58 | 17.2 | 48.2 | | | | 11-14-57 | 31.1 | 42.3 | 5000 |
| | | 5-29-58 | 17.6 | 47.8 | | | | | | | |
| | | 6-24-58 | 16.9 | 48.5 | | | | | | | |
| 7N/34W-31H01 S | 66.0 | 11-08-57 | 26.9 | 39.1 | 5000 | 7N/34W-32C03 S | 75.0 | 11-14-57 | 31.6 | 43.4 | 5000 |
| 7N/34W-31J01 S | 70.8 | 11-08-57 | 31.7 | 39.1 | 5000 | 7N/34W-32D01 S | 68.6 | 11-14-57 | 27.1 | 41.5 | 5000 |
| | | 4-16-58 | 23.6 | 47.2 | | | | 4-25-58 | 21.7 | 52.3 | 5000 |
| 7N/34W-31L03 S | 70.0 | 11-08-57 | 31.0 | 39.0 | 5000 | 7N/34W-32H01 S | 84.0 | 11-14-57 | 35.6 | 48.4 | 5000 |
| | | 4-16-58 | 23.6 | 46.4 | | | | 4-24-58 | 35.7 | 48.3 | 5000 |
| 7N/34W-31L01 S | 63.0 | 11-08-57 | 31.4 | 31.6 | 5000 | 7N/34W-32K01 S | 84.0 | 11-14-57 | 36.5 | 47.5 | 5000 |
| | | 4-16-58 | 24.5 | 38.5 | | | | 7-26-57 | 34.4 | 47.2 | 5000 |
| 7N/34W-31O02 S | 71.1 | 4-16-58 | 25.8 | 45.3 | 5000 | 7N/34W-32P05 S | 81.6 | 8-28-57 | 34.6 | 47.0 | 5000 |
| 7N/34W-31R01 S | 70.0 | 11-08-57 | 31.2 | 38.8 | 5000 | | | 9-27-57 | 34.1 | 47.5 | 5000 |
| | | 4-16-58 | 24.3 | 45.7 | | | | 10-30-57 | 34.1 | 47.5 | 5000 |
| 7N/34W-32A01 S | 80.0 | 8-28-57 | 40.0 | 40.0 | 5000 | | | 11-26-57 | 34.3 | 47.3 | 5000 |
| | | 10-30-57 | 39.3 | 40.7 | | | | 12-30-57 | 34.2 | 47.4 | 5000 |
| | | 11-26-57 | 39.1 | 40.9 | | | | 1-31-58 | 33.5 | 48.1 | 5000 |
| | | 1-31-58 | 32.0 | 48.0 | | | | 2-28-58 | 32.2 | 49.4 | 5000 |
| | | 2-28-58 | 31.3 | 48.7 | | | | 4-08-58 | 30.0 | 51.6 | 5000 |
| | | 4-08-58 | 27.5 | 52.5 | | | | 4-29-58 | 29.9 | 51.7 | 5000 |
| | | 4-28-58 | 27.6 | 52.4 | | | | 5-29-58 | 30.5 | 51.1 | 5000 |
| | | 6-24-58 | 35.7 | 44.3 | | | | 6-24-58 | 31.5 | 50.1 | 5000 |
| | | | | | | | | 11-14-57 | 39.3 | 45.0 | 5000 |
| | | | | | | | | 4-24-58 | 36.1 | 48.2 | 5000 |
| | | | | | | | | 4-24-58 | 38.2 | 44.2 | 5000 |
| | | | | | | | | 11-14-57 | 39.4 | 46.6 | 5000 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| LOMPOC SUBAREA | | | | | | LOMPOC SUBAREA | | | | | |
| 31500 | | | | | | 31501 | | | | | |
| 7N/34W-33C04 S | 86+0 | 4-24-58 | 35+4 | 50+6 | 5000 | 7N/34W-34H01 S | 112+5 | 9-01-57 | 50+4 | 62+1 | 5000 |
| 7N/34W-33E01 S | 71+5 | 11-14-57 | 35+3 | 36+2 | 5000 | CONT. | | 9-15-57 | 50+4 | 62+1 | |
| 7N/34W-33F01 S | 75+0 | 11-14-57 | 39+3 | 40+6 | 5000 | | | 10-01-57 | 50+5 | 61+9 | |
| 7N/34W-33F02 S | 90+0 | 11-14-57 | 46+3 | 35+7 | 5000 | | | 10-15-57 | 50+6 | 62+0 | |
| 7N/34W-33003 S | 96+0 | 4-24-58 | 45+9 | 43+7 | 5000 | | | 11-01-57 | 51+1 | 61+4 | |
| 7N/34W-34A01 S | 106+7 | 7-05-57 | 42+7 | 45+7 | 5000 | | | 11-15-57 | 50+6 | 61+9 | |
| | | 7-23-57 | 43+7 | 64+0 | 5000 | | | 12-01-57 | 50+8 | 62+7 | |
| | | 8-16-57 | 45+0 | 50+1 | 5000 | | | 1-01-58 | 50+1 | 62+4 | |
| | | 9-06-57 | 44+8 | 61+9 | 5000 | | | 1-13-58 | 50+0 | 62+5 | |
| | | 9-18-57 | 45+5 | 61+2 | 5000 | | | 2-06-58 | 46+5 | 66+0 | |
| | | 9-27-57 | 45+5 | 61+2 | 5000 | | | 2-20-58 | 44+9 | 67+6 | |
| | | 10-28-57 | 45+8 | 60+9 | 5000 | | | 3-06-58 | 43+5 | 69+0 | |
| | | 11-20-57 | 45+9 | 60+8 | 5000 | | | 4-08-58 | 39+8 | 72+7 | |
| | | 12-11-57 | 45+8 | 60+9 | 5000 | | | 5-09-58 | 40+5 | 72+0 | |
| | | 1-09-58 | 45+3 | 61+4 | 5000 | | | 5-15-58 | 40+6 | 71+9 | |
| | | 1-23-58 | 45+2 | 61+5 | 5000 | | | 6-01-58 | 40+5 | 72+0 | |
| | | 2-14-58 | 44+1 | 62+6 | 5000 | | | 6-15-58 | 40+6 | 71+9 | |
| 7N/34W-34C02 S | 89+0 | 7-05-57 | 49+2 | 39+8 | 5000 | 7N/34W-34H03 S | 126+0 | 7-05-57 | 43+3 | 82+7 | 5000 |
| | | 7-23-57 | 50+4 | 38+6 | 5000 | | | 7-23-57 | 44+5 | 81+5 | |
| | | 8-16-57 | 49+8 | 39+2 | 5000 | | | 8-16-57 | 45+7 | 80+3 | |
| | | 9-04-57 | 49+7 | 39+3 | 5000 | | | 9-04-57 | 45+8 | 80+2 | |
| | | 9-18-57 | 49+5 | 39+5 | 5000 | | | 9-18-57 | 45+9 | 80+1 | |
| | | 9-27-57 | 49+3 | 39+7 | 5000 | | | 9-27-57 | 45+8 | 80+2 | |
| | | 10-28-57 | 48+5 | 40+5 | 5000 | | | 10-28-57 | 46+2 | 79+8 | |
| | | 11-20-57 | 48+7 | 40+3 | 5000 | | | 11-20-57 | 46+2 | 79+8 | |
| | | 12-11-57 | 47+7 | 41+3 | 5000 | | | 12-11-57 | 47+4 | 78+6 | |
| | | 1-09-58 | 47+4 | 41+6 | 5000 | | | 1-09-58 | 45+5 | 80+5 | |
| | | 1-23-58 | 47+2 | 41+8 | 5000 | | | 1-23-58 | 52+6* | 73+4 | |
| | | 2-14-58 | 46+8 | 42+2 | 5000 | | | 2-14-58 | 40+5 | 85+5 | |
| | | 4-09-58 | 43+7 | 45+3 | 5000 | | | 5-07-58 | 39+5 | 86+5 | |
| | | 5-07-58 | 43+0 | 46+0 | 5000 | | | 5-21-58 | 44+0 | 82+0 | |
| | | 5-21-58 | 43+0 | 46+0 | 5000 | | | 6-18-58 | 42+0 | 84+0 | |
| | | 6-18-58 | 44+0 | 45+0 | 5000 | | | | | | |
| 7N/34W-34H01 S | 112+5 | 7-01-57 | 47+4 | 65+1 | 5000 | 7N/34W-34001 S | 108+0 | 7-26-57 | 54+4 | 53+6 | 5000 |
| | | 7-15-57 | 48+2 | 64+3 | 5000 | | | 9-18-57 | 54+3 | 53+7 | |
| | | 8-01-57 | 49+1 | 63+4 | 5000 | | | 9-27-57 | 53+9 | 54+9 | |
| | | 8-16-57 | 50+4 | 62+1 | 5000 | | | 10-28-57 | 53+1 | 54+9 | |
| | | | | | 5000 | | | 11-20-57 | 54+3 | 53+7 | |
| | | | | | 5000 | | | 12-11-57 | 53+7 | 54+3 | |
| | | | | | 5000 | | | 1-09-58 | 52+9 | 55+1 | |
| | | | | | 5000 | | | 1-23-58 | 52+7 | 55+3 | |
| | | | | | 5000 | | | 2-14-58 | 52+5 | 55+3 | |
| | | | | | 5000 | | | 4-09-58 | 50+6 | 57+4 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA YNEZ RIVER VALLEY | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| 31500 | | | | | | 31501 | | | | | |
| LOMPOC SUBAREA | | | | | | LOMPOC SUBAREA | | | | | |
| 7N/34W-34C01 S | 108+0 | 5-07-58 | 48+5 | 59+5 | 5000 | 7N/34W-35F02 S | 100+0 | 7-23-57 | 28+2 | 71+8 | 5000 |
| CONT. | | 6-18-58 | 48+5 | 59+5 | | | | 8-16-57 | 29+7* | 70+3 | |
| 7N/34W-34R01 S | 119+0 | 11-13-57 | 56+3 | 62+7 | 5000 | | | 9-04-57 | 29+7* | 70+3 | |
| | | 4-24-58 | 49+2 | 59+8 | | | | 9-18-57 | 29+8* | 70+2 | |
| 7N/34W-35B01 S | 99+6 | 7-05-57 | 34+1 | 65+5 | 5000 | | | 10-28-57 | 29+8* | 70+2 | |
| | | 7-23-57 | 34+5 | 65+1 | | | | 11-20-57 | 30+7* | 69+3 | |
| | | 8-16-57 | 36+7 | 62+9 | | | | 12-11-57 | 30+5 | 69+5 | |
| | | 9-18-57 | 36+2 | 62+4 | | | | 1-09-58 | 30+2 | 69+8 | |
| | | 9-18-57 | 36+2 | 62+4 | | | | 1-23-58 | 30+1 | 69+9 | |
| | | 9-27-57 | 35+4 | 64+1 | | | | 2-14-58 | 18+7 | 81+3 | |
| | | 10-28-57 | 34+8 | 64+6 | | | | 4-09-58 | 14+2 | 85+8 | |
| | | 11-20-57 | 33+8 | 65+8 | | | | 5-01-58 | 14+4 | 85+6 | |
| | | 12-11-57 | 32+9 | 66+7 | | | | 5-01-58 | 14+4 | 85+6 | |
| | | 1-09-58 | 31+8 | 67+8 | | | | 6-18-58 | 17+5 | 82+5 | |
| | | 1-23-58 | 31+9 | 67+7 | | 7N/34W-35F06 S | 121+4 | 7-05-57 | 51+1 | 70+3 | 5000 |
| | | 2-14-58 | 30+9 | 68+7 | | | | 7-23-57 | 52+8 | 68+6 | |
| | | 4-09-58 | 25+8 | 73+8 | | | | 8-16-57 | 53+7* | 67+7 | |
| | | 5-07-58 | 23+1 | 76+5 | | | | 9-04-57 | 53+3 | 68+1 | |
| | | 5-21-58 | 23+9 | 75+7 | | | | 9-18-57 | 55+0* | 66+4 | |
| | | 6-18-58 | 24+4 | 75+2 | | | | 9-27-57 | 55+0* | 66+4 | |
| 7N/34W-35C02 S | 74+4 | 11-14-57 | 31+4 | 43+0 | 5000 | | | 10-28-57 | DRY | | |
| | | 4-24-58 | 32+2* | 42+2 | | | | 11-20-57 | DRY | | |
| 7N/34W-35C04 S | 95+0 | 7-05-57 | 33+8 | 61+2 | 5000 | | | 12-11-57 | DRY | | |
| | | 8-16-57 | 33+8 | 59+4 | | | | 1-31-58 | DRY | | |
| | | 9-04-57 | 32+0 | 63+0 | | | | 2-14-58 | 43+8 | 77+6 | |
| | | 10-28-57 | 32+3 | 61+9 | | | | 4-09-58 | 39+5 | 81+9 | |
| | | 11-20-57 | 32+3 | 62+7 | | | | 5-21-58 | 40+6 | 80+8 | |
| | | 12-11-57 | 31+0 | 64+0 | | | | 6-18-58 | 40+9 | 80+5 | |
| | | 1-09-58 | 30+5 | 64+5 | | | | 6-24-58 | 41+2 | 80+2 | |
| | | 1-23-58 | 31+8 | 63+2 | | | | | | | |
| | | 2-14-58 | 23+4 | 80+6 | | | | | | | |
| | | 4-09-58 | 14+4 | 80+6 | | | | | | | |
| | | 5-21-58 | 26+5 | 68+5 | | | | | | | |
| 7N/34W-35F01 S | 100+0 | 12-11-57 | 33+5 | 66+5 | 5000 | 7N/34W-35F16 S | 120+0 | 9-04-57 | 53+4 | 66+6 | 5000 |
| | | 1-09-58 | 32+9 | 67+1 | | | | 9-18-57 | 53+0 | 67+0 | |
| | | 1-23-58 | 32+7 | 67+3 | | | | 9-27-57 | 55+3 | 64+7 | |
| | | 2-14-58 | 29+8 | 70+2 | | | | 10-28-57 | 53+4 | 66+6 | |
| | | 4-09-58 | 25+0 | 75+0 | | | | 11-20-57 | 54+1 | 65+9 | |
| | | 5-07-58 | 24+3 | 75+7 | | | | 12-11-57 | 53+3 | 66+7 | |
| | | 6-18-58 | 23+3 | 76+7 | | | | 1-09-58 | 52+2 | 67+8 | |
| | | | | | | | | 2-14-58 | 44+4 | 75+6 | |
| | | | | | | | | 4-09-58 | 40+1 | 78+9 | |
| | | | | | | | | 5-21-58 | 41+5 | 78+2 | |
| | | | | | | | | 6-18-58 | 41+5 | 78+2 | |
| | | | | | | | | 6-24-58 | 42+0 | 78+0 | |
| 7N/34W-35F02 S | 100+0 | 7-05-57 | 26+7 | 73+3 | 5000 | 7N/34W-35F18 S | 87+4 | 7-05-57 | 15+2 | 72+2 | 5000 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA YNEZ RIVER VALLEY | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| 31500 | | | | | | 31500 | | | | | |
| LOMPOC SUBAREA | | | | | | | | | | | |
| 31501 | | | | | | 31501 | | | | | |
| LOMPOC SUBAREA | | | | | | | | | | | |
| 7N/34W-35F18 S | | | | | | 7N/34W-35K10 S | | | | | |
| CONT. | | | | | | CONT. | | | | | |
| 7-23-57 | 874.4 | 7-23-57 | 15+6 | 71+8 | 5000 | 7N/34W-35L01 S | 117+3 | 2-14-58 | 40+5 | 76+8 | 5000 |
| 8-16-57 | | 8-16-57 | DRY | | | | | 4-09-58 | 38+5 | 78+8 | |
| 9-18-57 | | 9-18-57 | DRY | | | | | 5-07-58 | 38+5 | 78+5 | |
| 10-28-57 | | 10-28-57 | DRY | | | | | 5-21-58 | 38+8 | | |
| 11-20-57 | | 11-20-57 | DRY | | | | | | | | |
| 12-11-57 | | 12-11-57 | DRY | | | | | | | | |
| 1-09-58 | | 1-09-58 | DRY | | | | | | | | |
| 1-23-58 | | 1-23-58 | DRY | | | | | | | | |
| 2-14-58 | 874.4 | 2-14-58 | 5+6 | 81+8 | | | | | | | |
| 7-05-57 | 86+1 | 7-05-57 | 16+3 | 69+8 | 5000 | 7N/34W-35N01 S | 118+0 | 7-05-57 | 43+8 | 72+2 | 5000 |
| 8-16-57 | | 8-16-57 | 17+9 | 68+2 | | | | 7-23-57 | 46+5 | 71+5 | |
| 9-18-57 | | 9-18-57 | 19+0 | 67+1 | | | | 9-18-57 | 48+5 | 65+6 | |
| 9-04-57 | | 9-04-57 | 19+2 | 66+9 | | | | 1-09-58 | 50+7 | 63+4 | |
| 9-18-57 | | 9-18-57 | 19+3 | 66+8 | | | | 2-14-58 | 50+7 | 63+4 | |
| 10-28-57 | | 10-28-57 | DRY | | | | | 4-09-58 | 47+1 | 67+0 | |
| 11-20-57 | | 11-20-57 | DRY | | | | | 5-21-58 | 43+1 | 71+0 | |
| 12-11-57 | | 12-11-57 | DRY | | | | | | | | |
| 1-09-58 | | 1-09-58 | DRY | | | | | | | | |
| 1-23-58 | 86+1 | 1-23-58 | 6+9 | 79+2 | | | | | | | |
| 2-14-58 | | 2-14-58 | DRY | | | | | | | | |
| 4-09-58 | | 4-09-58 | 4+9 | 81+2 | | | | | | | |
| 5-21-58 | | 5-21-58 | 5+5 | 80+6 | | | | | | | |
| 6-18-58 | | 6-18-58 | 6+1 | 80+0 | | | | | | | |
| 7-05-57 | 102+0 | 7-05-57 | 30+9 | 71+1 | 5000 | 7N/35W-20J01 S | 19+8 | 7-26-57 | 10+4 | 9+4 | 5000 |
| 7-23-57 | | 7-23-57 | 32+4 | 69+6 | | | | 8-28-57 | 11+4 | 8+4 | |
| 8-16-57 | | 8-16-57 | 34+2 | 67+8 | | | | 9-27-57 | 11+8 | 8+0 | |
| 9-04-57 | | 9-04-57 | 34+0 | 68+0 | | | | 10-30-57 | 11+1 | 8+7 | |
| 9-18-57 | | 9-18-57 | 34+2 | 68+0 | | | | 11-26-57 | 10+6 | 9+2 | |
| 9-27-57 | | 9-27-57 | 34+2 | 67+8 | | | | 12-30-57 | 9+5 | 10+3 | |
| 10-28-57 | | 10-28-57 | 34+6 | 67+4 | | | | 1-31-58 | 9+0 | 10+8 | |
| 11-20-57 | | 11-20-57 | 34+9 | 67+1 | | | | 2-28-58 | 6+8 | 13+0 | |
| 12-11-57 | | 12-11-57 | 34+7 | 67+3 | | | | 4-08-58 | 4+2 | 15+6 | |
| 1-09-58 | | 1-09-58 | 34+2 | 67+8 | | | | 4-28-58 | 5+6 | 14+2 | |
| 1-23-58 | | 1-23-58 | 34+2 | 67+8 | | | | 5-29-58 | 6+7 | 13+1 | |
| 2-14-58 | | 2-14-58 | 23+6 | 78+4 | | | | 6-24-58 | 9+0 | 10+8 | |
| 4-09-58 | | 4-09-58 | 20+9 | 81+1 | | | | | | | |
| 5-07-58 | | 5-07-58 | 21+6 | 80+4 | | | | 11-13-57 | 8+2 | 10+0 | 5000 |
| 5-21-58 | | 5-21-58 | 22+2 | 79+8 | | | | 4-21-58 | 3+8 | 14+4 | |
| 6-18-58 | | 6-18-58 | 22+8 | 79+2 | | | | | | | |
| 7-05-57 | 124+2 | 7-05-57 | 44+9 | 79+3 | 5000 | 7N/35W-22F01 S | 26+1 | 11-13-57 | 13+8 | 12+3 | 5000 |
| 7-23-57 | | 7-23-57 | 44+3 | 79+9 | | | | 4-24-58 | 6+1 | 20+0 | |
| 9-04-57 | | 9-04-57 | 44+0 | 80+2 | | | | | | | |
| 11-20-57 | | 11-20-57 | 49+4 | 74+8 | | | | 7-26-57 | 16+9 | 16+2 | 5000 |
| | | | | | | | | 8-28-57 | 17+6 | 15+5 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA YNEZ RIVER VALLEY | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| 31500 | | | | | | 31500 | | | | | |
| LOMPOC SUBAREA | | | | | | LOMPOC SUBAREA | | | | | |
| 7N/35W-22J01 S | 33.1 | 10-30-57 | 15.0 | 18.1 | 5000 | 7N/35W-23J02 S | 44.9 | 4-08-58 | 12.4 | 32.5 | 5000 |
| CONT. | | 12-30-57 | 13.0 | 20.1 | | CONT. | | 4-28-58 | 19.2 | 25.7 | |
| | | 1-31-58 | 13.1 | 20.0 | | | | 5-29-58 | 22.2 | 22.7 | |
| | | 2-28-58 | 9.8 | 23.3 | | | | 7-26-57 | 22.7 | 21.7 | 5000 |
| | | 4-08-58 | 7.3 | 25.8 | | | | 8-28-57 | 23.2 | 22.2 | |
| | | 4-28-58 | 9.0 | 24.1 | | | | 9-27-57 | 22.2 | 22.2 | |
| | | 5-29-58 | 14.8* | 18.3 | | | | 10-30-57 | 21.5* | 22.9 | |
| | | 6-24-58 | 13.8* | 19.3 | | | | 11-26-57 | 21.1 | 23.3 | |
| 7N/35W-22M01 S | 27.0 | 8-28-57 | 11.1 | 15.9 | 5000 | | | 12-30-57 | 19.8 | 24.6 | |
| | | 9-27-57 | 11.2 | 15.8 | | | | 1-31-58 | 17.1 | 27.3 | |
| | | 10-30-57 | 11.8 | 18.2 | | | | 4-08-58 | 10.3 | 34.1 | |
| | | 12-30-57 | 8.7 | 18.1 | | | | 4-28-58 | 10.2 | 34.2 | |
| | | 1-31-58 | 9.1 | 21.7 | | | | 5-29-58 | 14.9 | 29.5 | |
| | | 2-28-58 | 6.1 | 22.8 | | | | 6-24-58 | 16.2* | 28.2 | |
| | | 4-28-58 | 6.2 | 20.8 | | | | | | | |
| | | 5-29-58 | 6.2 | 20.8 | | | | | | | |
| | | 6-24-58 | 7.8 | 19.2 | | | | | | | |
| 7N/35W-23E02 S | 36.9 | 8-28-57 | 19.5 | 17.4 | 5000 | 7N/35W-24E01 S | 46.0 | 4-21-58 | 12.7 | 33.3 | 5000 |
| | | 9-27-57 | 18.2 | 18.7 | | 7N/35W-24E02 S | 50.0 | 11-14-57 | 20.5 | 29.5 | 5000 |
| | | 10-30-57 | 18.4 | 18.5 | | | | 4-21-58 | 12.9 | 37.1 | |
| | | 11-26-57 | 18.7 | 18.2 | | | | | | | |
| | | 12-30-57 | 16.9 | 20.0 | | | | 11-13-57 | 22.9 | 29.1 | 5000 |
| | | 1-31-58 | 16.4 | 20.5 | | | | | | | |
| | | 2-28-58 | 13.6 | 23.3 | | | | 7-26-57 | 28.5 | 32.2 | 5000 |
| | | 5-29-58 | 16.1 | 20.8 | | | | 8-26-57 | 28.9 | 31.6 | |
| | | 6-24-58 | 15.6 | 21.3 | | | | 9-27-57 | 28.2 | 31.9 | |
| | | | | | | | | 10-30-57 | 29.1* | 31.6 | |
| | | | | | | | | 11-26-57 | 29.7 | 31.0 | |
| | | | | | | | | 12-30-57 | 29.5 | 31.0 | |
| 7N/35W-23E04 S | 38.4 | 7-26-57 | 19.6* | 18.8 | 5000 | | | 1-31-58 | 29.5 | 32.9 | 5000 |
| | | 8-28-57 | 19.6 | 18.8 | | | | 2-28-58 | 27.8 | 32.9 | |
| | | 9-27-57 | 19.6 | 18.8 | | | | 4-08-58 | 25.2 | 35.5 | |
| | | 10-30-57 | 19.7 | 18.7 | | | | 4-28-58 | 24.1 | 36.6 | |
| | | 11-26-57 | 19.7 | 18.7 | | | | 5-29-58 | 24.2 | 36.5 | |
| | | 12-30-57 | 20.1 | 18.3 | | | | 6-24-58 | 24.5 | 36.2 | |
| | | 1-31-58 | 20.0 | 18.4 | | | | | | | |
| | | 2-28-58 | 20.0 | 18.4 | | | | 9-27-57 | 26.6 | 25.3 | 5000 |
| | | 4-28-58 | 19.9 | 19.5 | | | | 10-30-57 | 25.6 | 26.3 | |
| | | 5-29-58 | 20.6 | 16.8 | | | | 1-31-58 | 27.3 | 24.6 | |
| | | 6-24-58 | 19.9 | 16.5 | | | | 2-28-58 | 24.1 | 27.8 | |
| | | | | | | | | 4-08-58 | 15.9 | 36.0 | |
| | | | | | | | | 4-29-58 | 16.7 | 35.2 | |
| 7N/35W-23J02 S | 44.9 | 7-26-57 | 29.4* | 15.5 | 5000 | 7N/35W-24K02 S | 51.9 | 9-27-57 | 26.6 | 25.3 | 5000 |
| | | 9-27-57 | 19.6 | 25.3 | | | | 10-30-57 | 25.6 | 26.3 | |
| | | 11-26-57 | 19.6 | 25.5 | | | | | | | |
| | | 1-31-58 | 17.9 | 21.0 | | | | 5-29-58 | 28.6 | 23.5 | 5000 |
| | | 2-28-58 | 14.6 | 30.3 | | | | 4-21-58 | 12.4 | 34.6 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|---------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------------|---------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA YNEZ RIVER VALLEY | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| LOMPOC SUBAREA | | | | | | LOMPOC SUBAREA | | | | | |
| 31501 | | | | | | 31501 | | | | | |
| 7N/35W-24R01 S | 59.0 | 11-08-57 | 29.9 | 29.1 | 5000 | 7N/35W-26F03 S | 36.7 | 10-30-57 | 11.3 | 25.4 | 5000 |
| 7N/35W-25B02 S | 50.0 | 11-08-57 | 20.4 | 29.6 | 5000 | CONT. | | 11-26-57 | 11.5 | 25.2 | |
| 7N/35W-25D01 S | 41.1 | 11-13-57 | 15.3* | 38.1 | 5000 | | | 12-30-57 | 11.0 | 25.7 | |
| 7N/35W-25F05 S | 47.4 | 7-26-57 | 26.4 | 25.8 | 5000 | | | 1-31-58 | 10.8 | 25.9 | |
| | | 8-28-57 | 27.4 | 35.7 | 5000 | | | 2-28-58 | 8.6 | 28.1 | |
| | | 5-14-58 | 33.0 | 21.0 | 5000 | | | 4-08-58 | 5.9 | 30.8 | |
| | | 6-24-58 | 21.0 | 20.0 | 5000 | | | 4-28-58 | 7.9 | 28.8 | |
| 7N/35W-25F06 S | 48.0 | 7-26-57 | 13.7 | 36.3 | 5000 | 7N/35W-26J02 S | 43.0 | 5-29-58 | 9.4 | 27.3 | 5000 |
| | | 8-28-57 | 14.6 | 38.9 | 5000 | | | 6-24-58 | 8.5 | 28.2 | |
| | | 9-27-57 | 14.7 | 38.2 | 5000 | | | 11-13-57 | 12.2 | 30.8 | |
| | | 10-30-57 | 15.0 | 33.0 | 5000 | | | 4-21-58 | 4.5 | 38.5 | |
| | | 12-20-57 | 15.1 | 33.0 | 5000 | | | 7-26-57 | 21.1 | 23.0 | |
| | | 1-31-58 | 12.6 | 33.0 | 5000 | | | 8-28-57 | 27.8 | 16.3 | |
| | | 2-28-58 | 11.2 | 38.9 | 5000 | | | 9-26-57 | 16.2 | 27.9 | |
| | | 4-08-58 | 9.2 | 38.3 | 5000 | | | 10-30-57 | 15.2 | 28.9 | |
| | | 4-29-58 | 9.7 | 38.5 | 5000 | | | 11-26-57 | 19.8 | 24.3 | |
| | | 5-29-58 | 9.5 | 37.5 | 5000 | | | 12-27-57 | 12.0 | 32.1 | |
| | | 6-24-58 | 10.6 | 38.9 | 5000 | | | 1-31-58 | 17.7 | 26.4 | |
| | | | | 38.9 | 5000 | | | 2-28-58 | 10.6* | 33.5 | |
| | | | | 38.3 | 5000 | | | 3-31-58 | 8.2 | 35.9 | |
| | | | | 38.5 | 5000 | | | 4-29-58 | 7.4 | 36.7 | |
| | | | | 37.5 | 5000 | | | 5-24-58 | 19.9 | 24.2 | |
| | | | | 37.4 | 5000 | | | 6-24-58 | 14.9 | 29.2 | |
| 7N/35W-25G01 S | 51.3 | 11-08-57 | 21.4 | 29.9 | 5000 | 7N/35W-27C03 S | 28.4 | 7-26-57 | 12.6 | 15.8 | 5000 |
| 7N/35W-25J02 S | 60.0 | 11-08-57 | 19.0 | 41.0 | 5000 | | | 8-28-57 | 10.1 | 18.3 | |
| | | 4-22-58 | 13.2 | 46.8 | 5000 | | | 9-27-57 | 9.8 | 18.6 | |
| 7N/35W-26F01 S | 40.0 | 7-26-57 | 19.9 | 20.1 | 5000 | | | 10-30-57 | 10.6 | 17.8 | |
| | | 8-28-57 | 24.2* | 15.8 | 5000 | | | 11-26-57 | 9.1 | 19.3 | |
| | | 9-27-57 | 14.6 | 25.4 | 5000 | | | 12-30-57 | 7.8 | 20.6 | |
| | | 10-30-57 | 14.8 | 25.5 | 5000 | | | 2-28-58 | 5.1 | 23.3 | |
| | | 11-26-57 | 14.8 | 25.2 | 5000 | | | 4-08-58 | 1.9 | 26.5 | |
| | | 12-30-57 | 14.9 | 25.2 | 5000 | | | 4-28-58 | 3.4 | 25.0 | |
| | | 1-31-58 | 14.3 | 25.9 | 5000 | | | 5-29-58 | 5.5 | 22.9 | |
| | | 2-28-58 | 19.1 | 25.9 | 5000 | | | 6-24-58 | 6.6 | 21.8 | |
| | | 4-08-58 | 7.4 | 31.7 | 5000 | | | 11-13-57 | 7.0 | 21.0 | |
| | | 5-29-58 | 8.1 | 21.3 | 5000 | | | 4-21-58 | 2.9 | 25.1 | |
| | | 6-24-58 | 19.7* | 21.3 | 5000 | | | 11-13-57 | 7.2 | 20.8 | |
| | | | 17.6 | 22.4 | 5000 | | | 4-24-58 | 2.4 | 25.6 | |
| 7N/35W-26F03 S | 36.7 | 7-26-57 | 11.1 | 25.6 | 5000 | 7N/35W-27K01 S | 31.0 | 11-13-57 | 8.3 | 22.7 | 5000 |
| | | 8-28-57 | 11.0 | 25.7 | 5000 | | | 4-21-58 | 3.0 | 28.0 | |
| | | 9-27-57 | 10.9 | 25.8 | 5000 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|--|---|--|-----------------------|-------------------------|--------------------|--|--|--|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA YNEZ RIVER VALLEY | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| 31500 | | | | | | 31500 | | | | | |
| LOMPOC SUBAREA | | | | | | LOMPOC SUBAREA | | | | | |
| 7N/35W-28H02 S | 39.5 | 7-26-57 8-28-57 9-27-57 10-30-57 1-31-58 5-29-58 6-24-58 | 6+8 7+6 8+3 9+1 10+3 11+3 12+4 | 32+7 31+9 34+3 35+1 35+6 35+3 37+1 | 5000 | 7N/35W-36E04 S | 71.0 | 11-13-57 4-21-58 | 15+4 2+8 | 55+6 68+2 | 5000 |
| 7N/35W-35A03 S | 45.7 | 7-26-57 8-28-57 10-30-57 11-26-57 1-31-58 2-28-58 4-08-58 5-29-58 6-24-58 | 14+1 16+2 13+1 12+3 10+9 9+8 8+5 7+4 7+3 | 31+6 29+5 32+6 33+8 34+8 34+8 40+0 40+3 38+4 36+4 | 5000 | 7N/35W-36F01 S | 71.0 | 11-08-57 | 22+3 | 48+7 | 5000 |
| 7N/35W-35A04 S | 47.9 | 7-26-57 8-28-57 9-27-57 10-30-57 11-26-57 12-30-57 1-31-58 2-28-58 4-08-58 5-29-58 6-24-58 | 12+7 14+0 16+8 14+8 11+4 9+7 8+8 8+5 4+3 4+2 5+8 8+5 | 35+2 33+9 33+1 33+1 36+5 38+2 39+1 38+2 43+4 43+6 43+7 42+1 39+4 | 5000 | 7N/35W-36J06 S | 58+0 | 7-26-57 8-28-57 9-27-57 10-30-57 11-26-57 12-30-57 1-31-58 2-28-58 4-08-58 5-29-58 6-24-58 | 32+0 27+3 25+8 23+1 25+6 22+7 23+1 20+8 15+7 15+0 19+7 | 26+0 30+7 32+2 34+9 35+3 34+9 37+2 42+3 43+0 38+3 | 5000 |
| 7N/35W-35C04 S | 37.7 | 7-26-57 8-28-57 9-27-57 10-30-57 11-26-57 12-30-57 1-31-58 2-28-58 4-08-58 5-29-58 6-24-58 | 5+6 3+5 5+0 4+6 5+4 5+4 4+1 2+7 3+1 3+4 3+3 | 32+1 34+2 32+7 33+1 32+3 32+3 33+6 35+0 34+6 34+4 34+2 | 5000 | 7N/35W-36J08 S | 78.0 | 11-08-57 4-22-58 | 26+4 13+3 | 53+6 62+7 | 5000 |
| SANTA RITA SUBAREA | | | | | | | | | | | |
| 7N/35W-35H02 S | 57.0 | 4-21-58 | 24+8 | 32+2 | 5000 | 6N/32W-05F02 S | 449+0 | 11-06-57 | 80+0 | 369+0 | 5000 |
| | | | | | | 6N/32W-05W01 S | 351+0 | 11-06-57 | 49+9 | 301+1 | 5000 |

GROUND WATER LEVELS AT WELLS

| State Well Number | P.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | P.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|--|--|--|-----------------------|-------------------|--------------------|---|--|--|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA RITA SUBAREA | | | | | | | | | | | |
| 6N/32W-06J01 S | 249.0 | 11-06-57 | 12.5 | 236.5 | 5000 | 6N/32W-16A03 S | 271.5 | 9-24-57 10-02-57 | 17.0 10.6 | 254.5 260.9 | 5000 |
| 6N/32W-06K01 S | 391.0 | 8-27-57 4-30-58 5-28-58 | 22.5 18.5 19.4 | 368.5 372.5 371.6 | 5000 | 6N/32W-16G01 S | 669.0 | 3-18-58 | 13.9 | 655.1 | 5000 |
| 6N/32W-07N01 S | 243.0 | 10-08-57 | 48.8 | 194.2 | 5000 | 6N/32W-16G02 S | 278.1 | 10-08-57 3-18-58 | 21.4 19.1 | 256.7 259.0 | 5000 |
| 6N/32W-07O03 S | 237.1 | 9-25-57 3-17-58 | 11.5 5.8 | 225.6 231.3 | 5000 | 6N/32W-16K01 S | 263.2 | 9-25-57 10-01-57 10-02-57 10-08-57 3-18-58 | 14.7 14.8 13.3 11.6 9.1 | 248.5 248.4 248.9 251.6 254.1 | 5000 |
| 6N/32W-08N01 S | 242.5 | 7-11-57 8-14-57 9-17-57 10-21-57 11-19-57 12-10-57 | 11.9 12.6 13.5 15.0 16.1 16.1 | 230.6 229.9 229.0 230.5 230.4 230.4 | 5000 | 6N/32W-16P03 S | 294.0 | 8-26-57 2-27-58 5-29-58 | 48.4 44.5 45.1 | 245.6 248.5 248.9 | 5000 |
| 6N/32W-08N02 S | 249.7 | 7-08-57 6-17-57 8-14-57 9-17-57 10-21-57 11-19-57 12-10-57 | 17.9 16.6 16.6 15.3 20.5 20.4 20.0 | 231.8 231.1 230.4 229.2 229.3 229.9 | 5000 | 6N/32W-17O03 S | 228.0 | 7-17-57 8-14-57 9-17-57 10-21-57 11-19-57 12-10-57 | 7.2 8.8 9.6 7.0 7.0 6.8 | 220.8 230.9 230.1 236.2 236.7 236.9 | 5000 |
| 6N/32W-08N03 S | 247.5 | 7-17-57 8-14-57 9-17-57 10-21-57 11-19-57 12-10-57 | 18.7 17.7 16.6 15.7 15.7 15.7 | 231.8 230.8 229.8 232.1 231.8 231.8 | 5000 | 6N/32W-17J02 S | 261.0 | 9-25-57 3-17-58 | 19.6 11.5 | 241.4 245.7 | 5000 |
| 6N/32W-09O01 S | 269.9 | 9-25-57 10-02-57 10-08-57 3-18-58 | 12.1 8.2 8.2 6.5 | 257.8 261.7 261.9 263.4 | 5000 | 6N/32W-17K02 S | 256.2 | 9-25-57 3-17-58 | 24.8 15.4 | 231.4 240.8 | 5000 |
| | | | | | | 6N/32W-17L01 S | 252.2 | 11-06-57 3-17-58 | 16.0 11.2 | 236.2 241.0 | 5000 |
| | | | | | | 6N/32W-17P01 S | 250.0 | 11-06-57 | 35.8 | 214.2 | 5000 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA YNEZ RIVER VALLEY | | | | | | SANTA RITA SUBAREA | | | | | |
| 31500 | | | | | | 31502 | | | | | |
| SANTA RITA SUBAREA | | | | | | | | | | | |
| 6N/32M-17P01 S | 250.0 | 3-17-58 | 12.7 | 237.3 | 5000 | 6N/33W-06M01 S | 133.6 | 12-10-57 | 24.3 | 109.3 | 5000 |
| 6N/32M-17Q02 S | 283.0 | 11-06-57 | 40.9 | 242.1 | 5000 | CONT. | | 1-08-58 | 20.5 | 113.1 | |
| 6N/32W-18C01 S | 239.5 | 3-17-58 | 14.3 | 225.2 | 5000 | | | 1-29-58 | 18.8 | 114.8 | |
| 6N/32W-18C02 S | 239.2 | 3-18-58 | 14.3 | 224.9 | 5000 | | | 2-18-58 | 17.5 | 116.1 | |
| 6N/32W-18C03 S | 233.2 | 9-25-57 | 13.2 | 220.0 | 5000 | | | 3-10-58 | 16.9 | 116.7 | |
| 6N/32W-18H01 S | 268.3 | 7-26-57 | 37.2 | 231.1 | 5000 | | | 4-10-58 | 15.4 | 118.2 | |
| | | 8-28-57 | 37.7 | 230.6 | 5000 | | | 5-08-58 | 14.3 | 119.3 | |
| | | 11-19-57 | 36.2 | 232.1 | 5000 | | | 5-20-58 | 13.7 | 119.9 | |
| | | 12-30-57 | 34.5 | 233.8 | 5000 | | | 7-05-57 | 17.2 | 174.8 | 5000 |
| | | 1-29-58 | 33.9 | 234.4 | 5000 | | | 7-17-57 | 16.7 | 175.3 | |
| | | 2-7-58 | 33.0 | 235.3 | 5000 | | | 8-14-57 | 17.0 | 138.3 | |
| | | 4-08-58 | 30.7 | 237.6 | 5000 | | | 9-04-57 | 17.3 | 138.0 | |
| | | 5-29-58 | 32.5 | 235.8 | 5000 | | | 9-17-57 | 17.5 | 137.8 | |
| | | 6-25-58 | 32.9 | 235.4 | 5000 | | | 9-25-57 | 17.6 | 137.7 | |
| 6N/33W-05E01 S | 193.0 | 7-17-57 | 40.3 | 152.7 | 5000 | 6N/33W-06P01 S | 192.0 | 10-21-57 | 18.0 | 137.5 | |
| | 184.1 | 1-29-58 | 41.1 | 143.0 | 5000 | | | 11-19-57 | 18.0 | 137.3 | |
| 6N/33W-06D03 S | 150.0 | 11-06-57 | 20.5 | 129.5 | 5000 | | | 12-10-57 | 18.0 | 137.3 | |
| | | 3-26-58 | 14.7 | 135.3 | 5000 | | | 1-08-58 | 15.9 | 138.4 | |
| 6N/33W-06E01 S | 149.1 | 11-06-57 | 29.5 | 119.6 | 5000 | | | 1-29-58 | 15.7 | 138.6 | |
| | | 3-26-58 | 26.4 | 122.7 | 5000 | | | 2-21-58 | 14.2 | 140.8 | |
| 6N/33W-06F01 S | 151.4 | 11-07-57 | 20.8 | 130.6 | 5000 | | | 2-10-58 | 17.0 | 143.9 | |
| | | 3-26-58 | 15.1 | 136.3 | 5000 | | | 5-10-58 | 17.0 | 143.9 | |
| 6N/33W-06F02 S | 137.6 | 11-07-57 | 7.6 | 130.0 | 5000 | | | 5-08-58 | 13.5 | 141.8 | |
| 6N/33W-06K01 S | 186.8 | 9-17-57 | 55.5 | 131.3 | 5000 | | | 5-20-58 | 14.0 | 141.3 | |
| | | 9-26-57 | 54.9 | 131.9 | 5000 | | | 6-20-58 | 14.0 | 140.6 | |
| | | 5-20-58 | 43.5 | 143.3 | 5000 | | | 7-05-57 | 30.0 | 165.0 | 5000 |
| | | 6-20-58 | 44.9 | 141.9 | 5000 | | | 7-17-57 | 28.9 | 165.1 | |
| 6N/33W-06M01 S | 152.0 | 7-05-57 | 20.0 | 132.0 | 5000 | 6N/33W-06Q01 S | 194.0 | 9-04-57 | 30.0 | 136.4 | |
| | 133.6 | 7-17-57 | 21.3 | 130.7 | 5000 | | | 9-17-57 | 30.3 | 136.1 | |
| | | 8-14-57 | 22.5 | 111.1 | 5000 | | | 9-24-57 | 30.3 | 136.1 | |
| | | 9-17-57 | 23.4 | 110.2 | 5000 | | | 10-21-57 | 30.2 | 136.2 | |
| | | 9-25-57 | 23.6 | 110.0 | 5000 | | | 11-19-57 | 30.2 | 136.2 | |
| | | 10-21-57 | 24.1 | 109.5 | 5000 | | | 12-10-57 | 30.0 | 136.4 | |
| | | 11-19-57 | 24.1 | 109.5 | 5000 | | | 1-08-58 | 28.8 | 137.6 | |
| | | | | | 5000 | | | 1-29-58 | 27.6 | 138.8 | |
| | | | | | 5000 | | | 2-21-58 | 27.6 | 138.8 | |
| | | | | | 5000 | | | 3-10-58 | 27.2 | 139.2 | |
| | | | | | 5000 | | | 4-10-58 | 25.8 | 140.6 | |
| | | | | | 5000 | | | 5-08-58 | 25.0 | 141.4 | |
| | | | | | 5000 | | | 5-20-58 | 23.9 | 142.5 | |
| | | | | | 5000 | | | 6-20-58 | 25.9 | 140.5 | |
| | | | | | 5000 | | | 7-05-57 | 24.0 | 137.2 | 5000 |
| | | | | | 5000 | | | 7-17-57 | 24.0 | 137.2 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA RITA SUBAREA | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| 6N/33W-06G02 S | 161.2 | 3-26-58 | 18.8 | 142.4 | 5000 | 6N/33W-08H03 S | 177.9 | 9-04-57 | 28.2 | 149.7 | 5000 |
| 6N/33W-07A01 S | 203.0 | 3-26-58 | 51.1 | 151.9 | 5000 | CONT. | | 9-17-57 | 28.3 | 149.6 | |
| 6N/33W-07C01 S | 203.0 | 7-05-57 | 15.5 | 187.5 | 5000 | | | 9-25-57 | 28.2 | 149.7 | |
| | 154.6 | 7-17-57 | 15.9 | 187.1 | | | | 10-21-57 | 28.3 | 149.6 | |
| | | 8-14-57 | 16.3 | 138.3 | | | | 11-19-57 | 28.3 | 149.6 | |
| | | 9-04-57 | 16.6 | 138.0 | | | | 12-10-57 | 28.0 | 149.9 | |
| | | 9-17-57 | 16.7 | 137.9 | | | | 1-08-58 | 26.7 | 151.2 | |
| | | 9-25-57 | 16.8 | 137.8 | | | | 1-29-58 | 25.9 | 152.0 | |
| | | 10-21-57 | 17.0 | 137.6 | | | | 3-10-58 | 24.3 | 153.6 | |
| | | 11-19-57 | 17.1 | 137.5 | | | | 4-10-58 | 23.1 | 154.5 | |
| | | 12-10-57 | 17.1 | 137.5 | | | | 5-08-58 | 23.1 | 154.8 | |
| | | 1-08-58 | 14.5 | 140.1 | | | | 5-20-58 | 22.1 | 155.8 | |
| | | 1-29-58 | 14.4 | 140.2 | | | | 6-20-58 | 23.0 | 154.9 | |
| | | 2-21-58 | 13.2 | 141.4 | | 6N/33W-08H04 S | 181.2 | 8-14-57 | 29.1 | 152.1 | 5000 |
| | | 3-10-58 | 14.5 | 140.1 | | | | 9-04-57 | 29.9 | 151.3 | |
| | | 4-10-58 | 12.7 | 141.9 | | | | 9-17-57 | 30.2 | 151.0 | |
| | | 5-08-58 | 13.8 | 140.8 | | | | 10-21-57 | 30.4 | 150.8 | |
| | | 5-20-58 | 14.3 | 140.3 | | | | 11-19-57 | 29.4 | 151.8 | |
| | | 6-20-58 | 14.7 | 139.9 | | | | 1-10-57 | 30.1 | 151.1 | |
| 6N/33W-07F01 S | 186.6 | 3-28-58 | 45.1 | 141.5 | 5000 | | | 1-08-58 | 27.9 | 153.3 | |
| 6N/33W-08B01 S | 194.8 | 11-06-57 | 46.3 | 148.5 | 5000 | | | 1-29-58 | 27.2 | 154.0 | |
| 6N/33W-08B02 S | 193.7 | 11-06-57 | 46.1 | 147.6 | 5000 | | | 2-18-58 | 26.5 | 154.7 | |
| 6N/33W-08C01 S | 199.8 | 11-06-57 | 53.4 | 146.4 | 5000 | | | 3-10-58 | 26.1 | 155.1 | |
| 6N/33W-08E02 S | 190.0 | 11-06-57 | 31.2* | 158.8 | 5000 | | | 4-10-58 | 24.5 | 156.7 | |
| | | 3-19-58 | 27.1 | 162.9 | | | | 5-08-58 | 24.2 | 157.0 | |
| | | 3-26-58 | 25.8 | 164.2 | | | | 5-20-58 | 24.7 | 156.5 | |
| 6N/33W-08E03 S | 157.2 | 11-06-57 | 13.3 | 143.9 | 5000 | | | 6-20-58 | 25.6 | 155.6 | |
| | | 3-26-58 | 6.9 | 150.3 | | 6N/33W-08J01 S | 201.6 | 7-26-57 | 47.2 | 154.4 | 5000 |
| 6N/33W-08G02 S | 199.2 | 11-06-57 | 49.8 | 149.4 | 5000 | | | 8-28-57 | 48.0 | 153.6 | |
| 6N/33W-08G05 S | 158.5 | 11-06-57 | 9.2 | 149.3 | 5000 | | | 9-23-57 | 48.4 | 153.2 | |
| 6N/33W-08G06 S | 160.9 | 11-06-57 | 12.7 | 148.2 | 5000 | | | 10-30-57 | 48.0 | 153.2 | |
| | | 3-17-58 | 5.7 | 155.2 | | | | 11-25-57 | 47.9 | 153.7 | |
| 6N/33W-08H03 S | 177.9 | 8-14-57 | 27.7 | 150.2 | 5000 | | | 1-10-57 | 47.8 | 153.8 | |
| | | | | | | | | 1-30-57 | 52.7 | 148.9 | |
| | | | | | | | | 1-29-58 | 43.7 | 157.9 | |
| | | | | | | | | 2-27-58 | 42.5 | 159.1 | |
| | | | | | | | | 4-08-58 | 39.5 | 162.1 | |
| | | | | | | | | 4-30-58 | 38.4 | 163.2 | |
| | | | | | | | | 5-29-58 | 43.5 | 158.1 | |
| | | | | | | | | 6-23-58 | 44.7 | 156.9 | |
| | | | | | | | | 8-14-57 | 20.3 | 152.8 | 5000 |
| | | | | | | | | 9-04-57 | 20.9 | 152.2 | |
| | | | | | | | | 9-17-57 | 21.2 | 151.9 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA RITA SUBAREA | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| 31502 | | | | | | 31500 | | | | | |
| 6N/33W-08J02 S | 173+1 | 9-25-57 | 21+3 | 151.8 | 5000 | 6N/33W-10K01 S | 202+0 | 11-06-57 | 48+5 | 153+5 | 5000 |
| | | 10-21-57 | 21+2 | 151.9 | | | | 3-17-58 | 44+7 | 157+3 | |
| | | 11-19-57 | 21+0 | 152.1 | | | | 11-06-57 | 10+5 | 189+5 | 5000 |
| CONT. | | 12-10-57 | 20+8 | 152.3 | | | | 11-06-57 | 8+4 | 196+6 | 5000 |
| | | 1-08-58 | 17+2 | 155.9 | | | | 9-25-57 | 36+8 | 189+3 | 5000 |
| | | 1-29-58 | 16+5 | 156.6 | | | | 3-10-58 | 23+1 | 203+0 | 5000 |
| | | 2-18-58 | 16+4 | 156.7 | | | | 3-17-58 | 9+2 | 192+8 | 5000 |
| | | 3-10-58 | 16+5 | 156.6 | | | | 10-07-57 | 24+2 | 167+8 | 5000 |
| | | 4-10-58 | 14+6 | 158.5 | | | | 10-07-57 | 5+4 | 194+6 | 5000 |
| | | 5-08-58 | 15+2 | 157.9 | | | | 3-17-58 | 1+2 | 198+8 | 5000 |
| | | 5-20-58 | 16+6 | 156.5 | | | | 10-07-57 | 6+3 | 194+7 | 5000 |
| | | 6-20-58 | 17+5 | 155.6 | | | | 3-17-58 | 2+1 | 198+9 | 5000 |
| 6N/33W-09D01 S | 214+6 | 11-06-57 | 62+8 | 151.8 | 5000 | 6N/33W-11J01 S | 192+0 | 10-07-57 | 14+5 | 193+6 | 5000 |
| | | 3-26-58 | 58+5 | 156.1 | | | | 7-26-57 | 14+6 | 193+5 | |
| 6N/33W-09J02 S | 196+8 | 3-17-58 | 16+7 | 180.1 | 5000 | 6N/33W-11L02 S | 200+0 | 10-07-57 | 12+8 | 195+3 | 5000 |
| 6N/33W-09K01 S | 187+8 | 11-06-57 | 15+2 | 172+6 | 5000 | 6N/33W-11L03 S | 201+0 | 10-07-57 | 9+8 | 198+3 | 5000 |
| | | 3-17-58 | 11+8 | 176+0 | | | | 12-30-57 | 8+9 | 199+2 | |
| 6N/33W-09P01 S | 200+0 | 7-26-57 | 47+9 | 152+1 | 5000 | 6N/33W-11M01 S | 208+1 | 2-27-58 | 9+5 | 198+6 | 5000 |
| | | 8-28-57 | 48+1 | 151.9 | | | | 4-08-58 | 7+4 | 200+7 | |
| | | 9-23-57 | 46+7 | 155+3 | | | | 6-20-58 | 9+1 | 199+0 | |
| | | 10-30-57 | 46+3 | 155.7 | | | | 7-05-57 | 13+9* | 196+0 | 5000 |
| | | 11-31-58 | 46+1 | 153.9 | | | | 9-17-57 | 18+4* | 183+6 | |
| | | 2-27-58 | 40+3 | 159+7 | | | | 9-23-57 | 17+1 | 193+9 | |
| | | 4-08-58 | 38+2 | 161+8 | | | | 10-30-57 | 16+7 | 191+0 | |
| | | 5-29-58 | 36+6 | 163+4 | | | | 11-06-57 | 15+0 | 192+9 | |
| | | 6-25-58 | 42+8* | 157+2 | | | | 1-16-57 | 15+7 | 192+2 | |
| 6N/33W-09P02 S | 203+5 | 11-06-57 | 45+3 | 158+2 | 5000 | 6N/33W-11M02 S | 207+9 | 12-10-57 | 15+8 | 192+1 | |
| | | 3-17-58 | 40+2 | 163+3 | | | | 1-08-58 | 12+3 | 195+6 | |
| 6N/33W-09P03 S | 203+2 | 3-17-58 | 39+5 | 163+7 | 5000 | | | 1-19-58 | 11+9 | 196+0 | |
| 6N/33W-09O01 S | 217+7 | 11-06-57 | 54+6 | 163+1 | 5000 | | | 3-10-58 | 9+2 | 198+7 | |
| | | 3-17-58 | 50+2 | 167+5 | | | | 4-10-58 | 8+5 | 199+4 | |
| 6N/33W-10B01 S | 205+3 | 11-06-57 | 19+3 | 186+0 | 5000 | | | 11-06-57 | 18+2 | 205+4 | 5000 |
| | | 3-17-58 | 13+2 | 192+1 | | | | | | | |
| 6N/33W-10E01 S | 220+7 | 3-26-58 | 37+0 | 182+9 | 5000 | 6N/33W-12L01 S | 223+6 | | | | |
| 6N/33W-10H02 S | 216+2 | 3-17-58 | 24+3 | 191+9 | 5000 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA RITA SUBAREA | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| 6N/33W-12P01 S | 227+0 | 11-06-57 | 17+8 | 209+2 | 5000 | 6N/34W-01P01 S CONT. | 151+4 | 1-29-58 | 40+6 | 110+8 | 5000 |
| 6N/33W-13B01 S | 229+5 | 11-06-57 | 14+2 | 215+3 | 5000 | | | 3-10-58 | 39+5 | 111+9 | |
| | | 3-17-58 | 10+4 | 219+1 | | | | 4-10-58 | 37+1 | 114+3 | |
| 6N/33W-14D01 S | 229+8 | 8-14-57 | 5+7 | 224+1 | 5000 | 6N/34W-01R01 S | 140+3 | 5-08-58 | 38+3 | 113+1 | |
| | | 9-04-57 | 6+2 | 223+6 | | | | 8-14-57 | 30+6 | 109+7 | 5000 |
| | | 9-17-57 | 6+3 | 223+5 | | | | 9-17-57 | 31+2 | 109+1 | |
| | | 9-25-57 | 6+4 | 223+4 | | | | 10-21-57 | 31+4 | 108+9 | |
| | | 10-07-57 | 6+5 | 223+3 | | | | 1-08-58 | 29+9 | 114+4 | |
| | | 10-21-57 | 6+7 | 223+1 | | | | 2-29-58 | 26+8 | 115+5 | |
| | | 11-19-57 | 6+8 | 223+0 | | | | 2-18-58 | 23+7 | 116+6 | |
| | | 12-10-57 | 6+9 | 222+9 | | | | 3-10-58 | 22+7 | 116+6 | |
| | | 1-08-58 | 7+0 | 222+8 | | | | 5-08-58 | 22+7 | 117+6 | |
| | | 1-29-58 | 6+8 | 223+0 | | | | 5-20-58 | 23+6 | 116+7 | |
| | | 2-21-58 | 8+3 | 221+5 | | | | 6-20-58 | 24+5 | 115+8 | |
| | | 3-10-58 | 6+7 | 223+1 | | | | | | | |
| | | 3-17-58 | 6+2 | 223+6 | | | | | | | |
| | | 4-10-58 | 5+7 | 224+1 | | | | | | | |
| | | 5-08-58 | 3+0 | 226+8 | | | | | | | |
| | | 5-20-58 | 3+4 | 226+4 | | | | | | | |
| | | 6-20-58 | 3+0 | 226+8 | | | | | | | |
| 6N/33W-14D02 S | 228+9 | 10-07-57 | 5+5 | 223+4 | 5000 | 6N/34W-12A02 S | 123+0 | 7-05-57 | 8+0 | 115+0 | 5000 |
| | | 3-17-58 | 5+1 | 223+8 | | | | 7-17-57 | 9+4 | 113+6 | |
| 6N/33W-15G01 S | 217+9 | 8-14-57 | 3+4 | 214+5 | 5000 | | | 8-14-57 | 10+3 | 110+4 | |
| | | 9-04-57 | 3+8 | 214+1 | | | | 9-17-57 | 11+1 | 109+6 | |
| | | 9-17-57 | 3+9 | 214+0 | | | | 10-21-57 | 11+3 | 109+4 | |
| | | 9-25-57 | 4+0 | 213+9 | | | | 12-10-57 | 11+6 | 109+1 | |
| | | 10-07-57 | 4+1 | 213+8 | | | | 1-08-58 | 4+3 | 116+4 | |
| | | 10-21-57 | 4+3 | 213+6 | | | | 2-18-58 | 4+2 | 116+5 | |
| | | 5-08-58 | 4+4 | 216+5 | | | | 3-10-58 | 3+1 | 117+6 | |
| | | | | | | | | 5-08-58 | 2+8 | 117+9 | |
| | | | | | | | | 5-20-58 | 3+2 | 117+5 | |
| | | | | | | | | 6-20-58 | 3+9 | 116+8 | |
| 6N/33W-16C01 S | 205+7 | 3-17-58 | 40+6 | 165+1 | 5000 | 6N/34W-12B01 S | 123+0 | 7-05-57 | 19+2 | 103+8 | 5000 |
| 6N/34W-01D01 S | 102+1 | 11-07-57 | 6+9 | 95+2 | 5000 | | | 7-17-57 | 20+3 | 102+7 | |
| 6N/34W-01E01 S | 99+6 | 11-07-57 | 10+4 | 89+2 | 5000 | | | 8-14-57 | 21+9 | 104+1 | |
| 6N/34W-01G01 S | 112+8 | 11-07-57 | 12+6 | 100+2 | 5000 | | | 9-17-57 | 22+4 | 103+6 | |
| 6N/34W-01K01 S | 123+1 | 11-07-57 | 20+9 | 102+2 | 5000 | | | 10-21-57 | 22+1 | 103+9 | |
| 6N/34W-01P01 S | 151+4 | 10-30-57 | 45+5 | 105+9 | 5000 | | | 11-19-57 | 21+6 | 104+4 | |
| | | 12-10-57 | 44+6 | 106+8 | | | | 12-10-57 | 21+6 | 104+4 | |
| | | | | | | | | 1-08-58 | 18+4 | 107+6 | |
| | | | | | | | | 1-29-58 | 17+1 | 108+9 | |
| | | | | | | | | 2-18-58 | 15+7 | 110+3 | |
| | | | | | | | | 3-10-58 | 16+9 | 109+1 | |
| | | | | | | | | 5-08-58 | 14+9 | 111+1 | |
| | | | | | | | | 5-20-58 | 15+4 | 110+6 | |
| | | | | | | | | 6-20-58 | 16+2 | 109+8 | |
| | | | | | | 6N/34W-12C01 S | 153+1 | 11-06-57 | 45+7 | 107+4 | 5000 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|---------------------|--------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|---------------------|--------------------------------------|-----------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA RITA SUBAREA | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| 6N/34W-12C01 S | 153.1 | 3-26-58 | 38.5 | 114.6 | 5000 | 7N/33W-31P01 S | 174.0 | 3-26-58 | 43.9 | 130.1 | 5000 |
| 6N/34W-12J01 S | 130.4 | 11-06-57 3-26-58 | 19.9 14.1 | 110.5 116.3 | 5000 | 7N/33W-36J01 S | 502.0 | 11-06-57 4-23-58 | 137.8 134.9 | 364.2 367.1 | 5000 |
| 7N/32W-07B01 S | 951.0 | 11-06-57 4-23-58 | 53.6 28.0 | 897.4 923.0 | 5000 | 7N/33W-36J03 S | 44.0 | 11-06-57 4-23-58 | 129.3 126.3 | 310.7 313.7 | 5000 |
| 7N/32W-18C02 S | 826.0 | 11-06-57 4-16-58 | 57.7 46.1 | 768.3 779.9 | 5000 | 7N/33W-36R02 S | 426.0 | 11-06-57 4-23-58 | 114.3 111.4 | 311.7 314.6 | 5000 |
| 7N/32W-18G01 S | 817.0 | 11-06-57 4-16-58 | 69.0 50.5 | 748.0 766.5 | 5000 | 7N/34W-35K04 S | 127.0 | 11-14-57 4-24-58 | 47.3 41.3 | 79.7 85.7 | 5000 |
| 7N/32W-30G01 S | 566.0 | 11-06-57 | 299.9 | 266.1 | 5000 | 7N/34W-36O01 S | 116.2 | 11-07-57 | 22.0 | 94.2 | 5000 |
| 7N/32W-31M01 S | 391.0 | 11-06-57 4-23-58 | 62.3 61.6 | 328.7 329.4 | 5000 | 7N/34W-36O02 S | 107.9 | 11-07-57 | 14.4 | 93.5 | 5000 |
| 7N/32W-31R01 S | 480.0 | 11-06-57 | 122.2 | 357.8 | 5000 | 7N/34W-36O03 S | 105.9 | 11-07-57 | 12.0 | 93.9 | 5000 |
| 7N/33W-14P01 S | 661.0 | 11-06-57 4-23-58 | 44.9 37.6 | 616.1 623.4 | 5000 | BUELLTON SUBAREA | | | | | |
| 7N/33W-23P01 S | 601.0 | 4-23-58 | 1.4 | 599.6 | 5000 | 6N/31W-04A01 S | 581.0 | 11-07-57 | 83.0 | 498.0 | 5000 |
| 7N/33W-23R01 S | 654.0 | 11-06-57 4-23-58 | 147.4* 159.9* | 506.6 494.1 | 5000 | 6N/31W-06D01 S | 479.0 | 11-07-57 3-26-58 | 108.8 108.6 | 370.2 370.4 | 5000 |
| 7N/33W-23R02 S | 701.0 | 11-06-57 4-23-58 | 142.2 132.1 | 558.8 568.9 | 5000 | 6N/31W-06F01 S | 447.0 | 11-07-57 3-26-58 | 84.1 82.8 | 362.9 364.2 | 5000 |
| 7N/33W-27J01 S | 460.2 | 11-08-57 4-23-58 | 37.1 27.4 | 423.1 432.8 | 5000 | 6N/31W-07E03 S | 386.0 | 10-31-57 3-18-58 | 25.7 25.0 | 360.3 361.0 | 5000 |
| 7N/33W-27J02 S | 458.0 | 11-08-57 4-23-58 | 31.9* 28.5 | 426.1 429.5 | 5000 | 6N/31W-07K01 S | 377.5 | 10-31-57 3-17-58 | 23.3 27.3 | 354.2 350.2 | 5000 |
| 7N/33W-27L01 S | 447.0 | 11-08-57 | 300.8* | 146.2 | 5000 | 6N/31W-07M01 S | 352.5 | 3-18-58 | 33.1 | 319.4 | 5000 |
| 7N/33W-27M01 S | 404.0 | 11-08-57 | 121.0 | 283.0 | 5000 | 6N/31W-07M08 S | 367.3 | 11-04-57 3-17-58 | 35.4 36.1 | 331.9 331.2 | 5000 |
| 7N/33W-31N01 S | 173.0 | 11-07-57 3-26-58 | 49.8 45.8 | 123.2 127.2 | 5000 | 6N/31W-07M09 S | 353.3 | 3-18-58 | 33.1 | 320.2 | 5000 |
| 7N/33W-31P01 S | 174.0 | 11-07-57 | 30.0 | 144.0 | 5000 | 6N/31W-07M10 S | 355.0 | 10-31-57 3-18-58 | 31.5 28.0 | 323.5 327.0 | 5000 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | |
|-------------------------|--------------------|---|---|--|-----------------------|-------------------------|--------------------|---|--|--|-----------------------|------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | | |
| SANTA YNEZ RIVER VALLEY | | | | | | SANTA YNEZ RIVER VALLEY | | | | | | |
| BUELLTON SUBAREA | | | | | | BUELLTON SUBAREA | | | | | | |
| 31500 | | | | | | 31500 | | | | | | |
| 6N/31W-07P05 S | 332.4 | 10-31-57 9-17-58 | 13.5 11.1 | 318.9 321.3 | 5000 | 6N/31W-17C01 S CONT. | 364.5 | 8-14-57 9-04-57 9-17-57 10-01-57 10-21-57 11-19-57 12-10-57 1-07-58 1-24-58 2-18-58 3-10-58 4-10-58 5-08-58 5-20-58 6-20-58 | 27.2 28.1 29.4 28.8 29.0 28.2 28.2 27.3 27.0 26.0 25.3 23.8 23.5 23.3 23.2 | 5000 | 5000 | |
| 6N/31W-07G02 S | 362.8 | 9-17-58 | 17.1 | 345.7 | 5000 | | | | | | | |
| 6N/31W-07R05 S | 353.0 | 9-17-58 | 9.9 | 343.1 | 5000 | | | | | | | |
| 6N/31W-10F02 S | 547.0 | 9-26-58 | 51.2 | 495.8 | 5000 | | | | | | | |
| 6N/31W-10N01 S | 529.0 | 11-06-57 3-26-58 | 43.6 41.2* | 485.4 487.8 | 5000 | | | | | | | |
| 6N/31W-15D01 S | 513.0 | 10-31-57 11-06-57 3-17-58 | 29.3 21.4 18.4 | 483.7 491.6 494.6 | 5000 | | | | | | | |
| 6N/31W-15D02 S | 500.0 | 11-06-57 3-17-58 | 25.8* 20.3 | 474.2 479.7 | 5000 | 6N/31W-17C02 S | 371.0 | 7-05-57 7-16-57 8-14-57 9-04-57 9-17-57 10-01-57 10-21-57 11-19-57 12-10-57 1-07-58 1-24-58 2-18-58 3-10-58 4-10-58 5-08-58 5-20-58 6-20-58 | 31.7 32.5 34.4 35.6 35.2 35.9 34.9 32.2 33.8 30.5 29.9 29.0 28.0 26.5 25.4 25.8 26.6 | 5000 | 5000 | |
| 6N/31W-16N02 S | 371.0 | 7-24-57 8-27-57 9-23-57 10-29-57 11-25-57 1-27-57 1-30-58 2-27-58 3-26-58 4-30-58 | 26.0 28.5 29.1 28.6 19.4 17.4 17.2 15.9 15.7 14.8 | 345.0 342.5 341.9 352.4 351.6 353.3 353.8 355.1 355.3 356.2 | 5000 | | | | | | | |
| 6N/31W-16N03 S | 368.1 | 11-04-57 3-17-58 | 19.1 16.5 | 349.0 351.6 | 5000 | | | | | | | |
| 6N/31W-17B01 S | 369.8 | 7-26-57 10-01-57 10-21-57 1-07-58 1-24-58 2-18-58 3-10-58 4-10-58 5-08-58 5-20-58 6-20-58 | 27.9 31.0* 28.9 26.5 26.0 24.8 23.8 24.0 20.9 21.8 23.4 | 338.8 340.9 343.3 343.8 346.0 346.0 345.8 348.9 348.0 346.4 | 5000 | 6N/31W-17D01 S | 340.8 | 9-24-57 | 11.1 | 329.7 | 5000 | |
| | | | | | | 6N/31W-17F01 S | 363.9 | 7-24-57 8-27-57 12-27-57 1-24-58 3-26-58 4-30-58 5-20-58 6-20-58 | 31.7 32.9 26.3 24.4 21.4 20.6 23.5 23.5 | 332.2 331.0 339.6 339.5 342.5 340.4 345.2 344.4 | 5000 | 5000 |
| 6N/31W-17C01 S | 364.5 | 7-16-57 | 26.2 | 338.3 | 5000 | 6N/31W-17K01 S | 374.6 | 3-17-58 | 27.1 | 347.5 | 5000 | |

GROUND WATER LEVELS AT WELLS

| Site Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| BUUELLTON SUBAREA | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| BUUELLTON SUBAREA | | | 31500 | | | BUUELLTON SUBAREA | | | 31500 | | |
| 6N/31W-17L01 S | 3694.4 | 7-16-57 | 324.6 | 336.8 | 5000 | 6N/31W-18H02 S | 3464.4 | 9-30-57 | 154.4 | 331.0 | 5000 |
| | | 9-17-57 | 354.3 | 334.1 | | | | 10-08-57 | 154.8 | 330.6 | |
| | | 10-21-57 | 294.4 | 340.0 | | | | 3-13-58 | 144.7 | 331.7 | |
| | | 11-19-57 | 294.5 | 339.9 | | | | | | | |
| | | 12-10-57 | 292.2 | 340.2 | | | | | | | |
| | | 1-07-58 | 264.7 | 342.7 | | | | | | | |
| | | 2-18-58 | 254.3 | 344.1 | | | | | | | |
| | | 3-10-58 | 254.1 | 344.3 | | | | | | | |
| | | 5-10-58 | 224.9 | 346.5 | | | | | | | |
| | | 5-20-58 | 224.9 | 344.5 | | | | | | | |
| 6N/31W-17M01 S | 3424.7 | 7-16-57 | DRY | | 5000 | 6N/31W-18H02 S | 3404.2 | 3-18-58 | 144.1 | 3284.1 | 5000 |
| | | | | | | | | | | | |
| | | 8-14-57 | 134.3 | 336.2 | 5000 | | | 7-16-57 | 164.3 | 3334.9 | 5000 |
| | | 10-04-57 | 164.0 | 333.2 | | | | 8-14-57 | 194.0 | 3314.3 | |
| | | 9-17-57 | 174.9 | 331.0 | | | | 9-17-57 | 194.9 | 3304.4 | |
| | | 10-04-57 | 174.9 | 341.8 | | | | 10-08-57 | 104.7 | 3394.6 | |
| | | 10-21-57 | 114.7 | 337.9 | | | | 10-21-57 | 144.2 | 3364.1 | |
| | | 11-19-57 | 124.3 | 337.9 | | | | 11-19-57 | 144.8 | 3354.5 | |
| | | 12-10-57 | 124.1 | 337.6 | | | | 12-10-57 | 144.6 | 3354.7 | |
| | | 1-07-58 | 94.3 | 340.2 | | | | 1-07-58 | 114.3 | 3394.0 | |
| | | 1-24-58 | 94.5 | 340.0 | | | | 2-18-58 | 114.4 | 3374.9 | |
| | | 2-18-58 | 84.5 | 341.0 | | | | 3-13-58 | 114.5 | 3384.9 | |
| | | 3-13-58 | 84.6 | 340.9 | | | | 5-08-58 | 104.8 | 3394.5 | |
| | | 5-08-58 | 74.7 | 341.8 | | | | 5-20-58 | 104.8 | 3394.4 | |
| | | | | | | | | 6-20-58 | 124.3 | 3384.0 | |
| 6N/31W-17001 S | 3594.1 | 9-25-57 | 204.4 | 3384.7 | 5000 | 6N/31W-20B01 S | 3604.9 | 9-25-57 | 184.9 | 3424.0 | 5000 |
| | | 10-02-57 | 174.7 | 3414.4 | | | | 10-02-57 | 164.7 | 3444.2 | |
| | | 10-08-57 | 154.0 | 3444.1 | | | | 10-02-57 | 154.2 | 3454.2 | |
| | | 3-18-58 | 124.3 | 3464.8 | | | | 10-08-57 | 124.2 | 3484.7 | |
| | | | | | | | | 3-13-58 | 124.5 | 3484.4 | |
| 6N/31W-17001 S | 3654.8 | 9-24-57 | 284.2 | 3374.6 | 5000 | | | | | | |
| | | 3-17-58 | 144.9 | 3504.9 | | | | | | | |
| 6N/31W-18B01 S | 3204.0 | 3-13-58 | 114.7 | 3084.3 | 5000 | 6N/31W-21C01 S | 3684.9 | 9-25-57 | DRY | | 5000 |
| | | | | | | | | | | | |
| | | 9-29-57 | 194.5 | 3164.2 | | | | 3-13-58 | 134.0 | 3554.9 | |
| | | 9-30-57 | 224.6 | 3134.1 | | | | | | | |
| | | 10-01-57 | 204.2 | 3154.5 | | | | | | | |
| | | 10-02-57 | 164.7 | 3194.0 | | | | 9-25-57 | 244.1 | 3414.9 | 5000 |
| | | 10-03-57 | 164.1 | 3194.6 | | | | 3-13-58 | 114.6 | 3544.4 | |
| | | 10-07-57 | 134.3 | 3204.4 | | | | | | | |
| | | 10-07-57 | 134.0 | 3204.7 | | | | 11-07-57 | 954.2 | 3044.8 | 5000 |
| | | 3-13-58 | 104.9 | 3244.8 | | | | | | | |
| 6N/31W-18H02 S | 3464.4 | 9-29-57 | 184.0 | 3284.4 | 5000 | | | 7-24-57 | 604.1 | 3004.3 | 5000 |
| | | | | | | | | 9-23-57 | 594.7 | 3004.7 | |
| | | | | | | | | 11-27-57 | 584.4 | 3024.0 | |
| | | | | | | | | 12-27-57 | 594.1 | 3014.3 | |
| | | | | | | | | 1-24-58 | 594.1 | 3014.3 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| BUPELLTON SUBAREA | | | | | | | | | | | |
| 31500 | | | | | | | | | | | |
| 6N/32W-02001 S | 360.4 | 2-27-58 | 58.8 | 301.6 | 5000 | 6N/32W-09G01 S | 306.7 | 6-20-58 | 33.8 | 272.9 | 5000 |
| CONT. | | 3-26-58 | 58.7 | 301.7 | | | | 7-17-57 | 42.5 | 276.9 | |
| | | 4-30-58 | 57.2 | 303.2 | | | | 8-14-57 | 42.4 | 271.0 | |
| | | 5-28-58 | 57.2 | 303.2 | | | | 9-17-57 | 43.8 | 275.6 | |
| | | 6-25-58 | 57.6 | 302.8 | | | | 10-21-57 | 41.7 | 277.7 | |
| 6N/32W-03P02 S | 310.9 | 3-18-58 | 34.1 | 276.8 | 5000 | | | 11-19-57 | 41.2 | 278.2 | |
| | | 11-04-57 | 31.2 | 283.6 | 5000 | | | 12-10-57 | 41.3 | 278.1 | |
| 6N/32W-03R01 S | 314.8 | 3-18-58 | 24.9 | 289.9 | 5000 | | | 1-07-58 | 40.9 | 278.5 | |
| | | 7-24-57 | 37.7 | 270.9 | 5000 | | | 1-24-58 | 40.8 | 278.6 | |
| 6N/32W-09A01 S | 308.6 | 8-27-57 | 38.1 | 270.5 | | | | 2-18-58 | 40.0 | 279.4 | |
| | | 10-29-57 | 38.3 | 273.3 | | | | 3-10-58 | 39.4 | 280.0 | |
| | | 1-30-58 | 38.2 | 274.3 | | | | 5-08-58 | 39.2 | 280.2 | |
| | | 2-18-58 | 29.9 | 278.7 | | | | 5-20-58 | 39.0 | 280.4 | |
| | | 5-08-58 | 31.9 | 276.7 | | | | 6-20-58 | 40.5 | 278.9 | |
| | | 6-25-58 | 34.1 | 274.5 | | | | | | | |
| 6N/32W-09A02 S | 308.3 | 8-14-57 | 38.6 | 269.7 | 5000 | 6N/32W-09H01 S | 304.3 | 7-05-57 | 34.3 | 270.0 | 5000 |
| | | 9-25-57 | 37.8 | 270.5 | | | | 8-14-57 | 35.5 | 268.8 | |
| | | 10-21-57 | 37.4 | 270.9 | | | | 9-25-57 | 35.2 | 269.1 | |
| | | 11-19-57 | 35.2 | 273.1 | | | | 10-21-57 | 33.8 | 270.5 | |
| | | 12-10-57 | 35.1 | 273.2 | | | | 11-19-57 | 33.5 | 270.5 | |
| | | 1-07-58 | 34.6 | 273.7 | | | | 12-10-57 | 33.4 | 270.9 | |
| | | 1-24-58 | 34.6 | 273.7 | | | | 1-07-58 | 33.2 | 271.4 | |
| | | 2-18-58 | 33.5 | 274.8 | | | | 1-24-58 | 32.9 | 271.4 | |
| | | 3-10-58 | 33.1 | 275.2 | | | | 2-18-58 | 32.1 | 274.2 | |
| | | 4-10-58 | 30.8 | 277.5 | | | | 3-10-58 | 31.8 | 274.5 | |
| | | 5-08-58 | 32.7 | 275.6 | | | | 4-10-58 | 31.4 | 273.9 | |
| | | 5-20-58 | 33.4 | 274.9 | | | | 5-08-58 | 33.1 | 271.2 | |
| | | 6-20-58 | 34.6 | 273.7 | | | | | | | |
| 6N/32W-09C01 S | 326.7 | 11-04-57 | 48.0 | 278.7 | 5000 | 6N/32W-09H02 S | 307.7 | 7-17-57 | 37.7 | 270.0 | 5000 |
| | | 3-18-58 | 47.4 | 279.3 | | | | 8-14-57 | 38.2 | 269.5 | |
| | | 8-14-57 | 35.8 | 270.9 | | | | 9-17-57 | 38.2* | 269.5 | |
| | | 9-17-57 | 35.9 | 270.8 | | | | 10-21-57 | 36.2 | 271.5 | |
| | | 10-21-57 | 34.0 | 272.7 | | | | 11-19-57 | 35.6 | 272.1 | |
| | | 11-19-57 | 33.3 | 273.4 | | | | 12-10-57 | 35.2 | 272.5 | |
| | | 12-10-57 | 33.6 | 273.1 | | | | 1-07-58 | 35.2 | 272.5 | |
| | | 1-24-58 | 33.2 | 273.5 | | | | 1-24-58 | 35.0 | 272.7 | |
| | | 2-18-58 | 32.2 | 274.6 | | | | 2-18-58 | 34.5 | 273.2 | |
| | | 3-10-58 | 31.8 | 274.9 | | | | 3-10-58 | 33.3 | 274.4 | |
| | | 4-10-58 | 31.3 | 275.4 | | | | 4-10-58 | 31.6 | 275.1 | |
| | | 5-08-58 | 32.2 | 274.6 | | | | 5-08-58 | 33.8 | 273.9 | |
| | | 5-20-58 | 34.3 | 273.4 | | | | 5-20-58 | 34.3 | 273.4 | |
| | | 6-20-58 | 34.5 | 273.2 | | | | 6-20-58 | 34.5 | 273.2 | |
| 6N/32W-09J01 S | 277.8 | 9-17-57 | 11.2 | 266.6 | | | | 9-17-57 | 11.2 | 266.6 | |
| | | 10-21-57 | 9.7 | 268.1 | | | | 10-21-57 | 9.7 | 268.1 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA YNEZ RIVER VALLEY | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| 31500 | | | | | | 31500 | | | | | |
| BUELLTON SUBAREA | | | | | | | | | | | |
| 6N/32W-09J01 S | 277.8 | 11-19-57 | 9.6 | 268.2 | 5000 | 6N/32W-10J02 S | 291.6 | 10-07-57 | 9.9 | 281.7 | 5000 |
| CONT. | | 12-10-57 | 9.8 | 268.0 | | CONT. | | 3-13-58 | 8.6 | 283.0 | |
| | | 1-08-58 | 8.9 | 268.9 | | | | | | | |
| | | 3-13-58 | 8.4 | 269.4 | | 6N/32W-11B01 S | 349.3 | 11-04-57 | 53.8 | 295.5 | 5000 |
| | | 4-10-58 | 7.6 | 270.2 | | | | 3-18-58 | 52.5 | 296.8 | |
| | | 5-08-58 | 9.7 | 268.1 | | 6N/32W-11B03 S | 302.6 | 11-04-57 | 10.4 | 292.2 | 5000 |
| 6N/32W-09J02 S | 275.5 | 7-17-57 | 8.0 | 267.5 | 5000 | | | 3-18-58 | 7.0 | 295.6 | |
| | | 8-14-57 | 8.1* | 267.4 | | 6N/32W-11C01 S | 291.6 | 11-04-57 | 4.4 | 287.2 | 5000 |
| | | 9-17-57 | DRY | | | | | | | | |
| | 275.5 | 10-04-57 | 4.0 | 271.5 | | 6N/32W-11D01 S | 301.0 | 11-04-57 | 14.4 | 286.6 | 5000 |
| | | 11-19-57 | 7.3 | 268.2 | | | | 3-18-58 | 10.5 | 290.5 | |
| | | 12-10-57 | 7.4 | 268.1 | | 6N/32W-11D02 S | 320.2 | 3-18-58 | 30.6 | 289.6 | 5000 |
| | | 1-08-58 | 5.6 | 269.9 | | | | | | | |
| | | 3-13-58 | 5.0 | 270.5 | | 6N/32W-11D04 S | 295.6 | 9-25-57 | 15.1 | 280.5 | 5000 |
| | | 4-10-58 | 3.8 | 271.7 | | | | 9-30-57 | 15.0 | 280.6 | |
| | | 5-08-58 | 4.4 | 271.1 | | | | 10-01-57 | 14.9 | 280.7 | |
| | | 5-20-58 | 4.7 | 270.8 | 5000 | | | 10-01-57 | 14.9 | 280.7 | |
| 6N/32W-10A01 S | 291.5 | 10-08-57 | 12.1 | 279.4 | | | | 10-08-57 | 12.8 | 282.8 | |
| | | 3-18-58 | 8.5 | 283.0 | | 6N/32W-11G01 S | 303.8 | 7-17-57 | DRY | | |
| 6N/32W-10A02 S | 291.2 | 11-04-57 | 12.6 | 278.6 | 5000 | | | 8-14-57 | 14.7 | 289.1 | |
| | | 3-18-58 | 7.3 | 283.9 | | | | 9-17-57 | 15.4 | 288.4 | |
| 6N/32W-10A03 S | 292.2 | 3-18-58 | 9.8 | 282.4 | 5000 | | | 10-07-57 | 12.3 | 291.5 | |
| 6N/32W-10B01 S | 296.0 | 11-04-57 | 13.0 | 283.0 | 5000 | | | 11-19-57 | 10.8 | 293.0 | |
| | | 3-18-58 | 13.7 | 282.3 | | | | 12-10-57 | 10.2 | 293.6 | |
| 6N/32W-11C02 S | 287.5 | 9-25-57 | 15.4 | 272.1 | 5000 | | | 1-08-58 | 8.4 | 295.4 | |
| | | 10-08-57 | 13.0 | 274.5 | | | | 2-21-58 | 7.3 | 296.5 | |
| | | 3-18-58 | 9.0 | 278.5 | | | | 3-11-58 | 7.5 | 296.3 | |
| 6N/32W-10F01 S | 285.9 | 9-30-57 | 13.1 | 272.8 | 5000 | | | 4-10-58 | 5.5 | 298.3 | |
| | | 10-07-57 | 10.1 | 275.8 | | | | 5-08-58 | 7.5 | 296.3 | |
| | | 3-13-58 | 8.2 | 277.7 | | 6N/32W-11G03 S | 301.1 | 5-20-58 | 6.8* | 297.2 | |
| 6N/32W-10F03 S | 257.0 | 9-24-57 | 13.6 | 243.4 | 5000 | | | 6-20-58 | 7.7 | 296.1 | |
| | | 10-07-57 | 10.4 | 246.6 | | | | 7-15-57 | 14.2 | 286.9 | |
| | | 3-13-58 | 8.5 | 248.5 | | | | 8-14-57 | 15.4 | 285.7 | |
| 6N/32W-10J01 S | 317.2 | 10-07-57 | 35.1 | 282.1 | 5000 | | | 9-04-57 | 16.2 | 284.9 | |
| | | 3-13-58 | 31.4 | 285.8 | | | | 9-26-57 | 15.6 | 288.5 | |
| 6N/32W-10J02 S | 291.6 | 9-24-57 | 12.8 | 278.8 | 5000 | | | 10-01-57 | 12.5 | 288.6 | |
| | | | | | | | | 10-15-57 | 11.2 | 289.9 | |
| | | | | | | | | 11-01-57 | 11.4 | 289.7 | |
| | | | | | | | | 11-15-57 | 11.2 | 289.9 | |
| | | | | | | | | 12-01-57 | 10.9 | 290.2 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| BUUELLTON SUBAREA | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| BUUELLTON SUBAREA | | | | | | BUUELLTON SUBAREA | | | | | |
| 31500 | | | | | | 31500 | | | | | |
| 31503 | | | | | | 31503 | | | | | |
| 6N/32W-11G03 S CONT. | 301.1 | 12-15-57 | 9.3 | 291.8 | 5000 | 6N/32W-11L02 S CONT. | 303.9 | 10-03-57 | 13.2 | 290.7 | 5000 |
| | | 1-01-58 | 9.0 | 292.1 | | | | 10-04-57 | 12.8 | 291.1 | |
| | | 1-15-58 | 9.0 | 292.1 | | | | 10-07-57 | 12.0 | 291.6 | |
| | | 2-01-58 | 8.7 | 292.4 | | | | 3-13-58 | 6.8 | 297.1 | |
| | | 2-15-58 | 8.3 | 292.8 | | | | | | | 5000 |
| | | 3-01-58 | 7.8 | 293.3 | | | | 7-26-57 | 35.4* | 300.3 | |
| | | 3-15-58 | 7.7 | 293.4 | | | | 8-28-57 | 36.2 | 299.5 | |
| | | 4-01-58 | 6.2 | 294.9 | | | | 9-28-57 | 38.0 | 297.5 | |
| | | 4-15-58 | 6.4 | 294.7 | | | | 11-23-57 | 39.0 | 296.7 | |
| | | 5-01-58 | 6.8 | 294.3 | | | | 1-09-58 | 36.0 | 297.7 | |
| | | 5-15-58 | 7.8 | 293.3 | | | | 2-27-58 | 36.2 | 297.5 | |
| | | 6-01-58 | 8.1 | 293.0 | | | | 4-08-58 | 28.7 | 307.0 | |
| | | 6-15-58 | 8.6 | 292.5 | | | | 4-30-58 | 28.4 | 306.3 | |
| 6N/32W-11H02 S | 350.0 | 7-17-57 | 14.0 | 336.0 | 5000 | 6N/32W-11P02 S | 327.0 | 6-23-58 | 29.8 | 305.9 | |
| | | 8-14-57 | 15.2 | 334.8 | | | | 7-17-57 | 32.6 | 294.4 | |
| | | 9-17-57 | 17.1* | 332.9 | | | | 8-14-57 | 33.1 | 292.5 | |
| | | 10-04-57 | 8.2 | 341.8 | | | | 9-17-57 | 33.7 | 291.9 | |
| | | 10-21-57 | 11.5 | 338.5 | | | | 10-21-57 | 34.1 | 291.5 | |
| | | 12-10-57 | 10.3 | 339.7 | | | | 11-19-57 | 34.1 | 291.5 | |
| | | 1-29-58 | 9.9 | 340.1 | | | | 12-10-57 | 34.1 | 291.5 | |
| | | 3-10-58 | 8.3 | 341.7 | | | | 1-08-58 | 33.9 | 291.7 | |
| | | 4-10-58 | 7.0 | 343.0 | | | | 1-29-58 | 33.7 | 291.9 | |
| | | 5-20-58 | 7.3 | 342.7 | | | | 2-21-58 | 32.9 | 292.4 | |
| | | 6-20-58 | 8.3 | 341.7 | | | | 3-13-58 | 32.9 | 292.7 | |
| 6N/32W-11H03 S | 288.0 | 9-30-57 | 9.9 | 278.1 | 5000 | | | 5-10-58 | 13.0 | 310.6 | |
| | | 10-07-57 | 9.4 | 278.6 | | | | 5-20-58 | 12.6 | 303.0 | |
| | | | | | | | | 6-20-58 | 24.7 | 300.9 | |
| 6N/32W-11K01 S | 308.7 | 7-17-57 | 16.0 | 292.7 | 5000 | 6N/32W-11R03 S | 338.0 | 9-26-57 | 42.2 | 295.8 | |
| | | 8-14-57 | 16.7 | 292.0 | | | | 9-29-57 | 42.2 | 295.8 | |
| | | 9-17-57 | 16.6 | 292.1 | | | | 9-30-57 | 42.2 | 295.8 | |
| | | 10-21-57 | 13.4 | 293.3 | | | | 10-01-57 | 41.5 | 296.0 | |
| | | 11-19-57 | 12.0 | 296.7 | | | | 10-02-57 | 41.5 | 296.5 | |
| | | 12-10-57 | 11.7 | 297.0 | | | | 10-03-57 | 41.2 | 296.8 | |
| | | 1-08-58 | 10.2 | 298.5 | | | | 10-07-57 | 39.9 | 298.1 | |
| | | 1-29-58 | 10.1 | 298.6 | | | | 3-13-58 | 34.2 | 303.8 | |
| | | 3-13-58 | 9.0 | 299.7 | | | | | | | 5000 |
| | | 6-20-58 | 9.7 | 299.0 | | | | 7-05-57 | 58.6 | 322.3 | |
| 6N/32W-11L01 S | 304.0 | 3-13-58 | 10.1 | 293.9 | 5000 | | | 9-04-57 | 27.4 | 323.5 | |
| | | | | | | | | 9-17-57 | 27.4 | 323.5 | |
| 6N/32W-11L02 S | 303.9 | 9-29-57 | 13.6 | 290.3 | 5000 | | | 10-02-57 | 61.4 | 319.5 | |
| | | 9-30-57 | 13.6 | 290.3 | | | | 11-19-57 | 58.5 | 322.4 | |
| | | 10-01-57 | 13.5 | 290.4 | | | | 1-24-58 | 59.2 | 321.7 | |
| | | 10-02-57 | 13.4 | 290.5 | | | | 3-10-58 | 28.9 | 322.0 | |
| | | | | | | | | 4-10-58 | 37.7 | 323.2 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA YNEZ RIVER VALLEY | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| BUELLTON SUBAREA | | | | | | BUELLTON SUBAREA | | | | | |
| 6N/32W-12C02 S | 380.9 | 5-20-58 | 57.5 | 323.4 | 5000 | 6N/32W-13H04 S | 328.8 | 10-02-57 | 16.3 | 312.5 | 5000 |
| CONT. | | 6-20-58 | 59.6 | 321.3 | | CONT. | | 10-03-57 | 16.1 | 312.7 | |
| 6N/32W-12K01 S | 353.3 | 11-04-57 | 23.6 | 329.7 | 5000 | | | 10-07-57 | 15.3 | 313.5 | |
| | | 3-19-58 | 25.4 | 327.9 | | | | 3-13-58 | 10.4 | 318.4 | |
| 6N/32W-12L01 S | 312.1 | 3-17-58 | 7.4 | 304.7 | 5000 | 7N/31W-31B01 S | 501.0 | 11-07-57 | 67.3 | 433.7 | 5000 |
| 6N/32W-12N01 S | 293.0 | 9-24-57 | 19.8 | 273.2 | 5000 | 7N/31W-31G01 S | 457.0 | 11-07-57 | 23.0 | 434.0 | 5000 |
| | | 10-01-57 | 12.5 | 280.5 | | | | 3-26-58 | 5.7 | 451.3 | |
| | | 10-02-57 | 11.8 | 281.2 | | 7N/31W-31P01 S | 433.0 | 11-07-57 | 43.4 | 389.6 | 5000 |
| | | 10-03-57 | 11.4 | 281.6 | | | | 3-26-58 | 22.6 | 410.4 | |
| | | 3-13-58 | 10.5 | 282.5 | | SANTA YNEZ SUBAREA | | | | | |
| 6N/32W-12P04 S | 313.6 | 3-19-58 | 4.1 | 309.5 | 5000 | 6N/29W-06F01 S | 871.0 | 3-24-58 | 25.4 | 845.6 | 5000 |
| 6N/32W-12P08 S | 303.0 | 10-08-57 | 14.8 | 288.2 | 5000 | 6N/29W-06G01 S | 932.0 | 10-29-57 | 55.4 | 876.6 | 5000 |
| | | 3-19-58 | 11.4 | 291.6 | | | | 3-24-58 | 51.4 | 880.6 | |
| 6N/32W-12P09 S | 301.0 | 10-08-57 | 14.0 | 287.0 | 5000 | 6N/29W-06N01 S | 861.0 | 3-24-58 | 34.7 | 826.3 | 5000 |
| | | 3-19-58 | 11.4 | 289.6 | | 6N/30W-01R01 S | 775.0 | 3-24-58 | 20.5 | 754.5 | 5000 |
| 6N/32W-12P01 S | 320.8 | 11-04-57 | 12.1 | 308.7 | 5000 | 6N/30W-01R03 S | 776.0 | 10-29-57 | 27.3 | 748.7 | 5000 |
| | | 3-19-58 | 9.4 | 311.4 | | 6N/30W-02D01 S | 741.0 | 10-29-57 | 124.7 | 616.3 | 5000 |
| 6N/32W-12R02 S | 319.6 | 9-24-57 | 7.4 | 312.2 | 5000 | | | 4-23-58 | 121.5 | 619.5 | |
| | | 9-30-57 | 5.0 | 314.6 | | 6N/30W-02M01 S | 696.0 | 10-29-57 | 108.7 | 587.3 | 5000 |
| | | 10-07-57 | 4.5 | 315.1 | | | | 4-23-58 | 98.0 | 598.0 | |
| | | 3-19-58 | 2.8 | 316.8 | | 6N/30W-02P01 S | 689.0** | 4-23-58 | 69.2 | 619.8 | 5000 |
| 6N/32W-13B01 S | 316.2 | 9-24-57 | 14.1 | 302.1 | 5000 | 6N/30W-03A01 S | 746.0 | 7-24-57 | 131.7 | 614.3 | 5000 |
| | | 3-13-58 | 5.5 | 310.7 | | | | 8-27-57 | 125.3 | 620.7 | |
| 6N/32W-13C01 S | 345.6 | 9-24-57 | 47.4 | 298.2 | 5000 | | | 10-28-57 | 153.0 | 620.5 | |
| | | 3-13-58 | 30.5 | 315.1 | | | | 1-2-57 | 153.6 | 621.4 | |
| 6N/32W-13G01 S | 318.9 | 9-24-57 | 13.6 | 305.3 | 5000 | | | 12-27-58 | 152.1 | 624.9 | |
| | | 9-30-57 | 12.9 | 306.0 | | | | 4-30-58 | 119.0 | 627.6 | |
| | | 10-01-57 | 12.0 | 306.9 | | | | 5-28-58 | 104.6 | 641.4 | |
| | | 10-02-57 | 11.3 | 307.6 | | | | | | | |
| | | 10-03-57 | 10.8 | 308.1 | | | | | | | |
| | | 10-07-57 | 9.9 | 309.0 | | 6N/30W-05C02 S | 686.0** | 10-31-57 | 103.0* | 583.0 | 5000 |
| | | 3-13-58 | 6.1 | 312.8 | | | | 3-19-58 | 94.9 | 591.1 | |
| 6N/32W-13H04 S | 328.8 | 9-30-57 | 16.9 | 311.9 | 5000 | 6N/30W-05D02 S | 690.0 | 10-31-57 | 98.0* | 592.0 | 5000 |
| | | 10-01-57 | 16.6 | 312.2 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| 31500 | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| SANTA YNEZ SUBAREA | | | | | | | | | | | |
| 31504 | | | | | | 31504 | | | | | |
| 6N/30W-05D02 S | 690.0 | 3-19-58 | 98.7 | 591.3 | 5000 | 6N/30W-08N01 S | 652.0 | 3-08-58 | 61.4 | 590.6 | 5000 |
| 6N/30W-05L01 S | 650.0 | 10-31-57 | 72.6 | 577.4 | 5000 | 6N/30W-09N01 S | 661.1 | 7-24-57 | 40.7 | 620.4 | 5000 |
| 6N/30W-05N01 S | 626.0 | 10-31-57 | 46.1 | 579.9 | 5000 | | | 8-27-57 | 40.9 | 620.2 | |
| 6N/30W-06A01 S | 670.0 | 6-10-58 | 39.2 | 586.8 | 5000 | | | 9-23-57 | 40.9 | 620.2 | |
| | | | | | | | | 10-29-57 | 41.0 | 620.1 | |
| | | | | | | | | 11-25-57 | 40.9 | 620.2 | |
| | | | | | | | | 12-27-57 | 40.9 | 620.2 | |
| | | | | | | | | 3-28-58 | 40.0 | 621.1 | |
| | | | | | | | | 4-30-58 | 40.3 | 620.8 | |
| | | | | | | | | 6-25-58 | 39.7 | 621.4 | |
| | | | | | | | | 10-29-57 | 63.3 | 686.7 | 5000 |
| 6N/30W-06C01 S | 695.0 | 11-05-57 | 129.6 | 565.4 | 5000 | | | 4-22-58 | 46.0 | 704.0 | |
| | | | | | | | | 10-29-57 | 55.3 | 694.7 | 5000 |
| | | | | | | | | 4-22-58 | 23.9 | 726.1 | |
| 6N/30W-06F01 S | 680.0 | 11-05-57 | 115.5 | 564.5 | 5000 | | | 10-29-57 | 38.6 | 688.4 | 5000 |
| | | | | | | | | 4-22-58 | 27.6 | 699.4 | |
| 6N/30W-06G02 S | 650.0 | 10-31-57 | 94.3 | 555.7 | 5000 | | | 10-29-57 | 31.5* | 593.5 | 5000 |
| | | | | | | | | 10-29-57 | 3.3 | 646.7 | 5000 |
| 6N/30W-07C02 S | 600.0 | 6-10-58 | 90.3 | 509.7 | 5000 | | | 7-24-57 | 16.6 | 613.4 | 5000 |
| | | | | | | | | 8-29-57 | 16.6 | 613.4 | |
| 6N/30W-07K06 S | 612.0 | 6-10-58 | 53.5 | 542.8 | 5000 | | | 9-23-57 | 16.7 | 613.3 | |
| | | | | | | | | 10-29-57 | 16.7 | 613.3 | |
| | | | | | | | | 11-25-57 | 16.7 | 613.3 | |
| | | | | | | | | 12-27-57 | 16.7 | 613.3 | |
| | | | | | | | | 1-30-58 | 16.8 | 613.2 | |
| | | | | | | | | 2-27-58 | 16.0 | 614.0 | |
| | | | | | | | | 4-30-58 | 11.1 | 618.9 | |
| | | | | | | | | 6-25-58 | 11.8 | 618.4 | |
| | | | | | | | | 11-05-57 | 63.1 | 687.9 | 5000 |
| | | | | | | | | 6-10-58 | 60.7 | 590.3 | |
| 6N/30W-07M02 S | 546.0 | 11-05-57 | 2.0 | 544.0 | 5000 | | | 7-19-57 | 9.0 | 551.0 | 5000 |
| | | | | | | | | 8-13-57 | 9.3 | 550.7 | |
| 6N/30W-08M01 S | 632.0 | 11-05-57 | 65.6 | 566.4 | 5000 | | | 9-19-57 | 11.9 | 548.1 | |
| | | | | | | | | 9-24-57 | 12.1 | 547.9 | |
| 6N/30W-08N01 S | 652.0 | 11-05-57 | 64.7 | 587.3 | 5000 | | | 9-27-57 | 11.8 | 445.9 | 5000 |
| | | | | | | | | 10-01-57 | 9.9 | 447.8 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| 31500 | | | | | | 31500 | | | | | |
| SANTA YNEZ SUBAREA | | | | | | | | | | | |
| 31504 | | | | | | 31504 | | | | | |
| SANTA YNEZ SUBAREA | | | | | | | | | | | |
| 6N/30W-19P01 S | | | | | | 6N/30W-20H02 S | | | | | |
| CONT. | 4.57*7 | 10-07-57 | 11*4 | 446*3 | 5000 | CONT. | 4.76*7 | 12-13-57 | 11*8 | 464*9 | 5000 |
| | | 1-10-58 | 10*9 | 446*8 | | | | 1-10-58 | 10*8 | 465*9 | |
| | | 2-26-58 | 10*8 | 446*9 | | | | 1-21-58 | 10*5 | 466*2 | |
| | | 5-23-58 | 8*8 | 448*9 | | | | 2-26-58 | 10*4 | 466*4 | |
| | | 6-19-58 | 10*5 | 447*2 | | | | 3-11-58 | 10*8 | 465*9 | |
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| 31500 | | | | | | 31500 | | | | | |
| SANTA YNEZ SUBAREA | | | | | | | | | | | |
| 31504 | | | | | | 31504 | | | | | |
| SANTA YNEZ SUBAREA | | | | | | | | | | | |
| 6N/30W-19Q02 S | | | | | | 6N/30W-20H03 S | | | | | |
| | 4.61*3 | 7-19-57 | 28*5* | 432*8 | 5000 | | 4.85*3 | 7-16-57 | DRY | 469*6 | 5000 |
| | | 9-19-57 | 23*7 | 437*6 | | | | 7-25-57 | DRY | 465*3 | |
| | | 9-26-57 | 17*1 | 444*2 | | | | 8-13-57 | DRY | 469*3 | |
| | | 10-01-57 | 11*9 | 449*4 | | | | 9-03-57 | DRY | 469*3 | |
| | | 10-21-57 | 13*9 | 447*4 | | | | 9-21-57 | DRY | 469*5 | |
| | | 12-13-57 | 14*5 | 446*8 | | | | 10-01-57 | 15*8 | 469*4 | |
| | | 1-10-58 | 14*2 | 447*1 | | | | 10-09-57 | 15*9 | | |
| | | 1-21-58 | 14*5 | 446*8 | | | | 11-22-57 | DRY | | |
| | | 2-26-58 | 12*4 | 448*9 | | | | 12-13-57 | DRY | | |
| | | 3-11-58 | 13*2 | 448*1 | | | | 1-10-58 | 15*7 | 469*6 | |
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| 31500 | | | | | | 31500 | | | | | |
| SANTA YNEZ SUBAREA | | | | | | | | | | | |
| 31504 | | | | | | 31504 | | | | | |
| SANTA YNEZ SUBAREA | | | | | | | | | | | |
| 6N/30W-20H01 S | | | | | | 6N/30W-20H04 S | | | | | |
| | 4.76*6 | 7-19-57 | 28*6 | 448*0 | 5000 | | 4.83*8 | 7-16-57 | 23*5 | 460*3 | 5000 |
| | | 7-29-57 | 25*7 | 450*9 | | | | 8-01-57 | 23*3* | 458*5 | |
| | | 8-13-57 | 29*6* | 447*0 | | | | 9-13-57 | 26*9 | 456*9 | |
| | | 9-12-57 | 27*8 | 448*8 | | | | 9-19-57 | DRY | | |
| | | 9-20-57 | 26*6 | 450*0 | | | | 9-27-57 | 18*2 | 465*6 | |
| | | 9-26-57 | 16*7 | 459*9 | | | | 9-28-57 | 15*5 | 468*3 | |
| | | 9-29-57 | 11*6* | 465*0 | | | | 9-29-57 | 13*6 | 470*2 | |
| | | 11-22-57 | 11*4 | 465*2 | | | | 9-30-57 | 12*9 | 470*9 | |
| | | 12-13-57 | 11*3 | 465*3 | | | | 10-01-57 | 12*6 | 471*2 | |
| | | 1-10-58 | 10*5 | 466*1 | | | | 10-07-57 | 12*6 | 471*2 | |
| | | 1-21-58 | 10*9 | 465*7 | | | | 11-22-57 | 13*4 | 470*4 | |
| | | 2-26-58 | 9*9 | 466*3 | | | | 12-13-57 | 13*6 | 470*2 | |
| | | 3-11-58 | 10*1 | 467*6 | | | | 1-10-58 | 12*9 | 471*0 | |
| | | 5-13-58 | 9*0* | 467*6 | | | | 1-21-58 | 12*9 | 470*9 | |
| | | 5-23-58 | 9*2 | 467*6 | | | | 2-26-58 | 12*3 | 471*5 | |
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| 31500 | | | | | | 31500 | | | | | |
| SANTA YNEZ SUBAREA | | | | | | | | | | | |
| 31504 | | | | | | 31504 | | | | | |
| SANTA YNEZ SUBAREA | | | | | | | | | | | |
| 6N/30W-20H02 S | | | | | | 6N/30W-20H02 S | | | | | |
| | 4.76*7 | 7-19-57 | 33*5 | 443*2 | 5000 | | 4.83*8 | 7-16-57 | 23*5 | 460*3 | 5000 |
| | | 7-29-57 | 26*2* | 450*5 | | | | 8-01-57 | 23*3* | 458*5 | |
| | | 8-13-57 | 32*8* | 443*9 | | | | 9-13-57 | 26*9 | 456*9 | |
| | | 8-22-57 | 26*4* | 450*3 | | | | 9-19-57 | DRY | | |
| | | 9-12-57 | 28*2 | 448*5 | | | | 9-27-57 | 18*2 | 465*6 | |
| | | 9-28-57 | 13*8* | 462*9 | | | | 9-28-57 | 15*5 | 468*3 | |
| | | 9-29-57 | 11*9 | 464*8 | | | | 9-29-57 | 13*6 | 470*2 | |
| | | 9-30-57 | 12*3* | 464*4 | | | | 9-30-57 | 12*9 | 470*9 | |
| | | 10-01-57 | 12*1* | 464*6 | | | | 10-01-57 | 12*6 | 471*2 | |
| | | 10-07-57 | 12*9* | 463*8 | | | | 10-07-57 | 12*6 | 471*2 | |
| | | 10-21-57 | 14*7* | 462*0 | | | | 11-22-57 | 13*4 | 470*4 | |
| | | 11-22-57 | 11*8 | 464*9 | | | | 12-13-57 | 13*6 | 470*2 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-------------------------|---------------------|--|--|--|-----------------------|-------------------------|---------------------|---|--|--|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| 31500 | | | | | | 31500 | | | | | |
| SANTA YNEZ SUBAREA | | | | | | | | | | | |
| 31504 | | | | | | 31504 | | | | | |
| 6N/30W-20H04 S CONT. | 483.8 | 5-13-58 5-23-58 6-19-58 | 11.3* 11.4 12.3 | 472.5 472.4 471.5 | 5000 | 6N/30W-20N01 S CONT. | 463.9 | 12-13-57 1-10-58 1-21-58 2-26-58 3-11-58 | 15.1 12.1 12.4 10.2 10.5 | 468.8 451.8 451.5 453.7 453.4 | 5000 |
| 6N/30W-20H05 S | 557.0 478.0 | 7-19-57 7-25-57 8-13-57 9-03-57 9-20-57 9-26-57 9-27-57 9-28-57 9-29-57 10-01-57 11-22-57 12-13-57 1-10-58 1-21-58 2-26-58 3-11-58 4-15-58 | 24.0 27.1* 24.2* 25.1 25.7 15.5 11.6 10.3 9.5 8.9 9.3 9.4 9.2 8.5 9.1 6.4 | 533.0 450.9 453.8 452.9 452.3 462.5 466.4 467.7 468.5 469.1 468.7 468.6 468.8 469.5 468.9 471.6 | 5000 | 6N/30W-20N02 S | 464.8 | 7-16-57 7-25-57 8-13-57 9-03-57 9-19-57 10-01-57 10-21-57 11-2-57 12-1-57 1-10-58 1-21-58 2-26-58 3-11-58 5-2-58 | DRY DRY 18.8 17.6 DRY 8.4 12.4 15.3 13.4 12.6 12.8 10.9 10.9 7.2 5.3 | 464.8 446.0 447.2 456.4 452.4 449.5 451.4 452.2 452.0 452.0 453.9 453.9 457.6 459.5 | 5000 |
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| 510.5 | | | | | | 510.5 | | | | | |
| 6N/30W-20J01 S | 510.5 | 7-16-57 7-25-57 8-13-57 9-03-57 9-19-57 | DRY DRY DRY DRY DRY | 456.9 461.5 460.9 460.3 462.4 | 5000 | 6N/30W-20K01 S | 478.0 480.3 | 7-19-57 7-25-57 9-03-57 9-19-57 10-01-57 10-21-57 11-2-57 12-31-57 1-10-58 1-21-58 2-26-58 3-11-58 5-2-58 | 31.5 31.4 34.4 34.6 21.7 19.8 20.5 20.7 18.9 17.8 18.8 18.2 15.7 | 446.5 448.9 445.9 445.7 458.6 460.5 459.8 459.6 461.4 461.4 462.5 462.1 464.6 | 5000 |
| SANTA YNEZ SUBAREA | | | | | | | | | | | |
| 463.9 | | | | | | 463.9 | | | | | |
| 6N/30W-20N01 S | 463.9 | 7-16-57 7-25-57 8-13-57 9-03-57 9-19-57 10-01-57 10-21-57 11-22-57 | 20.7 21.1 20.1 18.8 20.7 7.9* 12.1 14.7 | 443.2 442.8 443.8 445.1 443.2 456.0 451.8 449.2 | 5000 | 6N/30W-21B02 S | 498.0 497.0 | 7-19-57 8-01-57 9-1-57 9-21-57 9-28-57 9-29-57 10-01-57 11-22-57 | 33.1* 26.3 27.3 14.3 13.6 13.3 13.2 13.2 | 464.9 472.7 469.7 482.7 483.4 483.7 483.8 483.8 | 5000 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA YNEZ SUPAREA | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| 31500 | | | | | | 31500 | | | | | |
| 6N/30W-21B02 S | 497.0 | 10-07-57 | 15.7 | 482.3 | 5000 | 6N/30W-29D01 S | 462.8 | 7-25-57 | 17.9 | 444.9 | 5000 |
| CONT. | | 10-21-57 | 15.7 | 481.3 | | | | 8-13-57 | 18.3 | 444.5 | |
| | | 11-22-57 | 16.0 | 481.0 | | | | 9-03-57 | 18.7 | 444.1 | |
| | | 12-13-57 | 16.4 | 480.6 | | | | 9-19-57 | 19.0 | 443.8 | |
| | | 1-10-58 | 15.7 | 481.3 | | | | 10-01-57 | 19.4 | 443.4 | |
| | | 1-21-58 | 15.7 | 481.3 | | | | 10-21-57 | 18.3 | 444.5 | |
| | | 2-26-58 | 14.9 | 482.1 | | | | 11-22-57 | 17.6 | 444.2 | |
| | | 3-11-58 | 15.6 | 481.4 | | | | 12-31-57 | 17.3 | 445.5 | |
| | | 5-23-58 | 14.2 | 482.8 | | | | 1-10-58 | 16.9 | 445.9 | |
| 6N/30W-21E01 S | 493.7 | 7-08-57 | 28.4* | 465.3 | 5000 | 6N/30W-29D03 S | 460.1 | 7-16-57 | 21.9 | 438.2 | 5000 |
| | | 7-16-57 | 30.4* | 463.3 | | | | 8-01-57 | 23.9 | 438.8 | |
| | | 7-19-57 | 31.2* | 462.5 | | | | 8-15-57 | 23.3 | 438.0 | |
| | | 7-25-57 | 32.1 | 461.6 | | | | 9-01-57 | 25.0 | 438.8 | |
| | | 8-01-57 | 32.2 | 461.5 | | | | 9-15-57 | 25.6 | 438.1 | |
| | | 8-08-57 | 32.9 | 460.8 | | | | 9-24-57 | 25.8 | 438.3 | |
| | | 8-13-57 | 33.3 | 460.4 | | | | 10-04-57 | 24.4 | 450.7 | |
| | | 8-22-57 | 32.9* | 460.8 | | | | 10-15-57 | 12.1 | 468.0 | |
| | | 9-12-57 | 36.5 | 457.2 | | | | 11-01-57 | 14.1 | 466.0 | |
| | | 9-19-57 | 36.2 | 457.5 | | | | 11-15-57 | 14.9 | 465.2 | |
| | | 9-26-57 | 34.7 | 462.0 | | | | 11-30-57 | 15.4 | 446.7 | |
| | | 10-01-57 | 20.8 | 472.9 | | | | 12-15-57 | 15.5 | 446.6 | |
| | | 10-07-57 | 19.5 | 474.2 | | | | 1-01-58 | 12.7 | 447.4 | |
| | | 10-21-57 | 20.3 | 473.4 | | | | 1-15-58 | 13.0 | 447.1 | |
| | | 11-22-57 | 24.2 | 469.5 | | | | 2-01-58 | 11.9 | 448.2 | |
| | | 12-13-57 | 20.4 | 473.3 | | | | 2-14-58 | 11.2 | 448.9 | |
| | | 1-10-58 | 19.9 | 472.9 | | | | 3-01-58 | 10.5 | 449.6 | |
| | | 1-24-58 | 18.7 | 474.9 | | | | 3-15-58 | 11.2 | 448.9 | |
| | | 2-24-58 | 18.7 | 475.0 | | | | 4-11-58 | 7.6 | 452.5 | |
| | | 3-11-58 | 19.3 | 474.4 | | | | 5-15-58 | 8.4 | 451.7 | |
| | | 5-23-58 | 18.4 | 475.3 | | | | 6-01-58 | 8.4 | 451.7 | |
| | | 6-19-58 | 20.1 | 473.6 | | | | 6-15-58 | 8.3 | 451.8 | |
| 6N/30W-22E01 S | 503.0 | 7-16-57 | 15.2 | 487.8 | 5000 | 6N/30W-29E01 S | 465.4 | 7-16-57 | 23.0 | 442.4 | 5000 |
| | | 8-08-57 | 15.4 | 487.6 | | | | 8-01-57 | 23.2 | 442.0 | |
| | | 8-13-57 | 15.7 | 487.3 | | | | 8-15-57 | 23.4 | 442.2 | |
| | | 9-03-57 | 16.9 | 486.1 | | | | 9-01-57 | 23.7 | 441.7 | |
| | | 9-19-57 | 16.7 | 486.3 | | | | 9-15-57 | 23.9 | 441.5 | |
| | | 10-07-57 | 9.5 | 493.5 | | | | 10-01-57 | 24.1 | 441.3 | |
| | | 10-21-57 | 9.9 | 493.1 | | | | | | | |
| | | 11-22-57 | 10.2 | 492.8 | | | | | | | |
| | | 12-13-57 | 10.4 | 492.6 | | | | | | | |
| | | 1-10-58 | 9.8 | 493.2 | | | | | | | |
| | | 1-21-58 | 9.9 | 493.1 | | | | | | | |
| | | 3-11-58 | 10.6 | 492.4 | | | | | | | |
| 6N/30W-29D01 S | 462.8 | 7-16-57 | 17.7 | 445.1 | 5000 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|--|--|---|-----------------------|--|---|--|--|--|--|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA YNEZ SURAREA | | | 31500 | | | SANTA YNEZ RIVER VALLEY | | | 31500 | | |
| SANTA YNEZ SUBAREA | | | | | | | | | | | |
| SANTA YNEZ SURAREA | | | 31504 | | | SANTA YNEZ SUBAREA | | | 31504 | | |
| 6N/30W-29E01 S CONT. | 465+4 | 10-15-57 11-01-57 11-15-57 11-30-57 12-15-57 1-01-58 1-15-58 1-31-58 2-13-58 3-01-58 3-15-58 4-01-58 4-15-58 5-01-58 5-15-58 6-01-58 6-15-58 | 18+1 18+0 18+8 19+6 20+1 18+1 17+6 17+4 15+8 15+3 15+3 13+6 13+6 11+3 11+9 12+2 12+5 | 447+3 447+4 446+6 445+8 445+3 447+3 447+8 448+0 449+6 450+4 450+1 451+8 454+7 454+1 453+5 453+2 452+9 | 5000 | 6N/31W-01P01 S 6N/31W-01P02 S 6N/31W-01R01 S 6N/31W-02D01 S 6N/31W-02F03 S 6N/31W-02F05 S 6N/31W-02K01 S | 609+0 606+0 601+0 645+0 638+4 637+0 628+0 | 3-12-58 11-05-57 3-12-58 11-05-57 3-12-58 10-31-57 3-18-58 10-31-57 3-18-58 10-31-57 3-18-58 7-24-57 9-23-57 10-29-57 11-25-57 1-30-58 2-27-58 3-28-58 5-14-58 5-28-58 6-25-58 | 82+6 44+1 41+9 94+8 92+0 40+4 28+1 41+2 29+8 28+8 51+7 53+4 50+8 50+1 49+3 45+9 38+9 34+0 36+9 36+4 | 526+4 561+9 564+1 509+2 506+0 604+6 616+9 597+2 608+6 608+2 576+3 574+6 577+2 577+9 578+7 582+1 589+1 594+0 591+1 591+6 | 5000 |
| 6N/30W-30B01 S | 458+3 | 7-19-57 11-22-57 3-11-58 | 29+7 17+2 15+1 | 428+6 441+1 443+2 | 5000 | 6N/31W-02L01 S 6N/31W-10N02 S 6N/31W-11D04 S 6N/31W-11E01 S 6N/31W-12D01 S | 606+0 526+0 559+0 558+2 661+0 | 10-31-57 11-06-57 3-26-58 3-18-58 3-18-58 | 39+2 39+5* 37+5* 55+0 72+3 76+6 | 566+8 572+8 486+5 486+5 491+3 510+6 | 5000 5000 5000 5000 5000 5000 |
| 6N/31W-01J02 S | 676+0 | 11-05-57 3-11-58 | 101+4 98+2 | 574+6 577+8 | 5000 | 6N/31W-12D05 S 6N/31W-12J01 S | 602+0 611+0 | 3-11-58 11-05-57 | 30+2 98+2 | 571+8 512+8 | 5000 5000 |
| 6N/31W-01J03 S | 676+0 | 11-15-57 3-11-58 | 121+9 108+2 | 554+1 567+8 | 5000 | 6N/31W-12J01 S | 611+0 | 11-05-57 | 98+2 | 512+8 | 5000 |
| 6N/31W-01P01 S | 609+0 | 11-15-57 | 84+3 | 524+7 | 5000 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|---------------------|-------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|---------------------|-------------------------------------|-----------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA YNEZ SUBAREA | | | | | | SANTA YNEZ SUBAREA | | | | | |
| SANTA YNEZ SUBAREA | | | 31504 | 31500 | | SANTA YNEZ SUBAREA | | | 31504 | 31500 | |
| 6N/31W-12K01 S | 602.0 | 11-05-57 3-11-58 | 129.4 101.2 | 472.6 500.8 | 5000 | 6N/31W-15N01 S | 485.0 | 3-17-58 | 92.8 | 392.2 | 5000 |
| 6N/31W-12001 S | 615.0 | 11-05-57 3-11-58 | 125.5 125.0 | 489.5 490.0 | 5000 | 6N/31W-16001 S | 467.0 | 11-04-57 3-17-58 | 77.5 75.0 | 389.5 392.0 | 5000 |
| 6N/31W-13C01 S | 615.0 | 11-05-57 | 122.4 | 492.6 | 5000 | 6N/31W-16003 S | 466.0 | 3-17-58 | 74.8 | 391.2 | 5000 |
| 6N/31W-13D01 S | 609.0 | 7-24-57 | 121.1 | 487.9 | 5000 | 6N/31W-16R01 S | 481.0 | 7-16-57 | 97.1* | 389.9 | 5000 |
| | 610.0 | 8-27-57 | 122.0 | 488.0 | | | | 8-13-57 | 98.3* | 382.7 | |
| | 609.0 | 9-23-57 | 121.7 | 487.3 | | | | 9-04-57 | 97.3* | 383.7 | |
| | | 10-29-57 | 122.3 | 486.7 | | | | 9-17-57 | 98.1 | 382.9 | |
| | | 11-23-57 | 121.8 | 487.2 | | | | 9-24-57 | 97.9* | 383.1 | |
| | | 12-27-57 | 119.8 | 489.2 | | | | 10-21-57 | 95.5 | 385.5 | |
| | | | | | | | | 11-19-57 | 94.0 | 387.0 | |
| 6N/31W-13G02 S | 568.0 | 11-05-57 | 85.6 | 482.4 | 5000 | | | 12-10-57 | 94.6* | 386.4 | |
| | | 3-11-58 | 84.3 | 483.7 | | | | 1-07-58 | 96.9* | 388.1 | |
| | | | | | | | | 1-27-58 | 98.7 | 389.7 | |
| | | | | | | | | 2-18-58 | 91.3 | 389.6 | |
| 6N/31W-13L02 S | 556.0 | 11-05-57 | 52.3 | 503.7 | 5000 | | | 3-10-58 | 90.4 | 390.6 | |
| | | 3-11-58 | 50.8 | 505.2 | | | | 4-10-58 | 87.1 | 393.9 | |
| 6N/31W-14G01 S | 550.0 | 11-06-57 | 66.2 | 483.8 | 5000 | | | 5-08-58 | 82.5 | 398.5 | |
| | | 3-12-58 | 64.4 | 485.6 | | | | 5-20-58 | 82.7* | 398.3 | |
| | | | | | | | | 6-20-58 | 85.1* | 395.9 | |
| 6N/31W-14G02 S | 567.0 | 11-06-57 | 65.0 | 502.0 | 5000 | 6N/31W-21A01 S | 462.0 | 7-05-57 | 75.8 | 386.2 | 5000 |
| | | 3-12-58 | 63.7 | 503.3 | | | | 7-16-57 | 76.1 | 385.9 | |
| 6N/31W-15A02 S | 651.9 | 10-31-57 | 17.7 | 634.2 | 5000 | | | 8-13-57 | 76.9 | 385.1 | |
| | | 3-18-58 | 9.9 | 642.0 | | | | 9-17-57 | 79.6 | 382.4 | |
| 6N/31W-15A05 S | 653.4 | 9-23-57 | 27.1 | 626.3 | 5000 | | | 10-21-57 | 81.7 | 380.3 | |
| | 656.2 | 11-25-57 | 21.7 | 632.5 | | | | 11-19-57 | 79.3 | 382.7 | |
| | 653.4 | 12-27-57 | 19.8 | 633.6 | | | | 12-10-57 | 77.2 | 384.8 | |
| | | 2-27-58 | 16.5 | 636.9 | | | | 1-22-58 | 76.2 | 385.9 | |
| | | 3-28-58 | 13.7 | 639.7 | | | | 1-22-58 | 76.1 | 385.8 | |
| | | 4-30-58 | 11.6 | 641.8 | | | | 2-18-58 | 75.2 | 386.8 | |
| | | 6-25-58 | 14.6 | 638.8 | | | | 3-10-58 | 74.3 | 387.7 | |
| 6N/31W-15J01 S | 447.0 | 3-17-58 | 8.6 | 438.4 | 5000 | | | 4-10-58 | 70.1 | 391.9 | |
| 6N/31W-15K01 S | 446.0 | 3-17-58 | 5.6 | 440.4 | 5000 | 6N/31W-21G02 S | 370.4 | 3-13-58 | 1.2 | 369.2 | 5000 |
| 6N/31W-15K05 S | 446.0 | 10-31-57 3-17-58 | 12.4 6.9 | 433.6 439.1 | 5000 | 6N/31W-21G03 S | 375.9 | 7-05-57 | 10.4 | 365.5 | 5000 |
| 6N/31W-15N01 S | 485.0 | 11-04-57 | 95.2 | 389.8 | 5000 | | | 8-13-57 | 11.6 | 364.3 | |
| | | | | | | | | 9-17-57 | 14.9 | 361.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|------|--------------------------------------|-----------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| 31500 | | | | | | 31500 | | | | | |
| SANTA YNEZ SUBAREA | | | | | | | | | | | |
| 6N/31W-21G03 S | | | | | | 6N/31W-23M01 S | | | | | |
| 375.9 | | | | | | 402.9 | | | | | |
| 10-01-57 | | | | | | 3-10-58 | | | | | |
| 10-04-57 | | | | | | 7-16-57 | | | | | |
| 10-08-57 | | | | | | 8-13-57 | | | | | |
| 10-12-57 | | | | | | 9-19-57 | | | | | |
| 11-19-57 | | | | | | 9-30-57 | | | | | |
| 12-10-57 | | | | | | 10-21-57 | | | | | |
| 1-07-58 | | | | | | 11-22-57 | | | | | |
| 1-22-58 | | | | | | 12-04-57 | | | | | |
| 2-18-58 | | | | | | 12-13-57 | | | | | |
| 3-10-58 | | | | | | 12-18-57 | | | | | |
| 4-10-58 | | | | | | 11-05-57 | | | | | |
| 5-08-58 | | | | | | 6.3 | | | | | |
| 5-20-58 | | | | | | 4.39.1 | | | | | |
| 6-20-58 | | | | | | 7.0 | | | | | |
| 10-29-57 | | | | | | 383.4 | | | | | |
| 12-27-57 | | | | | | 383.9 | | | | | |
| 7-05-57 | | | | | | 339.0 | | | | | |
| 7-16-57 | | | | | | 336.6 | | | | | |
| 8-13-57 | | | | | | 337.0 | | | | | |
| 9-17-57 | | | | | | 333.4 | | | | | |
| 10-01-57 | | | | | | 342.4 | | | | | |
| 10-21-57 | | | | | | 340.7 | | | | | |
| 11-19-57 | | | | | | 341.1 | | | | | |
| 12-10-57 | | | | | | 341.1 | | | | | |
| 1-07-58 | | | | | | 340.5 | | | | | |
| 1-22-58 | | | | | | 341.0 | | | | | |
| 2-18-58 | | | | | | 340.8 | | | | | |
| 3-10-58 | | | | | | 341.3 | | | | | |
| 5-08-58 | | | | | | 342.5 | | | | | |
| 5-20-58 | | | | | | 341.1 | | | | | |
| 6-20-58 | | | | | | 341.6 | | | | | |
| 3-13-58 | | | | | | 17.1 | | | | | |
| 3-13-58 | | | | | | 18.0 | | | | | |
| 11-05-57 | | | | | | 9.1 | | | | | |
| 3-13-58 | | | | | | 9.1 | | | | | |
| 11-05-57 | | | | | | 20.9 | | | | | |
| 3-13-58 | | | | | | 20.9 | | | | | |
| 10-01-57 | | | | | | 16.0 | | | | | |
| 2-18-58 | | | | | | 12.2 | | | | | |
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| 31500 | | | | | | 31500 | | | | | |
| SANTA YNEZ SUBAREA | | | | | | | | | | | |
| 6N/31W-21H01 S | | | | | | 6N/31W-24J01 S | | | | | |
| 401.0 | | | | | | 432.9 | | | | | |
| 8-13-57 | | | | | | 12.1 | | | | | |
| 9-19-57 | | | | | | 13.1 | | | | | |
| 10-01-57 | | | | | | 10.0 | | | | | |
| 11-22-57 | | | | | | 9.7 | | | | | |
| 12-13-57 | | | | | | 9.6 | | | | | |
| 1-10-58 | | | | | | 9.4 | | | | | |
| 1-21-58 | | | | | | 9.7 | | | | | |
| 2-26-58 | | | | | | 6.6 | | | | | |
| 3-11-58 | | | | | | 9.5 | | | | | |
| 4-11-58 | | | | | | 6.2 | | | | | |
| 5-14-58 | | | | | | 5.4 | | | | | |
| 5-23-58 | | | | | | 8.8 | | | | | |
| 6-19-58 | | | | | | 9.1 | | | | | |
| 7-17-57 | | | | | | 17.2 | | | | | |
| 9-19-57 | | | | | | 18.1 | | | | | |
| 10-01-57 | | | | | | 13.2 | | | | | |
| 10-21-57 | | | | | | 15.0 | | | | | |
| 11-22-57 | | | | | | 14.9 | | | | | |
| 1-10-58 | | | | | | 15.2 | | | | | |
| 1-21-58 | | | | | | 15.5 | | | | | |
| 2-26-58 | | | | | | 15.2 | | | | | |
| 3-10-58 | | | | | | 15.2 | | | | | |
| 4-10-58 | | | | | | 13.9 | | | | | |
| 5-23-58 | | | | | | 14.9 | | | | | |
| 8-13-57 | | | | | | 15.8 | | | | | |
| 9-19-57 | | | | | | 16.6 | | | | | |
| 10-01-57 | | | | | | 13.6 | | | | | |
| 10-21-57 | | | | | | 14.5 | | | | | |
| 11-22-57 | | | | | | 14.5 | | | | | |
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| 31500 | | | | | | 31500 | | | | | |
| SANTA YNEZ SUBAREA | | | | | | | | | | | |
| 6N/31W-22C01 S | | | | | | 6N/31W-24K02 S | | | | | |
| 417.6 | | | | | | 433.3 | | | | | |
| 3-13-58 | | | | | | 17.2 | | | | | |
| 3-13-58 | | | | | | 18.1 | | | | | |
| 11-05-57 | | | | | | 15.2 | | | | | |
| 3-13-58 | | | | | | 15.0 | | | | | |
| 3-13-58 | | | | | | 14.9 | | | | | |
| 11-05-57 | | | | | | 14.8 | | | | | |
| 3-13-58 | | | | | | 15.5 | | | | | |
| 3-13-58 | | | | | | 15.2 | | | | | |
| 3-13-58 | | | | | | 15.2 | | | | | |
| 3-13-58 | | | | | | 14.9 | | | | | |
| 3-13-58 | | | | | | 14.9 | | | | | |
| 11-05-57 | | | | | | 4.25.9 | | | | | |
| 3-13-58 | | | | | | 20.9 | | | | | |
| 3-13-58 | | | | | | 398.8 | | | | | |
| 10-01-57 | | | | | | 386.9 | | | | | |
| 2-18-58 | | | | | | 390.7 | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA YNEZ SURAREA | | | | | | SANTA YNEZ SURAREA | | | | | |
| 31500 | | | | | | 31504 | | | | | |
| 6N/31W-24L01 S CONT. | 425.9 | 12-13-57 | 14.5 | 411.4 | 5000 | 7N/30W-30G01 S | 951.0 | 3-21-58 | 126.7 | 824.3 | 5000 |
| | | 1-10-58 | 14.7 | 411.2 | | | | 11-05-57 | 145.8 | 650.2 | 5000 |
| | | 2-26-58 | 14.2 | 411.2 | | 7N/30W-30M01 S | 796.0 | 3-21-58 | 144.8 | 651.2 | 5000 |
| | | 1-21-58 | 15.3 | 410.6 | | | | | | | |
| | | 3-11-58 | 16.2 | 409.7 | | | | | | | |
| | | 4-11-58 | 15.0 | 410.9 | | 7N/30W-31G01 S | 728.0 | 3-21-58 | 136.0 | 592.0 | 5000 |
| | | 5-13-58 | 14.4 | 411.5 | | | | | | | |
| | | 2-23-58 | 15.9 | 410.0 | | 7N/30W-31H01 S | 729.0 | 11-05-57 | 143.5 | 585.5 | 5000 |
| | | 6-19-58 | 16.6 | 409.3 | | | | 3-21-58 | 137.9 | 591.1 | 5000 |
| 7N/29W-28G01 S | 1150.0 | 10-29-57 | 59.6 | 1090.4 | 5000 | 7N/30W-31J02 S | 693.0 | 11-05-57 | 79.3 | 613.7 | 5000 |
| | | 3-24-58 | 23.6 | 1126.4 | | | | 3-21-58 | 83.5 | 609.5 | 5000 |
| 7N/29W-32W01 S | 980.0 | 10-29-57 | 4.5 | 975.5 | 5000 | 7N/30W-31L02 S | 724.0 | 11-05-57 | 150.8 | 573.2 | 5000 |
| | | 3-24-58 | 1.0 | 979.0 | | | | 3-21-58 | 118.7 | 605.3 | 5000 |
| 7N/30W-16R01 S | 1150.0 | 10-31-57 | 34.8 | 1115.2 | 5000 | 7N/30W-31P01 S | 689.7 | 10-31-57 | 119.2 | 570.5 | 5000 |
| | | 3-24-58 | 34.1 | 1115.9 | | | 689.5 | 3-21-58 | 108.4 | 581.1 | 5000 |
| 7N/30W-16H01 S | 1102.0 | 11-07-57 | 31.7 | 1070.3 | 5000 | 7N/30W-31Q01 S | 675.8 | 10-31-57 | 121.7 | 556.1 | 5000 |
| | | 3-24-58 | 34.3 | 1067.7 | | | | 3-21-58 | 116.0 | 559.8 | 5000 |
| 7N/30W-19H01 S | 1100.0 | 11-05-57 | 188.2 | 911.8 | 5000 | 7N/30W-31R01 S | 668.1 | 10-31-57 | 100.9 | 567.2 | 5000 |
| | | 3-21-58 | 188.2 | 911.8 | | | 668.6 | 3-19-58 | 92.1 | 576.5 | 5000 |
| 7N/30W-19N01 S | 1001.0 | 11-05-57 | 79.3 | 921.7 | 5000 | 7N/30W-32B01 S | 815.8 | 11-05-57 | 248.7 | 567.1 | 5000 |
| | | 3-21-58 | 77.4 | 923.6 | | | | 3-21-58 | 290.2* | 525.6 | 5000 |
| 7N/30W-22E01 S | 907.0 | 10-31-57 | 10.6 | 891.4 | 5000 | 7N/30W-32Q01 S | 712.0 | 10-31-57 | 142.9 | 569.1 | 5000 |
| | | 3-24-58 | 8.3 | 893.7 | | | | 3-21-58 | 136.8 | 575.2 | 5000 |
| 7N/30W-22L01 S | 901.0 | 10-31-57 | 19.2 | 881.8 | 5000 | 7N/30W-32R01 S | 701.7 | 10-31-57 | 131.3 | 570.4 | 5000 |
| | | 3-24-58 | 18.7 | 882.3 | | | | 3-21-58 | 133.2 | 568.5 | 5000 |
| 7N/30W-27H01 S | 902.0 | 10-31-57 | 15.7 | 886.3 | 5000 | 7N/30W-33H01 S | 754.3 | 10-31-57 | 188.2 | 566.1 | 5000 |
| | | 10-31-57 | 44.0 | 747.0 | 5000 | | | 3-21-58 | 181.7 | 572.6 | 5000 |
| 7N/30W-27Q01 S | 791.0 | 3-24-58 | 24.0 | 767.0 | | 7N/30W-33M02 S | 746.4 | 7-24-57 | 180.3 | 566.1 | 5000 |
| | | | | | | | | 9-27-57 | 181.5 | 564.9 | 5000 |
| 7N/31W-29D01 S | 936.0 | 11-05-57 | 91.2 | 844.8 | 5000 | | | 10-31-57 | 181.7 | 564.7 | 5000 |
| | | 3-21-58 | 90.5 | 845.5 | | | | 11-26-57 | 170.5 | 565.9 | 5000 |
| 7N/30W-29N02 S | 821.3 | 11-05-57 | 252.5 | 568.8 | 5000 | | | 12-27-57 | 175.8 | 566.6 | 5000 |
| | | 3-21-58 | 245.2 | 576.1 | | | | 1-30-58 | 173.4 | 573.0 | 5000 |
| 7N/30W-30G01 S | 951.0 | 11-05-57 | 131.6 | 819.4 | 5000 | | | 2-27-58 | 172.7 | 573.0 | 5000 |
| | | | | | | | | 3-28-58 | 171.7 | 574.7 | 5000 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|--|-------------------------------------|----------------------------------|-----------------------|-------------------------|--------------------|---|---|--|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA YNEZ SUBAREA | | | | | | SANTA YNEZ RIVER VALLEY | | | | | |
| 31500 | | | | | | 31504 | | | | | |
| 7N/30W-33M02 S CONT. | 746.4 | 4-30-58 5-25-58 6-25-58 | 171.7 172.7 175.1* | 574.7 573.7 571.3 | 5000 | 7N/31W-23P01 S CONT. | 822.5 | 2-27-58 5-28-58 | 77.5 83.8 | 745.0 738.7 | 5000 |
| 7N/30W-33N01 S | 712.9 | 3-19-58 | 136.9 | 576.0 | 5000 | 7N/31W-23Q04 S | 850.6 | 11-29-57 3-26-58 | 131.6 126.0 | 719.0 724.6 | 5000 |
| 7N/30W-35R01 S | 845.0 | 10-29-57 | 205.1 | 639.9 | 5000 | 7N/31W-25H02 S | 826.0 | 3-11-58 | 113.1 | 712.9 | 5000 |
| 7N/31W-14N01 S | 866.0 | 10-23-57 10-29-57 3-19-58 | 79.8 79.3 79.1 | 786.2 786.7 790.1 | 5000 | 7N/31W-25L01 S | 806.0 | 8-27-57 9-23-57 10-23-57 1-30-58 3-28-58 4-30-58 | 100.5 101.6 101.6 103.0 102.0 87.4 | 705.5 704.4 704.4 703.0 704.0 718.6 | 5000 |
| 7N/31W-22A01 S | 873.0 | 10-29-57 3-19-58 | 79.4 75.5 | 793.6 797.1 | 5000 | 7N/31W-25N01 S | 785.0 | 11-01-57 3-12-58 | DRY 85.0 | 700.0 | 5000 |
| 7N/31W-22A02 S | 864.0 | 10-29-57 | 80.4 | 783.6 | 5000 | 7N/31W-26A02 S | 802.3 | 10-31-57 3-26-58 | 112.4 79.0 | 689.9 723.3 | 5000 |
| 7N/31W-22A03 S | 864.0 | 3-19-58 | 63.8 | 800.2 | 5000 | 7N/31W-26C01 S | 790.0 | 3-19-58 | 51.3 | 738.7 | 5000 |
| 7N/31W-23B01 S | 842.0 | 10-29-57 3-19-58 | 46.2 44.5 | 795.8 797.5 | 5000 | 7N/31W-26G03 S | 790.0 | 11-01-57 3-18-58 | 71.9 70.6 | 718.1 719.4 | 5000 |
| 7N/31W-23B02 S | 885.0 | 10-23-57 10-29-57 3-19-58 | 48.6 46.2 45.2 | 836.4 836.8 839.8 | 5000 | 7N/31W-26G04 S | 802.0 | 10-31-57 3-18-58 | 73.9 70.4 | 728.1 731.6 | 5000 |
| 7N/31W-23C02 S | 911.0 | 10-29-57 3-19-58 | 81.0 72.7 | 830.0 838.3 | 5000 | 7N/31W-26G05 S | 789.2 | 11-05-57 3-18-58 | 64.8 56.2 | 724.4 733.0 | 5000 |
| 7N/31W-23C04 S | 896.0 | 10-29-57 | 84.5 | 811.5 | 5000 | 7N/31W-26G06 S | 800.0 | 10-31-57 3-18-58 | 71.1 66.6 | 728.9 733.4 | 5000 |
| 7N/31W-23D01 S | 880.0 | 10-29-57 3-19-58 | 78.8 74.6 | 801.2 805.4 | 5000 | 7N/31W-26L01 S | 755.2 | 3-18-58 | 25.6 | 729.6 | 5000 |
| 7N/31W-23F01 S | 856.0 | 3-19-58 | 94.5 | 761.5 | 5000 | 7N/31W-26L02 S | 767.1 | 10-31-57 3-18-58 | 49.5 45.0* | 717.6 722.1 | 5000 |
| 7N/31W-23K01 S | 831.0 | 10-29-57 3-26-58 | 132.1 125.1 | 698.9 705.9 | 5000 | 7N/31W-26P01 S | 752.0 | 10-31-57 3-18-58 | 34.4 21.4 | 717.6 730.6 | 5000 |
| 7N/31W-23N03 S | 828.2 | 10-29-57 3-19-58 | 75.1 68.1 | 753.1 760.1 | 5000 | 7N/31W-26P02 S | 772.0 | 10-31-57 3-18-58 | 31.8 21.3 | 740.2 750.7 | 5000 |
| 7N/31W-23P01 S | 822.5 | 9-23-57 11-25-57 12-27-57 1-30-58 | 78.4* 80.9 81.6 80.5 | 744.1 743.9 745.9 742.0 | 5000 | 7N/31W-26Q01 S | 755.0 | 3-18-58 | 67.6 | 687.4 | 5000 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-------------------------|---------------------|--|---|--|-----------------------|-------------------------|---------------------|--|---|--|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| SANTA YNEZ SUBAREA | | | 31500 | | | SANTA YNEZ RIVER VALLEY | | | 31500 | | |
| HEADWATER SUBAREA | | | | | | | | | | | |
| 7N/31W-35B03 S | 721.0 | 10-31-57 3-18-58 | 23.7 12.1 | 697.3 708.9 | 5000 | 6N/30W-14N01 S CONT. | 518.1 | 9-20-57 9-25-57 10-07-57 10-21-57 11-22-57 12-13-57 | 5.6 5.0 5.4 6.0* | 512.5 513.1 512.7 512.1 510.8 512.4 | 5000 |
| 7N/31W-35K01 S | 684.0 | 10-29-57 3-18-58 | 76.7 71.1 | 607.3 612.9 | 5000 | | | 1-10-58 1-21-58 2-26-58 3-12-58 4-11-58 5-13-58 5-23-58 6-19-58 | 5.7 4.4 3.3 3.8 4.1 3.0 3.2 3.4 | 513.7 513.7 512.9 514.3 514.9 514.9 514.9 514.7 | |
| 7N/31W-36A02 S | 761.0 | 3-11-58 | 123.6 | 637.4 | 5000 | | | | | | |
| 7N/31W-36F02 S | 735.6 | 11-05-57 3-12-58 | 87.5 79.0 | 648.1 656.6 | 5000 | | | | | | |
| 7N/31W-36G01 S | 740.6 | 3-12-58 | 69.2 | 671.4 | 5000 | | | | | | |
| 7N/31W-36K01 S | 738.3 | 11-05-57 3-12-58 | 82.8 73.7 | 655.5 664.6 | 5000 | 6N/30W-14P01 S | 529.9 | 7-08-57 7-16-57 8-13-57 9-03-57 9-20-57 9-27-57 10-07-57 10-21-57 11-22-57 12-13-57 1-10-58 1-21-58 2-26-58 3-11-58 4-11-58 5-13-58 5-23-58 6-19-58 | 16.2 16.2 16.8 17.0 12.1 9.2 9.8 10.1 10.8 10.2 10.8 9.7 8.1 8.7 7.0 6.5 8.1 8.6 | 513.7 513.7 513.1 512.9 517.8 520.7 520.1 519.8 519.1 519.7 519.1 520.2 521.8 521.2 522.9 523.4 521.8 521.3 | 5000 |
| 7N/31W-36L02 S | 721.4 | 7-26-57 8-27-57 9-23-57 10-29-57 12-27-57 1-30-58 2-27-58 3-28-58 5-14-58 5-28-58 | 76.2 81.7 77.8* 75.2 70.6 68.5 66.5 64.6 62.9 63.9 | 645.2 639.7 643.6 646.2 650.8 652.9 654.9 656.8 658.5 657.5 | 5000 | | | | | | |
| 7N/31W-36P02 S | 704.0 | 11-05-57 3-12-58 | 69.0 62.1* | 635.0 641.9 | 5000 | | | | | | |
| 7N/31W-36P03 S | 705.0 | 11-05-57 3-12-58 | 85.9 79.4 | 619.1 625.6 | 5000 | | | | | | |
| 7N/31W-36Q01 S | 706.0 | 11-05-57 3-12-58 | 53.1 43.8 | 652.9 662.2 | 5000 | 6N/30W-14R02 S | 541.9 | 7-16-57 8-13-57 9-03-57 9-27-57 10-07-57 10-21-57 11-22-57 12-13-57 1-10-58 1-21-58 2-26-58 | 21.7 22.2 25.7* 13.6 13.2 14.8 15.1 14.8 14.6 13.2 13.2 | 520.2 519.7 520.2 520.7 521.5 521.5 521.8 521.8 521.3 | 5000 |
| 7N/31W-36Q02 S | 691.0 | 11-05-57 3-12-58 | 51.0 38.7 | 640.0 632.3 | 5000 | | | | | | |
| HEADWATER SUBAREA | | | | | | | | | | | |
| 6N/30W-14N01 S | 518.1 | 7-16-57 7-19-57 8-13-57 9-03-57 9-19-57 | 12.6 12.6 13.1 13.4 11.2 | 505.5 505.5 504.7 506.9 | 5000 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| 31500 | | | | | | 31500 | | | | | |
| SANTA YNEZ RIVER VALLEY | | | | | | | | | | | |
| HEADWATER SUBAREA | | | | | | | | | | | |
| 6N/30W-14R02 S | 541.9 | 3-11-58 | 13.4 | 528.5 | 5000 | 6N/30W-22G01 S | 517.5 | 10-21-57 | 13.6 | 503.9 | 5000 |
| CONT. | | 4-11-58 | 12.0 | 529.9 | | CONT. | | 11-22-57 | 14.0 | 503.4 | |
| | | 5-13-58 | 10.9 | 531.0 | | | | 12-13-57 | 14.1 | 503.5 | |
| | | 5-23-58 | 12.3 | 529.6 | | | | 1-10-58 | 13.6 | 503.9 | |
| | | 6-19-58 | 12.9 | 529.0 | | | | 1-21-58 | 13.7 | 503.8 | |
| 6N/30W-14R03 S | 537.8 | 7-08-57 | 12.0 | 525.8 | 5000 | | | 2-26-58 | 12.4 | 505.1 | |
| | | 7-16-57 | 12.0* | 525.8 | | | | 3-11-58 | 12.8 | 504.7 | |
| | | 8-13-57 | DRY | | | | | 5-23-58 | 13.3 | 504.2 | |
| | | 9-03-57 | DRY | | | | | 6-19-58 | 13.8 | 503.7 | |
| | 537.8 | 9-20-57 | 7.0 | 530.8 | | 6N/30W-23K01 S | 579.0 | 11-05-57 | 41.5 | 537.5 | 5000 |
| | | 9-26-57 | 3.0 | 534.8 | | | | 7-16-57 | 12.5 | 542.3 | 5000 |
| | | 10-07-57 | 5.0 | 532.8 | | 6N/30W-24C01 S | 554.8 | 8-13-57 | 13.6 | 541.2 | |
| | | 10-21-57 | 5.2 | 532.6 | | | | 9-03-57 | 14.0 | 540.8 | |
| | | 11-22-57 | 5.8 | 532.0 | | | | 9-19-57 | 10.0 | 544.8 | |
| | | 12-13-57 | 4.7 | 533.1 | | | | 10-07-57 | 8.0 | 546.8 | |
| | | 1-10-58 | 4.8 | 533.0 | | | | 10-21-57 | 8.6* | 546.2 | |
| | | 1-21-58 | 5.0 | 532.8 | | | | 11-22-57 | 10.8 | 544.0 | |
| | | 2-26-58 | 4.6 | 533.2 | | | | 12-13-57 | 8.0* | 546.8 | |
| | | 3-11-58 | 5.0 | 532.8 | | | | 1-10-58 | 8.2 | 546.6 | |
| | | 4-14-58 | 3.9 | 533.9 | | | | 1-21-58 | 8.3 | 546.5 | |
| | | 6-19-58 | 4.5 | 533.3 | | | | 2-26-58 | 8.2 | 546.6 | |
| 6N/30W-22A01 S | 515.7 | 7-16-57 | 11.3 | 504.4 | 5000 | | | 3-11-58 | 8.5 | 546.3 | |
| | | 7-19-57 | 11.5 | 504.2 | | | | 4-11-58 | 7.7 | 547.1 | |
| | | 8-13-57 | 12.1 | 503.6 | | | | 5-23-58 | 7.0 | 547.8 | |
| | | 9-03-57 | 12.4 | 503.3 | | | | 6-19-58 | 8.2 | 546.6 | |
| | | 9-19-57 | 5.5 | 510.2 | | | | | | | |
| | | 10-07-57 | 5.0 | 510.7 | | 6N/30W-24E01 S | 541.1 | 9-19-57 | 7.0 | 534.1 | 5000 |
| | | 10-21-57 | 5.2 | 510.5 | | | | 10-07-57 | 7.6* | 533.6 | |
| | | 11-22-57 | 6.0 | 509.7 | | | | 10-21-57 | 8.6* | 532.5 | |
| | | 12-13-57 | 6.3 | 509.4 | | | | 11-22-57 | 2.5 | 538.6 | |
| | | 1-10-58 | 4.4 | 511.3 | | | | 12-13-57 | 2.5 | 538.6 | |
| | | 1-21-58 | 5.1 | 510.6 | | | | 1-10-58 | 2.4 | 538.7 | |
| | | 2-26-58 | 4.3 | 511.4 | | | | 1-21-58 | 2.6 | 538.5 | |
| | | 3-11-58 | 4.4 | 511.3 | | | | 2-26-58 | 2.0 | 539.1 | |
| | | 4-11-58 | 3.8 | 511.9 | | | | 3-11-58 | 2.4 | 538.7 | |
| | | 5-13-58 | 3.2 | 512.5 | | | | 4-11-58 | 1.1 | 540.0 | |
| | | 5-23-58 | 3.5 | 512.2 | | | | 5-13-58 | .8 | 540.3 | |
| | | 6-19-58 | 3.7 | 512.0 | | | | 5-21-58 | 1.0 | 540.1 | |
| 6N/30W-22G01 S | 517.5 | 7-16-57 | 18.5 | 499.0 | 5000 | | | 6-19-58 | 8.2* | 532.9 | |
| | | 8-13-57 | 19.1 | 498.4 | | | | 7-16-57 | 17.2 | 535.4 | |
| | | 9-03-57 | 19.5 | 498.0 | | 6N/30W-24E05 S | 552.6 | 8-13-57 | 18.5 | 534.1 | |
| | | 9-19-57 | 20.0 | 497.5 | | | | 9-03-57 | 18.6 | 534.0 | |
| | | 10-07-57 | 13.3 | 504.2 | | | | 9-19-57 | 16.0 | 536.6 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|--|---|---|-----------------------|-------------------|--------------------|--|--|-----------------------------|-----------------------|
| SO COAST BASINS S BAR CO | | | | | | | | | | | |
| 31600 | | | | | | | | | | | |
| GOLETA BASIN | | | | | | | | | | | |
| 4N/28W-03J03 S | 139.0 | 5-26-58 6-24-58 | 36.8 37.1 | 102.2 101.9 | 5000 | 4N/28W-04Q02 S | 88.6 | 1-31-58 2-28-58 3-28-58 4-30-58 6-24-58 | 92.1 90.7 88.5 84.5 83.7 | 31601 | 5000 |
| 4N/28W-03M03 S | 118.0 118.7 | 7-24-57 8-30-57 10-01-57 10-28-57 11-25-57 12-31-57 1-31-58 2-28-58 3-28-58 4-30-58 | 110.2 110.5 110.9 111.1 111.5 111.1 111.4 111.2 111.1 109.2 | 7.8 7.8 7.6 7.6 7.5 7.5 7.6 7.5 7.6 9.5 | 5000 | 4N/28W-05N03 S | 84.9 | 7-24-57 8-30-57 10-01-57 10-28-57 11-25-57 12-31-57 1-31-58 2-28-58 3-28-58 4-30-58 5-26-58 6-24-58 | 38.1 38.8 38.9 38.5 37.0 35.3 37.3 36.2 33.8 34.3 33.0 | 5000 | 5000 |
| 4N/28W-03O02 S | 121.2 | 7-24-57 8-30-57 10-01-57 10-28-57 11-25-57 12-31-57 1-31-58 2-28-58 3-28-58 4-30-58 5-26-58 6-24-58 | 143.0 145.0 141.1 139.4 137.9 138.6 136.9 136.5 136.6 134.2 66.4 137.0 | 21.8 23.8 1.9 18.2 18.5 17.4 15.7 15.3 4.6 13.0 54.8 15.8 | 5000 | 4N/28W-05R04 S | 54.0 54.2 | 7-24-57 8-30-57 10-01-57 10-28-57 11-25-57 12-31-57 1-31-58 2-28-58 3-28-58 4-30-58 5-26-58 6-24-58 | 74.0 69.7 69.1 68.2 68.2 67.3 67.5 67.1 65.8 64.6 64.5 | 5000 | 5000 |
| 4N/28W-04F04 S | 155.0 | 7-24-57 8-30-57 10-01-57 10-28-57 11-25-57 12-31-57 1-31-58 2-28-58 3-28-58 4-30-58 5-26-58 6-24-58 | 49.3 49.0 49.3 48.7 48.8 48.1 47.8 46.9 46.1 45.0 44.7 44.0 | 105.7 106.0 105.7 106.3 106.2 107.2 108.2 108.9 110.0 110.3 111.0 | 5000 | 4N/28W-08N03 S | 26.0 | 7-24-57 8-30-57 10-01-57 10-28-57 11-25-57 12-31-57 1-31-58 2-28-58 3-28-58 4-30-58 5-26-58 6-24-58 | 44.6 45.7 45.7 44.6 44.0 43.0 41.9 40.1 39.0 38.0 37.1 | 5000 | 5000 |
| 4N/28W-04Q02 S | 88.5 88.6 | 7-24-57 8-30-57 10-01-57 10-28-57 11-25-57 12-31-57 | 93.0 93.9 96.1 94.9 95.7 93.4 | 4.5 5.3 7.5 6.3 7.1 4.8 | 5000 | 4N/28W-09A03 S | 89.2 86.5 | 7-24-57 8-30-57 10-01-57 10-28-57 11-25-57 12-31-57 | 59.0 61.4 64.7 64.6 64.8 64.1 | 5000 | 5000 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|--|-------------------------------------|--|-----------------------|----------------------------------|--------------------|--|-------------------------------------|--|-----------------------|
| SO COAST BASINS S BAR CO | | | | | | SO COAST BASINS S BAR CO | | | | | |
| GOLETA BASIN | | | | | | GOLETA BASIN | | | | | |
| 4N/28W-09A03 S CONT. | 86.5 | 1-31-58 2-28-58 3-28-58 4-30-58 5-26-58 6-24-58 | 31601 | 24.7 25.4 26.4 30.6 30.7 30.3 | 5000 | 4N/28W-12B01 S 4N/28W-12P04 S | 205.0 112.0 | 6-24-58 10-28-57 11-25-57 12-31-57 3-28-58 | 31601 | 75.2 107.7 104.0 98.0 97.2 | 5000 5000 |
| 4N/28W-09E01 S | 43.8 | 7-24-57 8-30-57 10-01-57 10-28-57 11-25-57 12-31-57 1-31-58 2-28-58 3-28-58 4-30-58 | 31600 | - 28.5 - 28.5 - 28.4 - 28.6 - 21.6 - 26.7 - 26.7 - 26.8 - 25.1 - 24.2 | 5000 | 4N/28W-14C01 S | 40.0 48.0 | 7-28-57 8-30-57 10-01-57 10-28-57 11-25-57 12-31-57 1-31-58 2-28-58 3-28-58 4-30-58 5-26-58 6-24-58 | 31600 | 32.0 32.2 33.1 33.0 32.2 31.7 21.7 20.8 19.5 19.1 16.3 17.1 | 5000 |
| 4N/28W-10F01 S | 80.6 | 7-24-57 8-30-57 10-01-57 10-28-57 11-25-57 12-31-57 1-31-58 2-28-58 3-28-58 4-30-58 5-26-58 6-24-58 | 31600 | * 6 * 6 * 9 * 6 1.4 1.8 * 8 * 2.4 * 2.1 * 3.7 * 3.7 * 3.6 | 5000 | 4N/28W-16J02 S | 28.0 | 10-02-57 10-28-57 11-25-57 12-31-57 1-31-58 2-28-58 3-28-58 4-30-58 5-26-58 6-24-58 | 31600 | 90.0* 75.3 74.1 67.5 67.0 65.4 64.4 72.3 65.1 | 5000 |
| 4N/28W-11K04 S | 69.0 | 12-31-57 1-31-58 2-28-58 3-28-58 4-30-58 | 31600 | - 39.4 - 38.5 - 37.1 - 37.4 - 36.9 | 5000 | 4N/28W-17R01 S | 4.9 | 6-01-58 6-23-58 6-23-58 | 31600 | 11.2 11.2 11.9 | 5000 |
| 4N/28W-12B01 S | 205.0 | 7-24-57 8-30-57 10-01-57 10-28-57 11-25-57 12-31-57 1-31-58 2-28-58 3-28-58 4-30-58 | 31601 | 69.4 67.8 67.8 67.7 68.3 70.8 75.0 75.3 76.6 | 5000 | 4N/28W-17R02 S | 10.9 | 7-08-57 7-22-57 7-30-57 8-20-57 9-01-57 10-01-57 10-15-57 11-01-57 11-15-57 12-01-57 12-15-57 | 31601 | 32.8 34.9 35.4 36.8 36.3 35.3 34.4 34.3 33.1 32.7 31.9 | 5000 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SO COAST BASINS S BAR CO | | | | | | | | | | | |
| 31600 | | | | | | 31601 | | | | | |
| GOLETA BASIN | | | | | | | | | | | |
| 4N/28W-17R02 S | | | | | | | | | | | |
| CONT. | | | | | | | | | | | |
| 1-06-58 | 10.9 | 12-30-57 | 30.7 | 19.48 | 5000 | 4N/28W-17R04 S | 9.5 | 3-28-58 | 2.3 | 7.2 | 5000 |
| 1-15-58 | | 1-06-58 | 31.0 | 20.1 | | CONT. | | 4-21-58 | 3.5 | 6.0 | |
| 2-01-58 | | 1-15-58 | 30.7 | 19.48 | | | | 4-28-58 | 3.8 | 5.7 | |
| 2-15-58 | | 2-01-58 | 30.0 | 19.1 | | | | 5-12-58 | 4.1 | 5.4 | |
| 3-01-58 | | 2-15-58 | 29.4 | 18.5 | | | | 5-19-58 | 4.3 | 5.2 | |
| 3-15-58 | | 3-01-58 | 29.0 | 18.1 | | | | 5-26-58 | 4.5 | 5.0 | |
| 3-30-58 | | 3-15-58 | 28.5 | 17.6 | | | | 6-02-58 | 4.6 | 3.9 | |
| 4-21-58 | | 3-30-58 | 28.1 | 17.2 | | | | 6-09-58 | 4.8 | 4.7 | |
| 5-01-58 | | 4-21-58 | 27.5 | 16.6 | | | | 6-23-58 | 5.3 | 4.2 | |
| 5-15-58 | | 5-01-58 | 27.8 | 16.9 | | | | 6-30-58 | 5.6 | 3.9 | |
| 5-30-58 | | 5-15-58 | 28.3 | 17.4 | | | | | | | |
| 6-01-58 | | 5-30-58 | 29.8 | 18.9 | | | | | | | |
| 6-15-58 | | 6-01-58 | 29.9 | 19.0 | | | | | | | |
| SO COAST BASINS S BAR CO | | | | | | | | | | | |
| 31600 | | | | | | 31601 | | | | | |
| GOLETA BASIN | | | | | | | | | | | |
| 4N/28W-17R04 S | | | | | | | | | | | |
| CONT. | | | | | | | | | | | |
| 7-01-57 | 9.4 | 7-01-57 | 7.2 | 2.2 | 5000 | 4N/28W-17R05 S | 5.9 | 7-01-57 | 3.7 | 2.2 | 5000 |
| 7-08-57 | | 7-08-57 | 7.6 | 1.8 | | | | 7-08-57 | 3.5 | 2.4 | |
| 7-15-57 | | 7-15-57 | 7.4 | 2.0 | | | | 7-15-57 | 3.6 | 2.3 | |
| 7-22-57 | | 7-22-57 | 7.6 | 1.8 | | | | 7-22-57 | 2.9 | 3.0 | |
| 7-30-57 | | 7-30-57 | 7.7 | 1.7 | | | | 7-30-57 | 2.8 | 3.1 | |
| 8-05-57 | | 8-05-57 | 7.8 | 1.6 | | | | 8-05-57 | 3.4 | 2.5 | |
| 8-12-57 | | 8-12-57 | 7.9 | 1.5 | | | | 8-12-57 | 3.6 | 2.3 | |
| 8-19-57 | | 8-19-57 | 7.9 | 1.5 | | | | 8-19-57 | 3.9 | 2.0 | |
| 8-26-57 | | 8-26-57 | 8.1 | 1.3 | | | | 8-26-57 | 3.6 | 2.3 | |
| 9-02-57 | | 9-02-57 | 8.1 | 1.3 | | | | 9-02-57 | 3.6 | 2.3 | |
| 9-09-57 | | 9-09-57 | 8.2 | 1.2 | | | | 9-09-57 | 4.0 | 1.9 | |
| 9-16-57 | | 9-16-57 | 8.3 | 1.1 | | | | 9-16-57 | 4.2 | 1.7 | |
| 10-07-57 | | 10-07-57 | 8.5 | .9 | | | | 9-30-57 | 4.0 | 1.9 | |
| 10-14-57 | | 10-14-57 | 8.4 | 1.0 | | | | 10-07-57 | 4.2 | 1.7 | |
| 10-22-57 | | 10-22-57 | 8.6 | .8 | | | | 10-14-57 | 3.9 | 2.0 | |
| 10-28-57 | | 10-28-57 | 8.5 | .9 | | | | 10-22-57 | 3.7 | 2.2 | |
| 11-04-57 | 9.5 | 11-04-57 | 8.5 | 1.0 | | | | 10-29-57 | 3.9 | 2.0 | |
| 11-12-57 | | 11-12-57 | 8.5 | 1.0 | | | | 11-04-57 | 5.7 | .2 | |
| 11-25-57 | | 11-25-57 | 8.6 | .9 | | | | 11-12-57 | 3.8 | 2.0 | |
| 12-02-57 | | 12-02-57 | 8.5 | 1.0 | | | | 11-18-57 | 3.9 | 2.1 | |
| 12-09-57 | | 12-09-57 | 8.3 | 1.2 | | | | 11-25-57 | 3.8 | 2.1 | |
| 12-30-57 | | 12-30-57 | 7.5 | 2.0 | | | | 12-02-57 | 3.5 | 2.4 | |
| 1-13-58 | | 1-13-58 | 7.4 | 2.1 | | | | 12-09-57 | 3.0 | 2.9 | |
| 1-20-58 | | 1-20-58 | 7.3 | 2.2 | | | | 12-30-57 | 3.0 | 2.9 | |
| 1-27-58 | | 1-27-58 | 6.7 | 2.8 | | | | 1-06-58 | 2.9 | 3.0 | |
| 2-10-58 | | 2-10-58 | 6.3 | 5.2 | | | | 1-13-58 | 1.8 | 4.1 | |
| 2-17-58 | | 2-17-58 | 4.4 | 6.1 | | | | 1-20-58 | 2.6 | 3.3 | |
| 2-24-58 | | 2-24-58 | 3.4 | 6.1 | | | | 1-27-58 | 1.3 | 4.6 | |
| 3-03-58 | | 3-03-58 | 3.0 | 6.5 | | | | 2-10-58 | 1.9 | 4.0 | |
| 3-10-58 | | 3-10-58 | 2.4 | 7.1 | | | | 2-17-58 | 2.1 | 3.8 | |
| 3-17-58 | | 3-17-58 | 2.1 | 7.4 | | | | 2-24-58 | 2.2 | 3.7 | |
| | | | | | | | | 3-02-58 | 2.2 | 3.2 | |
| | | | | | | | | 3-10-58 | 1.4 | 4.5 | |
| | | | | | | | | 3-17-58 | 1.4 | 3.8 | |
| | | | | | | | | 3-24-58 | 2.1 | 3.8 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SO COAST BASINS S BAR CO | | | | | | | | | | | |
| 31600 | | | | | | 31600 | | | | | |
| GOLETA BASIN | | | | | | | | | | | |
| 4N/28W-17R05 S | | | | | | | | | | | |
| CONT. | | | | | | | | | | | |
| 4-21-58 | 5.9 | | 2.8 | 3.1 | 5000 | 4N/28W-17R06 S | 10.3 | 9-24-58 | 3.5 | 6.8 | 5000 |
| 5-05-58 | | | 3.0 | 2.9 | | CONT. | | 4-21-58 | 4.5 | 5.8 | |
| 5-12-58 | | | 3.2 | 2.7 | | | | 5-05-58 | 5.3 | 5.2 | |
| 5-19-58 | | | 3.1 | 2.8 | | | | 5-12-58 | 5.5 | 4.8 | |
| 5-26-58 | | | 3.0 | 2.9 | | | | 5-19-58 | 5.9 | 4.4 | |
| 6-02-58 | | | 3.0 | 2.9 | | | | 6-02-58 | 6.0 | 4.3 | |
| 6-09-58 | | | 3.3 | 2.6 | | | | 6-09-58 | 6.1 | 4.2 | |
| 6-23-58 | | | 3.5 | 2.4 | | | | 6-23-58 | 6.3 | 4.0 | |
| 6-30-58 | | | 3.9 | 2.0 | | | | 6-30-58 | 6.7 | 3.6 | |
| 7-01-57 | 10.3 | | 8.3 | 2.0 | 5000 | 4N/28W-18G02 S | 10.0 | 7-24-57 | 8.4 | 1.6 | 5000 |
| 7-08-57 | | | 8.5 | 1.8 | | | | 8-30-57 | 8.2 | 1.8 | |
| 7-15-57 | | | 8.6 | 1.7 | | | | 10-02-57 | 8.0 | 2.0 | |
| 7-22-57 | | | 8.7 | 1.6 | | | | 10-28-57 | 7.9 | 2.1 | |
| 7-30-57 | | | 8.9 | 1.4 | | | | 11-25-57 | 7.8 | 2.2 | |
| 8-05-57 | | | 8.9 | 1.4 | | | | 12-31-57 | 7.5 | 2.5 | |
| 8-12-57 | | | 9.0 | 1.3 | | | | 2-28-58 | 6.6* | 3.4 | |
| 8-19-57 | | | 9.1 | 1.2 | | | | 3-28-58 | 5.7* | 4.3 | |
| 8-26-57 | | | 9.2 | 1.1 | | | | 4-30-58 | 4.4 | 3.5 | |
| 9-02-57 | | | 9.2 | 1.1 | | | | 5-28-58 | 3.6 | 6.4 | |
| 9-09-57 | | | 9.3 | 1.0 | | | | 6-24-58 | 3.4 | 6.6 | |
| 9-16-57 | | | 9.4 | .9 | | | | 7-01-57 | 5.7 | 5.2 | |
| 9-30-57 | | | 9.5 | .8 | | | | 7-08-57 | 5.9 | 5.0 | |
| 10-07-57 | | | 9.6 | .7 | | | | 7-18-57 | 5.3 | 5.0 | |
| 10-14-57 | | | 9.6 | .7 | | | | 7-22-57 | 6.2 | 4.7 | |
| 10-22-57 | | | 9.6 | .7 | | | | 7-30-57 | 5.5 | 5.4 | |
| 10-29-57 | | | 9.6 | .7 | | | | 8-05-57 | 4.8 | 5.1 | |
| 11-04-57 | | | 9.6 | .7 | | | | 8-11-57 | 5.7 | 5.2 | |
| 11-12-57 | | | 9.7 | .6 | | | | 8-16-57 | 5.5 | 5.4 | |
| 11-18-57 | | | 9.7 | .6 | | | | 9-02-57 | 5.7 | 5.2 | |
| 12-02-57 | | | 9.6 | .7 | | | | 9-09-57 | 6.0 | 4.6 | |
| 12-06-57 | | | 9.4 | .9 | | | | 9-16-57 | 6.2 | 4.7 | |
| 12-30-57 | | | 8.5 | 1.8 | | | | 9-23-57 | 6.0 | 4.9 | |
| 1-01-58 | | | 8.5 | 1.8 | | | | 9-30-57 | 6.0 | 4.9 | |
| 1-13-58 | | | 8.6 | 1.7 | | | | 10-07-57 | 6.0 | 4.9 | |
| 1-20-58 | | | 8.4 | 1.9 | | | | 10-14-57 | 6.0 | 4.9 | |
| 1-27-58 | | | 7.4 | 2.9 | | | | 10-22-57 | 5.5 | 5.4 | |
| 2-10-58 | | | 5.7 | 4.6 | | | | 10-28-57 | 5.6 | 5.3 | |
| 2-17-58 | | | 5.6 | 4.7 | | | | 11-04-57 | 5.7 | 5.2 | |
| 2-24-58 | | | 4.8 | 5.5 | | | | 11-12-57 | 5.3 | 5.6 | |
| 3-03-58 | | | 4.3 | 6.0 | | | | 11-18-57 | 5.4 | 5.4 | |
| 3-10-58 | | | 4.7 | 5.6 | | | | 11-23-57 | 5.3 | 5.6 | |
| 3-17-58 | | | 3.4 | 6.9 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | |
|--------------------------|--------------------|--|--|------------------------------|-----------------------|-------------------------|--------------------|---|--|------------------------------|-----------------------|------|
| SO COAST BASINS S BAR CO | | | | | | | | | | | | |
| 31600 | | | | | | | | | | | | |
| GOLETA BASIN | | | | | | | | | | | | |
| 31601 | | | | | | | | | | | | |
| 4N/28W-20C03 S CONT. | 10.9 | 12-02-57 12-09-57 12-16-57 12-30-57 1-06-58 1-13-58 1-20-58 1-27-58 2-10-58 2-19-58 2-24-58 3-03-58 3-10-58 3-17-58 3-24-58 3-31-58 4-07-58 4-14-58 4-21-58 4-28-58 5-05-58 5-12-58 5-19-58 5-26-58 6-02-58 6-09-58 6-23-58 6-30-58 | 5.4 5.4 5.6 5.5 5.5 5.5 6.4 6.9 5.0 5.3 5.5 5.6 5.1 5.6 5.5 5.4 5.2 5.5 5.5 5.8 6.0 6.2 4.7 6.2 6.0 5.7 | 31600 | 5000 | 4N/29W-14A03 S CONT. | 52.0 | 3-28-58 4-30-58 5-26-58 6-24-58 | 65.2 61.0 61.0 61.2 | 31600 | 5000 | 5000 |
| SO COAST BASINS S BAR CO | | | | | | | | | | | | |
| 31600 | | | | | | | | | | | | |
| GOLETA BASIN | | | | | | | | | | | | |
| 31602 | | | | | | | | | | | | |
| 4N/29W-13K02 S | 25.0 | 7-24-57 8-30-57 10-02-57 10-28-57 11-25-57 12-31-57 1-31-58 1-31-58 4-07-58 4-14-58 4-21-58 4-28-58 5-05-58 5-12-58 5-19-58 5-26-58 6-02-58 6-09-58 6-23-58 6-30-58 | 32.8 31.8 31.2 31.0 30.6 30.9 30.4 29.8 29.7 29.7 28.2 28.1 | 31600 | 5000 | 4N/27W-07J02 S | 213.0 | 7-24-57 10-01-57 10-28-57 11-25-57 12-31-57 1-31-58 2-28-58 3-28-58 4-29-58 | 92.8 98.7 97.1 96.2 94.5 96.5 96.2 86.5 84.5 | 31600 | 5000 | 5000 |
| 4N/29W-14A03 S | 52.0 | 7-24-57 8-30-57 10-01-57 8-30-57 12-31-57 7-01-57 7-15-57 7-30-57 8-05-57 8-12-57 8-19-57 8-26-57 9-02-57 9-09-57 9-16-57 9-23-57 9-30-57 10-07-57 10-14-57 10-22-57 10-28-57 11-18-57 11-26-57 12-02-57 | 66.9 65.8 68.1 67.6 | 31600 | 5000 | 4N/27W-07P01 S | 181.0 | 7-24-57 8-30-57 10-01-57 8-30-57 12-31-57 7-01-57 7-15-57 7-30-57 8-05-57 8-12-57 8-19-57 8-26-57 9-02-57 9-09-57 9-16-57 9-23-57 9-30-57 10-07-57 10-14-57 10-22-57 10-28-57 11-18-57 11-26-57 12-02-57 | 114.1 118.9 114.4 118.9 42.7 61.2 63.1 63.4 63.9 64.4 64.7 65.1 65.7 66.0 66.4 66.9 67.7 67.9 67.3 67.1 63.8 59.1 57.5 | 31600 | 5000 | 5000 |
| 4N/29W-14A03 S | 52.0 | 7-24-57 8-30-57 10-01-57 8-30-57 12-31-57 7-01-57 7-15-57 7-30-57 8-05-57 8-12-57 8-19-57 8-26-57 9-02-57 9-09-57 9-16-57 9-23-57 9-30-57 10-07-57 10-14-57 10-22-57 10-28-57 11-18-57 11-26-57 12-02-57 | 66.9 65.8 68.1 67.6 | 31600 | 5000 | 4N/27W-18R02 S | 150.0 | 7-24-57 8-30-57 10-01-57 8-30-57 12-31-57 7-01-57 7-15-57 7-30-57 8-05-57 8-12-57 8-19-57 8-26-57 9-02-57 9-09-57 9-16-57 9-23-57 9-30-57 10-07-57 10-14-57 10-22-57 10-28-57 11-18-57 11-26-57 12-02-57 | 102.8 107.3 42.7 42.7 42.7 61.2 63.1 63.4 63.9 64.4 64.7 65.1 65.7 66.0 66.4 66.9 67.7 67.9 67.3 67.1 63.8 59.1 57.5 | 31600 | 5000 | 5000 |
| 4N/29W-14A03 S | 52.0 | 7-24-57 8-30-57 10-01-57 8-30-57 12-31-57 7-01-57 7-15-57 7-30-57 8-05-57 8-12-57 8-19-57 8-26-57 9-02-57 9-09-57 9-16-57 9-23-57 9-30-57 10-07-57 10-14-57 10-22-57 10-28-57 11-18-57 11-26-57 12-02-57 | 66.9 65.8 68.1 67.6 | 31600 | 5000 | 4N/27W-21B01 S | 57.0 | 7-24-57 8-30-57 10-01-57 8-30-57 12-31-57 7-01-57 7-15-57 7-30-57 8-05-57 8-12-57 8-19-57 8-26-57 9-02-57 9-09-57 9-16-57 9-23-57 9-30-57 10-07-57 10-14-57 10-22-57 10-28-57 11-18-57 11-26-57 12-02-57 | 66.9 65.8 68.1 67.6 | 31600 | 5000 | 5000 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SO COAST BASINS S BAR CO | | | | | | SO COAST BASINS S BAR CO | | | | | |
| CARPINTERIA BASIN | | | | | | CARPINTERIA BASIN | | | | | |
| 31600 | | | | | | 31600 | | | | | |
| 4N/25W-22R01 S CONT. | 212.0 | 10-02-57 | 119.3* | 92.7 | 5000 | 4N/25W-27O02 S CONT. | 128.0 | 11-25-57 | 145.5 | 17.5 | 5000 |
| | | 10-28-57 | 110.1 | 101.9 | | | | 12-31-57 | 150.8 | 22.8 | |
| | | 11-25-57 | 114.9* | 97.1 | | | | 2-03-58 | 143.7 | 15.7 | |
| | | 12-31-57 | 114.6 | 97.4 | | | | 2-28-58 | 146.7 | 18.7 | |
| | | 2-03-58 | 103.4 | 108.6 | | | | 3-28-58 | 144.2 | 16.2 | |
| | | 2-28-58 | 64.6 | 147.4 | | | | 4-29-58 | 142.5 | 14.5 | |
| | | 3-28-58 | 52.6 | 159.4 | | | | 5-27-58 | 138.9 | 10.9 | |
| | | 4-29-58 | 48.9* | 163.1 | | | | 6-23-58 | 137.4 | 9.4 | |
| | | 5-27-58 | 47.0* | 165.0 | | | | 7-24-57 | 161.0* | 29.0 | |
| | | 6-23-58 | 49.9* | 162.1 | | | | 10-02-57 | 175.2* | 43.2 | |
| 4N/25W-25L01 S | 229.0 | 7-24-57 | 12.3 | 216.7 | 5000 | 4N/25W-27R02 S | 132.0 | 7-24-57 | 143.1 | 11.1 | 5000 |
| | | 8-29-57 | 57.7* | 171.3 | | | | 10-02-57 | 169.8 | 37.8 | |
| | | 11-25-57 | 58.8* | 170.2 | | | | 11-25-57 | 161.9 | 29.9 | |
| | | 12-31-57 | 22.7 | 206.3 | | | | 1-31-57 | 159.4 | 27.4 | |
| | | 2-03-58 | 17.1 | 211.9 | | | | 2-03-58 | 157.5 | 25.5 | |
| | | 2-28-58 | 12.5 | 216.5 | | | | 2-28-58 | 155.4 | 23.4 | |
| | | 3-28-58 | 12.1 | 216.9 | | | | 3-28-58 | 153.7 | 21.7 | |
| | | 4-29-58 | 12.3 | 216.7 | | | | 4-29-58 | 146.1 | 14.1 | |
| | | 5-27-58 | 12.2 | 216.8 | | | | 5-27-58 | 144.1 | 12.1 | |
| | | 6-24-58 | 12.0 | 217.0 | | | | 6-24-58 | 143.1 | 11.1 | |
| 4N/25W-26A01 S | 421.0 | 7-24-57 | 320.0 | 101.0 | 5000 | 4N/25W-28J01 S | 100.0 | 7-24-57 | 117.9 | 17.9 | 5000 |
| | | 8-29-57 | 323.3 | 97.7 | | | | 11-25-57 | 115.6 | 15.6 | |
| | | 10-02-57 | 324.3 | 96.7 | | | | 12-31-57 | 112.4 | 12.4 | |
| | | 10-28-57 | 323.8 | 97.2 | | | | 2-03-58 | 109.8 | 9.8 | |
| | | 11-25-57 | 321.9 | 99.1 | | | | 2-28-58 | 109.2 | 9.2 | |
| | | 12-31-57 | 318.7 | 102.3 | | | | 3-28-58 | 108.0 | 8.0 | |
| | | 2-03-58 | 309.7 | 111.3 | | | | 4-29-58 | 99.3 | 7 | |
| | | 2-28-58 | 306.9 | 114.1 | | | | 5-27-58 | 97.4 | 2.6 | |
| | | 4-29-58 | 298.2 | 122.8 | | | | 7-24-57 | 71.4 | 13.4 | |
| | | 6-27-58 | 299.0 | 122.0 | | | | 8-29-57 | 61.4 | 33.4 | |
| 4N/25W-26C02 S | 432.0 | 10-02-57 | 316.5 | 115.5 | 5000 | 4N/25W-28M01 S | 58.0 | 7-24-57 | 71.4 | 13.4 | 5000 |
| | | 10-28-57 | 316.8 | 115.2 | | | | 8-29-57 | 61.4 | 33.4 | |
| | | 11-25-57 | 315.1 | 115.9 | | | | 10-02-57 | 87.6 | 29.6 | |
| | | 10-28-57 | 316.1 | 115.9 | | | | 11-25-57 | 86.6 | 28.6 | |
| | | 11-25-57 | 315.5 | 116.5 | | | | 12-31-57 | 83.7 | 25.7 | |
| | | 2-03-58 | 307.7 | 124.3 | | | | 1-31-57 | 73.8 | 15.8 | |
| | | 2-28-58 | 305.0 | 127.0 | | | | 2-03-58 | 71.3 | 13.3 | |
| | | 4-29-58 | 288.9 | 143.1 | | | | 2-28-58 | 69.7 | 11.7 | |
| | | 6-27-58 | 283.4* | 148.6 | | | | 3-28-58 | 68.3 | 10.3 | |
| 4N/25W-27O02 S | 128.0 | 7-24-57 | 146.1 | 18.1 | 5000 | 4N/25W-29D01 S | 17.0 | 7-24-57 | 33.3 | 16.3 | 5000 |
| | | 8-29-57 | 148.4* | 20.4 | | | | 8-29-57 | 42.3 | 25.3 | |
| | | 10-02-57 | 149.6* | 21.6 | | | | 10-02-57 | 42.8 | 23.8 | |
| | | 10-28-57 | 149.5 | 21.5 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SO COAST BASINS S BAR CO | | | | | | SO COAST BASINS S BAR CO | | | | | |
| CARPINTERIA BASIN | | | | | | CARPINTERIA BASIN | | | | | |
| 4N/25W-29D01 S | 17+0 | 10-28-57 | 42+7 | 25+7 | 5000 | 4N/25W-30D02 S | 11+0 | 7-24-57 | 21+5 | 10+5 | 5000 |
| CONT. | | 11-25-57 | 39+8 | 22+8 | | | | 8-29-57 | 26+4 | 15+4 | |
| | | 12-31-57 | 30+4 | 13+4 | | | | 10-02-57 | 27+0 | 16+0 | |
| | | 2-03-58 | 27+9 | 10+9 | | | | 10-28-57 | 24+6 | 13+6 | |
| | | 2-28-58 | 25+6 | 8+6 | | | | 11-25-57 | 22+3 | 11+3 | |
| | | 3-28-58 | 23+9 | 6+9 | | | | 12-31-57 | 20+4 | 9+4 | |
| | | 4-29-58 | 19+2 | 2+2 | | | | 2-03-58 | 18+6 | 7+6 | |
| | | 7-24-57 | 29+6 | 9+6 | 5000 | | | 2-28-58 | 17+0 | 6+0 | |
| 4N/25W-29L01 S | 20+0 | 8-29-57 | 36+9 | 16+9 | | | | 3-28-58 | 14+3 | 3+3 | |
| | | 10-02-57 | 35+2 | 15+2 | | | | 4-29-58 | 8+3 | 2+7 | |
| | | 10-28-57 | 28+0 | 8+0 | | | | 5-27-58 | 7+8 | 3+2 | |
| | | 11-25-57 | 24+6 | 4+6 | | | | 6-24-58 | 7+6 | 3+4 | |
| | | 12-31-57 | 22+1 | 2+1 | | | | | | | |
| | | 2-03-58 | 20+0 | 0 | | | | 7-24-57 | 14+3+6 | 11+0 | 5000 |
| | | 2-28-58 | 17+3 | 2+7 | | | | 8-29-57 | 14+3 | 10+3 | |
| | | 3-28-58 | 14+8 | 2+2 | | | | 10-02-57 | 14+4 | 10+2 | |
| | | 4-29-58 | 14+4 | 1+6 | | | | 10-28-57 | 14+3 | 10+1 | |
| | | 5-27-58 | 19+0 | 11+0 | | | | 11-25-57 | 14+3 | 10+2 | |
| | | 6-24-58 | 16+9 | 3+1 | | | | 12-31-57 | 13+9+5 | 10+1 | |
| | | 7-24-57 | 65+7 | 32+7 | 5000 | 4N/25W-34F02 S | 154+6 | | | | |
| 4N/25W-29R01 S | 33+0 | 8-29-57 | 67+2* | 34+2 | | | | 2-28-58 | 14+2 | 10+0 | |
| | | 10-02-57 | 65+5* | 32+5 | | | | 3-28-58 | 14+3 | 11+3 | |
| | | 10-28-57 | 52+7 | 19+7 | | | | 7-24-57 | 115+8 | 23+2 | 5000 |
| | | 11-25-57 | 50+1 | 17+1 | | | | 8-29-57 | 131+3 | 7+7 | |
| | | 12-31-57 | 47+4 | 14+4 | | | | 10-02-57 | 132+0 | 6+6 | |
| | | 2-03-58 | 45+8 | 12+8 | | | | 10-28-57 | 130+7 | 7+0 | |
| | | 2-28-58 | 44+7 | 11+7 | | | | 11-25-57 | 122+7 | 8+3 | |
| | | 3-28-58 | 43+4 | 10+4 | | | | 12-31-57 | 124+9 | 16+3 | |
| | | 4-29-58 | 39+9 | 6+9 | | | | 2-03-58 | 124+9 | 14+1 | |
| | | 5-27-58 | 40+8 | 7+8 | | | | 3-28-58 | 109+1 | 29+9 | |
| | | 6-24-58 | 63+0* | 30+0 | | | | 4-29-58 | 88+2 | 50+8 | |
| | | 7-24-57 | 10+5 | 2+1 | 5000 | | | 5-27-58 | 75+8 | 63+2 | |
| 4N/25W-30D01 S | 8+4 | 8-29-57 | 19+2 | 10+8 | | 4N/25W-35M05 S | 218+5 | 6-24-58 | 72+1 | 66+9 | |
| | | 10-02-57 | 19+5 | 11+1 | | | | 7-24-57 | 56+7 | 7+3 | 5000 |
| | | 10-28-57 | 17+3 | 8+9 | | | | 8-29-57 | 61+3 | 2+7 | |
| | | 11-25-57 | 15+1 | 6+7 | | | | 10-02-57 | 53+9 | 10+1 | |
| | | 12-31-57 | 12+6 | 4+2 | | | | 10-28-57 | 54+1 | 9+9 | |
| | | 2-03-58 | 10+5 | 2+1 | | | | 11-25-57 | 50+6 | 13+4 | |
| | | 2-28-58 | 9+0 | 0+6 | | | | 12-31-57 | 50+1 | 13+9 | |
| | | 3-28-58 | 6+6 | 1+8 | | | | | | | |
| | | 4-29-58 | 1+5 | 6+9 | | | | | | | |
| | | 5-27-58 | 5+2 | 3+2 | | | | | | | |
| | | 6-24-58 | 4+6 | 3+8 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------------|--------------------|---|-------------------------------------|---|-----------------------|--|-------------------------|--|---|-------------------------------------|--|-----------------------|
| SO COAST BASINS S. BAR CO | | | | | | | | | | | | |
| CARPINTERIA BASIN | | | | | | | | | | | | |
| 4N/26W-23A02 S CONT. | 64.0 | 2-03-58 2-28-58 3-28-58 4-29-58 5-27-58 6-23-58 | 31604 | 14.4 14.3 15.9 15.3 16.0 12.3 | 5000 | | 4N/28W-11P04 S CONT. | 41.0 | 2-17-58 2-24-58 3-03-58 3-10-58 3-17-58 3-24-58 3-31-58 4-07-58 4-14-58 4-21-58 4-28-58 5-05-58 5-12-58 5-19-58 5-26-58 6-02-58 6-09-58 6-23-58 6-30-58 | 31600 | 32.9 35.9 35.7 34.8 37.0 36.7 35.9 35.6 34.9 33.9 35.6 33.9 33.9 33.6 33.2 30.0 29.8 28.9 28.6 | 5000 |
| 4N/27W-07N01 S | 165.0 | 10-22-57 11-25-57 12-31-57 1-31-58 2-28-58 3-28-58 4-29-58 5-26-58 6-24-58 | 31604 | 34.5 40.0 44.2 49.7 52.1 53.8 55.7 56.5 47.2 | 5000 | | 4N/28W-11P05 S | 40.0 | 7-01-57 7-08-57 7-15-57 7-22-57 8-05-57 8-12-57 8-19-57 8-26-57 9-02-57 9-09-57 9-16-57 9-23-57 9-30-57 10-07-57 10-14-57 10-22-57 10-28-57 11-18-57 11-25-57 12-02-57 12-09-57 12-16-57 12-30-57 | 31600 | 28.4 28.2 28.1 28.0 27.7 27.7 27.6 27.7 27.5 27.4 27.1 26.9 26.9 26.7 26.5 26.5 26.6 26.6 27.1 27.1 27.8 28.2 28.4 28.4 | 5000 |
| 4N/28W-11P04 S | 41.0 | 7-01-57 7-08-57 7-15-57 7-22-57 8-05-57 8-12-57 8-19-57 8-26-57 9-02-57 9-09-57 9-16-57 9-23-57 9-30-57 10-07-57 10-14-57 10-22-57 10-28-57 11-18-57 11-25-57 12-02-57 12-09-57 12-16-57 12-30-57 | 31604 | 9.0 9.4 9.2 9.7 10.2 10.4 10.5 10.8 10.9 11.3 11.6 10.9 10.9 11.6 12.1 13.4 11.2 10.7 10.4 10.4 10.7 9.1 8.2 8.8 8.8 10.5 10.3 8.8 | 31600 | 32.0 31.6 31.8 31.3 30.8 30.6 30.2 30.5 30.2 30.1 2.7 2.7 3.0 2.9 2.8 2.6 2.8 3.0 3.0 3.0 3.0 3.1 3.2 3.2 3.2 3.0 3.0 3.2 | 31600 | 28.4 28.2 28.1 28.0 27.7 27.7 27.6 27.7 27.5 27.4 27.1 26.9 26.9 26.7 26.5 26.5 26.6 26.6 27.1 27.1 27.8 28.2 28.4 28.4 | 5000 | | | |

GROUND WATER LEVELS AT WELLS


| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|--------------------------|--------------------|---------|--------------------------------------|------------------------------|-----------------------|
| SO COAST BASINS S BAR CO | | | | | | SO COAST BASINS S BAR CO | | | | | |
| CARPINTERIA BASIN | | | | | | CARPINTERIA BASIN | | | | | |
| 4N/28W-16L01 S | 23.0 | 5-26-58 | 43.2 | - 20.2 | 5000 | 4N/28W-20C01 S | 8.6 | 5-12-58 | 6.8 | 1.8 | 5000 |
| CONT. | | 6-24-58 | 42.9 | - 19.9 | | CONT. | | 5-19-58 | 6.6 | 2.0 | |
| 4N/28W-20C01 S | 8.6 | 7-01-57 | 7.0 | 1.6 | 5000 | | | 5-26-58 | 5.8 | 2.8 | |
| | | 7-08-57 | 7.0 | 1.6 | | | | 6-02-58 | 6.6 | 2.0 | |
| | | 7-15-57 | 7.0 | 1.6 | | | | 6-09-58 | 7.0 | 1.6 | |
| | | 7-22-57 | 7.0 | 1.6 | | | | 6-23-58 | 6.8 | 1.8 | |
| | | 7-30-57 | 6.7 | 1.9 | | | | 6-30-58 | 6.6 | 2.0 | |
| | | 8-03-57 | 6.9 | 1.7 | | | | | | | |
| | | 8-12-57 | 6.9 | 1.7 | | | | | | | |
| | | 8-19-57 | 8.1 | 1.5 | | | | | | | |
| | | 8-26-57 | 7.1 | 1.5 | | | | | | | |
| | | 9-02-57 | 7.1 | 1.5 | | | | | | | |
| | | 9-09-57 | 7.1 | 1.5 | | | | | | | |
| | | 9-16-57 | 7.2 | 1.4 | | | | | | | |
| | | 9-23-57 | 7.1 | 1.5 | | | | | | | |
| | | 9-30-57 | 7.1 | 1.5 | | | | | | | |
| | | 10-07-57 | 7.1 | 1.5 | | | | | | | |
| | | 10-14-57 | 7.1 | 1.5 | | | | | | | |
| | | 10-22-57 | 7.0 | 1.6 | | | | | | | |
| | | 10-28-57 | 6.8 | 1.8 | | | | | | | |
| | | 11-04-57 | 6.8 | 1.8 | | | | | | | |
| | | 11-12-57 | 6.7 | 1.9 | | | | | | | |
| | | 11-18-57 | 6.9 | 1.7 | | | | | | | |
| | | 11-25-57 | 6.7 | 1.9 | | | | | | | |
| | | 12-02-57 | 6.7 | 1.9 | | | | | | | |
| | | 12-09-57 | 6.8 | 1.8 | | | | | | | |
| | | 12-16-57 | 6.6 | 2.0 | | | | | | | |
| | | 12-30-57 | 6.8 | 1.8 | | | | | | | |
| | | 1-06-58 | 6.8 | 1.8 | | | | | | | |
| | | 1-13-58 | 6.7 | 1.9 | | | | | | | |
| | | 1-20-58 | 6.2 | 2.4 | | | | | | | |
| | | 1-27-58 | 6.3 | 2.3 | | | | | | | |
| | | 2-10-58 | 6.7 | 1.9 | | | | | | | |
| | | 2-17-58 | 6.8 | 1.8 | | | | | | | |
| | | 2-24-58 | 6.8 | 1.8 | | | | | | | |
| | | 3-03-58 | 6.6 | 2.0 | | | | | | | |
| | | 3-10-58 | 6.9 | 1.7 | | | | | | | |
| | | 3-17-58 | 6.7 | 1.9 | | | | | | | |
| | | 3-24-58 | 6.7 | 1.9 | | | | | | | |
| | | 3-31-58 | 6.6 | 2.0 | | | | | | | |
| | | 4-07-58 | 6.2 | 2.4 | | | | | | | |
| | | 4-14-58 | 6.7 | 1.9 | | | | | | | |
| | | 4-21-58 | 6.7 | 1.9 | | | | | | | |
| | | 4-28-58 | 6.9 | 1.7 | | | | | | | |
| | | 5-03-58 | 6.7 | 1.9 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------|--------------------|---------------------|-------------------------------------|-----------------------------|-----------------------|-------------------------------------|--------------------|---------------------|-------------------------------------|-----------------------------|-----------------------|
| CARRIZO PLAIN | | | | | | | | | | | |
| 295/17E-13R01 M | 2038.0 | 10-17-57 3-22-58 | 37.5 36.6 | 31900 2000.5 2001.4 | 5050 | SAN SIMEON BASIN | 32100 | 32103 | 32100 | 32100 | 5050 |
| 295/18E-28K01 M | 2020.0 | 10-17-57 3-22-58 | 45.4 42.0 | 1974.6 1978.0 | 5050 | 275/08E-09L01 M SANTA ROSA BASIN | 30.0 | 3-17-58 | 5.1 | 24.9 | 5050 |
| 295/18E-28L01 M | 2020.0 | 10-17-57 3-22-58 | 31.8 31.0 | 1988.2 1989.0 | 5050 | 275/08E-24J01 M | 84.0 | 10-17-57 3-17-58 | 26.9 23.2 | 57.1 60.8 | 5050 |
| 305/18E-02N01 M | 1985.0** | 10-17-57 3-22-58 | 36.5* 25.3 | 1948.5 1959.7 | 5050 | VILLA BASIN | 70.0 | 3-17-58 | 13.1 | 56.9 | 5050 |
| CAMBRIA GROUP | | | | | | | | | | | |
| TORO BASIN | | | | | | | | | | | |
| | | | | | | 295/10E-01P01 M | 130.0 | 3-17-58 | 5.2 | 124.8 | 5050 |

36°00'

35°30'



KEY MAP



119°30'

119°00'

35°00'

34°30'

T.28S
T.29S.

T.32S.
T.12N

R.22W
R.21W
R.22W
R.21W
R.22W
R.21W

3-19.00

3-13.00

3-16.01

3-16.02

3-16.03


3-16.04

LEGEND

- GROUND WATER BASIN AND NUMERICAL DESIGNATION (1) BASIN
- SECTION BOUNDARY
- GROUND WATER VALLEY BOUNDARY
- GROUND WATER BASIN BOUNDARY
- GROUND WATER BASIN GROUP BOUNDARY
- M05 & M - MT. DIABLO BASE AND MERIDIAN
- S05 & S - SAN BERNARDINO BASE AND MERIDIAN


STATE OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
SOUTHERN CALIFORNIA DISTRICT
WATER SUPPLY CONDITIONS IN SOUTHERN
CALIFORNIA DURING 1957-58

LOCATION OF GROUND WATER BASINS
SAN LUIS OBISPO AND SANTA BARBARA COUNTIES
CENTRAL COASTAL REGION NO 3



NUMERICAL DESIGNATIONS OF GROUND WATER BASINS

- 3-4.00 Salinas Valley
- 3-4.06 Paso Robles Basin
- 3-4.07 Pozo Basin
- 3-8.00 San Luis Obispo Group
 - 3-8.01 Morro Basin
 - 3-8.02 Chorro Basin
 - 3-8.03 Los Osos Basin
 - 3-8.04 San Luis Obispo Basin
 - 3-8.05 Pismo Basin
- 3-11.00 Arroyo Grande Group
 - 3-11.01 Arroyo Grande Basin
 - 3-11.02 Nipomo Mesa Basin
- 3-12.00 Santa Maria River Valley
- 3-13.00 Cuyama River Valley
- 3-14.00 San Antonio Creek Valley
- 3-15.00 Santa Ynez River Valley
 - 3-15.01 Lompoc Subarea
 - 3-15.02 Santa Rita Subarea
 - 3-15.03 Buellton Subarea
 - 3-15.04 Santa Ynez Subarea
 - 3-15.05 Headwater Subarea
- 3-16.00 South Coast Basins (Santa Barbara County)
 - 3-16.01 Goleta Basin
 - 3-16.02 Santa Barbara Basin
 - 3-16.03 Montecito Subarea
 - 3-16.04 Carpinteria Basin
- 3-19.00 Carrizo Plain
- 3-21.00 Cambria Group
 - 3-21.03 San Simeon Basin
 - 3-21.04 Santa Rosa Basin
 - 3-21.05 Villa Basin
 - 3-21.06 Toro Basin
- 3-22.00 Santa Barbara County Coastal Group



STATE OF CALIFORNIA
 DEPARTMENT OF WATER RESOURCES
 SOUTHERN CALIFORNIA DISTRICT
 WATER SUPPLY CONDITIONS IN SOUTHERN CALIFORNIA DURING 1957-58

**LOCATION OF GROUND WATER BASINS
 SAN LUIS OBISPO AND SANTA BARBARA COUNTIES
 CENTRAL COASTAL REGION NO. 3**

SCALE OF MILES
 0 20
 1960

APPENDIX C

RECORDS OF GROUND WATER LEVELS AT WELLS
LOS ANGELES REGION NO. 4

APPENDIX C

RECORDS OF GROUND WATER LEVELS AT WELLS
LOS ANGELES REGION NO. 4

TABLE OF CONTENTS

| | <u>Page</u> |
|---|-------------|
| Upper Ojai Valley 40100 | C- 1 |
| Ojai Valley 40200 | C- 1 |
| Ventura River Valley 40300 | C- 8 |
| Upper Ventura River Basin | C- 8 |
| Santa Clara River Valley 40400 | C- 18 |
| Oxnard Plain Pressure Area 40401 | C- 18 |
| Oxnard Plain Forebay Area 40402 | C- 42 |
| Hound Pressure Area 40403 | C- 50 |
| Santa Paula Basin 40404 | C- 57 |
| Fillmore Basin 40405 | C- 63 |
| Piru Basin 40406 | C- 70 |
| Eastern Basin 40407 | C- 77 |
| Acton Valley 40500 | C- 86 |
| Pleasant Valley 40600 | C- 86 |
| Arroyo Santa Rosa Valley 40700 | C- 91 |
| Las Posas Valley 40800 | C- 93 |
| West Las Posas Basin 40801 | C- 93 |
| East Las Posas Basin 40802 | C- 94 |
| Simi Valley 40900 | C-100 |
| Conejo Valley 41000 | C-105 |
| Coastal Plain, Los Angeles County 41100 | C-112 |
| West Coast Basin North 41101 | C-112 |
| West Coast Basin 41102 | C-115 |
| Central Coastal Plain Pressure 41103 | C-149 |

Coastal Plain, Los Angeles County (continued)

| | |
|---|-------|
| Los Angeles Forebay Area 41104 | C-229 |
| Montebello Forebay Area 41105 | C-237 |
| Hollywood Basin 41106 | C-267 |
| Los Angeles Narrows Basin 41107 | C-267 |
| La Habra Basin 41108 | C-269 |
| San Fernando Valley 41200 | C-271 |
| San Fernando Basin 41201 | C-271 |
| Bull Canyon Basin 41202 | C-294 |
| Sylmar Basin 41203 | C-294 |
| Pacoima Basin 41204 | C-295 |
| Tujunga Basin 41205 | C-296 |
| Verdugo Basin 41207 | C-298 |
| San Gabriel Valley 41300 | C-303 |
| Main San Gabriel Basin 41301 | C-303 |
| Monk Hill Basin 41302 | C-342 |
| Pasadena Subarea 41303 | C-345 |
| Santa Anita Subarea 41304 | C-353 |
| Upper Canyon Basin 41305 | C-356 |
| Lower Canyon Basin 41306 | C-359 |
| Glendora Basin 41307 | C-360 |
| Way Hill Basin 41308 | C-363 |
| San Dimas Basin 41309 | C-364 |
| Foothill Basin 41310 | C-367 |
| Spadra Basin 41311 | C-368 |
| Puente Basin 41312 | C-369 |

| | <u>Page</u> |
|--|-------------|
| Upper Santa Ana Valley, Los Angeles County 41400 | C-371 |
| Chino Basin 41401 | C-371 |
| Pomona Basin 41402 | C-373 |
| Live Oak Basin 41403 | C-376 |
| Claremont Heights Basin 41404 | C-378 |
| Tierra Rajada Valley 41500 | C-383 |
| Malibu Coastal Group 41600 | C-384 |
| Hidden Valley Basin 41601 | C-384 |
| Russell Basin 41602 | C-385 |
| Arroyo Sequit Canyon Basin 41605 | C-385 |
| Trancas Canyon Basin 41609 | C-385 |
| Zuma Canyon Basin 41610 | C-385 |
| Ramera Canyon Basin 41611 | C-386 |
| Solstice Canyon Basin 41614 | C-386 |
| Malibu Creek Basin 41616 | C-386 |
| Los Flores Canyon Basin 41619 | C-386 |
| Piedra Gorda Canyon Basin 41620 | C-386 |
| Las Virgenes Canyon Basin 41625 | C-387 |

PLATE

Plate No.

C-1

Bound at end of
Appendix C

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | | | | |
|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|-------------|--------------------------------------|------------------------------|-----------------------|-------|--|--|--|
| UPPER OJAI VALLEY | | | | | | | | | | | | | | | |
| 4N/22W-09001 S | | | | 40100 | | | | OJAI VALLEY | | | | 40200 | | | |
| | 1271.7 | 7-12-57 | 21.6 | 1250.1 | 2100 | 4N/22W-04J01 S | 1145.0 | 7-16-57 | 227.2 | 917.8 | 2100 | | | | |
| | | 8-20-57 | 22.0 | 1249.7 | | | | 8-20-57 | 229.6 | 915.4 | | | | | |
| | | 9-27-57 | 22.4 | 1249.3 | | | | 9-27-57 | 230.0 | 915.0 | | | | | |
| | | 11-07-57 | 22.8 | 1248.9 | | | | 11-07-57 | 230.4 | 914.6 | | | | | |
| | | 12-03-57 | 22.8 | 1248.9 | | | | 12-03-57 | 230.4 | 914.6 | | | | | |
| | | 1-17-58 | 22.0 | 1249.7 | | | | 1-21-58 | 229.8 | 915.2 | | | | | |
| | | 4-22-58 | 15.9* | | | | | 4-23-58 | 159.5 | 985.5 | | | | | |
| | | 6-12-58 | 14.3 | | | | | 6-12-58 | 153.8 | 991.2 | | | | | |
| 4N/22W-10K02 S | | | | | | | | | | | | | | | |
| | 1326.0 | 7-12-57 | 21.0 | 1305.0 | 2100 | 4N/22W-04L01 S | 1034.5 | 7-16-57 | 292.8 | 741.7 | 2100 | | | | |
| | | 8-20-57 | 22.1 | 1303.9 | | | | 8-20-57 | 292.8 | 741.7 | | | | | |
| | | 9-27-57 | 22.9 | 1303.1 | | | | 9-27-57 | DRY | | | | | | |
| | | 11-07-57 | 23.2 | 1302.8 | | | | 11-07-57 | DRY | | | | | | |
| | | 12-03-57 | 23.4 | 1302.6 | | | | 12-03-57 | 295.2 | 739.3 | | | | | |
| | | 1-17-58 | 20.5 | 1305.5 | | | | 1-21-58 | 266.4 | 787.9 | | | | | |
| | | 4-22-58 | 15.9* | 1310.1 | | | | 4-23-58 | 135.8 | 898.7 | | | | | |
| | | 6-12-58 | 14.3 | 1311.7 | | | | 6-12-58 | 123.0 | 911.5 | | | | | |
| 4N/22W-12F01 S | | | | | | | | | | | | | | | |
| | 1618.1 | 7-12-57 | 135.1 | 1483.0 | 2100 | 4N/22W-04M01 S | 998.3 | 7-16-57 | 264.1* | 734.2 | 2100 | | | | |
| | | 8-20-57 | 141.3 | 1478.8 | | | | 8-20-57 | 279.7* | 718.6 | | | | | |
| | | 9-27-57 | 141.7 | 1472.6 | | | | 9-27-57 | 270.3* | 728.0 | | | | | |
| | | 11-07-57 | 149.4 | 1468.9 | | | | 11-07-57 | 257.9 | 740.4 | | | | | |
| | | 12-03-57 | 149.4 | 1468.9 | | | | 12-03-57 | 256.6* | 741.7 | | | | | |
| | | 1-17-58 | 142.8 | 1475.3 | | | | 1-21-58 | 246.2 | 752.1 | | | | | |
| | | 4-22-58 | 115.8 | 1502.3 | | | | 4-23-58 | 143.6 | 854.7 | | | | | |
| | | 6-12-58 | 115.7 | 1502.4 | | | | 6-12-58 | 106.0 | 892.3 | | | | | |
| 4N/22W-17G01 S | | | | | | | | | | | | | | | |
| | 1247.5 | 7-12-57 | 95.0 | 1152.5 | 2100 | 4N/22W-04M02 S | 1008.2 | 4-23-58 | 138.8 | 869.4 | 2100 | | | | |
| | | 8-20-57 | 115.5 | 1132.0 | | | | 6-12-58 | 109.7 | 898.5 | | | | | |
| | | 9-27-57 | 116.5 | 1133.0 | | | | 11-07-57 | 272.9 | 720.3 | 2100 | | | | |
| | | 11-07-57 | 102.2 | 1145.3 | | | | 1-21-58 | 257.2 | 736.0 | | | | | |
| | | 12-03-57 | 108.5 | 1139.0 | | | | 4-23-58 | 141.4 | 851.8 | | | | | |
| | | 1-17-58 | 93.0 | 1154.5 | | | | 6-12-58 | 125.1 | 868.1 | | | | | |
| | | 4-22-58 | 75.8 | 1171.7 | | | | 11-07-57 | 235.5 | 795.1 | 2100 | | | | |
| | | 6-12-58 | 220.0* | 1027.5 | | | | 1-21-58 | 223.2 | 807.4 | | | | | |
| | | | | | | | | 4-23-58 | 113.0 | 917.6 | | | | | |
| | | | | | | | | 6-12-58 | 100.0 | 937.6 | | | | | |
| 4N/22W-04R01 S | | | | | | | | | | | | | | | |
| | 1046.3 | 7-16-57 | 96.4 | 949.9 | | | | 7-16-57 | 96.4 | 949.9 | 2100 | | | | |
| | | 8-20-57 | 97.3 | 949.1 | | | | 8-20-57 | 97.3 | 949.9 | | | | | |
| | | 9-27-57 | 98.1 | 948.2 | | | | 9-27-57 | 98.1 | 948.2 | | | | | |
| | | 11-07-57 | 99.5 | 946.8 | | | | 11-07-57 | 99.5 | 946.8 | | | | | |
| | | 12-03-57 | 99.0 | 947.3 | | | | 12-03-57 | 99.0 | 947.3 | | | | | |
| | | 1-21-58 | 96.8 | 949.5 | | | | 1-21-58 | 96.8 | 949.5 | | | | | |
| | | 4-23-58 | 8.2 | 1038.1 | | | | 4-23-58 | 8.2 | 1038.1 | | | | | |
| | | 6-12-58 | 9.0 | 1037.3 | | | | 6-12-58 | 9.0 | 1037.3 | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| OJAI VALLEY | | | | | | | | | | | |
| 4N/22W-05C02 S | 924.3 | 7-16-57 | 223.4 | 700.9 | 2100 | 4N/22W-05G02 S | 916.7 | 11-08-57 | 224.6 | 40200 | 2100 |
| | | 8-21-57 | 238.3 | 686.0 | | | | 12-04-57 | 224.9 | 692.1 | |
| | | 9-27-57 | 247.7 | 676.6 | | | | 1-21-58 | 211.4 | 691.8 | |
| | | 11-08-57 | 234.5 | 689.8 | | | | 4-23-58 | 106.1 | 705.3 | |
| | | 12-04-57 | 234.5 | 689.8 | | | | 6-13-58 | 97.0 | 819.7 | |
| | | 1-21-58 | 217.3 | 814.8 | | | | 10-01-57 | 275.5 | 677.6 | 2100 |
| | | 4-23-58 | 109.5 | 814.8 | | | | 11-08-57 | 257.5 | 695.6 | |
| | | 6-13-58 | 103.6 | 820.7 | | | | 12-11-57 | 254.3 | 698.8 | |
| 4N/22W-05D01 S | 890.6 | 7-16-57 | 185.3 | 705.3 | 2100 | 4N/22W-05H01 S | 953.1 | 1-21-58 | 245.2 | 707.9 | |
| | | 8-21-57 | 200.0 | 690.6 | | | | 4-24-58 | 144.2 | 808.9 | |
| | | 10-01-57 | 209.4 | 681.2 | | | | 7-16-57 | 241.0 | 704.8 | 2100 |
| | | 11-08-57 | 205.7 | 684.9 | | | | 11-07-57 | 236.5 | 709.1 | |
| | | 12-11-57 | 202.5 | 688.1 | | | | 1-21-58 | 223.7 | 721.9 | |
| | | 1-21-58 | 160.0 | 730.6 | | | | 4-23-58 | 100.3 | 845.3 | |
| | | 4-23-58 | 66.6 | 824.0 | | | | 7-16-57 | 268.5 | 705.1 | 2100 |
| | | 6-13-58 | 66.0 | 824.6 | | | | 8-20-57 | 285.6 | 688.0 | |
| 4N/22W-05D03 S | 896.0 | 10-01-57 | 222.8 | 673.2 | 2100 | 4N/22W-05J06 S | 973.6 | 9-27-57 | 290.8 | 682.8 | |
| | | 11-08-57 | 209.5 | 686.5 | | | | 11-07-57 | 274.6 | 699.0 | |
| | | 12-04-57 | 210.9 | 685.1 | | | | 12-03-57 | 275.5 | 698.1 | |
| | | 1-21-58 | 179.8 | 716.2 | | | | 1-21-58 | 261.8 | 711.8 | |
| | | 6-13-58 | 75.1 | 820.9 | | | | 4-23-58 | 159.2 | 814.4 | |
| 4N/22W-05E05 S | 859.2 | 10-01-57 | 191.2 | 668.0 | 2100 | 4N/22W-05J07 S | 912.4 | 6-12-58 | 147.8 | 825.8 | |
| | | 11-08-57 | 172.0 | 687.2 | | | | 11-08-57 | 217.7 | 694.7 | 2100 |
| | | 12-11-57 | 170.8 | 688.4 | | | | 12-04-57 | 219.5 | 692.9 | |
| | | 1-22-58 | 154.2 | 705.0 | | | | 1-21-58 | 205.8 | 706.6 | |
| | | 4-24-58 | 48.0 | 811.2 | | | | 4-23-58 | 103.2 | 809.2 | |
| | | 6-13-58 | 46.8 | 812.4 | | | | 6-12-58 | 96.0 | 816.4 | |
| 4N/22W-05E07 S | 897.4 | 7-16-57 | 199.2 | 698.2 | 2100 | 4N/22W-05K01 S | 913.0 | 11-08-57 | 220.7 | 692.3 | 2100 |
| | | 8-21-57 | 214.0 | 683.4 | | | | 1-21-58 | 207.7 | 703.3 | |
| | | 9-27-57 | 224.0 | 673.4 | | | | 4-23-58 | 104.0 | 809.0 | |
| | | 11-08-57 | 210.3 | 687.1 | | | | 7-16-57 | 199.1 | 699.1 | 2100 |
| | | 12-04-57 | 211.7 | 685.7 | | | | 8-20-57 | 217.0 | 681.2 | |
| | | 1-21-58 | 184.1 | 713.3 | | | | 9-27-57 | 221.5 | 676.7 | |
| | | 4-23-58 | 80.2 | 817.2 | | | | 11-08-57 | 205.5 | 692.7 | |
| | | 6-13-58 | 76.8 | 820.6 | | | | 12-04-57 | 207.4 | 690.8 | |
| 4N/22W-05G01 S | 928.5 | 7-16-57 | 226.2 | 702.3 | 2100 | 4N/22W-05K03 S | 898.2 | 1-21-58 | 192.6 | 705.6 | |
| | | 8-21-57 | 241.8 | 686.7 | | | | 4-23-58 | 88.8 | 809.4 | |
| | | 9-27-57 | 249.8 | 678.7 | | | | 6-12-58 | 81.7 | 816.5 | |
| | | 11-08-57 | 236.1 | 692.4 | | | | 7-16-57 | 179.0 | 697.5 | 2100 |
| | | 12-04-57 | 235.0 | 693.5 | | | | 10-01-57 | 202.3 | 674.2 | |
| | | 1-21-58 | 222.9 | 705.6 | | | | 11-08-57 | 186.5 | 690.0 | |
| | | 4-23-58 | 117.4 | 811.1 | | | | | | | |
| | | 6-13-58 | 107.0 | 821.5 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|-----------|-------------------------------------|-----------------------------|-----------------------|
| OJAI VALLEY | | | | | | | | | | | |
| 4N/22W-05L03 S | 876+5 | 12-11-57 | 185+0 | 40200 | 2100 | 4N/22W-05M03 S | 843+6 | 12-11-57 | 152+2 | 40200 | 2100 |
| CONT. | | 1-22-58 | 175+0 | 701.5 | | CONT. | | 1-22-58 | 159+8 | 691.4 | |
| | | 4-24-58 | 65+2 | 811.3 | | | | 4-24-58 | 34+2 | 703.8 | |
| | | 6-13-58 | 61+2 | 815.3 | | | | 6-13-58 | 32+3 | 809+4 | |
| 4N/22W-05L05 S | 869+1 | 11-07-57 | 177.5 | 691.6 | 2100 | 4N/22W-05R03 S | 911+5 | 11-07-57 | 207+3 | 704+2 | 2100 |
| | | 1-17-58 | 165+7 | 703+4 | | | | 1-17-58 | 193+5 | 718+0 | |
| 4N/22W-05L06 S | 868+2 | 7-12-57 | 174+0* | 694+2 | 2100 | 4N/22W-05R04 S | 914+6 | 7-16-57 | 96+0 | 818+6 | 2100 |
| | | 8-20-57 | 186+7* | 679+5 | | | | 8-20-57 | 103+3 | 805+1 | |
| | | 11-26-57 | 179+0* | 673+2 | | | | 9-27-57 | 112+3 | 805+9 | |
| | | 11-26-57 | 179+3* | 688+9 | | | | 11-07-57 | 124+0 | 795+9 | |
| | | 11-27-57 | 189+3* | 678+9 | | | | 1-2-05-57 | 115+2 | 799+7 | |
| | | 1-27-58 | 165+2 | 703+0 | | | | 1-17-58 | 118+5 | 795+0 | |
| | | 4-27-58 | 61+2* | 807+0 | | | | 4-23-58 | 21+2 | 895+1 | |
| | | 6-12-58 | 55+8* | 812+4 | | | | 6-12-58 | 22+2 | 892+4 | |
| 4N/22W-05L07 S | 878+7 | 8-21-57 | 190+5 | 688+2 | 2100 | 4N/22W-06D01 S | 845+0 | 11-13-57 | 135+1 | 709+9 | 2100 |
| | | 9-27-57 | 194+5 | 684+2 | | | | 12-12-57 | 135+4 | 709+6 | |
| | | 11-08-57 | 183+5 | 695+2 | | | | 1-22-58 | 132+7 | 712+3 | |
| | | 12-04-57 | 185+2 | 693+5 | | | | 4-24-58 | 19+4 | 825+6 | |
| | | 1-21-58 | 172+5 | 706+2 | | | | | | | |
| | | 4-23-58 | 69+9 | 808+8 | | | | | | | |
| | | 6-12-58 | 63+4 | 815+3 | | | | | | | |
| 4N/22W-05L08 S | 891+7 | 7-16-57 | 193+1 | 698+6 | 2100 | 4N/22W-06D03 S | 838+2 | 4-24-58 | 14+7 | 823+5 | 2100 |
| | | 8-21-57 | 209+0 | 682+7 | | 4N/22W-06D04 S | 863+7 | 7-17-57 | 149+4 | 714+3 | 2100 |
| | | 10-01-57 | 216+0 | 675+7 | | | | 8-22-57 | 153+0 | 710+7 | |
| | | 10-29-57 | 204+4 | 687+3 | | | | 10-01-57 | 157+0 | 706+7 | |
| | | 12-03-57 | 202+6 | 689+1 | | | | 11-13-57 | 155+7 | 708+0 | |
| | | 1-22-58 | 186+4 | 705+3 | | | | 12-11-57 | DRY | | |
| | | 1-31-58 | 181+8 | 709+9 | | | | 1-22-58 | 157+9 | 705+8 | |
| | | 3-04-58 | 155+6 | 736+1 | | | | 4-22-58 | 36+4 | 827+3 | |
| | | 3-26-58 | 129+2 | 762+5 | | | | 6-13-58 | 47+4 | 816+3 | |
| | | 4-24-58 | 81+0* | 810+7 | | 4N/22W-06D05 S | 853+2 | 10-01-57 | 165+5* | 687+7 | 2100 |
| | | 6-11-58 | 75+5 | 816+2 | | | | 11-13-57 | 149+0 | 704+2 | |
| 4N/22W-05M01 S | 843+5 | 10-01-57 | 173+7 | 669+8 | 2100 | | | 1-22-58 | 145+3 | 707+9 | |
| | | 11-08-57 | 156+3 | 687+2 | | | | 4-22-58 | 26+0 | 827+2 | |
| | | 12-11-57 | 155+2 | 688+3 | | | | 6-13-58 | 36+2 | 817+0 | |
| | | 1-22-58 | 139+7 | 703+8 | | 4N/22W-06E01 S | 820+6 | 7-17-57 | 111+8 | 708+8 | 2100 |
| | | 4-24-58 | 33+6 | 809+9 | | | | 8-23-57 | 127+0 | 693+6 | |
| | | 6-13-58 | 33+0 | 810+5 | | | | 10-01-57 | 132+0 | 688+6 | |
| 4N/22W-05M03 S | 843+6 | 7-16-57 | 144+0 | 699+6 | 2100 | | | 11-13-57 | 117+8 | 702+8 | |
| | | 8-21-57 | 158+5 | 685+1 | | | | 12-12-57 | 118+5 | 702+1 | |
| | | 10-01-57 | 162+9 | 680+7 | | | | 1-22-58 | 111+9 | 708+7 | |
| | | 11-08-57 | 153+8 | 689+8 | | | | 3-26-58 | 76+0 | 744+6 | |
| | | | | | | | | 4-24-58 | 7+2 | 813+4 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| OJAI VALLEY | | | | | | | | | | | |
| 4N/22W-06E01 S | 820.6 | 6-13-58 | 10.5 | 810.1 | 2100 | 4N/22W-06J04 S | 846.0 | 7-17-57 | 157.1 | 40200 | 2100 |
| 4N/22W-06E03 S | 841.6 | 7-17-57 | 133.6 | 708.0 | 2100 | | | 8-22-57 | 174.3 | 688.9 | |
| | | 8-23-57 | 141.5 | 700.1 | | | | 10-01-57 | 179.8 | 671.7 | |
| | | 10-01-57 | 151.5 | 690.1 | | | | 11-13-57 | 158.6 | 666.2 | |
| | | 11-13-57 | 136.5 | 705.1 | | | | 12-11-57 | 159.2 | 687.4 | |
| | | 12-12-57 | 137.0 | 704.6 | | | | 1-22-58 | 142.3 | 686.8 | |
| | | 1-22-58 | 133.7 | 707.9 | | | | 4-22-58 | 36.6 | 703.7 | |
| | | 4-24-58 | 13.3 | 828.3 | | | | 6-13-58 | 37.8 | 809.4 | |
| | | 6-13-58 | 26.4* | 815.2 | | | | | | 808.2 | |
| 4N/22W-06E04 S | 841.4 | 8-23-57 | 142.6* | 698.8 | 2100 | 4N/22W-06J06 S | 809.2 | 7-16-57 | 116.5 | 692.7 | 2100 |
| | | 10-01-57 | 158.7* | 682.7 | | | | 11-08-57 | 121.7 | 687.5 | |
| | | 11-13-57 | 137.4* | 704.0 | | | | 12-11-57 | 120.7 | 688.5 | |
| | | 12-12-57 | 117.5* | 723.9 | | | | 1-22-58 | 107.2 | 702.0 | |
| | | 1-22-58 | 117.5* | 723.9 | | | | 4-24-58 | 7.5 | 801.7 | |
| | | 4-24-58 | 12.6 | 828.8 | | | | | | | |
| | | 6-13-58 | 26.4 | 815.0 | | | | 7-17-57 | 130.2 | 671.6 | 2100 |
| 4N/22W-06E05 S | 819.0 | 7-17-57 | 117.8 | 701.2 | 2100 | 4N/22W-06K03 S | 801.8 | 8-22-57 | 146.0 | 655.8 | |
| | | 8-22-57 | 133.5 | 685.5 | | | | 10-01-57 | 146.5 | 655.3 | |
| | | 10-01-57 | 138.2 | 680.8 | | | | 11-13-57 | 118.6 | 683.2 | |
| | | 11-13-57 | 124.8 | 694.2 | | | | 12-11-57 | 122.2 | 679.6 | |
| | | 12-11-57 | 125.9 | 693.1 | | | | 4-24-58 | 6.5 | 795.3 | |
| | | 4-22-58 | 116.1 | 702.9 | | | | 6-13-58 | 15.2 | 786.6 | |
| | | 6-13-58 | 10.7 | 808.3 | | | | | | | |
| 4N/22W-06G02 S | 834.0 | 8-23-57 | 158.0 | 676.0 | 2100 | 4N/22W-06K04 S | 804.4 | 7-17-57 | 107.2 | 697.2 | 2100 |
| | | 11-13-57 | 149.2 | 684.8 | | | | 8-22-57 | 147.5* | 656.9 | |
| | | 1-22-58 | 132.4 | 701.6 | | | | 10-01-57 | 148.2* | 656.2 | |
| | | 4-22-58 | 16.0 | 818.0 | | | | 11-13-57 | 121.1 | 683.3 | |
| 4N/22W-06G03 S | 814.5 | 11-13-57 | 129.7 | 684.8 | 2100 | | | 12-11-57 | 125.0 | 679.4 | |
| | | 12-11-57 | 132.9 | 681.6 | | | | 1-22-58 | 104.5 | 699.9 | |
| | | 1-22-58 | 114.1 | 700.4 | | | | 4-24-58 | 7.0 | 797.4 | |
| | | 4-22-58 | 11.2 | 803.3 | | | | 6-13-58 | 13.2 | 791.2 | |
| 4N/22W-06H01 S | 865.9 | 10-01-57 | 196.2 | 669.7 | 2100 | 4N/22W-06K05 S | 808.2 | 8-22-57 | 151.5 | 656.7 | 2100 |
| | | 11-08-57 | 181.9 | 684.0 | | | | 10-01-57 | 152.2 | 656.0 | |
| | | 12-11-57 | 180.2 | 685.7 | | | | 11-13-57 | 134.2 | 684.0 | |
| | | 1-21-58 | 159.8 | 706.1 | | | | 1-22-58 | 111.0 | 697.2 | |
| | | 6-13-58 | 50.1 | 815.8 | | | | | | | |
| 4N/22W-06H03 S | 823.7 | 11-13-57 | 137.4 | 686.3 | 2100 | 4N/22W-06K06 S | 813.2 | 7-17-57 | 130.7 | 682.5 | 2100 |
| | | 12-11-57 | 139.6 | 684.1 | | | | 9-27-57 | 157.0* | 656.2 | |
| | | 1-22-58 | 121.9 | 701.8 | | | | 11-13-57 | 127.2 | 686.0 | |
| | | 4-23-58 | 19.3 | 804.4 | | | | 12-11-57 | 129.0 | 684.2 | |
| | | | | | | | | 1-22-58 | 112.5 | 700.7 | |
| | | | | | | | | 4-23-58 | 11.0 | 802.2 | |
| 4N/22W-06J03 S | 823.7 | 11-13-57 | 137.4 | 686.3 | 2100 | 4N/22W-06K09 S | 802.4 | 7-12-57 | 119.0 | 683.4 | 2100 |
| | | 12-11-57 | 139.6 | 684.1 | | | | 8-20-57 | 134.6 | 667.8 | |
| | | 1-22-58 | 121.9 | 701.8 | | | | 9-26-57 | 136.5 | 665.9 | |
| | | 4-23-58 | 19.3 | 804.4 | | | | 11-07-57 | 116.5 | 685.9 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| OJAI VALLEY | | | | | | | | | | | |
| 40200 | | | | | | OJAI VALLEY | | | | | |
| 4N/22W-06K09 S CONT. | 802.4 | 1-17-58 | 103.8 | 698.6 | 2100 | 4N/22W-06001 S CONT. | 777.7 | 1-17-58 | 46.5 | 731.2 | 2100 |
| | | 3-26-58 | 31.4 | 771.0 | | | | 3-26-58 | 16.5 | 761.2 | |
| | | 4-01-58 | FLOW | | | | | 5-08-58 | FLOW | | |
| | | 4-08-58 | 10.0 | 782.4 | | | | 6-11-58 | FLOW | | |
| | | 6-11-58 | 9.3 | 793.1 | | | | | | | |
| 4N/22W-06L01 S | 897.0 | 7-17-57 | 111.2 | 695.8 | 2100 | 4N/22W-06002 S | 790.2 | 3-26-58 | 27.1 | 763.1 | 2100 |
| | | 8-22-57 | 131.5 | 675.5 | | | | 5-08-58 | 4.4 | 785.8 | |
| | | 10-01-57 | 135.5 | 671.5 | | | | 6-11-58 | 6.7 | 783.5 | |
| | | 11-13-57 | 115.5 | 691.5 | | | | | | | |
| | | 12-11-57 | 117.6 | 689.4 | | | | 11-08-57 | 135.3 | 687.1 | 2100 |
| | | 1-22-58 | 106.6 | 700.4 | | | | 12-11-57 | 134.2 | 688.2 | |
| | | 4-22-58 | 11.0 | 796.0 | | | | 1-22-58 | 119.6 | 702.8 | |
| | | 6-13-58 | 12.5 | 794.5 | | | | 4-24-58 | 17.8 | 804.6 | |
| | | | | | | | | 6-13-58 | 18.8 | 803.6 | |
| 4N/22W-06L02 S | 905.0 | 4-22-58 | 9.9 | 795.1 | 2100 | 4N/22W-07A03 S | 801.1 | 7-12-57 | 122.5 | 678.6 | 2100 |
| | | 6-13-58 | 12.3 | 792.7 | | | | 8-20-57 | 128.6 | 672.5 | |
| | | 7-17-57 | 138.1* | 670.3 | 2100 | | | 9-26-57 | 153.9* | 647.1 | |
| | | 8-22-57 | 155.6* | 652.8 | | | | 11-07-57 | 113.2 | 687.8 | |
| | | 10-01-57 | 157.4* | 651.0 | | | | 11-29-57 | 117.0* | 684.0 | |
| | | 1-13-57 | 123.5 | 684.9 | | | | 1-17-58 | 102.2 | 698.8 | |
| | | 12-11-57 | 135.8* | 672.6 | | | | 4-22-58 | 27.3 | 773.7 | |
| | | 4-22-58 | 108.4 | 689.0 | | | | 5-08-58 | 21.6* | 779.4 | |
| | | 6-13-58 | 8.4 | 789.0 | | | | 6-12-58 | 29.7* | 771.3 | |
| | | | | | | | | | | | |
| 4N/22W-06L07 S | 795.0 | 7-17-57 | 90.0 | 705.0 | 2100 | 4N/22W-07B02 S | 773.8 | 7-12-57 | 93.4 | 680.4 | 2100 |
| | | 10-01-57 | 101.5 | 693.5 | | | | 8-20-57 | 99.7 | 674.1 | |
| | | 11-13-57 | 100.3 | 694.7 | | | | 9-26-57 | 109.9 | 663.9 | |
| | | 12-11-57 | 101.3 | 693.7 | | | | 11-07-57 | 85.3 | 686.5 | |
| | | 1-21-58 | 93.0 | 702.0 | | | | 11-29-57 | 77.6 | 686.2 | |
| | | 6-13-58 | 7.2 | 787.8 | | | | 3-1-58 | 75.4 | 798.4 | |
| | | | | | | | | 5-08-58 | 27.6* | 746.4 | |
| | | | | | | | | 6-11-58 | FLOW | | |
| 4N/22W-06M01 S | 794.8 | 7-17-57 | 84.1 | 710.7 | 2100 | 4N/22W-07B04 S | 787.1 | 7-12-57 | 98.6* | 688.5 | 2100 |
| | | 8-23-57 | 92.8 | 702.0 | | | | 9-26-57 | 106.5* | 680.6 | |
| | | 10-01-57 | 95.5 | 699.3 | | | | 11-07-57 | 89.1 | 698.0 | |
| | | 11-13-57 | 93.9 | 700.9 | | | | 11-29-57 | 99.8* | 687.3 | |
| | | 12-12-57 | 94.4 | 700.4 | | | | 1-17-58 | 84.8 | 702.3 | |
| | | 1-22-58 | 91.8 | 703.0 | | | | 3-26-58 | 49.8 | 737.3 | |
| | | 4-24-58 | FLOW | | | | | 5-08-58 | 12.0 | 775.1 | |
| | | 6-13-58 | FLOW | | | | | 6-12-58 | 12.8 | 776.3 | |
| | | | | | | | | | | | |
| 4N/22W-06001 S | 777.7 | 7-12-57 | 47.3 | 730.4 | 2100 | 4N/22W-07B05 S | 786.9 | 11-07-57 | 89.2 | 697.7 | 2100 |
| | | 8-20-57 | 47.8 | 729.9 | | | | 1-17-58 | 84.8 | 702.1 | |
| | | 9-26-57 | 48.4 | 729.3 | | | | 3-26-58 | 50.3 | 736.6 | |
| | | 11-07-57 | 48.2 | 729.5 | | | | 5-08-58 | 12.0 | 774.9 | |
| | | 11-29-57 | 48.9 | 728.8 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| OJAI VALLEY | | | | | | OJAI VALLEY | | | | | |
| 40200 | | | | | | 40200 | | | | | |
| 4N/22W-07B05 S | 786.9 | 6-12-58 | 13.6 | 773.3 | 2100 | 4N/23W-01B01 S CONT. | 829.7 | 10-01-57 | 75.8 | 753.9 | 2100 |
| 4N/22W-07C01 S | 766.8 | 7-12-57 | 53.1 | 713.7 | 2100 | | | 11-13-57 | 76.6 | 753.1 | |
| | | 8-20-57 | 59.0 | 707.8 | | | | 12-12-57 | 76.6 | 753.4 | |
| | | 9-26-57 | 61.6 | 705.2 | | | | 1-22-58 | 76.3 | 753.4 | |
| | | 11-06-57 | 62.0* | 702.8 | | | | 4-24-58 | 46.4 | 783.3 | |
| | | 11-29-57 | 62.3 | 704.5 | | | | 6-11-58 | 32.4 | 797.3 | |
| | | 11-17-58 | 59.3 | 707.5 | | | | | | | |
| | | 3-26-58 | 9.1 | 757.7 | | | | 7-17-57 | 84.8 | 724.7 | 2100 |
| | | 5-68-58 | FLOW | | | | | 8-23-57 | 97.3 | 712.2 | |
| | | 6-11-58 | FLOW | | | | | 10-01-57 | 106.8 | 702.7 | |
| 4N/22W-07G01 S | 769.4 | 7-12-57 | 52.0 | 717.4 | 2100 | 4N/23W-01H02 S | 809.5 | 11-13-57 | 109.2 | 700.3 | |
| | | 8-20-57 | 56.7 | 712.7 | | | | 12-12-57 | 106.0 | 703.5 | |
| | | 9-26-57 | 60.7 | 708.7 | | | | 1-22-58 | 100.8 | 708.7 | |
| | | 11-07-57 | 63.5 | 705.9 | | | | 4-24-58 | 70.2 | 739.3 | |
| | | 11-29-57 | 65.0 | 704.4 | | | | 6-11-58 | 34.3 | 775.2 | |
| | | 11-17-58 | 63.2 | 706.2 | | | | | | | |
| | 774.6 | 3-26-58 | 42.8 | 731.8 | | | | 7-17-57 | 20.1 | 767.1 | 2100 |
| | | 5-68-58 | 6.8 | 767.8 | | | | 8-23-57 | 20.7 | 766.5 | |
| | | 6-11-58 | 9.3 | 765.3 | | | | 10-01-57 | 21.3 | 765.9 | |
| | | | | | | | | 11-13-57 | 21.6 | 765.6 | |
| 4N/22W-08B01 S | 873.0 | 4-23-58 | 64.0 | 809.0 | 2100 | 4N/23W-01L01 S | 787.2 | 11-13-57 | 21.8 | 765.4 | |
| 4N/22W-08B02 S | 870.6 | 7-16-57 | 173.4 | 697.2 | 2100 | | | 1-22-58 | 21.3 | 765.9 | |
| | | 8-20-57 | 186.7 | 681.9 | | | | 3-26-58 | 11.9 | 775.3 | |
| | | 9-27-57 | 194.9 | 675.7 | | | | 4-24-58 | 7.8 | 779.4 | |
| | | 11-07-57 | 174.7 | 695.9 | | | | 6-11-58 | 8.2 | 779.0 | |
| | | 12-03-57 | 181.1 | 689.5 | | | | | | | |
| | | 1-17-58 | 164.0 | 706.6 | | | | 7-12-57 | 20.0 | 721.8 | 2100 |
| | | 4-23-58 | 65.5 | 805.1 | | | | 8-20-57 | 25.1 | 716.7 | |
| | | 6-12-58 | 64.0 | 806.6 | | | | 9-26-57 | 31.2 | 710.6 | |
| 4N/22W-08D01 S | 829.3 | 4-22-58 | 33.6 | 795.7 | 2100 | 4N/23W-12B01 S | 741.8 | 11-06-57 | 35.9 | 705.9 | |
| 4N/22W-08D02 S | 1002.1 | 7-16-57 | 89.9 | 912.2 | 2100 | | | 11-29-57 | 35.8 | 706.0 | |
| | | 8-20-57 | 92.4 | 909.7 | | | | 1-17-58 | 34.2 | 707.6 | |
| | | 9-27-57 | 95.4 | 906.7 | | | | 3-12-58 | 29.0 | 712.8 | |
| | | 11-07-57 | 96.0 | 906.1 | | | | 5-08-58 | 16.1 | 725.7 | |
| | | 12-03-57 | 96.5 | 905.6 | | | | 6-11-58 | 2.2 | 739.6 | |
| | | 1-21-58 | 95.7 | 906.4 | | | | | | | |
| | | 4-23-58 | 65.0 | 1001.8 | | | | 8-20-57 | 56.9 | 657.7 | 2100 |
| | | 6-12-58 | 6.9 | 995.2 | | | | 9-26-57 | 62.8 | 651.8 | |
| 4N/22W-09G02 S | 1278.8 | 6-12-58 | 12.9 | 1265.9 | 2100 | 4N/23W-12H02 S | 714.6 | 11-06-57 | 48.2 | 666.4 | |
| 4N/23W-01B01 S | 829.7 | 7-17-57 | 69.3 | 760.4 | 2100 | | | 1-29-57 | 44.0 | 670.6 | |
| | | 8-23-57 | 73.0 | 756.7 | | | | 1-17-58 | 39.5 | 675.1 | |
| | | | | | | | | 3-12-58 | 33.1 | 681.5 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|---|---|--|-----------------------|-------------------------|--------------------|---|--|---|-----------------------|
| OJAI VALLEY | | | | | | | | | | | |
| 4N/23W-12H02 S CONT. | 714.6 | 5-08-58 6-11-58 | 18.9 15.9 | 40200 695.7 698.7 | 2100 | 5N/22W-32P01 S CONT. | 970.7 | 4-23-58 6-13-58 | 138.5 137.5 | 40200 832.2 833.2 | 2100 |
| 4N/23W-12N01 S | 619.3 | 7-11-57 8-15-57 9-24-57 10-24-57 11-27-57 1-16-58 3-06-58 5-06-58 6-10-58 | 18.1 18.2 19.1 17.8 17.8 15.0 15.0 15.4 16.0 | 40200 601.2 601.1 601.2 601.4 601.5 601.8 605.9 603.9 603.3 | 2100 | 5N/22W-32R01 S | 1002.9 | 7-18-57 8-21-57 10-01-57 10-08-57 12-11-57 1-21-58 4-23-58 6-13-58 | 195.3 195.3 200.5 207.6 207.6 209.8 127.5 144.3 | 40200 807.6 807.4 807.4 792.4 795.1 793.1 875.4 858.6 | 2100 |
| 4N/23W-14B01 S | 597.8 | 1-16-58 3-06-58 5-06-58 | 11.4 10.6 10.2 | 586.4 587.2 587.6 | 2100 | | | | | | |
| 4N/23W-14B02 S | 580.1 | 7-11-57 8-15-57 9-24-57 10-25-57 11-27-57 1-16-58 3-06-58 5-06-58 6-10-58 | 12.2 12.5 12.2 12.0 12.3 12.1 12.2 11.8 12.6* | 567.9 567.9 567.9 568.1 567.8 568.0 567.9 568.3 567.5 | 2100 | | | | | | |
| 5N/22W-32J02 S | 1159.8 | 11-08-57 12-11-57 1-21-58 4-24-58 6-13-58 | 150.8 169.7 58.2 49.7 70.5 | 989.0 970.1 1081.6 1090.1 1069.3 | 2100 | | | | | | |
| 5N/22W-32J03 S | 1102.1 | 7-16-57 8-21-57 10-01-57 11-08-57 12-11-57 1-21-58 4-24-58 6-13-58 | 111.6 116.2 119.5 121.7 122.7 112.1 93.8 100.3 | 990.5 985.9 982.6 980.4 979.4 990.0 1008.3 1001.8 | 2100 | | | | | | |
| 5N/22W-32P01 S | 970.7 | 7-16-57 8-21-57 10-01-57 11-08-57 12-11-57 1-21-58 | 217.0 220.5 222.8 222.5 222.6 200.1 | 753.7 750.2 747.9 748.2 748.1 770.6 | 2100 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| VENTURA RIVER VALLEY | | | | | | | | | | | |
| UPPER VENTURA RIVER BASIN | | | | | | | | | | | |
| 40300 | | | | | | 40302 | | | | | |
| 2N/23W-13K02 S | 64.1 | 7-11-57 | 81.2 | - | 2100 | 3N/23W-05B01 S | 296.0 | 8-13-57 | 43.9* | 252.1 | 2100 |
| | | 8-01-57 | 86.3 | - | 2470 | | | 9-18-57 | 45.2 | 250.8 | |
| | | 8-23-57 | 87.5 | - | | | | 11-06-57 | 45.9 | 250.1 | |
| | | 8-29-57 | 87.8 | - | | | | 11-26-57 | 46.1 | 249.9 | |
| | | 9-03-57 | 82.7 | - | | | | 1-14-58 | 44.4* | 251.6 | |
| | | 9-18-57 | 82.0 | - | | | | 2-28-58 | 24.2* | 271.8 | |
| | | 9-26-57 | 81.9 | - | | | | 5-02-58 | 22.5 | 273.5 | |
| | | 10-03-57 | 83.1 | - | | | | 6-05-58 | 27.6* | 268.4 | |
| | | 10-10-57 | 81.0 | - | | | | 7-09-57 | 41.3 | 253.7 | 2100 |
| | | 10-17-57 | 76.6 | - | | | | 8-13-57 | 43.2* | 251.8 | |
| | | 10-24-57 | 74.2 | - | | | | 9-18-57 | 44.3 | 250.7 | |
| | | 10-31-57 | 76.5 | - | | | | 11-06-57 | 44.9 | 250.1 | |
| | | 11-07-57 | 72.7 | - | | | | 11-26-57 | 45.4 | 249.6 | |
| | | 11-21-57 | 73.6 | - | | | | 1-14-58 | 44.8* | 250.2 | |
| | | 12-03-57 | 79.0 | - | | | | 2-28-58 | 23.7 | 271.3 | |
| | | 12-11-57 | 77.0 | - | | | | 5-05-58 | 22.2 | 272.8 | |
| | | 12-19-57 | 74.9 | - | | | | 6-05-58 | 27.1* | 267.9 | |
| | | 12-26-57 | 70.7 | - | | | | 7-09-57 | 30.9* | 251.1 | 2100 |
| | | 1-02-58 | 69.3 | - | | | | 8-13-57 | 32.9* | 249.1 | |
| | | 1-09-58 | 67.4 | - | | | | 9-18-57 | 35.0* | 247.0 | |
| | | 1-16-58 | 64.9 | - | | | | 11-06-57 | 35.9* | 246.1 | |
| | | 1-23-58 | 66.4 | - | | | | 11-26-57 | 36.3* | 243.7 | |
| | | 1-30-58 | 66.2 | - | | | | 1-14-58 | 33.6* | 248.4 | |
| | | 2-06-58 | 63.7 | - | | | | 2-28-58 | 15.2 | 266.8 | |
| | | 2-13-58 | 64.3 | - | | | | 5-05-58 | 13.6 | 268.4 | |
| | | 2-20-58 | 63.0 | - | | | | 6-05-58 | 17.9 | 264.1 | |
| | | 2-27-58 | 61.3 | - | | | | 7-09-57 | 23.3 | 241.5 | 2100 |
| | | 3-06-58 | 60.0 | - | | | | 8-13-57 | 25.2 | 239.6 | |
| | | 3-13-58 | 59.3 | - | | | | 9-18-57 | 28.4 | 236.4 | |
| | | 3-20-58 | 58.0 | - | | | | 11-06-57 | 30.3 | 234.5 | |
| | | 3-27-58 | 56.1 | - | | | | 11-26-57 | 30.9 | 233.9 | |
| | | 4-03-58 | 56.7 | - | | | | 1-14-58 | 26.3 | 238.5 | |
| | | 4-10-58 | 57.7 | - | | | | 3-04-58 | 9.45 | 253.3 | |
| | | 4-17-58 | 58.3 | - | | | | 5-02-58 | 7.9 | 256.9 | |
| | | 4-24-58 | 57.3 | - | | | | 6-05-58 | 10.2 | 254.6 | |
| | | 5-01-58 | 57.7 | - | | | | 7-09-57 | 11.2 | 248.8 | 2100 |
| | | 5-08-58 | 57.0 | - | | | | 8-13-57 | 13.0 | 247.0 | |
| | | 5-15-58 | 55.6 | - | | | | 9-19-57 | 22.45 | 230.8 | |
| | | 5-22-58 | 58.0 | - | | | | 11-06-57 | 30.4 | 227.5 | |
| | | 5-29-58 | 55.4 | - | | | | | | | |
| | | 6-05-58 | 62.6 | - | | | | | | | |
| | | 6-12-58 | 64.4 | - | | | | | | | |
| | | 6-19-58 | 64.3 | - | | | | | | | |
| | | 6-26-58 | 67.2 | - | | | | | | | |
| 3N/23W-05B01 S | 296.0 | 7-09-57 | 41.7 | 284.3 | 2100 | 3N/23W-05P02 S | 260.0 | 5-02-58 | 11.2 | 248.8 | 2100 |
| | | | | | | | | 6-05-58 | 13.0 | 247.0 | |
| | | | | | | | | 7-09-57 | 21.8* | 236.1 | 2100 |
| | | | | | | | | 8-13-57 | 22.45 | 230.8 | |
| | | | | | | | | 9-19-57 | 26.7 | 230.8 | |
| | | | | | | | | 11-06-57 | 30.4 | 227.5 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|----------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| VENTURA RIVER VALLEY | | | | | | | | | | | |
| 40300 | | | | | | VENTURA RIVER VALLEY | | | | | |
| UPPER VENTURA RIVER BASIN | | | | | | | | | | | |
| 40302 | | | | | | 40302 | | | | | |
| 3N/23W-05P04 S | 257.5 | 11-26-57 | 29.6* | 227.9 | 2100 | 3N/23W-08B05 S | 245.2 | 11-26-57 | 29.6* | 215.6 | 2100 |
| CONT. | | 1-14-58 | 23.5 | 234.0 | | CONT. | | 1-14-58 | 19.1 | 226.1 | |
| | | 3-04-58 | 11.1 | 246.4 | | | | 2-28-58 | 24.4* | 220.8 | |
| | | 5-02-58 | 8.8 | 248.7 | | | | 5-02-58 | 11.8* | 233.4 | |
| 3N/23W-06Q01 S | 330.5 | 5-05-58 | 27.8* | 302.7 | 2100 | 3N/23W-08B07 S | 239.2 | 6-05-58 | 12.2 | 233.0 | |
| | | 6-06-58 | 19.1 | 311.4 | | | | 7-09-57 | 17.1 | 222.1 | 2100 |
| 3N/23W-06K01 S | 300.1 | 7-08-57 | 21.3 | 278.8 | 2100 | | | 8-13-57 | 17.8 | 221.4 | |
| | | 9-19-57 | 20.8 | 279.3 | | | | 9-18-57 | 24.7 | 214.5 | |
| | | 11-06-57 | 16.3 | 283.8 | | | | 11-06-57 | 28.0 | 211.2 | |
| | | 11-26-57 | 18.8 | 281.3 | | | | 11-26-57 | 26.7 | 212.5 | |
| | | 1-14-58 | 15.7 | 284.4 | | | | 1-14-58 | 16.4 | 222.8 | |
| | | 3-04-58 | 14.5 | 285.6 | | | | 2-29-58 | 11.4 | 227.8 | |
| | | 5-05-58 | 20.7 | 279.4 | | | | 5-05-58 | 10.7 | 228.5 | |
| | | 6-06-58 | 21.3 | 278.8 | | | | 6-05-58 | 11.2 | 228.0 | |
| 3N/23W-06R01 S | 281.9 | 7-09-57 | 12.6 | 269.3 | 2100 | 3N/23W-08C02 S | 251.0 | 7-09-57 | 19.5 | 231.5 | 2100 |
| | | 8-13-57 | 13.6 | 268.3 | | | | 8-13-57 | 23.1 | 227.9 | |
| | | 9-19-57 | 14.6 | 267.3 | | | | 11-26-57 | 20.1 | 220.9 | |
| | | 11-06-57 | 13.0 | 267.8 | | | | 1-14-58 | 20.8 | 230.2 | |
| | | 11-26-57 | 12.0 | 269.9 | | | | 5-02-58 | 12.2 | 238.8 | |
| | | 1-14-58 | 11.0 | 270.9 | | | | | | | |
| | | 3-04-58 | 9.4 | 272.5 | | | | 7-19-57 | 127.5 | 518.6 | 2100 |
| | | 5-05-58 | 9.9 | 272.0 | | | | 8-23-57 | 126.7 | 519.4 | |
| | | 6-06-58 | 10.9 | 271.0 | | | | 9-26-57 | 127.1 | 519.0 | |
| 3N/23W-08A01 S | 234.6 | 7-09-57 | 15.0 | 219.6 | 2100 | 4N/18W-29P02 S | 646.1 | 11-27-58 | 127.1 | 519.0 | |
| | | 8-13-57 | 15.3 | 219.3 | | | | 1-14-58 | 126.6 | 519.5 | |
| | | 9-18-57 | 21.6 | 213.0 | | | | 1-14-58 | 126.6 | 519.5 | |
| | | 11-06-57 | 24.7 | 209.9 | | | | 4-18-58 | 116.3 | 524.8 | |
| | | 11-26-57 | 24.0 | 210.6 | | | | 6-18-58 | 116.3 | 524.8 | |
| | | 1-14-58 | 13.5 | 221.1 | | | | | | | |
| | | 2-28-58 | 8.8 | 225.8 | | | | 7-11-57 | 98.7 | 662.1 | 2100 |
| | | 5-02-58 | 8.8 | 225.8 | | | | 8-15-57 | 98.1 | 662.7 | |
| | | 6-05-58 | 9.5 | 225.1 | | | | 9-24-57 | 99.0 | 661.8 | |
| 3N/23W-08B02 S | 249.3 | 8-13-57 | 21.2 | 228.1 | 2100 | 4N/23W-03M01 S | 760.8 | 10-25-57 | 98.9 | 661.9 | |
| | | 1-14-58 | 20.2 | 229.1 | | | | 11-27-57 | 98.9 | 661.9 | |
| | | 5-02-58 | 11.1 | 238.2 | | | | 11-27-57 | 98.9 | 661.9 | |
| | | 6-05-58 | 11.8 | 237.5 | | | | 1-16-58 | 99.0 | 661.8 | |
| 3N/23W-08B05 S | 245.2 | 7-09-57 | 18.1 | 227.1 | 2100 | 4N/23W-03Q01 S | 768.6 | 3-06-58 | 88.5 | 672.3 | |
| | | 8-13-57 | 34.5* | 210.7 | | | | 5-06-58 | 75.2 | 685.6 | |
| | | 9-18-57 | 46.4* | 198.8 | | | | 6-10-58 | 74.5 | 686.3 | |
| | | | | | | | | 7-11-57 | 94.5 | 674.1 | 2100 |
| | | | | | | | | 10-25-57 | 94.3 | 674.9 | |
| | | | | | | | | 11-27-57 | 93.7 | 674.9 | |
| | | | | | | | | 1-16-58 | 93.5 | 675.1 | |
| | | | | | | | | 3-06-58 | 91.8 | 676.8 | |
| | | | | | | | | 5-06-58 | 82.3 | 686.3 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| VENTURA RIVER VALLEY | | | | | | | | | | | |
| 40330 | | | | | | 40300 | | | | | |
| UPPER VENTURA RIVER BASIN | | | | | | | | | | | |
| 4N/23W-03001 S | 768+6 | 6-10-58 | 82+1 | 686+5 | 2100 | 4N/23W-09L01 S | 644+8 | 10-25-57 | 71+0 | 573+8 | 2100 |
| 4N/23W-04G01 S | 729+1 | 7-11-57 | 26+0 | 702+3 | 2100 | CONT. | | | | | |
| | | 8-15-57 | 30+0 | 699+1 | | | | 11-27-57 | 64+9 | 579+9 | |
| | | 9-24-57 | 30+9 | 698+2 | | | | 1-16-58 | 65+3 | 579+5 | |
| | | 10-24-57 | 31+3 | 697+8 | | | | 3-06-58 | 32+1 | 612+7 | |
| | | 11-26-57 | 28+0 | 701+1 | | | | 5-05-58 | 34+2 | 610+6 | |
| | | 1-15-58 | 28+9 | 700+2 | | | | 6-10-58 | 35+1 | 609+7 | |
| | | 3-05-58 | 24+9 | 704+2 | | | | | | | |
| | | 5-05-58 | 27+2 | 701+9 | | | | | | | |
| | | 6-10-58 | 28+5 | 700+6 | | | | | | | |
| 4N/23W-04G02 S | 730+6 | 7-11-57 | 62+2 | 668+4 | 2100 | 4N/23W-09P01 S | 601+6 | 7-12-57 | 83+7 | 517+9 | 2100 |
| | | 3-05-58 | 44+8 | 685+8 | | | | 8-16-57 | 87+2 | 514+4 | |
| 4N/23W-04R01 S | 752+4 | 7-11-57 | 90+5 | 661+9 | 2100 | | | 9-25-57 | 91+0 | 510+6 | |
| | | 8-15-57 | 90+4 | 662+0 | | | | 10-25-57 | 90+8 | 510+8 | |
| | | 10-25-57 | 91+0 | 661+4 | | | | 11-29-57 | 83+0 | 518+6 | |
| | | 1-16-58 | 91+3 | 661+1 | | | | 1-16-58 | 80+8 | 521+0 | |
| | | 3-06-58 | 82+5 | 669+9 | | | | 3-07-58 | 60+3 | 541+3 | |
| | | 6-10-58 | 81+3 | 671+1 | | | | 5-06-58 | 49+3 | 552+1 | |
| 4N/23W-09B01 S | 662+3 | 7-11-57 | 60+0* | 602+3 | 2100 | 4N/23W-10D02 S | 740+2 | 6-11-58 | 54+3 | 547+3 | |
| | | 8-14-57 | 62+3* | 600+0 | | | | 7-11-57 | 66+8 | 673+4 | 2100 |
| | | 9-24-57 | 68+6* | 593+7 | | | | 8-15-57 | 67+0 | 673+2 | |
| | | 10-24-57 | 43+5 | 618+8 | | | | 9-24-57 | 67+4 | 672+8 | |
| | | 11-05-57 | 35+9 | 628+4 | | | | 10-25-57 | 67+4 | 672+8 | |
| | | 11-18-57 | 41+7 | 620+6 | | | | 11-27-57 | 67+2 | 673+0 | |
| | | 12-03-57 | 45+4 | 616+9 | | | | 1-16-58 | 67+1 | 673+1 | |
| | | 12-05-57 | 49+3 | 613+0 | | | | 3-06-58 | 63+4 | 676+8 | |
| | | 1-15-58 | 52+3 | 610+0 | | | | 5-06-58 | 47+9 | 692+3 | |
| | | 3-05-58 | 13+1 | 649+2 | | | | 6-10-58 | 52+3 | 687+9 | |
| | | 5-05-58 | 12+4 | 649+9 | | | | | | | |
| | | 6-10-58 | 18+4 | 643+9 | | | | | | | |
| 4N/23W-09B02 S | 659+1 | 8-14-57 | 55+5 | 603+6 | 2100 | 4N/23W-11D01 S | 782+3 | 7-11-57 | 64+3 | 718+0 | 2100 |
| | | 9-24-57 | 59+6 | 599+5 | | | | 8-15-57 | 64+3 | 721+3 | |
| | | 10-24-57 | 39+0 | 620+1 | | | | 9-24-57 | 64+2 | 718+1 | |
| | | 11-27-57 | 42+3 | 616+8 | | | | 10-25-57 | 59+6 | 722+7 | |
| | | 1-15-58 | 47+4 | 611+7 | | | | 11-27-57 | 59+2 | 723+1 | |
| | | 5-05-58 | 8+2 | 650+9 | | | | 1-16-58 | 58+4 | 723+9 | |
| | | 6-10-58 | 15+1 | 644+0 | | | | 3-06-58 | 55+8 | 726+5 | |
| | | | | | | | | 5-06-58 | 50+5 | 731+8 | |
| | | | | | | | | 6-10-58 | 50+9 | 731+4 | |
| 4N/23W-09L01 S | 644+8 | 8-15-57 | 81+2 | 563+6 | 2100 | 4N/23W-15A01 S | 678+7 | 8-16-57 | 113+8 | 564+9 | 2100 |
| | | 9-24-57 | 92+8* | 552+0 | | | | 9-25-57 | 114+0 | 564+7 | |
| | | | | | | | | 10-25-57 | 114+0 | 564+7 | |
| | | | | | | | | 11-29-57 | 114+5 | 564+2 | |
| | | | | | | | | 1-16-58 | 114+4 | 564+3 | |
| | | | | | | | | 3-06-58 | 114+3 | 564+4 | |
| | | | | | | | | 5-06-58 | 113+5 | 565+2 | |
| | | | | | | | | 6-11-58 | 114+5 | 564+2 | |
| | | | | | | | | 7-11-57 | 120+4 | 560+5 | 2100 |
| | | | | | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|----------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| VENTURA RIVER VALLEY | | | | | | | | | | | |
| 4.0300 | | | | | | VENTURA RIVER VALLEY | | | | | |
| UPPER VENTURA RIVER BASIN | | | | | | | | | | | |
| 4N/23W-15A02 S CONT. | 680.9 | 9-24-57 | 113.0 | 567.9 | 2100 | 4N/23W-16B03 S | 598.3 | 6-11-58 | 52.2 | 546.1 | 2100 |
| | | 10-25-57 | 113.6 | 567.3 | | | | 7-12-57 | 77.5 | 516.4 | |
| | | 11-27-57 | 112.4 | 568.5 | | 4N/23W-16B04 S | 593.9 | 8-16-57 | 80.5 | 513.4 | 2100 |
| | | 1-16-58 | 114.0 | 566.9 | | | | 9-25-57 | 84.1 | 509.8 | |
| | | 3-06-58 | 112.9 | 568.0 | | | | 10-25-57 | 83.9 | 510.0 | |
| | | 5-06-58 | 110.6 | 570.3 | | | | 11-29-57 | 76.0 | 517.9 | |
| 4N/23W-15C01 S | 650.9 | 7-12-57 | 135.2 | 515.7 | 2100 | | | 1-16-58 | 73.8 | 520.1 | |
| | | 8-16-57 | 138.8 | 512.1 | | | | 3-07-58 | 55.5 | 538.4 | |
| | | 9-25-57 | 141.4 | 509.5 | | | | 5-06-58 | 43.9 | 550.0 | |
| | | 10-25-57 | 141.2 | 509.7 | | | | 6-11-58 | 48.6 | 545.3 | |
| | | 11-29-57 | 141.2 | 509.7 | | | | | | | |
| | | 1-16-58 | 131.7 | 519.2 | | 4N/23W-16B05 S | 600.0 | 7-12-57 | 85.8* | 516.2 | 2100 |
| | | 3-06-58 | 125.1 | 525.8 | | | | 8-16-57 | 91.0* | 509.0 | |
| | | 5-06-58 | 101.5 | 549.4 | | | | 9-25-57 | 90.4* | 509.6 | |
| | | 6-11-58 | 102.4 | 548.5 | | | | 10-25-57 | 89.8* | 510.2 | |
| 4N/23W-15D01 S | 636.2 | 7-12-57 | 127.7* | 508.5 | 2100 | | | 11-29-57 | 84.1* | 515.9 | |
| | | 8-16-57 | 133.7* | 502.5 | | | | 1-16-58 | 79.6 | 520.4 | |
| | | 9-25-57 | 127.8* | 508.4 | | | | 3-07-58 | 62.0 | 538.0 | |
| | | 10-25-57 | 127.4* | 508.8 | | | | 5-06-58 | 49.2 | 550.8 | |
| | | 11-29-57 | 123.0* | 513.2 | | | | 6-11-58 | 54.0 | 546.0 | |
| | | 1-16-58 | 119.2* | 517.0 | | 4N/23W-16B06 S | 600.3 | 7-12-57 | 84.6 | 515.9 | 2100 |
| | | 3-06-58 | 109.8 | 526.4 | | | | 8-16-57 | 87.6* | 512.9 | |
| | | 5-06-58 | 85.8 | 550.4 | | | | 9-25-57 | 95.1* | 505.2 | |
| | | 6-11-58 | 89.4 | 546.8 | | | | 10-25-57 | 90.3 | 510.1 | |
| 4N/23W-15D02 S | 646.3 | 9-25-57 | 137.5 | 508.8 | 2100 | | | 11-29-57 | 82.8 | 517.5 | |
| | | 10-25-57 | 136.9 | 509.6 | | | | 1-16-58 | 80.1 | 520.2 | |
| | | 11-27-57 | 132.7 | 513.4 | | | | 3-07-58 | 62.5 | 537.8 | |
| | | 1-16-58 | 130.3 | 516.0 | | | | 5-06-58 | 49.7 | 550.6 | |
| | | 3-06-58 | 119.0 | 527.3 | | | | 6-11-58 | 54.4 | 545.9 | |
| | | 5-06-58 | 95.4 | 550.9 | | | | | | | |
| | | 6-11-58 | 98.4 | 547.9 | | 4N/23W-16B07 S | 621.5 | 7-12-57 | 105.7 | 515.8 | 2100 |
| 4N/23W-16A01 S | 627.0 | 9-25-57 | 118.6 | 508.4 | 2100 | | | 8-16-57 | 109.1 | 512.4 | |
| | | 10-25-57 | 117.5 | 509.5 | | | | 10-25-57 | 111.6 | 509.9 | |
| | | 1-16-58 | 107.5 | 519.5 | | | | 11-29-57 | 105.0 | 516.5 | |
| | | 3-06-58 | 98.6 | 528.4 | | | | 1-16-58 | 101.7 | 519.8 | |
| | | | | | | | | 3-06-58 | 87.3 | 534.2 | |
| | | | | | | | | 5-06-58 | 71.0* | 550.5 | |
| | | | | | | | | 6-11-58 | 75.3 | 546.2 | |
| 4N/23W-16B03 S | 598.3 | 7-12-57 | 81.8 | 516.5 | 2100 | | | 7-12-57 | 78.0 | 516.9 | 2100 |
| | | 8-16-57 | 84.6 | 513.7 | | 4N/23W-16C02 S | 594.9 | 8-16-57 | 81.0 | 513.9 | |
| | | 9-25-57 | 88.2 | 510.1 | | | | 9-25-57 | 84.7 | 510.2 | |
| | | 10-25-57 | 87.9 | 510.4 | | | | 10-25-57 | 84.5 | 510.4 | |
| | | 3-07-58 | 59.3 | 539.0 | | | | 11-29-57 | 76.4 | 518.5 | |
| | | 5-06-58 | 47.2 | 551.1 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| VENTURA RIVER VALLEY | | | | | | | | | | | |
| UPPER VENTURA RIVER BASIN | | | | | | | | | | | |
| 40300 | | | | | | 40300 | | | | | |
| 4N/23W-16C02 S | 594.9 | 1-16-58 | 74.5 | 520.4 | 2100 | 4N/23W-16P01 S | 619.9 | 8-16-57 | 81.4 | 538.5 | 2100 |
| CONT. | | | | | | | | | | | |
| | | 3-07-58 | 55.0 | 539.9 | | | | 9-25-57 | 80.9 | 539.0 | |
| | | 5-06-58 | 44.1 | 550.8 | | | | 11-05-57 | 81.2 | 538.7 | |
| | | 6-11-58 | 48.9 | 546.0 | | | | 1-17-58 | 80.7 | 539.2 | |
| 4N/23W-16C04 S | 557.9 | 7-12-57 | 41.4 | 516.5 | 2100 | | | 3-07-58 | 80.8 | 539.1 | |
| CONT. | | | | | | | | | | | |
| | | 8-16-57 | 44.5 | 513.4 | | | | 6-11-58 | 77.8 | 542.1 | |
| | | 9-24-57 | 48.3 | 509.6 | | | | 6-11-58 | 75.9 | 544.0 | |
| | | 10-25-57 | 49.8* | 508.1 | | | | 7-12-57 | 130.1 | 517.1 | 2100 |
| | | 11-05-57 | 44.7 | 513.2 | | | | 8-16-57 | 131.8 | 515.4 | |
| | | 11-18-57 | 41.0 | 516.9 | | | | 9-25-57 | 130.7 | 516.5 | |
| | | 11-25-57 | 42.0* | 515.9 | | | | 11-05-57 | 125.2 | 518.0 | |
| | | 12-03-57 | 41.2* | 516.7 | | | | 11-29-57 | 130.5 | 516.7 | |
| | | 12-10-57 | 38.8 | 519.1 | | | | 1-17-58 | 128.3 | 518.9 | |
| | | 1-16-58 | 37.5 | 520.4 | | | | 3-07-58 | 126.4 | 520.8 | |
| | | 3-07-58 | 18.8 | 539.1 | | | | 5-07-58 | 118.9 | 528.3 | |
| | | 5-07-58 | 8.9 | 549.0 | | | | 6-11-58 | 120.1 | 527.1 | |
| | | 6-11-58 | 13.3 | 544.6 | | | | 7-12-57 | 125.1 | 516.9 | 2100 |
| 4N/23W-16D02 S | 562.9 | 7-11-57 | 54.7 | 508.2 | 2100 | 4N/23W-16Q03 S | 642.0 | 7-12-57 | 125.1 | 516.9 | 2100 |
| CONT. | | | | | | | | | | | |
| | | 8-14-57 | 58.1 | 504.8 | | | | 8-16-57 | 124.8 | 517.2 | |
| | | 9-24-57 | 61.2 | 501.7 | | | | 11-05-57 | 124.0* | 518.0 | |
| | | 10-24-57 | 61.0 | 501.9 | | | | 11-29-57 | 125.6 | 516.4 | |
| | | 11-27-57 | 52.9 | 510.0 | | | | 1-17-58 | 123.1 | 518.9 | |
| | | 1-15-58 | 55.9 | 507.0 | | | | 6-11-58 | 115.0 | 527.0 | |
| | | 3-05-58 | 19.2 | 543.7 | | | | 7-10-57 | 20.2 | 566.2 | 2100 |
| | | 5-05-58 | 15.6 | 547.3 | | | | 8-14-57 | 29.3 | 566.1 | |
| | | 6-10-58 | 21.7 | 541.2 | | | | 9-24-57 | 29.3 | 566.1 | |
| 4N/23W-16F01 S | 587.0 | 7-12-57 | 70.5 | 516.5 | 2100 | 4N/23W-17J01 S | 595.4 | 7-10-57 | 20.2 | 566.2 | 2100 |
| CONT. | | | | | | | | | | | |
| | | 8-16-57 | 73.2 | 513.8 | | | | 8-14-57 | 29.3 | 566.1 | |
| | | 9-25-57 | 76.8 | 510.2 | | | | 10-24-57 | 30.3 | 565.1 | |
| | | 10-25-57 | 76.7 | 510.3 | | | | 11-27-57 | 29.2 | 566.2 | |
| | | 11-29-57 | 68.9 | 518.1 | | | | 1-15-58 | 29.0 | 566.4 | |
| | | 1-16-58 | 66.6 | 520.4 | | | | 3-05-58 | 25.8 | 569.6 | |
| | | 3-07-58 | 48.6 | 538.4 | | | | 5-02-58 | 20.3 | 575.1 | |
| | | 5-06-58 | 37.5 | 549.5 | | | | 6-06-58 | 22.7 | 572.7 | |
| | | 6-11-58 | 42.0 | 545.0 | | | | 7-10-57 | 41.9 | 488.6 | 2100 |
| 4N/23W-16M01 S | 528.9 | 11-29-57 | 13.5 | 515.4 | 2100 | 4N/23W-17J02 S | 530.5 | 7-10-57 | 41.9 | 488.6 | 2100 |
| CONT. | | | | | | | | | | | |
| | | 1-16-58 | 11.8 | 517.1 | | | | 8-14-57 | 42.4 | 487.7 | |
| | | 3-07-58 | 2.0 | 526.9 | | | | 9-24-57 | 42.8 | 488.1 | |
| | | 5-07-58 | 1.7 | 527.2 | | | | 10-24-57 | 43.4 | 487.1 | |
| | | 6-11-58 | 6.0* | 522.9 | | | | 11-27-57 | 41.0 | 489.5 | |
| | | | | | | | | 1-15-58 | 40.9 | 489.6 | |
| | | | | | | | | 3-05-58 | 12.0 | 518.5 | |
| | | | | | | | | 5-02-58 | 9.9 | 520.6 | |
| | | | | | | | | 6-06-58 | 11.3 | 519.2 | |
| 4N/23W-16P01 S | 619.9 | 7-12-57 | 83.7 | 536.2 | 2100 | 4N/23W-17J03 S | 553.5 | 7-10-57 | 48.8 | 504.7 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------------|---------------------|----------|--------------------------------------|-----------------------------|-----------------------|---------------------------|---------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| VENTURA RIVER VALLEY | | | | | | | | | | | |
| 40300 | | | | | | VENTURA RIVER VALLEY | | | | | |
| UPPER VENTURA RIVER BASIN | | | | | | UPPER VENTURA RIVER BASIN | | | | | |
| 40302 | | | | | | 40302 | | | | | |
| 4N/23W-17J03 S | 593.5 | 8-14-57 | 50.0 | 503.5 | 2100 | 4N/23W-20J02 S | 457.0 | 12-10-57 | 31.6 | 425.9 | 2100 |
| CONT. | | 9-24-57 | 51.1 | 502.4 | | CONT. | | 1-15-58 | 28.1 | 428.3 | |
| | | 10-24-57 | 52.3 | 501.2 | | | | 3-05-58 | 13.8 | 443.2 | |
| | | 11-27-57 | 51.7 | 501.8 | | | | 6-30-58 | 14.3 | 443.7 | |
| | | 1-15-58 | 50.8 | 502.7 | | | | 6-06-58 | 14.3 | 442.7 | |
| | | 3-05-58 | 19.0 | 534.5 | | | | | | | |
| | | 5-02-58 | 18.1 | 535.4 | | 4N/23W-20J03 S | 453.2 | 7-10-57 | 32.7 | 420.5 | 2100 |
| | | 6-06-58 | 24.8 | 528.7 | | | | 8-14-57 | 34.1 | 419.1 | |
| 4N/23W-20A01 S | 488.9 | 7-10-57 | 28.7 | 460.2 | 2100 | | | 9-24-57 | 37.5 | 415.7 | |
| | | 9-24-57 | 30.8 | 458.1 | | | | 10-24-57 | 37.9 | 415.3 | |
| | | 10-24-57 | 30.9 | 458.0 | | | | 11-27-57 | 32.1 | 421.1 | |
| | | 11-27-57 | 29.3 | 459.6 | | | | 1-15-58 | 28.9 | 424.3 | |
| | | 11-25-57 | 29.0 | 459.9 | | | | 3-05-58 | 14.0 | 439.2 | |
| | | 12-03-57 | 28.9 | 460.0 | | | | 5-02-58 | 13.7 | 439.5 | |
| | | 12-10-57 | 28.2 | 460.7 | | | | 6-06-58 | 14.4 | 438.8 | |
| | | 1-15-58 | 26.9 | 462.0 | | 4N/23W-20J04 S | 453.0 | 7-10-57 | 32.0 | 421.0 | 2100 |
| | | 3-05-58 | 7.0 | 481.9 | | | | 8-14-57 | 33.3 | 419.7 | |
| | | 5-02-58 | 6.9 | 482.0 | | | | 9-24-57 | 36.4 | 416.6 | |
| | | 6-06-58 | 7.4 | 481.5 | | | | 10-24-57 | 36.2 | 416.8 | |
| 4N/23W-20H01 S | 458.7 | 7-10-57 | 33.8 | 424.9 | 2100 | | | 11-27-57 | 30.9 | 422.1 | |
| | | 8-14-57 | 35.3 | 423.4 | | | | 1-15-58 | 27.2 | 425.8 | |
| | | 9-24-57 | 39.2 | 419.5 | | | | 3-05-58 | 12.2 | 440.8 | |
| | | 10-24-57 | 39.7 | 419.0 | | | | 5-02-58 | 12.1 | 440.9 | |
| | | 11-27-57 | 32.5 | 426.2 | | | | 6-06-58 | 13.2 | 439.8 | |
| | | 1-15-58 | 27.8 | 428.9 | | | | | | | |
| | | 3-05-58 | 13.6 | 445.1 | | 4N/23W-20J05 S | 451.6 | 7-10-57 | 31.6 | 420.0 | 2100 |
| | | 5-02-58 | 13.5 | 445.2 | | | | 8-14-57 | 32.9 | 418.7 | |
| | | 6-06-58 | 14.5 | 444.2 | | | | 9-24-57 | 36.6 | 415.0 | |
| 4N/23W-20J01 S | 448.7 | 7-10-57 | 32.7 | 416.0 | 2100 | | | 10-24-57 | 37.1 | 414.5 | |
| | | 8-14-57 | 34.0 | 416.9 | | | | 11-27-57 | 30.9 | 420.7 | |
| | | 9-24-57 | 37.0 | 411.7 | | | | 1-15-58 | 27.8 | 423.8 | |
| | | 10-24-57 | 37.7 | 411.7 | | | | 3-05-58 | 12.9 | 438.7 | |
| | | 11-27-57 | 32.1 | 416.0 | | | | 5-02-58 | 12.7 | 438.9 | |
| | | 1-15-58 | 29.2 | 419.5 | | | | 6-06-58 | 13.9 | 438.2 | |
| | | 3-03-58 | 14.1 | 434.2 | | | | | | | |
| | | 5-02-58 | 13.7 | 435.0 | | 4N/23W-20K01 S | 447.3 | 7-10-57 | 30.5 | 416.8 | 2100 |
| | | 6-06-58 | 14.3 | 434.4 | | | | 8-14-57 | 31.5 | 415.8 | |
| 4N/23W-20J02 S | 457.0 | 7-10-57 | 33.6* | 423.4 | 2100 | | | 9-24-57 | 34.2 | 413.1 | |
| | | 8-14-57 | 34.9* | 422.1 | | | | 11-27-57 | 30.0 | 417.3 | |
| | | 9-24-57 | 39.1* | 417.9 | | | | 1-15-58 | 21.0 | 426.3 | |
| | | 10-24-57 | 39.2* | 417.8 | | | | 3-05-58 | 10.8 | 436.5 | |
| | | 11-05-57 | 38.3* | 418.7 | | | | 5-02-58 | 11.2 | 436.1 | |
| | | | | | | | | 6-06-58 | 12.0 | 435.3 | |
| | | | | | | | | 7-10-57 | 39.7 | 374.2 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| VENTURA RIVER VALLEY | | | | | | | | | | | |
| 40300 | | | | | | | | | | | |
| UPPER VENTURA RIVER BASIN | | | | | | | | | | | |
| 4N/23W-20P01 S | 413.9 | 8-14-57 | 42.6 | 371.3 | 2100 | 4N/23W-20Q06 S | 419.7 | 5-02-58 | 9.0 | 410.7 | 2100 |
| | | 9-19-57 | 45.8 | 368.1 | | CONT. | | 6-06-58 | 11.2 | 408.5 | |
| | | 10-24-57 | 47.2 | 366.7 | | | | | | | |
| | | 11-26-57 | 42.7 | 371.2 | | 4N/23W-20Q07 S | 417.5 | 7-10-57 | 33.1 | 384.4 | 2100 |
| | | 1-15-58 | 32.9 | 381.0 | | | | 8-14-57 | 34.3 | 383.2 | |
| | | 3-05-58 | 13.8 | 400.1 | | | | 9-19-57 | 36.5 | 381.0 | |
| | | 5-02-58 | 13.6 | 400.3 | | | | 10-24-57 | 37.5 | 380.0 | |
| | | 6-06-58 | 16.0 | 397.9 | | | | 11-26-57 | 34.9 | 382.6 | |
| | | | | | | | | 1-15-58 | 28.5 | 389.0 | |
| 4N/23W-20Q02 S | 426.8 | 7-10-57 | 20.2 | 406.6 | 2100 | | | 3-05-58 | 11.5 | 406.0 | |
| | | 8-14-57 | 21.4 | 403.4 | | | | 5-02-58 | 11.4 | 406.1 | |
| | | 9-19-57 | 24.1 | 402.7 | | | | 6-06-58 | 13.1 | 404.4 | |
| | | 10-24-57 | 23.8 | 403.0 | | | | | | | |
| | | 11-05-57 | 25.3 | 401.5 | | 4N/23W-21R05 S | 613.9 | 7-12-57 | 17.3 | 596.6 | 2100 |
| | | 12-10-57 | 19.4 | 407.4 | | | | 8-16-57 | 18.2 | 595.7 | |
| | | 1-15-58 | 15.5 | 411.3 | | | | 9-25-57 | 19.0 | 594.9 | |
| | | 3-05-58 | 2.8 | 424.0 | | | | 11-05-57 | 17.6 | 596.3 | |
| | | 4-30-58 | 2.8 | 424.0 | | | | 11-29-57 | 18.1 | 595.8 | |
| | | 6-06-58 | 3.5 | 423.3 | | | | 1-17-58 | 15.1 | 598.8 | |
| | | | | | | | | 3-07-58 | 6.0 | 607.9 | |
| 4N/23W-20Q04 S | 424.0 | 7-10-57 | 20.4 | 403.6 | 2100 | | | 5-07-58 | 6.2 | 607.7 | |
| | | 8-14-57 | 21.8 | 402.2 | | | | 6-11-58 | 9.1 | 604.8 | |
| | | 9-19-57 | 24.5 | 399.5 | | | | | | | |
| | | 10-24-57 | 24.3 | 399.7 | | 4N/23W-21R10 S | 473.4 | 6-10-58 | 11.1 | 462.3 | 2100 |
| | | 11-26-57 | 20.9 | 403.1 | | | | | | | |
| | | 1-15-58 | 15.6 | 408.4 | | 4N/23W-21C02 S | 606.7 | 7-12-57 | 62.0 | 544.7 | 2100 |
| | | 3-05-58 | 2.6 | 421.4 | | | | 8-16-57 | 62.1 | 544.7 | |
| | | 5-02-58 | 3.1 | 420.9 | | | | 9-25-57 | 62.0 | 544.6 | |
| | | 6-06-58 | 3.8 | 420.2 | | | | 3-07-58 | 60.7 | 546.0 | |
| | | | | | | | | 5-07-58 | 61.0 | 545.7 | |
| 4N/23W-20Q05 S | 422.5 | 7-10-57 | 23.4 | 399.1 | 2100 | 4N/23W-21C05 S | 627.8 | 7-12-57 | 172.2 | 455.6 | 2100 |
| | | 8-14-57 | 23.9 | 398.6 | | | | 8-16-57 | 176.0 | 451.8 | |
| | | 9-19-57 | 24.2 | 398.3 | | | | 9-25-57 | 173.0 | 454.8 | |
| | | 10-24-57 | 24.4 | 398.4 | | | | 10-29-57 | 173.0 | 454.8 | |
| | | 11-26-57 | 24.1 | 398.4 | | | | 11-05-57 | 165.0 | 462.8 | |
| | | 1-15-58 | 17.8 | 404.7 | | | | 11-29-57 | 162.4 | 465.4 | |
| | | 2-05-58 | 12.2 | 410.3 | | | | 1-17-58 | 160.2 | 467.6 | |
| | | 5-02-58 | 12.3 | 410.2 | | | | 3-07-58 | 143.6 | 484.2 | |
| | | 6-06-58 | 12.3 | 410.2 | | | | 5-07-58 | 139.1 | 488.7 | |
| | | | | | | | | 6-11-58 | 142.2 | 485.6 | |
| 4N/23W-20Q06 S | 419.7 | 7-10-57 | 28.0 | 391.7 | 2100 | 4N/23W-21C07 S | 603.2 | 7-12-57 | 67.9 | 535.3 | 2100 |
| | | 8-14-57 | 28.7 | 391.0 | | | | 8-16-57 | 68.2 | 535.0 | |
| | | 9-19-57 | DRY | | | | | 9-25-57 | 68.3 | 534.9 | |
| | 419.7 | 11-26-57 | 30.4 | 389.3 | | | | 11-05-57 | 68.3 | 534.9 | |
| | | 1-15-58 | 23.2 | 396.5 | | | | | | | |
| | | 3-05-58 | 8.3 | 411.4 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| Site Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| VENTURA RIVER VALLEY | | | | | | | | | | | |
| 40300 | | | | | | | | | | | |
| UPPER VENTURA RIVER BASIN | | | | | | | | | | | |
| 4N/23W-21C07 S | 603.2 | 11-29-57 | 68.2 | 535.0 | 2100 | 4N/23W-22R01 S | 499.7 | 8-15-57 | 21.4 | 478.3 | 2100 |
| CONT. | | 1-17-58 | 68.1 | 536.1 | | CONT. | | 9-24-57 | 21.6 | 479.1 | |
| | | 3-07-58 | 67.1 | 536.1 | | | | 10-25-57 | 19.0 | 480.7 | |
| | | 5-07-58 | 67.1 | 535.6 | | | | 11-27-57 | 16.8 | 482.0 | |
| | | 6-11-58 | 67.6 | 535.6 | | | | 1-16-58 | 16.4 | 483.3 | |
| 4N/23W-21E02 S | 466.9 | 7-10-57 | 31.1 | 433.8 | 2100 | | | 3-06-58 | 15.4 | 484.3 | |
| | | 8-14-57 | 31.9 | 433.0 | | | | 5-06-58 | 23.0* | 476.7 | |
| | | 9-24-57 | 34.6 | 430.3 | | | | 6-10-58 | 17.7 | 482.0 | |
| | | 10-24-57 | 35.7 | 429.2 | | | | 7-11-57 | 25.5 | 376.9 | 2100 |
| | | 11-27-57 | 30.2 | 436.7 | | 4N/23W-22R01 S | 402.4 | 8-15-57 | 28.6 | 371.8 | |
| | | 1-15-58 | 29.6 | 435.3 | | | | 9-24-57 | 30.6 | 371.8 | |
| | | 3-05-58 | 13.9 | 461.9 | | | | 10-25-57 | 31.1 | 371.3 | |
| | | 5-02-58 | 12.9 | 452.0 | | | | 11-27-57 | 31.0 | 370.3 | |
| | | 6-06-58 | 13.6 | 451.3 | | | | 1-16-58 | 17.3 | 384.6 | |
| 4N/23W-21F02 S | 590.6 | 7-12-57 | 7.2 | 583.4 | 2100 | | | 3-06-58 | 8.5 | 303.8 | |
| | | 8-16-57 | 8.0 | 582.6 | | | | 5-06-58 | 9.3 | 301.4 | |
| | | 9-25-57 | 10.5 | 580.1 | | | | 6-10-58 | 8.6 | 303.8 | |
| | | 11-05-57 | 6.5 | 584.1 | | 4N/23W-22L02 S | 508.0 | 7-09-57 | 108.3 | 400.0 | 2100 |
| | | 11-29-57 | 6.9 | 583.7 | | | | 9-18-57 | 105.0 | 403.0 | |
| | | 1-17-58 | 5.0 | 585.6 | | | | 11-06-57 | 99.2 | 408.8 | |
| | | 3-07-58 | 3.8 | 586.8 | | | | 11-26-57 | 97.5 | 410.4 | |
| | | 5-07-58 | 3.0 | 587.6 | | | | 1-10-58 | 90.6 | 417.4 | |
| | | 6-11-58 | 3.2 | 587.4 | | | | 5-05-58 | 74.4 | 434.6 | |
| 4N/23W-21M02 S | 457.4 | 7-10-57 | 25.5 | 431.9 | 2100 | 4N/23W-29R01 S | 416.3 | 7-10-57 | 39.4* | 376.8 | 2100 |
| | | 8-14-57 | 26.0 | 431.4 | | | | 8-14-57 | 43.0* | 373.0 | |
| | | 9-24-57 | 28.8 | 428.6 | | | | 9-19-57 | 47.8 | 375.8 | |
| | | 10-24-57 | 30.1 | 427.3 | | | | 10-24-57 | 46.8 | 372.1 | |
| | | 11-27-57 | 24.0 | 433.4 | | | | 11-26-57 | 39.6 | 385.8 | |
| | | 1-15-58 | 23.5 | 433.9 | | | | 1-13-58 | 32.2 | 402.8 | |
| | | 3-05-58 | 8.5 | 448.9 | | | | 3-03-58 | 13.4 | 402.7 | |
| | | 5-02-58 | 8.4 | 449.0 | | | | 5-02-58 | 13.3 | 402.7 | |
| | | 6-06-58 | 10.7 | 446.7 | | | | 6-06-58 | 13.3 | 408.7 | |
| 4N/23W-21N01 S | 505.8 | 7-12-57 | 23.5 | 482.3 | 2100 | 4N/23W-29R02 S | 414.5 | 7-10-57 | 37.6 | 376.9 | 2100 |
| | | 8-16-57 | 24.7 | 481.1 | | | | 8-16-57 | 39.0 | 374.6 | |
| | | 9-25-57 | 25.5 | 480.3 | | | | 9-10-57 | 42.3 | 372.2 | |
| | | 11-05-57 | 19.4 | 486.4 | | | | 10-24-57 | 43.2 | 371.1 | |
| | | 11-29-57 | 27.0 | 483.8 | | | | 11-26-57 | 39.9 | 374.6 | |
| | | 1-17-58 | 14.0 | 491.8 | | | | 1-15-58 | 31.0 | 383.5 | |
| | | 3-07-58 | 4.8 | 501.0 | | | | 3-05-58 | 12.4 | 402.1 | |
| | | 5-07-58 | 5.4 | 500.4 | | | | 5-02-58 | 12.3 | 402.2 | |
| | | 6-11-58 | 8.1 | 497.7 | | | | 6-06-58 | 14.2 | 400.3 | |
| 4N/23W-22B01 S | 499.7 | 7-11-57 | 20.9 | 478.8 | 2100 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| VENTURA RIVER VALLEY | | | | | | | | | | | |
| 40300 | | | | | | 40302 | | | | | |
| UPPER VENTURA RIVER BASIN | | | | | | | | | | | |
| 4N/23W-29J02 S | | | | | | | | | | | |
| CONT. | | | | | | | | | | | |
| 4N/23W-29J02 S | 438.3 | 9-18-57 | 73.9 | 364.4 | 2100 | 4N/23W-32B02 S | 350.1 | 11-25-57 | 33.8 | 316.3 | 2100 |
| | | 11-06-57 | 73.8 | 364.5 | | | | 1-10-58 | 23.7 | 326.4 | |
| | | 11-26-57 | 72.7 | 365.6 | | | | 2-28-58 | 12.9 | 337.2 | |
| | | 1-10-58 | 69.8 | 369.5 | | | | 5-05-58 | 11.7 | 338.4 | |
| | | 2-18-58 | 50.6 | 387.7 | | | | 6-05-58 | 12.2 | 337.9 | |
| | | 5-05-58 | 48.3 | 390.0 | | | | | | | |
| | | 6-05-58 | 49.8 | 388.5 | | | | 7-09-57 | 15.1 | 306.8 | 2100 |
| 4N/23W-29L01 S | 372.9 | 7-10-57 | 21.1 | 351.8 | 2100 | 4N/23W-32J01 S | 321.9 | 8-13-57 | 16.1 | 305.8 | |
| | | 8-14-57 | 27.0 | 345.9 | | | | 9-18-57 | 16.2 | 305.7 | |
| | | 9-19-57 | 31.5 | 341.4 | | | | 2-28-58 | 12.0 | 309.9 | |
| | | 10-24-57 | 36.7 | 336.2 | | | | 5-25-58 | 10.2 | 311.7 | |
| | | 11-05-57 | 37.5 | 335.4 | | | | 6-05-58 | 10.6 | 311.3 | |
| | | 11-18-57 | 37.3 | 335.6 | | | | | | | |
| | | 11-25-57 | 35.9 | 337.0 | | | | 7-09-57 | 11.7 | 304.2 | 2100 |
| | | 12-05-57 | 34.0 | 338.9 | | | | 8-13-57 | 15.2 | 300.7 | |
| | | 12-10-57 | 31.9 | 341.0 | | | | 9-18-57 | 13.2 | 302.7 | |
| | | 1-14-58 | 21.0 | 351.9 | | | | 11-06-57 | 14.0 | 301.9 | |
| | | 2-28-58 | 6.2 | 366.7 | | | | 11-26-57 | 14.0 | 301.9 | |
| | | 3-02-58 | 6.1 | 366.8 | | | | 1-14-58 | 10.9 | 305.0 | |
| | | 6-06-58 | 6.7 | 366.2 | | | | 2-28-58 | 8.2 | 307.7 | |
| | | | | | | | | 5-02-58 | 6.6 | 309.3 | |
| | | | | | | | | 6-05-58 | 6.5 | 309.4 | |
| 4N/23W-29Q01 S | 954.5 | 7-09-57 | 17.3 | 937.2 | 2100 | 4N/23W-32J02 S | 315.9 | 11-25-57 | 13.8 | 302.4 | 2100 |
| | | 8-13-57 | 22.1 | 932.6 | | | | 1-14-58 | 11.8 | 304.4 | |
| | | 9-18-57 | 26.2 | 928.3 | | | | 5-02-58 | 8.6 | 307.6 | |
| | | 11-06-57 | 31.4 | 923.1 | | | | 6-05-58 | 9.5* | 308.7 | |
| | | 11-25-57 | 33.4 | 921.1 | | | | | | | |
| | | 1-10-58 | 20.0 | 934.5 | | | | 7-09-57 | 13.0 | 335.8 | 2100 |
| | | 2-28-58 | 8.1 | 946.4 | | | | 8-13-57 | 16.3 | 335.5 | |
| | | 5-05-58 | 6.8 | 947.7 | | | | 9-19-57 | 19.6* | 329.2 | |
| | | 6-05-58 | 7.0 | 947.5 | | | | 11-06-57 | 17.1 | 331.7 | |
| 4N/23W-32R01 S | 330.0 | 7-09-57 | 7.8 | 324.2 | 2100 | 4N/24W-36K01 S | 346.8 | 11-26-57 | 17.4 | 331.4 | |
| | | 8-13-57 | 8.4 | 321.6 | | | | 1-14-58 | 12.8 | 336.0 | |
| | | 9-18-57 | 11.1 | 318.9 | | | | 3-04-58 | 14.4 | 336.4 | |
| | | 11-06-57 | DRY | | | | | 5-05-58 | 12.0 | 336.8 | |
| | | 11-25-57 | DRY | | | | | 6-06-58 | 21.0* | 327.8 | |
| | | 1-14-58 | 7.8 | 322.2 | | | | | | | |
| | | 2-28-58 | *3 | 329.7 | | | | 7-11-57 | 29.1 | 812.5 | 2100 |
| | | 5-02-58 | *5 | 329.5 | | | | 8-15-57 | 33.4 | 808.2 | |
| | | 6-05-58 | *4 | 329.6 | | | | 9-24-57 | 30.8 | 810.8 | |
| 4N/23W-32B02 S | 950.1 | 7-09-57 | 20.7 | 929.4 | 2100 | 5N/23W-33B01 S | 841.6 | 10-25-57 | 23.1 | 818.5 | |
| | | 8-13-57 | 25.4 | 924.7 | | | | 11-27-57 | 32.2* | 809.4 | |
| | | 9-19-57 | 28.0 | 922.1 | | | | 1-15-58 | 29.7* | 811.9 | |
| | | 11-06-57 | 33.2 | 916.9 | | | | 3-06-58 | 11.6 | 830.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| VENTURA RIVER VALLEY | | | | | | | | | | | |
| UPPER VENTURA RIVER BASIN | | | | | | | | | | | |
| 40300 | | | | | | | | | | | |
| 5N/23W-33B01 S | 841.6 | 5-05-58 | 10.8 | 830.8 | 2100 | 1N/21W-04M01 S | 50.8 | 7-24-57 | 114.3 | 63.5 | 2100 |
| CONT. | | 6-10-58 | 15.1 | 826.5 | | | | 8-20-57 | 105.0 | 54.2 | |
| 5N/23W-33B02 S | 834.8 | 7-11-57 | 27.1 | 807.7 | 2100 | | | 10-02-57 | 102.4 | 51.6 | |
| | | 10-25-57 | 19.9 | 814.9 | | | | 11-20-57 | 88.7 | 37.9 | |
| | | 11-27-57 | 28.5 | 806.3 | | | | 1-09-58 | 80.0 | 29.2 | |
| | | 1-15-58 | 27.3 | 807.5 | | | | 4-23-58 | 60.6 | 9.8 | |
| | | 3-06-58 | 17.9 | 816.9 | | | | 6-10-58 | 96.5* | 45.7 | |
| | | 5-05-58 | 15.1 | 819.7 | | | | | | | |
| 5N/23W-33B03 S | 829.4 | 6-10-58 | 16.0 | 818.8 | | 1N/21W-04M02 S | 51.1 | 7-24-57 | 112.8 | 61.7 | 2100 |
| | | 5-05-58 | 15.4 | 814.0 | | | | 8-20-57 | 99.2 | 48.1 | |
| | | 6-10-58 | 16.4 | 813.0 | | | | 10-02-57 | 110.5* | 59.4 | |
| 5N/23W-33G01 S | 816.2 | 9-24-57 | 27.2* | 789.0 | 2100 | | | 11-20-57 | 98.7 | 47.6 | |
| | | 10-24-57 | 16.0 | 800.2 | | | | 1-09-58 | 87.3 | 36.2 | |
| | | 11-27-57 | 23.0* | 793.2 | | | | 4-23-58 | 68.5 | 17.4 | |
| | | 1-15-58 | 19.5* | 796.7 | | | | 6-10-58 | 77.1 | 26.0 | |
| | | 3-05-58 | 14.9 | 801.3 | | | | | | | |
| | | 5-05-58 | 15.3 | 800.9 | | | | | | | |
| | | 6-10-58 | 16.2 | 800.0 | | | | | | | |
| 5N/23W-33G03 S | 797.8 | 7-11-57 | 16.8* | 781.0 | 2100 | 1N/21W-04P01 S | 43.7 | 7-04-57 | 98.9 | 55.2 | 2400 |
| | | 8-15-57 | 29.1* | 768.7 | | | | 7-11-57 | 100.2 | 56.5 | |
| | | 9-24-57 | 16.0 | 781.8 | | | | 7-18-57 | 108.2 | 64.5 | |
| | | 10-24-57 | 6.9 | 790.9 | | | | 7-25-57 | 113.2 | 69.5 | |
| | | 1-15-58 | 8.7 | 789.1 | | | | 8-01-57 | 124.4 | 80.7 | |
| | | 3-05-58 | 5.7 | 792.1 | | | | 8-08-57 | 128.6 | 84.9 | |
| | | 5-05-58 | 6.0 | 791.8 | | | | 8-15-57 | 122.0 | 78.3 | |
| | | 6-10-58 | 6.5 | 791.3 | | | | 8-26-57 | 118.3 | 74.6 | |
| 5N/23W-33001 S | 768.4 | 7-11-57 | 32.9 | 735.5 | 2100 | | | 9-01-57 | 127.0 | 83.3 | |
| | | 8-15-57 | 35.8 | 732.6 | | | | 9-17-57 | 114.1 | 70.4 | |
| | | 9-24-57 | 34.3 | 734.1 | | | | 10-04-57 | 108.0 | 64.3 | |
| | | 10-24-57 | 29.0 | 739.4 | | | | 10-18-57 | 105.4 | 61.7 | |
| | | 11-27-57 | 36.0 | 732.4 | | | | 10-27-57 | 99.9 | 56.2 | |
| | | 1-15-58 | 33.3 | 735.1 | | | | 10-30-57 | 107.7 | 64.0 | |
| | | | | | | | | 11-01-57 | 105.1 | 61.4 | |
| | | | | | | | | 11-15-57 | 94.8 | 51.1 | |
| | | | | | | | | 11-28-57 | 97.7 | 54.0 | |
| | | | | | | | | 12-02-57 | 96.3 | 52.6 | |
| | | | | | | | | 12-04-57 | 98.2 | 54.5 | |
| | | | | | | | | 12-11-57 | 90.7 | 47.0 | |
| | | | | | | | | 12-11-57 | 96.0 | 52.3 | |
| | | | | | | | | 12-26-57 | 81.8 | 38.1 | |
| | | | | | | | | 1-2-58 | 88.6 | 44.9 | |
| | | | | | | | | 1-01-58 | 87.3 | 43.6 | |
| | | | | | | | | 1-17-58 | 91.0 | 47.3 | |
| | | | | | | | | 1-19-58 | 86.4 | 42.7 | |
| | | | | | | | | 1-24-58 | 96.8 | 53.1 | |
| | | | | | | | | 2-01-58 | 81.4 | 37.7 | |
| | | | | | | | | 2-15-58 | 75.0 | 31.3 | |
| | | | | | | | | 2-18-58 | 79.0 | 35.3 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|----------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | | | | | | |
| OKNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| OKNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| 40401 | | | | | | | | | | | |
| 1N/21W-04P01 S | 43.7 | 3-01-58 | 694.0 | - 25.3 | 2400 | 1N/21W-05H01 S | 45.5 | 2-26-58 | 85.8 | - 36.3 | 2400 |
| | | 3-15-58 | 654.3 | - 21.6 | | | | 3-03-58 | 85.2 | - 35.7 | |
| | | 4-01-58 | 614.1 | - 17.4 | | | | 3-12-58 | 84.3 | - 34.8 | |
| | | 4-14-58 | 584.4 | - 14.7 | | | | 3-17-58 | 83.4 | - 33.9 | |
| | | 4-30-58 | 794.0 | - 35.3 | | | | 3-26-58 | 82.3 | - 32.8 | |
| | | 5-01-58 | 754.1 | - 31.4 | | | | 4-02-58 | 81.5 | - 32.0 | |
| | | 5-15-58 | 844.3 | - 40.6 | | | | 4-07-58 | 79.0 | - 29.2 | |
| | | 5-22-58 | 874.7 | - 44.0 | | | | 4-21-58 | 78.3 | - 28.5 | |
| | | 5-26-58 | 794.3 | - 35.6 | | | | 4-29-58 | 77.0 | - 27.5 | |
| | | 5-31-58 | 874.3 | - 43.6 | | | | 5-07-58 | 76.1 | - 26.6 | |
| | | 6-16-58 | 764.7 | - 33.0 | | | | 5-14-58 | 75.4 | - 25.9 | |
| | | 7-03-57 | 774.3 | - 27.8 | 2400 | | | 5-21-58 | 75.1 | - 25.6 | |
| | | 7-10-57 | 774.3 | - 28.3 | | | | 5-26-58 | 74.6 | - 25.1 | |
| | | 7-17-57 | 784.3 | - 28.8 | | | | 6-04-58 | 74.6 | - 25.1 | |
| | | 7-24-57 | 794.3 | - 28.8 | | | | 6-11-58 | 74.7 | - 25.1 | |
| | | 7-31-57 | 804.1 | - 30.6 | | | | 6-18-58 | 74.6 | - 25.1 | |
| | | 8-07-57 | 814.2 | - 31.7 | | | | 6-23-58 | 74.5 | - 25.0 | |
| | | 8-14-57 | 824.3 | - 32.8 | | | | | | | |
| | | 8-21-57 | 834.8 | - 34.7 | | | | | | | |
| | | 8-28-57 | 844.2 | - 35.6 | | | | | | | |
| | | 9-01-57 | 864.1 | - 36.5 | | | | | | | |
| | | 9-18-57 | 864.0 | - 37.1 | | | | | | | |
| | | 9-25-57 | 874.3 | - 37.8 | | | | | | | |
| | | 10-02-57 | 874.8 | - 38.3 | | | | | | | |
| | | 10-09-57 | 884.3 | - 38.8 | | | | | | | |
| | | 10-16-57 | 884.9 | - 39.4 | | | | | | | |
| | | 10-23-57 | 894.2 | - 39.7 | | | | | | | |
| | | 10-30-57 | 894.6 | - 40.1 | | | | | | | |
| | | 11-06-57 | 894.8 | - 40.3 | | | | | | | |
| | | 11-13-57 | 894.9 | - 40.4 | | | | | | | |
| | | 11-20-57 | 894.9 | - 40.4 | | | | | | | |
| | | 11-27-57 | 904.0 | - 40.5 | | | | | | | |
| | | 12-04-57 | 904.0 | - 40.5 | | | | | | | |
| | | 12-11-57 | 904.0 | - 40.5 | | | | | | | |
| | | 12-18-57 | 894.9 | - 40.4 | | | | | | | |
| | | 12-24-57 | 894.8 | - 40.3 | | | | | | | |
| | | 12-31-57 | 894.6 | - 40.1 | | | | | | | |
| | | 1-08-58 | 894.2 | - 39.7 | | | | | | | |
| | | 1-15-58 | 894.0 | - 39.5 | | | | | | | |
| | | 1-23-58 | 884.7 | - 39.2 | | | | | | | |
| | | 1-29-58 | 884.2 | - 38.7 | | | | | | | |
| | | 2-05-58 | 874.0 | - 37.5 | | | | | | | |
| | | 2-12-58 | 874.7 | - 38.2 | | | | | | | |
| | | 2-19-58 | 864.8 | - 37.3 | | | | | | | |
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | | | | | | |
| OKNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| OKNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| 40401 | | | | | | | | | | | |
| 1N/21W-07J01 S | 40.9 | 8-16-57 | 844.4 | - 43.5 | | 1N/21W-07J01 S | 40.9 | 8-16-57 | 844.4 | - 43.5 | 2100 |
| | | 9-26-57 | 774.3 | - 36.4 | | | | 9-26-57 | 774.3 | - 36.4 | |
| | | 11-16-57 | 634.2 | - 22.3 | | | | 11-16-57 | 634.2 | - 22.3 | |
| | | 1-08-58 | 584.6 | - 17.7 | | | | 1-08-58 | 584.6 | - 17.7 | |
| | | 4-25-58 | 384.2 | - 2.7 | | | | 4-25-58 | 384.2 | - 2.7 | |
| | | 6-09-58 | 564.3 | - 15.4 | | | | 6-09-58 | 564.3 | - 15.4 | |
| | | 11-19-57 | 574.1 | - 26.4 | | | | 11-19-57 | 574.1 | - 26.4 | 2100 |
| | | 1-08-58 | 454.7 | - 15.0 | | | | 1-08-58 | 454.7 | - 15.0 | |
| | | 4-25-58 | 324.6 | - 1.9 | | | | 4-25-58 | 324.6 | - 1.9 | |
| | | 6-09-58 | 484.2 | - 17.5 | | | | 6-09-58 | 484.2 | - 17.5 | |
| | | 7-04-57 | 594.3 | - 35.8 | | | | 7-04-57 | 594.3 | - 35.8 | 2400 |
| | | 7-11-57 | 604.6 | - 37.1 | | | | 7-11-57 | 604.6 | - 37.1 | |
| | | 7-18-57 | 614.9 | - 38.4 | | | | 7-18-57 | 614.9 | - 38.4 | |
| | | 8-01-57 | 664.5 | - 43.0 | | | | 8-01-57 | 664.5 | - 43.0 | |
| | | 8-08-57 | 654.8 | - 42.3 | | | | 8-08-57 | 654.8 | - 42.3 | |
| | | 8-15-57 | 664.0 | - 42.5 | | | | 8-15-57 | 664.0 | - 42.5 | |
| | | 8-22-57 | 664.1 | - 42.6 | | | | 8-22-57 | 664.1 | - 42.6 | |
| | | 8-29-57 | 684.4 | - 44.9 | | | | 8-29-57 | 684.4 | - 44.9 | |
| | | 9-05-57 | 684.3 | - 44.8 | | | | 9-05-57 | 684.3 | - 44.8 | |
| | | 9-12-57 | 704.9 | - 47.4 | | | | 9-12-57 | 704.9 | - 47.4 | |
| | | 9-19-57 | 704.0 | - 46.5 | | | | 9-19-57 | 704.0 | - 46.5 | |
| | | 9-26-57 | 694.3 | - 45.8 | | | | 9-26-57 | 694.3 | - 45.8 | |
| | | 10-03-57 | 684.2 | - 44.7 | | | | 10-03-57 | 684.2 | - 44.7 | |
| | | 10-10-57 | 654.8 | - 42.3 | | | | 10-10-57 | 654.8 | - 42.3 | |
| | | 10-17-57 | 594.3 | - 35.8 | | | | 10-17-57 | 594.3 | - 35.8 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|----------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| 40401 | | | | | | | | | | | |
| 1N/21W-17001 S | 23.5 | 10-24-57 | 58.8 | 35.3 | 2400 | 1N/21W-19A01 S | 23.2 | 8-31-57 | 73.0 | 49.8 | 2400 |
| CONT. | | | | | | | | | | | |
| | | 10-31-57 | 58.8 | 35.3 | | | | 9-14-57 | 73.8 | 50.6 | |
| | | 11-14-57 | 57.9 | 34.4 | | | | 9-28-57 | 67.6 | 44.4 | |
| | | 11-21-57 | 55.7 | 32.2 | | | | 10-01-57 | 70.1 | 46.9 | |
| | | 11-29-57 | 55.4 | 31.9 | | | | 10-15-57 | 58.9 | 35.7 | |
| | | 12-05-57 | 55.8 | 32.3 | | | | 10-27-57 | 54.9 | 31.7 | |
| | | 12-19-57 | 46.6 | 23.1 | | | | 11-01-57 | 66.4 | 39.2 | |
| | | 12-26-57 | 43.3 | 19.8 | | | | 11-14-57 | 58.2 | 35.0 | |
| | | 1-02-58 | 41.3 | 17.8 | | | | 12-01-57 | 54.6 | 31.4 | |
| | | 1-09-58 | 41.8 | 18.3 | | | | 12-04-57 | 61.2 | 38.0 | |
| | | 1-16-58 | 43.4 | 19.9 | | | | 12-15-57 | 47.9 | 24.7 | |
| | | 1-23-58 | 42.9 | 19.4 | | | | 1-01-58 | 40.9 | 17.7 | |
| | | 1-30-58 | 38.9 | 15.4 | | | | 1-09-58 | 41.5 | 24.3 | |
| | | 2-06-58 | 37.8 | 14.3 | | | | 1-15-58 | 43.6 | 20.6 | |
| | | 2-13-58 | 36.5 | 13.0 | | | | 2-01-58 | 39.3 | 16.1 | |
| | | 2-20-58 | 35.0 | 11.5 | | | | 2-15-58 | 34.8 | 11.6 | |
| | | 2-27-58 | 33.6 | 10.1 | | | | 3-01-58 | 31.9 | 7.7 | |
| | | 3-06-58 | 33.2 | 9.7 | | | | 3-15-58 | 30.4 | 7.2 | |
| | | 3-13-58 | 32.9 | 9.4 | | | | 4-01-58 | 27.2 | 5.0 | |
| | | 3-20-58 | 30.1 | 6.6 | | | | 4-10-58 | 25.6 | 2.8 | |
| | | 4-10-58 | 26.6 | 3.1 | | | | 5-01-58 | 36.0 | 14.8 | |
| | | 4-17-58 | 26.6 | 3.1 | | | | 5-15-58 | 38.0 | 14.8 | |
| | | 4-24-58 | 27.2 | 3.7 | | | | 6-04-58 | 56.2 | 33.0 | |
| | | 5-01-58 | 29.5 | 6.0 | | | | 6-13-58 | 51.3 | 29.3 | |
| | | 5-08-58 | 31.8 | 8.3 | | | | 6-15-58 | 45.6 | 22.4 | |
| | | 5-15-58 | 35.8 | 12.3 | | | | 8-18-57 | 63.5 | 43.6 | 2100 |
| | | 5-22-58 | 38.9 | 15.4 | | | | 9-30-57 | 63.2 | 43.5 | |
| | | 5-29-58 | 43.5 | 20.0 | | | | 11-20-57 | 50.2 | 30.5 | |
| | | 6-05-58 | 45.3 | 21.8 | | | | 4-21-58 | 23.8 | 3.9 | |
| | | 6-12-58 | 47.2 | 23.7 | | | | 6-09-58 | 44.3 | 24.4 | |
| | | 6-19-58 | 49.8 | 26.3 | | | | 7-01-57 | 50.2 | 32.0 | 2400 |
| | | 6-26-58 | 49.5 | 26.0 | | | | 7-08-57 | 48.9 | 30.7 | |
| 1N/21W-18C01 S | 30.2 | 9-26-57 | 73.8 | 43.6 | 2100 | 1N/21W-19N01 S | 18.2 | 7-01-57 | 50.2 | 32.0 | 2400 |
| | | 11-19-57 | 55.3 | 25.1 | | | | 7-08-57 | 48.9 | 30.7 | |
| 1N/21W-18G01 S | 29.7 | 11-19-57 | 56.7 | 27.0 | 2100 | | | 7-17-57 | 53.6 | 36.4 | |
| | | 4-22-58 | 37.8 | 8.1 | | | | 8-01-57 | 64.3 | 41.3 | |
| | | 6-09-58 | 38.0 | 8.3 | | | | 8-15-57 | 60.1 | 44.5 | |
| | | 7-06-57 | 61.9 | 38.7 | 2400 | | | 9-01-57 | 63.1 | 42.2 | |
| | | 7-13-57 | 65.3 | 42.1 | | | | 9-15-57 | 60.8 | 42.6 | |
| | | 7-20-57 | 65.7 | 42.5 | | | | 9-21-57 | 56.7 | 41.5 | |
| | | 7-25-57 | 70.0 | 46.8 | | | | 10-09-57 | 58.1 | 39.0 | |
| | | 7-31-57 | 71.2 | 48.0 | | | | 10-21-57 | 50.8 | 32.9 | |
| | | 8-14-57 | 73.0 | 49.8 | | | | 10-21-57 | 46.3 | 26.6 | |
| | | | | | | | | 10-31-57 | 45.8 | 31.6 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | |
|----------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | | | | | | | |
| 40400 | | | | | | | | | | | | |
| 1N/21W-19N01 S | 18+2 | 11-07-57 | 47.0 | - | 24.00 | 1N/21W-21N01 S | 15+7 | 1-09-58 | 55.3 | - | 39.6 | 2100 |
| CONT. | | 11-14-57 | 46.4 | - | 28.2 | CONT. | | 4-22-58 | 31.6 | - | 15+9 | |
| | | 11-21-57 | 47.9 | - | 29.7 | | | 6-09-58 | 32+4 | - | 16+7 | |
| | | 11-29-57 | 49.2 | - | 31.0 | | | | | | | |
| | | 12-05-57 | 49.0 | - | 30.8 | 1N/21W-29D01 S | 19+0 | 7-04-57 | 68+3 | - | 48.4 | 2400 |
| | | 12-12-57 | 43.9 | - | 25.7 | | | 10-10-57 | 87+2 | - | 67.3 | |
| | | 12-19-57 | 37.5 | - | 19.3 | | | 10-17-57 | 81.0 | - | 61.1 | |
| | | 12-26-57 | 35.0 | - | 16.8 | | | 10-24-57 | 81.0 | - | 61.1 | |
| | | 1-16-58 | 36.7 | - | 18.5 | | | 10-31-57 | 83.9 | - | 64+0 | |
| | | 1-30-58 | 32.9 | - | 14.7 | | | 11-07-57 | 78.0 | - | 58.1 | |
| | | 2-06-58 | 29.6 | - | 11.4 | | | 11-14-57 | 67.2 | - | 47.3 | |
| | | 2-13-58 | 28.1 | - | 9.9 | | | 11-21-57 | 69+6 | - | 48.7 | |
| | | 2-20-58 | 26.9 | - | 8.7 | | | 12-05-57 | 68.0 | - | 49.1 | |
| | | 2-27-58 | 25.3 | - | 7.1 | | | 12-12-57 | 60+1 | - | 40+2 | |
| | | 3-06-58 | 23.0 | - | 4.8 | | | 12-19-57 | 56+3 | - | 36+4 | |
| | | 3-13-58 | 23.0 | - | 4.8 | | | 12-26-57 | 55.0 | - | 35.1 | |
| | | 3-20-58 | 22.8 | - | 4.6 | | | 1-02-58 | 54.7 | - | 34.8 | |
| | | 3-27-58 | 21.8 | - | 3.6 | | | 1-09-58 | 60+5 | - | 40+6 | |
| | | 4-03-58 | 20.6 | - | 2.4 | | | 1-23-58 | 66.0 | - | 46.1 | |
| | | 4-10-58 | 19.7 | - | 1.5 | | | 1-30-58 | 52.8 | - | 32.9 | |
| | | 4-17-58 | 20.0 | - | 1.8 | | | 2-06-58 | 48.4 | - | 28+5 | |
| | | 4-24-58 | 23.6 | - | 5.4 | | | 2-13-58 | 45.0 | - | 25.1 | |
| | | 5-01-58 | 29.2 | - | 11.0 | | | 2-20-58 | 42.9 | - | 23.0 | |
| | | 5-15-58 | 33.5 | - | 15.3 | | | 2-27-58 | 40.9 | - | 21.0 | |
| | | 5-26-58 | 36.9 | - | 17.7 | | | 3-06-58 | 39.1 | - | 19+2 | |
| | | 6-08-58 | 38.5 | - | 20.3 | | | 3-13-58 | 37+5 | - | 17+6 | |
| | | 6-12-58 | 38.9 | - | 20.9 | | | 3-20-58 | 36.0 | - | 16+1 | |
| | | 6-17-58 | 38.9 | - | 20.9 | | | 3-27-58 | 34.3 | - | 14.4 | |
| | | 6-26-58 | 40+1 | - | 21+9 | | | 4-03-58 | 33.0 | - | 13+1 | |
| 1N/21W-21D02 S | 24+2 | 7-23-57 | 57+4 | - | 33.2 | 1N/21W-29D02 S | 19+6 | 7-04-57 | 51+6 | - | 32.0 | 2400 |
| | | 8-16-57 | 60.9 | - | 36.7 | | | 7-11-57 | 54+2 | - | 34+6 | |
| | | 9-26-57 | 61+6 | - | 37+4 | | | 7-18-57 | 26+3 | - | 36+7 | |
| | | 11-19-57 | 49+8 | - | 21+6 | | | 8-27-57 | 60+9 | - | 41+0 | |
| | | 1-08-58 | 39+8 | - | 15+6 | | | 8-01-57 | 62+1 | - | 43+1 | |
| | | 4-22-58 | 25+6 | - | 11+4 | | | 8-11-57 | 60+8 | - | 44+2 | |
| | | 6-09-58 | 41+4 | - | 11+2 | | | 8-19-57 | 64+3 | - | 41+3 | |
| 1N/21W-21K02 S | 18+7 | 7-24-57 | 82+8 | - | 64+1 | | | 8-27-57 | 63+0 | - | 44+0 | |
| | | 8-20-57 | 86+2 | - | 67+5 | | | 9-03-57 | 84+3 | - | 44+0 | |
| | | 9-30-57 | 84+3 | - | 65+6 | | | 4-22-58 | 33+1 | - | 14+4 | |
| | | 1-09-58 | 64+4 | - | 46+7 | | | 6-09-58 | 54+6 | - | 35+9 | |
| | | 11-20-57 | 63+2 | - | 47+5 | | | 8-27-57 | 63+0 | - | 44+0 | |
| 1N/21W-21N01 S | 15+7 | 11-20-57 | 63+2 | - | 47+5 | | | 9-03-57 | 63+1 | - | 43+5 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|----------------------------|--------------------|---|--|--|-------------------------|--------------------------|---|------------------------------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| 40401 | | | | | | 40401 | | | | | |
| 1N/21W-29D02 S CONT. | 19+6 | 9-12-57 9-19-57 9-26-57 10-03-57 10-10-57 10-17-57 10-24-57 10-31-57 11-07-57 11-14-57 11-21-57 11-29-57 12-05-57 12-12-57 12-19-57 1-02-58 1-09-58 1-16-58 1-23-58 1-30-58 2-06-58 2-13-58 2-20-58 2-27-58 3-06-58 3-13-58 3-20-58 3-27-58 4-03-58 4-10-58 4-17-58 4-24-58 5-01-58 5-08-58 5-15-58 5-22-58 5-29-58 6-05-58 6-12-58 6-19-58 6-26-58 | 63+2 62+8 61+3 62+4 59+6 53+8 52+2 55+6 48+8 48+1 49+1 49+4 46+9 40+3 38+3 37+3 39+2 38+6 37+8 36+0 32+9 31+1 30+7 28+7 27+6 27+0 25+6 23+3 23+3 22+5 22+3 23+9 27+8 31+8 35+4 42+9 43+8 42+0 43+7 43+7 | 2400 | 1N/21W-30F01 S CONT. | 16+0 | 11-20-57 1-09-58 4-21-58 6-09-58 | 43+2 34+7 37+6 35+1 | 27+2 18+7 1+6 19+1 | 2100 | |
| 1N/21W-30F02 S | 17+1 | 8-16-57 11-20-57 1-09-58 4-21-58 6-09-58 | 62+9 54+4 47+5 22+0 38+6 | 45+8 37+3 30+4 4+9 21+5 | 2100 | | | | | | |
| 1N/22W-01A01 S | 54+7 | 8-14-57 9-26-57 11-14-57 1-08-58 4-21-58 6-09-58 | 83+2 82+6 70+9 66+3 49+6 58+0 | 28+5 27+9 16+2 11+6 5+1 3+3 | 2100 | | | | | | |
| 1N/22W-01F01 S | 56+9 | 7-03-57 7-10-57 7-17-57 7-24-57 8-07-57 8-14-57 8-21-57 9-04-57 9-11-57 9-18-57 9-25-57 10-02-57 10-09-57 10-16-57 10-23-57 10-30-57 11-06-57 11-13-57 11-20-57 11-27-57 12-04-57 12-11-57 12-18-57 12-24-57 1-08-58 | 86+4 85+3 86+0 84+0 84+3 84+1 88+0 85+9 88+2 85+2 88+3 85+5 84+6 77+1 78+6 74+8 75+0 75+4 73+6 76+0 75+0 69+6 68+3 70+9 | 29+5 28+4 29+1 32+0 27+1 27+4 27+2 31+1 29+0 31+3 30+3 28+6 27+7 20+2 21+7 17+9 18+1 18+5 16+7 19+1 18+1 12+7 13+0 14+0 | 2400 | | | | | | |
| 1N/21W-30F01 S | 16+0 | 7-24-57 8-16-57 9-30-57 | 53+4* 56+4 54+8* | 40+4 38+8 | 2100 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|----------------------------|--------------------|------|--------------------------------------|------------------------------|-----------------------|--------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| 40401 | | | | | | 40401 | | | | | |
| 1N/22W-03A01 S | | | | | | | | | | | |
| CONT. | | | | | | | | | | | |
| 62+8 | 4-16-58 | 59+7 | - | 3+1 | 2100 | 1N/22W-06J01 S | 23+8 | 7-11-57 | 41+6 | 17+8 | 2100 |
| | 6-05-58 | 64+9 | - | 2+1 | | CONT. | | 7-18-57 | 42+3 | 18+5 | |
| 1N/22W-03F04 S | | | | | | | | | | | |
| 54+5 | 7-30-57 | 80+0 | - | 25+5 | 4209 | | | 8-01-57 | 47+5 | 22+0 | 2400 |
| | 8-31-57 | 84+0 | - | 29+5 | | | | 8-08-57 | 48+0 | 24+2 | |
| | 9-28-57 | 86+0 | - | 31+5 | | | | 8-15-57 | 47+9 | 24+1 | |
| | 10-06-57 | 82+0 | - | 27+5 | | | | 8-22-57 | 50+3 | 26+5 | |
| | 12-28-57 | 73+0 | - | 18+5 | | | | 8-28-57 | 52+5 | 28+7 | |
| | 1-03-58 | 73+0 | - | 18+5 | | | | 9-05-57 | 51+9 | 28+1 | |
| | 1-24-58 | 73+0 | - | 18+5 | | | | 9-11-57 | 49+7 | 25+9 | |
| | 2-20-58 | 65+0 | - | 10+5 | | | | 9-18-57 | 49+2 | 25+4 | |
| | 3-20-58 | 58+0 | - | 3+5 | | | | 9-26-57 | 48+5 | 24+7 | |
| | 4-20-58 | 55+0 | - | 5 | | | | 10-03-57 | 51+2 | 27+4 | |
| | 6-07-58 | 65+0 | - | 10+5 | | | | 10-10-57 | 49+4 | 25+6 | |
| | 6-14-58 | 66+0 | - | 11+5 | | | | 10-17-57 | 42+1 | 18+3 | |
| | 6-21-58 | 64+0 | - | 9+5 | | | | 10-24-57 | 41+9 | 18+4 | |
| | 6-21-58 | 64+0 | - | 9+5 | | | | 10-31-57 | 41+2 | 17+4 | |
| | 6-29-58 | 64+0 | - | 9+5 | | | | 11-07-57 | 43+4 | 19+6 | |
| 1N/22W-03K11 S | | | | | | | | | | | |
| 54+9 | 11-19-57 | 78+0 | - | 23+1 | 2100 | | | 11-14-57 | 41+9 | 18+1 | |
| | 1-07-58 | 72+0 | - | 17+1 | | | | 11-21-57 | 43+6 | 19+8 | |
| | 4-16-58 | 57+0 | - | 5+1 | | | | 11-28-57 | 45+6 | 21+8 | |
| 1N/22W-04F01 S | | | | | | | | | | | |
| 44+1 | 7-17-57 | 66+9 | - | 22+8 | 2100 | | | 12-05-57 | 45+1 | 21+3 | |
| | 9-24-57 | 70+9 | - | 26+8 | | | | 12-11-57 | 40+0 | 16+2 | |
| | 11-07-57 | 64+9 | - | 20+8 | | | | 12-18-57 | 35+0 | 11+2 | |
| | 12-31-57 | 58+2 | - | 14+1 | | | | 1-05-58 | 34+4 | 10+6 | |
| | 3-05-58 | 50+5 | - | 6+4 | | | | 1-08-58 | 33+8 | 10+0 | |
| | 4-22-58 | 43+2 | - | 4+9 | | | | 1-15-58 | 32+6 | 8+8 | |
| | 6-04-58 | 49+0 | - | 4+9 | | | | 1-22-58 | 34+0 | 10+2 | |
| 1N/22W-05B01 S | | | | | | | | | | | |
| 42+4 | 7-17-57 | 65+0 | - | 22+6 | 2100 | | | 1-30-58 | 32+7 | 8+9 | |
| | 9-24-57 | 68+7 | - | 26+3 | | | | 2-06-58 | 30+7 | 6+9 | |
| | 3-05-58 | 48+9 | - | 5+5 | | | | 2-13-58 | 30+0 | 6+2 | |
| | 4-30-58 | 44+4 | - | 2+0 | | | | 2-20-58 | 28+3 | 4+5 | |
| | 6-04-58 | 46+5 | - | 4+1 | | | | 2-27-58 | 21+4 | 3+6 | |
| 1N/22W-05M01 S | | | | | | | | | | | |
| 30+8 | 8-13-57 | 56+5 | - | 25+7 | 2100 | | | 3-06-58 | 21+4 | 3+6 | |
| | 9-24-57 | 58+6 | - | 27+8 | | | | 3-11-58 | 21+5 | 3+7 | |
| | 11-07-57 | 53+8 | - | 23+0 | | | | 3-20-58 | 24+5 | 4+7 | |
| | 1-03-58 | 43+5 | - | 12+7 | | | | 3-27-58 | 23+2 | 4+6 | |
| | 3-06-58 | 36+2 | - | 5+4 | | | | 4-03-58 | 21+8 | 2+0 | |
| | 4-23-58 | 31+9 | - | 1+1 | | | | 4-10-58 | 20+7 | 3+1 | |
| | 6-04-58 | 37+5 | - | 6+7 | | | | 4-17-58 | 23+6 | 4+2 | |
| 1N/22W-06J01 S | | | | | | | | | | | |
| 23+8 | 7-04-57 | 41+5 | - | 17+7 | 2100 | | | 4-24-58 | 24+3 | 4+5 | |
| | | | - | | | | | 5-01-58 | 27+6 | 3+8 | |
| | | | - | | | | | 5-08-58 | 29+3 | 5+5 | |
| | | | - | | | | | 5-15-58 | 30+0 | 6+2 | |
| | | | - | | | | | 5-22-58 | 30+0 | 6+2 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|----------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| 1N/22M-06JG1 | 23.6 | 5-29-58 | 27.1 | 4.5 | 2400 | 1N/22M-07M02 S | 15.8 | 11-08-57 | 35.0 | 19.2 | 5003 |
| | | 6-05-58 | 27.8 | 4.0 | | CONT. | | 11-15-57 | 34.5 | 18.7 | |
| | | 6-12-58 | 27.3 | 4.0 | | | | 11-22-57 | 35.2 | 19.4 | |
| | | 6-19-58 | 26.3 | 2.5 | | | | 11-29-57 | 34.8 | 18.2 | |
| | | 6-26-58 | 26.0 | 3.1 | | | | 12-19-57 | 33.7 | 16.9 | |
| | | | | | | | | 12-20-57 | 32.7 | 11.9 | |
| 1N/22M-07K1 S | 18.8 | 7-17-57 | 41.0 | 22.2 | 2100 | | | 12-27-57 | 24.6 | 10.8 | |
| | | 8-13-57 | 45.3 | 5.5 | | | | 1-03-58 | 29.7 | 11.9 | |
| | | 9-24-57 | 46.7 | 27.9 | | | | 1-10-58 | 30.4 | 14.6 | |
| | | 11-07-57 | 42.3 | 23.5 | | | | 1-17-58 | 30.5 | 14.7 | |
| | | 1-03-58 | 31.8 | 13.0 | | | | 1-24-58 | 31.6 | 15.8 | |
| | | 3-06-58 | 24.4 | 5.7 | | | | 1-31-58 | 24.0 | 10.2 | |
| | | 4-23-58 | 21.7 | 2.0 | | | | 2-07-58 | 23.8 | 8.0 | |
| | | 6-04-58 | 25.2 | 6.4 | | | | 2-14-58 | 23.0 | 7.2 | |
| | | | | | | | | 2-21-58 | 22.0 | 6.2 | |
| 1N/22M-07D1 | 11.2 | 7-18-57 | 31.5 | 20.3 | 2100 | | | 2-28-58 | 21.3 | 5.5 | |
| | | 8-13-57 | 36.0 | 25.7 | | | | 3-07-58 | 21.3 | 5.5 | |
| | | 9-24-57 | 38.2 | 27.1 | | | | 3-14-58 | 20.3 | 4.5 | |
| | | 11-07-57 | 33.4 | 13.2 | | | | 3-21-58 | 17.6 | 1.8 | |
| | | 1-03-58 | 17.6 | 14.4 | | | | 3-28-58 | 16.6 | 1.8 | |
| | | 3-06-58 | 17.6 | 5.7 | | | | 4-11-58 | 15.0 | 1.1 | |
| | | 4-20-58 | 17.6 | 7.2 | | | | 4-18-58 | 15.9 | 1.1 | |
| | | 6-04-58 | 18.4 | 7.2 | | | | 4-25-58 | 17.9 | 2.1 | |
| | | | | | | | | 5-01-58 | 21.4 | 5.6 | |
| 1N/22M-07J1 | 12.3 | 11-07-57 | 36.8 | 22.5 | 2100 | | | 5-08-58 | 23.2 | 7.4 | |
| | | 1-03-58 | 25.7 | 13.4 | | | | 5-15-58 | 23.2 | 7.4 | |
| | | 3-06-58 | 18.0 | 5.7 | | | | 5-22-58 | 23.7 | 7.9 | |
| | | 4-30-58 | 18.6 | 6.3 | | | | 5-29-58 | 22.0 | 6.2 | |
| | | | | | | | | 6-05-58 | 23.0 | 7.2 | |
| | | | | | | | | 6-12-58 | 21.5 | 5.7 | |
| | | | | | | | | 6-19-58 | 20.5 | 4.7 | |
| | | | | | | | | 6-26-58 | 21.1 | 5.3 | |
| 1N/22M-07M02 S | 15.8 | 7-08-57 | 34.3 | 18.5 | 5003 | 1N/22M-08Q01 S | 15.6 | 7-18-57 | 41.9 | 22.3 | 2100 |
| | | 7-12-57 | 35.3 | 19.5 | | | | 9-24-57 | 49.2 | 29.6 | |
| | | 7-19-57 | 35.7 | 19.9 | | | | 11-07-57 | 41.3 | 21.7 | |
| | | 7-26-57 | 37.3 | 21.5 | | | | 1-03-58 | 33.6 | 14.0 | |
| | | 8-02-57 | 39.4 | 23.6 | | | | 3-06-58 | 25.6 | 6.0 | |
| | | 8-09-57 | 39.5 | 23.7 | | | | 6-04-58 | 31.0 | 11.4 | |
| | | 8-16-57 | 40.0 | 24.2 | | | | | | | |
| | | 8-23-57 | 41.0 | 25.2 | | | | 7-18-57 | 55.5 | 25.0 | 2100 |
| | | 8-30-57 | 41.4 | 25.6 | | | | 1-03-58 | 44.8 | 14.3 | |
| | | 9-06-57 | 40.3 | 24.5 | | | | 3-06-58 | 37.1 | 6.6 | |
| | | 9-13-57 | 41.5 | 25.7 | | | | 6-19-58 | 20.5 | 4.7 | |
| | | 9-27-57 | 40.6 | 24.8 | | | | 6-26-58 | 21.1 | 5.3 | |
| | | 10-04-57 | 42.5 | 26.7 | | | | | | | |
| | | 10-11-57 | 41.0 | 25.7 | | | | 7-18-57 | 55.5 | 25.0 | 2100 |
| | | 10-18-57 | 35.1 | 19.3 | | | | 1-03-58 | 44.8 | 14.3 | |
| | | 10-25-57 | 34.3 | 18.5 | | | | 3-06-58 | 37.1 | 6.6 | |
| | | 11-01-57 | 38.1 | 22.3 | | | | 6-19-58 | 20.5 | 4.7 | |
| | | | | | | | | 6-26-58 | 21.1 | 5.3 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|----------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|---------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| IN/22M-10A04 S | 48.2 | 8-14-57 | 78.4 | - 30.2 | 2100 | IN/22M-14K01 S | 34.0 | 3-12-58 | 39.2 | - 5.2 | 2100 |
| CONT. | | 9-25-57 | 86.9 | - 36.7 | | | | 4-30-58 | 39.6 | - 5.6 | |
| | | 11-14-57 | 69.8 | - 21.6 | | | | | | | |
| | | 1-07-58 | 63.3 | - 15.1 | | | | | | | |
| | | 4-16-58 | 46.6 | - 1.6 | | | | | | | |
| | | 6-05-58 | 62.4 | - 14.2 | | | | | | | |
| IN/22M-10H01 S | 46.0 | 7-18-57 | 83.3 | - 37.3 | 2100 | IN/22M-15J01 S | 50.6 | 7-18-57 | 65.0 | - 34.4 | 2100 |
| | | 4-16-58 | 44.5 | - 1.5 | | | | | | | |
| IN/22M-11A01 S | 51.1 | 8-14-57 | 80.0 | - 28.9 | 2100 | | | | | | |
| | | 11-13-57 | 74.6 | - 20.5 | | | | | | | |
| | | 1-07-58 | 63.2 | - 12.1 | | | | | | | |
| | | 4-16-58 | 46.7 | - 4.4 | | | | | | | |
| IN/22M-11J01 S | 44.8 | 9-25-57 | 85.2 | - 40.4 | 2100 | IN/22M-15N01 S | 26.6 | 7-17-57 | 54.9 | - 28.3 | 2100 |
| | | 1-07-58 | 58.8 | - 14.0 | | | | | | | |
| | | 4-16-58 | 41.3 | - 3.5 | | | | | | | |
| | | 6-05-58 | 58.1 | - 13.3 | | | | | | | |
| IN/22M-13D02 S | 42.6 | 7-18-57 | 86.7 | - 44.1 | 2100 | IN/22M-16D02 S | 21.2 | 7-08-57 | 43.3 | - 22.1 | 5003 |
| | | 11-13-57 | 70.6 | - 28.0 | | | | | | | |
| | | 1-07-58 | 61.0 | - 18.4 | | | | | | | |
| | | 4-16-58 | 41.9 | - 7 | | | | | | | |
| | | 6-05-58 | 59.8 | - 17.2 | | | | | | | |
| IN/22M-13H02 S | 36.7 | 7-23-57 | 80.8 | - 44.1 | 2100 | | | | | | |
| | | 9-26-57 | 79.8 | - 43.1 | | | | | | | |
| | | 11-19-57 | 65.9 | - 29.2 | | | | | | | |
| | | 1-08-58 | 55.0 | - 18.3 | | | | | | | |
| | | 4-22-58 | 39.5 | - 2.8 | | | | | | | |
| | | 6-09-58 | 55.3 | - 18.6 | | | | | | | |
| IN/22M-13K01 S | 37.8 | 8-16-57 | 84.1 | - 46.3 | 2100 | | | | | | |
| | | 9-26-57 | 79.3 | - 41.5 | | | | | | | |
| | | 11-19-57 | 68.4 | - 30.6 | | | | | | | |
| | | 1-08-58 | 55.9 | - 18.1 | | | | | | | |
| | | 4-22-58 | 40.3 | - 2.5 | | | | | | | |
| | | 6-09-58 | 55.0 | - 17.2 | | | | | | | |
| IN/22M-14D01 S | 37.2 | 7-18-57 | 75.5 | - 38.3 | 2100 | | | | | | |
| | | 9-25-57 | 76.1 | - 38.9 | | | | | | | |
| | | 11-13-57 | 63.7 | - 26.5 | | | | | | | |
| | | 1-07-58 | 54.4 | - 17.2 | | | | | | | |
| | | 3-26-58 | 39.8 | - 2.6 | | | | | | | |
| | | 6-05-58 | 53.0 | - 15.8 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|----------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| 40400 | | | | | | | | | | | |
| 1N/22W-16002 S | 21.2 | 2-07-58 | 39.0 | 7.8 | 5003 | 1N/22W-16E01 S | 27.1 | 12-27-57 | 31.8 | 4.7 | 5003 |
| | | 2-11-58 | 37.9 | 6.7 | | | | 1-03-58 | 33.9 | 5.8 | |
| | | 2-21-58 | 37.9 | 6.7 | | | | 1-10-58 | 35.3 | 8.2 | |
| | | 2-25-58 | 36.0 | 4.6 | | | | 1-17-58 | 35.8 | 8.7 | |
| | | 3-05-58 | 26.4 | 5.2 | | | | 1-24-58 | 37.0 | 9.9 | |
| | | 3-16-58 | 26.4 | 3.4 | | | | 1-31-58 | 30.9 | 3.8 | |
| | | 3-21-58 | 23.0 | 1.8 | | | | 2-07-58 | 29.2 | 2.1 | |
| | | 3-28-58 | 21.9 | 1.7 | | | | 2-14-58 | 28.0 | 4.9 | |
| | | 4-06-58 | 20.5 | 7 | | | | 2-21-58 | 27.2 | 1 | |
| | | 4-11-58 | 19.6 | 1.6 | | | | 2-28-58 | 26.1 | 1.0 | |
| | | 4-18-58 | 21.2 | 1.0 | | | | 3-07-58 | 26.5 | 4.6 | |
| | | 4-25-58 | 24.2 | 3.2 | | | | 3-14-58 | 25.0 | 2.1 | |
| | | 5-01-58 | 27.1 | 5.9 | | | | 3-21-58 | 23.3 | 3.8 | |
| | | 5-08-58 | 27.4 | 6.2 | | | | 3-28-58 | 22.3 | 4.8 | |
| | | 5-15-58 | 31.4 | 10.2 | | | | 4-04-58 | 20.8 | 6.3 | |
| | | 5-22-58 | 32.0 | 10.8 | | | | 4-11-58 | 20.0 | 7.1 | |
| | | 5-29-58 | 31.6 | 10.4 | | | | 4-18-58 | 21.3 | 5.8 | |
| | | 6-05-58 | 32.8 | 11.6 | | | | 4-25-58 | 23.9 | 3.2 | |
| | | 6-12-58 | 30.7 | 9.5 | | | | 5-01-58 | 27.4 | 4.3 | |
| | | 6-19-58 | 29.8 | 8.6 | | | | 5-08-58 | 27.8 | 4.7 | |
| | | 6-26-58 | 31.5 | 10.3 | | | | 5-15-58 | 31.8 | 4.7 | |
| | | | | | | | | 5-22-58 | 31.8 | 4.7 | |
| | | | | | | | | 5-29-58 | 30.9 | 3.8 | |
| | | | | | | | | 6-05-58 | 33.1 | 6.0 | |
| | | | | | | | | 6-12-58 | 31.1 | 4.0 | |
| | | | | | | | | 6-19-58 | 31.2 | 4.1 | |
| | | | | | | | | 6-26-58 | 32.0 | 4.9 | |
| | | | | | | | | | | | |
| 1N/22W-16E01 S | 27.1 | 7-08-57 | 43.4 | 16.3 | 5003 | 1N/22W-16001 S | 24.0 | 3-06-58 | 27.9 | 3.9 | 2100 |
| | | 7-12-57 | 43.9 | 17.8 | | | | 7-08-57 | 26.7 | 9.9 | 5003 |
| | | 7-19-57 | 44.8 | 17.7 | | | | 7-12-57 | 26.6 | 8.0 | |
| | | 7-26-57 | 44.3 | 17.2 | | | | 7-19-57 | 26.7 | 9.9 | |
| | | 8-02-57 | 46.0 | 18.9 | | | | 7-26-57 | 27.6 | 10.8 | |
| | | 8-09-57 | 47.2 | 20.1 | | | | 8-02-57 | 28.1 | 12.3 | |
| | | 8-16-57 | 47.3 | 20.2 | | | | 8-09-57 | 28.4 | 12.5 | |
| | | 8-23-57 | 49.2 | 22.1 | | | | 8-16-57 | 28.6 | 12.8 | |
| | | 8-30-57 | 49.2 | 22.1 | | | | 8-23-57 | 28.0 | 12.2 | |
| | | 9-06-57 | 47.9 | 20.8 | | | | 8-30-57 | 28.0 | 13.2 | |
| | | 9-13-57 | 50.0 | 22.9 | | | | 9-06-57 | 30.0 | 13.2 | |
| | | 9-27-57 | 50.0 | 22.9 | | | | 9-13-57 | 30.3 | 13.5 | |
| | | 10-04-57 | 49.3 | 22.2 | | | | 9-27-57 | 30.3 | 14.1 | |
| | | 10-11-57 | 48.0 | 20.9 | | | | 10-04-57 | 30.7 | 13.9 | |
| | | 10-18-57 | 41.2 | 14.1 | | | | 10-11-57 | 31.0 | 14.2 | |
| | | 10-25-57 | 42.0 | 14.9 | | | | 10-18-57 | 30.4 | 13.6 | |
| | | 11-01-57 | 43.4 | 16.3 | | | | 10-25-57 | 30.5 | 13.7 | |
| | | 11-08-57 | 40.1 | 13.0 | | | | | | | |
| | | 11-15-57 | 40.7 | 13.6 | | | | | | | |
| | | 11-22-57 | 41.1 | 14.0 | | | | | | | |
| | | 11-29-57 | 40.2 | 13.1 | | | | | | | |
| | | 12-06-57 | 39.2 | 12.1 | | | | | | | |
| | | 12-13-57 | 38.0 | 10.9 | | | | | | | |
| | | 12-20-57 | 33.0 | 5.9 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|----------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|----------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| SANTA CLARA RIVER VALLEY | | | | 40400 | | SANTA CLARA RIVER VALLEY | | | | 40400 | |
| OXNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | 40401 | | OXNARD PLAIN PRESSURE AREA | | | | 40401 | |
| 1N/22W-17R01 | 16.4 | 11-01-57 | 31.5 | 14.7 | 5003 | | | | | | |
| CONT. | | 11-08-57 | 31.4 | 14.8 | | | 1N/22W-17C01 | 9-13-57 | 43.1 | 25.7 | 5003 |
| | | 11-15-57 | 30.0 | 14.8 | | | CONT. | 9-27-57 | 42.5 | 25.1 | |
| | | 11-22-57 | 31.4 | 15.0 | | | | 10-04-57 | 43.8 | 26.4 | |
| | | 11-29-57 | 30.0 | 15.1 | | | | 10-11-57 | 43.0 | 25.6 | |
| | | 11-29-57 | 30.0 | 15.1 | | | | 10-18-57 | 37.3 | 19.9 | |
| | | 11-29-57 | 30.0 | 15.1 | | | | 10-25-57 | 36.8 | 19.4 | |
| | | 12-13-57 | 31.4 | 15.1 | | | | 11-01-57 | 39.3 | 21.9 | |
| | | 12-20-57 | 30.9 | 15.1 | | | | 11-08-57 | 37.2 | 19.8 | |
| | | 12-27-57 | 30.0 | 15.0 | | | | 11-15-57 | 36.4 | 19.0 | |
| | | 1-03-58 | 26.0 | 15.2 | | | | 11-22-57 | 36.7 | 19.3 | |
| | | 1-10-58 | 26.5 | 15.2 | | | | 11-29-57 | 36.5 | 19.1 | |
| | | 1-17-58 | 26.3 | 15.2 | | | | 12-06-57 | 37.7 | 20.3 | |
| | | 1-24-58 | 26.5 | 15.2 | | | | 12-13-57 | 35.2 | 17.8 | |
| | | 1-31-58 | 25.7 | 15.0 | | | | 12-20-57 | 30.9 | 13.5 | |
| | | 2-07-58 | 26.6 | 15.0 | | | | 12-27-57 | 28.0 | 11.6 | |
| | | 2-14-58 | 26.0 | 15.3 | | | | 1-03-58 | 29.4 | 12.0 | |
| | | 2-21-58 | 26.6 | 15.3 | | | | 1-10-58 | 32.0 | 14.6 | |
| | | 2-28-58 | 27.7 | 15.3 | | | | 1-17-58 | 32.0 | 14.6 | |
| | | 3-07-58 | 27.7 | 15.0 | | | | 1-24-58 | 33.4 | 16.0 | |
| | | 3-14-58 | 19.0 | 15.0 | | | | 2-07-58 | 27.6 | 10.2 | |
| | | 3-21-58 | 18.7 | 14.9 | | | | 2-14-58 | 25.6 | 8.6 | |
| | | 4-04-58 | 16.4 | 15.4 | | | | 2-21-58 | 24.8 | 7.4 | |
| | | 4-11-58 | 16.2 | 15.6 | | | | 2-28-58 | 23.4 | 6.0 | |
| | | 4-18-58 | 14.2 | 15.6 | | | | 3-07-58 | 22.9 | 5.5 | |
| | | 4-25-58 | 13.8 | 15.0 | | | | 3-14-58 | 21.5 | 4.1 | |
| | | 5-01-58 | 13.0 | 15.0 | | | | 3-21-58 | 20.3 | 2.9 | |
| | | 5-08-58 | 13.1 | 15.7 | | | | 4-04-58 | 18.9 | 1.5 | |
| | | 5-15-58 | 12.7 | 15.1 | | | | 4-11-58 | 17.7 | 1.3 | |
| | | 5-22-58 | 12.5 | 15.3 | | | | 4-18-58 | 18.6 | 1.2 | |
| | | 6-01-58 | 12.5 | 15.3 | | | | 4-25-58 | 19.0 | 1.6 | |
| | | 6-08-58 | 12.6 | 15.2 | | | | 5-01-58 | 20.2 | 2.8 | |
| | | 6-15-58 | 12.5 | 15.3 | | | | 5-08-58 | 23.7 | 4.5 | |
| | | 6-19-58 | 12.6 | 15.2 | | | | 5-15-58 | 25.3 | 6.3 | |
| | | 6-26-58 | 13.8 | 15.0 | | | | 5-22-58 | 25.4 | 8.0 | |
| | | 7-08-57 | 35.4 | 18.0 | 5003 | | | 5-29-58 | 24.3 | 6.9 | |
| | 17.4 | 7-12-57 | 36.5 | 19.1 | | | | 6-05-58 | 24.7 | 7.3 | |
| | | 7-19-57 | 38.1 | 20.7 | | | | 6-12-58 | 23.7 | 6.3 | |
| | | 7-26-57 | 39.4 | 22.0 | | | | 6-19-58 | 23.0 | 5.6 | |
| | | 8-02-57 | 40.0 | 22.6 | | | | 6-26-58 | 23.7 | 6.3 | |
| | | 8-09-57 | 41.0 | 23.6 | | | | 7-08-57 | 28.8 | 16.4 | 5003 |
| | | 8-16-57 | 41.6 | 24.2 | | | | 7-12-57 | 30.3 | 17.9 | |
| | | 8-23-57 | 42.0 | 24.6 | | | | 7-19-57 | 30.6 | 18.2 | |
| | | 8-30-57 | 43.3 | 25.9 | | | | 7-26-57 | 32.1 | 19.7 | |
| | | 9-06-57 | 43.1 | 25.7 | | | | | | | |
| 1N/22W-17C01 S | 17.4 | | | 18.0 | | 1N/22W-17D02 S | 12.4 | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|----------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| 40400 | | | | | | | | | | | |
| 1N/22W-17D02 S | 12.4 | | 40401 | 21.3 | 5003 | 1N/22W-17D02 S | 12.4 | 6-26-58 | 16.2 | 3.8 | 5003 |
| CONT. | | | | 22.3 | | | | 7-08-57 | 36.4 | 20.5 | |
| | | 8-02-57 | 33.7 | 22.4 | | | | 7-12-57 | 37.3 | 21.4 | |
| | | 8-16-57 | 34.8 | 24.4 | | | | 7-19-57 | 37.9 | 22.0 | |
| | | 8-23-57 | 36.8 | 23.9 | | | | 7-26-57 | 37.6 | 21.7 | |
| | | 8-30-57 | 36.3 | 23.0 | | | | 8-02-57 | 39.3 | 23.4 | |
| | | 9-06-57 | 35.4 | 24.7 | | | | 8-09-57 | 40.3 | 24.4 | |
| | | 9-13-57 | 37.1 | 23.4 | | | | 8-16-57 | 40.4 | 24.5 | |
| | | 9-21-57 | 37.6 | 24.7 | | | | 8-23-57 | 42.0 | 26.1 | |
| | | 10-04-57 | 37.1 | 24.7 | | | | 9-08-57 | 41.7 | 25.8 | |
| | | 10-11-57 | 35.9 | 23.5 | | | | 9-27-57 | 42.0 | 25.4 | |
| | | 10-18-57 | 23.2 | 19.6 | | | | 10-06-57 | 41.5 | 25.0 | |
| | | 10-25-57 | 23.4 | 19.0 | | | | 10-13-57 | 41.5 | 25.0 | |
| | | 11-01-57 | 25.4 | 16.7 | | | | 10-18-57 | 35.0 | 19.1 | |
| | | 11-08-57 | 29.0 | 16.2 | | | | 10-25-57 | 38.8 | 18.5 | |
| | | 11-15-57 | 31.3 | 19.5 | | | | 11-01-57 | 38.7 | 20.8 | |
| | | 11-22-57 | 28.6 | 16.2 | | | | 11-08-57 | 33.2 | 17.9 | |
| | | 12-08-57 | 28.8 | 16.6 | | | | 11-15-57 | 33.6 | 17.9 | |
| | | 12-15-57 | 27.3 | 14.9 | | | | 11-22-57 | 34.0 | 18.1 | |
| | | 12-22-57 | 22.1 | 9.7 | | | | 11-29-57 | 33.4 | 17.5 | |
| | | 12-29-57 | 20.8 | 8.4 | | | | 12-06-57 | 32.8 | 16.9 | |
| | | 1-03-58 | 21.6 | 9.2 | | | | 12-13-57 | 31.2 | 15.3 | |
| | | 1-10-58 | 24.4 | 12.0 | | | | 12-20-57 | 26.7 | 10.8 | |
| | | 1-17-58 | 24.4 | 12.0 | | | | 12-27-57 | 25.4 | 9.5 | |
| | | 1-24-58 | 25.5 | 13.1 | | | | 1-03-58 | 26.3 | 10.4 | |
| | | 1-31-58 | 20.0 | 7.6 | | | | 1-10-58 | 28.7 | 12.8 | |
| | | 2-07-58 | 18.3 | 5.9 | | | | 1-17-58 | 29.0 | 13.1 | |
| | | 2-14-58 | 17.0 | 4.6 | | | | 1-24-58 | 30.0 | 14.1 | |
| | | 2-21-58 | 16.2 | 3.8 | | | | 1-31-58 | 25.7 | 9.8 | |
| | | 2-28-58 | 15.0 | 2.6 | | | | 2-07-58 | 23.0 | 7.1 | |
| | | 3-07-58 | 15.8 | 3.4 | | | | 2-14-58 | 21.7 | 5.8 | |
| | | 3-14-58 | 14.0 | 1.6 | | | | 2-21-58 | 21.7 | 5.8 | |
| | | 3-21-58 | 12.2 | 1.4 | | | | 2-28-58 | 20.0 | 4.1 | |
| | | 3-28-58 | 11.0 | 3.0 | | | | 3-07-58 | 20.3 | 4.4 | |
| | | 4-04-58 | 9.4 | 3.7 | | | | 3-14-58 | 19.0 | 3.1 | |
| | | 4-11-58 | 8.7 | 3.0 | | | | 3-21-58 | 17.3 | 1.4 | |
| | | 4-18-58 | 10.3 | 2.1 | | | | 3-28-58 | 16.4 | 1.5 | |
| | | 4-25-58 | 12.9 | 4.5 | | | | 4-04-58 | 14.9 | 1.0 | |
| | | 5-01-58 | 16.0 | 3.6 | | | | 4-11-58 | 14.3 | 1.6 | |
| | | 5-08-58 | 17.0 | 4.6 | | | | 4-18-58 | 15.6 | 1.3 | |
| | | 5-15-58 | 18.4 | 6.0 | | | | 4-25-58 | 17.8 | 1.9 | |
| | | 5-22-58 | 18.6 | 6.2 | | | | 5-01-58 | 20.7 | 4.8 | |
| | | 5-29-58 | 17.0 | 4.6 | | | | 5-08-58 | 21.8 | 5.9 | |
| | | 6-05-58 | 19.0 | 6.6 | | | | | | | |
| | | 6-12-58 | 16.8 | 4.4 | | | | | | | |
| | | 6-19-58 | 15.7 | 3.3 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|----------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| 40401 | | | | | | 40401 | | | | | |
| 1N/22W-17J02 S | | | | | | | | | | | |
| CONT. | | | | | | | | | | | |
| 1N/22W-17J02 S | 15.9 | 5-15-58 | 25.0 | 9.1 | 5003 | 1N/22W-17G01 S | 11.6 | 4-04-58 | 10.8 | 4.8 | 5003 |
| | | 5-22-58 | 25.9 | 10.0 | | | | 4-11-58 | 9.7 | 1.9 | |
| | | 5-29-58 | 24.2 | 8.3 | | | | 4-18-58 | 10.6 | 1.0 | |
| | | 6-05-58 | 26.7 | 15.8 | | | | 4-25-58 | 12.7 | 1.1 | |
| | | 6-12-58 | 25.0 | 8.1 | | | | 5-01-58 | 15.7 | 4.1 | |
| | | 6-19-58 | 24.1 | 8.2 | | | | 5-08-58 | 17.9 | 6.3 | |
| | | 6-26-58 | 25.4 | 9.5 | | | | 5-15-58 | 19.5 | 7.9 | |
| | | | | | | | | 5-22-58 | 20.5 | 8.9 | |
| 1N/22W-17G01 S | | | | | | | | | | | |
| CONT. | | | | | | | | | | | |
| 1N/22W-17G01 S | 11.6 | 7-08-57 | 30.2 | 18.6 | 5003 | 1N/22W-19R04 S | 11.8 | 7-04-57 | 26.8 | 15.0 | 2400 |
| | | 7-12-57 | 31.7 | 20.1 | | | | 7-11-57 | 26.9 | 15.1 | |
| | | 7-19-57 | 32.2 | 20.6 | | | | 7-18-57 | 27.7 | 15.9 | |
| | | 7-26-57 | 32.1 | 20.5 | | | | 7-25-57 | 28.3 | 16.5 | |
| | | 8-02-57 | 33.7 | 22.1 | | | | 8-01-57 | 29.8 | 18.0 | |
| | | 8-09-57 | 33.4 | 21.8 | | | | 8-08-57 | 29.8 | 18.0 | |
| | | 8-16-57 | 34.8 | 23.2 | | | | 8-15-57 | 30.9 | 19.1 | |
| | | 8-23-57 | 35.8 | 24.2 | | | | 8-22-57 | 31.0 | 19.2 | |
| | | 8-30-57 | 37.1 | 25.5 | | | | 8-29-57 | 31.4 | 19.6 | |
| | | 9-06-57 | 35.0 | 23.4 | | | | 9-05-57 | 31.4 | 19.6 | |
| | | 9-13-57 | 35.9 | 24.3 | | | | 9-12-57 | 30.9 | 19.1 | |
| | | 9-27-57 | 35.5 | 23.9 | | | | 9-19-57 | 32.1 | 20.3 | |
| | | 10-04-57 | 35.8 | 24.2 | | | | 9-26-57 | 31.2 | 19.4 | |
| | | 10-11-57 | 35.2 | 23.6 | | | | 10-03-57 | 31.5 | 19.7 | |
| | | 10-18-57 | 29.8 | 17.9 | | | | 10-10-57 | 31.6 | 19.8 | |
| | | 10-25-57 | 29.8 | 18.2 | | | | 10-17-57 | 27.8 | 16.0 | |
| | | 11-01-57 | 31.1 | 19.5 | | | | 10-24-57 | 27.7 | 13.9 | |
| | | 11-08-57 | 27.5 | 15.9 | | | | 10-31-57 | 28.1 | 16.3 | |
| | | 11-15-57 | 28.2 | 16.6 | | | | 11-07-57 | 26.4 | 14.6 | |
| | | 11-22-57 | 28.5 | 16.9 | | | | 11-14-57 | 26.2 | 14.4 | |
| | | 11-29-57 | 27.8 | 16.2 | | | | 11-21-57 | 27.7 | 13.9 | |
| | | 12-06-57 | 27.0 | 15.4 | | | | 12-03-57 | 27.0 | 15.2 | |
| | | 12-13-57 | 26.0 | 14.4 | | | | 12-09-57 | 28.3 | 16.5 | |
| | | 12-20-57 | 21.7 | 10.1 | | | | 12-17-57 | 24.9 | 13.1 | |
| | | 12-27-57 | 20.2 | 8.6 | | | | 12-14-57 | 22.1 | 10.3 | |
| | | 1-03-58 | 21.1 | 9.5 | | | | 12-26-57 | 20.8 | 9.0 | |
| | | 1-10-58 | 23.5 | 11.9 | | | | 1-02-58 | 20.9 | 9.1 | |
| | | 1-17-58 | 23.5 | 11.9 | | | | 1-06-58 | 12.6 | 4.8 | |
| | | 1-24-58 | 24.8 | 13.2 | | | | 1-03-58 | 21.9 | 10.1 | |
| | | 1-31-58 | 19.4 | 7.8 | | | | 1-16-58 | 22.2 | 10.4 | |
| | | 2-07-58 | 17.9 | 6.3 | | | | 1-23-58 | 22.0 | 11.2 | |
| | | 2-14-58 | 16.7 | 5.1 | | | | 1-30-58 | 21.0 | 9.2 | |
| | | 2-21-58 | 15.9 | 4.3 | | | | | | | |
| | | 2-28-58 | 15.0 | 3.4 | | | | | | | |
| | | 3-07-58 | 15.0 | 3.4 | | | | | | | |
| | | 3-14-58 | 13.9 | 2.3 | | | | | | | |
| | | 3-21-58 | 12.5 | 0.9 | | | | | | | |
| | | 3-28-58 | 11.9 | 0.3 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|----------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| 1N/22N-19R04 S CONT. | 11.8 | 2-05-58 | 18.3 | 6.5 | 24.00 | 1N/22N-20R01 S CONT. | 12.1 | 12-27-57 | 23.6 | 11.5 | 5003 |
| | | 2-13-58 | 19.4 | 6.6 | | | | 1-03-58 | 21.7 | | |
| | | 2-20-58 | 16.9 | 5.1 | | | | 1-07-58 | 23.6 | 9.6 | |
| | | 2-27-58 | 16.6 | 4.8 | | | | 1-17-58 | 23.5 | 11.7 | |
| | | 3-19-58 | 15.1 | 3.3 | | | | 1-24-58 | 24.6 | 12.5 | |
| | | 3-28-58 | 15.2 | 4.4 | | | | 1-31-58 | 21.3 | 9.2 | |
| | | 3-29-58 | 13.7 | 1.8 | | | | 2-07-58 | 20.1 | 8.2 | |
| | | 6-03-58 | 13.2 | 1.8 | | | | 2-14-58 | 19.5 | 7.0 | |
| | | 6-10-58 | 11.8 | 0.7 | | | | 2-21-58 | 18.3 | 6.2 | |
| | | 6-17-58 | 11.8 | 0.7 | | | | 2-28-58 | 17.0 | 4.9 | |
| | | 6-24-58 | 11.6 | 1.6 | | | | 3-07-58 | 16.6 | 4.5 | |
| | | 5-01-58 | 11.0 | 3.2 | | | | 3-14-58 | 15.9 | 3.8 | |
| | | 5-08-58 | 11.0 | 5.2 | | | | 3-21-58 | 14.1 | 2.0 | |
| | | 5-15-58 | 11.4 | 5.6 | | | | 3-28-58 | 12.9 | 0.8 | |
| | | 5-22-58 | 19.0 | 7.2 | | | | 4-04-58 | 12.3 | 2 | |
| | | 5-29-58 | 18.7 | 6.9 | | | | 4-11-58 | 12.0 | 1.1 | |
| | | 6-05-58 | 18.6 | 6.8 | | | | 4-18-58 | 15.9 | 0.8 | |
| | | 6-12-58 | 18.7 | 6.9 | | | | 4-25-58 | 15.4 | 0.3 | |
| | | 6-19-58 | 18.0 | 4.2 | | | | 5-01-58 | 14.0 | 1.9 | |
| | | 6-26-58 | 17.3 | 5.5 | | | | 5-08-58 | 14.8 | 2.7 | |
| | | | | | | | | 5-15-58 | 15.8 | 3.7 | |
| | | | | | | | | 5-22-58 | 16.9 | 4.8 | |
| 1N/22N-20R01 S | 12.1 | 7-08-57 | 26.3 | 14.2 | 5003 | | | 5-29-58 | 16.0 | 3.9 | |
| | | 7-17-57 | 27.4 | 15.3 | | | | 6-05-58 | 16.4 | 4.3 | |
| | | 7-19-57 | 28.7 | 16.6 | | | | 6-12-58 | 15.0 | 2.9 | |
| | | 7-26-57 | 28.9 | 16.8 | | | | 6-19-58 | 15.3 | 3.2 | |
| | | 8-02-57 | 30.0 | 17.9 | | | | 6-26-58 | 15.4 | 3.3 | |
| | | 8-09-57 | 30.1 | 18.0 | | | | | | | |
| | | 8-16-57 | 30.6 | 18.5 | | | | 7-04-57 | 27.6 | 16.4 | 24.00 |
| | | 8-23-57 | 30.8 | 18.7 | | | | 7-11-57 | 27.9 | 16.7 | |
| | | 8-30-57 | 32.2 | 20.1 | | | | 7-18-57 | 28.5 | 17.3 | |
| | | 9-06-57 | 33.4 | 21.3 | | | | 7-25-57 | 28.5 | 17.3 | |
| | | 9-13-57 | 33.5 | 23.4 | | | | 8-01-57 | 29.8 | 18.6 | |
| | | 9-27-57 | 39.2 | 26.1 | | | | 8-08-57 | 30.0 | 18.8 | |
| | | 10-04-57 | 39.0 | 26.9 | | | | 8-15-57 | 31.0 | 19.8 | |
| | | 10-11-57 | 32.9 | 20.8 | | | | 8-22-57 | 31.5 | 20.3 | |
| | | 10-18-57 | 29.5 | 17.4 | | | | 8-29-57 | 30.6 | 19.4 | |
| | | 10-26-57 | 27.9 | 15.8 | | | | 9-05-57 | 30.6 | 19.8 | |
| | | 11-01-57 | 29.4 | 17.3 | | | | 9-12-57 | 31.0 | 19.8 | |
| | | 11-08-57 | 28.6 | 16.5 | | | | 9-19-57 | 32.9 | 21.7 | |
| | | 11-15-57 | 27.3 | 15.2 | | | | 9-26-57 | 31.7 | 20.5 | |
| | | 11-22-57 | 27.7 | 15.6 | | | | 10-03-57 | 31.8 | 20.6 | |
| | | 11-29-57 | 28.8 | 16.7 | | | | 10-10-57 | 31.2 | 20.0 | |
| | | 12-06-57 | 29.0 | 16.9 | | | | 10-17-57 | 28.6 | 15.4 | |
| | | 12-13-57 | 26.7 | 14.6 | | | | 10-24-57 | 24.9 | 13.7 | |
| | | 12-20-57 | 24.1 | 12.0 | | | | 10-31-57 | 27.6 | 16.4 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-----------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|--------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| 40401 | | | | | | 40401 | | | | | |
| OKNARD PLAIN, PRESSURE AREA | | | | | | | | | | | |
| 1N/22W-20E01 S | 11.42 | 11-07-57 | 25.40 | 13.8 | 2400 | 1N/22N-2 E02 S | 11.44 | 9-19-57 | 24.40 | 12.6 | 2400 |
| CONT. | | 11-14-57 | 25.43 | 14.1 | | CONT. | | 9-26-57 | 22.4 | 11.0 | |
| | | 11-21-57 | 24.9 | 13.7 | | | | 10-03-57 | 22.3 | 10.9 | |
| | | 11-29-57 | 25.5 | 14.3 | | | | 10-10-57 | 22.1 | 10.7 | |
| | | 12-05-57 | 27.4 | 16.2 | | | | 10-17-57 | 22.7 | 11.3 | |
| | | 12-12-57 | 22.9 | 11.7 | | | | 10-24-57 | 22.7 | 10.8 | |
| | | 12-19-57 | 20.3 | 9.1 | | | | 10-31-57 | 23.0 | 11.6 | |
| | | 12-26-57 | 20.8 | 9.6 | | | | 11-07-57 | 22.3 | 10.9 | |
| | | 1-02-58 | 19.2 | 8.0 | | | | 11-14-57 | 22.7 | 11.3 | |
| | | 1-09-58 | 20.6 | 9.4 | | | | 11-21-57 | 23.3 | 11.9 | |
| | | 1-16-58 | 21.1 | 9.9 | | | | 11-29-57 | 23.8 | 12.4 | |
| | | 1-23-58 | 22.0 | 10.8 | | | | 12-05-57 | 22.6 | 11.2 | |
| | | 1-30-58 | 18.9 | 7.7 | | | | 12-12-57 | 22.4 | 11.0 | |
| | | 2-06-58 | 16.4 | 5.2 | | | | 12-19-57 | 21.4 | 10.0 | |
| | | 2-13-58 | 16.3 | 5.1 | | | | 12-26-57 | 18.8 | 7.4 | |
| | | 2-20-58 | 14.8 | 3.6 | | | | 1-02-58 | 20.0 | 8.6 | |
| | | 2-27-58 | 14.7 | 3.5 | | | | 1-09-58 | 19.7 | 8.3 | |
| | | 3-06-58 | 13.8 | 2.6 | | | | 1-16-58 | 19.9 | 8.5 | |
| | | 3-13-58 | 14.3 | 3.1 | | | | 1-23-58 | 19.4 | 8.0 | |
| | | 3-20-58 | 12.3 | 1.1 | | | | 1-30-58 | 19.7 | 8.3 | |
| | | 3-27-58 | 12.1 | .9 | | | | 2-06-58 | 18.6 | 7.2 | |
| | | 4-03-58 | 10.0 | 1.2 | | | | 2-13-58 | 18.6 | 7.2 | |
| | | 4-10-58 | 10.0 | 1.2 | | | | 2-20-58 | 17.2 | 5.8 | |
| | | 4-17-58 | 10.2 | 1.0 | | | | 2-27-58 | 17.3 | 5.9 | |
| | | 4-24-58 | 11.9 | .7 | | | | 3-06-58 | 17.6 | 6.2 | |
| | | 5-01-58 | 14.2 | 3.0 | | | | 3-13-58 | 16.1 | 4.7 | |
| | | 5-08-58 | 15.9 | 4.7 | | | | 3-20-58 | 14.6 | 3.2 | |
| | | 5-15-58 | 17.7 | 6.9 | | | | 3-27-58 | 14.2 | 2.8 | |
| | | 5-22-58 | 19.1 | 7.9 | | | | 4-03-58 | 12.7 | 1.3 | |
| | | 5-29-58 | 17.7 | 6.5 | | | | 4-17-58 | 12.0 | .6 | |
| | | 6-05-58 | 19.2 | 8.0 | | | | 4-24-58 | 12.4 | .6 | |
| | | 6-12-58 | 18.2 | 7.0 | | | | 5-01-58 | 11.6 | .2 | |
| | | 6-19-58 | 17.4 | 6.2 | | | | 5-08-58 | 12.1 | .7 | |
| | | 6-26-58 | 18.9 | 7.7 | | | | 5-15-58 | 10.3 | 1.1 | |
| | | 7-04-57 | 16.6 | 5.2 | 2400 | | | 5-22-58 | 11.7 | .3 | |
| | | 7-11-57 | 17.4 | 6.0 | | | | 5-29-58 | 10.4 | 1.4 | |
| | | 7-18-57 | 18.4 | 7.0 | | | | 6-05-58 | 10.6 | .8 | |
| | | 7-25-57 | 17.9 | 6.5 | | | | 6-12-58 | 10.4 | 1.0 | |
| | | 8-01-57 | 18.9 | 7.5 | | | | 6-19-58 | 11.3 | 1.1 | |
| | | 8-08-57 | 19.1 | 7.7 | | | | 6-26-58 | 10.1 | 1.3 | |
| | | 8-15-57 | 19.9 | 8.5 | | | | 7-08-57 | 28.5 | 15.4 | 5003 |
| | | 8-22-57 | 20.4 | 9.0 | | | | 7-12-57 | 30.0 | 16.9 | |
| | | 8-29-57 | 21.4 | 10.0 | | | | 7-19-57 | 30.2 | 17.1 | |
| | | 9-05-57 | 21.2 | 9.8 | | | | 7-26-57 | 29.3 | 16.2 | |
| | | 9-12-57 | 21.2 | 9.8 | | | | 8-02-57 | 30.9 | 17.8 | |
| 1N/22W-20E02 S | 11.44 | | | | | 1N/22W-20R01 S | 13.41 | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|----------------------------|--------------------|------|-------------------------------------|-----------------------------|-----------------------|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| 40401 | | | | | | 40401 | | | | | |
| 1N/22W-20R01 S | | | | | | | | | | | |
| CONT. | | | | | | | | | | | |
| 13.1 | 8-09-57 | 31.9 | - | 18.8 | 5003 | 1N/22W-22A01 S | 12.3 | 7-04-57 | 29.8 | - | 17.5 |
| | 8-16-57 | 32.2 | | 19.1 | | | | 7-11-57 | 31.3 | | 19.0 |
| | 8-23-57 | 32.1 | | 19.0 | | | | 7-18-57 | 31.2 | | 18.9 |
| | 8-30-57 | 32.1 | | 19.0 | | | | 7-25-57 | 31.0 | | 18.7 |
| | 9-06-57 | 31.1 | | 18.0 | | | | 8-01-57 | 32.4 | | 20.0 |
| | 9-13-57 | 32.0 | | 18.9 | | | | 8-08-57 | 32.2 | | 19.9 |
| | 9-27-57 | 31.9 | | 18.8 | | | | 8-15-57 | 34.0 | | 21.7 |
| | 10-04-57 | 32.2 | | 19.1 | | | | 8-22-57 | 33.1 | | 21.8 |
| | 10-11-57 | 31.2 | | 18.1 | | | | 8-29-57 | 33.2 | | 20.9 |
| | 10-18-57 | 27.4 | | 14.3 | | | | 9-05-57 | 33.1 | | 20.8 |
| | 10-25-57 | 25.5 | | 12.4 | | | | 9-12-57 | 33.9 | | 21.6 |
| | 11-01-57 | 28.3 | | 15.2 | | | | 9-19-57 | 34.3 | | 22.0 |
| | 11-08-57 | 25.2 | | 12.1 | | | | 9-26-57 | 34.3 | | 22.0 |
| | 11-15-57 | 26.0 | | 12.9 | | | | 10-03-57 | 35.2 | | 22.9 |
| | 11-22-57 | 27.2 | | 14.1 | | | | 10-10-57 | 33.4 | | 21.1 |
| | 11-29-57 | 26.0 | | 12.9 | | | | 10-17-57 | 28.6 | | 16.3 |
| | 12-06-57 | 24.8 | | 11.7 | | | | 10-24-57 | 26.1 | | 13.8 |
| | 12-13-57 | 24.0 | | 10.9 | | | | 11-07-57 | 29.5 | | 17.2 |
| | 12-20-57 | 20.0 | | 6.9 | | | | 11-14-57 | 27.0 | | 14.7 |
| | 12-27-57 | 19.6 | | 6.5 | | | | 11-21-57 | 26.8 | | 14.5 |
| | 1-03-58 | 20.0 | | 6.9 | | | | 11-28-57 | 26.5 | | 14.2 |
| | 1-10-58 | 21.3 | | 8.2 | | | | 12-05-57 | 28.6 | | 16.3 |
| | 1-17-58 | 21.8 | | 9.5 | | | | 12-12-57 | 24.9 | | 12.6 |
| | 1-24-58 | 18.9 | | 5.8 | | | | 12-19-57 | 21.4 | | 9.1 |
| | 2-07-58 | 17.7 | | 4.6 | | | | 12-26-57 | 20.1 | | 7.8 |
| | 2-14-58 | 16.7 | | 3.6 | | | | 1-02-58 | 20.1 | | 7.8 |
| | 2-21-58 | 15.7 | | 2.6 | | | | 1-09-58 | 22.3 | | 10.0 |
| | 2-28-58 | 15.5 | | 2.4 | | | | 1-16-58 | 22.9 | | 10.5 |
| | 3-07-58 | 14.7 | | 1.6 | | | | 1-23-58 | 19.7 | | 11.4 |
| | 3-14-58 | 15.2 | | 2.1 | | | | 2-09-58 | 18.0 | | 5.7 |
| | 3-21-58 | 13.0 | | 1.1 | | | | 2-16-58 | 17.4 | | 5.1 |
| | 3-28-58 | 13.0 | | 1.1 | | | | 2-23-58 | 16.1 | | 3.8 |
| | 4-04-58 | 11.3 | | 1.8 | | | | 2-27-58 | 15.8 | | 3.5 |
| | 4-11-58 | 12.1 | | 1.0 | | | | 3-06-58 | 15.0 | | 2.7 |
| | 4-18-58 | 12.0 | | 1.1 | | | | 3-13-58 | 15.0 | | 2.7 |
| | 4-25-58 | 14.0 | | 2.9 | | | | 3-20-58 | 13.8 | | 1.5 |
| | 5-01-58 | 15.2 | | 2.1 | | | | 3-27-58 | 13.1 | | 1.8 |
| | 5-08-58 | 18.0 | | 4.9 | | | | 4-03-58 | 11.2 | | 1.1 |
| | 5-15-58 | 19.7 | | 6.6 | | | | 4-10-58 | 11.3 | | 1.0 |
| | 5-22-58 | 21.5 | | 8.4 | | | | 4-17-58 | 11.9 | | 1.4 |
| | 5-29-58 | 19.5 | | 6.4 | | | | 4-24-58 | 13.0 | | 4.7 |
| | 6-05-58 | 21.4 | | 8.3 | | | | 5-01-58 | 16.5 | | 4.2 |
| | 6-12-58 | 20.7 | | 7.6 | | | | 5-08-58 | 17.0 | | 4.7 |
| | 6-19-58 | 20.0 | | 6.9 | | | | 5-15-58 | 20.1 | | 7.8 |
| | 6-26-58 | 21.4 | | 8.3 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|----------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | | | | | | |
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| 40401 | | | | | | | | | | | |
| 1N/22W-22A01 S | 12.3 | 5-22-58 | 21.6 | 9.3 | 2400 | 1N/22W-23J01 S | 25.8 | 4-10-58 | 23.6 | 2.2 | 2400 |
| CONT. | | 5-29-58 | 20.2 | 7.9 | | CONT. | | 5-08-58 | 34.0 | 8.2 | |
| | | 6-05-58 | 21.3 | 9.0 | | | | 5-29-58 | 43.8 | 18.0 | |
| | | 6-12-58 | 21.7 | 9.4 | | | | | | | |
| | | 6-19-58 | 20.9 | 8.6 | | | | | | | |
| | | 6-25-58 | 22.3 | 10.0 | | 1N/22W-23K01 S | 32.9 | 7-04-57 | 64.5 | 31.6 | 2400 |
| 1N/22W-22M05 S | 16.8 | 7-18-57 | 45.6 | 28.8 | 2100 | | | 7-11-57 | 74.0 | 41.1 | |
| | | 8-14-57 | 46.5 | 29.7 | | | | 7-18-57 | 74.8 | 41.9 | |
| | | 9-25-57 | 46.5 | 29.7 | | | | 7-25-57 | 77.1 | 44.2 | |
| | | 11-13-57 | 38.2 | 21.4 | | | | 8-01-57 | 76.5 | 43.6 | |
| | | 1-07-58 | 31.3 | 14.5 | | | | 8-08-57 | 79.0 | 46.1 | |
| | | 3-04-58 | 22.6 | 5.8 | | | | 8-15-57 | 78.7 | 45.8 | |
| | | 4-30-58 | 22.5 | 5.7 | | | | 8-22-57 | 78.2 | 45.3 | |
| | | 6-04-58 | 30.2 | 13.4 | | | | 8-29-57 | 78.2 | 45.3 | |
| | | | | | | | | 9-05-57 | 75.5 | 42.6 | |
| | | | | | | | | 9-12-57 | 75.5 | 42.6 | |
| | | | | | | | | 9-19-57 | 76.3 | 43.4 | |
| 1N/22W-23C01 S | 26.9 | 7-18-57 | 68.6 | 41.7 | 2100 | | | 9-26-57 | 73.7 | 40.8 | |
| | | 8-14-57 | 67.8 | 40.9 | | | | 10-03-57 | 75.8 | 42.9 | |
| | | 9-25-57 | 67.3 | 40.4 | | | | 10-10-57 | 74.8 | 41.9 | |
| | | 11-13-57 | 55.0 | 28.1 | | | | 10-17-57 | 60.6 | 27.7 | |
| | | 1-07-58 | 44.1 | 17.2 | | | | 10-24-57 | 59.6 | 26.7 | |
| | | 3-26-58 | 30.0 | 3.1 | | | | 10-31-57 | 61.9 | 29.0 | |
| | | 6-05-58 | 43.8 | 16.9 | | | | 11-07-57 | 59.8 | 26.9 | |
| | | | | | | | | 11-14-57 | 60.2 | 27.3 | |
| | | | | | | | | 11-21-57 | 61.8 | 28.9 | |
| 1N/22W-23J01 S | 25.8 | 7-04-57 | 54.3 | 28.5 | 2400 | | | 11-29-57 | 63.7 | 30.8 | |
| | | 10-24-57 | 37.2 | 11.4 | | | | 12-05-57 | 61.0 | 28.1 | |
| | | 10-31-57 | 40.9 | 15.1 | | | | 12-12-57 | 54.3 | 21.4 | |
| | | 11-07-57 | 40.8 | 15.0 | | | | 12-19-57 | 49.2 | 16.3 | |
| | | 11-14-57 | 50.1 | 24.3 | | | | 12-26-57 | 47.3 | 14.4 | |
| | | 11-21-57 | 54.4 | 28.6 | | | | 1-02-58 | 46.7 | 13.8 | |
| | | 12-05-57 | 51.3 | 25.5 | | | | 1-09-58 | 49.6 | 16.7 | |
| | | 12-11-57 | 47.2 | 21.4 | | | | 1-16-58 | 51.3 | 18.4 | |
| | | 12-19-57 | 42.1 | 16.3 | | | | 1-23-58 | 52.1 | 19.2 | |
| | | 12-26-57 | 40.8 | 15.0 | | | | 1-30-58 | 45.5 | 18.6 | |
| | | 1-02-58 | 38.4 | 12.6 | | | | 2-06-58 | 43.0 | 10.1 | |
| | | 1-09-58 | 44.5 | 18.7 | | | | 2-13-58 | 41.1 | 8.2 | |
| | | 1-23-58 | 45.2 | 19.4 | | | | 2-20-58 | 40.1 | 7.2 | |
| | | 1-30-58 | 35.9 | 10.1 | | | | 2-27-58 | 39.0 | 6.1 | |
| | | 2-06-58 | 33.4 | 7.6 | | | | 3-06-58 | 38.3 | 5.7 | |
| | | 2-13-58 | 31.8 | 6.0 | | | | 3-13-58 | 38.6 | 5.7 | |
| | | 2-20-58 | 30.8 | 5.0 | | | | 3-20-58 | 33.2 | 3.3 | |
| | | 2-27-58 | 29.5 | 3.7 | | | | 3-27-58 | 35.4 | 2.5 | |
| | | 3-06-58 | 29.3 | 3.5 | | | | 4-03-58 | 33.3 | 1.4 | |
| | | 3-20-58 | 27.0 | 1.2 | | | | 4-10-58 | 32.6 | 0.3 | |
| | | 3-27-58 | 26.0 | 0.2 | | | | 4-17-58 | 35.0 | 2.1 | |
| | | 4-03-58 | 25.3 | 0.5 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| Site Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|----------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| 40401 | | | | 40400 | | | | 40400 | | | |
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| 40401 | | | | 40400 | | | | 40401 | | | |
| 1N/22W-23001 S CONT. | 32.9 | 4-24-58 | 37.4 | - 4.5 | 2400 | 1N/22W-26K01 S CONT. | 15.2 | 12-19-57 | 31.6 | - 16.4 | 2400 |
| | | 5-01-58 | 35.2 | - 2.3 | | | | 12-26-57 | 31.6 | - 15.8 | |
| | | 5-08-58 | 44.8 | - 11.9 | | | | 1-02-58 | 29.6 | - 14.4 | |
| | | 5-15-58 | 50.6 | - 17.7 | | | | 1-09-58 | 33.9 | - 18.7 | |
| | | 5-22-58 | 52.3 | - 19.4 | | | | 1-16-58 | 34.2 | - 19.0 | |
| | | 5-29-58 | 53.8 | - 20.9 | | | | 1-23-58 | 33.0 | - 17.8 | |
| | | 6-05-58 | 50.7 | - 17.8 | | | | 2-06-58 | 27.8 | - 12.6 | |
| | | 6-12-58 | 54.0 | - 21.1 | | | | 2-06-58 | 25.0 | - 9.8 | |
| | | 6-19-58 | 56.9 | - 24.0 | | | | 2-13-58 | 24.4 | - 9.2 | |
| | | 6-26-58 | 60.5 | - 27.6 | | | | 2-20-58 | 22.5 | - 7.3 | |
| | | | | | | | | 2-27-58 | 21.4 | - 6.2 | |
| 1N/22W-24D02 S | 33.7 | 7-18-57 | 66.0 | - 32.3 | 2100 | | | 3-06-58 | 21.2 | - 6.0 | |
| | | 8-14-57 | 67.0 | - 33.3 | | | | 3-13-58 | 21.7 | - 6.5 | |
| | | 9-25-57 | 66.5 | - 32.8 | | | | 3-20-58 | 20.8 | - 5.6 | |
| | | 11-13-57 | 56.6 | - 22.9 | | | | 3-27-58 | 17.7 | - 2.5 | |
| | | 1-07-58 | 44.0 | - 10.3 | | | | 4-03-58 | 16.8 | - 1.6 | |
| | | 3-12-58 | 35.5 | - 1.8 | | | | 4-10-58 | 16.3 | - 1.1 | |
| | | 4-30-58 | 36.8 | - 3.1 | | | | 4-17-58 | 16.2 | - 1.0 | |
| | | 9-30-57 | 61.3 | - 41.4 | 2100 | | | 4-24-58 | 18.0 | - 2.8 | |
| 1N/22W-25C02 S | 19.9 | 1-09-58 | 41.2 | - 21.3 | | | | 5-08-58 | 25.8 | - 10.6 | |
| | | 4-21-58 | 22.3 | - 2.4 | | | | 5-15-58 | 29.0 | - 13.8 | |
| | | 6-09-58 | 39.5 | - 19.6 | | | | 5-29-58 | 35.2 | - 20.0 | |
| | | 9-25-57 | 55.0 | - 36.6 | 2100 | | | 6-05-58 | 35.0 | - 19.8 | |
| 1N/22W-26B02 S | 18.4 | 11-13-57 | 51.5 | - 33.1 | | | | 6-12-58 | 35.4 | - 20.2 | |
| | | 1-07-58 | 39.2 | - 20.8 | | | | 6-19-58 | 36.9 | - 21.7 | |
| | | 3-12-58 | 26.7 | - 8.3 | | | | 6-26-58 | 38.2 | - 23.0 | |
| | | 4-30-58 | 27.9 | - 9.5 | | | | 11-19-57 | 40.8 | - 29.3 | 2100 |
| | | 7-04-57 | 40.3 | - 25.5 | 2100 | 1N/22W-26R01 S | 11.5 | 1-00-58 | 31.8 | - 20.3 | |
| | | 1-07-58 | 26.8 | - 11.0 | | | | 4-21-58 | 13.9 | - 2.4 | |
| | | 3-12-58 | 16.6 | - 8 | | | | 6-04-58 | 25.6 | - 13.2 | 2100 |
| | | 4-30-58 | 17.4 | - 1.6 | | | | 7-10-57 | 37.2 | - 23.9 | |
| | | 6-04-58 | 27.2 | - 11.4 | | | | 7-17-57 | 36.3 | - 23.0 | |
| | | 7-04-57 | 46.6 | - 31.4 | 2400 | 1N/22W-27H01 S | 12.4 | 8-01-57 | 38.8 | - 25.5 | |
| | | 7-11-57 | 50.9 | - 34.9 | | | | 8-15-57 | 39.7 | - 26.4 | |
| | | 8-22-57 | 50.2 | - 46.0 | | | | 9-01-57 | 37.8 | - 24.5 | |
| | | 9-12-57 | 54.8 | - 41.6 | | | | 9-15-57 | 38.2 | - 24.9 | |
| | | 10-17-57 | 45.2 | - 30.0 | | | | 9-26-57 | 40.7 | - 27.1 | |
| | | 10-24-57 | 46.6 | - 29.4 | | | | 10-01-57 | 38.7 | - 25.4 | |
| | | 11-07-57 | 43.3 | - 28.1 | | | | 10-15-57 | 34.4 | - 21.1 | |
| | | 11-16-57 | 41.7 | - 26.5 | | | | 10-22-57 | 31.5 | - 18.2 | |
| | | 12-05-57 | 43.6 | - 28.4 | | | | | | | |
| | | 12-12-57 | 39.9 | - 24.7 | | | | | | | |
| 1N/22W-26K01 S | 15.2 | | | | | 1N/22W-28A01 S | 13.3 | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|----------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| OXNAED PLAIN PRESSURE AREA | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| 404001 | | | | | | 404001 | | | | | |
| 1N/22W-28A01 S | 13.3 | 11-01-57 | 35.7 | 22.4 | 2400 | 1N/22W-34J02 S | 8.8 | 1-09-58 | 16.2 | 7.4 | 2400 |
| | | 11-15-57 | 31.8 | 18.5 | | | | 1-16-58 | 18.6 | 9.8 | |
| | | 12-06-57 | 31.5 | 18.2 | | | | 1-23-58 | 18.0 | 9.2 | |
| | | 12-15-57 | 52.4 | 13.1 | | | | 2-05-58 | 18.9 | 9.8 | |
| | | 12-21-57 | 56.3 | 11.6 | | | | 2-09-58 | 1.7 | 7.1 | |
| | | 1-01-58 | 27.6 | 11.3 | | | | 2-13-58 | 13.4 | 7.3 | |
| | | 1-03-58 | 52.6 | 9.2 | | | | 2-20-58 | 1.5 | 5.3 | |
| | | 2-01-58 | 56.8 | 2.8 | | | | 2-27-58 | 3.0 | 5.9 | |
| | | 2-01-58 | 56.8 | 8.8 | | | | 3-01-58 | 3.1 | 5.7 | |
| | | 2-20-58 | 16.7 | 3.6 | | | | 3-19-58 | 8.1 | 6.3 | |
| | | 4-01-58 | 14.7 | 1.3 | | | | 3-27-58 | 8.1 | 6.3 | |
| | | 4-12-58 | 13.2 | 1.1 | | | | 4-10-58 | 2.2 | 7.5 | |
| | | 5-01-58 | 17.2 | 4.3 | | | | 4-17-58 | 1.2 | 7.5 | |
| | | 5-18-58 | 25.9 | 12.0 | | | | 4-24-58 | 1.0* | 7.8 | |
| | | 5-17-58 | 27.3 | 14.1 | | | | | | | |
| | | 6-01-58 | 23.3 | 10.0 | | | | | | | |
| | | 6-13-58 | 24.6 | 11.3 | | | | | | | |
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| OXNAED PLAIN PRESSURE AREA | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| 404001 | | | | | | 404001 | | | | | |
| 1N/22W-34J02 S | 7.5 | 7-04-57 | 23.0 | 15.5 | 2100 | 1N/22W-35C01 S | 11.9 | 8-15-57 | 48.5 | 36.6 | 2400 |
| | | 7-11-57 | 23.5 | 16.0 | | | | 8-29-57 | 46.4 | 34.5 | |
| | | 7-18-57 | 23.3 | 13.4 | | | | 9-05-57 | 48.6 | 36.7 | |
| | | 7-28-57 | 24.3 | 13.4 | | | | 10-17-57 | 39.9 | 28.0 | |
| | 8.8 | 8-01-57 | 27.2 | 13.4 | | | | 10-24-57 | 40.2 | 28.3 | |
| | | 8-08-57 | 50.3 | 21.7 | | | | 11-07-57 | 38.6 | 26.7 | |
| | | 8-18-57 | 29.7 | 21.0 | | | | 11-16-57 | 37.0 | 25.1 | |
| | | 8-22-57 | 50.7 | 20.2 | | | | 11-21-57 | 40.2 | 28.3 | |
| | | 8-23-57 | 24.0 | 17.8 | | | | 11-02-58 | 27.7 | 15.8 | |
| | | 9-01-57 | 28.9 | 19.6 | | | | 1-16-58 | 30.9 | 19.8 | |
| | | 9-12-57 | 27.3 | 18.5 | | | | 1-30-58 | 26.2 | 12.3 | |
| | | 9-15-57 | 28.8 | 19.4 | | | | 2-06-58 | 21.9 | 10.3 | |
| | | 9-24-57 | 26.5 | 20.0 | | | | 2-13-58 | 20.7 | 8.8 | |
| | | 9-26-57 | 56.5 | 17.7 | | | | 2-20-58 | 19.6 | 7.7 | |
| | | 10-03-57 | 27.0 | 19.1 | | | | 2-27-58 | 18.9 | 7.0 | |
| | | 10-10-57 | 56.9 | 18.1 | | | | 3-13-58 | 18.0 | 6.1 | |
| | | 10-17-57 | 23.3 | 14.5 | | | | 3-27-58 | 18.3 | 2.0 | |
| | | 10-24-57 | 22.5 | 13.7 | | | | 4-03-58 | 13.9 | 2.0 | |
| | | 10-31-57 | 24.2 | 15.4 | | | | 4-10-58 | 13.2 | 1.3 | |
| | | 11-07-57 | 22.2 | 13.6 | | | | 4-17-58 | 13.2 | 1.3 | |
| | | 11-14-57 | 21.0 | 12.2 | | | | 4-24-58 | 15.1 | 3.2 | |
| | | 11-21-57 | 24.0 | 15.3 | | | | 5-08-58 | 21.3 | 9.2 | |
| | | 11-29-57 | 22.7 | 14.8 | | | | 5-08-58 | 29.5 | 17.6 | |
| | | 12-06-57 | 23.7 | 13.9 | | | | 6-19-58 | 30.1 | 18.2 | |
| | | 12-13-57 | 18.1 | 9.3 | | | | | | | |
| | | 1-15-57 | 18.1 | 9.5 | | | | 8-16-57 | 54.8 | 42.8 | 2100 |
| | | 1-26-57 | 14.6 | 5.8 | | | | 9-26-57 | 54.7 | 44.7 | |
| | | 1-02-58 | 16.8 | 8.0 | | | | 11-19-57 | 48.9 | 36.9 | |
| | | | | | | | | 1-09-58 | 42.0 | 30.5 | |
| | | | | | | | | 4-21-58 | 18.6 | 7.1 | |
| | | | | | | | | 6-09-58 | 32.2 | 20.7 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|----------------------------|--------------------|--|--|-----------------------------|-----------------------|-------------------------|--------------------|--|--|---|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | | | | | | |
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| 40401 | | | | | | | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| 40401 | | | | | | | | | | | |
| 1N/22W-36L01 S | 9*6 | 7-24-57 8-16-57 1-09-58 4-21-58 6-09-58 | 39*0 42*8 29*9 11*7 26*8 | - | 2100 | 2N/21W-18R01 S CONT. | 108*6 | 12-11-57 12-18-57 12-24-57 12-31-57 1-08-58 1-15-58 1-23-58 2-03-58 2-12-58 2-19-58 3-05-58 3-12-58 3-19-58 3-26-58 4-02-58 4-09-58 4-16-58 4-23-58 5-07-58 6-11-58 6-18-58 6-25-58 | 99*0 99*1 99*2 99*0 98*9 99*4 99*9 99*0 98*1 98*1 98*9 96*2 95*4 94*4 93*0 91*0 88*9 83*8 81*8 73*3 66*5 65*1 65*5 61*7 | 2400 | |
| 1N/23W-01A01 S | 18*0 | 1-03-58 3-06-58 4-23-58 6-04-58 | 30*0 23*1 20*2 23*6 | - | 2100 | | | | | | |
| 1N/23W-01R01 S | 11*4 | 7-17-57 8-13-57 9-24-57 11-07-57 1-03-58 3-06-58 4-23-58 6-04-58 | 30*8 35*0 36*3 32*3 23*3 15*2 12*0 16*7 | - | 2100 | | | | | | |
| 2N/21W-17W02 S | 113*0 | 8-27-57 12-03-57 1-21-58 4-29-58 | 99*4 100*1 99*5 74*0 | 13*6 | 2100 | | | | | | |
| 2N/21W-18A01 S | 120*0 | 8-27-57 12-03-57 1-21-58 4-04-58 6-11-58 | 106*2 108*6 105*4 75*5 59*0 | 13*8 | 2100 | 2N/21W-19B02 S | 101*8 | 10-10-57 12-03-57 1-21-58 | 100*3 98*0 97*8 | 2100 | |
| 2N/21W-18R01 S | 108*6 | 7-24-57 8-14-57 8-21-57 8-28-57 9-04-57 9-11-57 9-18-57 9-25-57 10-09-57 10-16-57 10-23-57 10-30-57 11-06-57 11-13-57 11-27-57 | 96*1 97*6 97*7 97*8 98*0 98*0 98*0 98*7 99*0 98*5 98*7 99*3 98*5 98*6 99*3 | 12*5 | 2400 | 2N/21W-19G01 S | 98*9 | 7-30-57 8-27-57 10-10-57 12-03-57 1-21-58 4-29-58 | 91*0* 96*3* 93*7* 95*3* 94*9* 73*2 | 7*9 2*6 5*2 3*6 4*0 25*7 | 2100 |
| | | | | | | 2N/21W-19L01 S | 92*5 | 9-04-57 9-11-57 9-18-57 9-25-57 10-02-57 10-16-57 10-23-57 11-13-57 12-04-57 | 90*5 91*6 89*8 89*4 89*9 90*6 90*2 92*1 89*3 | 2*0 *9 2*7 3*1 2*6 1*9 2*3 *4 3*2 | 2400 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|----------------------------|---------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------|---------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| 40400 | | | | | | 40400 | | | | | |
| 2N/21W-19L01 S | 92.5 | 12-11-57 | 90.6 | 1.9 | 2400 | 2N/21W-29L02 S | 74.3 | 1-15-58 | 56.5 | 17.8 | 2400 |
| | | 12-18-57 | 90.4 | 2.1 | | | | 2-01-58 | 55.8 | 18.5 | |
| | | 12-24-57 | 90.7 | 1.8 | | | | 2-15-58 | 54.5 | 19.8 | |
| | | 12-31-57 | 90.5 | 2.0 | | | | 3-01-58 | 53.0 | 21.3 | |
| | | 1-08-58 | 90.3 | 2.2 | | | | 3-15-58 | 51.4 | 22.9 | |
| | | 1-15-58 | 90.7 | 1.8 | | | | 4-01-58 | 48.8 | 25.5 | |
| | | 1-29-58 | 90.3 | 2.2 | | | | 4-15-58 | 46.7 | 27.6 | |
| | | 2-05-58 | 89.5 | 3.0 | | | | 5-01-58 | 44.5 | 29.8 | |
| | | 2-12-58 | 89.4 | 3.1 | | | | 5-15-58 | 42.2 | 32.1 | |
| | | 2-19-58 | 89.0 | 3.5 | | | | 6-01-58 | 41.2 | 33.1 | |
| | | 2-26-58 | 88.9 | 3.6 | | | | 6-15-58 | 41.5 | 32.8 | |
| | | 3-05-58 | 88.6 | 3.9 | | | | | | | |
| | | 3-12-58 | 86.1 | 6.4 | | | | 7-17-57 | 68.2 | 9.1 | 2400 |
| | | 3-19-58 | 84.6 | 7.9 | | | | 7-24-57 | 65.0 | 12.3 | |
| | | 3-26-58 | 82.6 | 9.9 | | | | 8-14-57 | 62.0 | 15.3 | |
| | | 4-02-58 | 80.0 | 12.5 | | | | 8-21-57 | 64.3 | 13.0 | |
| | | 4-09-58 | 78.1 | 14.4 | | | | 8-28-57 | 64.8 | 12.5 | |
| | | 4-16-58 | 75.0 | 17.5 | | | | 9-11-57 | 67.1 | 10.2 | |
| | | 4-30-58 | 70.3 | 22.2 | | | | 9-18-57 | 60.8 | 16.5 | |
| | | 5-07-58 | 67.5 | 25.0 | | | | 9-25-57 | 59.4 | 17.9 | |
| | | 5-14-58 | 65.6 | 26.9 | | | | 10-02-57 | 59.8 | 17.5 | |
| | | 6-11-58 | 54.7 | 37.8 | | | | 10-09-57 | 57.5 | 19.8 | |
| 2N/21W-20L01 S | 106.8 | 10-10-57 | 106.8 | 0.0 | 2100 | 2N/21W-29L03 S | 77.3 | 10-09-57 | 57.5 | 19.8 | |
| | | 12-03-57 | 105.4 | 1.4 | | | | 10-16-57 | 56.7 | 20.6 | |
| | | 1-21-58 | 102.4 | 4.4 | | | | 10-23-57 | 55.9 | 21.4 | |
| | | 4-30-58 | 85.0 | 21.8 | | | | 10-30-57 | 55.5 | 21.8 | |
| | | 6-11-58 | 78.2 | 28.6 | | | | 11-06-57 | 58.2 | 19.1 | |
| | | | | | | | | 11-13-57 | 55.9 | 21.4 | |
| | | | | | | | | 11-20-57 | 55.2 | 22.1 | |
| | | | | | | | | 11-27-57 | 55.6 | 21.7 | |
| 2N/21W-20003 S | 112.7 | 8-27-57 | 89.0 | 23.7 | 2100 | | | 12-04-57 | 55.4 | 21.9 | |
| | | 1-21-58 | 80.1 | 32.6 | | | | 12-11-57 | 55.1 | 22.2 | |
| | | | | | | | | 12-18-57 | 54.3 | 23.0 | |
| 2N/21W-29L02 S | 74.3 | 6-31-57 | 55.0 | 19.3 | 2400 | | | 12-24-57 | 54.0 | 23.3 | |
| | | 7-07-57 | 56.1 | 18.2 | | | | 12-31-57 | 53.3 | 24.0 | |
| | | 7-15-57 | 57.4 | 16.9 | | | | 1-08-58 | 52.7 | 24.6 | |
| | | 8-01-57 | 58.5 | 15.8 | | | | 1-15-58 | 52.4 | 24.9 | |
| | | 8-15-57 | 59.7 | 14.6 | | | | 1-23-58 | 54.9 | 22.4 | |
| | | 9-01-57 | 59.2 | 15.1 | | | | 1-29-58 | 52.1 | 25.2 | |
| | | 9-15-57 | 60.0 | 14.3 | | | | 2-05-58 | 51.0 | 26.3 | |
| | | 10-01-57 | 60.0 | 14.3 | | | | 2-12-58 | 50.0 | 27.3 | |
| | | 10-15-57 | 59.7 | 14.6 | | | | 2-19-58 | 49.8 | 27.5 | |
| | | 11-01-57 | 58.3 | 16.0 | | | | 2-26-58 | 49.4 | 27.9 | |
| | | 11-15-57 | 57.6 | 16.7 | | | | 3-05-58 | 48.6 | 28.7 | |
| | | 12-01-57 | 58.1 | 16.2 | | | | 3-12-58 | 47.9 | 29.4 | |
| | | 12-15-57 | 58.0 | 16.3 | | | | 3-19-58 | 46.8 | 30.5 | |
| | | 1-01-58 | 56.7 | 17.6 | | | | 3-26-58 | 46.0 | 31.3 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|----------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| 40400 | | | | | | | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | | | | | | |
| 40401 | | | | | | | | | | | |
| 2N/21W-29L03 S | 77.3 | 4-02-58 | 45.0 | 32.3 | 2400 | 2N/21W-29P01 S | 66.6 | 2-05-58 | 70.9 | 4.3 | 2400 |
| | | 4-09-58 | 44.1 | 33.2 | | | | 2-12-58 | 70.7 | 4.1 | |
| | | 4-16-58 | 43.1 | 34.2 | | | | 2-19-58 | 68.5 | 1.9 | |
| | | 4-23-58 | 42.6 | 34.7 | | | | 2-26-58 | 68.4 | 1.6 | |
| | | 4-30-58 | 41.9 | 35.4 | | | | 3-03-58 | 67.3 | | |
| | | 5-07-58 | 41.4 | 35.9 | | | | 3-10-58 | 66.3 | .3 | |
| | | 5-14-58 | 41.5 | 35.8 | | | | 3-16-58 | 66.3 | 1.6 | |
| | | 5-21-58 | 40.6 | 36.7 | | | | 3-22-58 | 63.9 | 2.6 | |
| | | 5-28-58 | 40.9 | 36.4 | | | | 4-02-58 | 62.8 | 4.5 | |
| | | 6-04-58 | 40.1 | 37.2 | | | | 4-09-58 | 61.2 | 5.2 | |
| | | 6-11-58 | 40.9 | 36.4 | | | | 4-16-58 | 60.6 | 5.8 | |
| | | 6-11-58 | 40.4 | 36.9 | | | | 4-23-58 | 58.3 | 8.9 | |
| | | | | | | | | 4-30-58 | 58.1 | 8.5 | |
| 2N/21W-29M01 S | 78.2 | 7-30-57 | 86.3* | 8.3 | 2100 | | | 5-07-58 | 56.8 | 9.8 | |
| | | 8-27-57 | 83.6 | 2.6 | | | | 5-14-58 | 56.5 | 10.1 | |
| | | 12-03-57 | 81.1 | 3.5 | | | | 5-21-58 | 57.0 | 9.6 | |
| | | 12-21-58 | 80.8 | 2.6 | | | | 5-28-58 | 59.2 | 7.4 | |
| | | 4-30-58 | 85.2 | 13.0 | | | | | | | |
| | | 6-11-58 | 81.0 | 17.2 | | | | | | | |
| 2N/21W-29P01 S | 66.6 | 7-03-57 | 80.7 | 14.1 | 2400 | 2N/21W-30P01 S | 66.5 | 6-05-58 | 56.5 | 10.0 | 2100 |
| | | 7-17-57 | 82.1 | 15.5 | | | | 8-16-57 | 78.1 | 12.3 | 2100 |
| | | 7-24-57 | 87.9 | 21.3 | | | | 9-25-57 | 78.0 | 12.2 | |
| | | 7-31-57 | 87.6 | 21.0 | | | | 11-14-57 | 71.5 | 5.7 | |
| | | 8-14-57 | 85.3 | 18.7 | | | | 1-08-58 | 70.9 | 5.1 | |
| | | 8-21-57 | 83.9 | 17.3 | | | | 4-21-58 | 58.5 | 7.3 | |
| | | 8-28-57 | 85.9 | 19.3 | | | | 6-05-58 | 55.4 | 10.4 | |
| | | 9-04-57 | 87.6 | 21.0 | | | | 7-23-57 | 82.9 | 25.1 | 2100 |
| | | 9-11-57 | 86.0 | 17.4 | | | | 8-14-57 | 83.8 | 26.0 | |
| | | 9-18-57 | 81.4 | 14.8 | | | | 11-14-57 | 70.3 | 12.5 | |
| | | 9-25-57 | 83.1 | 16.5 | | | | 1-08-58 | 66.7 | 8.9 | |
| | | 10-02-57 | 81.9 | 15.3 | | | | 4-21-58 | 50.4 | 7.4 | |
| | | 10-09-57 | 81.6 | 15.0 | | | | 6-09-58 | 56.1 | 1.7 | |
| | | 10-16-57 | 82.5 | 15.9 | | | | 7-23-57 | 79.7 | 26.0 | 2100 |
| | | 10-23-57 | 80.3 | 13.7 | | | | 8-14-57 | 83.7 | 30.0 | |
| | | 10-30-57 | 82.6 | 16.0 | | | | 9-26-57 | 80.1 | 26.4 | |
| | | 11-06-57 | 78.7 | 12.1 | | | | 11-14-57 | 67.2 | 13.5 | |
| | | 11-13-57 | 77.4 | 10.8 | | | | 6-09-58 | 58.4 | .7 | |
| | | 11-27-57 | 77.0 | 10.4 | | | | 7-03-57 | 86.0 | 9.0 | 2400 |
| | | 12-04-57 | 76.6 | 10.0 | | | | 7-10-57 | 86.3 | 9.3 | |
| | | 12-18-57 | 75.0 | 8.4 | | | | 7-17-57 | 88.1 | 11.1 | |
| | | 1-08-58 | 73.4 | 6.8 | | | | 8-01-57 | 87.8 | 10.8 | |
| | | 1-15-58 | 73.2 | 6.6 | | | | 8-04-57 | 84.8 | 7.8 | |
| | | 1-23-58 | 72.6 | 6.0 | | | | 8-15-57 | 86.2 | 9.2 | |
| | | 1-29-58 | 73.0 | 6.4 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|----------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| 40400 | | | | | | 40401 | | | | | |
| 2N/22W-25N02 S | 77.0 | 8-31-57 | 99.5 | 13.5 | 2400 | 2N/22W-26J01 S | 81.6 | 10-31-57 | 93.7 | 12.1 | 2100 |
| CONT. | | 9-01-57 | 87.0 | 10.0 | | CONT. | | 11-27-57 | 94.9 | 13.3 | |
| | | 9-15-57 | 87.2 | 10.2 | | | | 12-31-57 | 92.2 | 10.6 | |
| | | 9-23-57 | 90.2 | 13.5 | | | | 2-11-58 | 89.8 | 8.2 | |
| | | 10-01-57 | 87.8 | 10.8 | | | | 3-05-58 | 86.2 | | |
| | | 10-15-57 | 86.7 | 9.7 | | | | 3-25-58 | 80.4 | 1.2 | |
| | | 11-01-57 | 86.6 | 9.6 | | | | 4-30-58 | 70.3 | 11.3 | |
| | | 11-15-57 | 86.2 | 9.2 | | | | 6-10-58 | 67.3 | 14.3 | |
| | | 12-01-57 | 87.3 | 10.3 | | 2N/22W-27N03 S | 79.4 | 12-26-57 | 93.5 | 14.1 | 2100 |
| | | 12-15-57 | 86.0 | 9.0 | | | | 3-05-58 | 84.3 | 4.9 | |
| | | 1-01-58 | 85.0 | 8.0 | | | | | | | |
| | | 1-15-58 | 85.3 | 8.3 | | | | | | | |
| | | 1-23-58 | 87.3 | 10.3 | | 2N/22W-28C01 S | 60.3 | 7-17-57 | 22.0 | 38.3 | 2100 |
| | | 2-01-58 | 84.2 | 8.2 | | | | 8-13-57 | 20.0 | 40.3 | |
| | | 2-15-58 | 82.1 | 5.1 | | | | 9-24-57 | 26.3* | 34.0 | |
| | | 3-01-58 | 75.8 | 2.8 | | | | 12-31-57 | 18.9 | 41.4 | |
| | | 3-15-58 | 76.4 | 6.6 | | | | 3-05-58 | 18.7* | 41.6 | |
| | | 4-01-58 | 71.5 | 5.5 | | | | 6-04-58 | 15.0 | 45.3 | |
| | | 4-15-58 | 68.0 | 9.0 | | 2N/22W-28K04 S | 72.4 | 7-17-57 | 89.0* | 16.6 | 2100 |
| | | 5-01-58 | 65.9 | 11.1 | | | | 8-13-57 | 93.6* | 21.2 | |
| | | 5-15-58 | 61.5 | 15.5 | | | | 9-24-57 | 93.0* | 28.6 | |
| | | 6-01-58 | 58.9 | 18.1 | | | | 11-07-57 | 91.2 | 18.8 | |
| | | 6-13-58 | 68.9 | 10.1 | | | | 12-26-57 | 86.2 | 13.8 | |
| | | 6-13-58 | 61.4 | 15.6 | | | | 3-05-58 | 78.4 | 6.0 | |
| 2N/22W-25P02 S | 76.4 | 7-23-57 | 83.3 | 8.9 | 2100 | | | 4-23-58 | 69.7 | 2.7 | |
| | | 8-15-57 | 83.6 | 9.2 | | | | 6-04-58 | 67.4 | 5.0 | |
| | | 9-25-57 | 88.6 | 14.2 | | | | 8-13-57 | 85.4 | 18.5 | 2100 |
| | | 11-14-57 | 83.1 | 8.7 | | | | 11-07-57 | 85.1 | 18.2 | |
| | | 6-05-58 | 66.2 | 10.2 | | 2N/22W-28L01 S | 66.9 | 12-31-57 | 80.2 | 13.3 | |
| | | | 59.2 | 15.2 | | | | 3-05-58 | 72.3 | 5.4 | |
| 2N/22W-25001 S | 70.8 | 7-23-57 | 76.0 | 5.2 | 2100 | | | 7-17-57 | 75.4 | 19.6 | 2100 |
| | 72.0 | 8-15-57 | 77.0 | 5.0 | | 2N/22W-28N01 S | 55.8 | 8-13-57 | 76.3 | 20.5 | |
| | | 9-25-57 | 79.0 | 7.0 | | | | 9-24-57 | 78.3 | 22.5 | |
| | | 11-14-57 | 76.7 | 4.7 | | | | 11-07-57 | 75.3 | 19.5 | |
| | | 1-08-58 | 75.7 | 3.7 | | | | 12-31-57 | 69.9 | 14.1 | |
| | | 6-05-58 | 55.6 | 16.4 | | | | 3-05-58 | 62.9 | 7.1 | |
| 2N/22W-25004 S | 72.2 | 4-22-58 | 60.2 | 12.0 | 2100 | | | 4-22-58 | 55.1 | 7.7 | |
| | | 6-05-58 | 55.2 | 17.0 | | | | 6-04-58 | 55.0 | 8.8 | |
| 2N/22W-26J01 S | 81.6 | 7-02-57 | 89.3 | 7.7 | 2100 | 2N/22W-29M01 S | 47.2 | 1-03-58 | 60.2 | 13.0 | 2100 |
| | | 7-30-57 | 92.0 | 10.4 | | | | 7-17-57 | 70.7* | 24.8 | 2100 |
| | | 8-27-57 | 95.2 | 13.6 | | 2N/22W-29N01 S | 45.9 | 8-13-57 | 73.2* | 27.3 | |
| | | 9-30-57 | 94.4 | 12.8 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|----------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| 40401 | | | | | | 40400 | | | | | |
| 2N/22W-29N01 S | 45.9 | 9-24-57 | 7.3* | 28.4 | 2100 | 2N/22W-33N01 S | 50.7 | 10-01-57 | 75.5 | 26.8 | 2400 |
| CONT. | | 11-07-57 | 7.4* | 27.5 | | CONT. | | 10-15-57 | 71.0 | 20.3 | |
| | | 1-03-58 | 58.9 | 13.0 | | | | 11-01-57 | 72.7 | 22.0 | |
| | | 3-05-58 | 55.9* | 10.0 | | | | 11-15-57 | 69.2 | 18.5 | |
| | | 4-22-58 | 50.5* | 4.6 | | | | 12-01-57 | 71.3 | 20.6 | |
| | | 6-04-58 | 52.7* | 6.8 | | | | 12-04-57 | 74.6 | 23.9 | |
| | | | | | | | | 12-15-57 | 67.1 | 16.4 | |
| 2N/22W-31A01 S | 42.3 | 7-17-57 | 65.4 | 23.1 | 2100 | | | 1-01-58 | 63.3 | 12.6 | |
| | | 8-13-57 | 68.3 | 26.0 | | | | 1-15-58 | 65.3 | 14.6 | |
| | | 9-24-57 | 67.5 | 25.2 | | | | 2-01-58 | 61.5 | 10.8 | |
| | | 11-07-57 | 65.6 | 23.1 | | | | 2-15-58 | 59.0 | 8.3 | |
| | | 1-03-58 | 55.7 | 13.4 | | | | 3-01-58 | 56.7 | 6.0 | |
| | | 3-05-58 | 49.0 | 6.7 | | | | 3-15-58 | 54.3 | 3.6 | |
| | | 4-22-58 | 43.6 | 1.3 | | | | 4-01-58 | 50.4 | 3 | |
| | | 6-04-58 | 48.2 | 5.9 | | | | 4-15-58 | 48.9 | 1.8 | |
| 2N/22W-31C01 S | 34.8 | 7-17-57 | 59.2 | 24.4 | 2100 | | | 5-01-58 | 51.2 | 5 | |
| | | 8-13-57 | 61.0 | 26.2 | | | | 5-15-58 | 54.1 | 3.4 | |
| | | 11-07-57 | 60.5 | 25.7 | | | | 6-01-58 | 51.2 | 5 | |
| | | 3-05-58 | 39.6 | 4.8 | | | | 6-16-58 | 49.9 | .8 | |
| 2N/22W-31J01 S | 34.6 | 7-17-57 | 57.4 | 22.8 | 2100 | 2N/22W-33N02 S | 50.6 | 7-17-57 | 73.1 | 22.5 | 2100 |
| | | 9-24-57 | 61.1 | 26.5 | | | | 8-13-57 | 74.7 | 24.1 | |
| | | 11-07-57 | 59.4 | 24.8 | | | | 9-24-57 | 76.8 | 26.2 | |
| | | 1-03-58 | 48.2 | 13.6 | | | | | | | |
| | | 3-05-58 | 41.7 | 7.1 | | | | 7-03-57 | 87.5 | 11.1 | |
| 2N/22W-32A01 S | 56.0 | 7-17-57 | 76.9 | 18.9 | 2100 | | | 7-10-57 | 88.7 | 12.3 | |
| | | 9-24-57 | 78.7 | 22.7 | | | | 7-17-57 | 89.5 | 13.1 | |
| | | 11-07-57 | 70.8 | 17.8 | | | | 7-31-57 | 89.8 | 13.4 | |
| | | 3-05-58 | 60.8 | 14.8 | | | | 8-01-57 | 89.7 | 13.3 | |
| | | 6-04-58 | 55.0 | 11.0 | | | | 9-24-57 | 91.1 | 15.7 | |
| | | | | | | | | 10-69-57 | 91.6 | 15.4 | |
| 2N/22W-33A03 S | 67.7 | 7-17-57 | 85.0 | 17.3 | 2100 | | | 10-16-57 | 91.1 | 16.2 | |
| | | 8-13-57 | 85.2 | 17.5 | | | | 10-23-57 | 91.9 | 17.5 | |
| | | 11-07-57 | 85.2 | 17.5 | | | | 11-66-57 | 91.1 | 16.7 | |
| | | 1-03-58 | 79.7 | 12.0 | | | | 1-6-58 | 90.8 | 16.4 | |
| | | 3-05-58 | 73.0 | 5.3 | | | | 11-20-57 | 93.2 | 16.8 | |
| | | 4-23-58 | 64.5 | 3.2 | | | | 12-64-57 | 91.6 | 15.5 | |
| | | | | | | | | 12-11-57 | 90.7 | 15.3 | |
| | | 7-03-57 | 68.7 | 18.0 | 2400 | | | 12-18-57 | 89.9 | 13.5 | |
| | | 7-10-57 | 69.2 | 18.5 | | | | 12-24-57 | 88.9 | 12.5 | |
| | | 7-17-57 | 71.0 | 20.3 | | | | 1-08-58 | 88.2 | 11.8 | |
| | | 8-01-57 | 72.5 | 21.8 | | | | 1-15-58 | 89.0 | 12.6 | |
| | | 8-15-57 | 73.4 | 22.7 | | | | 1-23-58 | 89.3 | 12.9 | |
| | | 8-27-57 | 74.2 | 23.5 | | | | 2-05-58 | 86.6 | 10.2 | |
| | | | | | | | | 2-12-58 | 84.3 | 7.9 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|----------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| OXNARD PLAIN PRESSURE AREA | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| 40401 | | | | | | 40400 | | | | | |
| 2N/22W-35C01 S | 76.4 | 2-26-58 | 83.0 | 6.6 | 2400 | 2N/21W-06P01 S | 150.2 | 10-23-57 | 103.6 | 46.6 | 2400 |
| CONT. | | 3-05-58 | 81.7 | 5.3 | | CONT. | | 10-30-57 | 103.5 | 46.7 | |
| | | 3-12-58 | 80.2 | 3.8 | | | | 11-06-57 | 103.6 | 46.6 | |
| | | 3-19-58 | 78.1 | 1.7 | | | | 11-13-57 | 103.9 | 46.3 | |
| | | 3-26-58 | 76.1 | .3 | | | | 11-20-57 | 103.0 | 47.2 | |
| | | 4-02-58 | 74.1 | 2.3 | | | | 11-27-57 | 104.1 | 46.1 | |
| | | 4-09-58 | 72.0 | 4.4 | | | | 12-04-57 | 103.6 | 46.6 | |
| | | 4-30-58 | 68.5 | 7.9 | | | | 12-11-57 | 102.6 | 47.6 | |
| | | 5-28-58 | 63.4 | 13.0 | | | | 12-18-57 | 103.4 | 46.8 | |
| | | 6-04-58 | 66.7 | 9.7 | | | | 12-24-57 | 100.2 | 50.0 | |
| | | 6-11-58 | 67.6 | 8.8 | | | | 12-31-57 | 100.0 | 50.2 | |
| 2N/23W-36A01 S | 28.8 | 7-17-57 | 53.9 | 25.1 | 2100 | | | 1-08-58 | 99.5 | 50.7 | |
| | 29.8 | 9-24-57 | 54.2 | 24.4 | | | | 1-15-58 | 94.6 | 55.6 | |
| | | 11-07-57 | 52.5 | 22.7 | | | | 1-22-58 | 91.4 | 58.8 | |
| | | 1-03-58 | 42.2 | 12.4 | | | | 1-29-58 | 92.5 | 57.7 | |
| | | 3-05-58 | 35.2 | 5.4 | | | | 2-05-58 | 90.0 | 60.2 | |
| | | 4-22-58 | 31.3 | 1.5 | | | | 2-12-58 | 88.6 | 61.6 | |
| 2N/23W-36F01 S | 12.4 | 7-17-57 | 31.5 | 19.1 | 2100 | | | 2-19-58 | 79.2 | 71.0 | |
| | | 8-13-57 | 36.9 | 24.5 | | | | 2-26-58 | 77.6 | 72.6 | |
| | | 9-24-57 | 34.9 | 22.5 | | | | 3-05-58 | 60.0 | 90.2 | |
| | | 11-07-57 | 32.5 | 20.1 | | | | 3-12-58 | 54.1 | 96.1 | |
| | | 1-03-58 | 23.6 | 11.2 | | | | 3-19-58 | 49.6 | 100.6 | |
| | | 3-05-58 | 17.0 | 4.6 | | | | 3-26-58 | 44.6 | 105.6 | |
| | | 4-22-58 | 12.4 | .0 | | | | 3-29-58 | 41.5 | 108.7 | |
| | | 6-04-58 | 17.7 | 5.3 | | | | 3-31-58 | 37.5 | 112.7 | |
| OXNARD PLAIN FOREBAY AREA | | | | | | | | | | | |
| 40402 | | | | | | 40402 | | | | | |
| 2N/21W-06P01 S | 150.2 | 7-03-57 | 90.5 | 59.7 | 2400 | 2N/21W-07P02 S | 140.9 | 7-03-57 | 100.6 | 40.3 | 2400 |
| | | 7-10-57 | 92.2 | 58.0 | | | | 7-17-57 | 107.4 | 33.5 | |
| | | 7-17-57 | 94.2 | 56.0 | | | | 9-04-57 | 119.8 | 21.1 | |
| | | 7-24-57 | 96.9 | 53.3 | | | | 9-11-57 | 115.8 | 25.1 | |
| | | 7-31-57 | 97.3 | 52.9 | | | | 9-25-57 | 117.6 | 23.3 | |
| | | 8-07-57 | 99.0 | 51.2 | | | | 10-09-57 | 121.3 | 19.6 | |
| | | 8-14-57 | 100.6 | 49.6 | | | | 10-16-57 | 114.3 | 26.6 | |
| | | 8-21-57 | 102.0 | 48.2 | | | | | | | |
| | | 8-28-57 | 102.5 | 47.7 | | | | | | | |
| | | 9-04-57 | 102.8 | 47.4 | | | | | | | |
| | | 9-11-57 | 103.0 | 47.2 | | | | | | | |
| | | 9-18-57 | 103.1 | 47.1 | | | | | | | |
| | | 9-25-57 | 103.3 | 46.9 | | | | | | | |
| | | 10-02-57 | 104.6 | 45.6 | | | | | | | |
| | | 10-09-57 | 104.9 | 45.3 | | | | | | | |
| | | 10-16-57 | 104.2 | 46.0 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| OXNARD PLAIN FOREBAY AREA | | | | | | | | | | | |
| 2N/21W-07P02 S | 140.9 | 10-23-57 | 114.3 | 26.6 | 2400 | 2N/22W-02R02 S | 134.4 | 1-23-58 | 97.7 | 36.7 | 2100 |
| CONT. | | 10-30-57 | 114.3 | 26.6 | | CONT. | | 5-06-58 | 27.7 | 106.7 | |
| | | 11-06-57 | 114.3 | 26.6 | | | | 6-17-58 | 35.6 | 98.8 | |
| | | 11-13-57 | 116.6 | 24.3 | | | | | | | |
| | | 11-20-57 | 116.3 | 24.6 | | | | | | | |
| | | 11-27-57 | 117.6 | 23.3 | | 2N/22W-11A01 S | 133.4 | 8-06-57 | 101.7* | 31.7 | 2100 |
| | | 12-11-57 | 114.3 | 26.6 | | | | 10-16-57 | 102.0* | 31.4 | |
| | | 12-18-57 | 113.7 | 27.2 | | | | 12-11-57 | 102.6 | 30.8 | |
| | | 12-24-57 | 106.2 | 34.7 | | | | 1-23-58 | 95.8 | 37.6 | |
| | | 12-31-57 | 102.0 | 38.9 | | | | 5-06-58 | 27.8 | 105.6 | |
| | | 1-15-58 | 105.1 | 35.8 | | | | 6-17-58 | 35.6 | 97.8 | |
| | | 1-23-58 | 101.6 | 39.3 | | 2N/22W-11B01 S | 122.7 | 7-03-57 | 60.9 | 61.8 | 2400 |
| | | 1-29-58 | 98.4 | 42.5 | | | | 7-10-57 | 61.0 | 61.7 | |
| | | 2-05-58 | 94.0 | 46.9 | | | | 7-17-57 | 60.8 | 61.9 | |
| | | 2-12-58 | 90.3 | 50.6 | | | | 7-24-57 | 60.9 | 61.8 | |
| | | 2-19-58 | 83.1 | 57.8 | | | | 7-31-57 | 60.9 | 61.8 | |
| | | 2-26-58 | 79.9 | 61.0 | | | | 8-07-57 | 60.9 | 61.8 | |
| | | 3-05-58 | 64.2 | 76.7 | | | | 8-14-57 | 61.3 | 61.4 | |
| | | 3-12-58 | 61.8 | 79.1 | | | | 8-21-57 | 61.4 | 61.3 | |
| | | 3-19-58 | 61.9 | 79.0 | | | | 8-28-57 | 61.3 | 61.4 | |
| | | 4-09-58 | 52.0 | 88.9 | | | | 9-04-57 | 61.3 | 61.4 | |
| | | 4-16-58 | 43.3 | 97.6 | | | | 9-11-57 | 61.6 | 61.1 | |
| | | 4-23-58 | 35.7 | 105.2 | | | | 9-18-57 | 61.2 | 61.5 | |
| | | 4-30-58 | 36.1 | 104.8 | | | | 9-25-57 | 61.5 | 61.2 | |
| | | 5-07-58 | 33.0 | 107.9 | | | | 10-02-57 | 61.6 | 61.1 | |
| | | 5-14-58 | 32.5 | 108.4 | | | | 10-09-57 | 61.5 | 61.2 | |
| | | 5-21-58 | 31.4 | 109.5 | | | | 10-16-57 | 61.6 | 61.1 | |
| | | 5-28-58 | 31.7 | 109.2 | | | | 10-23-57 | 61.6 | 61.1 | |
| | | 6-04-58 | 31.7 | 109.5 | | | | 10-30-57 | 61.6 | 61.1 | |
| | | 6-11-58 | 31.4 | 107.5 | | | | 11-06-57 | 61.6 | 61.1 | |
| | | 6-25-58 | 37.3 | 103.6 | | | | 11-13-57 | 61.4 | 61.3 | |
| 2N/22W-01N01 S | 136.2 | 8-06-57 | DRY | | 2100 | | | 11-20-57 | 61.1 | 61.9 | |
| | | 10-16-57 | DRY | | | | | 11-27-57 | 60.9 | 61.8 | |
| | | 12-11-57 | DRY | | | | | 12-04-57 | 61.2 | 61.9 | |
| | | 1-21-58 | DRY | | | | | 12-11-57 | 60.9 | 61.3 | |
| | 136.2 | 5-06-58 | 24.3 | 109.9 | | | | 12-18-57 | 60.1 | 62.6 | |
| | | 6-17-58 | 28.8 | 105.4 | | | | 12-24-57 | 60.1 | 62.6 | |
| 2N/22W-02R01 S | 136.8 | 12-11-57 | 106.6 | 30.2 | 2100 | | | 12-31-57 | 59.9 | 62.8 | |
| | | 1-25-58 | 100.7 | 36.1 | | | | 1-08-58 | 59.9 | 62.8 | |
| | | 3-25-58 | 67.0 | 69.8 | | | | 1-15-58 | 59.2 | 63.5 | |
| | | 5-06-58 | 31.0 | 105.8 | | | | 1-22-58 | 59.7 | 63.0 | |
| | | 6-17-58 | 38.4 | 98.4 | | | | 1-29-58 | 59.7 | 63.0 | |
| 2N/22W-02R02 S | 136.4 | 10-16-57 | 103.0* | 31.4 | 2100 | | | 2-05-58 | 59.4 | 63.3 | |
| | | 12-11-57 | 106.8* | 27.6 | | | | 2-12-58 | 58.1 | 64.6 | |
| | | | | | | | | 2-16-58 | 57.1 | 65.6 | |
| | | | | | | | | 2-19-58 | 58.0 | 64.7 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 404-00 | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| OKNARD PLAIN FOREBAY AREA | | | | | | | | | | | |
| 404-02 | | | | | | 404-02 | | | | | |
| 2N/22W-11B01 S | 122.7 | 3-05-58 | 56.1 | 66.6 | 2400 | 2N/22W-12A01 S | 148.9 | 6-15-58 | 14.7 | 134.2 | 2400 |
| | | 3-12-58 | 56.6 | 66.1 | | | | 7-30-57 | DRY | | |
| | | 3-19-58 | 56.0 | 66.7 | | | | 8-27-57 | DRY | | 2100 |
| | | 3-26-58 | 53.0 | 69.7 | | | | 10-10-57 | DRY | | |
| | | 4-02-58 | 47.8 | 74.9 | | | | 11-27-57 | DRY | | |
| | | 4-09-58 | 37.2 | 85.5 | | | | 11-21-58 | DRY | | |
| | | 4-16-58 | 27.0 | 95.7 | | | 134.5 | 4-24-58 | 16.4 | 118.1 | |
| | | 4-23-58 | 22.1 | 102.6 | | | | 6-12-58 | 19.8 | 114.7 | |
| | | 4-30-58 | 20.5 | 103.2 | | | | | | | |
| | | 5-07-58 | 19.3 | 103.4 | | | | | | | |
| | | 5-14-58 | 19.5 | 103.2 | | | 128.0 | 4-23-58 | 36.0 | 95.0 | 2400 |
| | | 5-21-58 | 20.9 | 101.8 | | | | 4-30-58 | 32.1 | 92.9 | |
| | | 5-28-58 | 22.7 | 100.0 | | | | 5-07-58 | 31.0 | 97.0 | |
| | | 6-04-58 | 24.4 | 98.3 | | | | 5-14-58 | 30.3 | 97.7 | |
| | | 6-12-58 | 26.8 | 95.9 | | | | 5-21-58 | 30.0 | 98.0 | |
| | | 6-19-58 | 28.3 | 94.4 | | | | 5-28-58 | 31.4 | 96.0 | |
| | | 6-26-58 | 29.6 | 93.1 | | | | 6-04-58 | 31.4 | 96.6 | |
| | | | | | | | | 6-11-58 | 31.5 | 96.5 | |
| | | | | | | | | 6-18-58 | 32.4 | 95.6 | |
| | | | | | | | | 6-25-58 | 34.4 | 93.6 | |
| 2N/22W-12A01 S | 148.9 | 7-03-57 | 93.3 | 55.6 | 2400 | 2N/22W-12J01 S | 138.3 | 7-03-57 | 99.4 | 38.9 | 2100 |
| | | 7-10-57 | 95.1 | 53.8 | | | | 7-17-57 | 99.5 | 38.8 | |
| | | 7-17-57 | 96.8 | 52.1 | | | | 7-24-57 | 101.4 | 36.9 | |
| | | 7-23-57 | 98.1 | 50.8 | | | | 7-31-57 | 102.7 | 35.6 | |
| | | 8-01-57 | 100.0 | 48.9 | | | | 8-07-57 | 104.2 | 34.1 | 2400 |
| | | 8-15-57 | 102.9 | 46.0 | | | | 8-14-57 | 105.9 | 32.4 | |
| | | 9-01-57 | 105.6 | 43.3 | | | | 8-21-57 | 107.5 | 30.8 | |
| | | 9-15-57 | 106.8 | 42.1 | | | | 8-28-57 | 108.9 | 29.4 | |
| | | 10-01-57 | 107.5 | 41.4 | | | | 9-04-57 | 111.0 | 27.3 | |
| | | 10-15-57 | 108.0 | 40.9 | | | | 9-18-57 | 111.8 | 26.5 | |
| | | 11-01-57 | 108.2 | 40.7 | | | | 9-25-57 | 112.2 | 26.1 | |
| | | 11-15-57 | 108.3 | 40.6 | | | | 10-02-57 | 113.1 | 25.2 | |
| | | 12-01-57 | 108.6 | 40.3 | | | | 10-09-57 | 115.4 | 22.9 | |
| | | 12-15-57 | 108.4 | 40.5 | | | | 10-16-57 | 114.5 | 23.8 | |
| | | | | | | | | 10-23-57 | 114.6 | 23.9 | |
| | | 1-01-58 | 88.6 | 40.3 | | | | 10-30-57 | 114.4 | 23.9 | |
| | | 1-15-58 | 91.8 | 60.3 | | | | 11-06-57 | 116.2 | 22.1 | |
| | | 1-26-58 | 92.9 | 56.0 | | | | 11-13-57 | 115.2 | 23.2 | |
| | | 2-01-58 | 85.5 | 63.4 | | | | 11-20-57 | 114.8 | 23.5 | |
| | | 2-15-58 | 66.8 | 82.1 | | | | 11-27-57 | 116.1 | 22.4 | |
| | | 3-01-58 | 43.6 | 105.3 | | | | 12-04-57 | 115.9 | 22.4 | |
| | | 3-16-58 | 33.5 | 115.4 | | | | 12-11-57 | 115.3 | 23.0 | |
| | | 3-19-58 | 38.5* | 110.4 | | | | 12-18-57 | 115.1 | 23.2 | |
| | | 4-01-58 | 14.7 | 134.2 | | | | 12-24-57 | 113.6 | 24.7 | |
| | | 4-10-58 | 31.6* | 117.3 | | | | | | | |
| | | 4-15-58 | 15.5 | 133.4 | | | | | | | |
| | | 5-01-58 | 11.3 | 137.6 | | | | | | | |
| | | 5-14-58 | 9.7 | 139.2 | | | | | | | |
| | | 6-01-58 | 12.9 | 136.0 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|--------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| OXNARD PLAIN FOREBAY AREA | | | | | | | | | | | |
| 40402 | | | | | | | | | | | |
| 2N/22N-12J01 S | 136.3 | 12-31-57 | 110.7 | 27.6 | 2400 | 2N/22W-12K01 S | 137.0 | 12-11-57 | 118.5 | 18.4 | 2400 |
| CONT. | | | | | | CONT. | | | | | |
| 1-08-58 | 105.3 | | | 33.0 | | 12-18-57 | 118.3 | | | 18.7 | |
| 1-15-58 | 103.0 | | | 35.3 | | 12-24-57 | 117.3 | | | 19.7 | |
| 1-22-58 | 100.1 | | | 38.2 | | 12-31-57 | 114.0 | | | 23.0 | |
| 1-29-58 | 98.7 | | | 39.6 | | 1-08-58 | 111.2 | | | 25.8 | |
| 2-05-58 | 88.7 | | | 49.6 | | 1-15-58 | 111.1 | | | 25.9 | |
| 2-19-58 | 72.9 | | | 65.4 | | 1-22-58 | 110.9 | | | 26.1 | |
| 2-26-58 | 63.8 | | | 74.5 | | 1-29-58 | 110.3 | | | 26.7 | |
| 3-05-58 | 35.6 | | | 102.7 | | 2-05-58 | 108.3 | | | 28.7 | |
| 3-12-58 | 33.7 | | | 104.6 | | 2-12-58 | 105.5 | | | 31.5 | |
| 3-19-58 | 28.9 | | | 109.4 | | 2-19-58 | 99.5 | | | 37.5 | |
| 3-26-58 | 32.4* | | | 105.9 | | 2-26-58 | 94.2 | | | 42.8 | |
| 4-02-58 | 19.0 | | | 119.3 | | 3-06-58 | 93.5 | | | 53.5 | |
| 4-09-58 | 24.1* | | | 114.2 | | 3-13-58 | 77.1 | | | 59.9 | |
| 4-16-58 | 17.5 | | | 120.8 | | 3-20-58 | 63.7 | | | 65.3 | |
| 4-23-58 | 10.7 | | | 127.6 | | 3-27-58 | 67.6 | | | 69.4 | |
| 4-30-58 | 8.9 | | | 129.4 | | 4-06-58 | 57.0 | | | 83.0 | |
| 5-07-58 | 7.7 | | | 130.6 | | 4-12-58 | 50.1 | | | 88.0 | |
| 5-14-58 | 7.5 | | | 130.8 | | 4-19-58 | 42.9 | | | 98.1 | |
| 5-21-58 | 10.1 | | | 128.2 | | 4-26-58 | 38.8 | | | 98.2 | |
| 5-28-58 | 13.8 | | | 124.5 | | 4-30-58 | 36.2 | | | 102.8 | |
| 6-04-58 | 9.0 | | | 129.3 | | 5-14-58 | 35.0 | | | 103.0 | |
| 2N/22W-12K01 S | | | | | | | | | | | |
| 7-03-57 | 106.6 | | | 30.4 | 2100 | 5-21-58 | 34.7 | | | 102.3 | |
| 7-10-57 | 104.4 | | | 32.6 | | 5-28-58 | 35.5 | | | 101.5 | |
| 7-17-57 | 105.3 | | | 31.7 | | 6-04-58 | 34.8 | | | 102.2 | |
| 7-24-57 | 106.3 | | | 30.7 | 2400 | 6-11-58 | 34.3 | | | 102.7 | |
| 7-31-57 | 107.8 | | | 29.2 | | 6-18-58 | 35.0 | | | 102.0 | |
| 8-07-57 | 108.9 | | | 28.1 | | 6-25-58 | 36.6 | | | 100.4 | |
| 8-14-57 | 110.0 | | | 27.0 | | 2N/22W-12K02 S | | | | | |
| 8-21-57 | 111.5 | | | 25.5 | | 7-30-57 | 106.8 | | | 29.9 | 2100 |
| 8-28-57 | DRY | | | | | 8-27-57 | 111.6 | | | 25.1 | |
| 9-04-57 | 112.4 | | | 24.6 | | 10-10-57 | 116.1 | | | 20.6 | |
| 9-11-57 | 113.4 | | | 23.6 | | 11-27-57 | 118.2 | | | 18.5 | |
| 9-18-57 | 114.1 | | | 22.9 | | 1-21-58 | 109.8 | | | 26.9 | |
| 9-25-57 | 114.8 | | | 22.2 | | 4-24-58 | 40.9 | | | 95.8 | |
| 10-02-57 | 115.5 | | | 21.5 | | 6-12-58 | 33.6 | | | 103.1 | |
| 10-09-57 | 116.0 | | | 21.0 | | 2N/22W-12K03 S | | | | | |
| 10-16-57 | 116.4 | | | 20.6 | | 4-24-58 | 32.3 | | | 104.6 | 2100 |
| 10-23-57 | 116.6 | | | 20.4 | | 6-12-58 | 33.4 | | | 103.5 | |
| 10-30-57 | 117.2 | | | 19.8 | | 2N/22W-12K03 S | | | | | |
| 11-06-57 | 117.0 | | | 20.0 | | 7-30-57 | 107.0 | | | 21.3 | 2100 |
| 11-13-57 | 117.3 | | | 19.7 | | 8-26-57 | DRY | | | | |
| 11-20-57 | 117.9 | | | 19.1 | | 10-10-57 | 112.4 | | | 15.9 | |
| 11-27-57 | 118.8 | | | 18.2 | | 11-27-57 | DRY | | | | |
| 12-04-57 | 118.9 | | | 18.1 | | 4-24-58 | 71.4 | | | 56.9 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY 40400 | | | | | | | | | | | |
| OXNARD PLAIN FOREBAY AREA 40402 | | | | | | | | | | | |
| 2N/22W-12003 S | 128.3 | 6-12-58 | 44.0 | 84.3 | 2100 | 2N/22W-13A01 S | 131.7 | 5-07-58 | 69.1 | 62.6 | 2400 |
| | | | | | | CONT. | | 5-14-58 | 65.4 | 66.3 | |
| 2N/22W-12R01 S | 135.4 | 7-30-57 | 107.6 | 27.8 | 2100 | 2N/22W-13G02 S | 128.6 | 7-06-57 | 106.8 | 21.8 | 2400 |
| | | 8-27-57 | 112.6 | 22.8 | | | | 7-13-57 | 108.1 | 20.5 | |
| | | 10-10-57 | 115.5 | 15.9 | | | | 8-01-57 | 110.9 | 17.7 | |
| | | 1-21-58 | 111.7 | 23.7 | | | | 8-15-57 | 112.9 | 15.7 | |
| | | 4-29-58 | 47.0 | 88.6 | | | | 9-01-57 | 115.3 | 13.3 | |
| | | 6-11-58 | 33.6 | 101.8 | | | | 9-15-57 | 116.5 | 12.1 | |
| 2N/22W-13A01 S | 131.7 | 7-03-57 | 109.2 | 22.5 | 2400 | | | 10-01-57 | 118.0 | 10.6 | |
| | | 8-07-57 | 111.7 | 20.0 | | | | 10-15-57 | 119.4 | 9.2 | |
| | | 8-21-57 | 113.3 | 18.4 | | | | 11-01-57 | 120.7 | 7.9 | |
| | | 8-28-57 | 115.0 | 16.7 | | | | 11-15-57 | 121.6 | 7.0 | |
| | | 9-11-57 | 116.6 | 15.1 | | | | 12-01-57 | 122.5 | 6.1 | |
| | | 9-18-57 | 117.0 | 14.7 | | | | 12-15-57 | 123.3 | 5.3 | |
| | | 10-09-57 | 119.5 | 12.2 | | | | 12-26-57 | 123.8 | 4.8 | |
| | | 10-16-57 | 120.2 | 11.5 | | | | 1-01-58 | 123.5 | 5.1 | |
| | | 10-23-57 | 120.9 | 10.8 | | | | 1-15-58 | 121.4 | 7.2 | |
| | | 10-30-57 | 121.3 | 10.4 | | | | 2-01-58 | 119.9 | 8.7 | |
| | | 11-06-57 | 121.8 | 9.9 | | | | 2-15-58 | 117.4 | 11.2 | |
| | | 11-13-57 | 122.4 | 9.3 | | | | 3-01-58 | 112.5 | 16.1 | |
| | | 11-20-57 | 122.9 | 8.8 | | | | 3-15-58 | 104.5 | 26.1 | |
| | | 11-27-57 | 123.1 | 8.6 | | | | 4-01-58 | 95.8 | 32.8 | |
| | | 12-04-57 | 123.6 | 8.1 | | | | 4-15-58 | 88.4 | 40.2 | |
| | | 12-11-57 | 123.0 | 8.7 | | | | 5-01-58 | 79.5 | 49.1 | |
| | | 12-18-57 | 122.4 | 9.3 | | | | 5-15-58 | 71.4 | 57.2 | |
| | | 12-24-57 | 122.7 | 9.0 | | | | 6-01-58 | 64.9 | 63.7 | |
| | | 12-31-57 | 124.0 | 7.7 | | | | 6-10-58 | 62.6 | 66.0 | |
| | | 1-08-58 | 122.1 | 9.6 | | | | 8-27-57 | 115.1 | 5.6 | 2100 |
| | | 1-15-58 | 125.7 | 6.0 | | | | 12-03-57 | 121.4 | - | |
| | | 1-23-58 | 122.7 | 9.0 | | | | 4-29-58 | 86.6 | 36.1 | |
| | | 1-29-58 | 119.0 | 12.7 | | | | | | | |
| | | 2-05-58 | 116.7 | 15.0 | | | | | | | |
| | | 2-12-58 | 117.6 | 14.1 | | | | 7-03-57 | 107.5 | 7.1 | 2400 |
| | | 2-19-58 | 113.7 | 18.0 | | | | 7-10-57 | 106.3 | 8.3 | |
| | | 2-26-58 | 110.4 | 21.3 | | | | 7-17-57 | 107.4 | 7.2 | |
| | | 3-05-58 | 106.0 | 25.7 | | | | 7-24-57 | 109.2 | 5.4 | |
| | | 3-12-58 | 100.3 | 31.4 | | | | 7-31-57 | 109.0 | 5.6 | |
| | | 3-19-58 | 96.2 | 35.5 | | | | 8-07-57 | 109.9 | 4.7 | |
| | | 3-26-58 | 92.7 | 39.0 | | | | 8-14-57 | 110.8 | 3.8 | |
| | | 3-29-58 | 91.1 | 40.6 | | | | 8-21-57 | 111.8 | 2.8 | |
| | | 3-31-58 | 90.1 | 41.6 | | | | 8-28-57 | 110.5 | 3.1 | |
| | | 4-02-58 | 88.8 | 42.9 | | | | 9-04-57 | 116.0 | 1.4 | |
| | | 4-09-58 | 86.6 | 45.1 | | | | 9-11-57 | 118.8 | 4.2 | |
| | | 4-16-58 | 82.0 | 49.7 | | | | 9-18-57 | 119.9 | 5.3 | |
| | | 4-23-58 | 78.2 | 53.5 | | | | 9-25-57 | 115.8 | 1.2 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|---------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| SANTA CLARA RIVER VALLEY | | | | 40400 | | SANTA CLARA RIVER VALLEY | | | | 40400 | |
| OXNARD PLAIN FOREBAY AREA | | | | | | OXNARD PLAIN FOREBAY AREA | | | | | |
| OXNARD PLAIN FOREBAY AREA | | | | 40402 | | OXNARD PLAIN FOREBAY AREA | | | | 40402 | |
| 2N/22W-14G01 S | 114.6 | 10-02-57 | 116.3 | - | 2400 | 2N/22W-14L02 S | 110.0 | 4-24-58 | 75.8 | 34.2 | 2100 |
| | | 10-09-57 | 118.2 | - | 1.7 | CONT. | | 6-11-58 | 66.0 | 44.0 | |
| | | 10-16-57 | 118.0 | - | 3.6 | | | | | | |
| | | 10-23-57 | 116.3 | - | 9.4 | | | | | | |
| | | 10-30-57 | 118.8 | - | 1.7 | 2N/22W-22G01 S | 92.4 | 8-27-57 | 100.9 | - | 8.5 |
| | | 11-06-57 | 117.2 | - | 4.2 | | | 10-10-57 | 104.5 | - | 12.1 |
| | | 11-13-57 | 117.0 | - | 2.6 | | | 12-03-57 | 104.8 | - | 12.4 |
| | | 11-20-57 | 117.3 | - | 2.4 | | | 1-21-58 | 101.3 | - | 8.9 |
| | | 11-27-57 | 117.9 | - | 2.7 | | | 4-24-58 | 78.3 | - | 14.1 |
| | | 12-04-57 | 118.6 | - | 3.3 | | | | | | |
| | | 12-11-57 | 118.3 | - | 4.0 | 2N/22W-22H01 S | 110.1 | 7-03-57 | 106.0 | 4.1 | 2400 |
| | | 12-18-57 | 119.1 | - | 4.5 | | | 7-10-57 | 103.2 | 6.9 | |
| | | 12-24-57 | 117.7 | - | 3.1 | | | 7-24-57 | 105.1 | 5.0 | |
| | | 12-31-57 | 117.0 | - | 2.4 | | | 7-31-57 | 105.9 | 4.2 | |
| | | 1-08-58 | 115.6 | - | 1.0 | | | 8-14-57 | 107.6 | 2.5 | |
| | | 1-15-58 | 115.6 | - | 1.0 | | | 8-21-57 | 108.3 | 1.8 | |
| | | 1-22-58 | 115.6 | - | 1.0 | | | 8-28-57 | 108.9 | 1.2 | |
| | | 1-29-58 | 115.0 | - | 4.4 | | | 9-12-57 | 110.0 | 4.1 | |
| | | 2-05-58 | 113.3 | - | 1.3 | | | 9-18-57 | 110.2 | - | 1.6 |
| | | 2-12-58 | 112.2 | - | 2.4 | | | 9-25-57 | 110.7 | - | 1.6 |
| | | 2-19-58 | 109.2 | - | 5.4 | | | 10-09-57 | 111.7 | - | 1.6 |
| | | 2-26-58 | 108.5 | - | 6.1 | | | 10-16-57 | 111.7 | - | 1.6 |
| | | 3-05-58 | 105.8 | - | 8.8 | | | 10-23-57 | 111.7 | - | 1.6 |
| | | 3-12-58 | 99.3 | - | 15.3 | | | 10-30-57 | 111.9 | - | 1.8 |
| | | 3-19-58 | 96.7 | - | 17.9 | | | 11-06-57 | 111.7 | - | 1.6 |
| | | 3-26-58 | 94.4 | - | 20.2 | | | 11-13-57 | 111.8 | - | 1.7 |
| | | 3-23-58 | 92.4 | - | 22.2 | | | 11-27-57 | 112.1 | - | 2.0 |
| | | 3-31-58 | 91.9 | - | 22.7 | | | 12-04-57 | 112.1 | - | 2.1 |
| | | 4-05-58 | 90.7 | - | 23.9 | | | 12-11-57 | 112.1 | - | 2.0 |
| | | 4-12-58 | 89.7 | - | 24.9 | | | 12-18-57 | 111.9 | - | 1.8 |
| | | 4-19-58 | 89.0 | - | 25.6 | | | 12-24-57 | 110.7 | - | 1.6 |
| | | 4-26-58 | 87.9 | - | 26.7 | | | 12-31-57 | 108.1 | - | 1.0 |
| | | 5-03-58 | 86.8 | - | 27.8 | | | 1-18-58 | 108.7 | 1.4 | |
| | | 5-10-58 | 85.9 | - | 28.7 | | | 1-22-58 | 108.6 | 1.4 | |
| | | 5-17-58 | 85.0 | - | 29.6 | | | 1-26-58 | 108.6 | 1.4 | |
| | | 5-21-58 | 83.9 | - | 30.7 | | | 1-26-58 | 108.3 | 3.8 | |
| | | 5-28-58 | 82.7 | - | 31.9 | | | 2-05-58 | 108.3 | 4.8 | |
| | | 6-04-58 | 82.7 | - | 31.9 | | | 2-12-58 | 108.3 | 4.8 | |
| | | 6-11-58 | 84.0 | - | 30.6 | | | 2-19-58 | 101.7 | 8.6 | |
| | | 6-18-58 | 85.1 | - | 29.5 | | | 2-26-58 | 101.7 | 10.3 | |
| | | 6-25-58 | 85.9 | - | 28.7 | | | 3-05-58 | 95.4 | 14.7 | |
| | | 7-30-57 | 107.8 | - | 2.5 | | | 3-12-58 | 91.7 | 18.4 | |
| | | 8-27-57 | 110.8 | - | 4.8 | | | 3-19-58 | 90.0 | 20.1 | |
| | | 10-10-57 | 114.5 | - | 6.5 | | | 3-26-58 | 88.7 | 21.4 | |
| | | 11-27-57 | 115.9 | - | 5.9 | | | 3-29-58 | 86.3 | 23.8 | |
| | | 1-21-58 | 113.2 | - | 3.2 | | | 3-31-58 | 86.7 | 23.4 | |
| | | 1-21-58 | 113.2 | - | 3.2 | | | 4-02-58 | 85.5 | 24.6 | |
| 2N/22W-14L02 S | 110.0 | | | | 2100 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|---------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| OXNARD PLAIN FOREBAY AREA | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| OXNARD PLAIN FOREBAY AREA | | | | | | OXNARD PLAIN FOREBAY AREA | | | | | |
| 2N/22W-22H01 S | 110.4 | 4-09-58 | 84.9 | 25.2 | 2400 | 2N/22W-23D02 S | 103.1 | 1-21-58 | 109.2 | 6.1 | 2100 |
| | | 4-16-58 | 84.0 | 26.1 | | CONT. | | 4-24-58 | 74.7 | 28.4 | |
| | | 4-23-58 | 82.7 | 27.4 | | | | 6-11-58 | 68.6 | 34.5 | |
| | | 4-30-58 | 75.0 | 35.1 | | | | | | | 2400 |
| | | 5-07-58 | 71.7 | 38.4 | | 2N/22W-23F04 S | 98.6 | 8-21-57 | 97.6 | 1.0 | |
| | | 5-14-58 | 70.1 | 40.0 | | | | 10-16-57 | 105.9 | 7.3 | |
| | | 5-21-58 | 69.4 | 40.7 | | | | 11-06-57 | 107.6 | 9.0 | |
| | | 5-28-58 | 69.1 | 41.0 | | | | 12-11-57 | 109.5 | 11.0 | |
| | | 6-04-58 | 70.0 | 40.1 | | | | 12-18-57 | 109.6 | 10.9 | |
| | | 6-11-58 | 71.9 | 38.2 | | | | 1-22-58 | 106.5 | 7.9 | |
| | | 6-18-58 | 73.8 | 36.3 | | | | 1-29-58 | 106.2 | 7.6 | |
| | | 6-25-58 | 75.4 | 34.7 | | | | 2-06-58 | 99.2 | 4.6 | |
| | | 7-18-57 | 89.7 | 9.3 | 2100 | | | 2-19-58 | 89.8 | 8.8 | |
| 2N/22W-22M03 S | 80.4 | 8-13-57 | 92.4 | 12.0 | | | | 2-26-58 | 82.2 | 16.4 | |
| | | 9-24-57 | 95.0 | 14.6 | | | | 3-26-58 | 73.9 | 24.7 | |
| | | 11-07-57 | 95.5 | 15.1 | | | | 3-29-58 | 63.7 | 34.9 | |
| | | 1-03-58 | 92.3 | 11.9 | | | | 3-31-58 | 61.3 | 37.3 | |
| | | 3-05-58 | 85.0 | 4.6 | | | | 4-02-58 | 60.0 | 38.6 | |
| | | 4-24-58 | 72.4 | 8.0 | | | | 5-14-58 | 47.1 | 51.5 | |
| | | 6-04-58 | 65.3 | 15.1 | | | | 6-18-58 | 68.3 | 30.3 | |
| | | 7-02-57 | 96.8 | 3.2 | 2400 | | | 6-25-58 | 71.6 | 27.0 | |
| 2N/22W-22R01 S | 93.6 | 7-15-57 | 98.7 | 5.1 | | 2N/22W-23G02 S | 106.5 | 9-18-57 | 115.1 | 8.6 | 2400 |
| | | 8-01-57 | 101.1 | 7.5 | | | | 9-25-57 | 115.3 | 8.8 | |
| | | 8-15-57 | 102.6 | 9.0 | | | | 10-02-57 | 115.8 | 9.3 | |
| | | 9-01-57 | 103.7 | 10.1 | | | | 10-09-57 | 116.3 | 9.8 | |
| | | 9-15-57 | 104.8 | 11.2 | | | | 10-16-57 | 115.9 | 9.4 | |
| | | 10-01-57 | 105.4 | 11.8 | | | | 10-23-57 | 115.5 | 9.0 | |
| | | 10-15-57 | 105.8 | 12.2 | | | | 10-30-57 | 115.6 | 9.1 | |
| | | 10-30-57 | 105.8 | 12.2 | | | | 11-06-57 | 116.4 | 9.9 | |
| | | 12-01-57 | 106.4 | 12.8 | | | | 11-13-57 | 116.0 | 9.5 | |
| | | 12-15-57 | 105.9 | 12.3 | | | | 11-20-57 | 117.7 | 11.2 | |
| | | 1-01-58 | 103.3 | 9.7 | | | | 11-27-57 | 116.5 | 10.0 | |
| | | 1-15-58 | 102.7 | 9.1 | | | | 12-04-57 | 117.0 | 10.5 | |
| | | 2-01-58 | 101.8 | 8.2 | | | | 12-11-57 | 117.0 | 10.5 | |
| | | 2-15-58 | 99.4 | 5.8 | | | | 12-18-57 | 117.2 | 10.7 | |
| | | 3-01-58 | 95.2 | 1.6 | | | | 12-24-57 | 103.3 | 3.2 | |
| | | 3-15-58 | 89.2 | 4.4 | | | | 1-31-57 | 109.1 | 2.6 | |
| | | 4-01-58 | 84.3 | 9.3 | | | | 1-08-58 | 109.4 | 2.9 | |
| | | 4-15-58 | 81.8 | 11.8 | | | | 1-23-58 | 111.4 | 4.9 | |
| | | 5-01-58 | 75.2 | 18.4 | | | | 2-12-58 | 111.6 | 5.1 | |
| | | 5-15-58 | 71.3 | 22.3 | | | | 2-19-58 | 90.2 | 16.3 | |
| | | 6-01-58 | 69.4 | 24.2 | | | | 2-26-58 | 80.7 | 25.8 | |
| | | 6-15-58 | 71.3 | 22.3 | | | | 3-05-58 | 63.2 | 43.3 | |
| 2N/22W-23D02 S | 103.1 | 12-03-57 | 113.6 | 10.5 | 2100 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---------------------------|---------------------|------|--------------------------------------|------------------------------|-----------------------|---------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| SANTA CLARA RIVER VALLEY | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| OXNARD PLAIN FOREBAY AREA | | | | | | OXNARD PLAIN FOREBAY AREA | | | | | |
| 2N/22W-23G02 S | | | | | | 2N/22W-23H03 S | | | | | |
| CONT. | | | | | | CONT. | | | | | |
| 3-19-58 | 106.5 | | 404.2 | 42.3 | 2400 | 2N/22W-23H03 S | 109.8 | 3-12-58 | 404.0 | 17.7 | 2400 |
| 3-26-58 | | | 64-2 | 30.5 | | | | 3-19-58 | | 18.6 | |
| 3-27-58 | | | 76-0* | 40.3 | | | | 3-26-58 | | 20.2 | |
| 3-28-58 | | | 56-2 | 46.7 | | | | 3-27-58 | | 20.8 | |
| 3-31-58 | | | 59-8 | 48.5 | | | | 3-28-58 | | 21.6 | |
| 4-06-58 | | | 78-8 | 28.7 | | | | 3-31-58 | | 21.6 | |
| 4-08-58 | | | 59-8* | 42.5 | | | | 4-02-58 | | 22.9 | |
| 4-24-58 | | | 78-8 | 41.4 | | | | 4-09-58 | | 22.9 | |
| 4-29-58 | | | 48-1 | 61.4 | | | | 4-16-58 | | 24.3 | |
| 4-30-58 | | | 40-2 | 64.4 | | | | 4-23-58 | | 31.2 | |
| 5-07-58 | | | 41-1 | 65.4 | | | | 4-30-58 | | 37.8 | |
| 5-14-58 | | | 44-1 | 62.4 | | | | 5-07-58 | | 41.5 | |
| 5-21-58 | | | 49-0 | 57.5 | | | | 5-14-58 | | 43.4 | |
| 5-28-58 | | | 55-0 | 51.5 | | | | 5-21-58 | | 43.5 | |
| 6-04-58 | | | 63-2 | 43.3 | | | | 5-28-58 | | 43.7 | |
| 6-11-58 | | | 69-7 | 36.8 | | | | 6-04-58 | | 44.1 | |
| 6-18-58 | | | 73-1 | 33.4 | | | | 6-25-58 | | 35.5 | |
| 6-25-58 | | | 75-3 | 31.2 | | | | | | | |
| 2N/22W-23K03 S | | | | | | | | | | | |
| 7-03-57 | 109.8 | | 105+8 | 4.0 | 2400 | 2N/22W-23K03 S | 103.0 | 7-30-57 | DRY | | 2100 |
| 7-10-57 | | | 109+0 | .8 | | | | 8-27-57 | DRY | | |
| 7-17-57 | | | 107+4 | 2.4 | | | | 12-03-57 | DRY | | |
| 8-07-57 | | | 110+3 | .5 | | | | 4-29-58 | 58.1 | 44.9 | |
| 8-14-57 | | | 112+3 | 2.5 | | | | 6-11-58 | 69+2 | 33.8 | |
| 8-21-57 | | | 114+5 | 4.7 | | | | | | | |
| 9-11-57 | | | 114+2 | 4.4 | | | | | | | |
| 9-18-57 | | | 115+5 | 5.7 | | | | | | | |
| 9-25-57 | | | 115+1 | 5.3 | | | | | | | |
| 10-16-57 | | | 118+6 | 8.8 | | | | | | | |
| 10-23-57 | | | 115+9 | 6.1 | | | | | | | |
| 10-30-57 | | | 116+1 | 6.3 | | | | | | | |
| 11-06-57 | | | 116+4 | 6.6 | | | | | | | |
| 11-13-57 | | | 116+3 | 6.5 | | | | | | | |
| 11-20-57 | | | 117+1 | 7.3 | | | | | | | |
| 12-11-57 | | | 117+1 | 7.5 | | | | | | | |
| 12-18-57 | | | 117+3 | 7.5 | | | | | | | |
| 12-24-57 | | | 113+6 | 3.8 | | | | | | | |
| 12-31-57 | | | 112+2 | 2.4 | | | | | | | |
| 1-08-58 | | | 114+3 | 1.5 | | | | | | | |
| 1-15-58 | | | 116+5 | 6.7 | | | | | | | |
| 1-23-58 | | | 114+3 | 4.5 | | | | | | | |
| 1-29-58 | | | 113+0 | 3.2 | | | | | | | |
| 2-05-58 | | | 109+9 | .1 | | | | | | | |
| 2-12-58 | | | 109+5 | 3 | | | | | | | |
| 2-19-58 | | | 104+5 | 5.2 | | | | | | | |
| 2-26-58 | | | 104+6 | 7.6 | | | | | | | |
| 3-05-58 | | | 96+5 | 13.3 | | | | | | | |
| 2N/22W-23G02 S | | | | | | | | | | | |
| CONT. | | | | | | | | | | | |
| 3-12-58 | | | 85+1 | 17.1 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| MOUND PRESSURE AREA | | | | | | | | | | | |
| 40403 | | | | | | | | | | | |
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40402 | | | | | | 40403 | | | | | |
| OKNARD PLAIN FOREBAY AREA | | | | | | | | | | | |
| 2N/22W-23001 S CONT. | 102.2 | 3-19-58 | 85.0 | 17.2 | 2400 | 2N/22W-02K01 S CONT. | 212.7 | 9-18-57 | 211.6 | 1.1 | 2100 |
| | | 3-26-58 | 83.3 | 18.9 | | | | 11-03-57 | 211.6 | .9 | |
| | | 3-29-58 | 79.6 | 22.6 | | | | 1-23-57 | 211.9 | .8 | |
| | | 3-31-58 | 76.3 | 25.9 | | | | 1-10-58 | 211.6 | .9 | |
| | | 4-02-58 | 74.8 | 27.4 | | | | 2-28-58 | 208.3 | 4.4 | |
| | | 4-09-58 | 80.1 | 22.1 | | | | 5-02-58 | 205.6 | 7.1 | |
| | | 7-30-57 | 110.0 | 4.1 | 2100 | | | 6-03-58 | 204.7 | 8.0 | |
| 2N/22W-24D01 S | 114.1 | 8-27-57 | 113.1 | 1.0 | | 2N/22W-08N01 S | 203.8 | 10-15-57 | 199.0 | 4.8 | 2100 |
| | | 10-10-57 | 116.7 | 2.6 | | | | 12-03-57 | 196.8 | 7.0 | |
| | | 1-21-58 | 115.6 | 2.7 | | | | 1-23-58 | 190.2 | 13.6 | |
| | | 4-29-58 | 94.4 | 29.7 | | | | 6-11-58 | 184.9 | 18.9 | |
| | | 6-11-58 | 71.9 | 42.2 | | | | | | | |
| 2N/22W-27A02 S | 86.7 | 7-30-57 | 96.4 | 9.7 | 2100 | 2N/22W-08N02 S | 203.1 | 8-06-57 | 207.0* | 3.9 | 2100 |
| | | 8-27-57 | 98.5* | 12.2 | | | | 10-13-57 | 203.7 | 6.6 | |
| | | 10-09-57 | 102.0 | 15.3 | | | | 12-03-57 | 199.9 | 3.2 | |
| | | 12-03-57 | 102.0 | 15.3 | | | | 1-23-58 | 184.1 | 9.0 | |
| | | 1-21-58 | 98.4 | 11.7 | | | | 5-02-58 | 184.8* | 18.3 | |
| | | 4-29-58 | 73.9 | 12.8 | | | | 6-12-58 | 183.5 | 19.6 | |
| | | 6-11-58 | 68.6 | 18.1 | | | | | | | |
| 2N/22W-27E01 S | 70.8 | 7-17-57 | 85.2 | 14.4 | 2100 | 2N/22W-08N03 S | 190.7 | 8-06-57 | 195.9 | 5.2 | 2100 |
| | | 8-13-57 | 87.8 | 17.0 | | | | 10-13-57 | 193.1 | 1.1 | |
| | | 9-24-57 | 89.4 | 18.6 | | | | 12-03-57 | 188.5 | 7.3 | |
| | | 10-31-57 | 89.8 | 19.0 | | | | 1-23-58 | 184.7 | 17.5 | |
| | | 2-11-58 | 92.8 | 12.0 | | | | 5-02-58 | 175.0 | 17.0 | |
| | | 3-05-58 | 78.8 | 8.0 | | | | 6-12-58 | 171.9 | 20.1 | |
| | | 4-30-58 | 66.3 | 4.5 | | | | | | | |
| 2N/22W-27J03 S | 85.1 | 7-23-57 | 95.5 | 10.4 | 2100 | 2N/22W-08P01 S | 214.7 | 1-23-58 | 200.4 | 14.3 | 2100 |
| | | 11-18-57 | 99.6 | 11.7 | | | | 5-02-58 | 190.6 | 23.9 | |
| | | 4-02-58 | 79.9 | 11.8 | | | | 6-12-58 | 190.4 | 24.3 | |
| | | 6-05-58 | 72.5 | 12.6 | | | | | | | |
| 2N/22W-27O01 S | 78.1 | 7-23-57 | 89.6 | 11.5 | 2100 | 2N/22W-09J01 S | 239.3 | 7-31-57 | 175.4 | 63.9 | 2100 |
| | | 9-25-57 | 93.7 | 15.6 | | | | 10-13-57 | 176.0 | 63.8 | |
| | | 1-08-58 | 90.0 | 11.9 | | | | 1-23-58 | 174.5 | 64.8 | |
| | | 3-10-58 | 81.9 | 3.8 | | | | 5-02-58 | 173.0 | 66.3 | |
| | | 4-22-58 | 71.9 | 6.2 | | | | 6-12-58 | 173.4 | 65.9 | |
| MOUND PRESSURE AREA | | | | | | | | | | | |
| 40403 | | | | | | | | | | | |
| 2N/22W-02K01 S | 212.7 | 7-09-57 | 206.8 | 5.9 | 2100 | 2N/22W-09K04 S | 246.6 | 7-02-57 | 230.1 | 16.5 | 2400 |
| | | 8-13-57 | 209.7 | 3.0 | | | | 7-09-57 | 230.9 | 15.7 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | |
|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | | |
| 40400 | | | | | | | | | | | | |
| MOUND PRESSURE AREA | | | | | | | | | | | | |
| 40403 | | | | | | | | | | | | |
| 2N/22W-09K04 S | 246*6 | 7-16-57 | 231.7 | 14.9 | 2400 | 2N/22W-10G01 S | 179*8 | 10-15-57 | 195*6 | - | 15*8 | 2100 |
| | | 7-23-57 | 232.2 | 14.4 | | CONT. | | 12-10-57 | 193*1 | - | 12*5 | |
| | | 8-01-57 | 230.9 | 15.7 | | | | 5-02-58 | 178*5 | - | 1*5 | |
| | | 8-15-57 | 233.0 | 13.6 | | | | 6-12-58 | 178*4 | - | 1*4 | |
| | | 8-30-57 | 232.9 | 13.7 | | | | | | | | |
| | | 9-15-57 | 232.4 | 14.2 | | 2N/22W-12N02 S | 125*2 | 7-26-57 | 107*5 | - | 17*7 | 2400 |
| | | 10-01-57 | 233.5 | 13.1 | | | | 10-1-57 | 121*2 | - | 4*0 | |
| | | 10-15-57 | 232.5 | 14.1 | | | | 10-29-57 | 120*9 | - | 4*3 | |
| | | 11-01-57 | 231.1 | 15.5 | | | | 11-06-57 | 117*8 | - | 7*4 | |
| | | 11-15-57 | 229.3 | 17.3 | | | | 11-19-57 | 118*0 | - | 7*2 | |
| | | 12-01-57 | 229.7 | 16.9 | | | | 12-11-57 | 119*7 | - | 5*5 | |
| | | 12-15-57 | 228.7 | 17.9 | | | | 12-18-57 | 120*0 | - | 5*2 | |
| | | 1-01-58 | 227.4 | 19.2 | | | | 1-08-58 | 118*9 | - | 6*3 | |
| | | 1-15-58 | 226.0 | 20.6 | | | | 1-29-58 | 116*2 | - | 9*0 | |
| | | 2-01-58 | 224.4 | 22.2 | | | | 2-05-58 | 113*7 | - | 11*5 | |
| | | 2-15-58 | 223.1 | 23.5 | | | | 2-12-58 | 114*1 | - | 11*1 | |
| | | 3-01-58 | 221.9 | 24.7 | | | | 2-26-58 | 109*3 | - | 15*9 | |
| | | 3-15-58 | 221.2 | 25.4 | | | | 3-05-58 | 105*5 | - | 19*7 | |
| | | 4-01-58 | 219.0 | 27.6 | | | | 3-11-58 | 99*9 | - | 25*3 | |
| | | 4-15-58 | 217.9 | 28.7 | | | | 3-18-58 | 95*6 | - | 29*6 | |
| | | 5-01-58 | 217.1 | 29.5 | | | | 3-26-58 | 90*9 | - | 34*3 | |
| | | 5-15-58 | 216.2 | 30.4 | | | | 3-29-58 | 88*3 | - | 36*9 | |
| | | 6-26-58 | 219*8 | 28*8 | | | | 4-16-58 | 72*0 | - | 53*2 | |
| 2N/22W-09M01 S | 241*5 | 7-31-57 | 231*5 | 10*0 | 2100 | | | 4-23-58 | 67*1 | - | 58*1 | |
| | | 10-15-57 | 234*2 | 7*3 | | | | 4-30-58 | 62*7 | - | 62*5 | |
| | | 12-09-57 | 230*9 | 10*6 | | | | 5-07-58 | 59*0 | - | 66*2 | |
| | | 1-22-58 | 229*6 | 15*7 | | | | 5-14-58 | 56*2 | - | 69*0 | |
| | | 5-02-58 | 215*8 | 23*7 | | | | 5-28-58 | 52*6 | - | 72*6 | |
| | | 6-12-58 | 218*1 | 23*4 | | | | 6-04-58 | 51*3 | - | 73*9 | |
| | | | | | | | | 6-25-58 | 51*6 | - | 73*6 | |
| 2N/22W-10C02 S | 239*4 | 8-06-57 | 132*4 | 107*0 | 2100 | 2N/22W-16C01 S | 190*7 | 5-02-58 | 178*0 | - | 12*7 | 2100 |
| | | 10-16-57 | 129*6 | 109*8 | | | | 6-12-58 | 172*3 | - | 18*4 | |
| | | 12-10-57 | 129*0 | 110*4 | | | | | | | | |
| | | 1-28-58 | 128*9 | 110*5 | | | | | | | | |
| | | 5-02-58 | 120*6 | 118*8 | | | | | | | | |
| | | 6-11-58 | 127*6 | 111*8 | | | | | | | | |
| 2N/22W-10E01 S | 244*7 | 7-31-57 | 221*6 | 23*1 | 2100 | 2N/22W-16F01 S | 178*1 | 7-31-57 | 190*6 | - | 12*5 | 2100 |
| | | 10-15-57 | 222*5 | 22*2 | | | | 10-16-57 | 193*7 | - | 15*6 | |
| | | 12-10-57 | 219*1 | 25*6 | | | | 12-10-57 | 194*4 | - | 16*3 | |
| | | 1-22-58 | 215*6 | 29*1 | | | | 1-23-58 | 190*8 | - | 12*7 | |
| | | 5-02-58 | 207*6 | 37*1 | | | | 5-02-58 | 174*5 | - | 3*6 | |
| | | 6-12-58 | 209*2 | 35*5 | | | | 6-12-58 | 168*7 | - | 9*4 | |
| 2N/22W-10G01 S | 179*8 | 7-31-57 | 191*5 | - | 11*7 | 2N/22W-16K01 S | 149*4 | 7-31-57 | 159*2 | - | 9*8 | 2100 |
| | | | | | | | | 10-16-57 | 162*2 | - | 12*8 | |
| | | | | | | | | 12-10-57 | 161*8 | - | 12*4 | |
| | | | | | | | | 1-23-58 | 159*2 | - | 9*8 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------|---------------------|--|--|--|-----------------------|--------------------------|---------------------|---|--|---|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| MOUND PRESSURE AREA | | | | | | | | | | | |
| 40403 | | | | | | 40403 | | | | | |
| 2N/22W-16K01 S CONT. | 149+4 | 5-02-58 6-12-58 | 135+5 129+7 | 13+9 19+7 | 2100 | 2N/22W-20B01 S CONT. | 91+0 | 5-02-58 6-12-58 | 86+9 84+6 | 4+1 6+4 | 2100 |
| 2N/22W-16M02 S | 202+1 | 7-31-57 10-16-57 12-10-57 1-23-58 5-02-58 6-12-58 | 149+2 150+0 150+1 149+6 148+5 147+6 | 52+1 52+1 52+5 52+5 53+6 54+5 | 2100 | 2N/22W-20B02 S | 85+6 | 10-15-57 12-09-57 6-12-58 | 103+3 104+3 80+5 | 17+9 18+7 5+7 | 2100 |
| 2N/22W-17J02 S | 136+8 | 7-31-57 10-16-57 12-10-57 1-23-58 | 156+0 156+0 156+0 154+0 | 19+2 19+2 19+2 17+2 | 2100 | 2N/22W-20L01 S | 54+0 | 7-31-57 10-15-57 12-09-57 1-22-58 5-02-58 6-12-58 | 60+8 64+2 64+2 62+8 43+6 37+1 | 6+8 10+2 10+2 8+8 10+4 16+9 | 2100 |
| 2N/22W-17N01 S | 118+5 | 7-31-57 10-16-57 12-04-57 1-22-58 5-02-58 | 83+0 88+0 85+1 84+5 83+6 | 35+5 30+5 33+4 34+0 34+9 | 2100 | 2N/22W-20M05 S | 41+6 | 7-04-57 7-11-57 7-18-57 7-25-57 8-01-57 8-08-57 8-15-57 8-22-57 8-29-57 9-05-57 9-12-57 9-19-57 9-26-57 | 58+3 59+2 59+2 57+2 59+2 62+2 61+3 61+4 61+7 60+9 61+0 63+8 59+9 62+6 62+0 60+6 58+7 61+5 62+0 62+0 60+2 61+3 61+6 60+1 61+8 57+5 56+0 54+3 54+0 59+6 56+2 51+8 51+5 | 16+7 17+6 19+0 15+6 17+6 20+6 19+7 19+8 20+1 19+3 19+4 22+2 18+3 21+0 20+4 17+1 19+9 20+4 20+4 18+6 19+7 20+0 18+5 20+2 15+9 14+4 12+7 12+4 18+0 14+6 16+6 10+2 9+9 | 2400 |
| 2N/22W-19K01 S | 38+3 | 7-31-57 10-16-57 12-04-57 1-22-58 5-02-58 6-12-58 | 51+8 54+5 54+3 51+8 33+0 34+0 | 13+5 16+2 16+0 13+5 5+3 4+3 | 2100 | | | | | | |
| 2N/22W-19L01 S | 34+7 | 7-31-57 10-16-57 12-04-57 1-22-58 5-02-58 6-12-58 | 56+9 56+4 57+9 54+5 39+5 34+6 | 22+2 21+7 23+2 19+8 4+8 *1 | 2100 | | | | | | |
| 2N/22W-19M01 S | 31+1 | 7-31-57 10-15-57 12-04-57 1-22-58 5-02-58 6-12-58 | 47+9 49+0 47+1 47+6 32+2 26+0 | 16+8 17+9 18+0 16+5 1+1 5+1 | 2100 | | | | | | |
| 2N/22W-20B01 S | 91+0 | 7-31-57 10-15-57 12-09-57 1-22-58 | 108+6* 108+6 107+5 107+2 | 17+6 17+6 16+5 16+2 | 2100 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| MOUND PRESSURE AREA | | | | | | | | | | | |
| 40400 | | | | | | | | | | | |
| 40403 | | | | | | | | | | | |
| 2N/22W-20W05 S | 41.6 | 2-13-58 | 49.0 | 7.4 | 2400 | 2N/23W-06G01 S | 47.5 | 5-02-58 | 25.3 | 22.2 | 2100 |
| | | 2-20-58 | 47.9 | 6.3 | | CONT. | | 6-05-58 | 26.0 | 21.5 | |
| | | 2-21-58 | 46.4 | 3.8 | | | | | | | |
| | | 3-15-58 | 45.4 | 3.8 | | | | | | | |
| | | 3-20-58 | 44.1 | 2.5 | | 2N/23W-10R01 S | 13.0 | 7-09-57 | 69.0* | 56.0 | 2100 |
| | | 3-27-58 | 40.7 | 2.9 | | | | 8-13-57 | 28.9 | 15.9 | |
| | | 4-10-58 | 38.3 | 3.3 | | | | 9-18-57 | 28.2 | 15.2 | |
| | | 4-17-58 | 38.7 | 2.9 | | | | 11-05-57 | 22.7 | 9.7 | |
| | | 4-24-58 | 37.3 | 4.3 | | | | 11-25-57 | 24.8 | 11.8 | |
| | | 5-01-58 | 38.2 | 3.4 | | | | 1-10-58 | 18.0 | 2.0 | |
| | | 5-08-58 | 38.0 | 3.6 | | | | 2-28-58 | 11.0 | 2.0 | |
| | | 5-15-58 | 37.0 | 4.6 | | 2N/23W-11N01 S | 14.0 | 5-02-58 | 8.1 | 4.9 | |
| | | 5-22-58 | 38.5 | 3.1 | | | | 7-09-57 | 16.0 | 2.0 | 2100 |
| | | 5-29-58 | 38.4 | 3.2 | | | | 8-13-57 | 21.8 | 7.8 | |
| | | 6-05-58 | 33.7 | 7.9 | | | | 9-18-57 | 23.7 | 9.7 | |
| | | 6-12-58 | 36.1 | 5.5 | | | | 11-05-57 | 21.7 | 7.7 | |
| | | 6-19-58 | 36.7 | 4.9 | | | | 11-25-57 | 23.1 | 9.1 | |
| | | 6-26-58 | 42.6 | 1.0 | | | | 1-10-58 | 13.9 | 4.1 | |
| | | | | | | | | 2-28-58 | 12.7 | 1.3 | |
| | | | | | | | | 5-02-58 | 9.7 | 4.3 | |
| 2N/22W-21D01 S | 139.1 | 7-31-57 | 151.6 | 12.5 | 2100 | | | 6-05-58 | 7.1 | 6.9 | |
| | | 10-16-57 | 154.7 | 15.6 | | | | | | | |
| | | 12-10-57 | 155.1 | 16.0 | | 2N/23W-13F01 S | 61.4 | 7-04-57 | 82.1 | 20.7 | 2400 |
| | | 1-22-58 | 152.8 | 13.7 | | | | 7-11-57 | 86.5 | 27.1 | |
| | | 5-02-58 | 133.7 | 5.4 | | | | 7-25-57 | 90.9 | 29.5 | |
| | | 6-25-58 | 129.0 | 10.1 | | | | 8-22-57 | 96.4 | 35.0 | |
| 2N/23W-05L01 S | 20.5 | 9-18-57 | 31.9 | 11.4 | 2100 | | | 9-05-57 | 93.9 | 32.5 | |
| | | 1-10-58 | 25.9 | 5.4 | | | | 10-10-57 | 86.1 | 24.7 | |
| | | 5-02-58 | 20.5 | 0 | | | | 10-17-57 | 79.6 | 18.2 | |
| 2N/23W-05P01 S | 15.0 | 7-09-57 | 18.7 | 3.7 | 2100 | | | 10-24-57 | 78.9 | 17.5 | |
| | | 9-18-57 | 21.8 | 6.8 | | | | 10-31-57 | 79.9 | 18.5 | |
| | | 11-03-57 | 20.2 | 5.2 | | | | 12-03-57 | 83.0 | 15.7 | |
| | | 1-10-58 | 15.9 | 0.9 | | | | 12-12-57 | 78.2 | 21.6 | |
| | | 2-28-58 | 13.0 | 2.0 | | | | 12-18-57 | 75.0 | 13.6 | |
| | | 5-02-58 | 9.0 | 6.0 | | | | 12-26-57 | 70.2 | 8.6 | |
| | | 6-03-58 | 15.1 | 0.1 | | | | 1-02-58 | 66.0 | 9.6 | |
| | | 7-09-57 | 25.6 | 21.9 | 2100 | | | 1-02-58 | 67.5 | 7.0 | |
| | | 8-13-57 | 25.8 | 21.7 | | | | 1-30-58 | 61.5 | 2.0 | |
| | | 9-18-57 | 25.8 | 21.7 | | | | 2-03-58 | 65.2 | 3.7 | |
| | | 11-05-57 | 26.2 | 21.3 | | | | 2-13-58 | 65.1 | 3.7 | |
| | | 11-25-57 | 25.6 | 21.3 | | | | 2-20-58 | 63.1 | 1.7 | |
| | | 1-10-58 | 25.7 | 21.8 | | | | 2-27-58 | 61.8 | 0.6 | |
| | | 2-28-58 | 26.0 | 21.5 | | | | 3-04-58 | 61.6 | 0.2 | |
| | | | | | | | | 3-13-58 | 62.8 | 1.4 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | | | | | | |
| MOUND PRESSURE AREA | | | | | | | | | | | |
| 2N/23W-13F01 S | 61.4 | 3-20-58 | 59.8 | 1.6 | 2400 | 2N/23W-14L01 S | 19.9 | 4-17-58 | 15.3 | 4.6 | 2400 |
| CONT. | | 3-27-58 | 58.3 | 3.1 | | CONT. | | 4-24-58 | 14.4 | 5.5 | |
| | | 4-03-58 | 58.0 | 3.4 | | | | 5-01-58 | 15.3 | 4.6 | |
| | | 4-10-58 | 59.7 | 1.7 | | | | 5-08-58 | 17.2 | 2.7 | |
| | | 4-17-58 | 58.0 | 3.4 | | | | 5-22-58 | 18.3 | 1.6 | |
| | | 4-24-58 | 57.9 | 3.5 | | | | 6-05-58 | 21.0 | 1.1 | |
| | | 5-01-58 | 58.1 | 3.3 | | 2N/23W-14M01 S | 14.2 | 5-02-58 | 11.0 | 3.2 | 2100 |
| | | 5-08-58 | 58.7 | 2.7 | | | | 5-02-58 | 9.5 | 3.1 | 2100 |
| | | 5-15-58 | 57.7 | 3.7 | | | | 7-04-57 | 25.9 | 5.2 | 2400 |
| | | 5-22-58 | 60.4 | 1.0 | | | | 7-11-57 | 27.7 | 7.0 | |
| | | 5-29-58 | 60.2 | 1.2 | | | | 7-18-57 | 26.2 | 5.5 | |
| | | 6-19-58 | 67.0 | 5.6 | | | | 7-25-57 | 29.9 | 9.2 | |
| | | 6-26-58 | 70.9 | 9.5 | | | | 8-01-57 | 33.1 | 12.4 | |
| | | | | | | | | 8-08-57 | 34.5 | 13.8 | |
| 2N/23W-14L01 S | 19.9 | 7-04-57 | 41.2 | 21.3 | 2400 | | | 8-15-57 | 31.7 | 11.0 | |
| | | 8-08-57 | 57.9 | 38.0 | | | | 8-22-57 | 32.9 | 12.2 | |
| | | 8-29-57 | 59.5 | 39.6 | | | | 8-29-57 | 31.2 | 10.5 | |
| | | 9-19-57 | 45.2 | 25.3 | | | | 9-05-57 | 29.0 | 8.3 | |
| | | 9-26-57 | 47.1 | 27.2 | | | | 9-12-57 | 28.9 | 8.2 | |
| | | 10-10-57 | 49.2 | 29.3 | | | | 9-19-57 | 33.5 | 11.8 | |
| | | 10-17-57 | 28.6* | 8.7 | | | | 9-26-57 | 33.9 | 13.2 | |
| | | 10-24-57 | 35.1 | 15.2 | | | | 10-03-57 | 34.5 | 13.8 | |
| | | 10-31-57 | 38.9 | 19.0 | | | | 10-10-57 | 29.6 | 8.9 | |
| | | 11-07-57 | 34.0 | 18.1 | | | | 10-17-57 | 21.1 | 6.4 | |
| | | 11-14-57 | 39.0 | 19.1 | | | | 10-24-57 | 26.6 | 4.9 | |
| | | 11-21-57 | 37.4 | 17.5 | | | | 10-31-57 | 26.3 | 5.6 | |
| | | 11-28-57 | 39.3 | 19.4 | | | | 11-07-57 | 26.2 | 4.5 | |
| | | 12-05-57 | 41.4 | 21.5 | | | | 11-14-57 | 23.2 | 2.5 | |
| | | 12-12-57 | 40.0 | 20.1 | | | | 11-21-57 | 24.2 | 3.5 | |
| | | 12-19-57 | 30.7 | 10.8 | | | | 11-28-57 | 26.5 | 5.8 | |
| | | 1-02-58 | 26.6 | 6.7 | | | | 12-06-57 | 26.7 | 6.0 | |
| | | 1-09-58 | 27.0 | 7.1 | | | | 12-13-57 | 19.7 | 1.0 | |
| | | 1-16-58 | 24.2 | 4.3 | | | | 12-20-57 | 18.5 | 2.2 | |
| | | 1-23-58 | 24.5 | 4.6 | | | | 1-02-58 | 17.3 | 3.4 | |
| | | 1-30-58 | 23.7 | 3.8 | | | | 1-09-58 | 19.6 | 1.1 | |
| | | 2-06-58 | 22.5 | 2.6 | | | | 1-16-58 | 18.9 | 1.8 | |
| | | 2-13-58 | 22.2 | 2.3 | | | | 1-23-58 | 19.9 | 1.8 | |
| | | 2-20-58 | 20.7 | 8 | | | | 1-30-58 | 23.0* | 2.3 | |
| | | 2-27-58 | 19.3 | 6.6 | | | | 2-06-58 | 17.1 | 3.6 | |
| | | 3-06-58 | 18.9 | 7 | | | | 2-13-58 | 16.3 | 4.4 | |
| | | 3-13-58 | 20.6 | 8.7 | | | | 2-20-58 | 16.3 | 4.4 | |
| | | 3-20-58 | 17.1 | 2.8 | | | | 2-27-58 | 16.0 | 4.7 | |
| | | 3-27-58 | 16.4 | 3.5 | | | | | | | |
| | | 4-03-58 | 15.0 | 4.9 | | | | | | | |
| | | 4-10-58 | 17.9 | 2.0 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|------|--------------------------------------|------------------------------|-----------------------|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| MOUND PRESSURE AREA | | | | | | | | | | | |
| 40403 | | | | | | | | | | | |
| 2N/23W-14001 S | | | | | | | | | | | |
| 20.7 | | | | | | | | | | | |
| 3-06-58 | 15.4 | | 15.4 | 5.3 | 2400 | 2N/23W-23H02 S | 16.7 | 2-16-58 | 15.1 | 1.6 | 2400 |
| 3-13-58 | 15.0 | | 15.0 | 5.7 | | CONT. | | 3-01-58 | 14.6 | 2.1 | |
| 3-20-58 | 12.0 | | 12.0 | 8.7 | | | | 3-15-58 | 11.9 | 6.8 | |
| 3-27-58 | 11.6 | | 11.6 | 9.1 | | | | 4-01-58 | 9.9 | 6.8 | |
| 4-03-58 | 12.4 | | 12.4 | 8.3 | | | | 4-15-58 | 10.8 | 5.0 | |
| 4-10-58 | 12.0 | | 12.0 | 8.7 | | | | 5-01-58 | 9.8 | 6.9 | |
| 4-17-58 | 11.7 | | 11.7 | 9.0 | | | | 5-11-58 | 8.7 | 8.0 | |
| 4-24-58 | 11.8 | | 11.8 | 8.9 | | | | 6-01-58 | 12.2 | 4.5 | |
| 5-01-58 | 11.9 | | 11.9 | 8.8 | | | | 6-15-58 | 15.3 | 1.4 | |
| 5-08-58 | 11.9 | | 11.9 | 8.8 | | | | 6-26-58 | 18.0 | 1.3 | |
| 5-15-58 | 11.5 | | 11.5 | 9.2 | | | | | | | |
| 5-22-58 | 12.0 | | 12.0 | 8.7 | | | | | | | |
| 5-29-58 | 11.4 | | 11.4 | 9.3 | | | | 7-04-57 | 24.0 | 4.0 | 2400 |
| 6-05-58 | 11.7 | | 11.7 | 9.0 | | | | 7-18-57 | 24.8 | 4.8 | |
| 6-12-58 | 12.7 | | 12.7 | 8.0 | | | | 8-15-57 | 32.7 | 14.7 | |
| 6-19-58 | 13.9 | | 13.9 | 6.8 | | | | 8-22-57 | 34.0 | 14.0 | |
| 6-26-58 | 13.1 | | 13.1 | 7.6 | | | | 8-29-57 | 29.0 | 9.0 | |
| 2N/23W-23D01 S | | | | | | | | | | | |
| 13.2 | | | | | | | | | | | |
| 7-09-57 | 36.2 | | 36.2 | 23.0 | 2100 | 2N/23W-24F01 S | 20.0 | 10-10-57 | 26.2 | 6.3 | |
| 8-13-57 | 45.3* | | 45.3* | 32.1 | | | | 10-17-57 | 25.2 | 5.2 | |
| 9-18-57 | 38.3 | | 38.3 | 25.1 | | | | 10-24-57 | 22.1 | 2.1 | |
| 11-25-57 | 33.5 | | 33.5 | 20.3 | | | | 10-31-57 | 22.5 | 2.5 | |
| 11-25-58 | 30.9* | | 30.9* | 2.7 | | | | 11-07-57 | 22.7 | 2.7 | |
| 1-7-58 | 22.9 | | 22.9 | 1.7 | | | | 11-14-57 | 20.6 | 6.6 | |
| 2-28-58 | 12.9 | | 12.9 | 2.3 | | | | 1-21-57 | 20.5 | 2.5 | |
| 3-18-58 | 10.8 | | 10.8 | 2.1 | | | | 1-20-57 | 24.9 | 4.9 | |
| 5-02-58 | 10.8 | | 10.8 | 2.1 | | | | 1-16-57 | 21.7 | 1.7 | |
| 6-05-58 | 10.1 | | 10.1 | 2.9 | | | | 1-24-57 | 19.2 | 1.2 | |
| 2N/23W-23H02 S | | | | | | | | | | | |
| 16.7 | | | | | | | | | | | |
| 7-03-57 | 26.9 | | 26.9 | 10.2 | 2400 | | | 1-09-58 | 17.5 | 2.5 | |
| 7-10-57 | 26.3 | | 26.3 | 9.6 | | | | 1-09-58 | 16.7 | 3.3 | |
| 7-16-57 | 28.5 | | 28.5 | 11.8 | | | | 1-16-58 | 16.0 | 4.0 | |
| 7-17-57 | 4.2* | | 4.2* | 12.5 | | | | 1-23-58 | 16.8 | 3.2 | |
| 8-01-57 | 33.1 | | 33.1 | 16.4 | | | | 1-30-58 | 15.3 | 4.7 | |
| 8-15-57 | 33.6 | | 33.6 | 16.9 | | | | 2-06-58 | 14.0 | 6.0 | |
| 8-25-57 | 36.3 | | 36.3 | 19.6 | | | | 2-13-58 | 13.5 | 6.5 | |
| 9-04-57 | 31.8 | | 31.8 | 15.1 | | | | 2-20-58 | 13.3 | 6.7 | |
| 9-15-57 | 31.6 | | 31.6 | 14.9 | | | | 2-27-58 | 12.2 | 7.8 | |
| 10-01-57 | 30.8 | | 30.8 | 14.1 | | | | 3-06-58 | 12.0 | 8.0 | |
| 10-15-57 | 27.3 | | 27.3 | 10.6 | | | | 3-13-58 | 11.4 | 8.6 | |
| 11-01-57 | 25.1 | | 25.1 | 8.4 | | | | 3-20-58 | 10.1 | 9.9 | |
| 11-15-57 | 23.8 | | 23.8 | 7.1 | | | | 3-27-58 | 9.2 | 10.8 | |
| 12-01-57 | 29.3 | | 29.3 | 12.6 | | | | 4-03-58 | 8.1 | 11.9 | |
| 12-16-57 | 25.7 | | 25.7 | 9.0 | | | | 4-10-58 | 9.7 | 10.3 | |
| 1-01-58 | 22.0 | | 22.0 | 5.3 | | | | 4-17-58 | 8.1 | 11.9 | |
| 1-16-58 | 18.4 | | 18.4 | 1.7 | | | | 5-01-58 | 8.3 | 11.7 | |
| 2-01-58 | 16.6 | | 16.6 | .1 | | | | 5-08-58 | 8.1 | 11.9 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|--|--|--------------------------------------|---|--|--|--|--|--|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| MOUND PRESSURE AREA | | | | | | | | | | | |
| 40403 | | | | | | 40403 | | | | | |
| 2N/23M-24F01 S CONT. | 20.0 | 5-15-58 5-22-58 5-29-58 6-05-58 6-12-58 | 7.7 8.8 7.6 8.4 9.1 | 12.3 11.2 12.4 11.6 10.9 | 2400 | 2N/23M-24J01 S CONT. | 26.4 | 7-19-57 7-20-57 7-21-57 7-22-57 7-23-57 | 34.4 33.6 34.3 35.3 36.1 | 8.0 7.2 7.9 8.9 9.7 | 2400 |
| 2N/23M-24G01 S | 27.1 | 8-29-57 9-05-57 9-12-57 9-19-57 9-26-57 10-03-57 10-10-57 10-17-57 10-24-57 10-31-57 11-07-57 11-14-57 11-21-57 12-12-57 12-19-57 12-26-57 1-02-58 1-09-58 1-16-58 1-23-58 1-30-58 2-13-58 2-20-58 2-27-58 3-06-58 3-13-58 3-20-58 3-27-58 4-03-58 4-10-58 4-17-58 4-24-58 5-01-58 5-08-58 5-15-58 5-22-58 5-29-58 | 49.0 47.0 46.1 48.0 46.4 49.3 45.8 40.5 38.1 40.3 37.2 37.9 40.9 36.0 34.2 31.3 30.5 28.8 30.2 29.8 31.9 26.6 25.0 24.7 23.9 22.0 21.0 19.8 21.5 19.2 17.7 9.4 9.8 10.8 9.1 9.1 | 2400 | 9-05-57 9-12-57 9-19-57 9-26-57 10-03-57 10-10-57 10-17-57 10-24-57 10-31-57 11-07-57 11-14-57 11-21-57 12-12-57 12-19-57 12-26-57 1-02-58 1-09-58 1-16-58 1-23-58 1-30-58 2-13-57 2-20-57 2-27-57 3-06-57 3-13-57 3-20-57 3-27-57 4-03-57 4-10-57 4-17-57 4-24-57 5-01-57 5-08-57 5-15-57 5-22-57 5-29-57 | 34.4 33.6 34.3 35.3 36.1 37.0 39.4 34.9 32.3 30.5 30.0 29.9 28.0 30.4 32.3 31.4 28.6 25.6 23.6 23.3 23.9 23.9 14.6 13.4 13.0 13.1 13.2 27.5 27.8 33.8 30.6 35.6 41.6 48.6 42.9 39.0 34.1 30.4 32.8 37.2 38.7 38.7 31.9 31.9 28.7 26.7 | 4.1 10.4 7.2 18.2 18.2 19.5 14.6 15.9 10.7 9.5 13.8 15.3 15.3 8.5 5.3 3.3 4.1 10.4 7.2 12.2 18.2 19.5 14.6 15.9 10.7 9.5 13.8 15.3 15.3 8.5 5.3 3.3 | 2400 | | | |
| 2N/23M-24J01 S | 26.4 | 7-03-57 7-17-57 7-18-57 | 30.3 32.1 34.0 | 3.9 5.7 7.6 | 2400 | 2N/23M-24K04 S | 23.4 | 7-04-57 7-11-57 7-18-57 7-25-57 8-01-57 8-08-57 8-15-57 8-22-57 8-29-57 9-12-57 9-19-57 9-26-57 10-03-57 10-10-57 10-17-57 10-24-57 | 27.5 27.8 30.6 30.6 41.6 48.6 42.9 39.0 34.1 30.4 32.8 37.2 38.7 38.7 31.9 31.9 28.7 26.7 | 4.1 10.4 7.2 18.2 18.2 19.5 14.6 15.9 10.7 9.5 13.8 15.3 15.3 8.5 5.3 3.3 | 2400 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| SANTA CLARA RIVER VALLEY | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| MOUND PRESSURE AREA | | | | | | SANTA PAULA BASIN | | | | | |
| 2N/23W-24K04 S | 27.4 | 10-31-57 | 26.4 | - | 3.0 | 2N/22W-01E02 S | 162.1 | 9-06-57 | 15.1 | 147.0 | 2400 |
| CONT. | | | | | | CONT. | | | | | |
| 11-07-57 | 26.2 | 11-07-57 | 26.2 | - | 2.9 | | | 9-11-57 | 16.2 | 145.9 | 2400 |
| 11-14-57 | 24.6 | 11-14-57 | 24.6 | - | 1.2 | | | 9-11-57 | 16.2 | 146.6 | |
| 11-21-57 | 25.1 | 11-21-57 | 25.1 | - | 1.7 | | | 9-25-57 | 15.2 | 147.6 | |
| 11-29-57 | 29.2 | 11-29-57 | 29.2 | - | 5.8 | | | 10-02-57 | 14.3 | 148.0 | |
| 12-05-57 | 28.6 | 12-05-57 | 28.6 | - | 5.2 | | | 10-03-57 | 16.3 | 145.8 | |
| 12-12-57 | 25.3 | 12-12-57 | 25.3 | - | 1.9 | | | 10-16-57 | 13.8 | 148.3 | |
| 12-19-57 | 23.7 | 12-19-57 | 23.7 | - | 3.3 | | | 10-23-57 | 13.0 | 149.1 | |
| 12-26-57 | 22.0 | 12-26-57 | 22.0 | - | 1.4 | | | 10-30-57 | 12.0 | 150.1 | |
| 1-02-58 | 21.1 | 1-02-58 | 21.1 | - | 2.3 | | | 11-06-57 | 11.5 | 150.6 | |
| 1-09-58 | 20.2 | 1-09-58 | 20.2 | - | 2.2 | | | 11-13-57 | 11.2 | 150.9 | |
| 1-16-58 | 15.6 | 1-16-58 | 15.6 | - | 3.8 | | | 11-20-57 | 12.7 | 149.4 | |
| 1-23-58 | 70.0 | 1-23-58 | 70.0 | - | 2.4 | | | 11-27-57 | 14.0 | 148.1 | |
| 1-30-58 | 19.5 | 1-30-58 | 19.5 | - | 5.9 | | | 12-04-57 | 14.6 | 147.5 | |
| 2-06-58 | 17.5 | 2-06-58 | 17.5 | - | 5.9 | | | 12-11-57 | 11.7 | 150.4 | |
| 2-13-58 | 14.0 | 2-13-58 | 14.0 | - | 6.4 | | | 12-18-57 | 9.4 | 152.7 | |
| 2-20-58 | 14.0 | 2-20-58 | 14.0 | - | 7.0 | | | 12-24-57 | 8.7 | 153.4 | |
| 2-27-58 | 15.9 | 2-27-58 | 15.9 | - | 7.5 | | | 12-31-57 | 7.6 | 154.5 | |
| 3-06-58 | 15.2 | 3-06-58 | 15.2 | - | 8.2 | | | 1-08-58 | 6.6 | 155.5 | |
| 3-13-58 | 14.8 | 3-13-58 | 14.8 | - | 8.6 | | | 1-15-58 | 6.6 | 155.5 | |
| 3-20-58 | 12.9 | 3-20-58 | 12.9 | - | 10.5 | | | 1-22-58 | 8.7 | 153.4 | |
| 3-27-58 | 12.9 | 3-27-58 | 12.9 | - | 11.2 | | | 2-05-58 | 5.9 | 156.2 | |
| 4-10-58 | 12.9 | 4-10-58 | 12.9 | - | 10.5 | | | 2-05-58 | 1.5 | 160.6 | |
| 4-17-58 | 12.0 | 4-17-58 | 12.0 | - | 11.2 | | | 2-12-58 | 3.6 | 158.5 | |
| 4-24-58 | 12.0 | 4-24-58 | 12.0 | - | 11.4 | | | 2-19-58 | 2.7 | 159.4 | |
| 5-01-58 | 11.7 | 5-01-58 | 11.7 | - | 11.7 | | | 2-26-58 | 2.0 | 160.1 | |
| 5-08-58 | 11.9 | 5-08-58 | 11.9 | - | 11.5 | | | 3-05-58 | 1.3 | 160.8 | |
| 5-15-58 | 11.2 | 5-15-58 | 11.2 | - | 12.2 | | | 3-12-58 | 0.9 | 161.2 | |
| 5-22-58 | 17.3 | 5-22-58 | 17.3 | - | 11.1 | | | 3-19-58 | FLOW | | |
| 5-29-58 | 11.4 | 5-29-58 | 11.4 | - | 12.0 | | | 3-26-58 | FLOW | | |
| 6-05-58 | 12.3 | 6-05-58 | 12.3 | - | 11.1 | | | 4-02-58 | FLOW | | |
| 6-12-58 | 13.6 | 6-12-58 | 13.6 | - | 8.8 | | | 4-09-58 | FLOW | | |
| 6-19-58 | 15.4 | 6-19-58 | 15.4 | - | 8.0 | | | 4-16-58 | FLOW | | |
| 6-26-58 | 13.3 | 6-26-58 | 13.3 | - | 10.1 | | | 4-23-58 | FLOW | | |
| SANTA PAULA BASIN | | | | | | | | | | | |
| SANTA PAULA BASIN | | | | | | SANTA PAULA BASIN | | | | | |
| 2N/22W-01F02 S | 162.1 | 7-03-57 | 14.4 | 147.7 | 2100 | 2N/22W-02C01 S | 178.9 | 10-16-57 | 29.9 | 149.0 | 2100 |
| CONT. | | | | | | CONT. | | | | | |
| 7-10-57 | 16.5 | 7-10-57 | 16.5 | 145.6 | | | | 5-06-58 | 7.5 | 171.4 | |
| 7-17-57 | 18.0 | 7-17-57 | 18.0 | 144.1 | | | | 5-21-58 | 3.3 | 158.8 | |
| 7-24-57 | 19.3 | 7-24-57 | 19.3 | 142.8 | 2400 | | | 6-05-58 | 4.9 | 157.2 | |
| 7-31-57 | 18.0 | 7-31-57 | 18.0 | 144.1 | | | | 6-12-58 | 6.1 | 158.0 | |
| 8-07-57 | 18.9 | 8-07-57 | 18.9 | 143.2 | | | | 6-19-58 | 7.9 | 158.2 | |
| 8-14-57 | 17.0 | 8-14-57 | 17.0 | 144.5 | | | | 6-26-58 | 9.0 | 153.1 | |
| 8-21-57 | 16.0 | 8-21-57 | 16.0 | 146.1 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | | | | | | |
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | | | | | | |
| SANTA PAULA BASIN | | | | | | | | | | | |
| 40404 | | | | | | | | | | | |
| SANTA PAULA BASIN | | | | | | | | | | | |
| 2N/22W-02C01 S | 178.9 | 6-17-58 | 26.4 | 154.5 | 2100 | 2N/22W-03M01 S | 290.1 | 1-28-58 | 176.4 | 122.7 | 2100 |
| 2N/22W-02E01 S | 239.9 | 8-06-57 | 101.8 | 138.1 | 2100 | COMT. | | 6-17-58 | 171.7 | 127.4 | |
| | | 12-10-57 | 95.6 | 144.3 | | 2N/22W-03M02 S | 292.3 | 8-06-57 | 224.5* | 67.8 | 2100 |
| | | 1-28-58 | 90.7 | 149.2 | | | | 10-17-57 | 212.6* | 79.4 | |
| | | 5-06-58 | 86.4 | 157.5 | | | | 12-11-57 | 209.2 | 85.1 | |
| | | 6-17-58 | 90.6 | 149.3 | | | | 1-28-58 | 198.8 | 95.5 | |
| | | 8-06-57 | 25.1* | 133.1 | 2100 | | | 5-05-58 | 169.0 | 105.3 | |
| 2N/22W-02K04 S | 158.2 | 10-18-57 | 16.3 | 141.9 | | | | 6-17-58 | 212.0* | 80.3 | |
| | | 12-10-57 | 15.7 | 144.3 | | | | 10-16-57 | 97.6 | 116.6 | 2100 |
| | | 1-23-58 | FLOW | 145.5 | | 2N/22W-03R02 S | 214.2 | 12-10-57 | 93.0 | 121.2 | |
| | 158.2 | 5-06-58 | 1.1 | 158.1 | | | | 1-23-58 | 90.3 | 123.9 | |
| | | 6-12-58 | 18.3 | 139.9 | | | | 5-06-58 | 85.6 | 128.6 | |
| 2N/22W-02N01 S | 181.8 | 8-06-57 | 69.8 | 112.0 | 2100 | 2N/22W-10C01 S | 238.3 | 8-06-57 | 196.0 | 42.3 | 2100 |
| | | 10-18-57 | 64.9 | 116.9 | | | | 10-16-57 | 196.3 | 42.0 | |
| | | 12-10-57 | 60.9 | 120.9 | | | | 12-10-57 | 196.4 | 41.9 | |
| | | 1-23-58 | 27.8 | 154.0 | | | | 1-28-58 | 196.4 | 42.3 | |
| | | 5-05-58 | 51.1 | 130.7 | | | | 5-05-58 | 193.6 | 42.3 | |
| 2N/22W-02R03 S | 136.6 | 8-06-57 | 107.0* | 29.6 | 2100 | 3N/21W-01K01 S | 316.7 | 7-02-57 | 46.4 | 270.3 | 2100 |
| | | 10-18-57 | 105.0* | 31.6 | | | | 8-07-57 | 50.2 | 266.5 | |
| | | 12-11-57 | 105.2 | 31.4 | | | | 10-22-57 | 47.4 | 269.5 | |
| | | 1-23-58 | 93.4 | 37.2 | | | | 12-12-57 | 42.2 | 270.3 | |
| | | 5-06-58 | 30.8 | 105.8 | | | | 1-29-58 | 45.2 | 276.5 | |
| 2N/22W-03F01 S | 302.6 | 1-28-58 | 140.0* | 162.6 | 2100 | | | 5-01-58 | 36.5 | 282.2 | |
| | | 5-08-58 | 150.0* | 152.6 | | | | 6-18-58 | 36.9 | 279.8 | |
| | | 6-17-58 | 146.0* | 156.6 | | 3N/21W-01P01 S | 304.6 | 8-07-57 | 50.0 | 254.6 | 2100 |
| 2N/22W-03J01 S | 241.6 | 8-06-57 | 112.6 | 129.0 | 2100 | | | 10-22-57 | 43.9 | 260.7 | |
| | | 10-18-57 | 115.0 | 126.6 | | | | 12-12-57 | 44.1 | 269.5 | |
| | | 12-10-57 | 113.5 | 128.1 | | | | 1-26-58 | 36.2 | 258.4 | |
| | | 1-28-58 | 104.5 | 135.1 | | | | 5-07-58 | 29.0 | 275.6 | |
| | | 5-06-58 | 99.4 | 142.2 | | 3N/21W-09K01 S | 365.1 | 7-03-57 | 168.3 | 196.8 | 2100 |
| 2N/22W-03K02 S | 250.6 | 10-18-57 | 124.6 | 126.0 | 2100 | | | 8-07-57 | 174.6 | 190.5 | |
| | | 12-10-57 | 121.5 | 129.1 | | | | 11-05-57 | 169.9 | 195.2 | |
| | | 1-28-58 | 116.8 | 133.8 | | | | 12-12-57 | 164.7 | 200.2 | |
| | | 6-17-58 | 111.8 | 138.8 | | | | 5-07-58 | 147.5 | 217.6 | |
| | | 8-06-57 | 175.8 | 123.3 | 2100 | 3N/21W-09K02 S | 362.1 | 6-18-58 | 159.0 | 206.1 | |
| 2N/22W-03M01 S | 299.1 | 10-17-57 | 179.9 | 119.2 | | | | 7-03-57 | 164.8 | 197.3 | 2100 |
| | | 12-11-57 | 179.5 | 119.6 | | | | 8-07-57 | 171.6 | 190.5 | |
| | | | | | | | | 11-05-57 | 167.8 | 194.3 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| SANTA PAULA BASIN | | | | | | | | | | | |
| 40400 | | | | | | | | | | | |
| 3N/21W-09K02 S | 362.1 | 12-12-57 | 167.1 | 198.0 | 2100 | 3N/21W-11D01 S | 341.1 | 6-01-58 | 94.0 | 245.1 | 2100 |
| CONT. | | 1-29-58 | 157.3 | 204.9 | | | | | | | |
| | | 5-07-58 | 144.9 | 217.2 | | 3N/21W-11E01 S | 316.0 | 7-15-57 | 89.9 | 220.1 | 2100 |
| | | 6-18-58 | 156.7 | 207.4 | | | | 9-17-57 | 97.4 | 212.6 | |
| 3N/21W-09R03 S | 297.5 | 7-15-57 | 100.8 | 196.6 | 2100 | | | 11-08-57 | 85.2 | 220.8 | |
| | | 8-16-57 | 110.8 | 184.7 | | | | 12-11-57 | 87.5 | 222.5 | |
| | | 9-17-57 | 150.0* | 139.5 | | | | 1-04-58 | 81.7 | 228.3 | |
| | | 11-08-57 | 161.3* | 156.2 | | | | 2-16-58 | 75.0 | 235.0 | |
| | | 12-11-57 | 98.0 | 199.5 | | | | 4-04-58 | 63.4 | 246.6 | |
| | | 1-05-58 | 92.3 | 205.2 | | | | 4-23-58 | 58.6 | 251.4 | |
| | | 2-16-58 | 87.0 | 210.5 | | | | 5-10-58 | 70.7 | 239.3 | |
| | | 3-10-58 | 83.1 | 214.2 | | | | 6-01-58 | 65.8 | 244.0 | |
| | | 4-04-58 | 81.4 | 216.1 | | 3N/21W-11E02 S | 317.1 | 7-15-57 | 99.8* | 217.3 | 2100 |
| | | 4-23-58 | 70.1 | 219.4 | | | | 8-02-57 | 104.0* | 213.1 | |
| | | 6-01-58 | 85.7 | 211.8 | | | | 8-05-57 | 104.0* | 213.1 | |
| 3N/21W-10A01 S | 359.2 | 7-12-57 | 145.4 | 209.8 | 2100 | | | 8-05-57 | 103.5* | 213.6 | |
| | | 7-15-57 | 145.5 | 203.7 | | | | 8-05-57 | 101.4 | 215.7 | |
| | | 8-16-57 | 157.3 | 201.3 | | | | 8-06-57 | 98.4 | 218.7 | |
| | | 9-17-57 | 157.3 | 201.4 | | | | 8-16-57 | 105.5* | 211.2 | |
| | | 11-08-57 | 146.7 | 210.5 | | | | 9-17-57 | 106.7* | 210.4 | |
| | | 12-11-57 | 146.2 | 211.0 | | | | 11-08-57 | 94.1 | 223.0 | |
| | | 1-06-58 | 146.0 | 213.7 | | | | 12-11-57 | 92.8 | 224.3 | |
| | | 1-16-58 | 139.5 | 217.7 | | | | 2-16-58 | 90.0 | 227.1 | |
| | | 2-16-58 | 136.4 | 225.8 | | | | 3-10-58 | 76.1 | 241.0 | |
| | | 3-10-58 | 131.6 | 227.6 | | | | 4-04-58 | 68.6 | 248.3 | |
| | | 4-04-58 | 127.0 | 232.2 | | | | 4-23-58 | 53.7 | 253.4 | |
| | | 4-23-58 | 152.3* | 206.9 | | | | 6-01-58 | 70.5 | 246.6 | |
| | | 6-01-58 | 130.2 | 227.0 | | 3N/21W-11F02 S | 308.1 | 7-15-57 | 84.1 | 224.0 | 2100 |
| 3N/21W-10E01 S | 367.0 | 11-05-57 | 169.3 | 197.7 | 2100 | | | 8-16-57 | 90.0 | 218.1 | |
| | | 12-12-57 | 167.5 | 199.5 | | | | 9-17-57 | 91.7 | 218.4 | |
| | | 1-28-58 | 160.9 | 206.1 | | | | 11-08-57 | 85.0 | 223.1 | |
| | | 5-07-58 | 153.0 | 210.0 | | | | 12-11-57 | 82.0 | 225.7 | |
| | | | | | | | | 1-04-58 | 76.7 | 231.4 | |
| 3N/21W-11D01 S | 341.1 | 7-15-57 | 125.1 | 216.0 | 2100 | | | 2-16-58 | 70.0 | 238.1 | |
| | | 8-16-57 | 178.5* | 165.6 | | | | 4-04-58 | 58.3 | 249.8 | |
| | | 9-17-57 | 181.0* | 166.6 | | | | 4-23-58 | 53.5 | 256.6 | |
| | | 11-08-57 | 118.6 | 222.5 | | | | 5-10-58 | 66.9 | 241.2 | |
| | | 12-11-57 | 120.5 | 225.6 | | | | 6-01-58 | 61.0 | 247.1 | |
| | | 1-04-58 | 112.7 | 228.4 | | | | 7-03-57 | 68.7 | 238.7 | 2100 |
| | | 2-16-58 | 106.0 | 235.1 | | 3N/21W-11H02 S | 307.4 | 8-07-57 | 75.2 | 233.2 | |
| | | 3-10-58 | 99.0 | 242.1 | | | | 10-22-57 | 74.2 | 233.2 | |
| | | 4-04-58 | 90.4 | 250.7 | | | | 12-12-57 | 70.6 | 236.8 | |
| | | 4-23-58 | 83.0 | 258.1 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|--|---|---|-----------------------|-------------------------|--------------------|--|--|--|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| SANTA CLARA RIVER VALLEY | | | | | | SANTA PAULA BASIN | | | | | |
| 40400 | | | | | | 40404 | | | | | |
| SANTA PAULA BASIN | | | | | | | | | | | |
| 3N/21W-11H02 S CONT. | 307.4 | 1-29-58 6-18-58 | 61.7 53.3 | 245.7 254.1 | 2100 | 3N/21W-15C01 S CONT. | 247.2 | 1-05-58 2-16-58 3-10-58 4-04-58 4-23-58 6-01-58 | 42.6 34.9 31.2 29.9 26.0 51.3* | 204.6 212.2 216.0 217.3 214.2 195.9 | 2100 |
| 3N/21W-11H03 S | 310.4 | 7-03-57 8-03-57 10-22-57 12-12-57 5-01-58 | 63.3 71.6 62.0 59.4 52.6 | 247.1 238.8 248.4 251.0 257.8 | 2100 | 3N/21W-15C02 S | 242.8 | 7-15-57 9-16-57 9-17-57 11-08-57 12-11-57 1-03-58 2-16-58 3-10-58 4-04-58 4-23-58 | 46.5 54.0 52.0 43.4 40.0 38.6 30.3 27.2 26.0 22.0 | 196.3 188.8 190.8 199.4 204.2 212.0 215.6 216.8 220.8 | 2100 |
| 3N/21W-11J01 S | 287.8 | 10-22-57 12-12-57 1-28-58 5-01-58 | 53.9 50.3 43.2 28.0 | 233.9 237.5 244.6 256.1 | 2100 | 3N/21W-15C03 S | 243.6 | 7-15-57 9-16-57 9-17-57 11-08-57 12-11-57 1-03-58 2-16-58 3-10-58 4-04-58 4-23-58 | 35.2 46.4 44.6 47.3 52.6 47.3 31.8 27.5 26.0 22.3 | 187.2 182.4 182.9 189.0 191.0 196.3 212.5 216.1 217.6 221.3 | 2100 |
| 3N/21W-12D03 S | 302.8 | 7-02-57 8-07-57 10-22-57 12-12-57 1-29-58 5-01-58 | 52.9 61.5 50.0 46.3 32.8 43.3 | 246.9 241.3 252.8 262.5 270.0 259.5 | 2100 | 3N/21W-16A01 S | 272.4 | 7-15-57 8-16-57 9-17-57 11-08-57 12-11-57 1-04-58 2-16-58 3-10-58 4-04-58 4-23-58 | 79.4 86.0 83.0 95.0 70.2 64.0 60.7 58.2 59.9 66.1 | 193.0 186.4 189.4 187.4 202.2 208.4 211.7 214.2 216.5 206.3 | 2100 |
| 3N/21W-12E02 S | 272.0 | 7-15-57 8-16-57 9-17-57 11-08-57 12-11-57 1-04-58 2-16-58 3-10-58 4-04-58 4-23-58 | 70.0* 59.7 53.2 33.2* 13.9 8.9 3.1 3.4 4.3 3.9 | 202.0 242.3 243.3 293.8 258.1 259.1 263.1 268.5 268.6 271.7 268.1 | 2100 | 3N/21W-16A01 S | 272.4 | 7-15-57 8-16-57 9-17-57 11-08-57 12-11-57 1-03-58 2-16-58 3-10-58 4-04-58 4-23-58 | 79.4 86.0 83.0 95.0 70.2 64.0 60.7 58.2 59.9 66.1 | 193.0 186.4 189.4 187.4 202.2 208.4 211.7 214.2 216.5 206.3 | 2100 |
| 3N/21W-12E03 S | 298.3 | 7-02-57 12-12-57 1-29-58 | 45.8 36.3 | 252.5 262.0 | 2100 | 3N/21W-16G01 S | 244.1 | 7-15-57 8-16-57 9-17-57 11-08-57 12-11-57 | 62.8 63.0 69.7* | 181.3 181.1 174.4 | 2100 |
| 3N/21W-15C01 S | 247.2 | 7-15-57 8-16-57 9-17-57 11-08-57 12-11-57 | 51.2 68.5* 51.4 48.0 48.0 | 196.0 178.7 195.6 189.2 199.2 | 2100 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------|--------------------|---|--|---|-----------------------|-------------------------|--------------------|--|--|---|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| SANTA CLARA RIVER VALLEY | | | | | | SANTA PAULA BASIN | | | | | |
| 40400 | | | | | | | | | | | |
| 40400 | | | | | | | | | | | |
| 3N/21W-16G01 S CONT. | 244.1 | 11-08-57 12-11-57 1-05-58 2-16-58 3-10-58 4-04-58 4-23-58 6-01-58 | 62.9* 51.9 49.1* 41.9 38.1 38.2* 33.9 45.2* | 181.2 192.2 195.0 202.2 206.0 205.9 210.2 198.9 | 2100 | 3N/21W-16K02 S CONT. | 231.2 | 4-23-58 6-01-58 | 184.7 274.6 | 212.5 203.6 | 2100 |
| 3N/21W-16H01 S | 252.0 | 7-03-57 8-07-57 11-05-57 12-12-57 5-01-58 6-18-58 | 57.9 64.9 59.3 57.2 33.4 47.6 | 194.1 187.1 192.7 194.8 218.6 204.4 | 2100 | 3N/21W-16R02 S | 227.7 | 7-15-57 8-16-57 9-17-57 11-08-57 12-11-57 1-09-58 3-05-58 3-16-58 4-23-58 6-01-58 | 47.8* 40.3 49.1* 36.0 33.0 28.0 28.2 13.2 17.0 15.2 | 187.9 187.4 178.6 191.7 194.7 199.7 204.5 204.9 212.4 193.1 | 2100 |
| 3N/21W-16H02 S | 250.6 | 7-03-57 8-07-57 11-05-57 12-12-57 3-16-58 4-23-58 6-18-58 | 58.0 64.8 50.5 43.7 41.3 36.6 33.5 28.0 25.3 | 187.9 164.8 185.4 192.2 194.6 199.3 202.4 207.9 210.6 212.1 203.4 | 2100 | 3N/21W-17G01 S | 284.2 | 10-17-57 12-11-57 1-29-58 5-01-58 | 98.5 97.6 88.3 79.4 | 185.7 186.6 195.9 204.8 | 2100 |
| 3N/21W-16K01 S | 235.9 | 7-15-57 8-16-57 9-17-57 11-08-57 12-11-57 1-05-58 2-15-58 3-10-58 4-04-58 4-23-58 6-01-58 | 68.0* 71.1* 50.5 43.7 41.3 36.6 33.5 28.0 25.3 23.8 32.5 | 167.9 164.8 185.4 192.2 194.6 199.3 202.4 207.9 210.6 212.1 203.4 | 2100 | 3N/21W-17R01 S | 264.0 | 2-11-58 5-07-58 | 67.3 58.3 | 196.7 205.7 | 2100 |
| 3N/21W-16K02 S | 231.2 | 7-15-57 8-16-57 9-17-57 11-08-57 12-11-57 1-05-58 2-16-58 3-10-58 4-04-58 | 62.0* 61.1* 62.4* 39.2 36.8 31.9 26.9 23.3 21.0 | 169.2 170.1 168.8 192.0 194.0 199.3 204.3 207.9 210.2 | 2100 | 3N/21W-19A02 S | 246.5 | 7-03-57 7-10-57 7-17-57 8-23-57 8-31-57 9-01-57 9-15-57 9-30-57 10-15-57 11-01-57 | 66.9 72.8 73.5 72.0 71.8 72.1 72.1 69.7 73.0 73.3 67.8 | 179.6 173.7 173.0 174.5 174.7 174.4 176.3 176.8 176.2 176.2 178.8 | 2400 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Date | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Date |
|--------------------------|--------------------|------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|-------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | 40400 | | | | | |
| SANTA PAULA BASIN | | | | | | | | | | | |
| 3N/21W-19A02 S | | | | | | 3N/21W-20J02 S | | | | | |
| CONT. | | | | | | CONT. | | | | | |
| 246.5 | 11-15-57 | 66.5 | 180.0 | 2400 | 2100 | 203.8 | 10-17-57 | 26.5 | 177.3 | 2100 | |
| | 12-01-57 | 66.6 | 179.9 | | | | 12-12-57 | 22.6 | 181.2 | | |
| | 12-04-57 | 72.3 | 174.2 | | | | 1-29-58 | 17.0 | 186.8 | | |
| | 12-15-57 | 63.9 | 182.6 | | | | 5-01-58 | 9.0 | 194.8 | | |
| | 1-01-58 | 60.5 | 186.0 | | | | 6-18-58 | 13.6 | 190.2 | | |
| | 1-15-58 | 60.7 | 185.8 | | | | | | | | |
| | 2-01-58 | 58.5 | 188.0 | | | 231.1 | 7-02-57 | 51.8 | 179.3 | 2100 | |
| | 2-15-58 | 56.7 | 189.8 | | | | 8-07-57 | 57.2 | 175.9 | | |
| | 3-01-58 | 54.9 | 191.6 | | | | 8-29-57 | 55.3 | 175.8 | | |
| | 3-15-58 | 53.5 | 193.0 | | | | 10-17-57 | 53.6 | 177.5 | | |
| | 4-01-58 | 51.3 | 195.2 | | | | 12-31-57 | 44.6 | 186.5 | | |
| | 4-15-58 | 49.6 | 196.9 | | | | 1-29-58 | 42.8 | 188.3 | | |
| | 5-01-58 | 50.2 | 196.3 | | | | 2-11-58 | 40.9 | 190.2 | | |
| | 5-15-58 | 51.3 | 195.2 | | | | 3-25-58 | 35.9 | 195.2 | | |
| | 5-30-58 | 58.9 | 187.6 | | | | 5-01-58 | 34.2 | 196.9 | | |
| | 6-02-58 | 56.0 | 190.5 | | | | 6-18-58 | 42.3 | 188.8 | | |
| | 6-05-58 | 60.7 | 185.8 | | | | | | | | |
| | 6-15-58 | 56.5 | 190.0 | | | 211.8 | 10-17-57 | 38.8 | 173.0 | 2100 | |
| | 6-27-58 | 63.5 | 183.0 | | | | 12-12-57 | 33.7 | 178.1 | | |
| | | | | | | | 1-29-58 | 28.8 | 183.0 | | |
| 3N/21W-19G01 S | | | | | | 3N/21W-20P01 S | | | | | |
| 250.8 | 7-15-57 | 80.4 | 170.4 | 2100 | 2100 | 220.8 | 7-02-57 | 25.7 | 195.1 | 2100 | |
| | 8-16-57 | 85.2 | 165.6 | | | | 8-07-57 | 42.4* | 178.4 | | |
| | 9-17-57 | 84.1 | 166.7 | | | | 11-05-57 | 29.8 | 191.0 | | |
| | 11-08-57 | 84.0 | 166.8 | | | | 12-12-57 | 27.7 | 193.1 | | |
| | 12-01-57 | 73.0 | 177.8 | | | | 1-29-58 | 21.9 | 198.9 | | |
| | 1-04-58 | 72.3 | 178.5 | | | | 5-01-58 | 12.7 | 208.1 | | |
| | 2-16-58 | 65.0 | 185.8 | | | | 6-18-58 | 18.0 | 202.8 | | |
| | 3-10-58 | 65.0 | 185.8 | | | | | | | | |
| | 4-04-58 | 58.8 | 192.0 | | | | 7-02-57 | 25.6 | 188.5 | 2100 | |
| | 4-23-58 | 58.0 | 192.8 | | | | 10-17-57 | 32.6 | 181.5 | | |
| | 6-01-58 | 63.0 | 187.8 | | | | 5-01-58 | 23.0 | 191.1 | | |
| | | | | | | | 5-01-58 | 13.8 | 200.3 | | |
| | | | | | | | 6-18-58 | 18.5 | 195.6 | | |
| 3N/21W-19R01 S | | | | | | 3N/21W-20Q01 S | | | | | |
| 236.0 | 8-07-57 | 65.3 | 170.7 | 2100 | 2100 | 198.1 | 8-07-57 | 25.9 | 172.2 | 2100 | |
| | 10-17-57 | 61.6 | 174.4 | | | | 10-17-57 | 26.5 | 171.6 | | |
| | 12-11-57 | 60.9 | 175.1 | | | | 12-12-57 | 22.3 | 175.8 | | |
| | 1-29-58 | 52.1 | 183.9 | | | | 1-29-58 | 18.5 | 179.6 | | |
| | 5-08-58 | 44.1 | 191.9 | | | | 5-01-58 | 11.0 | 187.1 | | |
| | 6-18-58 | 51.4 | 184.6 | | | | 6-18-58 | 14.0 | 184.1 | | |
| 3N/21W-20F01 S | | | | | | 3N/21W-20H02 S | | | | | |
| 240.1 | 7-02-57 | 58.7 | 181.4 | 2100 | 2100 | 222.8 | 10-17-57 | 58.0 | 164.8 | 2100 | |
| | 10-17-57 | 60.1 | 180.0 | | | | 12-12-57 | 53.7 | 169.1 | | |
| | 12-11-57 | 57.7 | 182.4 | | | | 1-29-58 | 49.0 | 173.8 | | |
| | 1-29-58 | 50.0 | 190.1 | | | | 5-01-58 | 41.2 | 198.9 | | |
| | 5-01-58 | 41.2 | 198.9 | | | | 6-18-58 | 49.0 | 191.1 | | |
| | 6-18-58 | 49.0 | 191.1 | | | | | | | | |
| 3N/21W-20J02 S | | | | | | 3N/21W-20K02 S | | | | | |
| 203.8 | 7-02-57 | 20.4 | 183.4 | 2100 | 2100 | 222.8 | 10-17-57 | 58.0 | 164.8 | 2100 | |
| | | | | | | | 12-12-57 | 53.7 | 169.1 | | |
| | | | | | | | 1-29-58 | 49.0 | 173.8 | | |
| | | | | | | | 5-01-58 | 41.2 | 181.6 | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| SANTA CLARA RIVER VALLEY | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| 40400 | | | | | | 40400 | | | | | |
| SANTA PAULA BASIN | | | | | | | | | | | |
| SANTA PAULA BASIN | | | | | | SANTA PAULA BASIN | | | | | |
| 40404 | | | | | | 40404 | | | | | |
| 3N/21W-3U02 S | 222.8 | 6-18-58 | 50.3 | 172.5 | 2100 | 3N/22W-36B01 S | 182.0 | 10-16-57 | 29.9 | 152.1 | 2100 |
| 3N/21W-31C01 S | 186.6 | 10-17-57 | 29.7 | 156.9 | 2100 | CONT. | | 12-10-57 | 27.2 | 154.3 | |
| | | 12-11-57 | 29.9 | 156.7 | | | | 1-23-58 | 24.2 | 157.8 | |
| | | 1-23-58 | 28.9 | 157.7 | | | | 5-06-58 | 14.4 | 167.6 | |
| | | 5-06-58 | 21.7 | 164.9 | | | | | | | |
| 3N/21W-31E01 S | 182.7 | 8-06-57 | 33.5 | 149.2 | 2100 | 3N/22W-36K02 S | 181.1 | 8-06-57 | 34.2 | 146.9 | 2100 |
| | | 10-17-57 | 29.9 | 152.8 | | | | 10-16-57 | 29.7 | 151.4 | |
| | | 12-11-57 | 27.7 | 155.0 | | | | 12-10-57 | 27.2 | 153.9 | |
| | | 1-23-58 | 24.5 | 158.2 | | | | 1-23-58 | 24.2 | 156.9 | |
| | | 5-06-58 | 15.1 | 167.6 | | | | 5-05-58 | 14.2 | 166.9 | |
| | | 6-17-58 | 23.2 | 159.5 | | | | 6-17-58 | 28.4 | 152.7 | |
| 3N/22W-25H01 S | 240.0 | 7-02-57 | 79.1 | 160.9 | 2100 | FILLMORE BASIN | | | | | |
| | | 8-07-57 | 83.3 | 156.7 | | | | 7-23-57 | 116.8 | 348.8 | 2100 |
| | | 10-17-57 | 80.7 | 159.3 | | | | 8-26-57 | 118.9 | 346.7 | |
| | | 12-11-57 | 78.2 | 161.8 | | | | 9-27-57 | 120.8 | 344.8 | |
| | | 1-29-58 | 73.2 | 166.8 | | | | 11-29-57 | 122.0 | 343.6 | |
| | | 5-01-58 | 67.5 | 172.5 | | | | 1-22-58 | 122.0 | 343.6 | |
| | | 6-18-58 | 72.7 | 167.3 | | | | 4-23-58 | 114.7 | 350.9 | |
| 3N/22W-34O02 S | 284.4 | 8-06-57 | 146.6 | 137.8 | 2100 | 3N/19W-05D01 S | 465.6 | 7-02-57 | 76.0 | 338.3 | 2100 |
| | | 10-17-57 | 138.9 | 145.5 | | | | 4-23-58 | 77.3 | 360.0 | |
| 3N/22W-34R01 S | 267.5 | 10-17-57 | 121.0 | 146.5 | 2100 | 3N/20W-01C04 S | 404.6 | 7-23-57 | 71.0* | 333.6 | 2100 |
| | | 12-11-57 | 117.8 | 149.7 | | | | 8-27-57 | 73.8* | 330.8 | |
| | | 5-06-58 | 112.0 | 153.5 | | | | 10-02-57 | 66.1 | 338.5 | |
| | | 6-17-58 | 118.6 | 148.9 | | | | 1-23-58 | 62.3 | 342.3 | |
| | | 8-07-57 | 148.2 | 151.7 | 2100 | | | 4-23-58 | 42.3 | 362.3 | |
| 3N/22W-35E01 S | 299.9 | 8-07-57 | 148.2 | 151.7 | 2100 | 3N/20W-01D01 S | 409.1 | 7-02-57 | 76.0 | 335.1 | 2100 |
| | | 10-17-57 | 76.2 | 148.2 | | | | 8-27-57 | 76.7 | 332.6 | |
| | | 12-11-57 | 73.7 | 148.7 | | | | 11-29-57 | 81.0 | 328.1 | |
| | | 1-28-58 | 67.5 | 154.9 | | | | 1-23-58 | 77.2 | 331.9 | |
| | | 5-06-58 | 59.3 | 163.1 | | | | 4-23-58 | 59.0 | 350.1 | |
| | | 8-06-57 | 25.3 | 166.3 | | | | 6-19-58 | 56.2 | 352.9 | |
| | | 10-16-57 | 19.1 | 165.3 | 2100 | | | 6-30-58 | 56.1 | 353.0 | |
| | | 12-10-57 | 18.6 | 153.0 | | | | 7-23-57 | 69.0 | 333.2 | 2100 |
| | | 1-28-58 | 13.0 | 158.6 | | | | 8-27-57 | 71.5 | 330.7 | |
| | | 5-07-58 | 4.8 | 166.8 | | | | 10-02-57 | 74.1 | 328.1 | |
| | | 6-17-58 | 14.9 | 156.7 | | | | 11-29-57 | 75.5 | 326.7 | |
| 3N/22W-36B01 S | 182.0 | 8-06-57 | 34.1 | 147.9 | 2100 | | | 1-23-58 | 73.9 | 328.3 | |
| | | | | | | | | 4-23-58 | 57.1 | 345.1 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| FILLMORE BASIN | | | | | | | | | | | |
| 3N/20W-01E01 S | 402.2 | 6-19-58 | 55.5 | 346.7 | 2100 | 3N/20W-03D01 S | 348.1 | 2-27-58 | 9.5 | 338.6 | 2100 |
| 3N/20W-01G01 S | 456.4 | 7-23-57 | 115.7 | 340.7 | 2100 | CONT. | | 5-01-58 | 1.1 | 347.0 | |
| | | 8-27-57 | 119.2 | 331.2 | | | | 6-19-58 | 4.1 | 344.0 | |
| | | 10-02-57 | 121.9 | 334.5 | | | | | | | |
| | | 11-29-57 | 123.2 | 333.2 | | | | | | | |
| | | 4-23-58 | 105.8 | 350.6 | | | | | | | |
| 3N/20W-02A01 S | 377.0 | 7-23-57 | 49.4 | 327.6 | 2100 | 3N/20W-03D02 S | 341.2 | 7-03-57 | 45.5* | 295.7 | 2100 |
| | | 8-27-57 | 52.2 | 324.8 | | | | 8-08-57 | 48.9* | 292.3 | |
| | | 10-02-57 | 54.2 | 322.8 | | | | 11-06-57 | 30.9 | 310.3 | |
| | | 11-29-57 | 55.0 | 322.0 | | | | 12-26-57 | 28.2 | 313.0 | |
| | | 1-23-58 | 51.1 | 325.9 | | | | 2-27-58 | 16.5 | 324.7 | |
| | | 4-23-58 | 30.8 | 346.2 | | | | 3-25-58 | 12.3 | 328.9 | |
| | | 6-19-58 | 30.7 | 346.3 | | | | 5-01-58 | 9.3 | 331.9 | |
| | | | | | | | | 6-19-58 | 36.9* | 304.5 | |
| 3N/20W-02A02 S | 379.7 | 7-23-57 | 43.2 | 336.5 | 2100 | 3N/20W-03H01 S | 358.7 | 7-24-57 | 40.5 | 318.2 | 2100 |
| | | 8-27-57 | 45.8 | 333.9 | | | | 10-03-57 | 48.0* | 310.7 | |
| | | | | | | | | 12-02-57 | 46.3* | 312.4 | |
| | | | | | | | | 1-23-58 | 40.5 | 318.2 | |
| | | | | | | | | 4-24-58 | 19.6 | 339.1 | |
| | | | | | | | | 6-19-58 | 22.4 | 336.3 | |
| 3N/20W-02F01 S | 365.1 | 7-24-57 | 41.0 | 324.1 | 2100 | 3N/20W-03J01 S | 355.0 | 10-03-57 | 40.6 | 314.4 | 2100 |
| | | 8-27-57 | 43.8 | 321.3 | | | | 12-03-57 | 40.5 | 314.5 | |
| | | 10-03-57 | 43.8 | 321.3 | | | | 1-23-58 | 38.2 | 316.8 | |
| | | 12-02-57 | 44.4 | 320.7 | | | | 4-24-58 | 15.9 | 339.1 | |
| | | 1-23-58 | 42.7 | 322.4 | | | | 6-19-58 | 19.4 | 335.6 | |
| | | 4-24-58 | 23.3 | 341.8 | | | | | | | |
| | | 6-19-58 | 23.6 | 341.5 | | | | | | | |
| 3N/20W-02K02 S | 369.2 | 8-27-57 | 46.0 | 323.2 | 2100 | 3N/20W-03J02 S | 353.3 | 7-24-57 | 36.8 | 316.5 | 2100 |
| | | 10-03-57 | 48.2 | 321.0 | | | | 8-27-57 | 48.5* | 304.8 | |
| | | 12-02-57 | 48.9 | 320.3 | | | | 10-03-57 | 40.0* | 313.3 | |
| | | 1-23-58 | 47.6 | 321.6 | | | | 12-03-57 | 41.0 | 312.3 | |
| | | 4-24-58 | 26.5 | 342.7 | | | | 1-23-58 | 38.7 | 314.6 | |
| | | 6-19-58 | 27.0 | 342.2 | | | | 4-24-58 | 17.8 | 335.5 | |
| 3N/20W-02R02 S | 411.6 | 7-23-57 | 80.7 | 330.9 | 2100 | 3N/20W-03N01 S | 344.2 | 7-24-57 | 41.8* | 302.4 | 2100 |
| | | 8-27-57 | 83.4 | 328.2 | | | | 8-27-57 | 44.0* | 300.2 | |
| | | 10-02-57 | 85.8 | 325.8 | | | | 10-03-57 | 36.3 | 307.9 | |
| | | 11-29-57 | 87.5 | 324.1 | | | | 12-03-57 | 36.4 | 307.8 | |
| | | 1-23-58 | 83.8 | 327.8 | | | | 1-23-58 | 30.4 | 313.8 | |
| | | 4-23-58 | 66.2 | 345.4 | | | | 4-24-58 | 14.5 | 329.7 | |
| | | 6-19-58 | 64.2 | 347.4 | | | | | | | |
| 3N/20W-03D01 S | 348.1 | 7-03-57 | 19.5 | 328.6 | 2100 | 3N/20W-03P01 S | 344.8 | 7-24-57 | 37.9* | 306.9 | 2100 |
| | | 8-08-57 | 25.7 | 322.4 | | | | 8-27-57 | 42.8* | 302.0 | |
| | | 11-06-57 | 25.5 | 322.6 | | | | 10-03-57 | 35.1 | 309.7 | |
| | | 12-26-57 | 22.7 | 325.4 | | | | 12-03-57 | 29.6 | 309.6 | |
| | | | | | | | | 1-23-58 | 29.6 | 315.2 | |
| | | | | | | | | 4-24-58 | 12.7 | 332.1 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------|---------------------|--|---|--|-----------------------|--------------------------|---------------------|---|---|---|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| 40400 | | | | | | 40400 | | | | | |
| FILLMORE BASIN | | | | | | | | | | | |
| 40405 | | | | | | | | | | | |
| 40405 | | | | | | | | | | | |
| 3N/20W-04N02 S | 315.6 | 12-03-57 1-23-58 | 19.8* 10.1 | 295.8 305.5 | 2100 | 3N/20W-08A01 S CONT. | 322.3 | 1-23-58 4-24-58 6-19-58 | 21.4 14.2 16.6 | 300.9 308.1 303.7 | 2100 |
| 3N/20W-05C01 S | 412.7 | 11-06-57 12-24-57 2-27-58 6-18-58 | 121.0 118.2 109.5 151.7* | 291.7 294.5 303.2 261.0 | 2100 | 3N/20W-08F02 S | 302.2 | 7-24-57 8-27-57 10-03-57 12-03-57 1-23-58 4-24-58 6-19-58 | 10.0 11.0 11.2 14.0* 2.6 2.2 4.2 | 292.2 291.2 291.0 288.2 289.0 288.0 | 2100 |
| 3N/20W-05C02 S | 411.8 | 8-08-57 11-06-57 12-24-57 2-27-58 5-07-58 | 147.7* 119.7 116.5 108.1 126.3* | 264.1 292.1 295.3 303.7 285.5 | 2100 | 3N/20W-09G01 S | 330.7 | 7-24-57 8-27-57 10-03-57 12-03-57 1-23-58 4-24-58 6-19-58 | 28.0 31.6 30.3 30.0 24.9 12.8 15.9 | 302.7 299.1 300.4 300.0 305.8 317.9 314.8 | 2100 |
| 3N/20W-05C03 S | 404.7 | 7-03-57 8-08-57 11-06-57 12-24-57 2-27-58 5-01-58 | 111.3 116.5 109.9 108.6 100.0 95.6 | 293.4 288.2 294.8 296.1 304.7 309.1 | 2100 | 3N/20W-10D02 S | 336.3 | 7-24-57 8-27-57 10-03-57 12-03-57 1-23-58 4-24-58 6-19-58 | 38.7* 29.9 30.8 30.8 27.4 10.4 23.0* | 297.6 306.4 305.5 308.9 325.9 313.3 | 2100 |
| 3N/20W-06J01 S | 307.5 | 8-08-57 11-06-57 12-24-57 2-27-58 5-01-58 6-18-58 | 23.7 19.5 14.7 8.9 7.3 12.8 | 283.8 298.0 292.8 298.6 300.2 294.7 | 2100 | 3N/20W-10F01 S | 346.2 | 7-24-57 8-27-57 10-03-57 12-03-57 1-23-58 4-24-58 6-19-58 | 33.7 35.5 36.4 309.0 311.1 327.0 19.2 | 312.5 310.7 309.8 309.0 311.1 327.0 326.5 | 2100 |
| 3N/20W-08A01 S | 322.3 | 7-24-57 8-27-57 10-03-57 12-03-57 1-23-58 4-24-58 | 74.5 73.0 88.2 86.5 88.5 | 297.1 297.1 295.4 295.6 | 2100 | 3N/20W-11C01 S | 397.1 | 7-23-57 8-21-57 12-03-57 1-23-58 4-24-58 | 74.5 73.0 88.0* 71.3 54.3 | 322.6 324.1 308.7 325.8 342.8 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| FILLMORE BASIN | | | | | | | | | | | |
| 40405 | | | | | | 40405 | | | | | |
| 3N/20W-11C01 S | 397.1 | 6-19-58 | 56.5 | 340.6 | 2100 | 4N/19W-30P02 S | 449.9 | 9-26-57 | 88.1* | 361.8 | 2100 |
| 3N/20W-11D04 S | 391.2 | 7-24-57 | 66.1 | 325.1 | 2100 | CONT. | | 11-27-57 | 86.8* | 363.1 | |
| | | 8-27-57 | 68.4 | 322.8 | | | | 1-16-58 | 84.2* | 365.7 | |
| | | 10-03-57 | 70.8 | 320.4 | | | | 4-17-58 | 52.1 | 397.8 | |
| | | 1-23-58 | 67.9 | 323.3 | | | | 6-13-58 | 54.2 | 395.7 | |
| | | 4-24-58 | 52.8 | 338.4 | | | | | | | |
| | | 6-19-58 | 50.8 | 340.4 | | 4N/19W-30R01 S | 442.4 | 7-19-57 | 63.8 | 378.6 | 2100 |
| 3N/20W-11D05 S | 391.1 | 7-24-57 | 65.8 | 325.3 | 2100 | | | 9-26-57 | 67.5 | 374.9 | |
| | | 8-27-57 | 67.1 | 324.0 | | | | 4-17-58 | 39.5 | 402.9 | |
| | | 10-03-57 | 69.5 | 321.6 | | | | 6-12-58 | 41.1 | 401.3 | |
| | | 12-03-57 | 70.9* | 320.2 | | 4N/19W-31D02 S | 416.3 | 7-19-57 | 52.9* | 363.4 | 2100 |
| | | 1-23-58 | 68.7 | 322.4 | | | | 9-26-57 | 46.2 | 370.1 | |
| | | 4-24-58 | 52.7 | 338.4 | | | | 11-29-57 | 54.4* | 361.9 | |
| | | 6-19-58 | 50.8 | 340.3 | | | | 1-16-58 | 46.3 | 370.0 | |
| | | | | | | | | 4-17-58 | 19.1 | 397.2 | |
| | | | | | | | | 6-13-58 | 24.5 | 391.8 | |
| 4N/19W-29L01 S | 455.6 | 7-19-57 | 83.2* | 372.4 | 2100 | 4N/19W-31E01 S | 418.3 | 7-23-57 | 48.4 | 369.9 | 2100 |
| | | 9-26-57 | 70.4 | 385.2 | | | | 8-27-57 | 51.0 | 367.3 | |
| | | 11-25-57 | 69.5 | 386.1 | | | | 10-02-57 | 52.6 | 365.7 | |
| | | 1-16-58 | 68.0 | 387.6 | | | | 11-29-57 | 51.9 | 366.4 | |
| | | 3-26-58 | 55.6 | 400.0 | | | | 1-22-58 | 49.5 | 368.8 | |
| 4N/19W-29L03 S | 448.7 | 9-26-57 | 67.8 | 380.9 | 2100 | | | 4-23-58 | 30.0 | 388.3 | |
| | | 11-25-57 | 68.8 | 379.9 | | | | 6-19-58 | 29.6 | 388.7 | |
| | | 1-16-58 | 66.6 | 384.1 | | | | | | | |
| | | 4-17-58 | 41.2 | 407.5 | | | | 7-23-57 | 55.7 | 376.1 | 2100 |
| | | 6-12-58 | 41.7 | 407.0 | | 4N/19W-31L01 S | 431.8 | 8-26-57 | 56.9 | 374.9 | |
| | | | | | | | | 11-29-57 | 57.7 | 374.1 | |
| 4N/19W-29D01 S | 457.6 | 7-18-57 | 43.4 | 414.2 | 2100 | | | 4-23-58 | 37.3 | 394.5 | |
| | | 8-22-57 | 46.0 | 411.6 | | | | | | | |
| | | 9-25-57 | 46.7 | 410.9 | | | | 8-27-57 | 79.9 | 344.6 | 2100 |
| | | 11-25-57 | 46.8 | 410.8 | | 4N/19W-31N03 S | 424.5 | 10-02-57 | 78.9 | 345.6 | |
| | | 1-16-58 | 44.6 | 413.0 | | | | 11-29-57 | 78.2 | 346.3 | |
| | | 3-26-58 | 34.0 | 423.6 | | | | 4-23-58 | 63.1 | 361.4 | |
| | | 6-12-58 | 20.5 | 437.1 | | | | 6-19-58 | 63.3 | 361.2 | |
| 4N/19W-30J01 S | 448.8 | 7-23-57 | 100.6 | 348.2 | 2100 | 4N/19W-31R02 S | 458.4 | 7-23-57 | 112.8 | 345.6 | 2100 |
| | | 8-26-57 | 103.6 | 345.2 | | | | 8-26-57 | 115.5 | 345.9 | |
| | | 9-27-57 | 106.5 | 342.3 | | | | 9-27-57 | 115.3 | 343.1 | |
| | | 11-29-57 | 107.1 | 341.7 | | | | 11-29-57 | 115.8 | 342.6 | |
| | | 4-23-58 | 98.0 | 350.8 | | | | 1-22-58 | 115.5 | 342.9 | |
| | | 6-19-58 | 86.5 | 362.3 | | | | 4-23-58 | 109.1 | 349.3 | |
| | | | | | | | | 6-19-58 | 114.2 | 344.2 | |
| 4N/19W-30P02 S | 449.9 | 7-19-57 | 85.1* | 364.8 | 2100 | 4N/19W-32B03 S | 461.4 | 7-18-57 | 38.1 | 423.3 | 2100 |
| | | 8-22-57 | 88.8* | 361.1 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------|---------------------|--|---|---|-----------------------|-------------------|---------------------|---|---|---|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | 40400 | | | | | |
| FILLMORE BASIN | | | | | | | | | | | |
| 40405 | | | | | | | | | | | |
| 4N/19W-32B03 S CONT. | 461.4 | 8-22-57 9-25-57 11-25-57 1-16-58 3-26-58 | 40.4 41.2 41.3 39.1 27.1 | 421.0 420.2 420.1 422.3 434.3 | 2100 | 4N/19W-32M01 S | 449.0 | 6-19-58 | 36.7 | 412.3 | 2100 |
| 4N/19W-32F02 S | 451.7 | 7-23-57 11-29-57 1-22-58 4-23-58 | 91.8* 85.0* 56.4 29.5 | 359.9 366.7 395.3 422.2 | 2100 | 4N/19W-32O02 S | 454.1 | 7-23-57 8-26-57 10-03-57 11-29-57 1-22-58 4-22-58 6-19-58 | 38.4 39.6 40.8 40.5 41.8* 35.9 15.9 20.7 | 415.7 414.5 413.3 413.6 418.2 438.2 433.4 | 2100 |
| 4N/19W-32J01 S | 464.0 | 7-23-57 8-26-57 11-29-57 1-22-58 4-23-58 6-19-58 | 43.3 59.0* 44.0 38.2 13.2 32.0 | 420.7 405.0 420.0 425.8 448.8 432.0 | 2100 | 4N/19W-33D01 S | 473.6 | 7-18-57 8-20-57 9-25-57 1-13-58 4-16-58 6-09-58 | 38.6 41.4 42.6 39.7 16.7 15.5 | 435.0 432.2 431.0 433.9 456.9 458.1 | 2100 |
| 4N/19W-32J02 S | 468.8 | 7-23-57 8-26-57 10-03-57 11-29-57 1-22-58 4-22-58 6-18-58 | 58.2* 60.8* 59.5* 57.0* 52.5* 24.6* 38.6* | 410.6 408.0 409.0 411.8 416.9 444.2 430.2 | 2100 | 4N/19W-33M05 S | 476.3 | 7-23-57 8-26-57 10-03-57 11-29-57 1-13-58 4-22-58 6-18-58 | 53.0 55.1 55.6 50.0 54.0 45.3 28.6 | 423.3 421.2 420.7 421.3 421.3 457.3 447.7 | 2100 |
| 4N/19W-32K02 S | 457.0 | 7-10-57 7-10-57 8-10-57 9-10-57 10-10-57 11-06-57 12-10-57 | 40.0 57.0 46.0 44.0 47.0 43.0 43.0 | 417.0 400.0 413.0 413.0 410.0 414.0 414.0 | 2100 | 4N/20W-23J03 S | 540.0 541.8 | 7-03-57 11-06-57 12-26-57 2-27-58 6-19-58 | 368.1 176.1 174.5 162.3 152.6 | 365.7 367.3 379.5 389.2 | 2100 |
| 4N/19W-32K05 S | 460.3 | 7-23-57 10-03-57 11-29-57 4-22-58 6-19-58 | 50.2* 43.4 52.0* 14.1 19.5 | 410.1 416.9 408.3 446.2 440.8 | 2100 | 4N/20W-23N01 S | 550.6 | 11-05-57 12-26-57 2-27-58 6-19-58 | 194.2 189.7 178.2 173.7 | 356.4 360.9 372.4 376.9 | 2100 |
| 4N/19W-32M01 S | 449.0 | 7-23-57 8-26-57 10-03-57 11-29-57 1-22-58 4-23-58 | 71.4* 79.8* 80.6* 78.2* 39.6* 52.7 | 377.6 369.2 368.4 370.8 396.3 420.7 | 2100 | 4N/20W-25C01 S | 441.5 | 8-22-57 11-27-57 4-17-58 | 75.1 75.9 36.5 | 366.4 365.6 405.0 | 2100 |
| | | 7-19-57 8-22-57 9-26-57 11-27-57 1-16-58 4-17-58 6-13-58 | 54.0 57.7 60.5 61.0 64.7* 31.9 31.9 | 369.9 366.2 363.4 362.9 359.2 396.7 392.0 | | 4N/20W-25K01 S | 423.9 | 7-19-57 8-22-57 9-26-57 11-27-57 1-16-58 4-17-58 | 54.0 57.7 60.5 61.0 64.7* 31.9 | 369.9 366.2 363.4 362.9 359.2 396.7 392.0 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | 40405 | | | | | |
| FILLMORE BASIN | | | | | | | | | | | |
| 4N/20W-25N03 S | 408.3 | 7-19-57 | 45.5* | 362.8 | 2100 | 4N/20W-26F01 S | 481.8 | 5-01-58 | 95.9 | 385.9 | 2100 |
| | | 8-23-57 | 43.9 | 364.4 | | | | 7-19-57 | 61.5 | 365.5 | 2100 |
| | | 9-26-57 | 45.6 | 362.7 | | 4N/20W-26H02 S | 427.0 | 8-23-57 | 73.3* | 353.7 | |
| | | 11-27-57 | 50.9* | 357.4 | | | | 9-26-57 | 68.5* | 358.5 | |
| | | 1-16-58 | 46.1* | 362.2 | | | | 11-27-57 | 74.5* | 352.5 | |
| | | 4-17-58 | 16.8 | 391.5 | | | | 1-16-58 | 70.3* | 356.7 | |
| | | 6-13-58 | 27.0 | 381.3 | | | | 4-17-58 | 31.1 | 395.9 | |
| 4N/20W-25P02 S | 416.9 | 7-19-57 | 56.5* | 360.4 | 2100 | | | 6-13-58 | 41.2* | 385.8 | |
| | | 8-23-57 | 50.2 | 366.7 | | | | 7-02-57 | 61.4 | 366.6 | 2400 |
| | | 9-26-57 | 52.9 | 364.0 | | 4N/20W-26L01 S | 428.0 | 7-02-57 | 62.2 | 365.8 | |
| | | 11-27-57 | 61.4* | 355.5 | | | | 7-02-57 | 65.3 | 364.5 | |
| | | 1-16-58 | 56.5* | 360.4 | | | | 7-16-57 | 63.5 | 364.5 | |
| | | 4-17-58 | 22.6 | 394.3 | | | | 8-21-57 | 68.8 | 364.2 | |
| | | 6-13-58 | 34.9 | 382.0 | | | | 8-01-57 | 65.1 | 362.9 | |
| 4N/20W-25Q02 S | 411.8 | 4-17-58 | 18.0 | 393.8 | 2100 | | | 8-15-57 | 66.8 | 361.2 | |
| | | 11-05-57 | 68.5 | 363.0 | 2100 | | | 9-01-57 | 67.8 | 360.2 | |
| 4N/20W-26A02 S | 431.5 | 12-24-57 | 66.5 | 365.0 | | | | 10-15-57 | 65.3 | 358.7 | |
| | | 2-18-58 | 54.4* | 377.1 | | | | 10-15-57 | 69.1 | 358.9 | |
| | | 5-01-58 | 36.7 | 394.8 | | | | 11-01-57 | 67.1 | 360.3 | |
| 4N/20W-26B02 S | 473.7 | 7-03-57 | 105.9 | 367.8 | 2100 | | | 11-15-57 | 66.5 | 361.5 | |
| | | 8-08-57 | 109.4 | 364.3 | | | | 12-01-57 | 68.2 | 359.8 | |
| | | 11-06-57 | 111.9 | 361.8 | | | | 12-15-57 | 66.9 | 361.1 | |
| | | 1-26-57 | 108.3 | 365.4 | | | | 1-01-58 | 63.1 | 364.9 | |
| | | 2-27-58 | 96.4 | 377.3 | | | | 1-15-58 | 65.3 | 365.7 | |
| | | 5-01-58 | 80.5 | 393.2 | | | | 2-01-58 | 61.3 | 366.7 | |
| | | 6-19-58 | 84.3 | 389.4 | | | | 2-15-58 | 55.2 | 372.8 | |
| 4N/20W-26C02 S | 505.4 | 8-08-57 | 160.4 | 345.0 | 2100 | | | 3-01-58 | 51.3 | 376.7 | |
| | | 11-06-57 | 157.8 | 347.6 | | | | 3-15-58 | 45.6 | 378.4 | |
| | | 1-26-57 | 143.0 | 362.4 | | | | 4-01-58 | 40.8 | 381.2 | |
| | | 2-27-58 | 133.1 | 372.3 | | | | 4-15-58 | 41.7 | 386.3 | |
| | | 5-07-58 | 122.8 | 382.6 | | | | 5-01-58 | 42.2 | 385.8 | |
| | | 6-19-58 | 132.6 | 372.8 | | | | 6-01-58 | 43.5 | 384.5 | |
| 4N/20W-26D01 S | 538.8 | 11-05-57 | 179.7 | 359.1 | 2100 | 4N/20W-27N01 S | 527.2 | 7-03-57 | 162.6 | 384.6 | 2100 |
| | | 1-26-57 | 178.0 | 360.8 | | | | 8-08-57 | 161.0 | 360.2 | |
| | | 2-27-58 | 167.0 | 371.8 | | | | 11-03-57 | 166.4 | 360.8 | |
| | | 5-01-58 | 155.3 | 383.5 | | | | 12-26-57 | 168.0 | 363.2 | |
| 4N/20W-26F01 S | 481.8 | 11-06-57 | 121.0 | 360.8 | 2100 | | | 2-21-58 | 159.3 | 367.9 | |
| | | 1-26-57 | 118.4 | 363.4 | | | | 5-01-58 | 146.6 | 360.6 | |
| | | 2-18-58 | 110.2 | 371.6 | | 4N/20W-31H01 S | 759.8 | 6-19-58 | 148.0 | 379.2 | |
| | | | | | | | | 8-08-57 | 330.0 | 429.8 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | |
|--------------------------|--------------------|---|--|---|-----------------------|--------------------------|--------------------|---|--|---|-----------------------|--|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | | |
| SANTA CLARA RIVER VALLEY | | | | | | SANTA CLARA RIVER VALLEY | | | | | | |
| 40400 | | | | | | 40400 | | | | | | |
| FILLMORE BASIN | | | | | | | | | | | | |
| 40405 | | | | | | 40405 | | | | | | |
| 4N/20W-31H01 S CONT. | 759.8 | 5-08-58 6-18-58 | 331.1 330.3 | 428.7 429.5 | 2100 | 4N/20W-35H01 S CONT. | 385.6 | 11-27-57 1-16-58 4-17-58 6-13-58 | 34.0* 30.4* 7.7 7.8 | 351.6 355.6 377.9 377.8 | 2100 | |
| 4N/20W-32H01 S | 614.5 | 11-06-57 12-24-57 2-27-58 5-07-58 6-18-58 | 280.5 279.0 275.4 274.4 278.0 | 334.0 335.5 339.1 340.1 336.5 | 2100 | 4N/20W-35H02 S | 390.5 | 7-19-57 8-23-57 9-26-57 11-27-57 4-17-58 6-13-58 | 27.9 31.1 35.4 32.2 28.0 13.1 | 362.6 359.4 357.4 358.3 381.5 377.4 | 2100 | |
| 4N/20W-32J01 S | | 8-08-57 11-06-57 12-24-57 2-18-58 5-01-58 6-18-58 | DRY DRY DRY DRY DRY DRY | | 2100 | 4N/20W-36C01 S | 403.9 | 7-19-57 8-23-57 9-26-57 11-27-57 4-17-58 6-13-58 | 36.9 38.1 41.7 41.5 11.6 16.1 | 365.0 365.8 362.2 362.4 368.0 387.8 | 2100 | |
| 4N/20W-33C02 S | 525.3 | 7-03-57 8-08-57 11-05-57 12-26-57 2-27-58 6-19-58 | 168.9 170.7 169.2 168.2 165.3 160.8 | 356.4 354.6 356.1 371.1 360.0 364.5 | 2100 | 4N/20W-36D04 S | 401.0 | 8-23-57 9-26-57 11-27-57 4-17-58 6-13-58 | 37.2 47.0* 45.7* 33.0 17.5 13.5 | 363.8 354.0 355.3 368.0 387.9 385.5 | 2100 | |
| 4N/20W-34P01 S | 352.2 | 7-03-57 8-08-57 11-06-57 12-26-57 5-01-58 6-19-58 | 24.5* DRY DRY DRY 13.7 10.3 | 327.7 324.9 321.9 326.5 341.9 | 2100 | 4N/20W-36J02 S | 416.4 | 7-23-57 8-27-57 10-02-57 11-29-57 4-23-58 6-19-58 | 54.4 54.7* 58.6 58.0 36.0 36.6 | 382.0 321.7 326.8 329.8 329.4 379.6 | 2100 | |
| 4N/20W-34P02 S | 353.6 | 2-27-58 5-01-58 6-19-58 | 15.6 8.3 11.7 | 338.0 345.3 341.9 | 2100 | 4N/20W-36P02 S | 409.2 | 7-23-57 8-27-57 10-02-57 11-29-57 1-23-58 4-23-58 6-19-58 | 65.2 67.2 68.5 71.2 66.5 46.3 45.2 | 344.0 342.0 340.7 338.0 342.7 362.9 364.0 | 2100 | |
| 4N/20W-34P05 S | 385.0 353.5 | 7-03-57 8-08-57 11-06-57 12-26-57 2-27-58 5-01-58 6-19-58 | 27.0 28.6* 31.1 29.2 15.6 8.2 11.6 | 358.0 324.9 322.4 324.3 337.9 345.3 341.9 | 2100 | 4N/20W-36Q01 S | 412.8 | 7-23-57 8-27-57 9-26-57 | 76.8* 79.6* 81.0* | 336.0 336.0 331.8 | 2100 | |
| 4N/20W-35H01 S | 385.6 | 7-19-57 8-23-57 9-26-57 | 31.1* 34.1* 35.3* | 354.5 351.5 350.3 | 2100 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|---|---|--|-----------------------|-------------------------|--------------------|--|---|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | | | | | | |
| PIRU BASIN | | | | | | | | | | | |
| PIRU BASIN | | | | | | | | | | | |
| 40406 | | | | | | | | | | | |
| 4N/20W-36001 S CONT. | 412.8 | 11-29-57 4-23-58 6-19-58 | 80.9* 42.4 41.8 | 331.9 370.4 371.0 | 2100 | 4N/18W-19P03 S CONT. | 664.0 | 12-23-57 12-30-57 1-06-58 1-20-58 1-23-58 1-27-58 2-03-58 2-10-58 2-17-58 2-24-58 3-03-58 3-10-58 3-17-58 3-24-58 3-31-58 4-07-58 4-14-58 4-21-58 4-28-58 5-05-58 5-12-58 5-19-58 6-02-58 6-09-58 6-16-58 6-23-58 | 204.3 204.0 204.0 204.1 204.6 204.7 204.4 203.5 202.8 201.7 200.9 196.6 192.3 188.8 178.0 183.3 181.9 178.6 176.7 164.2 161.6 159.2 157.2 155.2 153.1 151.2 148.1 | 2400 | |
| 4N/20W-36004 S | 423.0 | 7-23-57 8-27-57 10-01-57 11-29-57 1-23-58 4-23-58 6-10-58 | 77.2 79.6 78.2 79.0 79.4 57.5 58.1 | 345.8 343.4 344.8 344.0 343.6 365.5 364.9 | 2100 | | | | | | |
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| FILLMORE BASIN | | | | | | | | | | | |
| 40405 | | | | | | | | | | | |
| PIRU BASIN | | | | | | | | | | | |
| 40406 | | | | | | | | | | | |
| 3N/20W-08601 S | 311.2 | 7-24-57 8-27-57 10-03-57 12-03-57 1-23-58 4-24-58 | 28.0* 17.4 17.8 17.7 12.5 5.9 | 283.2 293.8 293.4 293.5 298.7 305.3 | 2100 | | | | | | |
| 4N/18W-19P03 S | 664.0 | 7-01-57 7-08-57 7-15-57 7-22-57 7-29-57 8-05-57 8-12-57 8-19-57 8-26-57 9-02-57 9-09-57 9-16-57 9-23-57 10-01-57 10-21-57 10-28-57 11-04-57 11-11-57 11-18-57 11-25-57 12-02-57 12-09-57 12-16-57 | 202.7 203.3 208.8 207.4 209.4 209.3 210.0 209.8 210.2 213.6 215.0 215.9 206.7 213.5 201.5 203.9 201.6 201.8 201.6 203.3 204.5 204.5 204.8 | 461.3 460.7 455.2 456.6 454.7 454.0 454.2 452.8 450.4 449.0 448.1 457.3 457.5 450.5 462.5 460.1 462.4 462.2 461.7 460.7 459.5 459.5 459.2 459.2 | 2400 | 4N/18W-19P01 S | 655.6 | 7-01-57 7-08-57 7-15-57 7-22-57 7-29-57 8-05-57 8-12-57 8-19-57 8-26-57 9-02-57 9-09-57 9-16-57 9-23-57 10-01-57 10-14-57 10-21-57 | 193.7 196.7 193.9 191.7 193.8 193.5 188.7 190.2 190.9 191.2 192.5 195.1 195.9 195.1 197.2 197.2 192.2 | 2400 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| 40400 | | | | | | 40400 | | | | | |
| PIRU BASIN | | | | | | PIRU BASIN | | | | | |
| 40406 | | | | | | 40406 | | | | | |
| 4N/18W-19R01 S CONT. | 655.6 | 10-28-57 | 190.0 | 465.6 | 2400 | 4N/18W-20R01 S CONT. | 676.9 | 11-15-57 | 137.5 | 539.4 | 2400 |
| | | 11-04-57 | 190.6 | 465.0 | | | | 12-01-57 | 139.1 | 537.8 | |
| | | 11-11-57 | 190.4 | 465.2 | | | | 12-15-57 | 140.0 | 536.9 | |
| | | 11-18-57 | 189.3 | 466.3 | | | | 1-01-58 | 141.0 | 535.9 | |
| | | 11-25-57 | 190.4 | 465.2 | | | | 1-15-58 | 141.9 | 535.0 | |
| | | 12-02-57 | 192.9 | 462.7 | | | | 2-01-58 | 142.6 | 534.3 | |
| | | 12-09-57 | 193.4 | 462.2 | | | | 2-10-58 | 142.8 | 534.1 | |
| | | 12-16-57 | 193.7 | 461.9 | | | | 2-17-58 | 143.5 | 533.4 | |
| | | 12-23-57 | 193.5 | 462.1 | | | | 2-24-58 | 143.7 | 533.2 | |
| | | 12-30-57 | 193.3 | 462.3 | | | | 3-02-58 | 143.4 | 533.5 | |
| | | 1-06-58 | 193.3 | 462.3 | | | | 3-10-58 | 143.3 | 533.6 | |
| | | 1-13-58 | 193.4 | 462.2 | | | | 3-17-58 | 142.1 | 534.8 | |
| | | 1-20-58 | 194.1 | 461.5 | | | | 3-24-58 | 141.9 | 535.0 | |
| | | 1-27-58 | 194.0 | 461.6 | | | | 4-07-58 | 141.8 | 535.1 | |
| | | 2-03-58 | 193.9 | 461.7 | | | | 4-14-58 | 141.7 | 535.2 | |
| | | 2-10-58 | 193.3 | 462.3 | | | | 4-21-58 | 140.9 | 536.0 | |
| | | 2-17-58 | 192.3 | 463.3 | | | | 4-28-58 | 139.8 | 537.0 | |
| | | 2-24-58 | 192.8 | 462.8 | | | | 5-05-58 | 139.6 | 537.3 | |
| | | 3-03-58 | 189.3 | 466.8 | | | | 5-12-58 | 138.5 | 538.4 | |
| | | 3-10-58 | 184.2 | 471.4 | | | | 5-19-58 | 138.5 | 538.4 | |
| | | 3-17-58 | 182.2 | 473.4 | | | | 6-02-58 | 137.1 | 539.8 | |
| | | 3-24-58 | 180.0 | 475.6 | | | | 6-09-58 | 136.5 | 540.4 | |
| | | 4-01-58 | 172.0 | 485.6 | | | | 6-16-58 | 135.5 | 541.4 | |
| | | 4-08-58 | 165.0 | 493.6 | | | | 6-23-58 | 132.5 | 542.5 | |
| | | 4-15-58 | 157.2 | 498.6 | | | | 6-30-58 | 129.7 | 547.2 | |
| | | 4-22-58 | 152.8 | 498.6 | | | | | | | |
| | | 4-29-58 | 152.8 | 502.8 | | | | | | | |
| | | 5-06-58 | 149.8 | 506.5 | | | | | | | |
| | | 5-12-58 | 146.2 | 509.4 | | | | | | | |
| | | 5-19-58 | 144.2 | 511.4 | | 4N/18W-20R01 S | 692.0 | 11-26-57 | 232.2* | 459.8 | 2100 |
| | | 5-26-58 | 142.2 | 513.4 | | | | 1-13-58 | 234.5 | 467.5 | |
| | | 6-02-58 | 139.9 | 515.7 | | | | 1-17-58 | 229.9 | 462.1 | |
| | | 6-09-58 | 137.8 | 517.8 | | | | 6-11-58 | 175.2* | 516.8 | |
| | | 6-16-58 | 135.9 | 519.7 | | | | | | | |
| | | 6-23-58 | 134.5 | 521.1 | | 4N/18W-20R01 S | 661.3 | 7-17-57 | 196.4* | 468.9 | 2100 |
| | | 6-30-58 | 132.1 | 523.5 | | | | 8-21-57 | 193.3* | 468.0 | |
| | | 7-03-57 | 145.3 | 531.6 | | | | 9-23-57 | 188.9* | 472.4 | |
| | | 7-16-57 | 141.6 | 535.3 | 2400 | | | 11-26-57 | 196.8* | 464.5 | |
| | | 8-01-57 | 140.1 | 536.8 | | | | 1-16-58 | 197.2* | 464.1 | |
| | | 8-15-57 | 138.3 | 538.6 | | | | 3-13-58 | 187.5* | 473.8 | |
| | | 9-01-57 | 134.4 | 542.5 | | | | 6-10-58 | 125.4 | 535.9 | |
| | | 9-15-57 | 133.0 | 543.9 | | | | | | | |
| | | 10-01-57 | 133.2 | 543.7 | | 4N/18W-27R01 S | 731.2 | 7-17-57 | 143.8 | 587.4 | 2100 |
| | | 10-15-57 | 134.7 | 542.2 | | | | 8-21-57 | 146.4 | 584.8 | |
| | | 11-01-57 | 136.5 | 540.4 | | | | 9-23-57 | 148.4 | 582.8 | |
| | | | | | | | | 11-26-57 | 147.7 | 583.5 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | |
|--------------------------|--------------------|---|---|---|-----------------------|-------------------------|--------------------|---|---|--|--|------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | | |
| 40400 | | | | | | | | | | | | |
| PIRU BASIN | | | | | | | | | | | | |
| 40406 | | | | | | | | | | | | |
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | | |
| 40400 | | | | | | | | | | | | |
| PIRU BASIN | | | | | | | | | | | | |
| 40406 | | | | | | | | | | | | |
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | | |
| 40400 | | | | | | | | | | | | |
| 4N/18W-27801 S CONT. | 731.2 | 1-16-58 3-13-58 6-10-58 | 144.7 131.3 73.0 | 596.5 599.9 658.2 | 2100 | 4N/18W-29E01 S CONT. | 644.8 | 11-25-57 1-02-57 1-09-57 1-16-57 1-23-57 1-30-57 | 180.8 181.8 183.2 182.9 181.9 182.5 | 464.0 463.0 461.6 461.9 462.9 462.3 | 2400 | |
| 4N/18W-27802 S | 715.0 | 7-17-57 8-21-57 9-23-57 11-26-57 1-16-58 3-13-58 6-10-58 | 131.8 166.2* 138.5 146.9* 138.5 111.6 58.3 | 583.2 568.8 578.5 548.1 576.5 603.4 455.7 | 2100 | | | 1-13-58 1-20-58 1-27-58 2-03-58 2-10-58 2-17-58 2-24-58 3-10-58 3-17-58 3-24-58 3-31-58 4-07-58 4-14-58 4-21-58 5-08-58 5-15-58 5-19-58 5-26-58 6-02-58 6-09-58 6-16-58 6-23-58 6-30-58 | 182.7 182.7 183.7 183.4 182.9 182.0 182.0 181.6 177.0 169.5 167.9 164.9 163.9 162.3 163.9 136.5 133.9 132.9 130.2 124.7 122.2 120.4 118.3 117.1 116.9 | 461.1 461.6 461.4 461.4 461.9 462.1 461.6 461.4 463.2 463.2 475.3 476.9 479.9 480.9 482.5 482.5 508.3 510.9 511.9 514.6 520.1 522.6 524.4 526.5 527.7 527.9 | | |
| 4N/18W-27G01 S | 710.4 | 7-17-57 8-21-57 9-23-57 11-26-57 1-16-58 3-13-58 6-10-58 | 135.1 139.3 142.2 143.7 138.8 118.2 60.9 | 575.3 571.1 568.2 566.7 571.6 592.2 649.5 | 2100 | | | 1-13-58 1-20-58 1-27-58 2-03-58 2-10-58 2-17-58 2-24-58 3-10-58 3-17-58 3-24-58 3-31-58 4-07-58 4-14-58 4-21-58 5-08-58 5-15-58 5-19-58 5-26-58 6-02-58 6-09-58 6-16-58 6-23-58 6-30-58 | 182.0 182.0 181.6 177.0 169.5 167.9 164.9 163.9 162.3 163.9 136.5 133.9 132.9 130.2 124.7 122.2 120.4 118.3 117.1 116.9 | 462.8 463.2 475.3 476.9 479.9 480.9 482.5 482.5 508.3 510.9 511.9 514.6 520.1 522.6 524.4 526.5 527.7 527.9 | | |
| 4N/18W-28C01 S | 677.7 | 7-17-57 8-21-57 9-23-57 11-26-57 1-16-58 3-13-58 6-10-58 | 224.2* 219.4* 212.1* 219.8* 212.5* 204.9* 179.1 | 453.5 458.3 465.6 457.9 465.2 472.8 548.6 | 2100 | | | 1-13-58 1-20-58 1-27-58 2-03-58 2-10-58 2-17-58 2-24-58 3-10-58 3-17-58 3-24-58 3-31-58 4-07-58 4-14-58 4-21-58 5-08-58 5-15-58 5-19-58 5-26-58 6-02-58 6-09-58 6-16-58 6-23-58 6-30-58 | 182.0 182.0 181.6 177.0 169.5 167.9 164.9 163.9 162.3 163.9 136.5 133.9 132.9 130.2 124.7 122.2 120.4 118.3 117.1 116.9 | 462.8 463.2 475.3 476.9 479.9 480.9 482.5 482.5 508.3 510.9 511.9 514.6 520.1 522.6 524.4 526.5 527.7 527.9 | | |
| 4N/18W-29E01 S | 644.8 | 7-01-57 7-08-57 7-15-57 7-22-57 7-29-57 8-05-57 8-12-57 8-26-57 9-02-57 9-09-57 9-16-57 10-07-57 10-21-57 10-28-57 11-04-57 11-11-57 11-18-57 | 179.2 182.1 179.1 178.1 178.6 180.5 180.5 176.7 174.1 173.5 173.8 175.1 179.6 179.1 179.3 179.6 178.9 | 465.6 462.7 465.7 466.2 464.3 468.1 470.7 471.3 471.0 470.3 469.7 466.3 465.2 465.7 465.5 465.2 465.9 | 2400 | 4N/18W-29P04 S | 644.8 | 7-19-57 8-23-57 9-26-57 11-27-57 6-18-58 | DRY DRY DRY DRY 117.1 | 120.2 119.5 120.7 120.7 118.1 | 524.6 525.3 524.1 523.9 535.3 530.8 | 2100 |
| 4N/18W-29E01 S | 644.8 | 7-01-57 7-08-57 7-15-57 7-22-57 7-29-57 8-05-57 8-12-57 8-26-57 9-02-57 9-09-57 9-16-57 10-07-57 10-21-57 10-28-57 11-04-57 11-11-57 11-18-57 | 179.2 182.1 179.1 178.1 178.6 180.5 180.5 176.7 174.1 173.5 173.8 175.1 179.6 179.1 179.3 179.6 178.9 | 465.6 462.7 465.7 466.2 464.3 468.1 470.7 471.3 471.0 470.3 469.7 466.3 465.2 465.7 465.5 465.2 465.9 | 2400 | 4N/18W-29P05 S | 644.8 | 7-19-57 8-23-57 9-26-57 11-27-57 6-18-58 | DRY DRY DRY DRY 117.1 | 120.2 119.5 120.7 120.7 118.1 | 524.6 525.3 524.1 523.9 535.3 530.8 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| PIRU BASIN | | | | | | PIRU BASIN | | | | | |
| 4N/18N-31C01 S | 624.6 | 7-17-57 | 166.7* | 457.9 | 2100 | 4N/18W-30G04 S | 624.0 | 3-03-58 | 159.9 | 466.1 | 2400 |
| | | 8-21-57 | 169.4* | 460.2 | | | | 3-10-58 | 157.5 | 465.5 | |
| | | 9-24-57 | 169.5* | 455.1 | | | | 3-17-58 | 155.0 | 469.0 | |
| | | 1-17-58 | 170.0* | 454.6 | | | | 3-24-58 | 159.2 | 471.0 | |
| | | 3-13-58 | 156.6 | 468.0 | | | | 3-31-58 | 162.2 | 474.0 | |
| | | 6-11-58 | 119.2* | 505.4 | | | | 4-07-58 | 144.6 | 479.4 | |
| | | | | | | | | 4-14-58 | 135.8 | 488.2 | |
| 4N/18W-31G02 S | 628.8 | 7-17-57 | 169.2* | 459.6 | 2100 | | | 4-21-58 | 130.9 | 493.1 | |
| | | 8-21-57 | 164.9* | 463.9 | | | | 4-28-58 | 127.3 | 496.7 | |
| | | 9-24-57 | 166.0* | 462.8 | | | | 5-05-58 | 124.7 | 499.3 | |
| | | 1-17-58 | 168.2* | 460.6 | | | | 5-12-58 | 122.6 | 501.4 | |
| | | 3-13-58 | 166.6* | 462.2 | | | | 5-19-58 | 120.7 | 503.3 | |
| | | 6-11-58 | 116.7 | 512.1 | | | | 5-26-58 | 119.1 | 504.9 | |
| | | | | | | | | 6-02-58 | 116.9 | 507.1 | |
| | | | | | | | | 6-09-58 | 114.4 | 509.6 | |
| | | | | | | | | 6-16-58 | 111.9 | 512.1 | |
| | | | | | | | | 6-23-58 | 109.7 | 514.3 | |
| | | | | | | | | 6-30-58 | 106.5 | 517.5 | |
| 4N/18W-31G04 S | 624.0 | 7-22-57 | 161.4 | 462.6 | 2400 | | | 7-17-57 | 166.7 | 460.8 | 2100 |
| | | 7-29-57 | 161.2 | 462.8 | | | | 8-21-57 | 164.2* | 463.3 | |
| | | 8-05-57 | 161.3 | 462.7 | | | | 1-17-58 | 167.0 | 460.5 | |
| | | 8-12-57 | 161.0 | 463.0 | | | | 3-13-58 | 165.0 | 462.5 | |
| | | 8-19-57 | 159.5 | 464.5 | | | | 6-11-58 | 115.2 | 512.3 | |
| | | 8-26-57 | 159.3 | 464.7 | | | | 7-17-57 | 160.2* | 457.7 | 2100 |
| | | 9-02-57 | 158.0 | 466.0 | | | | 8-21-57 | 159.5 | 462.4 | |
| | | 9-09-57 | 157.7 | 466.3 | | | | 9-24-57 | 157.8* | 460.1 | |
| | | 9-16-57 | 158.0 | 466.0 | | | | 11-26-57 | 162.4* | 455.5 | |
| | | 9-23-57 | 158.3 | 465.7 | | | | 3-17-58 | 158.3 | 459.6 | |
| | | 9-30-57 | 161.0 | 463.0 | | | | 3-13-58 | 148.0 | 469.9 | |
| | | 10-07-57 | 161.2 | 462.8 | | | | 6-11-58 | 111.8 | 506.1 | |
| | | 10-14-57 | 160.5 | 463.5 | | | | 7-23-57 | 132.7 | 477.5 | 2100 |
| | | 10-21-57 | 160.9 | 463.1 | | | | 9-27-57 | 132.2 | 478.0 | |
| | | 10-28-57 | 161.2 | 462.6 | | | | 11-27-57 | 131.2 | 478.8 | |
| | | 11-04-57 | 160.7 | 463.1 | | | | 1-21-58 | 132.9 | 477.3 | |
| | | 11-18-57 | 162.7 | 461.3 | | | | 4-18-58 | 116.6 | 493.6 | |
| | | 11-25-57 | 162.4 | 461.6 | | | | 6-18-58 | 96.0 | 514.2 | |
| | | 12-02-57 | 164.0 | 459.0 | | | | 7-23-58 | 114.0 | 507.5 | |
| | | 12-09-57 | 164.2 | 459.8 | | | | 8-18-58 | DRY | | 2100 |
| | | 12-16-57 | 164.4 | 459.6 | | | | 6-18-58 | 114.0 | 501.3 | |
| | | 12-23-57 | 162.8 | 461.2 | | | | 7-19-57 | 133.9 | 475.3 | 2100 |
| | | 12-30-57 | 163.9 | 460.1 | | | | 8-23-57 | 133.2* | 476.0 | |
| | | 1-06-58 | 163.9 | 460.1 | | | | 9-27-57 | 132.7 | 476.5 | |
| | | 1-13-58 | 163.5 | 460.5 | | | | | | | |
| | | 1-20-58 | 164.1 | 459.9 | | | | | | | |
| | | 1-27-58 | 164.7 | 459.3 | | | | | | | |
| | | 2-03-58 | 163.2 | 460.8 | | | | | | | |
| | | 2-10-58 | 164.2* | 459.8 | | | | | | | |
| | | 2-17-58 | 162.8 | 461.2 | | | | | | | |
| | | 2-24-58 | 161.5 | 462.5 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | 40400 | | | | | |
| PIRU BASIN | | | | | | | | | | | |
| 4N/19W-25C01 S | | | | | | | | | | | |
| CONT. | | | | | | | | | | | |
| 4N/19W-25C01 S | 609.2 | 11-27-57 | 131.9 | 477.3 | 2100 | 4N/19W-25C01 S | 610.2 | 2-24-58 | 148.6 | 461.6 | 2400 |
| | | 1-21-58 | 133.4 | 475.8 | | | | 3-03-58 | 147.2 | 463.0 | |
| | | 4-18-58 | 116.2 | 493.0 | | | | 3-17-58 | 145.7 | 468.5 | |
| | | 6-18-58 | 95.0 | 514.2 | | | | 3-24-58 | 143.0 | 466.3 | |
| 4N/19W-25A01 S | 609.7 | 7-17-57 | 158.4* | 451.3 | 2100 | | | 3-31-58 | 138.6 | 478.3 | |
| | | 8-21-57 | 158.3* | 451.4 | | | | 4-07-58 | 135.0 | 474.2 | |
| | | 9-24-57 | 157.4* | 452.3 | | | | 4-14-58 | 152.7 | 480.3 | |
| | | 11-26-57 | 159.4* | 450.3 | | | | 4-21-58 | 152.7 | 480.3 | |
| | | 1-17-58 | 154.5 | 455.2 | | | | 5-28-58 | 153.6 | 486.4 | |
| | | 6-11-58 | 110.0 | 499.7 | | | | 5-12-58 | 151.9 | 488.3 | |
| 4N/19W-25B01 S | 601.8 | 7-18-57 | 144.0 | 457.8 | 2100 | | | 5-19-58 | 150.8 | 487.3 | |
| | | 8-21-57 | 143.8 | 458.0 | | | | 5-26-58 | 148.8 | 490.4 | |
| | | 9-24-57 | 142.7 | 459.1 | | | | 6-05-58 | 117.2 | 494.0 | |
| | | 11-26-57 | 171.0* | 430.8 | | | | 6-12-58 | 117.2 | 494.0 | |
| | | 1-17-58 | 146.5 | 453.3 | | | | 6-19-58 | 115.1 | 495.1 | |
| | | 3-26-58 | 131.5 | 470.5 | | | | 6-30-58 | 112.0 | 498.2 | |
| | | 6-11-58 | 105.6 | 496.0 | | | | 7-17-57 | 151.0* | 454.7 | 2100 |
| 4N/19W-25C01 S | 610.2 | 8-26-57 | 153.9 | 456.3 | 2400 | 4N/19W-25J03 S | 605.7 | 8-21-57 | 150.5* | 455.2 | |
| | | 9-02-57 | 154.7 | 455.5 | | | | 9-24-57 | 151.6* | 453.8 | |
| | | 9-09-57 | 154.7 | 455.5 | | | | 11-26-57 | 152.1* | 453.6 | |
| | | 9-16-57 | 154.6 | 456.6 | | | | 1-17-58 | 147.2 | 458.5 | |
| | | 9-23-57 | 153.7 | 456.5 | | | | 3-13-58 | 140.5 | 462.5 | |
| | | 9-30-57 | 153.3 | 455.9 | | | | 6-11-58 | 110.7 | 495.0 | |
| | | 10-07-57 | 153.0 | 457.2 | | | | 7-18-57 | 146.0* | 449.4 | 2100 |
| | | 10-14-57 | 153.1 | 457.1 | | | | 8-21-57 | 145.8* | 449.6 | |
| | | 10-21-57 | 153.6 | 456.6 | | | | 9-24-57 | 145.8* | 449.6 | |
| | | 10-28-57 | 151.9 | 455.8 | | | | 1-17-58 | 138.0 | 457.2 | |
| | | 11-08-57 | 151.9 | 455.8 | | | | 3-24-58 | 135.0 | 462.6 | |
| | | 11-11-57 | 152.4 | 457.6 | | | | 6-11-58 | 99.7* | 495.7 | |
| | | 11-18-57 | 152.7 | 457.5 | | | | 7-02-57 | 132.9* | 450.1 | 2100 |
| | | 11-25-57 | 154.3 | 455.0 | | | | 7-18-57 | 133.8* | 449.2 | |
| | | 12-02-57 | 155.4 | 455.8 | | | | 8-01-57 | 126.9* | 456.1 | |
| | | 12-09-57 | 155.1 | 455.6 | | | | 8-21-57 | 133.9* | 449.1 | |
| | | 12-16-57 | 154.6 | 455.6 | | | | 9-24-57 | 136.8* | 444.2 | |
| | | 12-23-57 | 154.5 | 455.7 | | | | 11-26-57 | 138.9* | 444.1 | |
| | | 12-30-57 | 150.9 | 459.3 | | | | 1-17-58 | 126.5 | 456.5 | |
| | | 1-06-58 | 152.6 | 457.6 | | | | 3-26-58 | 117.8 | 465.2 | |
| | | 1-13-58 | 151.6 | 458.6 | | | | 6-02-58 | 103.9 | 479.1 | |
| | | 1-20-58 | 151.7 | 458.5 | | | | 6-30-58 | 89.5* | 493.5 | |
| | | 1-27-58 | 152.0 | 458.2 | | | | 7-22-57 | 97.0 | 453.4 | 2100 |
| | | 2-03-58 | 151.1 | 459.1 | | | | | | | |
| | | 2-10-58 | 150.0 | 460.2 | | | | | | | |
| | | 2-17-58 | 149.6 | 460.6 | | | | | | | |
| 4N/19W-25M02 S | 550.4 | | | | | 4N/19W-25L04 S | 583.0 | | | | |
| 4N/19W-25M02 S | 550.4 | | | | | 4N/19W-25L04 S | 583.0 | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|---------------------|--|--|---|-----------------------|-------------------------|--------------------|---|---|--|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | 40400 | | | | | | | |
| PIRU BASIN | | | | | | | | | | | |
| 40406 | | | | 40406 | | | | | | | |
| 4N/19W-25M02 S CONT. | 550.4 | 8-23-57 9-27-57 11-27-57 1-21-58 4-18-58 6-18-58 | 98.4 96.9 97.6* 98.0 62.4 63.2 | 462.0 453.5 462.8 462.4 488.0 487.2 | 2100 | 4N/19W-26P01 S CONT. | 565.0 | 3-03-58 3-10-58 3-17-58 3-24-58 3-31-58 4-07-58 4-14-58 4-28-58 5-05-58 5-12-58 5-19-58 5-26-58 6-02-58 6-09-58 6-16-58 6-23-58 6-30-58 | 104.9 104.3 100.6 96.2 94.3 85.1 79.8 79.6 79.9 77.6 77.4 77.4 76.9 76.2 75.9 73.7 69.1 | 460.1 460.7 464.4 468.8 470.7 479.9 485.2 485.4 485.1 487.4 487.6 488.1 488.8 489.1 491.3 495.9 | 2400 |
| 4N/19W-26J03 S | 588.6 | 11-26-57 1-17-58 3-26-58 6-11-58 | 142.6* 133.9 120.0 104.8 | 446.0 454.7 468.6 483.8 | 2100 | 4N/19W-26P02 S | 559.8 | 9-24-57 11-26-57 1-17-58 3-26-58 6-11-58 | 114.2 117.2 109.6 91.7 75.7 | 445.6 442.6 450.2 468.1 484.1 | 2100 |
| 4N/19W-26P01 S | 565.0 | 7-01-57 7-08-57 7-15-57 7-22-57 7-29-57 8-05-57 8-12-57 8-19-57 8-26-57 9-02-57 9-09-57 9-16-57 9-23-57 9-30-57 10-07-57 10-14-57 10-21-57 10-28-57 11-04-57 11-11-57 11-18-57 11-25-57 12-02-57 12-09-57 12-16-57 12-23-57 12-30-57 | 109.5 109.8 110.3 111.0 111.6 111.7 112.0 110.8 112.5 112.5 112.4 112.3 114.9 112.2 113.6 111.4 111.6 111.3 111.3 111.3 111.2 111.9 111.5 112.6 112.5 112.7 111.4 111.0 111.1 111.4 111.9 111.0 108.2 106.6 | 455.5 455.2 454.7 454.0 453.4 453.3 453.0 454.2 452.5 452.6 452.7 450.1 452.8 453.7 451.4 453.4 453.8 453.7 453.7 453.7 453.6 453.6 452.7 452.7 452.1 451.2 451.2 451.0 453.9 453.9 453.6 453.1 454.0 456.8 458.4 | 2400 | 4N/19W-27Q01 S | 604.4 | 7-16-57 8-22-57 9-24-57 11-22-57 1-17-58 3-16-58 3-23-58 6-12-58 | 160.2 162.6 178.1* 181.4* 91.7 89.0 104.5 129.2 | 464.2 461.8 426.3 423.0 468.1 469.9 484.5 475.2 | 2100 |
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | 40400 | | | | | | | |
| PIRU BASIN | | | | | | | | | | | |
| 40406 | | | | 40406 | | | | | | | |
| 4N/19W-28Q01 S | 537.0 | 7-18-57 8-22-57 9-24-57 11-25-57 1-16-58 3-26-58 6-12-58 | 105.5* 109.3* 104.5 105.4* 99.8 86.2 72.8 | 431.5 427.7 432.5 431.6 437.2 450.8 464.2 | 2100 | 4N/19W-28Q01 S | 483.5 | 6-12-58 | 54.0* | 429.5 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|--|--------------------------------------|---|-----------------------|--------------------------|--------------------|--|--------------------------------------|---|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| PIRU BASIN | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| 40406 | | | | | | 40406 | | | | | |
| 4N/19W-33D03 S | 478.4 | 8-20-57 9-23-57 11-21-57 1-13-58 4-16-58 93.5* | 92.8* | 385.6 383.5 381.5 382.3 384.9 | 2100 | 4N/19W-34B01 S CONT. | 541.4 | 8-22-57 9-28-57 11-22-57 1-16-58 3-25-58 6-12-58 72.5* | 93.5 | 447.9 437.6 438.0 443.5 460.2 468.9 | 2100 |
| 4N/19W-33D04 S | 479.5 | 8-20-57 9-23-57 11-21-57 1-13-58 4-16-58 6-09-58 96.1* | 90.6* | 388.9 385.7 382.2 383.4 385.8 383.0 | 2100 | 4N/19W-34C01 S | 534.8 | 7-16-57 8-22-57 9-28-57 11-22-57 1-16-58 90.4 | 91.2* | 443.6 441.0 441.2 441.8 444.4 | 2100 |
| 4N/19W-33E01 S | 484.9 | 7-22-57 9-27-57 1-22-58 4-22-58 6-18-58 32.0 | 62.5* | 422.4 416.9 434.4 459.7 452.9 | 2100 | 4N/19W-34D02 S | 501.8 | 7-16-57 8-22-57 9-28-57 11-22-57 1-16-58 61.0 | 61.3 | 460.5 437.5 437.6 438.4 440.8 454.0 469.6 | 2100 |
| 4N/19W-33J01 S | 499.2 | 7-22-57 8-26-57 9-27-57 11-27-57 1-21-58 4-21-58 6-18-58 32.1 | 61.8 | 437.4 436.5 434.7 436.0 436.9 467.1 466.2 | 2100 | 4N/19W-34J01 S | 526.7 | 7-22-57 11-27-57 1-21-58 4-22-58 6-12-58 32.2 | 85.6* | 441.1 444.9 445.2 477.9 | 2100 |
| 4N/19W-33K01 S | 483.1 | 7-22-57 8-26-57 9-27-57 11-27-57 1-21-58 4-21-58 6-18-58 32.0 | 65.4* | 417.7 414.4 414.3 416.5 450.1 459.1 441.1 | 2100 | 4N/19W-34J02 S | 528.4 | 7-22-57 8-26-57 9-27-57 11-27-57 1-21-58 4-22-58 6-18-58 42.5 | 80.4 | 448.0 445.4 445.4 445.6 467.1 478.0 | 2100 |
| 4N/19W-33K04 S | 501.4 | 9-27-57 11-27-57 1-21-58 4-21-58 6-18-58 50.5 | 61.5 | 439.9 439.0 420.9 471.9 470.9 | 2100 | 4N/19W-34K01 S | 519.5 | 8-26-57 9-27-57 11-27-57 1-21-58 4-22-58 6-18-58 62.4 | 77.2 | 442.3 442.0 444.3 475.0 477.0 | 2100 |
| 4N/19W-33K05 S | 490.6 | 7-22-57 8-26-57 9-27-57 11-27-57 1-21-58 4-21-58 6-18-58 26.2 | 54.4 | 436.2 433.2 464.2 464.4 | 2100 | 4N/19W-34M02 S | 502.8 | 7-22-57 8-26-57 9-27-57 11-27-57 1-21-58 4-22-58 6-18-58 52.6 | 65.2 | 440.4 437.6 469.9 470.2 | 2100 |
| 4N/19W-34B01 S | 541.4 | 7-16-57 | 101.9* | 439.5 | 2100 | 4N/19W-35C01 S | 553.2 | 11-26-57 | 108.4* | 444.8 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|--|---|--|-----------------------|--------------------------|--------------------|--|---|--|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| PIRU BASIN | | | | | | EASTERN BASIN | | | | | |
| 4N/19W-35C01 S CONT. | 553.2 | 1-17-58 3-26-58 6-11-58 | 100.8 84.1 72.2* | 452.4 469.1 481.0 | 2100 | 3N/16W-02R01 S | 1350.0 | 11-12-57 | 46.8 | 1303.2 | 1101 |
| 4N/19W-35K02 S | 549.0 | 7-22-57 8-23-57 9-27-57 1-21-58 4-18-58 6-18-58 | 96.7 98.3 96.4 97.5 61.2 62.0 | 452.3 450.7 482.6 451.5 487.8 487.0 | 2100 | 3N/16W-04A02 S | 1273.0 | 11-07-57 | 101.4 | 1171.6 | 1101 |
| 4N/19W-35L01 S | 542.8 | 7-22-57 8-23-57 9-27-57 1-21-58 4-18-58 6-18-58 | 92.8* 94.6** 93.9 93.1 57.1 57.3 | 450.0 448.2 448.9 449.7 485.7 485.5 | 2100 | 3N/16W-11A01 S | 1389.0 | 11-12-57 | 80.5 | 1308.5 | 1101 |
| 4N/19W-35L02 S | 541.1 | 7-22-57 9-27-57 1-21-58 4-18-58 6-18-58 | 98.3* 91.8 91.0 56.1 56.2 | 442.8 449.3 450.1 485.0 484.9 | 2100 | 3N/16W-12G02 S | 1419.3 | 11-12-57 | 28.4 | 1390.9 | 1101 |
| EASTERN BASIN | | | | | | EASTERN BASIN | | | | | |
| 3N/15W-03F01 S | 1825.3 | 11-12-57 | 19.8 | 1805.5 | 1101 | 4N/15W-01C01 S | 1797.0 | 11-05-57 | 141.0 | 1656.0 | 1101 |
| 3N/15W-05D01 S | 1462.0 | 11-12-57 | 48.8 | 1413.2 | 1101 | 4N/15W-02J01 S | 1732.0 | 11-05-57 5-14-58 | 55.0 53.1 | 1677.0 1678.9 | 1101 |
| 3N/15W-05H01 S | 1531.0 | 11-12-57 | 20.5 | 1510.5 | 1101 | 4N/15W-02J02 S | 1737.0 | 11-05-57 | 57.7 | 1679.3 | 1101 |
| 3N/15W-06A01 S | 1447.0 | 11-12-57 | 34.8 | 1412.2 | 1101 | 4N/15W-06F01 S | 1375.0 | 11-06-57 | 62.6 | 1312.4 | 1101 |
| 3N/16W-01M01 S | 1312.5 | 11-12-57 | 94.5 | 1218.0 | 1101 | 4N/15W-06L01 S | 1382.0 | 11-06-57 | 53.3 | 1328.7 | 1101 |
| 3N/16W-01P01 S | 1345.5 | 11-12-57 | 13.1 | 1332.4 | 1101 | 4N/15W-06P01 S | 1354.0 | 11-06-57 | 74.3 | 1279.7 | 1101 |
| 3N/16W-01Q03 S | 1352.0 | 7-01-57 9-16-57 11-12-57 1-13-58 3-03-58 4-21-58 5-05-58 | 14.4 15.9 16.1 14.6 12.1 9.8 10.5 | 1337.6 1336.1 1335.9 1337.4 1335.9 1342.2 1341.5 | 1101 | 4N/15W-07E01 S | 1327.2 | 7-01-57 9-16-57 11-06-57 1-13-58 3-03-58 4-21-58 5-05-58 | 108.2 109.5 109.3 107.9 107.8 106.3 105.2 | 1219.0 1217.7 1217.9 1219.3 1219.4 1220.9 1222.0 | 1101 |
| 3N/16W-02J01 S | 1318.0 | 11-07-57 | 104.2 | 1213.8 | 1101 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| SANTA CLARA RIVER VALLEY | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| EASTERN BASIN | | | | | | EASTERN BASIN | | | | | |
| 4N/15W-11B01 S | 1691.0 | 11-05-57 | 70.5 | 1620.5 | 1101 | 4N/15W-20K01 S | 1363.0 | 11-05-57 | 100.2 | 1262.8 | 1101 |
| 4N/15W-11J01 S | 1955.0 | 11-05-57 | 106.9 | 1848.1 | 1101 | CONT. | | 1-13-58 | 109.1 | 1253.9 | |
| 4N/15W-11N01 S | 1613.0 | 11-05-57 | 68.4 | 1564.6 | 1101 | | | 3-03-58 | 107.7 | 1253.3 | |
| 4N/15W-13P01 S | 1575.0 | 7-01-57 | 81.0 | 1494.0 | 1101 | 4N/15W-20M01 S | 1371.0 | 5-05-58 | 100.3 | 1267.7 | |
| | | 9-16-57 | 91.0 | 1484.0 | | | | 11-05-57 | 55.5 | 1315.5 | 1101 |
| | | 11-04-57 | 90.7 | 1484.3 | | 4N/15W-20R02 S | 1391.0 | 11-05-57 | 78.0 | 1313.0 | 1101 |
| | | 1-13-58 | 91.4 | 1483.6 | | 4N/15W-21G01 S | 1442.0 | 11-04-57 | 82.5 | 1359.5 | 1101 |
| | | 3-03-58 | 86.4 | 1488.6 | | 4N/15W-21J01 S | 1434.0 | 11-04-57 | 71.1 | 1362.9 | 1101 |
| | | 4-21-58 | 41.5 | 1533.5 | | | | 11-04-57 | 57.9 | 1382.1 | 1101 |
| | | 5-05-58 | 41.7 | 1533.3 | | 4N/15W-21J02 S | 1440.0 | 11-05-57 | 69.0 | 1337.0 | 1101 |
| 4N/15W-13P02 S | 1579.0 | 7-01-57 | 84.8 | 1494.2 | 1101 | 4N/15W-21L01 S | 1406.0 | 11-05-57 | 60.2 | 1331.8 | 1101 |
| | | 9-16-57 | 90.5 | 1488.5 | | 4N/15W-21M01 S | 1392.0 | 11-04-57 | 80.8 | 1367.2 | 1101 |
| | | 11-04-57 | 88.2 | 1490.8 | | 4N/15W-22E02 S | 1448.0 | 11-04-57 | 67.0 | 1387.0 | 1101 |
| | | 1-13-58 | 89.6 | 1489.4 | | | | 11-04-57 | 48.0 | 1448.7 | 1101 |
| | | 3-03-58 | 90.0 | 1489.0 | | 4N/15W-23B03 S | 1551.0 | 11-04-57 | 60.7 | 1490.3 | 1101 |
| | | 4-21-58 | 44.0 | 1535.0 | | 4N/15W-23D01 S | 1515.0 | 11-04-57 | 63.9 | 1451.1 | 1101 |
| | | 5-05-58 | 44.3 | 1534.7 | | 4N/15W-23E01 S | 1513.0 | 11-04-57 | 64.2 | 1448.8 | 1101 |
| 4N/15W-13P03 S | 1573.0 | 11-04-57 | 81.8 | 1491.2 | 1101 | 4N/15W-23F01 S | 1529.0 | 11-04-57 | 62.8 | 1466.2 | 1101 |
| | | 11-04-57 | DRY | | | 4N/15W-23F02 S | 1554.0 | 11-04-57 | 94.2 | 1459.8 | 1101 |
| 4N/15W-13Q01 S | 1575.0 | 11-05-57 | 79.4 | 1495.6 | 1101 | 4N/15W-23F03 S | 1547.0 | 11-04-57 | 89.4 | 1457.6 | 1101 |
| 4N/15W-15L01 S | 1536.0 | 11-05-57 | 73.3* | 1462.7 | 1101 | 4N/15W-23G01 S | 1589.0 | 11-04-57 | 102.2 | 1486.8 | 1101 |
| 4N/15W-16N01 S | 1379.0 | 11-05-57 | 87.7 | 1291.3 | 1101 | 4N/15W-26G01 S | 1641.0 | 11-04-57 | 106.7 | 1584.3 | 1101 |
| 4N/15W-17R01 S | 1341.0 | 11-05-57 | 84.7 | 1256.3 | 1101 | 4N/15W-26H01 S | 1659.0 | 11-04-57 | 75.4 | 1583.6 | 1101 |
| 4N/15W-17R02 S | | 11-05-57 | DRY | | | 4N/15W-26R02 S | 1689.0** | 7-01-57 | 42.2 | 1646.8 | 1101 |
| 4N/15W-18N01 S | 1276.0 | 11-05-57 | 82.4 | 1193.6 | 1101 | | | 9-16-57 | 43.2 | 1645.8 | 1101 |
| 4N/15W-19C01 S | | 11-05-57 | DRY | | | | | | | | |
| 4N/15W-19D01 S | 1276.0 | 11-05-57 | 81.4 | 1194.6 | 1101 | | | | | | |
| 4N/15W-20D01 S | 1319.1 | 11-05-57 | 92.8 | 1226.3 | 1101 | | | | | | |
| 4N/15W-20H01 S | | 11-05-57 | DRY | | | | | | | | |
| 4N/15W-20K01 S | 1363.0 | 9-16-57 | 103.5 | 1259.5 | 1101 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|--|--|--|-----------------------|--------------------------|--------------------|---|---|--|-----------------------|
| SANTA CLARA RIVER VALLEY | | | 40400 | | | SANTA CLARA RIVER VALLEY | | | 40400 | | |
| EASTERN BASIN | | | 40407 | | | EASTERN BASIN | | | 40407 | | |
| 4N/15W-26R02 S CONT. | 1669.0** | 11-04-57 1-13-58 4-21-58 5-05-58 | 43.1 46.2 37.0 36.5 | 1645.9 1644.8 1652.0 1652.5 | 1101 | 4N/16W-04H01 S CONT. | 1219.4 | 5-15-58 6-20-58 | 30.4 44.0 | 1189.4 1175.4 | 1101 |
| 4N/15W-31G01 S | 1508.0 | 11-12-57 | 39.2 | 1458.8 | 1101 | 4N/16W-07N01 S | 1014.0 | 7-13-57 8-20-57 9-16-57 10-16-57 11-15-57 12-19-57 | 35.0 36.0 35.4 28.6 28.0 27.1 | 979.0 978.0 978.6 985.4 986.0 986.9 | 1101 |
| 4N/15W-31N02 S | 1376.0 | 11-12-57 | 51.1 | 1324.9 | 1101 | | | 1-17-58 2-15-58 3-10-58 4-13-58 5-13-58 6-20-58 | 27.0 20.3 17.0 16.2 16.6 20.0 | 987.0 993.7 997.0 997.8 997.8 994.0 | 1101 |
| 4N/15W-31P02 S | 1387.0 | 7-01-57 9-16-57 11-12-57 1-13-58 3-03-58 4-21-58 5-05-58 | 47.9 46.0 46.2 44.8 39.5 34.0 10.6 | 1339.1 1341.0 1340.8 1342.2 1347.5 1374.0 1376.4 | 1101 | 4N/16W-07O01 S | 1027.0 | 7-15-57 8-17-57 9-17-57 10-16-57 11-15-57 12-19-57 | 37.5* 35.0* 68.2* 24.0 14.0 14.0 | 989.5 992.0 958.8 1003.0 1013.0 1013.0 | 1101 |
| 4N/15W-35J02 S | 1780.0 | 11-04-57 | 85.2 | 1694.8 | 1101 | | | 7-12-57 8-20-57 9-16-57 10-16-57 11-15-57 12-19-57 | 75.2* 71.4* 71.0 70.1 66.8 65.1 | 1082.8 1086.6 1087.0 1087.9 1091.2 1092.9 | 1101 |
| 4N/15W-35R01 S | 1815.0 | 11-04-57 | 114.5 | 1700.5 | 1101 | | | 1-17-58 2-17-58 4-15-58 5-15-58 6-20-58 | 65.1 65.0 42.0 40.2 80.0 | 1092.9 1093.0 1116.0 1117.8 1078.0 | 1101 |
| 4N/15W-35R02 S | 1802.0 | 11-04-57 | 96.1 | 1705.9 | 1101 | | | 11-06-57 | 106.5 | 1174.5 | 1101 |
| 4N/15W-36D01 S | 1725.0 | 7-01-57 9-16-57 11-04-57 1-13-58 4-21-58 5-05-58 | 94.6 91.6 79.7 82.8 55.3 56.8 | 1630.4 1633.2 1645.3 1642.2 1669.7 1668.2 | 1101 | 4N/16W-09H01 S | 1158.0** | 11-06-57 | 106.5 | 1174.5 | 1101 |
| 4N/15W-36F01 S | 1810.0 | 11-04-57 | 67.8 | 1742.2 | 1101 | | | 11-05-57 | 101.7 | 1164.3 | 1101 |
| 4N/16W-01K01 S | 1334.0 | 11-05-57 | 88.7 | 1245.3 | 1101 | 4N/16W-12K01 S | 1281.0 | 11-05-57 | 95.7 | 1151.8 | 1101 |
| 4N/16W-04H01 S | 1219.4 | 7-12-57 8-20-57 9-18-57 10-16-57 11-15-57 12-19-57 | 74.1 78.6 75.1 75.0 71.4 70.0 | 1145.3 1140.8 1144.3 1144.4 1148.0 1149.4 | 1101 | 4N/16W-12N02 S | 1254.0 | 11-05-57 | 97.4 | 1156.6 | 1101 |
| | | 1-17-58 2-13-58 3-13-58 4-13-58 | 70.0 69.0 61.0 29.0 | 1149.4 1139.4 1136.4 1194.4 | | 4N/16W-14E02 S | 1179.0 | 7-13-57 8-20-57 9-16-57 | 92.4* 81.0* 81.2* | 1086.6 1098.0 1097.8 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| EASTERN BASIN | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| 40400 | | | | | | 40407 | | | | | |
| 4N/16W-14E02 S | 1179.0 | 10-16-57 | 60.1 | 1118.9 | 1101 | 4N/16W-17A01 S | 1090.0** | 8-16-57 | 81.0* | 1009.0 | 1101 |
| CONT. | 1178.8 | 11-15-57 | 60.0 | 1119.0 | | CONT. | | 9-16-57 | 73.2* | 1016.8 | |
| | | 1-21-57 | 55.6 | 1123.2 | | | | 10-17-57 | 52.5 | 1037.5 | |
| | | 1-17-58 | 55.0 | 1123.8 | | | | 11-15-57 | 51.5 | 1038.5 | |
| | | 2-14-58 | 54.2 | 1124.6 | | | | 12-19-57 | 45.5 | 1044.5 | |
| | | 3-15-58 | 53.2 | 1125.6 | | | | 1-17-58 | 43.0 | 1047.0 | |
| | | 4-15-58 | 47.0 | 1131.8 | | | | 2-24-58 | 35.0 | 1055.0 | |
| | | 5-15-58 | 59.0* | 1119.8 | | | | 3-15-58 | 31.0 | 1059.0 | |
| | | 6-20-58 | 64.0 | 1114.8 | | | | 5-15-58 | 31.0 | 1059.0 | |
| 4N/16W-15003 S | 1155.0 | 7-13-57 | 94.7* | 1060.3 | 1101 | 4N/16W-17A02 S | 1091.1 | 7-15-57 | 49.6 | 1041.5 | 1101 |
| | | 8-20-57 | 109.0* | 1046.0 | | CONT. | | 8-16-57 | 57.6 | 1033.5 | |
| | | 9-17-57 | 113.6* | 1041.4 | | | | 9-16-57 | 55.4 | 1035.7 | |
| | | 10-17-57 | 17.9 | 1077.1 | | | | 10-11-57 | 51.3 | 1039.8 | |
| | | 11-15-57 | 77.0 | 1078.0 | | | | 11-15-57 | 50.0 | 1041.1 | |
| | | 1-21-57 | 65.0 | 1090.0 | | | | 12-19-57 | 49.1 | 1042.0 | |
| | | 1-15-58 | 76.0 | 1079.0 | | | | 1-17-58 | 47.1 | 1044.0 | |
| | | 6-20-58 | 78.2 | 1076.8 | | | | 2-14-58 | 46.0 | 1045.1 | |
| 4N/16W-16001 S | 1096.0 | 7-15-57 | 79.9 | 1016.1 | 1101 | | | 3-15-58 | 44.2 | 1046.9 | |
| | | 8-17-57 | 58.0 | 1038.0 | | | | 4-15-58 | 45.1 | 1046.0 | |
| | | 9-16-57 | 73.6 | 1022.4 | | | | 5-15-58 | 46.3 | 1044.8 | |
| | | 10-17-57 | 58.5 | 1037.5 | | | | 6-20-58 | 48.5 | 1042.6 | |
| | | 11-15-57 | 54.0 | 1042.0 | | | | | | | |
| | | 1-21-57 | 50.0 | 1046.0 | | | | | | | |
| | | 1-17-58 | 48.0 | 1048.0 | | 4N/16W-17A03 S | 1096.0 | 7-15-57 | 76.0 | 1014.0 | 1101 |
| | | 2-14-58 | 46.5 | 1049.5 | | | | 8-16-57 | 78.0* | 1012.0 | |
| | | 3-15-58 | 45.0 | 1051.0 | | | | 9-16-57 | 81.0* | 1009.0 | |
| | | 4-15-58 | 46.0 | 1050.0 | | | | 10-17-57 | 64.0 | 1026.0 | |
| | | 5-15-58 | 48.0 | 1048.0 | | | | 11-15-57 | 60.2 | 1029.8 | |
| | | 6-20-58 | 51.0 | 1045.0 | | | | 12-19-57 | 49.0 | 1041.0 | |
| 4N/16W-16001 S | 1118.0 | 10-17-57 | 74.0 | 1044.0 | 1101 | | | 1-17-58 | 45.0 | 1045.0 | |
| | | 11-15-57 | 73.5 | 1044.5 | | | | 2-14-58 | 45.0 | 1045.0 | |
| | | 1-21-57 | 68.2 | 1049.8 | | | | 3-15-58 | 40.0 | 1050.0 | |
| | | 1-17-58 | 60.0 | 1058.0 | | | | 4-15-58 | 40.0 | 1050.0 | |
| | | 2-17-58 | 59.8 | 1058.2 | | | | 5-15-58 | 74.0* | 1016.0 | |
| | | 3-15-58 | 55.0 | 1063.0 | | | | 6-20-58 | 49.0 | 1041.0 | |
| | | 4-15-58 | 56.3 | 1061.7 | | | | | | | |
| | | 6-20-58 | 99.6* | 1018.4 | | 4N/16W-17P01 S | 1077.5 | 7-13-57 | 29.1 | 1048.4 | 1101 |
| 4N/16W-16002 S | 1117.0 | 3-03-58 | 58.8 | 1058.2 | 1101 | | | 8-20-57 | 38.0* | 1039.5 | |
| | | 4-21-58 | 50.7 | 1066.3 | | | | 9-16-57 | 38.2* | 1039.3 | |
| | | 5-05-58 | 54.1 | 1062.9 | | | | 10-16-57 | 31.0 | 1046.5 | |
| 4N/16W-17A01 S | 1090.0** | 7-15-57 | 73.8* | 1016.2 | 1101 | | | 11-15-57 | 26.7 | 1050.8 | |
| | | | | | | | | 1-17-58 | 23.0 | 1054.5 | |
| | | | | | | | | 2-17-58 | 20.1 | 1057.4 | |
| | | | | | | | | 3-15-58 | 20.0 | 1057.5 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| EASTERN BASIN | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| 40400 | | | | | | 40400 | | | | | |
| EASTERN BASIN | | | | | | | | | | | |
| 40407 | | | | | | 40407 | | | | | |
| 4N/16W-17P01 S | 1077.5** | 4-15-58 | 15.0 | 1062.5 | 1101 | 4N/16W-21H02 S | 1134.0 | 6-05-58 | 74.7 | 1059.3 | 1101 |
| CONT. | | 5-15-58 | 15.0 | 1062.5 | | 4N/16W-22A01 S | 1155.0 | 11-06-57 | 102.4 | 1052.6 | 1101 |
| | | 6-20-58 | 20.3 | 1057.2 | | 4N/16W-22C07 S | 1131.0 | 11-15-57 | 82.9 | 1048.1 | 1101 |
| 4N/16W-18A01 S | 1044.0 | 7-15-57 | 47.1* | 998.9 | 1101 | | | 12-19-57 | 70.1 | 1060.9 | |
| | | 8-17-57 | 31.5 | 1012.5 | | | | 1-17-58 | 70.0 | 1061.0 | |
| | | 9-16-57 | 50.1* | 993.9 | | | | 2-14-58 | 65.0 | 1066.0 | |
| | | 10-16-57 | 21.0 | 1023.0 | | | | 3-15-58 | 60.0 | 1071.0 | |
| | | 11-06-57 | 25.1 | 1018.9 | | | | 4-15-58 | 79.0* | 1052.0 | |
| | | 11-15-57 | 21.0 | 1023.0 | | | | 5-15-58 | 64.0 | 1067.0 | |
| | | 12-09-57 | 24.5 | 1019.5 | | | | 6-20-58 | 112.5* | 1018.5 | |
| | | 1-02-58 | 23.9 | 1020.1 | | | | 7-13-57 | 93.2 | 1039.8 | 1101 |
| | | 2-13-58 | 23.2 | 1020.8 | | | | 8-20-57 | 130.0* | 1003.0 | |
| | | 3-03-58 | 22.6 | 1021.4 | | 4N/16W-22C09 S | 1133.0 | 9-17-57 | 129.8* | 1003.2 | |
| | | 4-14-58 | 21.0 | 1023.0 | | | | 10-17-57 | 91.2 | 1041.8 | |
| | | 4-21-58 | 20.9 | 1023.1 | | | | 11-15-57 | 84.1 | 1048.9 | |
| | | 5-03-58 | 21.4 | 1022.6 | | | | 12-19-57 | 71.0 | 1062.0 | |
| | | 6-03-58 | 23.3 | 1020.2 | | | | 1-17-58 | 71.0 | 1062.0 | |
| 4N/16W-18F04 S | 1023.0 | 7-12-57 | 24.1 | 998.9 | 1101 | | | 2-14-58 | 70.0 | 1063.0 | |
| | | 8-13-57 | 26.2 | 996.8 | | | | 3-15-58 | 64.0 | 1063.0 | |
| | | 9-13-57 | 18.1 | 997.9 | | | | 4-15-58 | 58.0 | 1075.0 | |
| | | 10-16-57 | 16.2 | 1008.9 | | | | 5-15-58 | 65.0 | 1068.0 | |
| | | 11-16-57 | 16.2 | 1008.9 | | | | 6-20-58 | 125.0* | 1008.0 | |
| | | 12-19-57 | 21.1 | 1003.9 | | | | 7-13-57 | 115.5* | 1016.2 | 1101 |
| | | 1-17-58 | 14.0 | 1009.0 | | 4N/16W-22D02 S | 1129.7 | 8-20-57 | 113.0* | 1016.2 | |
| | | 2-17-58 | 8.0 | 1015.0 | | | | 9-17-57 | 116.5* | 1016.2 | |
| | | 3-14-58 | 7.2 | 1015.8 | | | | 10-17-57 | 88.2 | 1043.2 | |
| | | 4-15-58 | 7.0 | 1016.0 | | | | 11-15-57 | 80.0 | 1049.7 | |
| | | 5-15-58 | 9.0 | 1014.0 | | | | 12-19-57 | 69.0 | 1060.7 | |
| | | 6-20-58 | 58.0* | 965.0 | | | | 1-17-58 | 67.0 | 1062.7 | |
| 4N/16W-20R02 S | 1092.0 | 11-06-57 | 57.0 | 1035.0 | 1101 | | | 2-14-58 | 62.0 | 1067.1 | |
| | | 7-01-57 | 83.8 | 1050.2 | | | | 3-15-58 | 59.0 | 1075.1 | |
| 4N/16W-21H02 S | 1136.0 | 8-01-57 | 89.1 | 1044.9 | 1101 | | | 4-15-58 | 55.2 | 1074.5 | |
| | | 9-16-57 | 92.2 | 1041.8 | | | | 5-15-58 | 64.3 | 1065.4 | |
| | | 9-30-57 | 92.1 | 1041.9 | | | | 6-20-58 | 109.0* | 1026.7 | |
| | | 10-06-57 | 87.8 | 1046.2 | | | | 11-15-57 | 98.1 | 1039.6 | 1101 |
| | | 11-05-57 | 81.1 | 1052.9 | | 4N/16W-22D03 S | 1137.7 | 12-19-57 | 72.1 | 1065.6 | |
| | | 1-02-58 | 77.7 | 1056.3 | | | | 1-17-58 | 70.0 | 1067.7 | |
| | | 2-13-58 | 74.0 | 1060.0 | | | | 2-14-58 | 68.0 | 1069.7 | |
| | | 3-03-58 | 71.8 | 1062.2 | | | | 3-15-58 | 66.0 | 1071.7 | |
| | | 4-14-58 | 62.5 | 1071.5 | | | | 4-15-58 | 60.0 | 1077.7 | |
| | | 4-21-58 | 63.4 | 1070.6 | | | | 5-15-58 | 66.0 | 1071.7 | |
| | | 5-03-58 | 67.3 | 1066.7 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | 40407 | | | | | |
| EASTERN BASIN | | | | | | | | | | | |
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| 40400 | | | | | | 40407 | | | | | |
| EASTERN BASIN | | | | | | | | | | | |
| 4N/16W-22D03 S | 1137.7** | 6-20-58 | 69.0 | 1068.7 | 1101 | 4N/16W-24B01 S | 1244.0** | 12-19-57 | 73.1 | 1170.9 | 1101 |
| 4N/16W-22G07 S | | 11-06-57 | DRY | | 1101 | CONC. | | 1-17-58 | 71.0 | 1173.0 | |
| 4N/16W-22R08 S | 1165.5 | 11-06-57 | 94.3 | 1071.2 | 1101 | | | 2-17-58 | 69.7 | 1174.3 | |
| 4N/16W-23G03 S | 1201.0 | 7-13-57 | 90.2* | 1110.8 | 1101 | | | 3-15-58 | 61.0 | 1183.0 | |
| | | 8-20-57 | 88.7 | 1112.3 | | | | 4-15-58 | 61.0 | 1183.0 | |
| | | 9-16-57 | 80.0 | 1121.0 | | | | 5-15-58 | 62.0 | 1182.0 | |
| | | 10-16-57 | 75.2 | 1125.8 | | | | 6-20-58 | 61.5 | 1182.5 | |
| | | 11-03-57 | 73.5 | 1127.5 | | | | | | | |
| | | 11-15-57 | 66.0 | 1135.0 | | | | | | | |
| | | 1-17-58 | 61.5 | 1139.5 | | | | | | | |
| | | 2-17-58 | 59.7 | 1141.3 | | | | | | | |
| | | 3-15-58 | 57.6 | 1143.4 | | | | | | | |
| | | 4-15-58 | 53.0 | 1148.0 | | | | | | | |
| | | 5-15-58 | 51.0 | 1150.0 | | | | | | | |
| | | 6-20-58 | 58.0 | 1143.0 | | | | | | | |
| 4N/16W-23H01 S | 1200.4 | 7-13-57 | 89.0* | 1111.4 | 1101 | 4N/16W-24G01 S | 1237.3 | 7-12-57 | 85.1* | 1152.2 | 1101 |
| | | 8-20-57 | 89.6* | 1110.8 | | | | 8-20-57 | 83.5 | 1153.8 | |
| | | 9-16-57 | 77.2 | 1123.2 | | | | 9-16-57 | 96.0* | 1141.3 | |
| | | 10-16-57 | 74.8 | 1125.6 | | | | 10-16-57 | 81.1 | 1156.2 | |
| | | 11-03-57 | 74.8 | 1125.6 | | | | 11-15-57 | 76.7 | 1160.6 | |
| | | 11-15-57 | 67.2 | 1133.2 | | | | 12-19-57 | 73.0 | 1164.3 | |
| | | 12-19-57 | 64.2 | 1136.2 | | | | 1-17-58 | 72.4 | 1164.9 | |
| | | 1-17-58 | 62.1 | 1138.3 | | | | 2-17-58 | 68.0 | 1169.3 | |
| | | 2-17-58 | 60.0 | 1140.4 | | | | 3-15-58 | 61.4 | 1175.9 | |
| | | 3-15-58 | 57.8 | 1142.6 | | | | 4-15-58 | 61.0 | 1176.3 | |
| | | 4-15-58 | 54.7 | 1147.3 | | | | 5-15-58 | 62.3 | 1175.0 | |
| | | 5-15-58 | 53.1 | 1147.3 | | | | 6-20-58 | 63.5 | 1173.8 | |
| | | 6-20-58 | 57.5 | 1142.9 | | | | | | | |
| 4N/16W-24A05 S | 1261.0 | 7-12-57 | 80.0 | 1181.0 | 1101 | 4N/16W-32O01 S | 1350.0 | 7-01-57 | 75.4 | 1274.6 | 1101 |
| | | 8-20-57 | 82.9 | 1178.1 | | | | 9-16-57 | 75.6 | 1274.6 | |
| | | 9-16-57 | 80.0 | 1181.0 | | | | 11-07-57 | 87.7 | 1262.3 | |
| | | 10-16-57 | 80.0 | 1181.0 | | | | 1-13-58 | 75.7 | 1274.3 | |
| | | 11-15-57 | 79.6 | 1181.4 | | | | 3-03-58 | 70.5 | 1279.5 | |
| | | 12-19-57 | 71.5 | 1189.4 | | | | 4-21-58 | 55.8 | 1294.2 | |
| 1260.9 | | 1-17-58 | 71.0 | 1189.9 | | | | 5-05-58 | 55.8 | 1294.2 | |
| | | 2-17-58 | 73.5 | 1187.4 | | | | | | | |
| | | 3-15-58 | 71.2 | 1189.7 | | | | | | | |
| | | 4-15-58 | 71.0 | 1189.9 | | | | | | | |
| | | 5-15-58 | 65.5 | 1195.4 | | | | | | | |
| | | 6-20-58 | 68.5 | 1192.4 | | | | | | | |
| 4N/16W-24B01 S | 1244.0 | 11-15-57 | 76.0 | 1168.0 | 1101 | 4N/16W-36M03 S | 1301.0 | 11-12-57 | 180.1 | 1120.9 | 1101 |
| | | 7-12-57 | 80.0 | 1178.1 | | | | 11-07-57 | 107.9 | 1124.1 | |
| | | 8-20-57 | 82.9 | 1178.1 | | | | 11-07-57 | 61.0 | 1172.0 | |
| | | 9-16-57 | 80.0 | 1181.0 | | | | | | | |
| | | 10-16-57 | 80.0 | 1181.0 | | | | | | | |
| | | 11-15-57 | 79.6 | 1181.4 | | | | | | | |
| | | 12-19-57 | 71.5 | 1189.4 | | | | | | | |
| | | 1-17-58 | 71.0 | 1189.9 | | | | | | | |
| | | 2-17-58 | 73.5 | 1187.4 | | | | | | | |
| | | 3-15-58 | 71.2 | 1189.7 | | | | | | | |
| | | 4-15-58 | 71.0 | 1189.9 | | | | | | | |
| | | 5-15-58 | 65.5 | 1195.4 | | | | | | | |
| | | 6-20-58 | 68.5 | 1192.4 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|--------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | | | | | | |
| EASTERN BASIN | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| EASTERN BASIN | | | | | | EASTERN BASIN | | | | | |
| 42400 | | | | | | 40400 | | | | | |
| 40407 | | | | | | 40407 | | | | | |
| 4N/164-36M04 S | 1285.0 | 11-12-57 | 166.2 | 1118.8 | 1101 | 4N/17M-22E01 S | 904.6 | 1-17-58 | 12.9 | 891.7 | 1101 |
| 4N/164-36R01 S | 1350.0 | 11-12-57 | 97.0 | 1293.0 | 1101 | | | 2-14-58 | | 893.5 | |
| 4N/164-36R02 S | 1345.0 | 11-12-57 | 134.2 | 1210.8 | 1101 | | | 2-14-58 | | 893.5 | |
| 4N/17M-02M01 S | 1203.0 | 11-07-57 | 77.6 | 1125.4 | 1101 | | | 5-15-58 | 6.6 | 896.0 | |
| 4N/17M-12R03 S | 1030.0 | 7-15-57 | 28.0 | 1002.0 | 1101 | 4N/17M-22E02 S | 907.0** | 6-20-58 | 18.0 | 886.6 | |
| | | 8-16-57 | 51.6* | 978.2 | | | | 1-17-58 | 12.0 | 895.0 | 1101 |
| | | 9-16-57 | 51.8* | 978.2 | | | | 2-24-58 | 10.0 | 897.0 | |
| | | 10-15-57 | 20.6 | 1001.4 | | | | 4-15-58 | 6.0 | 901.0 | |
| | | 11-07-57 | 29.2 | 1000.8 | | | | 5-15-58 | 10.6 | 896.4 | |
| | | 11-15-57 | 26.8 | 1003.2 | | | | 6-20-58 | 33.0* | 876.0 | |
| 4N/17M-12C02 S | 1031.5 | 7-15-57 | 56.5* | 975.0 | 1101 | 4N/17M-22E03 S | 902.9 | 8-15-57 | 49.0* | 853.9 | 1101 |
| | | 8-16-57 | 40.0 | 991.5 | | | | 9-15-57 | 46.0* | 856.9 | |
| | | 9-15-57 | 40.0 | 991.5 | | | | 10-15-57 | 28.2 | 876.7 | |
| | | 10-16-57 | 35.2 | 996.3 | | | | 11-07-57 | 18.8 | 884.1 | |
| | | 11-15-57 | 35.0 | 996.5 | | | | 11-13-57 | 30.0* | 872.9 | |
| | | 12-19-57 | 31.0 | 1000.5 | | | | 1-17-58 | 12.0 | 890.9 | |
| | | 1-17-58 | 30.3 | 1001.2 | | | | 2-14-58 | 7.0 | 895.9 | |
| | | 2-14-58 | 26.0 | 1005.5 | | | | 3-14-58 | 4.9 | 898.0 | |
| | | 3-14-58 | 18.0 | 1013.5 | | | | 4-15-58 | 4.9 | 898.0 | |
| | | 4-15-58 | 35.0 | 996.5 | | | | 5-15-58 | 24.0* | 878.9 | |
| | | 5-15-58 | 36.0 | 995.5 | | | | 6-20-58 | 30.0* | 872.9 | |
| | | 6-20-58 | 38.0 | 993.5 | | | | 7-01-57 | 15.3 | 852.0 | 1101 |
| 4N/17M-12G01 S | 1015.0 | 11-07-57 | 31.0 | 984.0 | 1101 | 4N/17M-28E01 S | 867.3 | 8-01-57 | 15.4 | 851.9 | |
| 4N/17M-12P01 S | 990.0 | 11-07-57 | 26.7 | 963.3 | 1101 | | | 9-05-57 | 15.5 | 851.8 | |
| 4N/17M-12R01 S | 1013.0 | 11-07-57 | 30.5 | 982.5 | 1101 | | | 9-30-57 | 15.4 | 851.9 | |
| 4N/17M-13C02 S | 986.0 | 11-07-57 | 24.9 | 961.1 | 1101 | | | 10-31-57 | 15.3 | 852.0 | |
| | | 1-13-58 | 19.4 | 966.6 | | | | 12-09-57 | 15.1 | 852.2 | |
| | | 5-13-58 | 15.4 | 970.6 | | | | 1-02-58 | 15.7 | 851.6 | |
| | | 6-21-58 | 11.9 | 976.1 | | | | 1-02-58 | 15.3 | 852.0 | |
| | | 5-05-58 | 12.3 | 975.7 | | | | 3-03-58 | 16.0 | 851.3 | |
| | | | | | | | | 5-07-58 | 14.4 | 851.9 | |
| | | | | | | | | 6-05-58 | 16.3 | 851.3 | |
| | | | | | | | | 6-05-58 | 16.2 | 851.1 | |
| 4N/17M-14Q01 S | 962.9 | 7-11-57 | 28.4 | 936.5 | 1101 | 4N/17M-28L01 S | 971.0 | 11-07-57 | 6.2 | 966.8 | 1101 |
| | | 8-16-57 | 30.4* | 923.5 | | 4N/17M-28L02 S | 972.0** | 11-07-57 | 1.4 | 970.6 | 1101 |
| | | 9-15-57 | 32.4 | 930.5 | | 5N/13M-07K01 S | 2950.0 | 10-31-57 | 151.7 | 2798.3 | 1101 |
| | | 10-16-57 | 29.4 | 933.5 | | 5N/14M-13C01 S | 2827.0 | 10-29-57 | 183.3 | 2643.7 | 1101 |
| | | 11-15-57 | 29.0 | 933.9 | | | | 10-31-57 | 181.7 | 2645.3 | |
| 4N/174-15N01 S | 998.0 | 11-07-57 | FLOW | | 1101 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| EASTERN BASIN | | | | | | EASTERN BASIN | | | | | |
| 40400 | | | | | | 40400 | | | | | |
| 5N/14W-14F01 S | 2700.0 | 10-30-57 | 60.0 | 2640.0 | 1101 | 5N/14W-31F02 S CONT. | 1949.0 | 11-05-57 | 36.0 | 1913.0 | 1101 |
| 5N/14W-22J01 S | 2575.0 | 10-30-57 | 78.8 | 2496.2 | 1101 | | | 1-13-58 | 55.7 | 1893.3 | |
| 5N/14W-23E01 S | 2570.0 | 10-30-57 | 78.8 | 2491.2 | 1101 | | | 3-03-58 | 42.2 | 1906.8 | |
| 5N/14W-23N02 S | 25326.0 | 10-30-57 | 41.1 | 2484.9 | 1101 | | | 4-21-58 | 24.5 | 1924.5 | |
| 5N/14W-24C01 S | 2667.0 | 10-30-57 | 127.3 | 2539.7 | 1101 | 5N/15W-21001 S | 1629.0 | 5-05-58 | 36.3 | 1912.7 | 1101 |
| 5N/14W-25D01 S | 2660.0 | 10-30-57 | 26.1 | 2633.9 | 1101 | 5N/15W-21001 S | 1629.0 | 11-06-57 | 20.0 | 1609.0 | 1101 |
| 5N/14W-26001 S | 2500.0 | 10-30-57 | 29.0 | 2471.0 | 1101 | 5N/15W-28F01 S | 1602.0 | 11-06-57 | 39.7 | 1562.3 | 1101 |
| 5N/14W-26E01 S | 2484.0 | 10-30-57 | 22.6 | 2461.4 | 1101 | 5N/15W-33C01 S | 1550.0 | 7-01-57 | 76.1 | 1473.9 | 1101 |
| 5N/14W-26E02 S | 2491.0 | 10-30-57 | 24.3 | 2466.7 | 1101 | | 1552.8 | 9-16-57 | 75.0 | 1477.8 | |
| 5N/14W-26E03 S | 2481.0 | 10-30-57 | 12.8 | 2468.2 | 1101 | | | 11-06-57 | 57.0 | 1495.8 | |
| 5N/14W-27J01 S | 2461.0 | 10-30-57 | 6.4 | 2454.6 | 1101 | 5N/15W-33D02 S | 1552.0 | 4-21-58 | 37.0 | 1515.8 | |
| 5N/14W-27K01 S | 2480.0 | 10-30-57 | 18.5 | 2461.5 | 1101 | | | 7-01-57 | DRY | | 1101 |
| 5N/14W-30R01 S | 2190.0 | 1-16-58 | 166.6 | 2023.4 | 1101 | | | 9-16-57 | DRY | | |
| | | 3-03-58 | 170.8 | 2019.2 | | 5N/15W-33E02 S | 1514.0 | 11-06-57 | DRY | | |
| | | 4-13-58 | 169.1 | 2020.9 | | 5N/15W-33E03 S | 1531.0** | 11-06-57 | 61.0 | 1470.0 | 1101 |
| | | 6-05-58 | 173.6 | 2016.4 | | 5N/16W-34L01 S | 1238.0 | 7-01-57 | 71.1 | 1166.9 | 1101 |
| 5N/14W-31C01 S | 1955.0 | 7-01-57 | 62.9 | 1892.1 | 1101 | | | 9-16-57 | 76.8 | 1161.2 | |
| | | 9-16-57 | 65.7 | 1889.3 | | | | 11-06-57 | 77.4 | 1160.6 | |
| | | 11-05-57 | 62.7 | 1892.3 | | | | 1-13-58 | 73.6 | 1164.4 | |
| | | 1-13-58 | 62.8 | 1892.2 | | | | 3-03-58 | 73.9 | 1164.1 | |
| | | 3-03-58 | 64.4 | 1890.6 | | 5N/16W-34P01 S | 1235.0** | 7-01-57 | 67.8 | 1167.2 | 1101 |
| | | 4-21-58 | 33.0 | 1922.0 | | | | 9-16-57 | 74.8 | 1160.2 | |
| | | 5-05-58 | 28.6 | 1926.4 | | | | 11-06-57 | 74.2 | 1160.8 | |
| 5N/14W-31C02 S | 1953.0 | 7-01-57 | 65.7 | 1887.3 | 1101 | | | 1-13-58 | 72.8 | 1162.2 | |
| | | 9-16-57 | 65.8 | 1887.2 | | | | 3-03-58 | 70.1 | 1164.9 | |
| | | 11-05-57 | 62.4 | 1890.6 | | 5N/17W-24B01 S | 1175.0 | 11-06-57 | 56.8 | 1118.2 | 1101 |
| | | 1-13-58 | 65.1 | 1887.9 | | 5N/17W-24H01 S | | 11-07-57 | DRY | | 1101 |
| | | 3-03-58 | 63.3 | 1889.7 | | 5N/17W-24G01 S | 1150.0 | 11-06-57 | 67.9 | 1082.1 | 1101 |
| | | 5-05-58 | 26.8 | 1926.2 | | 5N/17W-25G03 S | 1131.0 | 7-01-57 | 43.8 | 1087.2 | 1101 |
| 5N/14W-31F02 S | 1949.0 | 7-01-57 | 63.1 | 1885.9 | 1101 | | | | | | |
| | | 9-16-57 | 62.4 | 1886.6 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|--------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SANTA CLARA RIVER VALLEY | | | | | | SANTA CLARA RIVER VALLEY | | | | | |
| EASTERN BASIN | | | | | | EASTERN BASIN | | | | | |
| 40400 | | | | | | 40400 | | | | | |
| 5N/17M-25G03 S | 1131.0 | 9-16-57 | 47.9 | 1083.1 | 1101 | 8N/18M-17J01 S | 3431.0 | 10-22-57 | 60.5 | 3370.5 | 1101 |
| CONT. | | | | | | | | | | | |
| | | 11-06-57 | 49.2 | 1081.8 | | | | | | | |
| | | 1-13-58 | 47.1 | 1083.0 | | 8N/19M-17M01 S | 4051.0 | 10-22-57 | 11.3 | 4039.7 | 1101 |
| | | 3-03-58 | 34.2 | 1096.8 | | | | | | | |
| | | 4-21-58 | 10.0 | 1121.0 | | 8N/19M-17L01 S | 3780.0 | 10-22-57 | FLOW | | 1101 |
| | | 5-05-58 | 9.5 | 1121.5 | | | | | | | |
| 5N/17M-25G04 S | 1136.0 | 11-07-57 | 52.8 | 1083.2 | 1101 | | | | | | |
| 5N/17M-25M02 S | 1236.0 | 11-06-57 | 137.3 | 1098.7 | 1101 | | | | | | |
| 5N/17M-36A03 S | 1110.0 | 11-06-57 | 40.6 | 1060.4 | 1101 | | | | | | |
| 5N/17M-36K02 S | 1088.0 | 11-06-57 | 39.1 | 1048.9 | 1101 | | | | | | |
| | | 11-06-57 | 39.1 | 1048.0 | | | | | | | |
| 6N/13M-21E01 S | 3133.0 | 10-23-57 | 28.6* | 3104.4 | 1101 | | | | | | |
| 6N/14M-02D01 S | 3498.0 | 10-23-57 | 15.2 | 3482.8 | 1101 | | | | | | |
| 7N/14M-29G02 S | | 10-22-57 | DRY | | 1101 | | | | | | |
| 7N/14M-32A01 S | 3320.0 | 10-22-57 | 25.9 | 3294.1 | 1101 | | | | | | |
| 7N/14M-32A02 S | 3310.0 | 10-22-57 | 27.2 | 3282.8 | 1101 | | | | | | |
| 7N/14M-32M01 S | 3346.0 | 10-22-57 | 19.6 | 3326.4 | 1101 | | | | | | |
| 7N/14M-33M01 S | 3398.0 | 10-23-57 | 23.0 | 3375.0 | 1101 | | | | | | |
| 7N/14M-34M01 S | 3416.0 | 10-23-57 | 15.7 | 3400.3 | 1101 | | | | | | |
| 7N/15M-22F01 S | 3319.0 | 10-22-57 | 49.4 | 3269.6 | 1101 | | | | | | |
| 7N/15M-22L01 S | 3275.0 | 10-22-57 | 57.8 | 3217.2 | 1101 | | | | | | |
| 7N/15M-23P01 S | 3232.0 | 10-22-57 | 33.8 | 3198.2 | 1101 | | | | | | |
| 7N/15M-23R01 S | 3282.0 | 10-22-57 | 138.9 | 3143.1 | 1101 | | | | | | |
| 7N/15M-25F01 S | 3308.0 | 10-22-57 | 44.8 | 3263.2 | 1101 | | | | | | |
| 7N/15M-25F02 S | 3313.0 | 10-22-57 | 47.4 | 3265.6 | 1101 | | | | | | |
| 7N/15M-25F03 S | 3285.0 | 10-22-57 | 96.1 | 3188.9 | 1101 | | | | | | |
| 7N/15M-26A01 S | 3239.0 | 10-22-57 | 21.4 | 3217.6 | 1101 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| ACTION VALLEY | | | | | | | | | | | |
| 4N/12W-02E01 S | 3476.0 | 10-31-57 | 195.2 | 3340.8 | 1101 | 1N/20W-06A01 S | 120.8 | 7-24-57 | 75.5 | 40600 | 2100 |
| 4N/12W-05K01 S | 2912.0 | 10-29-57 | 23.5 | 2888.5 | 1101 | | | 8-21-57 | 74.9 | 45.3 | |
| 4N/12W-11G01 S | 3736.0 | 10-31-57 | 57.9 | 3678.1 | 1101 | | | 11-21-57 | 75.5 | 45.3 | |
| 4N/13W-01C01 S | 2700.0 | 10-29-57 | 60.9 | 2639.1 | 1101 | | | 1-14-58 | 75.7 | 45.1 | |
| 4N/13W-01K01 S | 2663.0 | 10-29-57 | 44.6 | 2618.4 | 1101 | 1N/20W-06C01 S | 126.3 | 6-10-58 | 74.8 | 46.0 | 2100 |
| 4N/13W-01L02 S | 2665.0 | 10-29-57 | 44.4 | 2620.6 | 1101 | | | 11-21-57 | 147.9 | 21.6 | |
| 4N/13W-01P01 S | 2641.0 | 10-29-57 | 37.0 | 2604.0 | 1101 | 1N/21W-01A01 S | 118.2 | 1-14-58 | 150.6 | 24.3 | |
| 4N/13W-12C01 S | | 10-29-57 | DRY | | 1101 | | | 8-21-57 | 176.5 | 58.3 | 2100 |
| 4N/13W-12C03 S | 2626.0 | 10-29-57 | 32.9 | 2593.1 | 1101 | | | 10-03-57 | 166.3 | 48.1 | |
| 5N/12W-28F02 S | 3137.0 | 10-29-57 | 137.6 | 2999.4 | 1101 | | | 1-14-58 | 148.1 | 29.9 | |
| 5N/12W-28F03 S | 3152.0 | 10-29-57 | 196.2* | 2955.8 | 1101 | 1N/21W-01B01 S | 118.7 | 4-24-58 | 135.7 | 17.5 | |
| 5N/12W-32F01 S | | 10-28-57 | DRY | | 1101 | | | 8-21-57 | 134.0* | 15.3 | 2100 |
| 5N/12W-32L01 S | 2838.0 | 10-24-57 | 134.2 | 2703.8 | 1101 | | | 10-03-57 | 130.0* | 11.3 | |
| 5N/12W-32L02 S | | 10-29-57 | DRY | | 1101 | 1N/21W-01B02 S | 117.8 | 1-14-58 | 129.9 | 11.2 | |
| 5N/13W-25C02 S | 2966.0 | 10-29-57 | 210.1 | 2757.9 | 1101 | | | 4-24-58 | 123.9 | 5.2 | |
| 5N/13W-25C04 S | 3001.0** | 10-29-57 | 183.3 | 2817.7 | 1101 | | | 11-21-57 | 189.0 | 71.2 | 2100 |
| 5N/13W-25L02 S | 2897.0 | 10-28-57 | 176.5 | 2720.5 | 1101 | 1N/21W-01R01 S | 92.1 | 1-14-58 | 171.0 | 53.2 | |
| 5N/13W-36J01 S | 2749.0 | 10-29-57 | 78.6 | 2670.4 | 1101 | | | 4-24-58 | 144.4 | 26.6 | |
| 5N/13W-36K01 S | 2702.0 | 10-29-57 | 48.7 | 2653.3 | 1101 | | | 6-10-58 | 176.3 | 58.5 | |
| 5N/13W-36P01 S | | 10-29-57 | DRY | | 1101 | | | 7-24-57 | 101.3 | 9.2 | 2100 |
| 6N/13W-23E01 S | 2930.0 | 10-28-57 | 26.5 | 2903.5 | 1101 | | | 8-20-57 | 103.4 | 11.3 | |
| | | | | | | 1N/21W-02H01 S | 97.3 | 10-02-57 | 103.5 | 11.4 | |
| | | | | | | | | 11-20-57 | 102.0 | 9.9 | |
| | | | | | | | | 1-09-58 | 98.9 | 6.8 | |
| | | | | | | | | 4-23-58 | 94.2 | 2.1 | |
| | | | | | | | | 6-09-58 | 98.0 | 5.9 | |
| | | | | | | 1N/21W-02H01 S | 97.3 | 8-21-57 | 164.9 | 67.6 | 2100 |
| | | | | | | | | 10-03-57 | 149.8 | 52.5 | |
| | | | | | | | | 11-21-57 | 137.0 | 39.7 | |
| | | | | | | | | 1-14-58 | 126.0 | 31.7 | |
| | | | | | | | | 4-29-58 | 119.5 | 22.2 | |
| | | | | | | 1N/21W-02H02 S | 96.7 | 7-24-57 | 96.3 | 4 | 2100 |
| | | | | | | | | 8-21-57 | 96.5 | 4.2 | |
| | | | | | | | | 10-03-57 | 97.0 | 4.3 | |
| | | | | | | | | 11-21-57 | 98.7 | 2.0 | |
| | | | | | | | | 4-29-58 | 97.3 | 4.6 | |
| | | | | | | | | 6-10-58 | 97.6 | 4.9 | |
| | | | | | | 1N/21W-02J01 S | 90.1 | 11-21-57 | 100.7 | 10.6 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| PLEASANT VALLEY | | | | | | | | | | | |
| 1N/21W-02J01 S | 90.1 | 1-14-58 | 98.3 | 8.2 | 2100 | 1N/21W-12E02 S | 64.4 | 6-09-58 | 85.5 | 21.1 | 2100 |
| CONT. | | 4-29-58 | 94.3 | 4.2 | | | | | | | |
| | | 6-10-58 | 99.2 | 9.1 | | 1N/21W-12F03 S | 75.5 | 8-20-57 | 101.0 | 25.5 | 2100 |
| 1N/21W-02P01 S | 68.0 | 11-20-57 | 111.2 | 43.2 | 2100 | | | 11-20-57 | 96.8 | 21.3 | |
| | | 6-09-58 | 112.0 | 44.0 | | | | 1-09-58 | 87.8 | 12.3 | |
| | | | | | | | | 4-23-58 | 77.9 | 2.4 | |
| 1N/21W-03L01 S | 59.0 | 11-20-57 | 111.8 | 52.8 | 2100 | 1N/21W-12G01 S | 77.7 | 7-24-57 | 107.8* | 30.1 | 2100 |
| | | 4-23-58 | 73.7 | 14.7 | | | | 8-20-57 | 103.9 | 20.2 | |
| | | 6-10-58 | 94.2 | 35.2 | | | | 10-02-57 | 104.8* | 27.1 | |
| 1N/21W-10F01 S | 35.1 | 7-24-57 | 84.4 | 45.3 | 2100 | | | 11-20-57 | 101.1* | 23.4 | |
| | | 8-20-57 | 95.0 | 45.9 | | | | 1-09-58 | 88.1 | 10.4 | |
| | | 10-02-57 | 77.3 | 38.2 | | | | 4-23-58 | 78.9 | 1.2 | |
| | | 11-20-57 | 67.1 | 28.0 | | | | 6-09-58 | 96.9* | 19.2 | |
| | | 1-09-58 | 59.6 | 20.5 | | | | 11-20-57 | 91.3 | 24.3 | 2100 |
| | | 4-22-58 | 48.2 | 9.1 | | 1N/21W-12H01 S | 67.0 | 1-09-58 | 84.1 | 17.1 | |
| | | 6-10-58 | 57.2 | 18.1 | | | | 7-24-57 | 72.6 | 20.2 | 2100 |
| 1N/21W-11H01 S | 65.1 | 7-24-57 | 77.6 | 8.3 | 2100 | 1N/21W-14A01 S | 52.4 | 8-20-57 | 70.5 | 18.1 | |
| | | 8-20-57 | 79.8 | 18.5 | | | | 10-02-57 | 70.5 | 18.1 | |
| | | 11-20-57 | 79.0 | 9.7 | | | | 11-20-57 | 69.2 | 15.9 | |
| | | 1-09-58 | 77.5 | 8.2 | | | | 4-23-58 | 60.6 | 13.7 | |
| | | 4-23-58 | 74.4 | 5.1 | | | | 6-09-58 | 65.0 | 12.6 | |
| | | 6-09-58 | 77.0 | 7.7 | | | | 8-20-57 | 127.1 | 79.9 | 2100 |
| 1N/21W-11B02 S | 68.5 | 8-20-57 | 137.7 | 69.2 | 2100 | 1N/21W-14C01 S | 47.2 | 10-02-57 | 115.3 | 68.1 | |
| | | 10-02-57 | 126.3 | 57.8 | | | | 11-20-57 | 100.7 | 53.5 | |
| | | 1-20-58 | 107.0 | 39.1 | | | | 1-09-58 | 91.8 | 44.6 | |
| | | 6-09-58 | 110.7 | 21.9 | | | | 4-23-58 | 74.9 | 27.7 | |
| | | | | 42.2 | | | | 8-20-57 | 91.0 | 38.6 | 2100 |
| 1N/21W-11G01 S | 56.7 | 7-24-57 | 142.5 | 87.8 | 2100 | 1N/21W-14H01 S | 52.6 | 10-02-57 | 86.2* | 33.4 | |
| | | 8-20-57 | 140.0 | 85.3 | | | | 11-20-57 | 80.0* | 27.4 | |
| | | 10-02-57 | 124.8 | 70.1 | | | | 6-09-58 | 87.6 | 35.0 | |
| | | 11-20-57 | 114.0 | 60.2 | | | | 7-06-57 | 32* | 57.2 | 2400 |
| | | 1-09-58 | 101.6 | 46.9 | | 1N/21W-15O02 S | 24.7 | 7-13-57 | 36* | 61.0 | |
| | | 4-23-58 | 80.4 | 25.7 | | | | 7-20-57 | 40* | 65.6 | |
| | | 6-10-58 | 102.5 | 47.8 | | | | 7-24-57 | 46* | 71.4 | |
| 1N/21W-11R01 S | 68.4 | 1-09-58 | 84.8 | 16.4 | 2100 | | | 8-01-57 | 104.0 | 78.3 | |
| | | 4-23-58 | 78.0 | 9.6 | | | | 8-15-57 | 105.1 | 80.4 | |
| 1N/21W-12E01 S | 65.2 | 4-23-58 | 83.1 | 17.9 | 2100 | | | 9-01-57 | 109.5 | 84.8 | |
| | | 7-24-57 | 90.0 | 25.6 | | | | 9-16-57 | 99.0 | 74.3 | |
| 1N/21W-12E2 S | 64.4 | 1-09-58 | 82.3 | 17.9 | 2100 | | | 10-18-57 | 101.4 | 76.7 | |
| | | | | | | | | 10-01-57 | 94.9 | 70.2 | |
| | | | | | | | | 10-13-57 | 90.3 | 65.6 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| PLEASANT VALLEY | | | | | | | | | | | |
| 40600 | | | | | | PLEASANT VALLEY | | | | | |
| 1N/21W-15002 S CONT. | 24.7 | 10-25-57 | 83.1 | 58.4 | 2400 | 2N/20W-19L01 S CONT. | 20.4 | 10-08-57 | 210.0 | 5.6 | 2100 |
| | | 10-26-57 | 88.1 | 63.4 | | | | 1-16-58 | 198.9 | 5.5 | |
| | | 10-30-57 | 92.4 | 67.7 | | | | 7-25-57 | 218.3 | 2.4 | 2100 |
| | | 11-01-57 | 86.9 | 62.2 | | | | 10-08-57 | 215.4 | 5.3 | |
| | | 11-12-57 | 78.4 | 53.7 | | | | 11-27-57 | 215.4* | 5.3 | |
| | | 11-15-57 | 84.3 | 59.6 | | | | 1-16-58 | 213.8 | 6.9 | |
| | | 11-18-57 | 79.0 | 54.3 | | | | 6-11-58 | 217.8 | 2.9 | |
| | | 11-27-57 | 89.1* | 64.4 | | | | 7-25-57 | 192.0 | 9.2 | 2100 |
| | | 12-03-57 | 88.6* | 63.9 | | | | 8-22-57 | 186.3 | 12.9 | |
| | | 12-15-57 | 76.3 | 51.6 | | | | 10-08-57 | 186.3 | 14.9 | |
| | | 1-01-58 | 64.1 | 39.4 | | | | 11-27-57 | 184.9 | 16.3 | |
| | | 1-11-58 | 77.2* | 52.5 | | | | 1-16-58 | 183.5 | 17.7 | |
| | | 1-17-58 | 67.2 | 42.5 | | | | 4-20-58 | 181.2 | 20.0 | |
| | | 1-24-58 | 75.7* | 51.0 | | | | 6-11-58 | 189.7 | 11.5 | |
| | | 2-01-58 | 63.5 | 38.8 | | | | 7-11-57 | 351.5* | 42.1 | 2100 |
| | | 2-15-58 | 56.3 | 31.6 | | | | 10-15-57 | 360.1* | 50.7 | |
| | | 3-01-58 | 51.8 | 27.1 | | | | 12-26-57 | 358.9 | 49.5 | |
| | | 3-15-58 | 48.2 | 23.5 | | | | 1-28-58 | 357.5 | 48.1 | |
| | | 4-01-58 | 43.8 | 19.1 | | | | 7-11-57 | 99.5 | 87.2 | 2100 |
| | | 4-19-58 | 41.1 | 16.4 | | | | 10-15-57 | DRY | | |
| | | 5-03-58 | 61.2* | 36.5 | | | | 1-24-58 | DRY | | |
| | | 5-04-58 | 55.5 | 30.8 | | | | 5-20-58 | 71.4 | 115.3 | |
| | | 5-15-58 | 61.7 | 37.0 | | | | 6-25-58 | 76.6 | 110.1 | |
| | | 6-01-58 | 66.0 | 41.3 | | | | 7-11-57 | 76.8 | 78.4 | 2100 |
| | | 6-11-58 | 70.6 | 45.9 | | | | 9-04-57 | 80.6 | 74.6 | |
| | | 6-20-58 | 62.8 | 38.1 | | | | 10-15-57 | 83.0 | 70.2 | |
| | | | | | | | | 12-26-57 | 85.0 | 70.2 | |
| | | | | | | | | 1-24-58 | 85.3 | 69.9 | |
| | | | | | | | | 5-09-58 | 85.4 | 69.8 | |
| | | | | | | | | 6-25-58 | 85.9 | 69.3 | |
| 1N/21W-16A03 S | 28.4 | 10-02-57 | 97.2 | 68.8 | 2100 | 2N/20W-28A01 S | 155.2 | 7-11-57 | 76.8 | 78.4 | 2100 |
| | | 1-09-58 | 72.7 | 44.3 | | | | 9-04-57 | 80.6 | 74.6 | |
| | | 6-10-58 | 67.8 | 39.4 | | | | 10-15-57 | 83.0 | 70.2 | |
| 1N/21W-22H01 S | 24.5 | 7-24-57 | 70.3 | 45.8 | 2100 | 2N/20W-22P01 S | 186.7 | 7-11-57 | 99.5 | 87.2 | 2100 |
| | | 8-20-57 | 73.5 | 49.0 | | | | 10-15-57 | DRY | | |
| | | 9-30-57 | 91.7* | 67.2 | | | | 1-24-58 | DRY | | |
| | | 11-20-57 | 77.6 | 53.1 | | | | 5-20-58 | 71.4 | 115.3 | |
| | | 1-14-58 | 51.6 | 27.1 | | | | 6-25-58 | 76.6 | 110.1 | |
| | | 4-23-58 | 33.5 | 9.0 | | | | 7-11-57 | 52.6 | 100.0 | 2100 |
| | | 6-09-58 | 45.8 | 21.3 | | | | 10-15-57 | 53.4 | 99.2 | |
| 1N/21W-27F01 S | 15.8 | 8-20-57 | 83.0 | 67.2 | 2100 | 2N/20W-28B01 S | 152.6 | 10-15-57 | 53.6 | 99.2 | |
| | | 9-30-57 | 83.7 | 67.9 | | | | 12-26-57 | 53.6 | 99.2 | |
| | | 11-20-57 | 65.0 | 49.2 | | | | 1-24-58 | 53.8 | 98.8 | |
| | | 1-09-58 | 61.9 | 46.1 | | | | 5-20-58 | 48.9 | 103.7 | |
| | | 4-23-58 | 30.5 | 14.7 | | | | 6-25-58 | 48.7 | 103.9 | |
| | | 6-09-58 | 52.7 | 36.9 | | | | 7-11-57 | 120.4 | 50.2 | 2100 |
| 2N/20W-19L01 S | 20.4 | 7-31-57 | 207.7 | 3.3 | 2100 | 2N/20W-28G02 S | 170.6 | 7-11-57 | 120.4 | 50.2 | 2100 |
| | | | | | | | | 9-04-57 | 122.5 | 48.1 | |
| | | | | | | | | 10-15-57 | 122.5 | 48.1 | |
| | | | | | | | | 12-26-57 | 123.2 | 47.4 | |
| | | | | | | | | 1-24-58 | 122.8 | 47.8 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | P.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | P.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------|--------------------|---|--|---|-----------------------|-------------------|--------------------|---|--|--|-----------------------|
| PLEASANT VALLEY | | | | | | | | | | | |
| 2N/20W-28G02 S | 170.6 | 5-09-58 6-25-58 | 119.5 121.5 | 51.1 49.1 | 2100 | 2N/21W-24P01 S | 205.7 | 1-16-58 6-11-58 | 224.8 225.4 | 19.1 19.7 | 2100 |
| 2N/20W-30C01 S | 189.9 | 8-22-57 10-08-57 11-27-57 1-16-58 4-29-58 | 266.0* 261.4* 206.2 202.9 197.5 | 71.5 63.3 13.0 7.6 2.4 | 2100 | 2N/21W-24R01 S | 183.2 | 8-22-57 10-08-57 1-16-58 4-29-58 6-11-58 | 122.4 122.8 121.2 119.6 120.5 | 60.4 60.4 62.0 63.6 62.7 | 2100 |
| 2N/20W-30H01 S | 189.6 | 10-08-57 11-27-57 1-16-58 4-29-58 6-11-58 | 249.9 244.2 241.2 235.0 240.4 | 60.3 54.6 51.6 45.4 50.8 | 2100 | 2N/21W-25B01 S | 177.5 | 7-25-57 8-22-57 10-08-57 11-26-57 1-16-58 4-29-58 6-11-58 | 235.2* 208.7 205.5 203.6 196.0 188.8 196.9 | 57.7 31.2 26.0 28.1 18.5 11.3 19.4 | 2100 |
| 2N/20W-31B01 S | 155.4 | 7-11-57 9-04-57 10-15-57 12-26-57 1-24-58 | 176.0 181.6* 173.4 173.0 179.0* | 20.6 26.2 18.0 17.6 23.6 | 2100 | 2N/21W-25K03 S | 182.0 | 7-25-57 8-22-57 10-08-57 11-27-57 1-16-58 4-29-58 | 229.6 230.8 228.0 220.0 213.8 207.0 | 47.6 48.8 46.0 38.0 31.8 25.0 | 2100 |
| 2N/20W-31F01 S | 143.0 | 9-04-57 10-15-57 5-09-58 6-23-58 | 201.0* 191.8 171.8 193.7* | 58.0 38.8 28.8 50.7 | 2100 | 2N/21W-25O01 S | 159.7 | 7-25-57 8-22-57 10-08-57 1-16-58 4-29-58 6-11-58 | 198.2 198.7 179.9 157.0 156.1 151.8 153.3 | 1.5 1.0 1.8 2.7 3.6 7.9 6.4 | 2100 |
| 2N/21W-23M02 S | 214.0 | 8-22-57 1-16-58 4-30-58 | 272.5 280.0 260.0 | 58.5 66.0 46.0 | 2100 | 2N/21W-26O03 S | 147.8 | 7-25-57 8-22-57 10-08-57 1-26-57 4-30-58 6-11-58 | DBY DBY DBY 176.9 157.0 174.4 | DBY DBY DBY 26.2 26.2 26.6 | 2100 |
| 2N/21W-23R02 S | 172.6 | 1-16-58 6-11-58 | 143.9 142.4 | 28.7 30.2 | 2100 | 2N/21W-26G01 S | 135.2 | 7-25-57 8-22-57 10-08-57 11-27-57 1-16-58 4-29-58 6-11-58 | 202.4 205.1 190.9 182.2 162.4 | 67.2 69.9 55.7 47.0 27.2 | 2100 |
| 2N/21W-24J01 S | 213.8 | 7-25-57 8-22-57 10-08-57 11-27-57 1-16-58 4-29-58 6-11-58 | 243.2 263.5* 249.5 237.9 231.9 221.5 252.5 | 29.4 49.7 35.7 24.1 18.1 7.7 38.7 | 2100 | 2N/21W-27G01 S | 129.7 | 10-08-57 1-21-58 4-30-58 6-11-58 | 186.5 174.6 174.6 | 56.8 44.9 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|---|---|--|-----------------------|-------------------------|--------------------|---|---|--|-----------------------|
| PLEASANT VALLEY | | | | | | | | | | | |
| 40600 | | | | | | 40600 | | | | | |
| 2N/21W-27G01 S CONT. | 129.7 | 4-30-68 6-11-68 | 163.1 173.6 | 33.4 43.9 | 2100 | 2N/21W-34L01 S CONT. | 86.5 | 11-27-57 12-11-57 12-18-57 12-24-57 12-31-57 | 134.3 132.1 128.7 126.1 123.5 | 47.8 45.6 42.2 39.6 37.0 | 2400 |
| 2N/21W-33C01 S | 75.4 | 7-23-57 9-26-57 11-19-57 1-08-58 4-21-58 6-05-58 | 151.8 138.8 121.2 109.6 95.9 108.0 | 76.4 63.4 45.8 34.2 20.5 32.6 | 2100 | | | 1-08-58 1-15-58 1-20-58 2-05-58 2-12-58 2-19-58 2-26-58 3-05-58 3-12-58 3-19-58 3-26-58 4-02-58 4-09-58 4-16-58 4-23-58 4-30-58 5-14-58 | 122.1 126.0 123.9 121.9 119.5 119.2 115.5 114.5 113.0 110.6 110.4 109.4 108.1 107.6 108.2 107.8 122.2 | 35.6 39.5 37.4 35.4 32.0 32.7 29.0 28.0 26.5 24.1 23.9 22.9 21.6 21.1 21.7 21.3 35.7 | |
| 2N/21W-33C02 S | 75.2 | 7-23-57 8-16-57 9-26-57 11-19-57 | 89.9 94.3 93.9 91.3 | 14.7 19.1 18.7 16.1 | 2100 | | | 4-09-58 4-16-58 4-23-58 4-30-58 5-14-58 | 109.4 108.1 107.6 108.2 122.2 | 22.9 21.6 21.1 21.7 35.7 | |
| 2N/21W-34D03 S | 90.1 | 9-26-57 11-19-57 1-08-58 6-05-58 | 154.5 138.8 125.4 126.6 | 64.4 48.7 35.3 36.5 | 2100 | | | | | | |
| 2N/21W-34J01 S | 83.0 | 7-02-57 7-31-57 8-16-57 9-30-57 11-21-57 12-03-57 12-31-57 1-14-58 4-29-58 6-10-58 | 129.6 166.9 164.3 147.6 133.7 140.9 119.8 122.7 106.7 127.2 | 46.6 83.9 81.3 64.6 50.7 57.9 36.8 39.7 23.7 44.2 | 2100 | 2N/21W-35B01 S | 141.5 | 1-15-58 6-10-58 | 181.6 196.8 | 40.1 55.3 | 2100 |
| 2N/21W-34L01 S | 86.5 | 7-17-57 8-14-57 8-21-57 9-04-57 9-11-57 9-18-57 9-25-57 10-02-57 10-09-57 10-16-57 11-06-57 11-13-57 11-20-57 | 162.3 159.0 157.8 158.0 154.8 150.1 151.9 151.8 150.0 142.7 148.8 137.4 138.8 | 75.8 72.5 71.3 71.5 68.3 63.6 65.4 65.3 63.5 56.2 62.3 60.3 52.3 | 2400 | 2N/21W-35C01 S | 120.7 | 7-25-57 8-21-57 11-26-57 4-28-58 6-10-58 | 40.2 43.2 39.2 40.1 39.2 40.0 | 80.5 77.5 81.5 80.6 81.5 80.7 | 2100 |
| | | | | | | 2N/21W-35D01 S | 110.7 | 7-25-57 8-21-57 11-26-57 4-28-58 6-10-58 | 111.4 113.5 112.4 96.0 101.7 | 7.7 2.8 1.7 14.7 9.0 | 2100 |
| | | | | | | 2N/21W-35D02 S | 119.3 | 8-21-57 10-09-57 11-26-57 4-29-58 | 190.0 179.2 168.1 146.5 | 70.7 59.9 48.8 27.2 | 2100 |
| | | | | | | 2N/21W-35H01 S | 129.2 | 7-25-57 8-22-57 10-09-57 4-29-58 | 225.0 225.9 216.3 195.0 | 95.8 96.7 87.3 65.8 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|---|--|--|-----------------------|-------------------|--------------------|---|--|---|-----------------------|
| PLEASANT VALLEY | | | | | | | | | | | |
| 40600 | | | | | | | | | | | |
| ARROYO SANTA ROSA VALLEY | | | | | | | | | | | |
| 2N/21W-35H01 S CONT. | 129.2 | 1-14-58 4-24-58 6-10-58 | 180.4 195.8 186.8 | - 51.2 - 26.6 - 57.6 | 2100 | 2N/19W-19L01 S | 346.0 | 9-05-57 10-22-57 12-27-57 | 47.8 47.0 47.2 | 298.2 299.0 298.8 | 2100 |
| 2N/21W-36F01 S | 134.3 | 7-25-57 8-22-57 10-09-57 11-26-57 1-24-58 4-24-58 6-10-58 | 199.8* 193.9* 181.7* 174.6* 169.3* 163.3* 172.3* | - 65.5 - 59.6 - 37.6 - 37.7 - 18.8 - 38.0 | 2100 | 2N/19W-19N01 S | 237.9 | 7-12-57 9-05-57 10-22-57 12-27-57 1-29-58 5-21-58 6-26-58 | 108.6 113.8 108.9 108.6 134.8 145.7 98.2 | 129.3 154.1 159.1 151.0 134.8 145.7 161.7 | 2100 |
| 2N/21W-36G02 S | 136.4 | 8-21-57 10-03-57 1-14-58 4-24-58 | 191.5 182.3 166.7 155.0 | - 55.1 - 45.9 - 28.3 - 18.6 | 2100 | 2N/19W-19P01 S | 276.4 | 7-12-57 9-05-57 10-22-57 12-27-57 | 148.5* 151.4* 121.8 118.1 | 127.9 125.0 154.6 158.3 | 2100 |
| 2N/21W-36H01 S | 135.6 | 7-11-57 9-04-57 10-15-57 12-20-57 1-24-58 5-09-58 6-23-58 | 188.8 196.5 184.0 170.8 166.5 159.2 179.2 | - 53.2 - 60.9 - 48.4 - 35.2 - 30.9 - 23.6 - 43.6 | 2100 | 2N/19W-19R02 S | 293.0 | 9-05-57 10-22-57 12-27-57 1-29-58 5-22-58 6-24-58 | 136.2 130.7 127.7 125.7 117.1 114.7 | 156.8 162.3 165.3 167.3 175.9 178.3 | 2100 |
| 2N/21W-36N01 S | 111.1 | 10-03-57 11-21-57 1-14-58 4-24-58 | 158.5 147.6 138.8 135.6* | - 47.4 - 36.5 - 27.7 - 24.5 | 2100 | 2N/19W-20L01 S | 305.0 | 7-15-57 9-05-57 10-25-57 12-27-57 | 138.2 134.0 142.1 139.7 | 166.8 162.0 162.9 165.3 | 2100 |
| 2N/21W-36N02 S | 109.3 | 10-03-57 11-21-57 1-14-58 4-29-58 6-10-58 | 128.2* 125.4 128.8 129.0* 138.0* | - 14.9 - 16.1 - 15.5 - 19.7 - 28.7 | 2100 | 2N/19W-20M01 S | 322.0 | 1-29-58 | 151.4 | 170.6 | 2100 |
| | | | | | | 2N/19W-20N01 S | 306.1 | 10-22-57 12-27-57 1-29-58 6-26-58 | 122.8 136.4 129.1 126.8 | 183.3 171.7 177.0 179.3 | 2100 |
| | | | | | | 2N/19W-21C02 S | 490.3 | 9-05-57 10-25-57 12-27-57 1-29-58 | 159.3 157.6 158.0 155.8 | 931.0 932.7 932.3 934.5 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| ARROYO SANTA ROSA VALLEY | | | | | | | | | | | |
| 40700 | | | | | | ARROYO SANTA ROSA VALLEY | | | | | |
| 2N/19W-21C02 S CONT. | 490.3 | 5-22-58 | 153.8 | 336.5 | 2100 | 2N/20W-24003 S CONT. | 227.5 | 10-22-57 | 125.2 | 40700 | 2100 |
| | | 6-26-58 | 156.9 | 333.4 | | | | 12-27-57 | 116.5 | | |
| 2N/19W-21H01 S | 535.0 | 12-27-57 | 256.5 | 278.5 | 2100 | | | 4-26-58 | 113.5 | | |
| | | 1-29-58 | 232.0 | 283.0 | | | | 6-26-58 | 120.5 | | |
| 2N/20W-22H01 S | 282.7 | 9-04-57 | 182.1 | 100.6 | 2100 | 2N/20W-24R03 S | 241.4 | 7-12-57 | 120.2 | 2100 | |
| | | 10-15-57 | 183.3 | 99.4 | | | | 9-04-57 | 129.9 | | |
| | | 12-26-57 | 184.1 | 98.4 | | | | 10-27-57 | 117.8 | | |
| | | 1-26-58 | 182.5 | 100.2 | | | | 12-27-57 | 111.4 | | |
| | | 6-25-58 | 206.3* | 76.4 | | | | 1-20-58 | 111.4 | | |
| | | | | | | | | 5-21-58 | 94.8 | | |
| | | | | | | | | 6-26-58 | 106.6 | | |
| 2N/20W-22L05 S | 243.2 | 10-15-57 | 154.4 | 88.8 | 2100 | 2N/20W-25C02 S | 226.9 | 9-04-57 | 134.2 | 2100 | |
| | | 12-26-57 | 149.7 | 93.5 | | | | 10-21-57 | 120.9 | | |
| | | 5-20-58 | 158.0* | 85.2 | | | | 1-30-58 | 111.5 | | |
| 2N/20W-23K01 S | 274.1 | 10-21-57 | 165.2 | 108.9 | 2100 | 2N/20W-25D01 S | 233.7 | 9-04-57 | 135.8 | 2100 | |
| | | 12-26-57 | 159.6 | 116.5 | | | | 10-21-57 | 129.0 | | |
| | | 1-28-58 | 137.2 | 116.9 | | | | 12-26-57 | 115.0 | | |
| 2N/20W-23L02 S | 298.7 | 7-11-57 | 196.7 | 102.0 | 2100 | | | 1-20-58 | 116.5 | | |
| | | 9-04-57 | 201.0 | 97.7 | | | | 5-20-58 | 101.2 | | |
| | | 10-21-57 | 197.7 | 101.0 | | | | 6-23-58 | 101.6 | | |
| | | 12-26-57 | 197.2 | 101.5 | | | | | | | |
| | | 1-28-58 | 189.4 | 109.3 | | | | | | | |
| 2N/20W-23001 S | 226.4 | 7-11-57 | 99.5 | 128.9 | 2100 | 2N/20W-25D04 S | 221.3 | 7-12-57 | 109.4 | 2100 | |
| | | 9-04-57 | 96.5 | 129.9 | | | | 9-04-57 | 111.9 | | |
| | | 10-21-57 | 95.2 | 131.2 | | | | 10-21-57 | 107.0 | | |
| | | 12-26-57 | 93.3 | 133.1 | | | | 12-21-57 | 102.0 | | |
| | | 1-28-58 | 93.4 | 133.0 | | | | 1-21-57 | 118.0 | | |
| | | 5-21-58 | 82.2 | 144.2 | | | | 1-26-58 | 104.3 | | |
| | | 6-25-58 | 80.7 | 145.7 | | | | 5-21-58 | 84.0 | | |
| | | | | | | | | 6-23-58 | 85.5 | | |
| 2N/20W-23R01 S | 235.2 | 7-12-57 | 121.5 | 113.7 | 2100 | 2N/20W-25L01 S | 236.7 | 7-11-57 | 103.4 | 2100 | |
| | | 9-04-57 | 126.2 | 109.0 | | | | 9-04-57 | 106.6 | | |
| | | 10-21-57 | 123.6 | 111.8 | | | | 10-21-57 | 105.6 | | |
| | | 12-26-57 | 118.4 | 114.8 | | | | 12-26-57 | 103.4 | | |
| | | 1-28-58 | 116.5 | 116.7 | | | | 5-21-58 | 47.7 | | |
| | | 5-21-58 | 98.4 | 136.8 | | | | 6-23-58 | 56.8 | | |
| | | 6-25-58 | 99.9 | 135.3 | | | | | | | |
| 2N/20W-24E01 S | 353.7 | 10-21-57 | 228.8 | 124.9 | 2100 | 2N/20W-26B03 S | 205.9 | 7-11-57 | 87.5 | 2100 | |
| | | 12-26-57 | 228.8 | 124.9 | | | | 9-04-57 | 92.1 | | |
| | | 1-28-58 | 228.3 | 125.4 | | | | 10-21-57 | 90.2 | | |
| | | 5-21-58 | 225.9 | 127.8 | | | | 12-26-57 | 89.2 | | |
| | | | | | | | | 1-26-58 | 90.5 | | |
| | | | | | | | | 6-23-58 | 72.2 | | |
| 2N/20W-24003 S | 227.5 | 9-04-57 | 134.1* | 93.4 | 2100 | 2N/20W-26C02 S | 203.2 | 7-11-57 | 80.9 | 2100 | |
| | | | | | | | | 9-04-57 | 85.1 | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|----------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| ARROYO SANTA ROSA VALLEY | | | | | | | | | | | |
| 40700 | | | | | | | | | | | |
| 2N/20W-26C02 S | 203.2 | 10-21-57 | 83.0 | 120.2 | 2100 | WEST LAS POSAS BASIN | | | | | |
| CONT. | | 12-26-57 | 82.0 | 121.2 | | 2N/21W-10M01 S | 330.5 | 8-13-57 | 246.0 | 84.5 | 2100 |
| | | 1-24-58 | 84.4 | 118.8 | | | | 9-13-57 | 237.8 | 92.7 | |
| | | | | | | | | 11-13-57 | 227.2 | 103.3 | |
| | | | | | | | | 1-02-58 | 224.4 | 106.1 | |
| | | | | | | | | 2-27-58 | 220.1 | 110.4 | |
| | | | | | | | | 5-27-58 | 232.5 | 98.0 | |
| | | | | | | 2N/21W-11H02 S | 412.2 | 9-13-57 | 295.3* | 116.9 | 2100 |
| | | | | | | | | 11-13-57 | 291.0 | 121.2 | |
| | | | | | | | | 1-02-58 | 280.7 | 131.5 | |
| | | | | | | | | 3-05-58 | 278.5 | 133.7 | |
| | | | | | | | | 5-27-58 | 281.5 | 130.7 | |
| | | | | | | 2N/21W-11J01 S | 386.2 | 11-13-57 | 310.4 | 75.8 | 2100 |
| | | | | | | | | 1-02-58 | 300.1 | 86.1 | |
| | | | | | | | | 3-05-58 | 297.8 | 88.4 | |
| | | | | | | | | 5-27-58 | 301.7 | 84.5 | |
| | | | | | | 2N/21W-12F01 S | 404.8 | 7-05-57 | 265.7 | 139.1 | 2100 |
| | | | | | | | | 8-14-57 | 272.4 | 132.4 | |
| | | | | | | | | 9-17-57 | 264.4 | 140.4 | |
| | | | | | | | | 11-14-57 | 261.0 | 143.8 | |
| | | | | | | | | 1-06-58 | 256.2 | 148.6 | |
| | | | | | | | | 3-12-58 | 254.1 | 150.7 | |
| | | | | | | | | 3-25-58 | 253.9 | 150.9 | |
| | | | | | | | | 5-27-58 | 258.2 | 146.6 | |
| | | | | | | 2N/21W-12G01 S | 402.7 | 7-05-57 | 334.1 | 68.6 | 2100 |
| | | | | | | | | 8-14-57 | 337.7 | 65.0 | |
| | | | | | | | | 9-17-57 | 337.1 | 65.6 | |
| | | | | | | | | 11-14-57 | 330.3 | 72.4 | |
| | | | | | | | | 1-06-58 | 324.9 | 77.8 | |
| | | | | | | | | 3-12-58 | 324.5 | 78.2 | |
| | | | | | | 2N/21W-15A01 S | 309.3 | 8-13-57 | 274.0 | 35.3 | 2100 |
| | | | | | | | | 11-13-57 | 266.2 | 43.1 | |
| | | | | | | | | 1-02-58 | 262.3 | 47.0 | |
| | | | | | | | | 2-27-58 | 259.3 | 50.0 | |
| | | | | | | | | 5-27-58 | 263.9 | 45.4 | |
| | | | | | | 2N/21W-15B01 S | 313.6 | 8-13-57 | 279.2 | 36.4 | 2100 |
| | | | | | | | | 9-13-57 | 276.5 | 39.3 | |
| | | | | | | | | 11-13-57 | 274.5 | 39.1 | |
| | | | | | | | | 1-02-58 | 258.0 | 55.6 | |
| | | | | | | | | 5-27-58 | 274.2* | 39.4 | |
| | | | | | | 2N/21W-15C02 S | 297.9 | 8-13-57 | 142.2 | 155.7 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|---|--|--|-----------------------|----------------------|--------------------|---|---|--|-----------------------|
| LAS POSAS VALLEY | | | | | | | | | | | |
| WEST LAS POSAS BASIN | | | | | | EAST LAS POSAS BASIN | | | | | |
| 40800 | | | | | | 40801 | | | | | |
| 2N/21W-15C02 S CONT. | 297.9 | 9-13-57 11-13-57 5-27-58 | 142.1 161.5 161.6 160.1 | 155.8 156.4 156.5 157.8 | 2100 | 2N/21W-21H01 S | 279.3 | 1-02-58 | 240.7 | 38.6 | 2100 |
| 2N/21W-15W03 S | 263.9 | 8-13-57 9-13-57 11-13-57 1-02-58 2-24-58 | 228.5 225.4 222.5 222.9 220.3 | 35.4 38.5 41.4 41.0 43.6 | 2100 | 2N/21W-21W01 S | 174.7 | 7-30-57 8-27-57 10-10-57 12-03-57 1-21-58 4-30-58 6-11-58 | 140.7 142.0 140.8 140.3 138.1 131.6 130.0 | 34.0 32.9 33.9 36.4 36.6 43.1 44.7 | 2100 |
| 2N/21W-15N01 S | 280.0 | 8-13-57 9-13-57 11-12-57 3-05-58 5-27-58 | 231.6 231.6 233.2 230.0 230.4 | 48.4 48.4 46.8 50.0 49.6 | 2100 | 2N/21W-28A01 S | 268.1 | 1-02-58 3-04-58 | 246.3 244.2 | 21.8 23.9 | 2100 |
| 2N/21W-15P01 S | 330.8 | 8-13-57 9-13-57 11-13-57 | 298.7 315.7* 296.0 | 32.1 15.1 34.8 | 2100 | 3N/21W-21B02 S | 221.6 | 7-02-57 8-07-57 11-05-57 12-12-57 | 25.0 DRY DRY DRY | 196.6 | 2100 |
| 2N/21W-16J01 S | 259.9 | 8-13-57 9-13-57 11-13-57 1-02-58 2-24-58 5-27-58 | 100.8 100.9 100.2 100.5 100.0 99.2 | 159.0 159.1 159.7 159.6 159.9 160.7 | 2100 | 3N/21W-36P01 S | 554.3 | 1-29-58 5-01-58 6-18-58 | 244.4 13.9 18.5 | 197.2 207.7 293.1 | 2100 |
| 2N/21W-16R01 S | 326.9 | 8-13-57 9-13-57 11-13-57 1-02-58 3-25-58 5-27-58 | 293.7 294.0 290.8 290.1 291.9 289.8 289.6 286.5 | 33.2 32.9 36.1 36.8 35.0 37.1 37.3 40.4 | 2100 | 2N/19W-01B01 S | 692.8 | 8-19-57 1-10-58 | 67.5 58.1 | 625.3 634.7 | 2100 |
| 2N/21W-16R02 S | 335.8 | 8-13-57 9-13-57 11-13-57 1-31-57 3-05-58 5-27-58 | 305.8 306.0 305.3 304.4 300.0 297.7 | 30.0 29.8 30.5 31.4 35.8 38.1 | 2100 | 2N/19W-01E01 S | 682.1 | 7-10-57 8-19-57 9-19-57 11-20-57 1-10-58 3-12-58 | 56.9 59.5 62.8 60.2 60.3 62.5 | 625.2 59.5 619.3 621.9 621.8 619.6 | 2100 |
| 2N/21W-21H01 S | 279.3 | 9-13-57 11-12-57 | 264.7 241.5 | 14.6 37.8 | 2100 | 2N/19W-03A01 S | 583.2 | 9-19-57 11-20-57 1-10-58 3-12-58 6-03-58 | 68.4 57.1 54.0 48.6 33.8 | 514.8 526.1 529.2 534.6 549.4 | 2100 |
| | | | | | | 2N/19W-03A03 S | 583.3 | 7-10-57 | 62.6* | 520.7 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|----------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| LAS POSAS VALLEY | | | | | | | | | | | |
| EAST LAS POSAS BASIN | | | | | | | | | | | |
| 40800 | | | | | | | | | | | |
| 2N/19W-03A03 S | 583.3 | 8-19-57 | 65.0* | 518.3 | 2100 | 2N/19W-05K05 S | 489.1 | 8-16-57 | 194.2 | 294.9 | 2100 |
| CONT. | | 9-19-57 | 67.3 | 516.0 | | | | 9-18-57 | 197.2 | 291.9 | |
| | | 11-20-57 | 57.4 | 525.9 | | | | 11-20-57 | 193.3 | 295.8 | |
| | | 1-10-58 | 54.5 | 528.8 | | | | 1-09-58 | 192.7 | 296.4 | |
| | | 3-12-58 | 49.6 | 535.7 | | | | 3-11-58 | 190.8 | 298.3 | |
| | | 6-05-58 | 33.4 | 549.9 | | | | 6-05-58 | 189.4 | 299.7 | |
| 2N/19W-03A04 S | 579.1 | 7-10-57 | 59.6* | 519.5 | 2100 | 2N/19W-05N01 S | 477.9 | 7-10-57 | 121.1 | 356.8 | 2100 |
| | | 8-19-57 | 62.9* | 517.3 | | | | 8-16-57 | 122.1 | 355.8 | |
| | | 9-19-57 | 54.2 | 514.5 | | | | 9-19-57 | 122.5 | 355.4 | |
| | | 11-20-57 | 57.2 | 525.7 | | | | 11-20-57 | 121.5 | 356.4 | |
| | | 1-10-58 | 50.6 | 528.5 | | | | 1-09-58 | 122.1 | 355.8 | |
| | | 3-12-58 | 45.7 | 533.6 | | | | 3-11-58 | 121.3 | 356.6 | |
| | | 6-05-58 | 30.4 | 548.7 | | | | 6-05-58 | 120.1 | 357.8 | |
| 2N/19W-03A05 S | 583.7 | 7-10-57 | 68.9* | 514.8 | 2100 | 2N/19W-06E01 S | 615.8 | 9-18-57 | 315.5* | 300.3 | 2100 |
| | | 8-19-57 | 70.5* | 513.2 | | | | 9-18-57 | 313.2* | 302.6 | |
| | | 9-19-57 | 68.9 | 514.8 | | | | 11-19-57 | 304.7 | 311.1 | |
| | | 11-20-57 | 57.6 | 526.1 | | | | 1-08-58 | 302.5 | 313.3 | |
| | | 1-10-58 | 54.5 | 529.2 | | | | 6-04-58 | 304.2 | 311.6 | |
| | | 3-12-58 | 49.6 | 534.1 | | | | 9-18-57 | 266.9 | 241.8 | 2100 |
| | | 6-05-58 | 34.8 | 548.9 | | | | 11-19-57 | 266.4 | 242.3 | |
| 2N/19W-03A06 S | 580.3 | 3-12-58 | 49.2 | 531.1 | 2100 | 2N/19W-06K02 S | 508.7 | 1-08-58 | 267.5 | 241.2 | |
| | | 6-05-58 | 34.8 | 545.5 | | | | | | | |
| 2N/19W-03A07 S | 583.0 | 7-10-57 | 59.1* | 523.9 | 2100 | 2N/19W-06N03 S | 443.5 | 7-05-57 | 102.0 | 341.5 | 2100 |
| | | 8-19-57 | 60.6* | 522.4 | | | | 8-15-57 | 89.8 | 353.7 | |
| | | 9-19-57 | 65.0 | 518.0 | | | | 9-18-57 | 89.9 | 353.6 | |
| | | 11-20-57 | 56.8 | 526.2 | | | | 11-19-57 | 88.0 | 355.5 | |
| | | 1-05-58 | 34.8 | 548.2 | | | | 1-08-58 | 88.4 | 355.1 | |
| 2N/19W-04K01 S | 530.1 | 7-10-57 | 168.4 | 361.7 | 2100 | 2N/19W-06K001 S | 455.1 | 3-10-58 | 88.1 | 355.4 | |
| | | 8-19-57 | 174.5 | 355.6 | | | | 6-04-58 | 88.5 | 355.0 | |
| | | 9-19-57 | 176.8 | 353.3 | | | | 7-09-57 | 102.5 | 352.6 | 2100 |
| | | 11-20-57 | 162.4 | 367.7 | | | | 8-15-57 | 104.1 | 351.0 | |
| | | 1-10-58 | 161.8 | 366.3 | | | | 9-18-57 | 103.0 | 352.1 | |
| | | 3-12-58 | 161.0 | 369.1 | | | | 11-19-57 | 102.2 | 352.9 | |
| | | 6-05-58 | 136.1 | 374.0 | | | | 1-08-58 | 101.8 | 353.3 | |
| 2N/19W-05A01 S | 478.7 | 9-18-57 | 239.8 | 238.9 | 2100 | 2N/19W-06R01 S | 471.2 | 7-09-57 | 120.4 | 350.8 | 2100 |
| | | 11-20-57 | 237.7 | 241.0 | | | | 8-15-57 | 123.5 | 347.2 | |
| | | 1-09-58 | 236.9 | 241.8 | | | | 9-18-57 | 124.0 | 347.7 | |
| | | 3-11-58 | 235.7 | 243.0 | | | | 11-19-57 | 120.2 | 351.0 | |
| | | 6-05-58 | 237.0 | 241.7 | | | | 1-08-58 | 117.4 | 353.8 | |
| | | | | | | | | 3-06-58 | 117.5 | 353.7 | |
| 2N/19W-05K05 S | 489.1 | 7-10-57 | 193.7 | 295.4 | 2100 | | | 6-05-58 | 116.8 | 355.4 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|----------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|----------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| LAS POSAS VALLEY | | | | | | LAS POSAS VALLEY | | | | | |
| EAST LAS POSAS BASIN | | | | | | EAST LAS POSAS BASIN | | | | | |
| 2N/19W-06R02 S | 470.8 | 7-09-57 | 118.6 | 352.2 | 2100 | 2N/19W-09N02 S | 551.8 | 8-19-57 | 217.9 | 333.9 | 2100 |
| | | 8-15-57 | 122.2 | 348.6 | | | | 9-19-57 | 221.6 | 330.2 | |
| | | 9-18-57 | 121.7 | 349.1 | | | | 1-09-58 | 214.4 | 337.4 | |
| | | 11-19-57 | 118.4 | 352.4 | | | | 3-11-58 | 206.6 | 345.2 | |
| | | 1-08-58 | 115.6 | 355.2 | | | | 7-10-57 | 240.0 | 326.5 | 2100 |
| | | 3-06-58 | 115.6 | 355.2 | | | | 8-19-57 | 241.5 | 325.0 | |
| | | 6-05-58 | 115.4 | 355.4 | | | | 9-19-57 | 241.5 | 325.0 | |
| 2N/19W-08Q01 S | 523.5 | 7-10-57 | 162.6 | 360.9 | 2100 | 2N/19W-09P02 S | 566.5 | 11-20-57 | 242.3 | 324.2 | |
| | | 8-16-57 | 164.6 | 358.9 | | | | 1-09-58 | 242.5 | 324.0 | |
| | | 9-19-57 | 166.4 | 357.1 | | | | 3-12-58 | 242.6 | 323.9 | |
| | | 11-20-57 | 167.0 | 356.5 | | | | 6-05-58 | 243.2 | 323.3 | |
| | | 1-09-58 | 166.9 | 356.6 | | | | 7-10-57 | 210.1 | 432.1 | 2100 |
| | | 3-11-58 | 165.3 | 358.2 | | | | 8-19-57 | 211.9 | 430.3 | |
| | | 6-05-58 | 162.0 | 361.5 | | | | 9-19-57 | 207.6 | 434.6 | |
| 2N/19W-08R01 S | 540.6 | 7-10-57 | 223.8* | 316.8 | 2100 | 2N/20W-16C01 S | 642.2 | 11-20-57 | 207.4 | 434.8 | |
| | | 8-19-57 | 204.2 | 336.4 | | | | 1-09-58 | 208.5 | 433.7 | |
| | | 11-20-57 | 208.1 | 332.5 | | | | 3-12-58 | 208.3 | 433.9 | |
| | | 1-09-58 | 200.9 | 339.7 | | | | 7-03-57 | 95.7 | 356.2 | 2100 |
| | | 3-11-58 | 194.1 | 346.5 | | | | 9-18-57 | 96.3 | 355.6 | |
| | | 6-05-58 | 219.2* | 321.4 | | | | 11-19-57 | 94.9 | 357.0 | |
| 2N/19W-09B01 S | 523.5 | 7-10-57 | 143.1 | 380.4 | 2100 | 2N/20W-01Q01 S | 451.9 | 1-08-58 | 93.7 | 358.2 | |
| | | 8-19-57 | 143.5 | 380.0 | | | | 3-10-58 | 93.9 | 358.0 | |
| | | 9-19-57 | 143.7 | 379.8 | | | | 6-04-58 | 94.3 | 357.6 | |
| | | 11-20-57 | 143.3 | 380.2 | | | | 11-18-57 | 379.7 | 166.9 | 2100 |
| | | 3-12-58 | 143.2 | 380.3 | | | | 1-07-58 | 372.8 | 173.8 | |
| | | 6-05-58 | 139.0 | 384.5 | | | | 3-12-58 | 373.9 | 172.7 | |
| 2N/19W-09C02 S | 516.9 | 7-10-57 | 116.4 | 400.5 | 2100 | 2N/20W-02D02 S | 546.6 | 7-05-57 | 342.3 | 170.8 | 2100 |
| | | 8-16-57 | 114.8 | 402.1 | | | | 11-18-57 | 342.8 | 170.3 | |
| | | 11-20-57 | 114.8 | 402.1 | | | | 1-07-58 | 336.4 | 176.7 | |
| 2N/19W-09C03 S | 512.7 | 7-10-57 | 177.8 | 334.9 | 2100 | 2N/20W-02N02 S | 513.1 | 3-12-58 | 324.6 | 188.5 | |
| | | 9-19-57 | 182.0 | 330.7 | | | | 6-04-58 | 332.2 | 180.9 | |
| | | 11-20-57 | 178.4 | 334.3 | | | | 8-12-57 | 330.0* | 151.9 | 2100 |
| | | 1-09-58 | 177.0 | 335.7 | | | | 8-31-57 | 330.0* | 151.9 | |
| 2N/19W-09F02 S | 583.9 | 7-10-57 | 270.4 | 313.5 | 2100 | 2N/20W-04F01 S | 481.9 | 10-31-57 | 327.0* | 154.9 | |
| | | 8-16-57 | 271.9 | 312.0 | | | | 12-31-57 | 321.0* | 160.9 | |
| | | 9-19-57 | 272.1 | 311.8 | | | | 2-28-58 | 317.0* | 164.9 | |
| | | 11-20-57 | 275.8 | 308.1 | | | | 5-15-58 | 315.0* | 166.9 | |
| | | 1-09-58 | 272.4 | 311.5 | | | | 6-30-58 | 323.0* | 158.9 | |
| | | 3-11-58 | 271.8 | 312.1 | | | | 8-13-57 | 128.4 | 429.7 | 2100 |
| | | 6-05-58 | 274.1 | 309.8 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|--|--|--|-----------------------|------------------------|--------------------|--|--|---|-----------------------|
| LAS POSAS VALLEY | | | | | | | | | | | |
| LAS POSAS BASIN | | | | | | LAS POSAS VALLEY | | | | | |
| EAST LAS POSAS BASIN | | | | | | | | | | | |
| 2N/20W-06B01 S CONT. | 558.1 | 11-13-57 1-02-58 2-27-58 5-23-58 | 129.2 142.0 128.2 127.3 | 428.9 416.1 429.9 430.8 | 2100 | 2N/20W-1U01 S CONT. | 355.8 | 5-27-58 6-02-58 6-27-58 | 191.7 191.7 191.7 | 166.1 166.1 166.1 | 2100 |
| 2N/20W-08H01 S | 430.6 | 8-14-57 9-17-57 11-14-57 1-06-58 3-12-58 | 341.8* 346.6* 334.0* 337.1* 338.5* | 88.8 84.0 96.6 93.5 92.1 | 2100 | 2N/20W-12G02 S | 420.8 | 7-05-57 8-15-57 9-18-57 11-19-57 3-08-58 3-06-58 6-04-58 | 77.9 76.8 77.8 76.9 76.5 75.2 75.2 | 342.9 344.0 343.0 343.9 344.3 345.6 345.6 | 2100 |
| 2N/20W-09F01 S | 401.0 | 1-06-58 | 243.6 | 157.4 | 2100 | 2N/20W-12G03 S | 420.4 | 7-05-57 8-15-57 9-18-57 11-19-57 | 78.1 77.0 78.0 77.1 | 342.3 343.4 342.4 343.3 | 2100 |
| 2N/20W-09J02 S | 387.9 | 8-14-57 9-17-57 11-18-57 1-07-58 5-27-58 | 245.0 243.7 234.8* 229.5 228.8 | 142.9 144.2 153.1 158.4 159.1 | 2100 | 2N/20W-12H01 S | 427.3 | 7-05-57 8-15-57 9-18-57 11-19-57 3-10-58 6-04-58 | 79.3 79.3 79.5 78.6 77.3 77.2 | 348.0 347.0 347.8 348.7 350.0 350.1 | 2100 |
| 2N/20W-10G01 S | 415.5 | 7-03-57 8-14-57 9-17-57 11-18-57 1-07-58 3-12-58 | 264.3 270.0 266.0 258.7 255.5 257.8 | 151.2 145.5 149.5 156.8 160.0 157.7 | 2100 | 2N/20W-12H02 S | 428.7 | 7-05-57 9-18-57 11-19-57 3-10-58 6-04-58 | 79.4 80.2 79.3 78.6 77.9 | 349.3 348.5 349.4 350.1 350.8 | 2100 |
| 2N/20W-10H01 S | 429.6 | 11-18-57 1-07-58 3-10-58 | 278.4 275.6 269.9 | 151.2 154.0 163.7 | 2100 | 2N/20W-12J01 S | 429.2 | 9-18-57 11-19-57 3-08-58 6-04-58 | 201.0 197.6 190.2 200.1 | 288.2 281.6 239.0 234.2 | 2100 |
| 2N/20W-10J02 S | 390.0 | 7-03-57 8-14-57 9-17-57 11-18-57 3-07-58 5-27-58 | 230.5 237.5 240.3 237.0 239.7 223.0 | 159.5 152.5 169.7 153.0 153.3 167.0 | 2100 | 2N/20W-16B01 S | 276.1 | 7-03-57 8-14-57 9-17-57 | 182.3 190.2 187.8 | 92.8 85.9 88.3 | 2100 |
| 2N/20W-10R01 S | 355.8 | 7-02-57 8-14-57 9-03-57 9-17-57 11-18-57 12-31-57 2-07-58 3-05-58 | 196.9 198.2 201.6 202.9 191.2 190.9 191.1 191.5 | 158.9 157.6 154.2 152.9 164.6 164.9 164.7 164.3 | 2100 | 2N/20W-16C01 S | 292.7 | 7-03-57 | 194.3* | 98.4 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|--|--|-----------------------------|-----------------------|-------------------------|--------------------|---|--------------------------------------|---|-----------------------|
| LAS POSAS VALLEY | | | | | | | | | | | |
| 40800 | | | | | | LAS POSAS VALLEY | | | | | |
| EAST LAS POSAS BASIN | | | | | | EAST LAS POSAS BASIN | | | | | |
| 40802 | | | | | | 40802 | | | | | |
| 2N/20W-16C01 S CONT. | 292.7 | 8-14-57 203.0 9-17-57 201.5 11-14-57 170.4 122.5 | 89.7 | 2100 | 2100 | 3N/19W-29L02 S CONT. | 844.0 | 3-06-58 185.7 6-04-58 190.2 | 40802 | 658.3 635.8 | 2100 |
| 2N/20W-17J03 S | 276.9 | 8-14-57 212.7 9-17-57 214.1 11-14-57 215.9 217.2 3-05-58 216.5 5-27-58 207.5 | 64.2 62.8 61.0 59.7 60.4 69.4 | 2100 | 2100 | 3N/19W-29L03 S | 835.9 | 9-18-57 198.0* 11-20-57 181.5 3-08-58 179.1 3-08-58 174.9 | 40802 | 637.9 564.4 566.8 561.0 | 2100 |
| 2N/20W-18A01 S | 375.6 | 8-14-57 283.2 11-14-57 285.4 90.2 1-06-58 281.7 93.9 3-05-58 278.1 97.5 5-27-58 287.0 | 92.4 90.2 93.9 97.5 88.6 | 2100 | 2100 | 3N/19W-30G01 S | 872.8 872.7 | 7-09-57 209.1 8-15-57 DRY 9-18-57 DRY 11-19-57 DRY 1-08-58 DRY 3-06-58 207.0 6-04-58 209.2 6-04-58 209.2 | 40802 | 663.7 663.7 665.8 663.6 663.6 | 2100 |
| 3N/19W-29E01 S | 852.1 | 7-09-57 197.0 8-15-57 202.8 649.3 9-18-57 204.1 648.0 11-19-57 199.0 653.1 1-08-58 195.6 656.5 6-04-58 196.1 | 655.1 649.3 648.0 653.1 656.5 656.0 | 2100 | 2100 | 3N/19W-30H01 S | 882.8 | 7-09-57 227.1 8-15-57 227.1 9-18-57 228.4 9-18-57 228.6 1-08-58 229.9 3-06-58 216.0 6-04-58 222.1 | 40802 | 655.7 655.7 654.2 659.2 660.8 663.8 660.7 | 2100 |
| 3N/19W-29E02 S | 852.1 | 11-19-57 219.8* 1-08-58 194.8 657.3 3-06-58 189.6 662.5 6-04-58 195.2 | 652.3 657.3 662.5 656.9 | 2100 | 2100 | 3N/19W-30K01 S | 862.0 | 7-09-57 195.7 8-15-57 198.7 9-18-57 199.9 9-18-57 201.9 11-19-57 201.2 1-08-58 198.1 3-06-58 195.7 6-04-58 198.0 | 40802 | 666.3 663.3 662.1 660.8 663.9 666.3 666.0 | 2100 |
| 3N/19W-29F07 S | 855.2 | 3-06-58 195.0 | 660.2 | 2100 | 2100 | | | | | | |
| 3N/19W-29K03 S | 851.8 | 8-16-57 192.0 9-18-57 193.0 658.8 11-20-57 192.7 659.1 1-08-58 192.0 659.8 3-06-58 186.0 665.8 6-04-58 190.9 660.9 | 659.8 658.8 659.1 659.8 665.8 660.9 | 2100 | 2100 | 3N/19W-30P01 S | 762.2 | 7-09-57 53.4 8-15-57 52.1 9-18-57 53.6 11-19-57 60.1 1-08-58 55.4 3-06-58 50.6 6-04-58 52.2 | 40802 | 708.8 710.1 708.1 702.9 706.8 711.6 710.0 | 2100 |
| 3N/19W-29L02 S | 844.0 | 7-09-57 191.2 8-16-57 194.6 649.4 9-18-57 195.6 648.4 11-19-57 191.4 191.4 | 652.6 649.4 648.4 648.4 652.6 | 2100 | 2100 | | | | | | |
| | 844.0 | 11-19-57 191.4 1-08-58 191.4 | 652.6 652.6 | 2100 | 2100 | 3N/19W-33P01 S | 730.6 | 7-09-57 245.0 8-16-57 246.3 | 40802 | 485.6 484.3 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|----------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| LAS POSAS VALLEY | | | | | | | | | | | |
| EAST LAS POSAS BASIN | | | | | | LAS POSAS VALLEY | | | | | |
| 40802 | | | | | | 40800 | | | | | |
| 3N/19W-33P01 S | 730.6 | 9-18-57 | 248.5 | 482.1 | 2100 | 3N/20W-28P01 S | 740.0 | 9-13-57 | 62.7 | 677.3 | 2100 |
| | | 11-20-57 | 249.9 | 480.7 | | | | 11-14-57 | 62.1 | 677.9 | |
| | | 1-08-58 | 249.2 | 481.4 | | | | | | | |
| | | 3-11-58 | 250.1 | 480.5 | | | | | | | |
| CONT. | | | | | | | | | | | |
| 3N/19W-33P02 S | 747.1 | 1-08-58 | 270.6 | 476.5 | 2100 | 3N/20W-31K01 S | 669.5 | 8-13-57 | 563.0* | 106.5 | 2100 |
| | | 2-11-58 | 269.6* | 477.5 | | | | 9-13-57 | 569.0* | 100.5 | |
| | | 6-04-58 | 265.5* | 461.6 | | | | 1-13-57 | 568.0* | 125.5 | |
| | | | | | | | | 1-03-58 | 564.0 | 125.5 | |
| | | | | | | | | 2-21-58 | 522.0 | 167.5 | |
| 3N/19W-33P03 S | 732.5 | 1-08-58 | 258.2 | 474.3 | 2100 | 3N/20W-32F01 S | 740.1 | 8-13-57 | 119.3 | 620.8 | 2100 |
| | | 3-11-58 | 248.2 | 464.3 | | | | 9-13-57 | 119.4 | 620.7 | |
| 3N/19W-34R01 S | 592.2 | 7-10-57 | 69.5 | 520.7 | 2100 | | | 11-14-57 | 119.2 | 620.0 | |
| | | 8-13-57 | 72.0 | 518.2 | | | | 1-03-58 | 119.7 | 620.4 | |
| | | 9-13-57 | 72.3 | 517.9 | | | | 2-27-58 | 119.8 | 620.3 | |
| | | 11-20-57 | 63.6 | 526.6 | | | | 5-23-58 | 119.9 | 620.2 | |
| | | 1-10-58 | 60.5 | 525.7 | | | | | | | |
| | | 3-12-58 | 56.9 | 533.3 | | | | 11-13-57 | 108.9 | 573.8 | 2100 |
| | | 6-05-58 | 41.8 | 548.4 | | | | 1-02-58 | 155.8* | 526.0 | |
| 3N/19W-35N02 S | 592.1 | 7-10-57 | 71.6* | 520.5 | 2100 | 3N/20W-32G01 S | 682.7 | 2-27-58 | 114.7 | 568.0 | |
| | | 9-13-57 | 74.4 | 517.7 | | | | 5-23-58 | 137.2* | 545.5 | |
| | | 1-10-58 | 62.6 | 529.5 | | | | | | | |
| 3N/20W-25J01 S | 803.2 | 7-03-57 | 122.6 | 680.6 | 2100 | 3N/20W-33C01 S | 684.8 | 8-13-57 | 113.5 | 571.2 | 2100 |
| 3N/20W-25J03 S | 779.4 | 9-17-57 | 99.4 | 680.0 | 2100 | | | 11-14-57 | 121.6 | 563.2 | |
| | | 11-18-57 | 98.0 | 681.4 | | | | 2-27-58 | 105.0 | 579.8 | |
| | | 1-07-58 | 98.0 | 681.4 | | | | | | | |
| | | 3-11-58 | 99.8 | 679.6 | | | | 7-03-57 | 526.0* | 114.0 | 2100 |
| | | 6-04-58 | 99.7 | 679.7 | | | | 8-13-57 | 520.0* | 120.2 | |
| 3N/20W-27L01 S | 801.9 | 8-13-57 | 117.8 | 684.1 | 2100 | 3N/20W-33M02 S | 640.0 | 9-17-57 | 530.0* | 110.2 | |
| | | 9-13-57 | 117.3 | 684.6 | | | | 11-14-57 | 521.0* | 119.2 | |
| | | 11-14-57 | 117.4 | 684.5 | | | | 1-06-58 | 521.0* | 119.2 | |
| | | 2-02-58 | 117.5 | 684.3 | | | | 3-03-58 | 522.0* | 118.2 | |
| | | 2-23-58 | 117.6 | 684.3 | | | | 5-21-58 | 522.0* | 118.2 | |
| | | 5-23-58 | 116.8 | 685.1 | | | | | | | |
| 3N/20W-27L02 S | 797.5 | 9-13-57 | 112.8 | 684.7 | 2100 | 3N/20W-34F01 S | 660.0 | 8-13-57 | 489.0* | 161.0 | 2100 |
| | | 11-14-57 | 113.0 | 684.5 | | | | 8-31-57 | 501.0* | 159.0 | |
| | | 1-02-58 | 113.1 | 684.4 | | | | 10-31-57 | 490.0* | 161.0 | |
| | | 2-27-58 | 113.3 | 684.2 | | | | 12-31-57 | 492.0* | 164.0 | |
| | | 5-23-58 | 114.8 | 682.7 | | | | 2-28-58 | 491.0* | 169.0 | |
| | | | | | | | | 5-11-58 | 487.0* | 173.0 | |
| | | | | | | | | 6-30-58 | 493.0* | 167.0 | |
| 3N/20W-28P01 S | 740.0 | 8-13-57 | 62.7 | 677.3 | 2100 | 3N/20W-34L01 S | 663.5 | 8-13-57 | 503.0* | 160.5 | 2100 |
| | | | | | | | | 8-31-57 | 504.0* | 159.5 | |
| | | | | | | | | 10-31-57 | 503.0* | 160.5 | |
| | | | | | | | | 12-31-57 | 499.0* | 164.5 | |
| | | | | | | | | 2-28-58 | 495.0* | 168.5 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| LAS POSAS VALLEY | | | 40800 | | | SIMI VALLEY | | | 40900 | | |
| EAST LAS POSAS BASIN | | | 40802 | | | 2N/17W-04N01 S | | | 1095.8 | | |
| 3N/20W-34L01 S CONT. | 663.5 | 5-15-58 | 493.0* | 170.5 | 2100 | | | 8-05-57 | 35.0 | 1060.8 | 2100 |
| | | 6-30-58 | 499.0* | 164.5 | | | | 10-10-57 | 36.5 | 1059.3 | |
| | | | | | | | | 12-11-57 | 37.2 | 1058.6 | |
| 3N/20W-36G01 S | 610.4 | 11-18-57 | 309.6 | 300.8 | 2100 | 2N/17W-05W01 S | 1047.2 | 8-05-57 | DRY | | 2100 |
| | | 1-07-58 | 308.1 | 302.3 | | | | 10-10-57 | DRY | | |
| | | 3-25-58 | 300.0 | 310.4 | | | | 12-11-57 | DRY | | |
| | | 6-04-58 | 298.6 | 311.8 | | | | 5-07-58 | 23.6 | 1023.6 | |
| 3N/20W-36N01 S | 573.2 | 9-17-57 | 266.6 | 306.6 | 2100 | 2N/17W-05G01 S | 1054.4 | 8-05-57 | 54.8 | 999.6 | 2100 |
| | | 11-18-57 | 262.9 | 310.3 | | | | 10-10-57 | 55.4 | 999.0 | |
| | | 1-07-58 | 262.1 | 311.1 | | | | 12-11-57 | 55.9 | 998.5 | |
| | | 3-10-58 | 260.3 | 312.9 | | | | 5-06-58 | 50.0 | 1004.4 | |
| | | | | | | 2N/17W-06G01 S | 1080.1 | 8-05-57 | 58.8 | 1021.3 | 2100 |
| | | | | | | | | 10-10-57 | 84.3 | 995.8 | |
| | | | | | | | | 5-07-58 | 99.2 | 1040.9 | |
| | | | | | | 2N/17W-06J01 S | 1039.9 | 8-05-57 | 83.9 | 956.0 | 2100 |
| | | | | | | | | 10-10-57 | 84.4 | 955.5 | |
| | | | | | | | | 12-11-57 | 84.6 | 955.3 | |
| | | | | | | | | 5-07-58 | 83.4 | 956.5 | |
| | | | | | | 2N/17W-06N01 S | 991.6 | 8-05-57 | 260.8* | 730.8 | 2100 |
| | | | | | | | | 10-10-57 | 254.9 | 736.7 | |
| | | | | | | | | 12-12-57 | 257.2* | 734.4 | |
| | | | | | | | | 5-07-58 | 248.1 | 743.5 | |
| | | | | | | 2N/17W-07D01 S | 996.6 | 8-05-57 | 250.0* | 746.6 | 2100 |
| | | | | | | | | 10-10-57 | 249.9* | 746.7 | |
| | | | | | | | | 12-12-57 | 246.8* | 749.8 | |
| | | | | | | | | 5-07-58 | 230.5 | 766.1 | |
| | | | | | | 2N/17W-07D04 S | 989.8 | 10-10-57 | 235.4 | 734.4 | 2100 |
| | | | | | | | | 12-12-57 | 253.4 | 736.4 | |
| | | | | | | | | 5-07-58 | 250.8 | 739.0 | |
| | | | | | | 2N/17W-07G03 S | 981.6 | 7-31-57 | 74.0 | 907.6 | 2100 |
| | | | | | | | | 10-09-57 | 74.8 | 906.8 | |
| | | | | | | | | 12-11-57 | 74.6 | 907.0 | |
| | | | | | | | | 5-02-58 | 55.6 | 926.0 | |
| | | | | | | 2N/17W-07N01 S | 958.2 | 7-31-57 | 125.7 | 832.5 | 2100 |
| | | | | | | | | 10-09-57 | 125.2 | 833.0 | |
| | | | | | | | | 12-10-57 | 125.5 | 832.7 | |
| | | | | | | | | 5-02-58 | 80.7 | 877.5 | |
| | | | | | | 2N/17W-08A01 S | 1057.5 | 8-05-57 | 63.2 | 994.3 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Date |
|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SIMI VALLEY | | | | | | | | | | | |
| 2N/17W-08A01 S | 1057.5 | 10-10-57 | 64.0 | 993.5 | 2100 | 2N/17W-09E01 S | 1027.0 | 8-01-57 | 23.9 | 1003.1 | 2100 |
| | | 12-11-57 | 64.5 | 993.0 | | | | 10-09-57 | 20.1 | 1006.9 | |
| | | 3-06-58 | 57.4* | 1006.1 | | | | 12-11-57 | 20.1 | 1006.9 | |
| | | | | | | | | 5-02-58 | 11.6 | 1015.4 | |
| 2N/17W-08F01 S | 1011.1 | 8-05-57 | 33.0 | 978.1 | 2100 | 2N/17W-09F01 S | 1042.4 | 8-01-57 | 24.4 | 1018.0 | 2100 |
| | | 10-10-57 | 32.9 | 978.2 | | | | 10-09-57 | 25.8 | 1016.6 | |
| | | 12-11-57 | 33.0 | 978.1 | | | | 12-11-57 | 25.7 | 1016.7 | |
| | | 5-06-58 | 31.2 | 979.9 | | | | 5-02-58 | 13.4 | 1029.0 | |
| 2N/17W-08F03 S | 991.8 | 7-31-57 | 95.4 | 896.4 | 2100 | 2N/17W-09F02 S | 1042.2 | 8-01-57 | 24.2 | 1018.0 | 2100 |
| | | 10-09-57 | 94.9 | 896.9 | | | | 10-09-57 | 23.4 | 1016.8 | |
| | | 12-11-57 | 93.8 | 898.0 | | | | | | | |
| | | 5-02-58 | 88.1 | 903.7 | | | | | | | |
| 2N/17W-08H01 S | 1024.5 | 8-01-57 | 22.0 | 1002.5 | 2100 | 2N/17W-09L01 S | 1034.0 | 8-01-57 | 15.0 | 1019.0 | 2100 |
| | | 10-09-57 | 23.3 | 1001.2 | | | | 10-10-57 | 16.2 | 1017.8 | |
| | | 12-11-57 | 23.3 | 1001.2 | | | | 5-02-58 | 4.6 | 1029.4 | |
| | | 5-02-58 | 14.5 | 1010.0 | | | | | | | |
| 2N/17W-08J03 S | 1016.0 | 7-31-57 | 22.8 | 993.2 | 2100 | 2N/17W-09M02 S | 1023.4 | 8-01-57 | 11.8 | 1009.6 | 2100 |
| | | 10-09-57 | 24.1 | 991.9 | | | | 10-09-57 | 12.1 | 1009.3 | |
| | | 12-11-57 | 23.8 | 992.2 | | | | 12-11-57 | 12.2 | 1009.2 | |
| | | 5-02-58 | 14.0 | 1002.0 | | | | 5-02-58 | 6.8 | 1014.6 | |
| 2N/17W-08L01 S | 990.1 | 7-31-57 | 24.9 | 965.2 | 2100 | 2N/17W-09N02 S | 1046.0 | 10-09-57 | 32.4 | 1013.6 | 2100 |
| | | 10-09-57 | 25.7 | 964.4 | | | | 12-11-57 | 31.6 | 1014.4 | |
| | | 12-11-57 | 25.7 | 964.4 | | | | 5-02-58 | 23.3 | 1022.7 | |
| | | 5-02-58 | 8.2 | 981.9 | | | | | | | |
| 2N/17W-08M01 S | 987.4 | 7-31-57 | 117.4 | 870.0 | 2100 | 2N/17W-09N05 S | 1048.4 | 8-01-57 | 30.5 | 1017.9 | 2100 |
| | | 10-09-57 | 117.6 | 869.8 | | | | 10-09-57 | 30.2 | 1018.2 | |
| | | 12-11-57 | 114.2 | 873.2 | | | | 5-02-58 | 16.3 | 1032.1 | |
| | | 5-01-58 | 104.0 | 883.4 | | | | | | | |
| 2N/17W-08P01 S | 991.3 | 7-31-57 | 24.4 | 966.9 | 2100 | 2N/17W-09P07 S | 1046.6 | 8-05-57 | 21.1 | 1025.5 | 2100 |
| | | 10-09-57 | 25.2 | 966.1 | | | | 10-10-57 | 21.6 | 1025.0 | |
| | | 12-11-57 | 24.0 | 965.7 | | | | 12-11-57 | 21.7 | 1024.9 | |
| | | 5-02-58 | 9.1 | 982.2 | | | | 5-06-58 | 7.2 | 1039.4 | |
| 2N/17W-08R01 S | 1005.7 | 7-31-57 | 14.2 | 991.5 | 2100 | 2N/17W-09Q04 S | 1056.5 | 8-01-57 | 32.1 | 1024.4 | 2100 |
| | | 10-09-57 | 15.7 | 990.4 | | | | 10-10-57 | 33.4 | 1023.1 | |
| | | 12-11-57 | 15.3 | 990.4 | | | | 12-11-57 | 34.0 | 1022.5 | |
| | | 5-02-58 | 5.5 | 1000.2 | | | | 5-02-58 | 29.4 | 1027.1 | |
| 2N/17W-09B05 S | 1054.4 | 8-01-57 | 33.7 | 1020.7 | 2100 | 2N/17W-16A04 S | 1077.0 | 8-05-57 | 65.2 | 1011.8 | 2100 |
| | | 10-09-57 | 34.2 | 1020.2 | | | | 10-10-57 | 64.5 | 1012.5 | |
| | | 12-11-57 | 34.5 | 1019.9 | | | | 5-06-58 | 41.4 | 1035.6 | |
| | | 5-02-58 | 23.0 | 1031.4 | | | | | | | |
| 2N/17W-09B05 S | 1054.4 | 8-01-57 | 33.7 | 1020.7 | 2100 | 2N/18W-01F01 S | 1009.9 | 8-12-57 | 296.3 | 713.6 | 2100 |
| | | 10-09-57 | 34.2 | 1020.2 | | | | 10-14-57 | 296.6 | 713.9 | |
| | | 12-11-57 | 34.5 | 1019.9 | | | | 12-12-57 | 296.0 | 713.9 | |
| | | 5-02-58 | 23.0 | 1031.4 | | | | 5-07-58 | 289.4 | 720.5 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SIMI VALLEY | | | | | | | | | | | |
| 2N/18W-01F02 S | 1009.6 | 8-12-57 | 295.9 | 713.7 | 2100 | 2N/18W-07P01 S | 813.8 | 10-08-57 | 29.4 | 40900 | 40900 |
| 2N/18W-01L01 S | 991.6 | 8-05-57 | 286.8* | 704.8 | 2100 | CONT. | | 12-03-57 | 29.8 | 784.4 | 2100 |
| | | 10-10-57 | 289.1* | 702.5 | | | | 4-25-58 | 22.8 | 701.0 | |
| | | 12-12-57 | 276.3* | 713.3 | | | | | | | |
| | | 5-07-58 | 272.8 | 718.8 | | 2N/18W-07P02 S | 726.6 | 7-25-57 | 5.9 | 720.7 | 2100 |
| 2N/18W-01W01 S | 993.6 | 8-12-57 | 283.0* | 710.6 | 2100 | | | 10-04-57 | 5.8 | 720.8 | |
| | | 10-14-57 | 283.2 | 710.4 | | | | 12-03-57 | 6.4 | 720.2 | |
| | | 12-12-57 | 283.7* | 709.0 | | 2N/18W-08B01 S | 757.2 | 4-25-58 | 4.5 | 722.1 | |
| | | 5-07-58 | 277.0 | 716.6 | | | | | | | |
| 2N/18W-01P01 S | 985.6 | 8-05-57 | 273.8 | 711.8 | 2100 | 2N/18W-08C02 S | 746.4 | 8-12-57 | 107.3 | 649.9 | 2100 |
| | | 12-12-57 | 274.9 | 710.7 | | | | 10-15-57 | 94.1 | 663.1 | |
| | | 5-07-58 | 268.9* | 716.7 | | | | 12-12-57 | 78.6 | 678.6 | |
| | | | | | | | | 5-07-58 | 64.2 | 693.0 | |
| 2N/18W-02K01 S | 968.8 | 8-12-57 | 246.1 | 722.7 | 2100 | | | 8-12-57 | 84.0 | 662.4 | 2100 |
| | | 10-15-57 | 246.5 | 722.3 | | | | 10-15-57 | 70.2 | 676.2 | |
| | | 12-12-57 | 247.0 | 721.8 | | | | 12-12-57 | 71.4 | 675.0 | |
| | | 5-07-58 | 237.4 | 731.4 | | 2N/18W-08E02 S | 724.2 | 5-07-58 | 57.1 | 689.3 | |
| 2N/18W-03A01 S | 1060.6 | 8-12-57 | 47.5 | 1013.1 | 2100 | | | 7-25-57 | 64.6 | 659.6 | 2100 |
| | | 10-15-57 | 47.8 | 1012.8 | | | | 10-04-57 | 66.9 | 657.3 | |
| | | 12-12-57 | 47.5 | 1013.1 | | 2N/18W-08F08 S | 737.9 | 4-25-58 | 59.2 | 665.0 | |
| | | 5-07-58 | 42.1 | 1018.5 | | | | | | | |
| 2N/18W-04N01 S | 843.2 | 8-12-57 | 178.5 | 664.7 | 2100 | | | 7-25-57 | 85.6 | 652.3 | 2100 |
| | | 10-15-57 | 182.1 | 661.1 | | | | 10-07-57 | 86.1 | 651.8 | |
| | | 12-12-57 | 173.0 | 670.2 | | | | 12-03-57 | 112.4* | 625.5 | |
| | | 5-07-58 | 152.0 | 691.2 | | 2N/18W-08J02 S | 763.4 | 4-25-58 | 66.9 | 671.0 | |
| 2N/18W-04N02 S | 841.1 | 8-12-57 | 161.5 | 679.6 | 2100 | | | 8-12-57 | 105.0* | 658.4 | 2100 |
| | | 10-15-57 | 165.3 | 675.8 | | | | 10-15-57 | 98.8* | 664.6 | |
| | | 12-12-57 | 156.4 | 684.7 | | 2N/18W-08K02 S | 762.2 | 12-12-57 | 94.2* | 669.2 | |
| | | 5-07-58 | 144.3 | 696.8 | | | | 5-07-58 | 91.0* | 672.4 | |
| 2N/18W-07F03 S | 723.3 | 7-25-57 | 63.2* | 660.1 | 2100 | | | 8-12-57 | 90.2 | 672.0 | 2100 |
| | | 10-08-57 | 57.2 | 666.1 | | | | 10-15-57 | 90.6 | 671.6 | |
| | | 12-03-57 | 51.6 | 671.7 | | | | 12-12-57 | 86.2 | 676.0 | |
| | | 4-25-58 | 45.8 | 677.5 | | 2N/18W-08L01 S | 745.9 | 5-07-58 | 86.6 | 675.6 | |
| 2N/18W-07G02 S | 711.0 | 10-04-57 | 33.3 | 677.7 | 2100 | | | 7-25-57 | 99.8 | 646.1 | 2100 |
| | | 12-03-57 | 30.0 | 681.0 | | | | 10-04-57 | 103.1 | 642.8 | |
| | | 4-25-58 | 20.8 | 690.2 | | 2N/18W-08P03 S | 759.7 | 4-25-58 | 85.9 | 660.0 | |
| 2N/18W-07L01 S | 753.4 | 12-03-57 | 58.5 | 694.9 | 2100 | | | 7-25-57 | 108.4 | 651.3 | 2100 |
| | | 4-25-58 | 19.6 | 733.8 | | | | 10-04-57 | 111.5 | 648.2 | |
| | | | | | | 2N/18W-08P04 S | 752.1 | 12-03-57 | 113.4 | 646.3 | |
| 2N/18W-07P01 S | 813.8 | 7-25-57 | 29.1 | 784.7 | 2100 | | | 4-25-58 | 95.5 | 666.2 | |
| | | | | | | | | 7-25-57 | 103.9 | 648.2 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SIMI VALLEY | | | | | | | | | | | |
| 2N/18W-08P04 S | 752.1 | 10-04-57 | 107.2 | 644.9 | 2100 | 2N/18W-11A04 S | 971.6 | 10-09-57 | 252.2 | 719.4 | 2100 |
| CONT. | | 12-03-57 | 109.1 | 643.0 | | CONT. | | 12-10-57 | 250.9 | 726.7 | |
| | | 4-25-58 | 91.8 | 660.3 | | | | 5-07-58 | 268.7 | 702.7 | |
| 2N/18W-08Q01 S | 768.7 | 7-25-57 | 121.5* | 647.2 | 2100 | 2N/18W-11B02 S | 951.9 | 10-15-57 | 244.2 | 706.7 | 2100 |
| | | 10-07-57 | 123.1 | 665.6 | | | | 12-12-57 | 246.5 | 701.4 | |
| | | 12-04-57 | 121.7* | 647.0 | | | | 5-01-58 | 237.6 | 714.3 | |
| | | 4-25-58 | 104.5 | 664.2 | | | | 7-31-57 | 227.2 | 712.2 | 2100 |
| 2N/18W-09M01 S | 780.2 | 8-12-57 | 121.3 | 658.9 | 2100 | 2N/18W-11J02 S | 939.4 | 10-09-57 | 226.9 | 715.5 | |
| | | 10-15-57 | 122.0 | 658.2 | | | | 12-10-57 | 225.6 | 713.8 | |
| | | 12-12-57 | 107.7 | 672.5 | | | | 5-01-58 | 217.8 | 721.6 | |
| | | 5-07-58 | 88.8 | 691.4 | | | | 12-11-57 | 241.2 | 731.4 | 2100 |
| 2N/18W-07N01 S | | 7-25-57 | DRY | | 2100 | 2N/18W-12H01 S | 972.6 | 5-02-58 | 259.2 | 735.4 | |
| | | 10-07-57 | DRY | | | | | 7-31-57 | 201.6 | 748.0 | 2100 |
| | | 12-04-57 | DRY | | | 2N/18W-12L03 S | 949.6 | 9-03-57 | 201.6 | 748.0 | |
| | | 4-25-58 | DRY | | | | | 10-09-57 | 201.6 | 748.0 | |
| 2N/18W-09P02 S | 803.8 | 7-30-57 | 140.9* | 662.9 | 2100 | | | 12-10-57 | 201.6 | 748.0 | |
| | | 10-07-57 | 119.8 | 684.0 | | | | 3-25-58 | 201.6 | 748.0 | |
| | | 12-04-57 | 112.9 | 690.9 | | | | 5-01-58 | 201.6 | 748.0 | |
| | | 4-25-58 | 106.0 | 697.8 | | | | 6-02-58 | 201.6 | 748.0 | |
| 2N/18W-1A01 S | 925.8 | 8-12-57 | 220.8 | 705.0 | 2100 | | | 6-30-58 | 201.4 | 748.0 | |
| | | 10-15-57 | 226.0 | 701.8 | | 2N/18W-13C01 S | 940.3 | 7-31-57 | 69.6 | 870.7 | 2100 |
| | | 12-12-57 | 218.6 | 707.2 | | | | 10-09-57 | 70.1 | 870.7 | |
| | | 5-07-58 | 213.8 | 712.0 | | | | 12-10-57 | 69.2 | 871.1 | |
| 2N/18W-1J003 S | 867.7 | 7-30-57 | 146.4 | 721.3 | 2100 | | | 5-01-58 | 21.1 | 919.7 | |
| | | 10-08-57 | DRY | | | | | 10-09-57 | 81.7 | 892.7 | 2100 |
| | | 12-06-57 | DRY | | | | | 12-10-57 | 78.3 | 896.3 | |
| | | 5-01-58 | 142.8 | 724.9 | | | | 5-01-58 | 45.6 | 839.0 | |
| 2N/18W-1UR06 S | 875.9 | 7-30-57 | 163.2 | 712.7 | 2100 | 2N/18W-14C03 S | 884.2 | 7-31-57 | 86.5 | 797.7 | 2100 |
| | | 10-08-57 | 165.2 | 710.7 | | | | 10-09-57 | 85.6 | 798.6 | |
| | | 12-06-57 | 161.6 | 714.3 | | | | 12-10-57 | 84.3 | 799.9 | |
| | | 5-01-58 | 157.2 | 718.7 | | | | 5-01-58 | 63.5 | 820.7 | |
| 2N/18W-1OR07 S | 878.1 | 7-30-57 | 166.0 | 712.1 | 2100 | 2N/18W-14O04 S | 881.1 | 7-31-57 | 104.5* | 776.6 | 2100 |
| | | 10-08-57 | 168.0 | 710.1 | | | | 10-09-57 | 100.7 | 780.4 | |
| | | 5-01-58 | 159.4 | 718.7 | | | | 12-10-57 | 97.0 | 784.1 | |
| 2N/18W-1UR08 S | 872.2 | 7-31-57 | 146.8 | 726.4 | 2100 | | | 5-01-58 | 83.5 | 795.6 | |
| | | 10-09-57 | 144.8 | 727.4 | | 2N/18W-14E02 S | 905.1 | 10-09-57 | 73.9 | 831.2 | 2100 |
| | | 12-10-57 | 146.0 | 728.2 | | | | 12-10-57 | 73.9 | 831.2 | |
| | | 5-01-58 | 142.6 | 729.6 | | | | 5-01-58 | 72.5 | 832.6 | |
| 2N/18W-11A04 S | 971.6 | 7-31-57 | 257.6* | 714.0 | 2100 | 2N/18W-15B06 S | 865.7 | 10-08-57 | 159.3 | 706.4 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|---|--|---|-----------------------|-------------------------|--------------------|--|--------------------------------------|----------------------------------|-----------------------|
| SIMI VALLEY | | | | | | | | | | | |
| SIMI VALLEY | | | | | | | | | | | |
| 2N/18W-15B06 S CONT. | 865.7 | 12-06-57 5-01-58 | 159.9 154.8 | 705.8 710.9 | 2100 | 2N/18W-15L01 S CONT. | 870.4 | 10-08-57 12-10-57 5-01-58 | 160.0* 153.2* 108.9 | 710.4 717.2 761.5 | 2100 |
| 2N/18W-15C02 S | 850.0 | 10-08-57 5-01-58 | 145.7 140.4 | 704.3 709.6 | 2100 | 2N/18W-15M03 S | 836.9 | 12-04-57 4-30-58 | 157.8 132.5 | 679.1 704.4 | 2100 |
| 2N/18W-15C03 S | 871.0 | 8-12-57 10-15-57 12-12-57 5-07-58 | 210.6 198.2 185.0 171.9 | 660.4 672.8 686.0 699.1 | 2100 | 2N/18W-15M05 S | 838.7 | 4-30-58 | 179.2 | 659.5 | 2100 |
| 2N/18W-15E03 S | 848.9 | 10-08-57 12-04-57 4-30-58 | 155.5 154.1 143.5 | 693.4 694.8 705.4 | 2100 | 2N/18W-16R01 S | 819.7 | 7-30-57 10-07-57 12-04-57 4-25-58 | 114.3 115.1 115.4 115.2 | 705.4 704.6 704.3 704.5 | 2100 |
| 2N/18W-15E04 S | 849.3 | 7-30-57 10-08-57 12-04-57 4-30-58 | 162.0* 155.4 154.2 141.2 | 687.3 693.9 695.1 708.1 | 2100 | 2N/18W-16E02 S | 791.2 | 7-25-57 10-07-57 12-04-57 4-25-58 | 119.6* 120.6 120.2 112.5 | 671.6 670.6 671.0 678.7 | 2100 |
| 2N/18W-15E05 S | 850.6 | 7-30-57 10-08-57 12-04-57 4-30-58 | 144.8* 136.4 135.9 134.9 | 705.8 714.2 714.7 715.7 | 2100 | 2N/18W-16G01 S | 806.8 | 7-30-57 10-07-57 12-04-57 4-25-58 | 115.1 116.5 116.0 118.0* | 691.7 690.3 690.8 688.8 | 2100 |
| 2N/18W-15F01 S | 851.3 | 7-30-57 10-08-57 12-04-57 3-25-58 4-30-58 | 162.0* 154.5 153.3 144.7 143.0 | 689.3 696.8 698.0 706.6 708.3 | 2100 | 2N/18W-16G02 S | 808.7 | 7-21-57 10-07-57 12-04-57 4-25-58 | 113.2 114.5 115.9 125.0* | 695.5 694.2 692.8 683.7 | 2100 |
| 2N/18W-15F02 S | 849.2 | 7-30-57 10-08-57 12-10-57 4-30-58 | 162.5* 156.7 124.1 141.4 | 686.7 692.5 749.9 707.8 | 2100 | 2N/18W-16J03 S | 825.2 | 7-30-57 10-08-57 12-04-57 4-30-58 | 116.0 116.2 115.8 115.6 | 709.2 709.0 709.4 709.6 | 2100 |
| 2N/18W-15G02 S | 870.0 | 5-01-58 | 118.1 | 751.9 | 2100 | 2N/18W-17A02 S | 777.8 | 7-25-57 10-07-57 12-04-57 4-25-58 | 130.2* 137.8* 133.3* 109.0 | 647.6 640.0 644.5 668.8 | 2100 |
| 2N/18W-15G03 S | 874.0 | 10-08-57 12-10-57 5-01-58 | 127.3 124.1 121.9 | 746.7 749.9 752.1 | 2100 | 2N/18W-17B02 S | 771.9 | 10-07-57 4-25-58 | 126.4 107.9 | 665.5 664.0 | 2100 |
| 2N/18W-15H01 S | 877.9 | 7-30-57 10-08-57 12-10-57 5-01-58 | 119.6 120.1 117.2 114.6 | 758.3 757.8 760.7 763.3 | 2100 | | | | | | |
| 2N/18W-15L01 S | 870.4 | 7-30-57 | 157.4* | 713.0 | 2100 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| CONEJO VALLEY | | | | | | | | | | | |
| 1N/19W-02801 S | 911.7 | 7-26-57 | 56.2 | 857.5 | 2100 | 1N/19W-04P01 S | 760.5 | 6-20-58 | 24.0 | 41000 | 41000 |
| | | 10-02-57 | 56.8 | 854.9 | | | | | | 776.5 | 2100 |
| | | 1-08-58 | 57.9 | 853.8 | | | | | | 637.6 | 2100 |
| | | 5-02-58 | 25.0 | 882.7 | | | 835.1 | 7-24-57 | 197.5 | 635.1 | |
| 1N/19W-02C01 S | 895.1 | 7-26-57 | 63.3 | 831.8 | 2100 | | | 10-01-57 | 200.0 | 635.1 | |
| | | 10-02-57 | 71.6 | 823.1 | | | | 1-03-58 | 191.5 | 643.6 | |
| | | 1-08-58 | 62.0 | 833.1 | | | | 5-01-58 | 166.8 | 668.3 | |
| | | 5-02-58 | 31.2 | 861.9 | | | | 6-19-58 | 160.0 | 675.1 | |
| 1N/19W-02L01 S | 945.4 | 7-26-57 | 99.9 | 845.5 | 2100 | 1N/19W-05K01 S | 712.2 | 10-01-57 | 37.6 | 674.6 | 2100 |
| | | 10-02-57 | 92.5 | 820.3 | | | | 5-01-58 | 35.3 | 676.9 | |
| | | 1-08-58 | 92.2 | 823.2 | | | | 7-24-57 | 24.4 | 666.3 | 2100 |
| | | 5-02-58 | 86.7 | 858.7 | | | 696.7 | 10-01-57 | 28.3 | 665.4 | |
| 1N/19W-02N01 S | 900.0 | 7-26-57 | 57.0 | 843.8 | 2100 | | | 1-03-58 | 23.2 | 667.5 | |
| | | 10-02-57 | 57.1 | 843.7 | | | | 5-01-58 | 12.8 | 677.9 | |
| | | 1-08-58 | 60.7 | 840.1 | | | | 6-19-58 | 15.2 | 675.5 | |
| | | 5-02-58 | 50.9 | 849.9 | | | | 7-24-57 | 76.2 | 631.3 | 2100 |
| 1N/19W-03F01 S | 821.6 | 10-02-57 | 108.0 | 713.6 | 2100 | 1N/19W-06M02 S | 651.9 | 7-23-57 | 67.9 | 584.0 | 2100 |
| | | 1-07-58 | 93.9 | 727.7 | | | | 1-02-58 | 143.0* | 598.3 | |
| | | 6-20-58 | 138.5 | 683.1 | | | | 6-18-58 | 68.9 | 585.3 | |
| 1N/19W-03L01 S | 821.9 | 7-25-57 | 59.0 | 762.9 | 2100 | 1N/19W-06Q01 S | 531.8 | 10-01-57 | 194.9 | 336.4 | 2100 |
| | | 10-02-57 | 62.4 | 759.5 | | | | 1-03-58 | 154.3 | 377.5 | |
| | | 1-07-58 | 58.6 | 763.3 | | | | 5-01-58 | 13.2 | 516.6 | |
| | | 5-01-58 | 59.9 | 763.0 | | | | 6-19-58 | 16.2 | 515.6 | |
| | | 6-20-58 | 59.4* | 762.5 | | | | 7-23-57 | 85.3 | 588.4 | 2100 |
| 1N/19W-03L02 S | 805.9 | 7-30-57 | 48.1 | 757.8 | 2100 | | | 9-27-57 | 85.9 | 587.8 | |
| | | 10-03-57 | 49.1 | 756.8 | | | | 1-02-58 | DRY | 598.7 | |
| | | 1-09-58 | 46.3 | 757.6 | | | | 6-18-58 | 75.0 | 598.7 | |
| | | 5-02-58 | 38.3 | 767.6 | | | | 4-25-58 | 75.0 | 598.7 | |
| 1N/19W-03M01 S | 812.7 | 7-25-57 | 79.9 | 732.8 | 2100 | 1N/19W-07O01 S | 712.7 | 4-25-58 | 114.0* | 598.7 | 2100 |
| | | 10-02-57 | 80.0 | 732.7 | | | | 6-18-58 | 114.7* | 598.0 | |
| | | 1-07-58 | 80.0 | 732.7 | | | | 7-23-57 | 78.9 | 556.7 | 2100 |
| | | 6-20-58 | 80.3 | 732.4 | | | | 1-02-58 | 78.0 | 557.6 | |
| 1N/19W-04L01 S | 781.2 | 10-02-57 | 141.2 | 640.0 | 2100 | 1N/19W-07F01 S | 635.6 | 4-25-58 | 35.0* | 600.6 | |
| | | 5-01-58 | 116.3 | 664.9 | | | | 6-18-58 | 55.0* | 580.6 | |
| | | 5-01-58 | 99.3 | 681.9 | | | | 7-24-57 | 30.6 | 607.9 | 2100 |
| 1N/19W-04P01 S | 760.5 | 7-25-57 | 34.2 | 726.3 | 2100 | | | 10-01-57 | 35.6* | 602.9 | |
| | | 10-02-57 | 34.5 | 726.0 | | | | 1-03-58 | 32.6 | 605.9 | |
| | | 1-07-58 | 34.5 | 726.0 | | | | 4-25-58 | 8.9 | 629.6 | |
| | | 5-01-58 | 20.7 | 739.8 | | | | 6-19-58 | 11.5 | 627.0 | |
| | | | | | | | | 7-24-57 | 34.4 | 608.3 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| CONEJO VALLEY | | | | | | | | | | | |
| 1N/19M-07J04 S | 542.7 | 10-01-57 | 35.9 | 606.8 | 2100 | 1N/19M-07K14 S | 664.6 | 6-19-58 | 11.8 | 632.8 | 2100 |
| CONT. | | 1-03-58 | 35.5 | 607.2 | | | | 7-23-57 | 46.5 | 602.9 | |
| | | 4-25-58 | 9.4 | 633.3 | | 1N/19M-07M02 S | 645.4 | 9-27-57 | 51.7 | 597.7 | 2100 |
| | | 6-19-59 | 13.0 | 629.7 | | | | 1-02-58 | 41.7 | 607.7 | |
| 1N/19M-07J07 S | 701.2 | 7-24-57 | 65.0 | 636.2 | 2100 | | | 4-25-58 | 24.6 | 624.8 | |
| | | 10-01-57 | 66.2 | 635.0 | | 1N/19M-07G01 S | 678.9 | 6-18-58 | 32.7 | 616.7 | |
| | | 1-03-58 | 67.9 | 633.3 | | | | 7-23-57 | 36.9 | 639.0 | 2100 |
| | | 4-25-58 | 75.1 | 676.1 | | | | 9-27-57 | 40.8 | 638.1 | |
| | | 6-19-59 | 23.8 | 677.4 | | | | 1-02-58 | 41.6 | 637.3 | |
| 1N/19M-07K01 S | 632.1 | 4-25-59 | 10.3 | 612.8 | 2100 | | | 4-25-58 | 17.0 | 661.9 | |
| | | 6-18-59 | 15.0 | 617.1 | | | | 6-18-58 | 24.3 | 654.6 | |
| 1N/19M-07K06 S | 647.6 | 7-23-57 | 38.0 | 609.6 | 2100 | 1N/19M-07G03 S | 712.0 | 9-27-57 | 58.0 | 654.0 | 2100 |
| | | 9-27-57 | 39.5 | 608.1 | | | | 1-02-58 | 58.5 | 653.5 | |
| | | 1-02-58 | 38.8 | 608.8 | | | | 4-25-58 | 37.7 | 674.3 | |
| | | 4-25-58 | 9.3 | 638.3 | | | | 6-18-58 | 35.5 | 676.5 | |
| | | 6-18-58 | 14.6 | 633.0 | | 1N/19M-07R01 S | 692.6 | 7-24-57 | 79.3 | 613.3 | 2100 |
| 1N/19M-07K07 S | 645.8 | 7-23-57 | 37.5* | 612.3 | 2100 | | | 1-03-58 | 81.2 | 611.4 | |
| | | 9-27-57 | 38.0 | 611.8 | | | | 4-25-58 | 40.1 | 652.5 | |
| | | 1-02-58 | 38.8* | 611.0 | | | | 6-19-58 | 35.9 | 656.7 | |
| | | 4-25-58 | 64.3* | 643.5 | | 1N/19M-07R03 S | 691.3 | 7-24-57 | 80.2 | 611.1 | 2100 |
| | | 6-18-58 | 13.1* | 636.7 | | | | 10-01-57 | 80.9 | 610.4 | |
| 1N/19M-07K08 S | 653.5 | 1-03-58 | 178.1 | 475.4 | 2100 | | | 1-03-58 | 81.9 | 609.4 | |
| | | 5-01-58 | 33.8 | 619.7 | | | | 4-25-58 | 36.8 | 654.5 | |
| | | 6-19-58 | 80.4 | 573.1 | | 1N/19M-07R04 S | 693.2 | 6-19-58 | 39.2 | 652.1 | |
| 1N/19M-07K09 S | 636.7 | 7-23-57 | 62.1 | 574.6 | 2100 | | | 7-24-57 | 75.8 | 617.4 | 2100 |
| | | 10-01-57 | 53.2 | 583.5 | | | | 10-01-57 | 76.5 | 616.7 | |
| | | 1-03-58 | 50.9 | 585.8 | | | | 1-03-58 | 77.9 | 615.3 | |
| | | 4-25-58 | 283.3* | 608.4 | | | | 4-25-58 | 20.9 | 672.3 | |
| | | 6-19-58 | 22.3 | 614.4 | | 1N/19M-08G01 S | 638.5 | 6-19-58 | 19.9 | 673.3 | |
| 1N/19M-07K11 S | 628.4 | 7-23-57 | 23.6 | 604.8 | 2100 | | | 7-24-57 | 75.3 | 563.2 | 2100 |
| | | 7-23-57 | 37.8 | 620.8 | 2100 | | | 10-01-57 | 76.0 | 562.5 | |
| 1N/19M-07K13 S | 658.6 | 9-27-57 | 39.8 | 618.8 | | | | 1-03-58 | 70.4 | 568.1 | |
| | | 1-02-58 | 39.9 | 618.7 | | | | 6-19-58 | 38.5 | 600.0 | |
| | | 4-25-58 | 7.1 | 651.5 | | 1N/19M-08G05 S | 641.9 | 7-24-57 | 81.8* | 560.3 | 2100 |
| | | 6-18-58 | 10.5 | 648.1 | | | | 10-01-57 | 79.5 | 562.4 | |
| 1N/19M-07K14 S | 664.6 | 7-24-57 | 56.3 | 608.3 | 2100 | | | 1-03-58 | 73.7 | 568.2 | |
| | | 10-01-57 | 57.6 | 607.0 | | | | 5-01-58 | 50.9 | 591.0 | |
| | | 1-03-58 | 57.1 | 607.5 | | 1N/19M-08J02 S | 680.8 | 6-19-58 | 41.7 | 600.2 | |
| | | 4-25-58 | 28.4 | 636.2 | | | | 10-01-57 | 116.3 | 564.5 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| CONEJO VALLEY | | | | | | | | | | | |
| IN/19W-08J02 S | 680.8 | 6-20-58 | 89.5 | 591.3 | 2100 | IN/19W-10J02 S | 853.2 | 7-30-57 | 74.4 | 778.8 | 2100 |
| IN/19W-08J03 S | 667.4 | 7-24-57 | 100.7 | 566.7 | 2100 | | | 10-03-57 | 74.2 | 779.0 | |
| | | 10-01-57 | 107.0 | 560.4 | | | | 1-09-58 | 70.9 | 781.2 | |
| | | 5-01-58 | 102.4 | 565.0 | | | | 5-02-58 | | 782.3 | |
| | | 5-01-58 | 87.0 | 580.4 | | | | | | | |
| | | 6-20-58 | 83.9 | 583.5 | | | | 7-30-57 | 59.6 | 771.6 | 2100 |
| IN/19W-08L01 S | 630.0 | 7-24-57 | 40.3 | 589.7 | 2100 | IN/19W-10K01 S | 831.2 | 10-03-57 | 58.7 | 772.5 | |
| | | 10-01-57 | 43.8 | 586.2 | | | | 1-09-58 | 58.9 | 772.3 | |
| | | 1-03-58 | 45.7 | 584.3 | | | | 5-02-58 | 57.6 | 773.6 | |
| | | 5-01-58 | 19.2 | 610.8 | | | | | | | |
| | | 6-19-58 | 22.9 | 607.1 | | | | 7-30-57 | 54.0 | 746.9 | 2100 |
| | | 5-01-58 | 174.0 | 571.8 | 2100 | IN/19W-10K02 S | 800.9 | 1-09-58 | 31.6 | 769.3 | |
| IN/19W-09G01 S | 745.8 | 5-01-58 | 192.0 | 572.0 | 2100 | IN/19W-10L01 S | 790.0 | 7-30-57 | 39.2 | 750.8 | 2100 |
| IN/19W-09H02 S | 766.0 | 6-20-58 | 199.0 | 565.0 | 2100 | | | 10-03-57 | 39.2 | 750.8 | |
| | | | | | | | | 1-09-58 | 37.9 | 752.7 | |
| | | | | | | | | 5-02-58 | 37.9 | 752.7 | |
| | | | | | | | | 6-01-58 | 37.7 | 752.8 | |
| IN/19W-09H03 S | 801.6 | 5-01-58 | 168.5 | 635.1 | 2100 | IN/19W-10N08 S | 788.7 | 7-30-57 | 31.0 | 757.7 | 2100 |
| | | 6-20-58 | 177.5 | 626.1 | 2100 | | | 10-03-57 | 31.9 | 756.8 | |
| IN/19W-09H06 S | 745.1 | 5-01-58 | 12.8 | 732.3 | 2100 | IN/19W-10P09 S | 777.2 | 1-09-58 | 30.8 | 757.9 | |
| | | 6-20-58 | 15.7 | 729.4 | | | | 5-02-58 | 19.0 | 769.7 | |
| IN/19W-09K03 S | 736.5 | 7-24-57 | 83.5 | 653.0 | 2100 | | | 7-30-57 | 18.9 | 758.3 | 2100 |
| | | 10-01-57 | 87.0 | 649.5 | | | | 10-03-57 | 20.1 | 757.1 | |
| | | 1-07-58 | 74.4 | 662.1 | | | | 1-09-58 | 18.8 | 758.4 | |
| | | 5-01-58 | 61.3 | 675.2 | | | | 5-02-58 | 8.7 | 768.5 | |
| | | 6-20-58 | 64.9 | 671.6 | | | | | | | |
| IN/19W-09K04 S | 732.1 | 7-24-57 | 56.9 | 675.2 | 2100 | IN/19W-10P12 S | 765.4 | 7-30-57 | 11.8 | 757.6 | 2100 |
| | | 10-01-57 | 61.5 | 670.6 | | | | 10-03-57 | 12.9 | 756.5 | |
| | | 1-07-58 | 57.2 | 674.9 | | | | 1-09-58 | 11.9 | 757.5 | |
| | | 5-01-58 | 35.2 | 696.9 | | | | 5-02-58 | *7 | 768.7 | |
| | | 6-20-58 | 43.0 | 689.1 | | | | | | | |
| IN/19W-09G02 S | 722.8 | 7-24-57 | 23.9 | 698.9 | 2100 | IN/19W-10P13 S | 763.0 | 7-30-57 | 12.4 | 750.6 | 2100 |
| | | 10-01-57 | 25.7 | 697.1 | | | | 10-03-57 | 13.5 | 749.5 | |
| | | 1-07-58 | 23.3 | 698.5 | | | | 1-09-58 | 12.0 | 751.0 | |
| | | 5-01-58 | 13.8 | 709.0 | | | | 5-02-58 | 7.6 | 755.4 | |
| | | 6-20-58 | 12.5 | 710.3 | | | | | | | |
| IN/19W-09R05 S | 736.7 | 7-24-57 | 21.3 | 715.4 | 2100 | IN/19W-10P15 S | 805.8 | 7-30-57 | 47.3 | 788.5 | 2100 |
| | | 7-30-57 | 67.2 | 776.8 | | | | 10-03-57 | 49.8 | 787.0 | |
| IN/19W-10H02 S | 844.0 | 1-09-58 | 55.9 | 788.1 | 2100 | IN/19W-10O01 S | 780.1 | 7-30-57 | 22.3 | 757.8 | 2100 |
| | | 5-02-58 | 43.8 | 800.2 | | | | 10-03-57 | 23.9 | 756.2 | |
| | | | | | | | | 1-09-58 | 22.2 | 757.9 | |
| | | | | | | | | 5-02-58 | 9.0 | 771.1 | |
| | | | | | | | | 7-25-57 | 31.9 | 757.7 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| CONEJO VALLEY | | | | | | | | | | | |
| 1N/19W-11004 S CONT. | 789.6 | 10-02-57 | 32.0 | 41000 | 2100 | 1N/19W-14A02 S CONT. | 957.4 | 4-25-58 | 72.8 | 41000 | 2100 |
| | | 1-08-58 | 31.6 | 757.6 | | | | 6-25-58 | 76.4 | 884.6 | 819.0 |
| | | 4-25-58 | 15.2 | 758.0 | | | | 10-02-57 | DRY | 856.2 | 2100 |
| | | 6-25-58 | 22.7 | 774.4 | | 1N/19W-14A05 S | 909.0 | 4-25-58 | 52.8 | 821.6 | |
| 1N/19W-11C01 S | 920.0 | 7-26-57 | 80.5 | 839.5 | 2100 | 1N/19W-14B01 S | 904.6 | 7-26-57 | 31.5 | 873.1 | 2100 |
| | | 10-02-57 | 84.9 | 835.1 | | | | 10-02-57 | 30.4 | 874.2 | |
| | | 1-08-58 | 52.0 | 838.0 | | | | 1-08-58 | 31.0 | 872.6 | |
| | | 5-02-58 | 74.9 | 845.1 | | | | 4-25-58 | 17.3 | 887.3 | |
| 1N/19W-11E04 S | 898.1 | 7-26-57 | 68.1 | 830.0 | 2100 | 1N/19W-14B06 S | 867.8 | 7-26-57 | 106.2 | 761.6 | 2100 |
| | | 10-02-57 | 70.7 | 827.4 | | | | 10-02-57 | 116.4 | 752.4 | |
| | | 1-08-58 | 67.2 | 830.6 | | | | 1-08-58 | DRY | 763.0 | |
| | | 5-02-58 | 63.0 | 834.8 | | | | 4-25-58 | 103.8 | 775.0 | |
| 1N/19W-11N01 S | 816.5 | 7-26-57 | 32.7 | 783.8 | 2100 | 1N/19W-14C03 S | 893.3 | 10-03-57 | 190.7* | 702.6 | 2100 |
| | | 10-03-57 | 33.3 | 783.2 | | | | 1-08-58 | 176.6 | 716.9 | |
| | | 5-02-58 | 28.0 | 790.5 | | | | 4-25-58 | 153.0 | 759.3 | |
| 1N/19W-11P03 S | 875.4 | 7-26-57 | 35.3 | 840.1 | 2100 | 1N/19W-14C04 S | 844.4 | 7-26-57 | 59.8 | 784.6 | 2100 |
| | | 10-02-57 | 35.3 | 840.1 | | | | 10-02-57 | DRY | | |
| | | 1-08-58 | 34.6 | 840.8 | | | | 1-08-58 | DRY | | |
| | | 4-25-58 | 28.0 | 847.4 | | | | 4-25-58 | 23.5 | 818.9 | |
| | | 6-25-58 | 25.7 | 849.7 | | | | 6-25-58 | 47.8 | 796.6 | |
| 1N/19W-11P04 S | 872.0 | 7-26-57 | 32.2 | 839.8 | 2100 | 1N/19W-14C06 S | 846.4 | 7-26-57 | DRY | | 2100 |
| | | 10-02-57 | 31.8 | 840.2 | | | | 10-02-57 | DRY | | |
| | | 1-08-58 | 31.7 | 840.3 | | | | 1-08-58 | DRY | | |
| | | 4-25-58 | 23.6 | 846.7 | | | | 4-25-58 | DRY | | |
| | | 6-25-58 | 28.3 | 843.7 | | | | 6-25-58 | 168.0* | 678.4 | |
| 1N/19W-11P08 S | 853.5 | 4-25-58 | 28.5 | 825.0 | 2100 | 1N/19W-14D06 S | 811.5 | 7-26-57 | 51.0 | 760.5 | 2100 |
| | | 6-25-58 | 32.4 | 821.1 | | | | 10-02-57 | 52.4 | 789.1 | |
| 1N/19W-11001 S | 904.1 | 7-26-57 | 47.7 | 856.4 | 2100 | | | 1-08-58 | 51.4 | 780.1 | |
| | | 10-02-57 | 47.6 | 856.5 | | | | 4-25-58 | 36.7 | 794.5 | |
| | | 1-08-58 | 47.1 | 871.0 | | | | 6-25-58 | 41.3 | 770.2 | |
| | | 6-25-58 | 36.3 | 867.8 | | | | 4-25-58 | DRY | | |
| 1N/19W-13B01 S | 996.2 | 7-19-57 | 34.3 | 961.9 | 2100 | 1N/19W-14J06 S | 908.8 | 7-26-57 | 193.3* | 715.5 | 2100 |
| | | 9-26-57 | 45.8* | 950.4 | | | | 10-03-57 | 206.4 | 702.6 | |
| | | 12-15-57 | 31.6* | 946.9 | | | | 1-08-58 | 193.9* | 713.9 | |
| | | 6-18-58 | 26.2 | 961.5 | | | | 4-25-58 | 173.0* | 733.8 | |
| 1N/19W-14A02 S | | 10-02-57 | DRY | | 2100 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| CONEJO VALLEY | | | | | | | | | | | |
| IN/19W-14K04 S | 908.8 | 6-25-58 | 185.4* | 723.4 | 2100 | IN/19W-16J01 S | 923.0 | 10-02-57 | 38.8 | 41000 | 2100 |
| IN/19W-14L01 S | 969.2 | 7-25-57 | 196.5* | 772.7 | 2100 | CONT. | | 1-01-58 | 39.1 | 884.2 | |
| | | 10-02-57 | 197.1 | 772.1 | | | | 4-23-58 | 31.5 | 863.9 | |
| | | 1-08-58 | 197.2* | 772.0 | | | | 6-23-58 | 21.1 | 891.5 | |
| | | 4-23-58 | 187.0 | 782.2 | | | | | | 895.9 | |
| | | 6-23-58 | 184.0 | 785.2 | | | | | | | |
| IN/19W-14R03 S | 906.3 | 7-26-57 | 186.0 | 720.3 | 2100 | IN/19W-18A01 S | 810.7 | 7-23-57 | 25.8 | 784.9 | 2100 |
| | | 1-08-58 | 179.3 | 723.0 | | | | 10-01-57 | 21.3 | 789.4 | |
| | | 4-25-58 | 173.6 | 731.5 | | | | 1-01-58 | 20.9 | 789.8 | |
| | | 6-25-58 | 185.7 | 726.5 | | | | 4-23-58 | 10.5 | 802.5 | |
| | | | | 720.6 | | | | 6-19-58 | 10.8 | 799.9 | |
| IN/19W-14R04 S | 897.6 | 7-26-57 | 114.3 | 783.3 | 2100 | IN/19W-18A02 S | 819.5 | 7-23-57 | 71.1 | 756.4 | 2100 |
| | | 10-03-57 | 117.2 | 780.4 | | | | 10-01-57 | 62.8 | 756.7 | |
| | | 1-08-58 | 117.0 | 780.6 | | | | 1-03-58 | 121.8* | 697.7 | |
| | | 4-24-58 | 113.4 | 784.2 | | | | 4-23-58 | 16.5* | 802.9 | |
| | | 6-25-58 | 111.2 | 786.4 | | | | 6-19-58 | 111.0* | 708.5 | |
| IN/19W-14R05 S | | 4-25-58 | DRY | | 2100 | IN/19W-18B05 S | 728.3 | 7-23-57 | 46.7 | 681.6 | 2100 |
| IN/19W-14R07 S | | 4-25-58 | DRY | | 2100 | | | 9-27-57 | 47.0 | 681.3 | |
| IN/19W-14R11 S | 910.0 | 7-25-57 | 76.0 | 834.0 | 2100 | IN/19W-18B06 S | 711.8 | 1-03-58 | 44.8 | 683.5 | |
| | | 10-02-57 | 76.4 | 833.6 | | | | 4-23-58 | 34.2 | 677.6 | |
| | | 1-08-58 | 78.0 | 832.0 | | | | 6-19-58 | 47.7 | 666.1 | |
| | | 4-25-58 | 80.7 | 829.3 | | | | | | | |
| | | 6-25-58 | 80.0 | 830.0 | | | | | | | |
| IN/19W-15E01 S | 903.5 | 7-25-57 | 39.5 | 864.0 | 2100 | IN/19W-18B10 S | 754.2 | 7-23-57 | 84.3 | 669.9 | 2100 |
| | | 10-02-57 | 38.7 | 864.8 | | | | 9-22-57 | 78.1 | 676.1 | |
| | | 1-07-58 | 38.0 | 865.5 | | | | 1-03-58 | 31.7 | 722.5 | |
| | | 4-25-58 | 21.2 | 882.3 | | | | 4-23-58 | 46.7 | 707.5 | |
| | | 6-25-58 | 21.8 | 881.7 | | | | 6-19-58 | 14.8 | 739.4 | |
| IN/19W-15E02 S | 784.2 | 7-25-57 | 2.9 | 781.3 | 2100 | IN/19W-18B13 S | 735.0 | 7-23-57 | 11.7 | 723.3 | 2100 |
| | | 10-02-57 | 3.7 | 780.5 | | | | 9-27-57 | 11.3 | 723.7 | |
| | | 1-07-58 | 3.0 | 781.2 | | | | 1-03-58 | 6.6 | 728.4 | |
| | | 4-23-58 | 2.8 | 781.4 | | | | 4-23-58 | 2.9 | 732.1 | |
| | | 6-23-58 | 2.7 | 781.5 | | | | 6-19-58 | 3.9 | 731.1 | |
| IN/19W-15E03 S | 789.7 | 7-25-57 | 11.2 | 778.5 | 2100 | IN/19W-18B15 S | 813.9 | 7-23-57 | 24.0 | 789.9 | 2100 |
| | | 10-02-57 | 12.2 | 771.5 | | | | 10-01-57 | 24.6 | 793.3 | |
| | | 1-07-58 | 11.2 | 778.5 | | | | 4-23-58 | 18.9 | 801.0 | |
| | | 4-21-58 | 11.8 | 781.9 | | | | 6-19-58 | 15.2 | 798.7 | |
| | | 6-23-58 | 3.9 | 786.2 | | | | | | | |
| IN/19W-16J01 S | 923.0 | 7-25-57 | 38.5 | 884.5 | 2100 | IN/19W-18C04 S | 763.9 | 7-23-57 | 14.3 | 749.6 | 2100 |
| | | | | | | | | 9-27-57 | 15.9 | 748.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-------------------------|--------------------|--|--|---|-----------------------|-------------------------|--------------------|--|---------------------------------------|---|-----------------------|
| CONEJO VALLEY | | | | | | | | | | | |
| 1N/19W-18C04 S CONT. | 763.9 | 1-03-58 4-23-58 6-19-58 | 9.7 2.0 3.5 | 754.2 761.9 760.4 | 2100 | 1N/20W-11D03 S CONT. | 677.9 | 12-12-57 4-23-58 6-17-58 | 52.7 26.4 19.5 | 41000 625.2 651.5 658.4 | 2100 |
| 1N/19W-18G03 S | 846.7 | 7-23-57 9-27-57 1-03-58 4-23-58 6-19-58 | 201.1 121.6 74.4 20.8 47.8 | 645.6 725.1 772.3 825.9 798.9 | 2100 | 1N/20W-11J01 S | 648.4 | 7-19-57 9-27-57 1-02-58 4-24-58 6-18-58 | 49.5 49.6 47.9 9.8 35.5 | 598.9 598.8 600.5 638.6 612.9 | 2100 |
| 1N/19W-18G06 S | 926.8 | 7-23-57 10-01-57 1-03-58 4-23-58 6-19-58 | 45.3 46.1 44.7 28.7 27.8 | 881.5 880.7 882.1 902.1 899.0 | 2100 | 1N/20W-11J02 S | 651.0 | 1-02-58 4-24-58 | 50.8 42.0 | 600.2 609.0 | 2100 |
| 1N/19W-18H01 S | 848.9 | 7-23-57 10-01-57 1-03-58 4-23-58 6-19-58 | 28.8 25.6 26.1 15.1 18.3 | 824.1 823.3 822.8 833.8 830.6 | 2100 | 1N/20W-11L04 S | 660.8 | 1-02-58 4-24-58 6-18-58 | 56.8 16.4 20.7 | 604.0 604.0 636.4 | 2100 |
| 1N/19W-18H06 S | 890.9 | 7-23-57 10-01-57 1-03-58 4-23-58 6-19-58 | 50.3 50.7 48.9 39.2 35.4 | 840.6 840.2 842.0 856.7 851.5 | 2100 | 1N/20W-11N01 S | 668.0 | 7-18-57 9-26-57 12-12-57 4-23-58 6-17-58 | 59.3 59.3 57.2 6.6 10.3 | 608.7 608.7 610.8 661.4 657.7 | 2100 |
| 1N/19W-18H13 S | 928.2 | 7-23-57 10-01-57 1-03-58 4-23-58 6-19-58 | 51.5 49.2 46.5 15.8 24.7 | 876.7 879.0 881.7 912.4 903.5 | 2100 | 1N/20W-11N01 S | 683.6 | 7-19-57 9-27-57 1-02-58 4-24-58 6-18-58 | 86.2* 83.9 82.4 76.4 65.4 | 597.4 599.7 601.4 607.2 618.2 | 2100 |
| 1N/19W-18J01 S | 1009.2 | 7-23-57 10-01-57 1-03-58 4-23-58 6-19-58 | 88.2 80.3 90.9* 30.6 32.4 | 921.0 928.9 918.3 978.6 976.8 | 2100 | 1N/20W-12B02 S | 669.5 | 4-24-58 6-18-58 | 70.0* 70.0* | 599.5 599.5 | 2100 |
| 1N/20W-03J01 S | 764.5 | 7-18-57 9-26-57 12-12-57 4-23-58 6-17-58 | 85.7 87.9 90.0* 12.6 25.2 | 678.8 676.6 674.5 751.9 739.3 | 2100 | 1N/20W-12F02 S | 649.7 | 7-19-57 9-27-57 1-02-58 4-24-58 | 60.8 63.9 58.5 74.0 | 588.9 585.8 589.6 597.2 595.4 | 2100 |
| 1N/20W-11D03 S | 677.9 | 7-18-57 9-26-57 | 50.8 52.1 | 627.1 625.8 | 2100 | 1N/20W-12F03 S | 643.0 | 7-19-57 9-27-57 | 54.5 57.0 | 588.5 586.0 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------|--------------------|---------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| CONEJO VALLEY | | | | | | | | | | | |
| 1N/20W-12F03 S | 643.0 | 1-02-58 | 53.3 | 4100 | 2100 | 1N/20W-12N03 S | 676.2 | 4-24-58 | 42.8 | 4100 | 2100 |
| CONT. | | 4-24-58 | 42.8 | 600.2 | | CONT. | | 6-18-58 | 38.0 | 638.2 | |
| | | 6-18-58 | 42.3 | 600.7 | | | | | | | |
| 1N/20W-12F04 S | 641.3 | 1-02-58 | 51.8 | 589.5 | 2100 | 1N/20W-13E01 S | 823.6 | 4-24-58 | 3.2 | 820.4 | 2100 |
| | | 4-24-58 | 40.2 | 601.1 | | | | 6-18-58 | 4.7 | 818.9 | |
| 1N/20W-12F05 S | 641.6 | 9-27-57 | 54.1 | 587.5 | 2100 | 1N/20W-14B01 S | 692.9 | 7-19-57 | 39.9 | 693.0 | 2100 |
| | | 1-02-58 | 51.5 | 602.1 | | | | 9-27-57 | 40.7 | 652.2 | |
| | | 4-24-58 | 39.1 | 602.5 | | | | 1-02-58 | 41.5 | 651.4 | |
| | | | | | | | | 4-24-58 | 4.2 | 688.7 | |
| 1N/20W-12G01 S | 641.4 | 7-19-57 | 75.0 | 566.4 | 2100 | 1N/20W-14B02 S | 681.1 | 7-19-57 | 58.3 | 622.8 | 2100 |
| | | 9-27-57 | 69.4 | 572.0 | | | | 9-27-57 | 59.7 | 621.4 | |
| | | 1-02-58 | 54.9 | 586.5 | | | | 1-02-58 | 61.2 | 619.9 | |
| | | 4-24-58 | 38.4 | 603.0 | | | | 4-24-58 | 25.9 | 655.2 | |
| | | 6-18-58 | 47.7 | 593.7 | | | | 6-18-58 | 11.2 | 669.9 | |
| 1N/20W-12H01 S | 639.4 | 4-24-58 | 35.0 | 604.4 | 2100 | 1N/20W-15J01 S | 709.7 | 7-18-57 | 27.8 | 681.9 | 2100 |
| | | 6-18-58 | 52.6* | 586.8 | | | | 9-26-57 | 27.3 | 682.4 | |
| 1N/20W-12K01 S | 643.0 | 7-19-57 | 67.7 | 575.3 | 2100 | | | 12-12-57 | 27.0 | 682.7 | |
| | | 9-27-57 | 70.5 | 572.5 | | | | 4-23-58 | 17.4 | 682.3 | |
| | | 1-02-58 | 58.5 | 586.5 | | | | 6-17-58 | 23.2 | 686.5 | |
| | | 4-24-58 | 40.8 | 602.2 | | | | | | | |
| 1N/20W-12L01 S | 642.6 | 9-27-57 | 52.8 | 589.8 | 2100 | 1N/20W-15J02 S | 716.5 | 7-18-57 | 11.6 | 704.9 | 2100 |
| | | 1-02-58 | 51.2 | 591.4 | | | | 9-26-57 | 11.2 | 705.3 | |
| | | 4-24-58 | 31.2 | 603.4 | | | | 12-12-57 | 11.0 | 705.5 | |
| | | 6-18-58 | 37.2 | 603.4 | | | | 4-23-58 | 7.9 | 708.6 | |
| | | | | | | | | 6-17-58 | 8.4 | 708.1 | |
| 1N/20W-12L02 S | 640.8 | 9-27-57 | 52.2 | 588.6 | 2100 | 1N/20W-15J03 S | 695.6 | 7-18-57 | 20.0 | 675.6 | 2100 |
| | | 1-02-58 | 50.4 | 590.4 | | | | 9-26-57 | 18.6 | 676.8 | |
| | | 4-24-58 | 35.0 | 605.8 | | | | 12-12-57 | 18.6 | 677.0 | |
| | | 6-18-58 | 36.2 | 604.6 | | | | 4-23-58 | 9.0 | 686.6 | |
| 1N/20W-12L03 S | 641.4 | 7-19-57 | 51.2 | 590.2 | 2100 | 2N/18W-31K01 S | 1149.0 | 7-30-57 | 36.8 | 1112.2 | 2100 |
| | | 9-27-57 | 53.6 | 587.8 | | | | 10-03-57 | 38.6 | 1110.4 | |
| | | 1-02-58 | 51.0 | 590.4 | | | | 1-09-58 | 42.7* | 1106.3 | |
| | | 4-24-58 | 35.6 | 605.8 | | | | 5-02-58 | 6.4 | 1142.6 | |
| | | 6-18-58 | 36.6 | 604.8 | | | | | | | |
| 1N/20W-12N02 S | 669.9 | 9-27-57 | 90.3* | 579.6 | 2100 | 2N/19W-25O01 S | 1219.7 | 7-30-57 | 58.0 | 1161.7 | 2100 |
| | | 4-24-58 | 58.1 | 611.8 | | | | 10-03-57 | 56.8 | 1162.9 | |
| | | 6-18-58 | 55.2 | 614.7 | | | | 1-09-58 | 56.1 | 1163.6 | |
| | | | | | | | | 5-02-58 | 4.8 | 1169.9 | |
| 1N/20W-12N03 S | 676.2 | 7-19-57 | DRY | | 2100 | 2N/19W-33F01 S | 744.7 | 7-25-57 | 91.5 | 693.2 | 2100 |
| | | 9-27-57 | DRY | | | | | 10-02-57 | 106.4 | 640.3 | |
| | | 1-02-58 | DRY | | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------|--------------------|--|---|---|-----------------------|------------------------------|--------------------|-------------------------------|--------------------------------------|-----------------------------|-----------------------|
| CONEJO VALLEY | | | | | | | | | | | |
| 41000 | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| 2N/19W-33F01 CONT. | 744.7 | 1-07-58 5-01-58 | 71.7 62.4 | 665.0 682.4 | 2100 | WEST COAST BASIN NORTH | | | | | |
| 2N/19W-33H01 S | 815.8 | 1-07-58 | 147.5 | 665.3 | 2100 | 1S/15W-12N02 S | 465.0 | 7-14-57 8-08-57 9-05-57 | 82.0* 82.0* 81.0* | 383.0 383.0 384.0 | 1101 |
| 2N/19W-34E01 S | 787.7 | 7-25-57 10-02-57 1-07-58 5-01-58 6-30-58 | 87.5* 87.4 85.8 70.3.4 71.0.9 | 699.8 699.8 703.4 710.9 707.5 | 2100 | 1S/15W-25K02 S | 195.8 | 11-04-57 5-06-58 | 120.8 123.4 | 75.0 72.4 | 1101 |
| 2N/19W-34P01 S | 874.7 | 7-26-57 10-02-57 1-09-58 5-02-58 | 43.5 44.1 46.3 41.7 | 831.2 830.6 830.4 833.4 | 2100 | 1S/15W-28G01 S | 336.4 | 11-05-57 5-05-58 | 73.7 72.1 | 262.7 264.3 | 1101 |
| 2N/19W-35G01 S | 1028.7 | 7-30-57 10-02-57 1-09-58 5-02-58 | 177.6 166.0 165.0 160.2 | 851.1 862.8 866.7 869.5 | 2100 | 1S/15W-29G01 S | 354.0 | 11-05-57 5-05-58 | 79.0* 76.7 | 275.0 277.3 | 1101 |
| 2N/19W-35H01 S | 1042.0 | 7-30-57 10-02-57 1-09-58 5-02-58 | 116.1 113.4 111.1 103.1 | 925.9 928.6 930.9 938.9 | 2100 | 1S/15W-31M01 S | 325.0 | 11-05-57 5-05-58 | 74.7 49.4 | 250.3 275.6 | 1101 |
| 2N/19W-35J01 S | 1001.6 | 7-30-57 10-02-57 1-09-58 5-02-58 | 75.3 72.5 70.7 62.7 | 926.3 929.1 930.9 938.9 | 2100 | 1S/15W-32A01 S | 244.0 | 11-04-57 5-05-58 | 68.0* 57.0 | 176.0 187.0 | 1101 |
| | | | | | | 1S/15W-34P04 S | 161.0 | 11-05-57 5-05-58 | 72.6 71.9 | 88.4 89.1 | 1101 |
| | | | | | | 1S/16W-18L02 S | 925.0 | 11-25-57 5-14-58 | 203.0 116.4 | 722.0 808.6 | 1101 |
| | | | | | | 1S/16W-29P01 S | 50.0 | 12-02-57 5-14-58 | 21.5 12.6 | 28.5 37.4 | 1101 |
| | | | | | | 1S/16W-29001 S | 61.0 | 12-02-57 5-14-58 | 22.4 9.4 | 38.6 51.6 | 1101 |
| | | | | | | 1S/16W-29002 S | 56.0 63.7 | 12-02-57 5-14-58 | 24.0 9.0 | 32.0 54.7 | 1101 |
| | | | | | | 1S/16W-32G01 S | 21.0** | 12-02-57 5-13-58 | 30.0 12.8 | 9.0 8.2 | 1101 |
| | | | | | | 1S/16W-32G02 S | 20.0 | 12-02-57 | 23.9 | 3.9 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|----------------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| UPPER SANTA ANA VALLEY | | | | | | | | | | | |
| CUCAMONGA BASIN | | | | | | | | | | | |
| 1N/07W-29R04 S | 1685.6 | 6-18-58 | 473.9 | 1211.7 | 4714 | 1N/07W-33A01 S | 1541.9 | 1-03-58 | 381.0* | 1160.9 | 3719 |
| 1N/07W-32R03 S | 1496.0 | 7-10-57 | 360.0 | 1136.0 | 4714 | | 1-13-58 | 381.0* | | 1117.3 | 1101 |
| | | 7-23-57 | 364.0 | 1132.0 | | | 2-05-58 | 381.0* | | 1157.3 | |
| | | 8-08-57 | 369.0 | 1127.0 | | | 2-05-58 | 385.0* | | 1156.9 | 3719 |
| | | 9-10-57 | 383.0 | 1113.0 | | | 3-03-58 | 373.0* | | 1168.9 | |
| | | 9-26-57 | 387.0 | 1099.0 | | | 3-14-58 | 377.0* | | 1165.3 | 1101 |
| | | 10-23-57 | 357.0 | 1139.0 | | | 3-29-58 | 372.0* | | 1164.9 | 3719 |
| | | 11-03-57 | 354.0 | 1142.0 | | | 4-07-58 | 369.0* | | 1172.9 | |
| | | 11-19-57 | 354.0 | 1142.0 | | | 4-15-58 | 369.0* | | 1172.3 | 1101 |
| | | 12-12-57 | 354.0 | 1142.0 | | | 4-15-58 | 365.0* | | 1176.9 | 3719 |
| | | 12-17-57 | 326.0 | 1142.0 | | | 4-25-58 | 392.0* | | 1169.9 | |
| | | 1-29-58 | 348.0 | 1146.0 | | | 5-05-58 | 392.0* | | 1149.3 | 1101 |
| | | 2-11-58 | 348.0 | 1152.0 | | | 5-15-58 | 393.0* | | 1148.9 | 3719 |
| | | 2-26-58 | 340.0 | 1156.0 | | | 5-26-58 | 373.0* | | 1168.9 | |
| | | 3-13-58 | 337.0 | 1159.0 | | | | | | 1127.2 | 4714 |
| | | 3-24-58 | 336.0 | 1162.0 | | | | | | 1072.6 | |
| | | 4-18-58 | 327.0 | 1169.0 | | | | | | 1061.0 | |
| | | 5-07-58 | 320.0 | 1176.0 | | | | | | 1042.6 | |
| | | 5-21-58 | 317.0 | 1179.0 | | | | | | 1036.8 | |
| | | 6-04-58 | 308.5 | 1187.5 | | | | | | 1033.3 | |
| | | 6-18-58 | 301.0 | 1195.0 | | | | | | 1029.2 | |
| 1N/07W-33A01 S | 1541.9 | 7-18-57 | 431.0* | 1110.9 | 3719 | 1N/07W-33N01 S | 1488.2 | 7-10-57 | 361.0 | 1127.2 | 4714 |
| | 1542.3 | 7-18-57 | 431.0* | 1111.3 | 1101 | | | 7-23-57 | 416.6* | 1072.6 | |
| | 1541.9 | 7-20-57 | 425.0* | 1116.9 | 3719 | | | 8-08-57 | 427.2* | 1061.0 | |
| | | 7-26-57 | 426.0* | 1115.9 | | | | 8-28-57 | 446.6* | 1042.6 | |
| | | 8-03-57 | 428.0* | 1113.9 | | | | 9-10-57 | 451.4* | 1036.8 | |
| | 1542.3 | 8-15-57 | 396.0* | 1146.3 | 1101 | | | 9-26-57 | 454.9* | 1033.3 | |
| | 1541.9 | 8-15-57 | 396.0* | 1145.9 | 3719 | | | 10-23-57 | 359.0 | 1129.2 | |
| | | 8-26-57 | 433.0* | 1108.9 | | | | 11-05-57 | 358.0 | 1130.2 | |
| | 1542.3 | 9-10-57 | 434.0* | 1107.9 | | | | 11-19-57 | 353.0 | 1135.2 | |
| | 1541.9 | 9-16-57 | 435.0* | 1107.3 | 1101 | | | 12-12-57 | 357.0 | 1131.2 | |
| | | 9-16-57 | 435.0* | 1106.9 | 3719 | | | 12-27-57 | 352.0 | 1136.2 | |
| | | 9-26-57 | 435.0* | 1106.9 | | | | 1-14-58 | 347.0 | 1141.2 | |
| | | 10-03-57 | 440.0* | 1101.9 | | | | 1-29-58 | 346.0 | 1142.2 | |
| | 1542.3 | 10-13-57 | 441.0* | 1101.3 | 1101 | | | 2-11-58 | 340.0 | 1148.2 | |
| | 1541.9 | 10-13-57 | 441.0* | 1100.9 | 3719 | | | 2-26-58 | 334.5 | 1153.7 | |
| | | 10-26-57 | 397.0* | 1144.9 | | | | 3-13-58 | 332.0 | 1156.2 | |
| | 1542.3 | 11-01-57 | 397.0* | 1145.3 | 1101 | | | 3-24-58 | 330.0 | 1158.2 | |
| | 1541.9 | 11-03-57 | 397.0* | 1144.9 | 3719 | | | 4-16-58 | 324.0 | 1164.2 | |
| | 1542.3 | 11-13-57 | 394.0* | 1148.3 | 1101 | | | 5-07-58 | 321.5 | 1166.7 | |
| | 1541.9 | 11-13-57 | 394.0* | 1147.9 | 3719 | | | 5-21-58 | 320.0 | 1168.2 | |
| | 1542.3 | 12-06-57 | 395.0* | 1147.3 | 1101 | | | 6-04-58 | 316.0 | 1175.2 | |
| | 1541.9 | 12-06-57 | 395.0* | 1146.9 | 3719 | | | 6-18-58 | 316.8 | 1172.4 | |
| | | | | | | | | 7-23-57 | 365.0 | 1118.9 | 4714 |
| | | | | | | | | 8-08-57 | 387.5 | 1066.9 | |
| | | | | | | | | 8-28-57 | 387.0 | 1101.9 | |
| | | | | | | | | 9-10-57 | 396.0 | 1087.9 | |
| | | | | | | | | 9-26-57 | 379.7 | 1104.2 | |
| | | | | | | | | 10-23-57 | 376.0 | 1107.9 | |
| | | | | | | | | | | | |
| UPPER SANTA ANA VALLEY | | | | | | | | | | | |
| CUCAMONGA BASIN | | | | | | | | | | | |
| 1N/07W-33A01 S | 1541.9 | 1N/07W-33N01 S | 1488.2 | 1N/07W-33N02 S | 1483.9 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| WEST COAST BASIN NORTH | | | | | | WEST COAST BASIN NORTH | | | | | |
| 41100 | | | | | | 41101 | | | | | |
| 25/154-11E05 S | 93.0 | 1-15-58 | 149.0* | 56.0 | 1101 | 25/15W-11J05 S | 53.0 | 4-15-58 | 95.0* | 42.0 | 1101 |
| CONT. | | 2-15-58 | 145.0* | 52.0 | | CONT. | | 5-15-58 | 97.0* | 44.0 | |
| | | 3-15-58 | 145.0* | 52.0 | | | | 6-01-58 | 96.0* | 43.0 | |
| | | 3-21-58 | 130.0* | 37.0 | | | | | | | |
| | | 4-01-58 | 138.0* | 45.0 | | 25/15W-12B01 S | 67.0 | 11-05-57 | 70.8* | 3.8 | 1101 |
| | | 4-15-58 | 132.0* | 39.0 | | | | 5-05-58 | 74.4* | 7.4 | |
| | | 5-15-58 | 138.0* | 45.0 | | 25/15W-12J02 S | 67.5 | 10-07-57 | 68.1* | .6 | 1050 |
| | | 6-01-58 | 138.0* | 45.0 | | | | 3-03-58 | 71.0* | 3.5 | |
| 25/15W-11F03 S | 93.0 | 10-30-57 | 151.0 | 58.0 | 1101 | 25/15W-14002 S | 29.6 | 11-05-57 | 32.0* | 2.4 | 1101 |
| | | 5-05-58 | 148.7 | 55.7 | | | | 4-30-58 | 30.2* | .6 | |
| | | 5-15-58 | 151.0* | 58.0 | | 25/15W-15F01 S | 35.9 | 7-10-57 | 33.5 | 2.4 | 1101 |
| | | 6-15-58 | 149.0* | 56.0 | | | | 8-14-57 | 33.7 | 2.2 | |
| 25/15W-11F04 S | 93.6 | 11-05-57 | 147.9* | 54.3 | 1101 | | | 9-10-57 | 33.8 | 2.1 | |
| | | 5-05-58 | 147.9* | 54.3 | | | | 10-05-57 | 33.8 | 2.1 | |
| 25/15W-11F05 S | 94.0** | 7-15-57 | 145.0* | 51.0 | 1101 | | | 12-10-57 | 33.7 | 2.2 | |
| | | 8-15-57 | 156.0* | 62.0 | | | | 1-07-58 | 33.5 | 2.4 | |
| | | 9-15-57 | 153.0* | 59.0 | | | | 2-11-58 | 33.2 | 2.7 | |
| | | 10-07-57 | 148.0* | 54.0 | | | | 3-11-58 | 33.6 | 2.3 | |
| | | 11-15-57 | 142.0* | 48.0 | | | | 4-05-58 | 31.6 | 4.3 | |
| | | 12-15-57 | 142.0* | 48.0 | | | | 4-30-58 | 31.4 | 4.5 | |
| | | 1-15-58 | 142.0* | 48.0 | | | | 5-27-58 | 31.5 | 4.4 | |
| | | 2-15-58 | 140.0* | 46.0 | | | | 6-10-58 | 31.5 | 4.4 | |
| | | 3-21-58 | 136.0* | 44.0 | | 25/15W-22A07 S | 16.0** | 11-06-57 | 18.2* | 2.2 | 1101 |
| | | 4-15-58 | 138.0* | 44.0 | | | | 4-29-58 | 16.1* | .1 | |
| | | 5-15-58 | 153.0* | 59.0 | | 25/15W-22B08 S | 24.0** | 11-06-57 | 26.5* | 2.5 | 1101 |
| | | 6-01-58 | 153.0* | 59.0 | | | | 4-29-58 | 23.4* | .6 | |
| 25/15W-11J01 S | 54.0 | 11-04-57 | 94.6 | 40.6 | 1101 | 25/15W-22E02 S | 9.6 | 8-14-57 | 10.4* | .8 | 1101 |
| | | 5-05-58 | 109.1 | 55.1 | | | | 11-06-57 | 9.5* | .1 | |
| 25/15W-11J03 S | 54.0 | 11-05-57 | 108.1 | 54.1 | 1101 | | | 4-29-58 | 7.0* | 2.6 | |
| | | 5-05-58 | 108.1 | 54.1 | | | | | | | |
| | | 6-01-58 | 96.0* | 42.0 | | 25/15W-22F03 S | 14.0** | 1-04-57 | 17.7* | 3.7 | 1101 |
| 25/15W-11J05 S | 53.0 | 7-15-57 | 96.0* | 43.0 | 1101 | | | 4-29-58 | 14.9* | .9 | |
| | | 8-15-57 | 98.0* | 45.0 | | | | | | | |
| | | 9-15-57 | 98.0* | 45.0 | | 25/15W-22G01 S | 12.0 | 11-06-57 | 14.9* | 2.9 | 1101 |
| | | 10-15-57 | 97.0* | 44.0 | | | | 4-29-58 | 13.4* | 1.4 | |
| | | 11-15-57 | 96.0* | 43.0 | | | | | | | |
| | | 12-15-57 | 96.0* | 43.0 | | 25/15W-22J04 S | 10.0** | 1-04-57 | 12.7* | 2.7 | 1101 |
| | | 1-15-58 | 96.0* | 43.0 | | | | 4-29-58 | 10.7* | .7 | |
| | | 2-15-58 | 96.0* | 43.0 | | 25/15W-22L01 S | 8.0 | 11-06-57 | 9.1* | 1.1 | 1101 |
| | | 3-15-58 | 96.0* | 43.0 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|--------------------------------|--------------------------------------|-----------------------------|-----------------------|------------------------------|--------------------|----------------------------------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| WEST COAST BASIN NORTH | | | | | | WEST COAST BASIN NORTH | | | | | |
| 2S/15W-22L01 S | 8.0 | 4-29-58 | 6.5 | 1.5 | 1101 | 2S/15W-23N01 S | 10.7 | 4-29-58 | 6.0 | 1101 | 1101 |
| 2S/15W-22P01 S | 5.0** | 1-21-58 4-29-58 | 10.2 6.7 | 5.2 1.7 | 1101 | 2S/15W-23O03 S | 10.0** | 12-04-57 5-19-58 | 16.5 19.0 | 1101 | 1101 |
| 2S/15W-23A02 S | 17.7 | 11-06-57 4-30-58 | 20.0 17.9 | 2.3 .2 | 1101 | 2S/15W-23O04 S | 11.6 | 12-04-57 5-02-58 | 16.0 14.6 | 1101 | 1101 |
| 2S/15W-23A03 S | 17.4 | 11-06-57 4-30-58 | 19.4 23.8 | 2.0 .7 | 1101 | 2S/15W-23R01 S | 17.3 | 12-04-57 5-02-58 | 17.7 16.7 | 1101 | 1101 |
| 2S/15W-23A05 S | 18.0 | 11-06-57 4-30-58 | 20.6 19.6 | 2.6 .6 | 1101 | 2S/15W-24C01 S | 21.1 | 11-06-57 5-02-58 | 54.1 32.7 | 1101 | 1101 |
| 2S/15W-23C05 S | 21.0** | 11-06-57 4-30-58 | 25.0 23.4 | 4.0 2.4 | 1101 | 2S/15W-27O01 S | 14.3,4 | 7-09-57 8-13-57 9-04-57 | 153.6 151.7 151.8 | 1101 | 1101 |
| 2S/15W-23F01 S | 16.3 | 11-06-57 4-29-58 | 18.6 15.5 | 2.3 .8 | 1101 | | | 10-08-57 11-06-57 12-09-57 | 153.9 153.8 153.9 | 1101 | 1101 |
| 2S/15W-23F03 S | 16.0 | 11-06-57 4-29-58 | 18.6 16.0 | 2.6 .0 | 1101 | | | 1-06-58 2-11-58 3-10-58 | 153.8 153.7 153.5 | 1101 | 1101 |
| 2S/15W-23G04 S | 17.0 | 11-06-57 4-30-58 | 18.8 17.4 | 1.8 .4 | 1101 | | | 4-09-58 4-30-58 5-26-58 | 153.3 153.0 152.8 | 1101 | 1101 |
| 2S/15W-23H02 S | 15.9 | 1-14-58 5-01-58 | 19.3 16.5 | 3.4 .6 | 1101 | | | 6-11-58 | 152.6 | 1101 | 1101 |
| 2S/15W-23J07 S | 17.5 | 11-06-57 5-12-58 | 23.0 20.9 | 5.5 3.4 | 1101 | | | 4-21-58 | 203.0* | 1101 | 1101 |
| 2S/15W-23K01 S | 11.0 | 11-06-57 4-29-58 | 16.9 5.6 | 3.9 5.4 | 1101 | | | 10-10-57 3-03-58 | 16.2 3.9 | 1101 | 1101 |
| 2S/15W-23L01 S | 13.0 | 11-06-57 4-29-58 | 17.1 11.1 | 1.9 5.9 | 1101 | | | 1-14-58 5-02-58 | 61.5 66.7 | 1101 | 1101 |
| 2S/15W-23M02 S | 12.0 | 8-13-57 11-06-57 4-29-58 | 9.9 10.3 6.3 | 2.1 1.7 5.7 | 1101 | | | 11-06-57 5-02-58 | 55.4 55.4 | 1101 | 1101 |
| 2S/15W-23M05 S | 11.6** | 11-06-57 4-29-58 | 12.5 10.7 | .9 .9 | 1101 | | | 11-06-57 5-02-58 | 44.3 44.5 | 1101 | 1101 |
| 2S/15W-23N01 S | 10.7 | 11-06-57 | 9.4 | 1.3 | 1101 | | | 11-06-57 5-01-58 | DRY DRY | 1101 | 1101 |
| COASTAL PLAIN LOS ANGELES CO | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| WEST COAST BASIN NORTH | | | | | | WEST COAST BASIN NORTH | | | | | |
| 41100 | | | | | | 41100 | | | | | |
| 41101 | | | | | | 41101 | | | | | |
| 41102 | | | | | | 41102 | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| UPPER SANTA ANA VALLEY | | | | | | | | | | | |
| 80200 | | | | | | 80204 | | | | | |
| RIALTO BASIN | | | | | | | | | | | |
| IN/05W-16K01 S | 1722.9 | 10-02-57 | 312.6* | 1410.3 | 4706 | IN/05W-29A01 S | 1628.0 | 8-02-57 | 471.0 | 1157.0 | 3100 |
| CONT. | | 11-04-57 | 312.6* | 1410.3 | | | | 9-03-57 | 470.2 | 1157.8 | |
| | | 12-05-57 | 312.6* | 1410.3 | | | | 10-01-57 | 470.4 | 1157.6 | |
| | | 1-01-58 | 312.6* | 1410.3 | | | | 11-13-57 | 471.0 | 1157.0 | |
| | | 2-06-58 | 311.9* | 1411.0 | | | | 12-06-57 | 471.0 | 1157.0 | |
| | | 3-07-58 | 309.3* | 1413.6 | | | | 1-03-58 | 489.7 | 1138.3 | |
| | | 4-07-58 | 297.8* | 1425.1 | | | | 2-06-58 | 489.2 | 1138.8 | |
| | | 5-05-58 | 213.9* | 1509.4 | | | | 3-04-58 | 473.2 | 1156.8 | |
| | | 5-21-58 | 191.5* | 1531.4 | | | | 4-04-58 | 471.0 | 1155.0 | |
| | | 6-03-58 | 237.0* | 1485.9 | | | | 5-06-58 | 477.0 | 1151.0 | |
| | | 7-02-57 | 56.0 | 1798.1 | 4706 | | | 6-06-58 | 472.5 | 1135.5 | |
| IN/05W-17K01 S | 1854.1 | 8-06-57 | 56.0 | 1798.1 | | IN/05W-30G02 S | 1616.0 | 8-30-57 | 370.6 | 1245.4 | 4706 |
| | | 10-29-57 | 57.9 | 1796.2 | | | | 12-05-57 | 370.1 | 1245.9 | |
| | | 11-04-57 | 57.0 | 1797.1 | | | | 3-07-58 | 372.5 | 1243.5 | |
| | | 12-06-57 | 58.2 | 1795.0 | | | | 5-09-58 | 373.7 | 1242.3 | |
| | | 1-01-58 | 59.4 | 1794.7 | | | | 7-01-57 | 365.0* | 982.0 | 3711 |
| | | 2-06-58 | 61.1 | 1793.0 | | | | 7-30-57 | 365.0* | 981.6 | 4706 |
| | | 3-05-58 | 59.8 | 1794.3 | | | | 8-30-57 | 356.0* | 991.0 | 3711 |
| | | 4-07-58 | 41.3 | 1812.8 | | | | 12-31-57 | 342.0 | 1004.6 | 4706 |
| | | 5-05-58 | 35.3 | 1818.8 | | | | 5-01-58 | 301.0* | 1045.6 | |
| | | 6-03-58 | 40.0 | 1814.1 | | | | 8-15-57 | 285.6* | 1015.4 | 3400 |
| IN/05W-18A01 S | 1934.0 | 8-03-57 | 123.4 | 1780.6 | 3100 | IN/05W-03J01 S | 1301.0 | 7-02-57 | DRY | | 4706 |
| | | 10-12-57 | 157.1 | 1776.9 | | | | 8-06-57 | DRY | | |
| | | 11-13-57 | 158.7 | 1629.1 | 3400 | | | 8-29-57 | DRY | | |
| | | 12-06-57 | 158.5 | 1629.3 | | | | 10-02-57 | DRY | | |
| | | 1-03-58 | 163.2 | 1624.6 | | | | 11-04-57 | DRY | | |
| | | 2-06-58 | 160.1 | 1627.7 | | | | 12-05-57 | DRY | | |
| | | 3-04-58 | 160.5 | 1627.3 | | | | 3-02-58 | DRY | | |
| | | 5-06-58 | 109.0 | 1678.8 | | | | 3-05-58 | DRY | | |
| | | 6-06-58 | 124.0 | 1663.8 | | | | 3-07-58 | DRY | | |
| IN/05W-18K01 S | 1901.0 | 7-02-57 | DRY | | 3100 | | | 5-05-58 | DRY | | |
| IN/05W-19A01 S | 1806.6 | 9-03-57 | 154.9 | 1651.7 | 3100 | | | 5-07-58 | DRY | | |
| | | 10-01-57 | 155.6 | 1650.8 | | | | 6-03-58 | DRY | | |
| | | 11-13-57 | 157.3 | 1649.3 | | | | 6-13-58 | 53.9 | 4721.1 | |
| | | 12-06-57 | 157.5 | 1649.3 | | | | 6-18-58 | 53.7 | 4731.5 | |
| | | 1-03-58 | 159.3 | 1647.3 | | | | 6-23-58 | 51.8 | 4743.2 | |
| | | 2-06-58 | 160.4 | 1646.2 | | | | 7-02-57 | 48.0 | 3362.0 | 4706 |
| | | 3-04-58 | 161.4 | 1645.2 | | | | 8-06-57 | 48.7 | 3351.3 | |
| | | 4-01-58 | 60.1 | 1695.3 | | | | 8-29-57 | 48.6 | 3331.4 | |
| | | 5-06-58 | 114.3 | 1692.3 | | | | 10-02-57 | 48.9 | 3331.7 | |
| IN/05W-29A01 S | 1628.0 | 7-02-57 | 472.6 | 1155.4 | 3100 | | | 11-04-57 | 48.3 | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-------------------------|--------------------|---|--|------------------------------|-----------------------|-------------------|--------------------|--|--|------------------------------|-----------------------|
| UPPER SANTA ANA VALLEY | | | | | | | | | | | |
| RIALTO BASIN | | | | | | COLTON BASIN | | | | | |
| 80204 | | | | | | 80200 | | | | | |
| 2N/06W-21R01 S CONT. | 3400.0 | 12-04-57 48.4 1-02-58 48.4 2-06-58 46.1 3-05-58 46.4 3-05-58 46.4 4-07-58 41.2 5-05-58 44.0 6-03-58 46.5 | 48.4 3351.6 3353.9 3353.6 3358.8 3356.0 3353.5 | 4706 | 4706 | 1S/04W-07C01 S | 1200.1 | 10-10-57 189.0 11-26-57 189.0 1-22-58 194.3 3-14-58 194.0 5-15-58 198.0 | 189.0 1011.1 1005.8 1006.1 1002.1 | 80200 | 3200 |
| 2N/06W-26L01 S | 2760.0 | 7-02-57 45.1* 8-06-57 71.1* 8-29-57 71.8* 10-02-57 71.9* 11-04-57 68.5* 12-04-57 71.2* 1-03-58 14.1 2-06-58 12.9 3-05-58 14.3 4-07-58 14.2 5-05-58 17.9 6-03-58 16.4 | 2719.0 2688.9 2688.2 2688.1 2691.5 2745.9 2747.1 2745.7 2745.8 2742.1 2743.6 | 4706 | 4706 | 1S/04W-08F07 S | 1095.3 | 2-28-58 93.0 3-30-58 88.0 5-01-58 104.0 6-02-58 124.0 | 1002.3 1007.3 991.3 971.3 | 80200 | 4201 |
| 2N/06W-26L02 S | 2754.1 | 7-02-57 35.1 8-06-57 65.1* 8-29-57 65.1* 10-02-57 62.1* 11-06-57 62.3* 12-04-57 65.1* 1-03-58 14.8 2-06-58 13.3 3-05-58 14.6 4-07-58 14.5 5-05-58 18.8 6-03-58 16.9 | 2719.0 2688.0 2689.0 2689.0 2689.0 2739.3 2740.8 2739.5 2739.6 2735.3 2737.2 | 4706 | 4706 | 1S/04W-08F08 S | 1094.5 | 2-28-58 93.0 3-30-58 89.0 5-01-58 104.0 6-02-58 122.0 | 1001.5 1005.5 990.5 972.5 | 80205 | 4201 |
| 2N/06W-26L02 S | 2754.1 | 7-02-57 35.1 8-06-57 65.1* 8-29-57 65.1* 10-02-57 62.1* 11-06-57 62.3* 12-04-57 65.1* 1-03-58 14.8 2-06-58 13.3 3-05-58 14.6 4-07-58 14.5 5-05-58 18.8 6-03-58 16.9 | 2719.0 2688.0 2689.0 2689.0 2689.0 2739.3 2740.8 2739.5 2739.6 2735.3 2737.2 | 4706 | 4706 | 1S/04W-08G01 S | 1075.9 | 2-28-58 70.0 3-30-58 66.0 5-01-58 86.0 6-02-58 87.0 | 1005.9 1005.9 995.9 988.9 | 80205 | 4201 |
| 2N/06W-26L02 S | 2754.1 | 7-02-57 35.1 8-06-57 65.1* 8-29-57 65.1* 10-02-57 62.1* 11-06-57 62.3* 12-04-57 65.1* 1-03-58 14.8 2-06-58 13.3 3-05-58 14.6 4-07-58 14.5 5-05-58 18.8 6-03-58 16.9 | 2719.0 2688.0 2689.0 2689.0 2689.0 2739.3 2740.8 2739.5 2739.6 2735.3 2737.2 | 4706 | 4706 | 1S/04W-08G03 S | 1074.4 | 7-25-57 118.0 10-10-57 104.3 11-26-57 89.5 1-22-58 74.0 3-14-58 65.4 5-15-58 97.0 | 956.4 976.1 984.9 1000.4 1009.0 977.4 | 80205 | 3200 |
| UPPER SANTA ANA VALLEY | | | | | | | | | | | |
| COLTON BASIN | | | | | | COLTON BASIN | | | | | |
| 80205 | | | | | | 80201 | | | | | |
| 1N/05W-36H04 S | 1274.2 | 7-02-57 317.6 8-02-57 320.3 9-02-57 323.1 10-02-57 322.1 11-02-57 316.9 12-02-57 308.8 3-03-58 300.6 4-02-58 306.8 5-02-58 307.1 6-02-58 311.2 | 956.6 953.9 951.1 952.1 957.3 965.4 973.6 967.4 967.1 963.0 | 3700 | 3700 | 1S/04W-08R01 S | 1073.9 | 2-28-58 65.0 3-30-58 68.8 5-01-58 69.0 6-02-58 71.0 | 1008.9 1005.1 1004.9 1002.9 | 80201 | 4201 |
| 1N/05W-36H04 S | 1274.2 | 7-02-57 317.6 8-02-57 320.3 9-02-57 323.1 10-02-57 322.1 11-02-57 316.9 12-02-57 308.8 3-03-58 300.6 4-02-58 306.8 5-02-58 307.1 6-02-58 311.2 | 956.6 953.9 951.1 952.1 957.3 965.4 973.6 967.4 967.1 963.0 | 3700 | 3700 | 1S/04W-08R04 S | 1075.7 | 2-28-58 70.0 3-30-58 67.0 5-01-58 78.0 6-02-58 88.0 | 1008.7 1008.7 997.7 987.7 | 80201 | 4201 |
| 1N/05W-36H04 S | 1274.2 | 7-02-57 317.6 8-02-57 320.3 9-02-57 323.1 10-02-57 322.1 11-02-57 316.9 12-02-57 308.8 3-03-58 300.6 4-02-58 306.8 5-02-58 307.1 6-02-58 311.2 | 956.6 953.9 951.1 952.1 957.3 965.4 973.6 967.4 967.1 963.0 | 3700 | 3700 | 1S/04W-08R05 S | 1074.5 | 2-28-58 62.0 3-30-58 64.0 5-01-58 69.0 6-02-58 79.0 | 1012.5 1010.5 1005.5 995.5 | 80201 | 4201 |
| 1N/05W-36H04 S | 1274.2 | 7-02-57 317.6 8-02-57 320.3 9-02-57 323.1 10-02-57 322.1 11-02-57 316.9 12-02-57 308.8 3-03-58 300.6 4-02-58 306.8 5-02-58 307.1 6-02-58 311.2 | 956.6 953.9 951.1 952.1 957.3 965.4 973.6 967.4 967.1 963.0 | 3700 | 3700 | 1S/04W-09E02 S | 1070.0 | 2-28-58 68.5 3-30-58 67.0 5-01-58 80.0 | 1001.5 1001.5 990.0 | 80201 | 4201 |

GROUND WATER LEVELS AT WELLS

| COASTAL PLAIN LOS ANGELES CO | | | | COASTAL PLAIN LOS ANGELES CO | | | | | | | |
|------------------------------|---------------------|---|--|--|-----------------------|-------------------------|------------------------------|--|--|--|--------------------------------------|
| WEST COAST BASIN | | | | WEST COAST BASIN | | | | | | | |
| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
| 25/15W-34C01 S | 142.0 | 10-28-57 3-03-58 | 242.2 226.9 | - 100.2 - 84.9 | 1050 | 25/15W-34K01 S CONT. | 83.4 83.9 83.4 | 8-14-57 9-20-57 9-20-57 | 80.7 80.8 80.8 | 2.7 3.1 3.6 | 1101 1050 1101 |
| 25/15W-34C02 S | 147.8 | 10-10-57 3-03-58 | 263.9 276.5 | - 95.1 - 78.7 | 1050 | | 83.9 83.4 | 10-10-57 10-30-57 | 80.8 80.8 | 3.1 3.1 | 1050 1050 |
| 25/15W-34F01 S | 153.3 | 3-03-58 | 252.0 | - 98.7 | 1050 | | 83.9 | 11-18-57 | 80.8 | 2.6 | 1101 |
| 25/15W-34L02 S | 127.0 | 10-28-57 3-03-58 | 217.3 192.0 | - 90.3 - 65.0 | 1050 | | 83.4 83.9 | 11-29-57 12-27-57 | 80.9 80.7 | 3.0 2.7 | 1050 1050 |
| 25/15W-22F02 S | 14.7 | 11-06-57 4-23-58 | 15.5 12.8 | - 8 - 1.9 | 1101 | | 83.4 | 1-31-58 | 80.6 | 3.3 | 1050 |
| 25/15W-26B01 S | 143.5 | 10-10-57 3-03-58 | 151.0 149.9 | - 7.5 - 5.4 | 1050 | | 83.9 | 3-28-58 | 80.2 | 3.7 | 1050 |
| 25/15W-27001 S | 143.5 | 10-10-57 3-03-58 | 156.3 155.0 | - 10.8 - 11.5 | 1050 | | 83.4 | 4-30-58 | 77.7 | 5.7 | 1101 |
| 25/15W-34A01 S | 131.4 | 8-01-57 9-10-57 9-20-57 10-30-57 11-20-57 12-21-57 | 132.3 132.3 132.3 132.5 132.2 132.6 | - 9 - 9 - 11 - 11 - 12 - 12 | 1050 | | 83.9 83.4 83.4 83.9 | 8-01-57 9-10-57 9-20-58 5-28-58 6-27-58 | 78.5 77.7 78.3 78.3 78.6 | 5.2 6.2 5.1 5.6 4.8 | 1050 1050 1050 1050 1101 |
| | 131.9 | 1-21-57 2-26-58 3-28-58 4-30-58 5-28-58 6-27-58 | 132.4 132.4 132.0 131.4 131.0 130.8 | - 4.5 - 4 - 4 - 5 - 9 - 1.1 | | 25/15W-34K02 S | 83.0 | 10-10-57 | 79.6 | 3.4 | 1050 |
| | 69.9 | 1-02-58 2-11-58 3-10-58 4-1-58 5-26-58 6-11-58 | 68.7 68.6 69.9 69.2 67.9 66.3 | 1.2 1.3 1.2 2.3 2.6 1.6 | 1101 | 25/15W-34K01 S | 83.0 | 3-03-58 | 78.5 | 4.5 | 1050 |
| 25/15W-34F01 S | 69.9 | 7-05-57 7-05-57 7-31-57 8-13-57 8-14-57 | 80.6 80.6 80.7 80.6 80.7 | 3.3 2.8 3.3 2.7 3.2 | 1050 | 35/13W-17E03 S | 109.7 | 10-25-57 4-22-58 | DRY DRY | | 1101 |
| 25/15W-34K01 S | 83.9 | 7-05-57 8-06-57 7-31-57 8-06-57 8-13-57 8-14-57 | 80.6 80.6 80.7 80.6 80.6 80.7 | 3.3 3.3 2.7 2.8 3.2 | 1050 | 35/13W-18K01 S | 109.7 | 7-02-57 7-20-57 8-18-57 9-17-57 10-15-57 11-14-57 12-17-57 | 42.0 41.1 41.2 41.3 41.4 41.5 41.5 | 67.7 68.6 68.5 68.4 68.3 68.2 68.2 | 1050 |
| | 83.9 | 2-14-58 3-15-58 4-15-58 5-15-58 6-15-58 | 80.6 80.6 80.6 80.6 80.7 | 3.3 3.3 3.3 3.3 3.2 | 1050 | | | 1-17-58 2-14-58 3-15-58 4-15-58 5-15-58 | 41.5 41.4 41.2 41.1 41.1 | 68.2 68.2 68.5 68.6 68.8 | 1050 |
| | 83.9 | 8-14-57 | 80.7 | 3.2 | 1050 | 35/13W-19A01 S | 110.3 | 10-10-57 | 152.2* | 41.9 | 1050 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | WEST COAST BASIN | | | | | |
| WEST COAST BASIN | | | | | | WEST COAST BASIN | | | | | |
| 41100 | | | | | | 41102 | | | | | |
| 35/13W-1A01 S | 110.3 | 3-05-58 | 151.5* | - 41.2 | 1050 | 35/13W-29A02 S | 67.0 | 1-21-58 | 114.0 | - 47.0 | 1050 |
| 35/13W-19A01 S | 123.0 | 10-10-57 | 167.3 | - 46.3 | 1050 | CONT. | | 2-28-58 | 115.0 | - 48.0 | |
| 35/13W-19A06 S | 121.0 | 10-10-57 | 168.0 | - 47.0 | 1050 | | | 3-06-58 | 135.0* | - 68.0 | |
| 35/13W-19001 S | 106.3 | 10-08-57 | 150.1 | - 40.8 | 1050 | | | 3-21-58 | 116.0 | - 49.0 | |
| 35/13W-19001 S | 70.0 | 10-29-57 | 113.2 | - 43.2 | 1101 | 35/13W-29C01 S | 58.5 | 4-30-58 | 117.0 | - 50.0 | |
| 35/13W-19002 S | 77.3 | 10-29-57 | 116.9 | - 37.6 | 1101 | 35/13W-29E03 S | 44.3 | 5-21-58 | 118.0 | - 51.0 | |
| 35/13W-19N01 S | 47.7 | 10-07-57 | 89.1 | - 41.4 | 1050 | 35/13W-29E04 S | 45.0 | 6-30-58 | 118.0 | - 51.0 | |
| 35/13W-2-C01 S | 104.3 | 10-10-57 | 146.5 | - 42.2 | 1050 | | | 12-03-57 | 116.4 | - 43.7 | 1101 |
| 35/13W-2-H06 S | 107.5 | 9-15-57 | 191.0* | - 83.5 | 1101 | 35/13W-30A02 S | 46.3 | 5-05-58 | 117.7 | - 45.0 | |
| | | 10-10-57 | 189.0* | - 81.5 | | 35/13W-30A02 S | 46.3 | 10-10-57 | 107.2 | - 60.9 | 1050 |
| | | 3-05-58 | 147.6 | - 43.3 | | 35/13W-3H02 S | 41.4 | 3-05-58 | 108.9 | - 62.6 | |
| | | | | | | 35/13W-3H02 S | 41.4 | 10-30-57 | 81.0 | - 39.6 | 1101 |
| | | | | | | 35/13W-30J01 S | 38.7 | 5-05-58 | 78.6 | - 37.2 | |
| | | | | | | 35/13W-30J01 S | 38.7 | 10-10-57 | 108.4 | - 69.7 | 1050 |
| | | | | | | 35/13W-30J05 S | 36.5 | 3-06-58 | 102.1 | - 63.4 | |
| | | | | | | 35/13W-30K01 S | 36.3 | 10-10-57 | 81.2 | - 44.7 | 1050 |
| | | | | | | 35/13W-30K01 S | 36.3 | 3-06-58 | 76.0 | - 39.5 | |
| | | | | | | 35/13W-30K05 S | 33.5 | 10-07-57 | 78.4 | - 38.9 | 1050 |
| | | | | | | 35/13W-30K05 S | 33.5 | 3-07-58 | 75.4 | - 35.5 | |
| | | | | | | 35/13W-30O07 S | 30.5 | 7-10-57 | 74.2 | - 40.7 | 1050 |
| | | | | | | 35/13W-30R04 S | 34.0 | 3-07-58 | 74.9 | - 41.4 | |
| | | | | | | | | 10-29-57 | 70.0 | - 39.5 | 1101 |
| | | | | | | | | 4-23-58 | 69.1 | - 38.6 | |
| | | | | | | | | 10-10-57 | 63.7 | - 29.7 | 1050 |
| | | | | | | | | 3-06-58 | 64.5 | - 30.5 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | |
|------------------------------|--------------------|--|--------------------------------------|--------------------------------------|-----------------------|-------------------------|--------------------|--|--|--|-----------------------|--|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | WEST COAST BASIN | | | | | | |
| 41100 | | | | | | 41102 | | | | | | |
| 35/13W-31B01 S | 26.0 | 10-07-57 3-07-58 | 32.7 30.1 | - 6.7 - 4.1 | 1050 | 35/13W-31002 S CONT. | 22.2 | 2-17-58 5-06-58 | 50.4 49.4 | - 28.2 - 27.2 | 1101 | |
| 35/13W-31B05 S | 29.3 | 10-07-57 3-07-58 | 63.1 65.0 | - 33.8 - 35.7 | 1050 | 35/13W-31003 S | 21.0 | 9-17-57 1-13-58 2-17-58 5-06-58 | 12.0 11.1 10.6 9.6 | 9.0 7.9 10.4 11.4 | 1101 | |
| 35/13W-31C01 S | 20.0 | 10-07-57 3-07-58 | 75.7 DRY | - 55.7 | 1050 5050 | 35/13W-32F02 S | 46.8 | 7-12-57 7-30-57 8-16-57 9-03-57 9-19-57 9-24-57 10-16-57 11-20-57 11-29-57 12-14-57 | 72.4 73.0 71.6 74.2 72.8 73.2 69.9 64.6 65.6 64.4 | - 25.6 - 26.2 - 24.8 - 27.4 - 26.0 - 26.4 - 23.1 - 17.8 - 18.8 - 17.6 - 16.2 - 16.8 - 16.0 - 15.4 - 16.0 - 15.7 - 15.9 - 15.6 - 15.5 - 15.9 - 15.6 - 19.2 - 20.4 | 1050 | |
| 35/13W-31C02 S | 28.5 | 3-07-58 | 87.1 | - 60.6 | 1050 | | | 1-28-58 2-14-58 2-19-58 3-15-58 3-16-58 3-20-58 3-27-58 | 63.6 62.8 62.2 62.8 62.5 62.7 62.4 | 16.8 16.0 15.4 16.0 15.7 15.9 15.6 | | |
| 35/13W-31D01 S | 12.5 | 9-17-57 1-13-58 2-17-58 5-06-58 | 5.4 12.6 4.5 4.7 | - 7.1 - 1.1 8.0 7.8 | 1101 | | | 4-03-58 4-16-58 5-16-58 6-02-58 6-15-58 | 62.3 62.4 62.7 66.0 67.2 | - 15.5 - 15.9 - 15.6 - 19.2 - 20.4 | | |
| 35/13W-31D02 S | 15.3 | 9-17-57 1-13-58 2-17-58 5-06-58 | 43.0 42.1 38.8 41.5 | - 27.7 - 26.8 - 23.5 - 26.2 | 1101 | | | 7-03-57 8-03-57 9-04-57 10-03-57 11-02-57 12-03-57 | 222.0 223.0 227.0 233.0 224.0 215.0 | - 85.8 - 86.8 - 90.8 - 96.8 - 87.8 - 78.8 | | |
| 35/13W-31L04 S | 20.9 | 9-17-57 1-13-58 2-17-58 5-06-58 | 18.7 17.6 16.6 16.4 | 2.2 3.3 4.3 4.5 | 1101 | | | 1-03-58 2-03-58 3-07-58 4-03-58 5-02-58 6-05-58 | 213.0 209.0 202.0 208.0 226.0 230.5 | - 76.8 - 72.8 - 65.8 - 71.8 - 89.8 - 94.3 | | |
| 35/13W-31L05 S | 15.9 | 9-17-57 1-13-58 2-17-58 5-06-58 | 36.1 37.4 37.0 36.3 | - 22.2 - 21.5 - 21.1 - 20.4 | 1101 | | | 7-03-57 8-03-57 9-04-57 10-03-57 11-02-57 12-03-57 | 222.0 223.0 227.0 233.0 224.0 215.0 | - 85.8 - 86.8 - 90.8 - 96.8 - 87.8 - 78.8 | | |
| 35/13W-31M01 S | 26.0 | 10-07-57 3-10-58 | 114.4 104.0 | - 88.4 - 78.0 | 1050 | 35/14W-02D01 S | 136.2 | 7-03-57 8-03-57 9-04-57 10-03-57 11-02-57 12-03-57 | 222.0 223.0 227.0 233.0 224.0 215.0 | - 85.8 - 86.8 - 90.8 - 96.8 - 87.8 - 78.8 | 1050 | |
| 35/13W-31P01 S | 12.4 | 9-17-57 1-13-58 2-17-58 5-06-58 | 3.6 3.2 3.0 3.2 | 8.8 9.2 9.4 9.2 | 1101 | | | 2-03-58 3-07-58 4-03-58 5-02-58 6-05-58 | 209.0 202.0 208.0 226.0 230.5 | - 72.8 - 65.8 - 71.8 - 89.8 - 94.3 | | |
| 35/13W-31Q01 S | 10.5 | 9-17-57 1-13-58 2-17-58 5-06-58 | 2.7 2.3 2.3 2.4 | 7.8 8.2 8.2 8.1 | 1101 | | | 7-03-57 8-03-57 9-04-57 10-03-57 11-02-57 12-03-57 | 222.0 223.0 227.0 233.0 224.0 215.0 | - 85.8 - 86.8 - 90.8 - 96.8 - 87.8 - 78.8 | | |
| 35/13W-31Q02 S | 22.2 | 9-17-57 1-13-58 | 51.5 50.6 | - 29.3 - 28.4 | 1101 | 35/14W-03H01 S | 95.9 | 7-03-57 | 186.0 | - 90.1 | 1050 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| UPPER SANTA ANA VALLEY | | | | | | | | | | | |
| COLTON BASIN | | | | | | | | | | | |
| 15/04W-21003 S | | | | | | | | | | | |
| CONT. | | | | | | | | | | | |
| | 955.4 | 5-23-58 | 119.0* | 836.4 | 5720 | 15/04W-28C01 S | 956.0 | 5-02-58 | 52.5 | 903.5 | 5720 |
| | | 5-30-58 | 127.4* | 828.0 | | | | 5-09-58 | 108.0* | 868.0 | |
| | | 6-06-58 | 126.0* | 829.4 | | | | 5-16-58 | 53.6 | 856.0 | |
| | | 6-13-58 | 89.1 | 866.3 | | | | 5-23-58 | 107.0* | 862.0 | |
| | | 6-20-58 | 79.3 | 876.1 | | | | 5-30-58 | 111.4* | 843.0 | |
| | | 6-27-58 | 78.4 | 877.0 | | | | 6-06-58 | 113.0* | 862.0 | |
| | | | | | | | | 6-13-58 | 116.6 | 861.4 | |
| | | | | | | | | 6-20-58 | 114.6 | 861.4 | |
| | 956.0 | 7-05-57 | 115.6* | 840.4 | 5720 | | | 6-27-58 | 109.1* | 846.9 | |
| | | 7-12-57 | 115.4* | 840.6 | | | | | | | |
| | | 7-19-57 | 116.3* | 839.7 | | | | 7-12-57 | 73.0 | 856.7 | 5713 |
| | | 7-26-57 | 116.8* | 839.2 | | 15/04W-28H01 S | 969.7 | 1-11-58 | 73.2 | 856.5 | |
| | | 8-02-57 | 120.0* | 836.0 | | | | 3-08-58 | 71.7 | 858.0 | |
| | | 8-09-57 | 123.4* | 833.6 | | | | 5-10-58 | 68.9 | 900.8 | |
| | | 8-16-57 | 122.9* | 833.1 | | | | | | | |
| | | 8-23-57 | 122.5* | 833.5 | | | | 7-24-57 | 63.3* | 889.1 | 3400 |
| | | 8-30-57 | 123.7* | 832.3 | | | | 10-02-57 | 62.9 | 889.5 | |
| | | 9-06-57 | 125.0* | 831.8 | | | | 11-05-57 | 64.2 | 888.2 | |
| | | 9-13-57 | 125.0* | 834.0 | | | | 12-03-57 | 65.7* | 886.7 | |
| | | 9-20-57 | 117.3* | 838.7 | | | | 1-06-58 | 60.9 | 891.5 | |
| | | 9-27-57 | 113.4* | 842.6 | | | | 2-11-58 | 59.6 | 892.8 | |
| | | 10-11-57 | 112.4* | 843.9 | | 15/04W-28K02 S | 952.4 | 3-08-58 | 58.8 | 893.6 | |
| | | 10-18-57 | 83.3 | 872.3 | | | | 4-09-58 | 56.7 | 895.7 | |
| | | 10-25-57 | 61.3 | 888.7 | | | | 5-07-58 | 53.6 | 898.8 | |
| | | 11-01-57 | 63.4 | 892.6 | | | | 6-10-58 | 55.0 | 897.4 | |
| | | 11-08-57 | 63.5 | 897.2 | | | | | | | |
| | | 11-15-57 | 98.8* | 877.2 | | | | 7-05-57 | 110.7* | 818.6 | 5720 |
| | | 11-22-57 | 66.6 | 889.4 | | | | 7-12-57 | 109.5* | 819.8 | |
| | | 12-02-57 | 66.6 | 889.4 | | | | 7-19-57 | 110.6* | 818.7 | |
| | | 12-09-57 | 63.3 | 893.0 | | | | 7-26-57 | 110.8* | 818.5 | |
| | | 1-03-58 | 63.2 | 894.8 | | | | 8-02-57 | 110.6* | 818.7 | |
| | | 1-09-58 | 64.6 | 890.4 | | | | 8-09-57 | 110.8* | 818.5 | |
| | | 1-17-58 | 63.7 | 892.3 | | | | 8-16-57 | 111.0* | 818.3 | |
| | | 1-24-58 | 73.8 | 882.2 | | | | 8-23-57 | 111.0* | 818.3 | |
| | | 1-31-58 | 63.9 | 892.1 | | | | 8-30-57 | 111.6* | 817.7 | |
| | | 2-07-58 | 60.8 | 895.2 | | | | 9-06-57 | 112.2* | 817.1 | |
| | | 2-14-58 | 58.2 | 896.8 | | | | 9-13-57 | 111.8* | 817.5 | |
| | | 2-21-58 | 58.2 | 897.8 | | | | 9-20-57 | 77.2 | 852.1 | |
| | | 2-28-58 | 57.4 | 898.6 | | | | 9-27-57 | 109.3* | 820.0 | |
| | | 3-07-58 | 57.0 | 899.0 | | | | 10-11-57 | 81.5 | 847.8 | |
| | | 3-14-58 | 56.8 | 899.2 | | | | 10-18-57 | 81.0 | 848.3 | |
| | | 3-21-58 | 55.7 | 900.3 | | | | 10-25-57 | 81.6 | 847.7 | |
| | | 3-28-58 | 55.0 | 901.0 | | | | 11-01-57 | 79.4 | 846.9 | |
| | | 4-04-58 | 54.3 | 901.7 | | | | 11-08-57 | 77.0 | 845.3 | |
| | | 4-11-58 | 53.2 | 902.8 | | | | 11-15-57 | 76.0 | 845.3 | |
| | | 4-19-58 | 52.1 | 903.9 | | | | 11-22-57 | 75.2 | 854.1 | |
| | | 4-26-58 | 53.4 | 902.6 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------------|--------------------|---|--------------------------------------|--|-----------------------|-------------------------|--------------------|--|--------------------------------------|--|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| WEST COAST BASIN 41102 | | | | | | | | | | | |
| 35/14W-07K02 S | 97.5 | 7-01-57 165.0 8-06-57 177.6 9-06-57 176.2 10-02-57 172.1 11-03-57 171.6 12-08-57 176.0 1-08-58 166.8 2-04-58 165.8 3-04-58 166.8 4-02-58 166.0 5-01-58 169.0 6-03-58 171.2 | - | 674.5 804.1 787.7 744.6 741.1 784.5 694.3 684.3 694.3 684.5 714.5 734.7 | 1050 | 35/14W-07004 S CONT. | 103.2 | 2-04-58 180.0 3-04-58 181.0 4-02-58 187.6 5-01-58 186.0 6-03-58 181.6 | - | 76.8 77.8 84.4 82.8 78.4 | 1050 |
| 35/14W-07K04 S | 97.0 | 7-01-57 164.0 8-06-57 178.0 9-06-57 177.0 10-02-57 176.6 11-03-57 173.0 12-08-57 179.8 1-08-58 168.0 2-04-58 172.6 3-04-58 165.0 4-02-58 196.0 5-01-58 168.3 6-03-58 170.1 | - | 674.0 814.0 804.0 794.6 764.0 824.8 714.0 754.6 684.0 594.0 714.3 734.1 | 1050 | 35/14W-08D03 S | 94.0 | 7-01-57 155.0 8-01-57 200.0 8-30-57 195.0 10-01-57 165.0 11-01-57 155.0 11-29-57 156.0 12-31-57 150.0 1-31-58 150.0 2-28-58 154.0 3-31-58 139.0 4-30-58 210.0 5-31-58 209.0 | - | 61.0 106.0 101.0 61.0 62.0 96.0 62.0 69.0 45.0 116.0 115.0 | 1050 |
| 35/14W-07003 S | 97.4 | 7-01-57 165.8 8-06-57 177.0 9-06-57 177.8 10-02-57 176.7 11-03-57 174.6 12-08-57 175.4 1-08-58 170.8 2-04-58 169.1 3-04-58 170.3 4-02-58 170.6 5-01-58 173.3 6-03-58 174.2 | - | 684.4 794.6 804.4 794.3 774.2 784.0 734.4 717.7 724.9 734.2 754.9 764.8 | 1050 | 35/14W-08G01 S | 90.0 | 10-09-57 131.3 3-04-58 130.5 | - | 41.3 40.5 | 1050 |
| 35/14W-07004 S | 103.2 | 7-01-57 178.0 8-06-57 188.6 9-06-57 186.6 10-02-57 188.0 11-03-57 185.0 12-08-57 185.4 1-08-58 183.0 | - | 744.8 854.4 854.4 844.8 814.8 824.2 794.8 | 1050 | 35/14W-09N01 S | 79.8 | 7-16-57 153.0 8-27-57 154.0 9-26-57 153.0 10-14-57 151.0 11-27-57 150.0 12-31-57 152.0 | - | 73.2 74.2 73.2 71.2 70.2 72.2 | 1050 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|---|--|-----------------------------|-----------------------|-------------------|--------------------|---|--------------------------------------|--|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | | | | | | |
| 35/14w-09N01 S | 79+8 | 2-17-58 144+0 3-27-58 147+0 5-27-58 154+0 6-30-58 155+0* | 64+2 | 1050 | | 35/14w-10G01 S | 61.7 | 8-03-57 112+6 9-04-57 112+0 10-04-57 112+0 11-03-57 114+3 12-02-57 110+8 | 41102 | 50+9 | 1050 |
| 35/14w-09N04 S | 81+1 | 7-16-57 150+0* 8-27-57 149+0* 9-26-57 149+0* 10-15-57 150+0* 11-22-57 147+0* 4-25-58 145+0* | 68+9 67+9 67+9 68+9 65+9 63+9 | 1101 | | | | 1-03-58 108+4 2-04-58 109+5 3-07-58 110+3 4-09-58 110+0 5-05-58 111+0 6-03-58 110+0 | | 46+7 47+8 48+3 48+3 48+3 48+3 | |
| 35/14w-09P01 S | 76+8 | 7-16-57 142+0 8-27-57 143+0 9-26-57 140+0 10-14-57 140+0 11-27-57 139+0 12-31-57 136+0 2-17-58 134+0 3-27-58 135+0 5-27-58 138+0 6-30-58 142+0* | 65+2 66+2 63+2 62+2 59+2 57+2 58+2 61+2 65+2 | 1050 | | 35/14w-11G02 S | 63+2 | 7-08-57 140+0 8-03-57 143+0 9-04-57 145+0 10-03-57 144+0 11-03-57 139+0 12-02-57 134+0 1-03-58 131+0 2-03-58 131+0 3-07-58 130+0 4-01-58 130+0 5-02-58 145+0 6-05-58 152+5 | | 76+8 78+8 80+8 75+8 76+8 70+8 67+8 66+8 66+8 81+8 89+3 | 1050 |
| 35/14w-09P02 S | 72+5 | 7-16-57 153+0 8-27-57 142+0 9-26-57 140+0 10-14-57 141+0 11-27-57 139+0 12-31-57 140+0 2-17-58 135+0 3-27-58 137+0 5-27-58 139+0 6-30-58 142+0* | 80+5 69+5 67+5 68+5 66+5 62+5 64+5 66+5 69+5 | 1050 | | 35/14w-11D01 S | 102+8 | 7-10-57 147+1 8-13-57 147+3 9-04-57 147+5 10-08-57 147+4 10-29-57 147+3 11-20-57 147+1 12-10-57 147+0 2-10-58 146+8 3-11-58 146+7 4-09-58 147+1 4-30-58 147+4 5-27-58 147+1 6-11-58 147+0 | | 44+3 44+5 44+7 44+6 44+5 44+3 44+2 | 1101 |
| 35/14w-10C01 S | 63+2 | 7-31-57 137+0 8-31-57 140+0 9-30-57 140+0 10-31-57 140+0 11-30-57 137+0 12-31-57 135+0 1-31-58 134+0 2-28-58 135+0 3-31-58 133+0 4-30-58 131+0 5-31-58 130+0 6-30-58 130+0 | 73+8 76+8 76+8 73+8 71+8 70+8 71+8 71+8 69+8 67+8 66+8 66+8 | 1050 | | 35/14w-11G02 S | 150+1 | 7-31-57 243+0 8-31-57 246+0 9-30-57 246+0 10-30-57 245+0 11-30-57 245+0 12-31-57 245+0 | | 92+9 95+9 95+9 94+9 95+9 94+9 | 1050 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------------|---------------------|----------------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|----------------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | WEST COAST BASIN | | | | | |
| 41100 | | | | | | 41102 | | | | | |
| 35/14W-11602 S | 150.1 | 1-31-58 247.0 | - | 96.9 | 1050 | 35/14W-13J04 S | 82.0 | 9-30-57 165.0 | - | 83.0 | 1050 |
| CONT. | | 2-28-58 248.0 | - | 97.9 | | CONT. | | 10-31-57 164.0 | - | 82.0 | |
| | | 3-31-58 248.0 | - | 97.9 | | | | 11-30-57 162.0 | - | 80.0 | |
| | | 4-30-58 249.0 | - | 98.9 | | | | 1-31-57 160.0 | - | 78.0 | |
| | | 5-31-58 249.0 | - | 98.9 | | | | 1-31-58 160.0 | - | 78.0 | |
| | | 6-30-58 249.0 | - | 98.9 | | | | 2-28-58 160.0 | - | 78.0 | |
| 35/14W-11J01 S | 147.0 | 10-08-57 203.6 | - | 56.6 | 1050 | | | 3-31-58 161.0 | - | 79.0 | |
| 35/14W-12Q01 S | 137.6 | 10-11-57 218.1 | - | 80.5 | 1050 | | | 4-30-58 160.0 | - | 78.0 | |
| | | 3-05-58 216.7 | - | 79.1 | | | | 5-31-58 161.0 | - | 79.0 | |
| 35/14W-13B02 S | 127.0 | 7-31-57 215.0 | - | 88.0 | 1050 | 35/14W-13M01 S | 50.0 | 10-08-57 33.1 | - | 16.9 | 1050 |
| | | 8-31-57 215.0 | - | 88.0 | | | | 3-04-58 29.6 | - | 20.4 | |
| | | 9-30-57 215.0 | - | 88.0 | | | | 10-11-57 33.3 | - | 17.7 | 1050 |
| | | 10-31-57 213.0 | - | 86.0 | | | | 3-04-58 19.2 | - | 31.8 | |
| | | 11-30-57 212.0 | - | 85.0 | | | | | - | 55.4 | 1050 |
| | | 12-31-57 212.0 | - | 85.0 | | | | 7-31-57 139.0 | - | 55.4 | |
| | | 1-31-58 213.0 | - | 86.0 | | | | 8-31-57 140.0 | - | 56.4 | |
| | | 2-28-58 213.0 | - | 86.0 | | | | 9-30-57 140.0 | - | 56.4 | |
| | | 3-31-58 212.0 | - | 85.0 | | | | 10-31-57 138.0 | - | 54.4 | |
| | | 4-30-58 213.0 | - | 86.0 | | | | 11-30-57 137.0 | - | 53.4 | |
| | | 5-31-58 213.0 | - | 86.0 | | | | 12-31-57 136.0 | - | 52.4 | |
| | | 6-30-58 212.0 | - | 85.0 | | | | 1-31-58 136.0 | - | 52.4 | |
| 35/14W-13E01 S | 51.8 | 10-07-57 82.3 | - | 30.5 | 1050 | | | 2-28-58 136.0 | - | 52.4 | |
| | | 3-04-58 82.4 | - | 30.6 | | | | 3-31-58 136.0 | - | 52.4 | |
| 35/14W-13G01 S | 74.5 | 10-11-57 105.0 | - | 30.5 | 1050 | | | 4-30-58 138.0 | - | 54.4 | |
| | | 3-04-58 102.4 | - | 27.9 | | | | 5-31-58 138.0 | - | 54.4 | |
| 35/14W-13J03 S | 83.0 | 7-31-57 169.0 | - | 86.0 | 1050 | 35/14W-14D01 S | 50.0 | 6-30-58 138.0 | - | 54.4 | |
| | | 8-31-57 174.0 | - | 91.0 | | | | 7-31-57 141.0 | - | 91.0 | 1050 |
| | | 9-30-57 173.0 | - | 90.0 | | | | 8-31-57 141.0 | - | 91.0 | |
| | | 10-31-57 173.0 | - | 90.0 | | | | 9-30-57 134.0 | - | 83.0 | |
| | | 11-30-57 172.0 | - | 89.0 | | | | 10-31-57 133.0 | - | 84.0 | |
| | | 12-31-57 170.0 | - | 87.0 | | | | 11-30-57 130.0 | - | 80.0 | |
| | | 1-31-58 168.0 | - | 85.0 | | | | 12-31-57 130.0 | - | 80.0 | |
| | | 2-28-58 167.0 | - | 84.0 | | | | 1-31-58 130.0 | - | 80.0 | |
| | | 3-31-58 167.0 | - | 84.0 | | | | 2-28-58 130.0 | - | 80.0 | |
| | | 4-30-58 167.0 | - | 84.0 | | | | 3-31-58 127.0 | - | 77.0 | |
| | | 5-31-58 168.0 | - | 85.0 | | | | 4-30-58 127.0 | - | 77.0 | |
| | | 6-30-58 168.0 | - | 85.0 | | | | 5-31-58 129.0 | - | 79.0 | |
| 35/14W-13J04 S | 82.0 | 7-31-57 169.0 | - | 87.0 | 1050 | 35/14W-14M01 S | 40.3 | 6-30-58 131.0 | - | 81.0 | |
| | | 8-31-57 166.0 | - | 84.0 | | | | 2-28-58 104.0* | - | 55.7 | 1051 |
| | | | - | | | | | 3-31-58 104.0* | - | 55.7 | |
| | | | - | | | | | 4-30-58 104.0* | - | 55.7 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|-----------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | WEST COAST BASIN | | | | | |
| 41100 | | | | | | 41102 | | | | | |
| 35/14W-14M01 S | 48.3 | 5-31-58 | 104.0* | 55.7 | 1051 | 35/14W-18N04 S | 110.6 | 1-06-58 | 130.5 | 19.9 | 1050 |
| CONT. | | 6-30-58 | 104.0* | 55.7 | | CONT. | | 2-04-58 | 128.9 | 18.3 | |
| 35/14W-15B01 S | 52.0 | 7-31-57 | 112.0 | 60.0 | 1050 | | | 3-10-58 | 128.9 | 19.3 | |
| | | 8-31-57 | 112.0 | 60.0 | | | | 4-08-58 | 129.9 | 18.2 | |
| | | 9-30-57 | 113.0 | 61.0 | | | | 5-06-58 | 128.8 | 17.6 | |
| | | 10-31-57 | 112.0 | 60.0 | | | | 6-13-58 | 128.2 | | |
| | | 11-30-57 | 111.0 | 59.0 | | | | 7-01-57 | 145.4 | | 1050 |
| | | 12-31-57 | 110.0 | 58.0 | | 35/14W-18N05 S | 124.0 | 8-01-57 | 144.3 | 20.3 | |
| | | 1-31-58 | 110.0 | 58.0 | | | | 9-03-57 | 144.1 | 20.1 | |
| | | 2-28-58 | 110.0 | 58.0 | | | | 10-01-57 | 145.0 | 21.0 | |
| | | 3-31-58 | 109.0 | 57.0 | | | | 11-05-57 | 143.5 | 19.5 | |
| 35/14W-15K01 S | 50.0 | 10-11-57 | 34.0 | 16.0 | 1050 | | | 12-19-57 | 143.3 | 19.3 | |
| | | 3-04-58 | 34.9 | 15.1 | | | | 1-06-58 | 143.6 | 18.6 | |
| | | 4-28-58 | 129.9 | 38.9 | 1101 | | | 2-04-58 | 142.7 | 18.7 | |
| 35/14W-17F02 S | 91.0 | 7-01-57 | 149.0 | 62.0 | 1050 | | | 3-10-58 | 142.3 | 18.3 | |
| 35/14W-17G02 S | 87.0 | 8-01-57 | 172.0* | 82.0 | | | | 4-08-58 | 143.5 | 15.5 | |
| | | 9-01-57 | 162.0* | 82.0 | | | | 5-06-58 | 141.9 | 17.9 | |
| | | 10-30-57 | 152.0* | 65.0 | | | | 6-13-58 | 141.2 | 17.2 | |
| | | 11-01-57 | 156.0 | 63.0 | | | | 4-21-58 | 95.1 | 22.8 | 1101 |
| | | 11-29-57 | 147.0 | 60.0 | | 35/14W-19K01 S | 72.3 | 10-14-57 | 101.7 | 36.7 | 1050 |
| | | 12-31-57 | 145.0 | 58.0 | | | | 3-06-58 | 101.5 | 36.5 | |
| | | 1-31-58 | 146.0 | 59.0 | | | | 10-14-57 | 112.6 | 37.8 | 1050 |
| | | 2-28-58 | 145.0 | 58.0 | | | | 10-22-57 | 111.6 | 36.7 | 1101 |
| | | 3-31-58 | 150.0 | 63.0 | | 35/14W-20J02 S | 65.0 | 8-05-58 | 108.8 | 34.0 | 1050 |
| | | 4-30-58 | 165.0* | 78.0 | | | | 5-19-58 | 115.9* | 41.0 | 1101 |
| | | 5-31-58 | 153.0 | 66.0 | | | | 7-31-57 | 125.0 | 61.0 | 1050 |
| 35/14W-18B01 S | 108.0 | 10-07-57 | 125.5 | 17.5 | 1050 | 35/14W-21B01 S | 64.0 | 8-31-57 | 126.0 | 62.0 | |
| | | 3-03-58 | 122.2 | 14.2 | | | | 9-30-57 | 126.0 | 62.0 | |
| 35/14W-18C01 S | 103.0 | 10-09-57 | 122.9 | 19.9 | 1050 | | | 10-31-57 | 126.0 | 62.0 | |
| | | 3-04-58 | 122.3 | 19.3 | | 35/14W-21B02 S | 64.0 | 7-31-57 | 127.0 | 63.0 | 1050 |
| 35/14W-18H01 S | 97.0** | 12-05-57 | 125.8 | 28.8 | 1101 | | | 8-31-57 | 126.0 | 62.0 | |
| | | 4-28-58 | 128.0 | 31.0 | | | | 9-30-57 | 125.0 | 61.0 | |
| 35/14W-18N04 S | 110.6 | 7-01-57 | 131.7 | 21.1 | 1050 | | | 10-31-57 | 124.0 | 60.0 | |
| | | 8-01-57 | 130.3 | 19.7 | | | | 11-30-57 | 124.0 | 60.0 | |
| | | 9-03-57 | 130.9 | 20.3 | | | | 1-2-31-57 | 124.0 | 60.0 | |
| | | 10-01-57 | 132.3 | 21.7 | | | | 1-31-58 | 123.0 | 59.0 | |
| | | 11-05-57 | 130.3 | 19.7 | | | | 2-28-58 | 123.0 | 59.0 | |
| | | 12-19-57 | 130.3 | 19.7 | | | | 3-31-58 | 123.0 | 59.0 | |
| | | | | | | | | 4-30-58 | 123.0 | 59.0 | |
| | | | | | | | | 5-31-58 | 123.0 | 59.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | |
|------------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | | | | | | | |
| 35/14W-21B02 S | 64.0 | 6-30-58 | 123.0 | - | 59.0 | 35/14W-22K01 S | 50.0 | 11-27-57 | 112.0 | - | 62.0 | 1050 |
| 35/14W-21M01 S | 62.0 | 7-31-57 | 119.0 | - | 57.0 | CONT. | | 1-02-58 | 108.0 | - | 58.0 | |
| | | 8-31-57 | 120.0 | - | 58.0 | | | 1-30-58 | 110.0 | - | 60.0 | |
| | | 9-30-57 | 120.0 | - | 58.0 | | | 2-27-58 | 113.0 | - | 63.0 | |
| | | 10-31-57 | 119.0 | - | 57.0 | | | 3-27-58 | 113.0 | - | 63.0 | |
| | | 11-30-57 | 119.0 | - | 57.0 | | | 5-01-58 | 116.0 | - | 66.0 | |
| | | 12-31-57 | 118.0 | - | 56.0 | | | 5-28-58 | 113.0 | - | 63.0 | |
| | | 1-31-58 | 121.0 | - | 59.0 | | | 6-26-58 | 117.0 | - | 67.0 | |
| | | 2-28-58 | 121.0 | - | 59.0 | | | | | | | |
| | | 3-31-58 | 122.0 | - | 60.0 | | | 7-31-57 | 114.0 | - | 63.0 | 1050 |
| | | 4-30-58 | 123.0 | - | 61.0 | | | 8-31-57 | 113.0 | - | 62.0 | |
| | | 5-31-58 | 124.0 | - | 62.0 | | | 9-30-57 | 114.0 | - | 63.0 | |
| | | 6-13-58 | 124.0* | - | 62.0 | 1101 | | 10-31-57 | 113.0 | - | 62.0 | |
| | | 6-30-58 | 124.0 | - | 62.0 | 1050 | | 11-30-57 | 113.0 | - | 62.0 | |
| | | | | - | | | | 12-31-57 | 108.0 | - | 57.0 | |
| 35/14W-22A01 S | 50.0 | 7-31-57 | 131.0 | - | 81.0 | 1050 | | 1-31-58 | 108.0 | - | 57.0 | |
| | | 8-31-57 | 131.0 | - | 81.0 | | | 2-28-58 | 109.0 | - | 58.0 | |
| | | 9-30-57 | 129.0 | - | 79.0 | | | 3-21-58 | 109.0 | - | 58.0 | |
| | | 10-31-57 | 129.0 | - | 79.0 | | | 4-30-58 | 110.0 | - | 59.0 | |
| | | 11-30-57 | 128.0 | - | 78.0 | | | 5-31-58 | 110.0 | - | 59.0 | |
| | | 12-31-57 | 128.0 | - | 78.0 | | | 6-30-58 | 110.0 | - | 58.0 | |
| | | 1-31-58 | 119.0 | - | 69.0 | | | | | | | |
| | | 2-28-58 | 120.0 | - | 72.0 | | | 8-01-57 | 112.0 | - | 67.0 | 1050 |
| | | 3-31-58 | 120.0 | - | 72.0 | | | 9-03-57 | 118.0 | - | 73.0 | |
| | | 4-30-58 | 121.0 | - | 73.0 | | | 9-26-57 | 115.0 | - | 70.0 | |
| | | 5-31-58 | 123.0 | - | 75.0 | | | 10-31-57 | 110.0 | - | 65.0 | |
| | | 6-30-58 | 124.0 | - | 76.0 | | | 11-27-57 | 110.0 | - | 65.0 | |
| 35/14W-22A02 S | 50.0 | 7-31-57 | 125.0 | - | 75.0 | 1050 | | 1-02-58 | 112.0 | - | 67.0 | |
| | | 8-31-57 | 125.0 | - | 75.0 | | | 1-30-58 | 110.0 | - | 65.0 | |
| | | 9-30-57 | 126.0 | - | 76.0 | | | 2-27-58 | 109.0 | - | 64.0 | |
| | | 10-31-57 | 125.0 | - | 75.0 | | | 3-27-58 | 108.0 | - | 63.0 | |
| | | 11-30-57 | 125.0 | - | 75.0 | | | 5-01-58 | 113.0 | - | 64.0 | |
| | | 12-31-57 | 124.0 | - | 74.0 | | | 5-28-58 | 113.0 | - | 64.0 | |
| | | 1-31-58 | 125.0 | - | 75.0 | | | 6-26-58 | 114.0 | - | 65.0 | |
| | | 2-28-58 | 125.0 | - | 75.0 | | | | | | | |
| | | 3-31-58 | 125.0 | - | 75.0 | | | 8-01-57 | 96.0 | - | 44.0 | 1050 |
| | | 4-30-58 | 127.0 | - | 77.0 | | | 9-03-57 | 102.0 | - | 50.0 | |
| | | 5-31-58 | 127.0 | - | 77.0 | | | 9-26-57 | 102.0 | - | 50.0 | |
| | | 6-30-58 | 128.0 | - | 78.0 | | | 10-31-57 | 102.0 | - | 50.0 | |
| | | | | - | | | | 11-27-57 | 102.0 | - | 50.0 | |
| | | | | - | | | | 1-02-58 | 102.0 | - | 50.0 | |
| | | | | - | | | | 1-30-58 | 102.0 | - | 50.0 | |
| | | | | - | | | | 2-27-58 | 102.0 | - | 50.0 | |
| 35/14W-22K01 S | 50.0 | 8-01-57 | 116.0 | - | 66.0 | 1050 | | 3-27-58 | 102.0 | - | 50.0 | |
| | | 9-03-57 | 116.0 | - | 66.0 | | | 5-01-58 | 102.0 | - | 50.0 | |
| | | 9-26-57 | 113.0 | - | 63.0 | | | 5-01-58 | 102.0 | - | 50.0 | |
| | | 10-31-57 | 111.0 | - | 61.0 | | | 5-28-58 | 98.0 | - | 46.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | WEST COAST BASIN | | | | | |
| 41100 | | | | | | 41102 | | | | | |
| 35/14W-22R02 S | 52.0 | 6-26-58 | 98.0 | - | 46.0 | 35/14W-25F03 S | 40.6 | 10-28-57 | 82.0 | - | 41.5 |
| 35/14W-23C01 S | 48.0 | 10-29-57 | DRY | 24.1 | 1101 | CONT. | 40.7 | 3-11-58 | 80.1 | - | 39.3 |
| 35/14W-23L01 S | 52.0 | 4-23-58 | 23.9 | - | 1050 | 35/14W-25J01 S | 32.0 | 10-07-57 | 29.3 | 2.7 | 1050 |
| | | | | | | 35/14W-25J07 S | 33.0 | 3-04-58 | 27.4 | 4.6 | |
| | | | | | | | | 10-28-57 | 24.0 | 9.0 | 1101 |
| | | | | | | | | 4-23-58 | 24.1 | 8.9 | |
| | | | | | | | | 10-07-57 | 74.6 | - | 40.1 |
| | | | | | | | | 10-29-57 | 78.1 | - | 39.9 |
| | | | | | | | | 3-04-58 | 67.0 | - | 32.5 |
| | | | | | | | | 4-23-58 | 73.2 | - | 39.0 |
| | | | | | | | | 10-29-57 | 75.1 | - | 45.1 |
| | | | | | | | | 10-11-57 | 26.7 | 9.3 | 1050 |
| 35/14W-23001 S | 45.3 | 10-11-57 | 34.7 | 10.6 | 1050 | 35/14W-25L01 S | 36.0 | 3-11-58 | 23.2 | 12.8 | |
| | | | | | | | | 10-11-57 | 51.3 | - | 10.4 |
| | | | | | | | | 3-11-58 | 53.8 | - | 12.9 |
| 35/14W-23R01 S | 48.0 | 3-11-58 | 38.0 | 10.0 | 1050 | 35/14W-25N02 S | 40.9 | 7-31-57 | 110.0 | - | 85.0 |
| 35/14W-23R02 S | 45.4 | 4-23-58 | 86.2 | - | 40.8 | 35/14W-25P04 S | 25.0 | 8-31-57 | 113.0 | - | 88.0 |
| 35/14W-24K06 S | 51.0 | 10-07-57 | 49.0 | 2.0 | 1050 | | | 9-30-57 | 113.0 | - | 88.0 |
| | | | | | | | | 10-31-57 | 111.0 | - | 86.0 |
| | | | | | | | | 11-30-57 | 111.0 | - | 86.0 |
| | | | | | | | | 12-31-57 | 111.0 | - | 86.0 |
| 35/14W-24K14 S | 55.0 | 6-31-57 | 116.0 | - | 61.0 | 10-29-57 | 25.1 | 1-31-58 | 112.0 | - | 87.0 |
| | | | | | | | | 2-28-58 | 111.0 | - | 86.0 |
| | | | | | | | | 3-31-58 | 112.0 | - | 87.0 |
| | | | | | | | | 4-30-58 | 113.0 | - | 88.0 |
| | | | | | | | | 5-31-58 | 114.0 | - | 89.0 |
| | | | | | | | | 6-30-58 | 114.0 | - | 89.0 |
| | | | | | | | | 10-29-57 | 7.3 | 17.8 | 1101 |
| | | | | | | | | 4-23-58 | 7.0 | 18.1 | |
| | | | | | | | | 10-11-57 | 30.1 | 14.4 | 1050 |
| | | | | | | | | 3-11-58 | 28.4 | 16.1 | |
| | | | | | | | | 10-11-57 | 86.1 | - | 42.8 |
| | | | | | | | | 3-11-58 | 84.2 | - | 40.9 |
| 35/14W-24Q01 S | 51.0 | 10-07-57 | 43.5 | 7.5 | 1050 | 35/14W-26K01 S | 44.5 | 10-11-57 | 84.7 | - | 49.2 |
| | | | | | | | | 3-11-58 | 84.7 | - | 49.2 |
| 35/14W-25F03 S | 40.7 | 10-11-57 | 82.5 | - | 41.8 | 35/14W-26K02 S | 36.0 | 4-22-58 | 14.2 | 21.8 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. To Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. To Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | | | | | | |
| 41100 | | | | | | 41102 | | | | | |
| 35/14W-26002 S | 43+0 | 3-11-58 | 88+0* | - 45.0 | 1050 | 35/14W-30G01 S | 124+9 | 10-21-57 | 156+1 | - 29+2 | 1050 |
| 35/14W-26R01 S | 31+0 | 10-11-57 | 36+5 | - 5+5 | 1050 | CONT. | | 11-25-57 | 195+6 | - 30+7 | |
| 35/14W-27M01 S | 55+0 | 10-10-57 | 41+4 | 13+6 | 1050 | | | 1-27-58 | 148+8 | - 23+8 | |
| | | 3-10-58 | 43+8 | 11+2 | | | | 2-24-58 | 148+2 | - 23+3 | |
| 35/14W-27P01 S | 57+0 | 10-11-57 | 103+4 | - 46+4 | 1050 | | | 3-10-58 | 148+1 | - 23+2 | |
| | | 3-10-58 | 100+7 | - 43+7 | | | | 4-14-58 | 148+9 | - 24+0 | 1101 |
| 35/14W-27Q04 S | 52+0 | 10-11-57 | 19+3 | 32+7 | 1050 | 35/14W-30H01 S | 98+4 | 7-09-57 | 137+0 | - 29+0 | 1050 |
| | | 3-10-58 | 25+9 | 28+1 | | | | 10-21-57 | 154+8 | - 26+4 | |
| 35/14W-27Q05 S | 47+0 | 3-10-58 | 100+0 | - 53+0 | 1050 | | | 10-22-57 | 156+5 | - 28+3 | 1101 |
| 35/14W-29D03 S | 88+4 | 7-09-57 | 121+1 | - 31+7 | 1050 | | | 1-25-57 | 154+4 | - 26+0 | 1050 |
| | | 10-21-57 | 120+1 | - 30+7 | | | | 1-30-57 | 152+7 | - 24+4 | |
| | | 11-25-57 | 119+1 | - 28+7 | | | | 1-27-58 | 152+7 | - 24+3 | |
| | | 12-30-57 | 117+1 | - 28+9 | | | | 2-24-58 | 152+4 | - 24+0 | |
| | | 1-27-58 | 117+3 | - 28+9 | | | | 3-10-58 | 152+5 | - 24+1 | |
| | | 2-26-58 | 116+5 | - 28+1 | | | | 4-14-58 | 152+9 | - 23+9 | 1101 |
| | | 3-10-58 | 117+1 | - 28+7 | | | | 5-26-58 | 153+3 | - 24+9 | 1050 |
| | | 4-14-58 | 117+7 | - 27+3 | | | | 6-03-58 | 153+0 | - 23+0 | 1101 |
| | | 5-26-58 | 120+8 | - 32+4 | | | | 6-03-58 | 153+0 | - 24+6 | 1050 |
| | | 6-09-58 | 121+1 | - 32+7 | | | | | | | |
| 35/14W-30A02 S | 105+6 | 10-22-57 | 137+6 | - 32+0 | 1101 | 35/14W-30H02 S | 126+2 | 7-10-57 | 156+9 | - 30+7 | 1050 |
| | | 10-29-57 | 138+9 | - 33+1 | 1050 | | | 10-21-57 | 155+1 | - 28+9 | |
| | | 3-07-58 | 136+2 | - 40+6 | 1101 | | | 1-25-57 | 157+4 | - 31+2 | |
| | | 4-21-58 | 134+0 | - 28+4 | | | | 1-30-58 | 153+8 | - 29+5 | |
| | | 6-09-58 | 134+5 | - 28+9 | | | | 2-24-58 | 152+4 | - 25+6 | |
| 35/14W-30D01 S | 154+0 | 10-22-57 | 164+7 | - 10+7 | 1101 | | | 3-10-58 | 152+9 | - 27+0 | |
| | | 4-21-58 | 163+4 | - 9+4 | | | | 4-14-58 | 153+7 | - 27+5 | |
| 35/14W-30D02 S | 117+9 | 10-22-57 | 136+5 | - 18+6 | 1101 | | | 5-26-58 | 154+7 | - 30+2 | |
| | | 4-21-58 | 135+0 | - 17+1 | | | | 6-03-58 | 154+3 | - 28+1 | |
| 35/14W-30F01 S | 137+0 | 10-22-57 | 159+7* | - 22+7 | 1101 | 35/14W-31A05 S | 123+0 | 10-23-57 | 115+8 | - 7+2 | 1101 |
| | | 4-21-58 | 157+8 | - 20+8 | | | | 10-29-57 | 126+2 | - 9 | 1050 |
| 35/14W-30F02 S | 180+8 | 10-22-57 | 203+3 | - 22+5 | 1101 | | | 2-06-58 | 155+3 | - 7+1 | 1101 |
| | | 4-21-58 | 201+7 | - 20+9 | | | | 4-21-58 | 115+9 | - 20+9 | 1050 |
| 35/14W-30G01 S | 124+9 | 7-11-57 | 152+7 | - 27+8 | 1050 | 35/14W-31A06 S | 93+0 | 10-14-57 | 113+9 | - 26+0 | 1050 |
| | | 8-28-57 | 160+3 | - 35+4 | 1101 | | | 3-07-58 | 119+0 | - 26+0 | |
| | | | | | | | | 10-10-57 | 180+9 | - 32+3 | 1050 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|---------------------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|---------------------------------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | | | | | | |
| 35/14W-32F01 S | 148+6 | 3-06-58 | 176+9 | - 28+3 | 1050 | 35/14W-35M01 S | 63+5 | 3-10-58 | 40+2 | 23+3 | 1050 |
| 35/14W-33B01 S | 93+3 | 10-28-57 4-23-58 | 131+4 129+5 | - 38+1 - 36+2 | 1101 | 35/14W-35M05 S | 62+0 | 10-11-57 | 105+9 | - 43+9 | 1050 |
| 35/14W-33E01 S | 120+0 | 10-14-57 3-05-58 | 155+3 162+2 | - 35+3 - 42+2 | 1050 | 35/14W-35O02 S | 61+0 | 10-28-57 4-22-58 | 119+0 113+9 | - 58+0 - 52+9 | 1101 |
| 35/14W-33L01 S | 91+0 | 7-31-57 | 126+0 | - 35+0 | 1050 | 35/14W-36F01 S | 48+0 | 10-14-57 | 85+1 | - 37+1 | 1050 |
| | | 8-31-57 | 126+0 | - 35+0 | | 35/15W-01L01 S | 119+0 | 7-09-57 | 138+1 | - 19+1 | 1101 |
| | | 9-30-57 | 126+0 | - 35+0 | | | | 8-13-57 | 138+2 | - 15+2 | |
| | | 10-31-57 | 126+0 | - 35+0 | | | | 9-04-57 | 138+2 | - 19+7 | |
| | | 11-30-57 | 126+0 | - 35+0 | | | | 10-08-57 | 137+6 | - 18+6 | |
| | | 12-31-57 | 126+0 | - 35+0 | | | | 11-18-57 | 138+3 | - 15+3 | |
| | | 1-31-58 | 126+0 | - 35+0 | | | | 12-09-57 | 138+3 | - 15+3 | |
| | | 2-28-58 | 126+0 | - 35+0 | | | | 1-06-58 | 138+2 | - 19+2 | |
| 92+3 | | 3-05-58 | 133+2 | - 40+9 | | | | 2-11-58 | 138+1 | - 19+1 | |
| 91+1 | | 3-31-58 | 126+0 | - 34+9 | | | | 3-10-58 | 137+9 | - 18+9 | |
| | | 4-30-58 | 126+0 | - 34+9 | | | | 3-11-58 | 137+8 | - 22+8 | 1050 |
| | | 5-31-58 | 126+0 | - 34+9 | | | | 4-16-58 | 137+5 | - 18+5 | 1101 |
| | | 6-30-58 | 126+0 | - 34+9 | | | | 5-26-58 | 136+0 | - 17+0 | |
| 35/14W-33P01 S | 95+2 | 10-09-57 3-05-58 | 144+8 144+2 | - 49+6 - 49+0 | 1050 | 35/15W-02A01 S | | 11-18-57 | DRY | | 1101 |
| 35/14W-33P02 S | 84+0 | 10-09-57 | 122+7 | - 38+7 | 1050 | 35/15W-02J01 S | | 11-18-57 | DRY | | 1101 |
| 35/14W-33O01 S | 100+0 | 10-14-57 3-05-58 | 143+0 135+6 | - 43+0 - 35+6 | 1050 | 35/15W-02L01 S | 75+0 | 10-08-57 11-18-57 4-28-58 | 75+3 75+4 75+0 | - *3 - *4 - *0 | 1101 |
| 35/14W-34B02 S | 65+0 | 10-11-57 | 113+7 | - 48+7 | 1050 | 35/15W-02P01 S | 77+9 | 11-18-57 | 79+4 | - 1+5 | 1101 |
| 35/14W-34D03 S | 70+0 | 10-28-57 4-23-58 | 113+8 112+9 | - 42+8 - 42+9 | 1101 | 35/15W-02P02 S | 77+5 | 11-18-57 | 81+1 | - 3+6 | 1101 |
| 35/14W-34D05 S | 74+0 | 1-20-58 | 111+3 | - 37+3 | 1101 | 35/15W-03A01 S | 73+5 | 11-18-57 4-28-58 | 72+2 69+6 | - 1+3 - 3+9 | 1101 |
| 35/14W-35B03 S | 46+0 | 10-11-57 | 59+0 | - 13+0 | 1050 | 35/15W-03B02 S | 80+4 | 11-15-57 | 77+3 | - 3+1 | 1101 |
| 35/14W-35E02 S | 63+0** | 10-28-57 4-22-58 | 106+2 104+9 | - 43+2 - 41+9 | 1101 | 35/15W-03B03 S | 69+0 | 11-18-57 | DRY | | 1101 |
| 35/14W-35E03 S | 61+0 | 3-10-58 | 106+9 | - 45+9 | 1050 | 35/15W-03G01 S | 69+0 | 10-10-57 | 59+7 | - 9+3 | 1050 |
| 35/14W-35L01 S | 61+0 | 10-11-57 | 123+0 | - 62+0 | 1050 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. To Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. To Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | |
|------------------------------|--------------------|---|---|--|-----------------------|-------------------|--------------------|---|---|--|-----------------------|------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | WEST COAST BASIN | | | | | | |
| 41100 | | | | | | 41102 | | | | | | |
| 35/15W-03601 S | 69+0 | 3-03-58 | 59+1 | 9.9 | 1050 | 35/15W-12G02 S | 110+2 | 4-28-58 | 118+6 | - | 8+4 | 1101 |
| 35/15W-03H01 S | | 11-18-57 4-28-58 | DRY DRY | | 1101 | 35/15W-12H02 S | 135+0 | 7-01-57 9-01-57 10-01-57 11-01-57 12-01-57 | 148+3 148+2 148+2 147+1 147+6 | 13+3 13+2 13+5 13+1 12+6 | | 1050 |
| 35/15W-03H02 S | 61+0 | 11-18-57 4-28-58 | 59+6 57+6 | 1+4 3+4 | 1101 | | | 1-201-58 2-01-58 3-01-58 4-01-58 5-01-58 6-01-58 | 147+3 147+3 146+0 146+8 145+0 144+8 | 12+6 12+3 11+0 11+8 10+0 9+8 | | |
| 35/15W-03J01 S | 63+2 | 11-18-57 4-28-58 | 61+4 59+9 | 1+8 3+3 | 1101 | | | 7-01-57 8-01-57 9-01-57 10-01-57 11-01-57 12-01-58 | 147+3 147+3 146+0 146+8 145+0 144+8 | 12+3 11+0 11+8 10+0 9+8 | | |
| 35/15W-12801 S | 115+0 | 7-01-57 8-01-57 9-01-57 10-01-57 11-01-57 12-01-57 1-01-58 2-01-58 3-01-58 4-01-58 5-01-58 6-01-58 | 122+7 122+7 123+0 123+5 123+5 123+2 123+5 123+5 122+6 121+7 119+5 119+3 | 7+9 7+7 6+0 7+9 8+5 8+2 8+2 7+2 6+7 4+5 4+3 | 1050 | 35/15W-12H03 S | 130+6 | 7-01-57 8-01-57 9-01-57 10-01-57 11-01-57 12-01-57 1-01-58 2-01-58 3-01-58 4-01-58 5-01-58 6-01-58 | 151+2 150+5 150+3 150+5 149+8 149+7 149+8 149+5 149+5 148+5 147+8 | 20+6 19+6 20+2 19+9 19+2 19+2 18+9 18+4 17+9 17+2 | | 1050 |
| 35/15W-12G01 S | 112+8 | 7-01-57 8-01-57 9-01-57 10-01-57 11-01-57 12-01-57 1-01-58 2-01-58 3-01-58 4-01-58 5-01-58 6-01-58 | 127+5 127+5 127+3 127+5 127+4 126+7 126+3 126+4 126+4 126+2 126+1 122+9 126+8 | 14+7 14+2 14+5 14+0 14+7 14+6 13+9 13+4 13+5 13+6 13+1 13+5 13+4 | 1050 | 35/15W-13A04 S | 122+1 | 7-01-57 8-06-57 9-06-57 10-02-57 11-05-57 12-08-57 1-08-58 2-04-58 3-04-58 4-02-58 5-01-58 6-03-58 | 146+8 142+0 142+0 142+0 141+6 141+7 142+0 140+1 140+9 141+0 139+0 | 24+7 19+9 19+9 19+9 19+5 19+6 18+0 18+0 18+9 16+9 17+1 | | 1050 |
| 35/15W-12G02 S | 110+2 | 11-28-57 | 119+2 | 9+0 | 1101 | 35/15W-13H02 S | 104+3 | 7-01-57 8-06-57 9-06-57 10-02-57 11-05-57 | 126+1 125+6 125+6 125+6 125+0 | 21+8 21+3 21+0 21+3 20+7 | | 1050 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| WEST COAST BASIN | | | | | | WEST COAST BASIN | | | | | |
| 41100 | | | | | | 41102 | | | | | |
| 35/15W-13H02 S | 104.3 | 12-05-57 | 125.1 | - 20.8 | 1050 | 35/15W-13R06 S | 149.9 | 4-02-58 | 168.8 | - 18.9 | 1050 |
| CONT. | | 1-08-58 | 124.1 | - 19.8 | | CONT. | | 5-01-58 | 168.0 | - 18.1 | |
| | | 2-04-58 | 124.2 | - 19.9 | | | | 6-03-58 | 167.0 | - 18.0 | |
| | | 3-04-58 | 124.3 | - 20.0 | | | | | | | |
| | | 4-02-58 | 124.7 | - 20.4 | | 35/15W-25A01 S | 144.7 | 10-22-57 | 152.0 | - 7.3 | 1101 |
| | | 5-01-58 | 124.7 | - 20.4 | | | | 3-07-58 | 151.1 | - 6.4 | 1050 |
| | | 6-03-58 | 124.7 | - 20.4 | | | | 4-21-58 | 151.0 | - 6.3 | 1101 |
| 35/15W-13H03 S | 103.7 | 7-01-57 | 125.3 | - 21.6 | 1050 | 35/15W-25H02 S | 151.6 | 10-22-57 | 159.1 | - 7.5 | 1101 |
| | | 8-06-57 | 122.0 | - 18.3 | | | 154.1 | 10-29-57 | 159.1 | - 5.0 | 1050 |
| | | 9-06-57 | 121.8 | - 18.1 | | | | 3-07-58 | 158.3 | - 4.2 | |
| | | 10-02-57 | 122.2 | - 18.5 | | | 151.6 | 4-21-58 | 158.1 | - 6.5 | 1101 |
| | | 11-05-57 | 120.1 | - 16.4 | | | | | | | |
| | | 12-08-57 | 121.1 | - 17.4 | | 35/15W-25R03 S | 79.5 | 10-22-57 | 69.1 | 10.4 | 1101 |
| | | 1-08-58 | 120.2 | - 16.5 | | | | 4-21-58 | 64.8 | 14.7 | |
| | | 2-04-58 | 118.9 | - 15.2 | | | | | | | |
| | | 3-04-58 | 117.7 | - 14.0 | | 45/12W-19001 S | 129.8 | 10-15-57 | 127.3 | 2.5 | 1050 |
| | | 4-02-58 | 118.2 | - 14.5 | | | | 3-11-58 | 128.6 | 1.2 | |
| | | 5-01-58 | 117.0 | - 13.3 | | 45/12W-32G01 S | 38.0 | 7-01-57 | 40.2 | - 2.2 | 1101 |
| | | 6-02-58 | 117.2 | - 13.5 | | | | 7-19-57 | 36.3 | - 1.7 | |
| 35/15W-13P01 S | 113.5 | 11-18-57 | 118.4 | - 4.9 | 1101 | | | 8-03-57 | 40.1 | - 2.1 | |
| | | 4-28-58 | 117.3 | - 3.8 | | | | 6-13-57 | 35.6 | - 1.9 | |
| 35/15W-13R02 S | 154.2 | 7-01-57 | 176.5 | - 22.3 | 1050 | | | 9-13-57 | 39.9 | - 1.9 | |
| | | 8-06-57 | 174.6 | - 20.6 | | | | 10-01-57 | 40.1 | - 2.1 | 1050 |
| | | 9-06-57 | 174.1 | - 19.9 | | | | 10-01-57 | 40.1 | - 2.1 | 1101 |
| | | 10-02-57 | 173.5 | - 20.3 | | | | 11-06-57 | 40.1 | - 2.2 | |
| | | 11-03-57 | 174.5 | - 20.5 | | | | 12-06-57 | 40.2 | - 2.2 | |
| | | 12-08-57 | 172.1 | - 20.7 | | | | 12-27-57 | 40.1 | - 2.1 | |
| | | 1-08-58 | 173.2 | - 18.9 | | | | 1-07-58 | 40.1 | - 2.1 | |
| | | 2-04-58 | 173.1 | - 19.5 | | | | 1-17-58 | 40.0 | - 2.0 | |
| | | 3-04-58 | 173.7 | - 19.7 | | | | 2-11-58 | 39.2 | - 1.2 | |
| | | 4-02-58 | 173.9 | - 19.2 | | | | 3-03-58 | 39.9 | - 1.9 | |
| | | 5-01-58 | 173.6 | - 19.2 | | | | 3-04-58 | 40.0 | - 2.5 | 1050 |
| | | 6-03-58 | 182.7 | - 28.5 | | | | 4-15-58 | 39.9 | - 1.9 | 1101 |
| 35/15W-13R06 S | 149.9 | 7-01-57 | 173.8 | - 23.9 | 1050 | | | 4-20-58 | 39.7 | - 1.7 | |
| | | 8-06-57 | 172.0 | - 22.1 | | | | 5-20-58 | 39.7 | - 1.7 | |
| | | 9-06-57 | 169.8 | - 19.9 | | | | 6-10-58 | 39.7 | - 1.7 | |
| | | 10-02-57 | 170.6 | - 20.7 | | | | 6-13-58 | 40.9 | - 2.9 | |
| | | 11-05-57 | 169.0 | - 19.1 | | | | | | | |
| | | 12-08-57 | 171.5 | - 21.6 | | 45/13W-02P01 S | 40.1 | 12-03-57 | 56.8 | - 16.7 | 1101 |
| | | 1-08-58 | 168.1 | - 18.2 | | | | 5-06-58 | 57.6 | - 17.5 | |
| | | 2-04-58 | 168.0 | - 18.1 | | | | 5-19-58 | 57.9 | - 18.8 | 1050 |
| | | 3-04-58 | 168.0 | - 18.1 | | 45/13W-02P03 S | 43.7 | 7-01-57 | 56.1 | - 12.4 | 1050 |

GROUND WATER LEVELS AT WELLS

| COASTAL PLAIN LOS ANGELES CO | | | | COASTAL PLAIN LOS ANGELES CO | | | | | | | |
|------------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| WEST COAST BASIN | | | | WEST COAST BASIN | | | | | | | |
| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| 4S/13W-02P03 S | 43.7 | 8-03-57 | 56.1 | 12.4 | 1050 | 4S/13W-05M03 S | 8.8 | 2-17-58 | 1.7 | 7.1 | 1101 |
| | | 8-31-57 | 56.6 | 12.9 | | CONT. | | 5-06-58 | 2.6 | 6.2 | |
| | | 10-07-57 | 57.6 | 13.9 | | | | | | | |
| | | 11-03-57 | 57.7 | 14.0 | | 4S/13W-05N02 S | 13.5 | 9-17-57 | 7.7 | 5.8 | 1101 |
| | | 12-01-57 | 57.7 | 14.0 | | | | 1-13-58 | 8.0 | 4.5 | |
| | | 1-10-58 | 61.1 | 17.4 | | | | 2-17-58 | 9.0 | 5.5 | |
| | | 2-06-58 | 58.0 | 14.3 | | | | 5-06-58 | 9.4 | 4.1 | |
| | | 3-03-58 | 58.2 | 14.5 | | | | | | | |
| | | 4-01-58 | 58.1 | 14.4 | | 4S/13W-06K01 S | 24.5 | 9-17-57 | 43.7 | 19.2 | 1101 |
| | | 5-01-58 | 58.4 | 14.7 | | | | 10-08-57 | 43.3 | 19.3 | 1050 |
| | | 6-02-58 | 58.5 | 14.8 | | | | 10-08-57 | 43.3 | 18.8 | 1101 |
| | | | | | | | | 1-13-58 | 44.1 | 19.6 | |
| | | | | | | | | 2-17-58 | 44.3 | 19.6 | |
| | | | | | | | | 3-10-58 | 43.5 | 19.5 | 1050 |
| | | | | | | | | 5-06-58 | 41.0 | 16.5 | 1101 |
| 4S/13W-04M01 S | 16.0 | 7-01-57 | 88.0 | 72.0 | 1050 | | | | | | |
| | | 8-30-57 | 89.0 | 73.0 | | | | | | | |
| | | 9-30-57 | 88.0 | 72.0 | | | | | | | |
| | | 10-31-57 | 89.0 | 73.0 | | | | | | | |
| | | 11-02-57 | 89.0 | 73.0 | | | | | | | |
| | | 1-02-58 | 89.0 | 73.0 | | 4S/13W-06K02 S | 10.7 | 9-17-57 | 36.2 | 25.5 | 1101 |
| | | 2-06-58 | 88.0 | 72.0 | | | | 1-13-58 | 16.5 | 5.8 | |
| | | 3-03-58 | 88.0 | 72.0 | | | | 2-17-58 | 6.6 | 4.1 | |
| | | 5-01-58 | 93.0 | 77.0 | | | | 5-06-58 | 10.0 | 4.7 | |
| | | 6-02-58 | 95.0 | 79.0 | | | | | | | |
| 4S/13W-05J02 S | 16.0 | 7-01-57 | 92.0 | 76.0 | 1050 | 4S/13W-06K04 S | 14.0** | 6-19-58 | 23.3 | 9.3 | 1101 |
| | | 8-30-57 | 94.0 | 78.0 | | | | 7-01-57 | 91.0 | 78.0 | 1050 |
| | | 9-30-57 | 93.0 | 77.0 | | | | 8-30-57 | 94.0 | 81.0 | |
| | | 10-31-57 | 92.0 | 76.0 | | | | 9-30-57 | 96.0 | 83.0 | |
| | | 11-02-57 | 90.0 | 74.0 | | | | 10-10-57 | 90.9 | 81.9 | |
| | | 1-02-58 | 89.0 | 73.0 | | | | 10-31-57 | 97.0 | 84.0 | |
| | | 2-06-58 | 88.0 | 72.0 | | | | 12-02-57 | 95.0 | 82.0 | |
| | | 3-03-58 | 88.0 | 72.0 | | | | 1-02-58 | 93.0 | 80.0 | |
| | | 5-01-58 | 94.0 | 78.0 | | | | 2-06-58 | 90.0 | 77.0 | |
| | | 6-02-58 | 96.0 | 80.0 | | | | 3-03-58 | 89.0 | 76.0 | |
| 4S/13W-05M01 S | 10.1 | 9-17-57 | 8.9 | 1.2 | 1101 | | | 3-10-58 | 85.2 | 68.2 | |
| | | 1-13-58 | 8.4 | 1.7 | | | | 5-01-58 | 93.0 | 80.0 | |
| | | 2-17-58 | 3.1 | 7.0 | | | | 6-02-58 | 97.0 | 84.0 | |
| | | 5-07-58 | 3.0 | 7.1 | | 4S/13W-07L01 S | 31.0 | 10-08-57 | 104.9 | 73.9 | 1050 |
| | | | | | | | | 3-10-58 | 102.2 | 71.2 | |
| 4S/13W-05M02 S | 12.4 | 9-17-57 | 42.5 | 30.1 | 1101 | | | | | | |
| | | 1-13-58 | 42.3 | 29.9 | | | | 7-01-57 | 97.0 | 82.0 | 1050 |
| | | 2-17-58 | 42.6 | 30.2 | | | | 8-01-57 | 99.3 | 84.3 | |
| | | 5-06-58 | 40.9 | 28.5 | | | | 8-30-57 | 98.9 | 83.9 | |
| 4S/13W-05M03 S | 8.8 | 9-17-57 | 5.9 | 2.9 | 1101 | | | 9-30-57 | 94.5 | 79.5 | |
| | | 1-13-58 | 1.2 | 7.6 | | | | 11-01-57 | 86.4 | 71.4 | |
| | | | | | | | | 12-02-57 | 87.3 | 72.3 | |
| | | | | | | | | 1-02-58 | 83.6 | 68.6 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------------|---------------------|--|---|--|-----------------------|------------------------------|---------------------|---|---|--|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| WEST COAST BASIN | | | | | | WEST COAST BASIN | | | | | |
| 4S/13W-08C01 S | 15.0 | 2-03-58 3-01-58 5-01-58 6-02-58 | 82.5 82.0 87.3 88.9 | - 67.5 - 67.0 - 72.3 - 73.9 | 1050 | 4S/13W-09E02 S CONT. | 17.2 17.0 | 3-10-58 5-05-58 | 69.0 70.5 | - 51.8 - 51.5 | 1050 1101 |
| 4S/13W-08G01 S | 11.9 | 9-17-57 1-13-58 2-17-58 5-06-58 | 8.9 9.1 5.7 5.3 | 3.0 2.8 6.2 6.6 | 1101 | 4S/13W-09H01 S | 23.6 | 7-01-57 8-30-57 12-31-57 1-31-58 2-28-58 3-31-58 4-30-58 6-04-58 | 98.8 97.3 88.8 90.0 90.8 91.8 96.8 97.8 | - 75.2 - 73.7 - 72.9 - 65.2 - 66.4 - 67.2 - 68.2 - 73.2 | 1050 |
| 4S/13W-08G02 S | 12.4 | 9-17-57 1-13-58 2-17-58 5-06-58 | 37.7 38.1 38.4 37.3 | - 25.3 - 25.7 - 26.0 - 24.9 | 1101 | 4S/13W-10A01 S | 34.0 | 7-19-57 8-09-57 9-13-57 10-04-57 10-16-57 10-25-57 11-15-57 12-06-57 | 50.9 50.8 51.9 51.0 51.7 51.7 51.9 50.2 | - 16.9 - 19.8 - 17.9 - 18.5 - 17.7 - 17.9 - 17.0 | 1101 |
| 4S/13W-08J01 S | 10.3 | 9-17-57 1-13-58 2-17-58 5-06-58 | 7.7 7.1 6.3 5.7 | 2.6 3.2 4.0 4.6 | 1101 | | | | | | |
| 4S/13W-08J02 S | 16.3 | 9-17-57 1-13-58 2-17-58 5-06-58 | 23.2 22.7 21.7 18.3 | - 6.9 - 6.4 - 5.4 - 2.0 | 1101 | | | | | | |
| 4S/13W-08R01 S | 15.7 | 9-17-57 1-13-58 2-17-58 5-06-58 | 19.8 19.1 18.3 14.4 | - 3.4 - 2.6 - 1.3 | 1101 | | | | | | |
| 4S/13W-09A01 S | 24.6 | 7-01-57 8-31-57 9-30-57 10-31-57 12-02-57 1-31-58 2-28-58 3-31-58 5-28-58 6-26-58 | 103.4 101.9 105.4 106.4 104.4 94.4 94.4 99.4 105.4 109.4 | - 78.8 - 77.3 - 80.8 - 81.8 - 69.8 - 69.8 - 74.8 - 79.8 - 80.8 - 84.8 | 1050 | 4S/13W-10E02 S | 27.0** | 12-03-57 5-05-58 | 70.8 71.1 | - 43.8 - 44.1 | 1101 |
| | | | | | | 4S/13W-10E03 S | 26.9 | 7-01-57 8-30-57 9-30-57 10-31-57 12-02-57 1-23-58 2-28-58 3-31-58 4-30-58 5-28-58 6-26-58 | 111.0 109.5 112.0 109.0 107.0 100.0 97.0 97.0 102.0 103.0 100.0 | - 84.1 - 82.6 - 85.1 - 82.1 - 80.1 - 71.1 - 70.1 - 70.1 - 75.1 - 76.1 - 73.1 | 1050 |
| 4S/13W-09E02 S | 17.2 17.0 | 10-11-57 10-30-57 | 90.5* 69.7 | - 73.3 - 52.7 | 1050 1101 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | |
|------------------------------|--------------------|--|--|------------------------------|-----------------------|-------------------------|--------------------|--|--------------------------------------|--|-----------------------|------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | WEST COAST BASIN | | | | | | |
| 41100 | | | | | | 41102 | | | | | | |
| 4S/13W-10F02 S | 27.0 | 7-01-57 130.7 8-01-57 128.4 9-03-57 126.1 10-01-57 126.1 11-01-57 130.7 12-01-57 128.4 | - 103.7 - 101.4 - 99.1 - 99.1 - 103.7 - 101.4 | 1050 | 1050 | 4S/13W-11K01 S CONT. | 35.5 | 2-06-58 52.0 3-03-58 53.0 4-01-58 52.9 5-01-58 53.1 6-02-58 53.5 | 41100 | 16.5 17.5 17.4 17.6 18.0 | 1050 | |
| 4S/13W-10H01 S | 31.9 | 7-19-57 45.7 8-09-57 45.7 9-13-57 47.2 10-08-57 46.6 10-25-57 47.8 11-15-57 48.0 12-06-57 47.7 1-17-58 46.5 2-07-58 50.1 2-28-58 49.8 3-21-58 48.5 4-11-58 48.1 5-02-58 49.7 5-23-58 51.0 6-13-58 52.2 | - 13.8 - 13.8 - 15.3 - 14.7 - 15.9 - 16.1 - 15.8 - 14.6 - 18.2 - 18.3 - 17.9 - 16.6 - 16.2 - 17.8 - 19.1 - 20.3 | 1101 | 1101 | 4S/13W-11K01 S | 35.6 | 7-01-57 50.9 8-05-57 51.6 9-03-57 54.1 10-01-57 52.3 11-06-57 52.7 1-07-58 53.1 2-11-58 53.4 3-03-58 53.1 4-15-58 53.4 4-28-58 53.4 5-20-58 53.8 6-10-58 54.1 | 41100 | 15.3 16.0 18.5 16.7 17.1 17.5 17.8 17.5 17.8 17.8 18.2 18.5 | 1101 | |
| 4S/13W-10J03 S | 30.5 | 10-16-57 45.5 3-10-58 48.1 | - 15.0 - 17.6 | 1050 | 1050 | 4S/13W-11K03 S | 34.7 | 7-01-57 46.0 8-01-57 49.0 8-30-57 48.5 9-30-57 47.5 10-30-57 47.0 12-02-57 47.0 1-02-58 48.0 2-06-58 48.0 3-03-58 48.5 4-01-58 50.0 5-01-58 51.5 6-02-58 53.0 | 41100 | 11.3 14.3 13.8 12.8 12.3 13.3 13.3 13.8 12.3 15.3 16.8 18.3 | 1050 | |
| 4S/13W-10J08 S | 31.0 | 10-30-57 65.6 5-06-58 66.1 | - 34.6 - 35.1 | 1101 | 1101 | 4S/13W-11L02 S | 34.0 | 7-01-57 47.0 8-01-57 48.5 8-30-57 49.0 9-30-57 48.6 10-30-57 47.5 12-02-57 47.0 1-02-58 48.5 2-06-58 48.0 3-03-58 48.5 4-01-58 49.5 5-01-58 51.0 6-02-58 52.5 | 41100 | 13.0 14.5 15.0 14.6 13.5 13.0 14.5 14.0 14.5 13.5 17.0 18.5 | 1050 | |
| 4S/13W-10J09 S | 30.0 | 10-30-57 48.0 5-06-58 49.3 | - 18.0 - 19.3 | 1101 | 1101 | | | | | | | |
| 4S/13W-11D01 S | 35.5 | 7-01-57 51.3 8-03-57 51.6 8-31-57 51.1 10-07-57 51.1 11-03-57 52.1 12-01-57 52.7 1-10-58 52.1 | - 15.8 - 16.1 - 15.6 - 15.1 - 16.6 - 17.2 - 16.6 | 1050 | 1050 | 4S/13W-14H02 S | | 12-12-57 DRY | | | | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| 4S/13W-14H02 S | | | | | | 4S/13W-14L01 S | | | | | |
| | 29.6 | 6-11-58 | DRY | 17.6 | 1101 | 4S/13W-14L01 S | 29.6 | 4-07-58 | 48.6 | 19.0 | 1101 |
| WEST COAST BASIN | | | | | | | | | | | |
| 4S/13W-14H04 S | | | | | | CONT. | | | | | |
| | | 4-29-58 | DRY | 17.7 | 1101 | | | 4-14-58 | 48.7 | 19.1 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 4S/13W-14J05 S | | | | | | 4S/13W-14K08 S | | | | | |
| | 29.6 | 6-12-58 | DRY | 17.8 | 1101 | | | 4-21-58 | 48.7 | 19.0 | |
| WEST COAST BASIN | | | | | | | | | | | |
| 4S/13W-14L01 S | | | | | | 4S/13W-15A01 S | | | | | |
| | | 7-01-57 | 47.2 | 17.9 | 1101 | | | 5-05-58 | 48.8 | 19.1 | |
| | | 7-08-57 | 47.3 | 18.0 | | | | 5-12-58 | 48.8 | 19.2 | |
| | | 7-15-57 | 47.4 | 18.1 | | | | 5-19-58 | 48.8 | 19.2 | |
| | | 7-22-57 | 47.5 | 18.2 | | | | 5-26-58 | 48.9 | 19.3 | |
| | | 8-6-57 | 47.6 | 18.3 | | | | 6-02-58 | 48.9 | 19.3 | |
| | | 8-12-57 | 47.7 | 18.4 | | | | 6-09-58 | 49.0 | 19.4 | |
| | | 8-16-57 | 47.8 | 18.5 | | | | 6-16-58 | 49.0 | 19.4 | |
| | | 8-26-57 | 47.9 | 18.6 | | | | 6-30-58 | 49.1 | 19.5 | |
| | | 9-0-57 | 47.9 | 18.7 | | | | 10-28-57 | 19.0 | 7.9 | 1101 |
| | | 9-08-57 | 47.7 | 18.1 | | | | 11-07-57 | 19.2 | 7.7 | |
| | | 9-16-57 | 47.9 | 18.3 | | | | 4-29-58 | 11.4 | 11.5 | |
| | | 9-23-57 | 48.0 | 18.4 | | | | | | | |
| | | 9-30-57 | 48.0 | 18.4 | | | | | | | |
| | | 10-07-57 | 48.0 | 18.4 | | | | | | | |
| | | 10-14-57 | 48.0 | 18.4 | | | | | | | |
| | | 10-21-57 | 48.2 | 18.6 | | | | | | | |
| | | 10-28-57 | 48.2 | 18.6 | | | | | | | |
| | | 11-04-57 | 48.2 | 18.6 | | | | | | | |
| | | 11-11-57 | 48.2 | 18.6 | | | | | | | |
| | | 11-18-57 | 48.3 | 18.7 | | | | | | | |
| | | 11-25-57 | 48.2 | 18.6 | | | | | | | |
| | | 12-02-57 | 48.3 | 18.7 | | | | | | | |
| | | 12-09-57 | 48.3 | 18.7 | | | | | | | |
| | | 12-16-57 | 48.4 | 18.8 | | | | | | | |
| | | 12-23-57 | 48.4 | 18.8 | | | | | | | |
| | | 12-30-57 | 48.4 | 18.8 | | | | | | | |
| | | 1-06-58 | 48.5 | 18.9 | | | | | | | |
| | | 1-13-58 | 48.5 | 18.9 | | | | | | | |
| | | 1-20-58 | 48.5 | 18.9 | | | | | | | |
| | | 1-27-58 | 48.6 | 19.0 | | | | | | | |
| | | 2-03-58 | 48.5 | 18.9 | | | | | | | |
| | | 2-10-58 | 48.6 | 19.0 | | | | | | | |
| | | 2-17-58 | 48.6 | 19.0 | | | | | | | |
| | | 2-24-58 | 48.7 | 19.1 | | | | | | | |
| | | 3-03-58 | 48.7 | 19.1 | | | | | | | |
| | | 3-10-58 | 48.7 | 19.1 | | | | | | | |
| | | 3-17-58 | 48.6 | 19.2 | | | | | | | |
| | | 3-24-58 | 48.6 | 19.2 | | | | | | | |
| | | 4-01-58 | 48.6 | 19.0 | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| 4S/13W-15A01 S | | | | | | 4S/13W-15C01 S | | | | | |
| | 29.7 | 7-01-57 | 45.8 | 16.1 | 1050 | | | 7-01-57 | 121.1 | 91.7 | 1050 |
| | | 8-01-57 | 46.2 | 16.5 | | | | 9-30-57 | 122.4 | 93.0 | |
| | | 8-30-57 | 46.7 | 17.0 | | | | 11-01-57 | 113.2 | 83.8 | |
| | | 9-30-57 | 46.6 | 16.9 | | | | 12-02-57 | 107.0 | 77.6 | |
| | | 11-01-57 | 46.8 | 17.1 | | | | 1-02-58 | 101.8 | 72.4 | |
| | | 12-02-57 | 47.0 | 17.3 | | | | 2-03-58 | 97.9 | 68.5 | |
| | | 1-02-58 | 48.3 | 18.6 | | | | 3-01-58 | 103.4 | 74.0 | |
| | | 2-03-58 | 47.5 | 17.8 | | | | 4-01-58 | 108.0 | 78.6 | |
| | | 3-01-58 | 47.3 | 17.6 | | | | 5-01-58 | 119.8 | 90.4 | |
| | | 4-01-58 | 47.3 | 17.6 | | | | 6-02-58 | 116.0 | 86.6 | |
| | | 5-01-58 | 47.2 | 17.5 | | | | | | | |
| | | 6-02-58 | 47.3 | 17.6 | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| 4S/13W-15A01 S | | | | | | 4S/13W-15C01 S | | | | | |
| | 29.7 | 7-01-57 | 45.8 | 16.1 | 1050 | | | 7-01-57 | 113.0 | 89.0 | 1050 |
| | | 8-01-57 | 46.2 | 16.5 | | | | 8-01-57 | 116.0 | 92.0 | |
| | | 8-30-57 | 46.7 | 17.0 | | | | 9-01-57 | 117.5 | 93.5 | |
| | | 9-30-57 | 46.6 | 16.9 | | | | 10-30-57 | 118.0 | 84.0 | |
| | | 11-01-57 | 46.8 | 17.1 | | | | 1-01-57 | 118.0 | 84.0 | |
| | | 12-02-57 | 47.0 | 17.3 | | | | 12-02-57 | 108.0 | 84.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 41100 | | | | | | 41100 | | | | | |
| WEST COAST BASIN | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 41102 | | | | | | 41102 | | | | | |
| WEST COAST BASIN | | | | | | | | | | | |
| 4S/13W-15C01 S | 24.0 | 1-02-58 | 104.0 | 80.4 | 1050 | 4S/13W-15R03 S | 20.0 | 3-11-58 | 44.6 | 24.6 | 1050 |
| CONT. | | 2-06-58 | 102.5 | 78.5 | | | | | | | |
| | | 3-03-58 | 100.5 | 76.5 | | 4S/13W-16002 S | 10.1 | 1-14-58 | 6.5 | 3.6 | 1101 |
| | | 4-01-58 | 106.0 | 82.0 | | | | 2-18-58 | 5.1 | 5.0 | |
| | | 5-01-58 | 108.0 | 84.0 | | | | 5-06-58 | 4.4 | 5.7 | |
| | | 6-02-58 | 111.0 | 87.0 | | | | | | | |
| 4S/13W-15001 S | 23.6 | 12-03-57 | 68.3 | 44.7 | 1101 | 4S/13W-16003 S | 18.7 | 9-17-57 | 55.9 | 37.2 | 1101 |
| | | 1-14-58 | 66.6 | 43.0 | | | | 1-14-58 | 55.3 | 36.6 | |
| | | 5-05-58 | 67.4 | 43.8 | | | | 2-18-58 | 54.9 | 36.2 | |
| 4S/13W-15E02 S | 21.4 | 1-14-58 | 66.6 | 45.2 | 1101 | 4S/13W-16F01 S | | 1-14-58 | DRY | | 1101 |
| | | 2-18-58 | 65.3 | 43.9 | | | | 2-18-58 | DRY | | |
| | | 5-07-58 | 64.1 | 42.7 | | | | 5-07-58 | 14.0 | 7.0 | |
| 4S/13W-15N01 S | 20.0 | 7-01-57 | 151.0 | 131.0 | 1050 | 4S/13W-16F02 S | 20.6 | 9-18-57 | 35.8 | 15.2 | 1101 |
| | | 8-01-57 | 160.0 | 140.0 | | | | 1-14-58 | 34.6 | 14.0 | |
| | | 9-02-57 | 148.0 | 128.0 | | | | 2-18-58 | 34.2 | 13.6 | |
| | | 10-01-57 | 142.0* | 122.0 | | | | 5-07-58 | 30.8 | 10.2 | |
| | | 11-01-57 | 154.0* | 134.0 | | | | | | | |
| | | 12-02-57 | 103.0 | 83.0 | | 4S/13W-16J01 S | 10.4 | 9-18-57 | 22.6 | 12.2 | 1101 |
| | | 1-02-58 | 142.0* | 122.0 | | | | 2-18-58 | 23.0 | 12.6 | |
| | | 2-03-58 | 93.5 | 73.5 | | | | 5-07-58 | 23.2 | 12.8 | |
| | | 3-01-58 | 96.5 | 76.5 | | | | | | | |
| | | 4-01-58 | 99.0 | 79.0 | | 4S/13W-16J02 S | 28.0 | 9-18-57 | 52.9 | 24.9 | 1101 |
| | | 5-01-58 | 107.0 | 87.0 | | | | 1-13-58 | 53.1 | 25.1 | |
| | | 6-01-58 | 106.0 | 86.0 | | | | 2-18-58 | 53.1 | 25.1 | |
| 4S/13W-15P03 S | 22.0 | 5-05-58 | 111.4 | 89.4 | 1101 | | | 5-07-58 | 53.5 | 25.5 | |
| 4S/13W-15005 S | 25.5 | 11-04-57 | 59.3 | 33.8 | 1101 | 4S/13W-16K01 S | 23.3 | 9-18-57 | 44.9 | 21.6 | 1101 |
| | | 5-06-58 | 60.1 | 34.6 | | | | 1-14-58 | 43.8 | 20.5 | |
| 4S/13W-15R02 S | 22.0 | 7-01-57 | 46.5 | 24.5 | 1050 | 4S/13W-16R01 S | 21.8 | 2-18-58 | 44.1 | 20.8 | 1101 |
| | | 8-01-57 | 48.0 | 26.0 | | | | 5-07-58 | 43.8 | 20.5 | |
| | | 9-10-57 | 48.6 | 26.6 | | | | | | | |
| | | 9-30-57 | 48.5 | 26.5 | | | | 9-18-57 | 38.3 | 16.5 | |
| | | 10-31-57 | 48.0 | 26.0 | | | | 1-14-58 | 36.8 | 15.0 | |
| | | 12-02-57 | 47.0 | 25.0 | | | | 2-18-58 | 32.2 | 10.4 | |
| | | 1-02-58 | 46.5 | 24.5 | | | | 5-07-58 | 29.9 | 8.1 | |
| | | 2-06-58 | 49.0 | 27.0 | | 4S/13W-19B01 S | 40.3 | 10-09-57 | 105.6 | 65.3 | 1050 |
| | | 3-03-58 | 50.5 | 28.5 | | | | 3-07-58 | 98.6 | 58.3 | |
| | | 4-01-58 | 48.5 | 26.5 | | 4S/13W-19B02 S | 39.4 | 9-01-57 | 107.0 | 67.6 | 1050 |
| | | 5-01-58 | 50.5 | 28.5 | | | | 9-01-57 | 107.0* | 67.3 | 1101 |
| | | 6-02-58 | 51.0 | 29.0 | | | | 10-01-57 | 106.0 | 66.6 | 1050 |
| 4S/13W-15R03 S | 20.0 | 10-16-57 | 45.7 | 25.7 | 1050 | | | 10-01-57 | 106.0* | 66.3 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| 4S/13W-19B02 S | 394.7 | 10-28-57 | 103.0* | 63.3 | 1101 | 4S/13W-21H02 S | 35.4 | 1-01-58 | 108.4 | 73.0 | 1050 |
| CONT. | 394.4 | 11-01-57 | 103.0* | 63.6 | 1050 | | | 2-01-58 | 107.7 | 72.3 | |
| | 394.7 | 11-01-57 | 103.0* | 63.3 | 1101 | | | 3-01-58 | 111.0 | 75.6 | |
| | 394.4 | 12-01-57 | 103.0* | 63.6 | 1050 | | | 4-01-58 | 112.3 | 76.9 | |
| | 394.7 | 12-01-57 | 103.0* | 63.3 | 1101 | | | 5-01-58 | 119.7 | 84.3 | |
| | 394.4 | 1-01-58 | 100.0 | 60.6 | 1050 | | | 6-01-58 | 120.4 | 85.0 | |
| | | 2-01-58 | 100.0 | 60.6 | | | | | | | |
| | | 3-01-58 | 99.0 | 59.6 | | | | | | | |
| | 394.7 | 4-22-58 | 101.0* | 61.3 | 1101 | 4S/13W-21H03 S | 35.0 | 7-01-57 | 124.7 | 89.7 | 1050 |
| | 394.4 | 6-01-58 | 100.0 | 60.6 | 1050 | | | 8-01-57 | 124.0 | 89.0 | |
| | | | | | | | | 9-01-57 | 128.6 | 93.6 | |
| | | | | | | | | 10-01-57 | 122.8 | 87.8 | |
| 4S/13W-19J02 S | 444.8 | 7-01-57 | 108.1 | 63.3 | 1101 | | | 11-01-57 | 119.1 | 84.1 | |
| | | 8-05-57 | 109.5 | 64.7 | | | | 12-01-57 | 112.9 | 77.9 | |
| | | 9-03-57 | 110.5 | 65.7 | | | | 3-01-58 | 109.0 | 73.0 | |
| | | 10-10-57 | 108.6 | 63.8 | | | | 4-01-58 | 109.2 | 72.6 | |
| | | 10-10-57 | 108.2 | 63.8 | 1050 | | | 5-01-58 | 107.6 | 71.6 | |
| | | 11-06-57 | 106.0 | 61.2 | 1101 | | | 6-01-58 | 120.7 | 85.7 | |
| | 444.5 | 12-04-57 | 105.4 | 60.9 | | | | 6-01-58 | 121.3 | 86.3 | |
| | | 1-07-58 | 103.5 | 59.0 | | | | | | | |
| | | 2-11-58 | 102.7 | 58.2 | | 4S/13W-21H05 S | 21.2 | 7-01-57 | 110.4 | 89.2 | 1050 |
| | | 3-03-58 | 102.7 | 58.2 | | | | 8-01-57 | 109.4 | 88.2 | |
| | 444.8 | 3-07-58 | 102.7 | 57.9 | 1050 | | | 9-01-57 | 113.8 | 92.6 | |
| | 444.5 | 4-15-58 | 103.2 | 58.7 | 1101 | | | 10-01-57 | 110.3 | 89.1 | |
| | | 4-28-58 | 105.5 | 61.0 | | | | 11-01-57 | 106.6 | 85.4 | |
| | | 5-20-58 | 105.7 | 61.2 | | | | 12-01-57 | 99.2 | 78.0 | |
| | | 6-10-58 | 106.8 | 62.3 | | | | 1-01-58 | 92.8 | 71.6 | |
| 4S/13W-19W01 S | 414.9 | 10-09-57 | 91.3 | 49.4 | 1050 | | | 2-01-58 | 92.8 | 71.6 | |
| | | 3-07-58 | 92.7 | 50.8 | | | | 3-01-58 | 95.8 | 74.6 | |
| | | 4-16-58 | 92.4 | 50.5 | | | | 4-01-58 | 98.8 | 77.6 | |
| | | | | | | | | 5-01-58 | 108.6 | 87.4 | |
| | | | | | | | | 6-01-58 | 108.0 | 86.8 | |
| 4S/13W-20K01 S | 394.0 | 10-17-57 | 105.9 | 66.9 | 1050 | 4S/13W-21H06 S | 20.4 | 7-01-57 | 111.4 | 91.0 | 1050 |
| | | 3-07-58 | 99.5 | 60.5 | | | | 8-01-57 | 109.3 | 88.9 | |
| 4S/13W-21A01 S | 204.2 | 9-18-57 | 33.2 | 13.0 | 1101 | | | 9-01-57 | 114.3 | 93.9 | |
| | | 1-14-58 | 32.4 | 12.2 | | | | 10-01-57 | 109.8 | 89.4 | |
| | | 2-18-58 | 32.0 | 11.8 | | | | 11-01-57 | 105.4 | 85.0 | |
| | | 5-07-58 | 33.4 | 13.2 | | | | 12-01-57 | 98.5 | 78.1 | |
| 4S/13W-21H02 S | 354.4 | 7-01-57 | 124.8 | 89.4 | 1050 | | | 1-01-58 | 95.0 | 74.6 | |
| | | 8-01-57 | 125.5 | 90.1 | | | | 2-01-58 | 93.9 | 73.5 | |
| | | 9-01-57 | 127.1 | 91.7 | | | | 3-01-58 | 96.5 | 76.1 | |
| | | 10-01-57 | 123.2 | 87.8 | | | | 4-01-58 | 98.9 | 78.5 | |
| | | 11-01-57 | 118.8 | 83.4 | | | | 5-01-58 | 106.7 | 86.3 | |
| | | 12-01-57 | 112.5 | 77.1 | | | | 6-01-58 | 107.6 | 87.2 | |
| | | | | | | | | 7-01-57 | 124.9 | 90.3 | 1050 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|---|---|--|-----------------------|-------------------------|--------------------|--|--|--|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | WEST COAST BASIN | | | | | |
| 41100 | | | | | | 41102 | | | | | |
| 4S/13W-21J02 S CONT. | 34.6 | 8-01-57 9-01-57 10-01-57 11-01-57 12-01-57 1-01-58 2-01-58 3-01-58 4-01-58 5-01-58 6-01-58 | 123.2 127.2 122.8 119.3 113.1 108.5 106.8 106.8 112.0 120.2 120.6 | 88.6 92.6 88.2 84.7 78.5 73.9 72.2 72.2 77.4 85.6 86.0 | 1050 | 4S/13W-22E01 S CONT. | 20.4 | 3-01-58 4-01-58 5-01-58 6-01-58 | 94.7 96.9 104.7 105.2 | 74.3 76.5 84.3 84.8 | 1050 |
| 4S/13W-22F01 S | 20.9 | 7-01-57 8-01-57 9-01-57 10-01-57 11-01-57 12-01-57 1-01-58 2-01-58 3-01-58 4-01-58 5-01-58 6-01-58 | 110.6 109.9 113.4 109.5 105.8 99.1 94.9 93.3 98.5 106.9 107.2 | 89.7 89.0 92.5 88.6 84.9 78.2 74.0 72.4 75.6 78.0 86.0 86.3 | 1050 | 4S/13W-22F02 S | 19.4 | 10-16-57 3-07-58 | 107.1 100.2 | 87.7 80.8 | 1050 |
| 4S/13W-22G01 S | 28.7 | 9-18-57 10-16-57 11-04-57 1-14-58 2-18-58 3-11-58 4-23-58 5-07-58 | 59.7 62.5 55.6 54.2 59.9 54.7 53.0 58.8 | 28.7 28.1 28.7 28.1 28.7 | 1101 | 4S/13W-22G04 S | 6.8 | 9-18-57 1-14-58 2-18-58 5-07-58 | DRY DRY 24.3 | 11.0 17.5 17.5 | 1101 |
| 4S/13W-22C01 S | 21.0 | 10-07-57 3-07-58 | 75.8 70.0 | 54.8 49.0 | 1050 | 4S/13W-22G05 S | 23.8 | 9-18-57 1-14-58 2-18-58 5-07-58 | 54.5 53.3 53.6 54.3 | 30.7 29.5 29.8 30.5 | 1101 |
| 4S/13W-22C04 S | 6.2 | 9-18-57 1-14-58 2-18-58 5-07-58 | 23.6 23.7 16.8 23.6 | 17.4 17.5 16.6 17.4 | 1101 | 4S/13W-22K01 S | 20.2 | 7-01-57 8-01-57 8-29-57 10-01-57 12-01-57 2-01-58 | 109.2* 109.5* 112.9* 110.1* 52.2 49.6 | 89.0 89.3 92.7 89.9 52.0 29.4 | 1050 |
| 4S/13W-22C05 S | 24.2 | 9-18-57 1-14-58 2-18-58 5-07-58 | 51.5 51.3 51.8 52.3 | 27.3 27.1 27.6 28.1 | 1101 | 4S/13W-22K01 S | 20.4 | 7-01-57 8-01-57 9-01-57 10-01-57 12-01-57 | 109.3 108.2 111.6 107.5 103.8 | 88.9 87.8 91.2 87.1 83.4 | 1050 |
| 4S/13W-22E01 S | 20.4 | 7-01-57 8-01-57 9-01-57 10-01-57 12-01-57 | 109.3 108.2 111.6 107.5 103.8 | 88.9 87.8 91.2 87.1 83.4 | 1050 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|-------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|-------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | WEST COAST BASIN | | | | | |
| 45/13W-22K01 S | | | | | | 45/13W-23B02 S | | | | | |
| CONT. | | | | | | CONT. | | | | | |
| 20+2 | 1-02-58 | 49.6 | - | 29.4 | 1050 | 24+5 | 7-08-57 | 114.2 | - | 89.7 | 1101 |
| | 2-11-58 | 49.7 | - | 29.5 | | | 7-15-57 | 114.2 | - | 89.7 | |
| | 3-03-58 | 51.9 | - | 31.7 | | | 7-22-57 | 114.7 | - | 90.2 | |
| | 4-02-58 | 48.8 | - | 28.6 | | | 7-29-57 | 114.5 | - | 90.0 | |
| | 4-28-58 | 49.4 | - | 29.2 | | | 8-05-57 | 116.4 | - | 91.9 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 45/13W-22K02 S | | | | | | 45/13W-23B03 S | | | | | |
| 21+1 | 9-18-57 | 43.1 | - | 22.0 | 1101 | | 8-12-57 | 116.9 | - | 92.4 | |
| | 1-14-58 | 43.7 | - | 22.6 | | | 8-19-57 | 120.0 | - | 95.5 | |
| | 2-18-58 | 43.2 | - | 22.1 | | | 8-26-57 | 119.8 | - | 95.3 | |
| | 5-07-58 | 43.0 | - | 21.9 | | | 9-02-57 | 119.3 | - | 94.8 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 45/13W-22K05 S | | | | | | 45/13W-23B04 S | | | | | |
| 20+7 | 10-31-57 | 49.9 | - | 29.2 | 1101 | | 9-16-57 | 118.5 | - | 94.0 | |
| | 11-04-57 | 50.7 | - | 30.0 | | | 9-23-57 | 117.3 | - | 92.8 | |
| | 12-03-57 | 49.7 | - | 29.0 | | | 9-30-57 | 116.4 | - | 91.9 | |
| | 1-02-58 | 51.7 | - | 29.5 | | | 10-07-57 | 114.5 | - | 90.0 | |
| 22+2 | 1-14-58 | 52.3 | - | 30.1 | | | 10-14-57 | 111.7 | - | 87.2 | |
| | 2-11-58 | 51.5 | - | 29.3 | | | 10-21-57 | 110.9 | - | 86.1 | |
| | 3-03-58 | 51.2 | - | 29.0 | | | 10-28-57 | 109.9 | - | 84.7 | |
| 21+6 | 4-02-58 | 52.5 | - | 30.9 | | | 11-01-57 | 106.2 | - | 81.9 | |
| | 4-15-58 | 50.1 | - | 28.5 | | | 11-18-57 | 106.2 | - | 81.6 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 45/13W-22P01 S | | | | | | 45/13W-23B05 S | | | | | |
| 16+0 | 7-01-57 | 102.7 | - | 86.7 | 1050 | | 11-25-57 | 106.9 | - | 82.4 | |
| | 8-01-57 | 102.5 | - | 86.5 | | | 12-02-57 | 104.9 | - | 80.4 | |
| | 9-01-57 | 101.5 | - | 85.5 | | | 12-09-57 | 103.6 | - | 79.1 | |
| | 10-01-57 | 101.8 | - | 88.8 | | | 12-16-57 | 102.7 | - | 78.2 | |
| | 11-01-57 | 99.6 | - | 83.6 | | | 12-23-57 | 101.3 | - | 76.8 | |
| | 12-01-57 | 93.6 | - | 77.0 | | | 12-30-57 | 100.7 | - | 76.2 | |
| | 1-01-58 | 83.0 | - | 73.1 | | | 1-06-58 | 100.8 | - | 76.3 | |
| | 2-02-58 | 88.0 | - | 72.0 | | | 1-13-58 | 100.0 | - | 75.5 | |
| | 3-03-58 | 89.5 | - | 73.5 | | | 1-20-58 | 101.2 | - | 76.7 | |
| | 4-02-58 | 93.1 | - | 77.1 | | | 1-27-58 | 99.7 | - | 75.2 | |
| | 5-01-58 | 101.0 | - | 85.0 | | | 2-03-58 | 98.5 | - | 74.0 | |
| | 6-02-58 | 99.9 | - | 83.9 | | | 2-10-58 | 100.5 | - | 76.0 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 45/13W-22Q02 S | | | | | | 45/13W-23B06 S | | | | | |
| 18+8 | 9-18-57 | 35.2 | - | 16.4 | 1101 | | 2-17-58 | 101.3 | - | 76.8 | |
| | 1-15-58 | 35.4 | - | 16.6 | | | 2-24-58 | 101.3 | - | 76.8 | |
| | 2-18-58 | 35.4 | - | 16.6 | | | 3-03-58 | 101.7 | - | 77.2 | |
| | 5-07-58 | 34.7 | - | 15.9 | | | 3-10-58 | 102.7 | - | 78.2 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 45/13W-22R03 S | | | | | | 45/13W-23B07 S | | | | | |
| | 11-04-57 | DRY | - | | 1101 | | 3-24-58 | 104.7 | - | 80.2 | |
| | 4-23-58 | DRY | - | | | | 4-01-58 | 105.1 | - | 80.6 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 45/13W-22R04 S | | | | | | 45/13W-23B08 S | | | | | |
| 18+0 | 10-30-57 | 41.6 | - | 23.6 | 1101 | | 4-07-58 | 106.0 | - | 81.5 | |
| | 5-06-58 | 42.6 | - | 24.6 | | | 4-14-58 | 106.7 | - | 82.2 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 45/13W-23B02 S | | | | | | 45/13W-23B09 S | | | | | |
| 24+5 | 7-01-57 | 115.9 | - | 91.4 | 1101 | | 4-28-58 | 112.5 | - | 88.0 | |
| | | | - | | | | 5-05-58 | 112.8 | - | 88.3 | |
| | | | - | | | | 5-12-58 | 110.9 | - | 86.4 | |
| | | | - | | | | 5-19-58 | 110.2 | - | 85.7 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------------|---------------------|--|--|--|-----------------------|-------------------------|---------------------|---|--|--|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | WEST COAST BASIN | | | | | |
| 41100 | | | | | | 41100 | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | | | | | | |
| 41102 | | | | | | 41102 | | | | | |
| 4S/13W-23B02 S CONT. | 24.5 | 5-26-58 6-02-58 6-09-58 6-16-58 6-23-58 6-30-58 | 111.4 111.9 114.3 115.6 117.3 116.0 | - 86.9 - 87.4 - 89.8 - 91.1 - 92.8 - 91.5 | 1101 | 4S/13W-26P07 S CONT. | 12.1 | 3-21-58 4-11-58 5-02-58 5-23-58 6-13-58 | 27.7 27.7 28.0 28.0 28.3 | 15.6 15.6 15.9 15.9 16.2 | 1101 |
| 4S/13W-23M03 S | 23.5 22.0** | 11-22-57 | 30.0* | - 6.5 | 1101 | 4S/13W-27A01 S | 18.2 17.4 | 12-03-57 5-06-58 | 43.8 44.8 | 25.6 27.4 | 1101 |
| 4S/13W-23O02 S | | 10-28-57 4-29-58 | DRY DRY | - 21.9 | 1101 | 4S/13W-27G01 S | 16.9 | 9-18-57 1-15-58 2-18-58 5-07-58 | 36.4 36.4 36.2 36.2 | 19.1 19.5 19.3 19.3 | 1101 |
| 4S/13W-24N04 S | | 10-28-57 | DRY | | 1101 | 4S/13W-27H01 S | 14.0 | 7-19-57 | 33.7 | 19.7 | 1101 |
| 4S/13W-26P02 S | 10.6 | 7-19-57 8-09-57 9-13-57 10-04-57 10-07-57 10-25-57 11-15-57 12-06-57 12-27-57 | 31.4 31.8 32.1 32.0 26.1 31.5 31.1 31.0 | - 20.8 - 21.2 - 21.5 - 21.4 - 15.5 - 20.9 - 20.5 - 20.4 | 1101 | | | 8-09-57 9-13-57 10-04-57 10-07-57 11-15-57 12-06-57 1-17-58 2-07-58 2-28-58 3-04-58 3-21-58 4-11-58 5-02-58 5-23-58 6-13-58 | 34.0 34.9 34.8 35.0 34.6 34.5 34.4 34.5 34.2 34.8 34.0 34.3 34.3 35.7 34.9 | 20.0 20.9 20.8 21.0 20.5 20.5 20.5 20.2 20.2 20.8 20.3 20.3 20.7 21.7 | 1050 1101 |
| 4S/13W-26P07 S | 12.1 | 7-19-57 8-09-57 9-13-57 10-04-57 10-25-57 11-15-57 12-06-57 1-17-58 2-07-58 2-28-58 3-04-58 3-21-58 4-11-58 5-02-58 5-23-58 6-13-58 | 27.8 28.0 28.1 28.2 28.0 27.8 28.2 27.7 28.5 27.7 28.4 28.7 27.7 27.7 27.7 | - 15.7 - 15.9 - 16.1 - 16.0 - 15.9 - 15.7 - 16.1 - 15.6 - 16.4 - 16.4 - 15.7 - 15.6 - 15.6 | 1101 | 4S/13W-27M01 S | 31.7 | 7-02-57 | 115.9 | 88.2 | 1050 |
| | | 8-09-57 9-13-57 10-04-57 10-25-57 11-15-57 12-06-57 1-17-58 2-07-58 2-28-58 3-04-58 3-21-58 4-11-58 5-02-58 5-23-58 6-13-58 | 28.0 28.1 28.2 28.0 27.8 28.2 27.7 28.5 27.7 28.4 28.7 27.7 27.7 | - 89.3 - 89.3 - 84.0 - 75.8 - 72.0 - 71.3 - 73.6 - 76.0 - 81.2 - 82.2 | 1101 | | | 8-01-57 8-29-57 10-07-57 10-31-57 12-03-57 12-30-57 1-31-58 3-04-58 4-02-58 4-29-58 5-29-58 | 116.9 121.0 115.7 113.4 107.5 103.7 103.0 105.3 107.7 112.9 113.9 | 88.2 89.3 84.0 75.8 72.0 71.3 73.6 76.0 81.2 82.2 | 1050 |
| | | 7-02-57 | 115.9 | - 88.2 | 1101 | | | 7-02-57 | 119.7 | 86.1 | 1050 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| WEST COAST BASIN | | | | | | WEST COAST BASIN | | | | | |
| 45/13W-27M03 S | | | | | | 45/13W-27G02 S | | | | | |
| CONT. | | | | | | 45/13W-28N01 S | | | | | |
| | 33.6 | 8-01-57 | 120.5 | - 86.9 | 1050 | | 13.4 | 5-07-58 | 19.6 | - 6.2 | 1101 |
| | | 8-29-57 | 124.6 | - 91.0 | | | 46.1 | 7-01-57 | 89.3 | - 43.2 | 1101 |
| | | 10-07-57 | 119.2 | - 85.6 | | | | 7-15-57 | 89.2 | - 43.1 | |
| | | 10-31-57 | 116.9 | - 83.3 | | | | 8-05-57 | 89.6 | - 43.5 | |
| | | 12-03-57 | 111.0 | - 77.4 | | | | 9-03-57 | 89.9 | - 43.8 | |
| | | 12-30-57 | 107.7 | - 74.1 | | | | 10-01-57 | 90.1 | - 44.0 | 1050 |
| | | 1-31-58 | 106.5 | - 72.9 | | | | 11-07-57 | 89.7 | - 43.6 | 1101 |
| | | 3-04-58 | 108.9 | - 75.3 | | | | 11-06-57 | 90.5 | - 44.4 | |
| | | 4-02-58 | 111.0 | - 77.4 | | | | 12-04-57 | 89.7 | - 43.6 | |
| | | 4-29-58 | 117.0 | - 83.4 | | | | 1-07-58 | 89.0 | - 42.9 | |
| | | 5-29-58 | 117.8 | - 84.2 | | | | 2-11-58 | 88.9 | - 42.8 | |
| | | 7-02-57 | 119.0 | - 85.1 | 1050 | | | 3-03-58 | 88.8 | - 42.7 | 1050 |
| | 33.9 | 8-01-57 | 122.0 | - 88.1 | | | | 3-05-58 | 88.3 | - 42.7 | 1101 |
| | | 8-29-57 | 125.5 | - 91.6 | | | | 4-15-58 | 88.5 | - 42.4 | |
| | | 10-07-57 | 120.2 | - 86.3 | | | | 4-29-58 | 88.5 | - 42.4 | |
| | | 10-31-57 | 116.8 | - 82.9 | | | | 5-20-58 | 88.7 | - 42.6 | |
| | | 12-03-57 | 111.2 | - 77.3 | | | | 6-10-58 | 88.9 | - 42.8 | |
| | | 12-30-57 | 107.4 | - 73.5 | | | | | | | |
| | | 1-31-58 | 106.8 | - 72.9 | | | | 10-07-57 | 91.6 | - 45.6 | 1050 |
| | | 3-04-58 | 108.0 | - 74.1 | | | | 3-05-58 | 90.3 | - 44.3 | |
| | | 4-02-58 | 110.2 | - 76.3 | | | | 10-11-57 | 112.9 | - 71.9 | 1050 |
| | | 4-29-58 | 115.6 | - 81.7 | | | | 3-07-58 | 106.0 | - 65.0 | |
| | | 5-29-58 | 116.8 | - 82.9 | | | | | | | |
| | | 7-02-57 | 116.0 | - 83.2 | 1050 | | | 11-12-57 | 116.4 | - 67.4 | 1101 |
| | 30.8 | 8-01-57 | 119.0 | - 88.2 | | | | 5-06-58 | 117.3 | - 68.3 | |
| | | 8-29-57 | 115.0 | - 84.2 | | | | 10-11-57 | 103.2 | - 61.2 | 1050 |
| | | 10-06-57 | 113.0 | - 82.2 | | | | 3-07-58 | 101.2 | - 59.2 | |
| | | 10-31-57 | 110.0 | - 79.2 | | | | | | | |
| | | 12-03-57 | 105.0 | - 74.2 | | | | 10-10-57 | 119.2 | - 82.2 | 1050 |
| | | 12-30-57 | 101.0 | - 70.2 | | | | | | | |
| | | 1-31-58 | 101.0 | - 70.2 | | | | 3-07-58 | 97.8 | - 62.3 | 1050 |
| | | 3-04-58 | 102.0 | - 71.2 | | | | 10-09-57 | 111.1 | - 64.1 | 1050 |
| | | 3-04-58 | 102.0 | - 71.2 | | | | 3-07-58 | 118.7 | - 71.7 | |
| | | 3-02-58 | 106.0 | - 75.2 | | | | 4-14-58 | 104.9 | - 57.9 | |
| | | 4-29-58 | 111.0 | - 79.2 | | | | | | | |
| | | 5-29-58 | 112.0 | - 81.2 | | | | 10-09-57 | 106.3 | - 60.3 | 1050 |
| | | 9-18-57 | 33.9 | - 21.1 | 1101 | | | 3-07-58 | 100.8 | - 54.8 | |
| | 12.8 | 1-15-58 | 33.4 | - 20.6 | | | | | | | |
| | | 2-18-58 | 33.3 | - 20.5 | | | | 7-01-57 | 105.0 | - 67.8 | 1050 |
| | | 5-07-58 | 33.5 | - 20.7 | | | | 8-01-57 | 106.0 | - 68.8 | 1200 |
| | | | | | | | | 8-14-57 | 107.7 | - 70.5 | 1050 |
| | | | | | | | | 9-01-57 | 111.0 | - 73.8 | |
| | | 9-18-57 | 21.0 | - 7.6 | 1101 | | | | | | |
| | 13.4 | 1-15-58 | 20.6 | - 7.2 | | | | | | | |
| | | 2-18-58 | 20.7 | - 7.3 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | | | | | | |
| 44110 | | | | | | | | | | | |
| 4S/13W-30G01 S | 37.2 | 10-01-57 | 105.0 | 67.4 | 1050 | 4S/13W-31E02 S | 19.6 | 9-01-57 | 88.4 | 68.8 | 1050 |
| CONT. | | 10-30-57 | 101.6 | 64.4 | 1200 | | | 10-01-57 | 86.0 | 67.2 | |
| | | 11-01-57 | 102.0 | 63.0 | 1050 | | | 1-01-57 | 84.4 | 64.9 | |
| | | 11-29-57 | 100.2 | 63.0 | 1200 | | | 1-01-58 | 83.3 | 63.7 | |
| | | 12-01-57 | 101.0 | 63.8 | 1050 | | | 2-01-58 | 82.2 | 63.6 | |
| | | 12-27-57 | 98.7 | 61.5 | 1200 | | | 3-01-58 | 80.4 | 60.8 | |
| | | 1-01-58 | 99.0 | 61.8 | 1050 | | | 4-01-58 | 80.2 | 60.6 | |
| | | 1-31-58 | 96.9 | 59.7 | 1200 | | | 4-01-58 | 80.2 | 60.6 | |
| | | 2-01-58 | 98.0 | 60.8 | 1050 | | | 5-01-58 | 82.2 | 62.6 | |
| | | 2-26-58 | 96.8 | 59.6 | 1200 | | | 6-01-58 | 82.6 | 63.0 | |
| | | 3-01-58 | 96.5 | 59.3 | 1050 | | | | | | |
| | | 3-28-58 | 97.4 | 60.2 | 1200 | 4S/13W-31E04 S | 22.2 | 7-01-57 | 88.4 | 66.2 | 1050 |
| | | 4-01-58 | 97.0 | 59.8 | 1050 | | | 7-05-57 | 89.2 | 67.0 | 1200 |
| | | 5-01-58 | 101.0 | 63.8 | 1050 | | | 7-31-57 | 89.5 | 67.7 | |
| | | 5-28-58 | 99.6 | 62.4 | 1200 | | | 8-01-57 | 89.7 | 67.5 | 1050 |
| | | 6-01-58 | 100.0 | 62.8 | 1050 | | | 8-14-57 | 90.7 | 68.5 | 1200 |
| | | 6-27-58 | 105.4 | 68.2 | 1200 | | | 9-01-57 | 91.2 | 69.0 | 1050 |
| | | | | | | | | 9-20-57 | 91.2 | 68.9 | 1200 |
| 4S/13W-30G03 S | 26.1 | 7-01-57 | 95.0 | 68.9 | 1050 | | | 10-01-57 | 89.3 | 67.1 | 1050 |
| | | 8-01-57 | 94.0 | 69.9 | | | | 10-07-57 | 89.0 | 66.8 | |
| | | 9-01-57 | 98.0 | 71.9 | | | | 10-30-57 | 86.4 | 64.9 | 1200 |
| | | 10-01-57 | 95.0 | 68.9 | | | | 1-01-57 | 86.3 | 64.7 | 1050 |
| | | 11-01-57 | 93.0 | 66.9 | | | | 11-29-57 | 86.2 | 64.0 | 1200 |
| | | 12-01-57 | 91.5 | 65.4 | | | | 1-01-57 | 86.2 | 63.8 | 1050 |
| | | 1-01-58 | 89.0 | 62.9 | | | | 1-21-57 | 83.9 | 61.8 | 1200 |
| | | 2-01-58 | 89.0 | 62.9 | | | | 1-01-58 | 83.5 | 61.3 | 1050 |
| | | 3-01-58 | 86.5 | 60.4 | | | | 1-31-58 | 82.8 | 60.2 | 1200 |
| | | 4-01-58 | 87.0 | 60.9 | | | | 2-01-58 | 82.9 | 60.7 | 1050 |
| | | 5-01-58 | 90.0 | 63.9 | | | | 2-24-58 | 83.0 | 60.8 | 1200 |
| | | 6-01-58 | 90.0 | 63.9 | | | | 3-01-58 | 82.8 | 60.6 | 1050 |
| 4S/13W-30K01 S | 35.6 | 7-01-57 | 105.0 | 69.4 | 1050 | | | 3-09-58 | 82.8 | 60.6 | |
| | | 8-01-57 | 105.0 | 69.4 | | | | 3-28-58 | 83.8 | 60.9 | 1200 |
| | | 9-01-57 | 108.0 | 72.4 | | | | 4-01-58 | 82.0 | 60.7 | 1050 |
| | | 10-01-57 | 104.0 | 66.4 | | | | 4-30-58 | 85.4 | 63.2 | 1200 |
| | | 11-01-57 | 103.0 | 65.4 | | | | 5-01-58 | 85.2 | 63.0 | 1050 |
| | | 12-01-57 | 100.0 | 64.4 | | | | 5-28-58 | 85.3 | 63.1 | 1200 |
| | | 1-01-58 | 98.0 | 62.4 | | | | 6-01-58 | 85.2 | 63.2 | 1050 |
| | | 3-01-58 | 97.0 | 61.4 | | | | 6-27-58 | 88.2 | 66.0 | 1200 |
| | | 3-01-58 | 96.0 | 60.4 | | | | | | | |
| | | 4-01-58 | 96.0 | 60.4 | | | | 12-04-57 | 134.0* | 88.3 | 1101 |
| | | 5-01-58 | 99.0 | 63.4 | | | | 1-15-58 | 134.0* | 88.3 | |
| | | 6-01-58 | 98.0 | 62.4 | | | | 5-20-58 | 137.0* | 91.3 | |
| 4S/13W-31E02 S | 19.6 | 7-01-57 | 85.6 | 66.0 | 1050 | 4S/13W-31P01 S | 45.7 | 7-20-57 | 78.5 | 46.5 | 1050 |
| | | 8-01-57 | 87.0 | 67.4 | | | | 8-17-57 | 80.6 | 48.6 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|------|--------------------------------------|------------------------------|-----------------------|-------------------|--------------------|------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | WEST COAST BASIN | | | | | |
| 45/13W-33D01 S | | | | | | 45/14W-01F02 S | | | | | |
| CONT. | | | | | | 45/14W-01F03 S | | | | | |
| 45/13W-35B01 S | | | | | | 45/14W-01P01 S | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | WEST COAST BASIN | | | | | |
| 45/13W-34D01 S | | | | | | 45/14W-03L02 S | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 45/13W-35F01 S | | | | | | 45/14W-03L03 S | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 45/13W-35O01 S | | | | | | 45/14W-03L05 S | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 45/14W-01F02 S | | | | | | 45/14W-03L06 S | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|-------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|-------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | WEST COAST BASIN | | | | | |
| 45/14W-03L05 S | | | | | | 45/14W-08M02 S | | | | | |
| CONT. | | | | | | | | | | | |
| 75.6 | 11-04-57 | 121.2 | - | 45.6 | 1050 | 139.0 | 10-22-57 | 158.0 | - | 19.0 | 1101 |
| | 12-02-57 | 120.7 | - | 45.1 | | | 1-06-58 | 157.6 | - | 18.6 | |
| | 1-03-58 | 120.0 | - | 44.4 | | | 2-10-58 | 157.2 | - | 18.2 | |
| | 2-07-58 | 119.6 | - | 44.0 | | | 3-10-58 | 156.9 | - | 17.9 | |
| | 3-05-58 | 119.4 | - | 43.8 | | | 4-16-58 | 156.6 | - | 17.6 | |
| | 5-05-58 | 120.1 | - | 44.5 | | | 5-26-58 | 156.4 | - | 17.4 | |
| 45/14W-06G02 S | | | | | | 45/14W-08M03 S | | | | | |
| 175.6 | 2-10-58 | 196.9 | - | 21.3 | 1101 | 139.6 | 1-06-58 | 158.0 | - | 18.4 | 1101 |
| | 3-10-58 | 196.5 | - | 20.9 | | | 2-10-58 | 157.8 | - | 18.2 | |
| | 4-16-58 | 196.6 | - | 21.0 | | | 3-10-58 | 157.5 | - | 17.9 | |
| | 5-26-58 | 197.2 | - | 21.6 | | | 4-16-58 | 157.3 | - | 17.7 | |
| | 6-11-58 | 197.6 | - | 22.0 | | | 5-26-58 | 156.9 | - | 17.3 | |
| 45/14W-07F01 S | | | | | | 45/14W-09O01 S | | | | | |
| 65.0 | 2-10-58 | 84.9 | - | 19.9 | 1101 | 138.4 | 7-01-57 | 146.0 | - | 39.8 | 1050 |
| | 3-10-58 | 84.6 | - | 19.6 | | | 8-05-57 | 146.0 | - | 39.8 | |
| | 4-16-58 | 84.5 | - | 19.5 | | | 8-30-57 | 147.0 | - | 40.8 | |
| | 5-26-58 | 84.3 | - | 19.3 | | | 10-04-57 | 147.0 | - | 40.8 | |
| | 6-11-58 | 85.0 | - | 20.0 | | | 10-29-57 | 147.0 | - | 40.8 | |
| 45/14W-08D02 S | | | | | | 45/14W-10J01 S | | | | | |
| 125.5 | 7-09-57 | 146.8 | - | 21.3 | 1101 | 93.7 | 7-01-57 | 137.0 | - | 43.3 | 1050 |
| | 8-13-57 | 146.9 | - | 21.4 | | | 8-01-57 | 137.0 | - | 43.3 | |
| | 9-04-57 | 147.0 | - | 21.5 | | | 9-01-57 | 137.0 | - | 43.3 | |
| | 10-08-57 | 147.1 | - | 21.6 | | | 10-01-57 | 137.0 | - | 43.3 | |
| | 10-22-57 | 147.1 | - | 21.6 | | 108.3 | 11-01-57 | 137.0 | - | 43.3 | |
| | 11-19-57 | 146.6 | - | 21.0 | | 107.2 | 12-01-57 | 137.0 | - | 43.3 | |
| | 12-09-57 | 146.5 | - | 21.0 | | | 1-01-58 | 137.0 | - | 43.3 | |
| | 1-06-58 | 146.3 | - | 20.8 | | | 2-01-58 | 137.0 | - | 43.3 | |
| | 2-10-58 | 146.1 | - | 20.6 | | | 3-01-58 | 137.0 | - | 43.3 | |
| | 3-10-58 | 145.6 | - | 20.1 | | | 4-01-58 | 137.0 | - | 43.3 | |
| | 4-09-58 | 145.7 | - | 20.2 | | | 4-01-58 | 137.0 | - | 43.3 | |
| | 4-30-58 | 145.3 | - | 19.8 | | | 5-01-58 | 137.0 | - | 43.3 | |
| | 5-26-58 | 145.6 | - | 20.1 | | | 6-01-58 | 137.0 | - | 43.3 | |
| | 6-11-58 | 145.7 | - | 20.2 | | | | | | | |
| 45/14W-08F01 S | | | | | | 45/14W-11F01 S | | | | | |
| 116.2 | 7-01-57 | 147.8 | - | 31.6 | 1050 | 68.0 | 7-06-57 | 114.0 | - | 46.0 | 1050 |
| | 8-01-57 | 148.3 | - | 32.1 | | | 7-13-57 | 114.0 | - | 44.0 | |
| | 8-30-57 | 148.4 | - | 32.2 | | | 7-20-57 | 114.0 | - | 46.0 | |
| | 9-30-57 | 148.5 | - | 32.3 | | | 7-27-57 | 114.0 | - | 46.0 | |
| | 11-01-57 | 147.6 | - | 31.4 | | | 8-04-57 | 114.0 | - | 46.0 | |
| | 12-02-57 | 147.8 | - | 31.6 | | | 8-10-57 | 113.0 | - | 45.0 | |
| | 1-02-58 | 147.6 | - | 31.4 | | | | | | | |
| | 2-03-58 | 147.2 | - | 31.0 | | | | | | | |
| | 3-01-58 | 147.0 | - | 30.8 | | | | | | | |
| | 4-01-58 | 147.2 | - | 30.1 | | | | | | | |
| | 5-01-58 | 146.7 | - | 30.5 | | | | | | | |
| | 6-02-58 | 146.8 | - | 30.6 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | |
|------------------------------|--------------------|--------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | |
| 41100 | | | | | | 41100 | | | | | | |
| WEST COAST BASIN | | | | | | | | | | | | |
| 45/14W-11F01 S | | | | | | | | | | | | |
| CONT. | | | | | | | | | | | | |
| 68+0 | 8-18-57 | 112+0 | - | 44+0 | 1050 | 45/14W-16L04 S | 77+5 | 7-02-57 | 114+0 | - | 36+5 | 1050 |
| | 8-25-57 | 114+0 | - | 46+0 | | | | 8-02-57 | 115+0 | - | 37+5 | |
| | 9-07-57 | 112+0 | - | 44+0 | | | | 9-02-57 | 115+0 | - | 37+5 | |
| | 9-15-57 | 115+0 | - | 47+0 | | | | 10-02-57 | 115+0 | - | 37+5 | |
| | 9-22-57 | 114+0 | - | 46+0 | | | | 11-02-57 | 114+0 | - | 36+5 | |
| | 9-29-57 | 115+0 | - | 47+0 | | | | 12-02-57 | 114+0 | - | 36+5 | |
| | 10-06-57 | 114+0 | - | 46+0 | | | | 1-02-58 | 114+0 | - | 36+5 | |
| | 10-13-57 | 112+0 | - | 44+0 | | | | 2-02-58 | 114+0 | - | 36+5 | |
| | 10-26-57 | 112+0 | - | 44+0 | | | | 3-02-58 | 114+0 | - | 36+5 | |
| | 11-10-57 | 112+0 | - | 44+0 | | | | 4-02-58 | 114+0 | - | 36+5 | |
| | 11-16-57 | 114+0 | - | 46+0 | | | | 10-09-57 | 114+7 | - | 36+9 | 1050 |
| | 11-24-57 | 112+0 | - | 44+0 | | | | 3-07-58 | 113+2 | - | 35+4 | |
| | 12-01-57 | 112+0 | - | 44+0 | | | | 2-10-58 | 185+0 | - | 28+7 | 1101 |
| | 12-22-57 | 112+0 | - | 44+0 | | | | 3-10-58 | 184+7 | - | 28+4 | |
| | 1-05-58 | 113+0 | - | 45+0 | | | | 4-16-58 | 184+1 | - | 27+8 | |
| | 1-11-58 | 112+0 | - | 44+0 | | | | 5-26-58 | 184+7 | - | 28+4 | |
| | 1-18-58 | 112+0 | - | 44+0 | | | | 6-11-58 | 185+2 | - | 28+5 | |
| | 2-02-58 | 114+0 | - | 46+0 | | | | 2-10-58 | 174+7 | - | 18+3 | 1101 |
| | 2-09-58 | 115+0 | - | 47+0 | | | | 3-10-58 | 174+4 | - | 18+0 | |
| | 2-17-58 | 114+0 | - | 46+0 | | | | 4-16-58 | 174+3 | - | 17+9 | |
| | 2-23-58 | 112+0 | - | 44+0 | | | | 5-26-58 | 174+2 | - | 17+8 | |
| | 3-02-58 | 111+0 | - | 43+0 | | | | 6-11-58 | 174+9 | - | 18+1 | |
| | 3-09-58 | 120+0* | - | 52+0 | | | | 10-22-57 | 129+1 | - | 31+1 | 1101 |
| | 3-16-58 | 116+0 | - | 48+0 | | | | 4-21-58 | 128+0 | - | 30+0 | |
| | 3-23-58 | 112+0 | - | 44+0 | | | | 2-10-58 | 108+3 | - | 19+9 | 1101 |
| | 4-06-58 | 112+0 | - | 44+0 | | | | 3-10-58 | 108+0 | - | 18+6 | |
| | 4-13-58 | 112+0 | - | 44+0 | | | | 4-16-58 | 109+0 | - | 18+6 | |
| | 4-20-58 | 114+0 | - | 46+0 | | | | 2-02-58 | 107+8 | - | 17+4 | |
| | 4-27-58 | 115+0 | - | 47+0 | | | | 6-11-58 | 108+6 | - | 20+2 | |
| | 5-03-58 | 112+0 | - | 44+0 | | | | 10-23-57 | 107+7 | - | 31+2 | 1101 |
| | 5-11-58 | 115+0 | - | 47+0 | | | | 3-10-58 | 106+0 | - | 31+0 | 1050 |
| | 5-18-58 | 116+0 | - | 48+0 | | | | 4-21-58 | 105+5 | - | 29+0 | 1101 |
| | 5-25-58 | 112+0 | - | 44+0 | | | | 10-23-57 | 107+7 | - | 31+2 | 1101 |
| | 6-08-58 | 113+0 | - | 45+0 | | | | 76+5 | | | | |
| | 6-14-58 | 113+0 | - | 45+0 | | | | 75+0 | | | | |
| | 6-22-58 | 112+0 | - | 44+0 | | | | 76+5 | | | | |
| | 10-28-57 | 117+3* | - | 47+5 | 1101 | 45/14W-21F01 S | 74+0 | 10-23-57 | 109+1 | - | 35+1 | 1101 |
| | 4-22-58 | 114+7* | - | 44+9 | | | | 4-22-58 | 107+5 | - | 33+5 | |
| | 10-28-57 | 63+3 | - | 43+3 | 1101 | 45/14W-21G01 S | 74+0** | 10-23-57 | 110+3 | - | 36+3 | 1101 |
| | 4-22-58 | 63+9 | - | 43+9 | | | | 4-22-58 | 109+1 | - | 35+1 | |
| | 10-09-57 | 149+3 | - | 40+8 | 1050 | 45/14W-21H03 S | 73+0 | 10-23-57 | 111+4 | - | 38+4 | 1101 |
| | 3-07-58 | 148+0 | - | 39+5 | | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | | | | | | |
| 4S/14W-21H03 S | 73+0 | 4-22-58 | 109+8 | - 36.8 | 1101 | 4S/14W-22D02 S | 81+6 | 9-06-57 | 123+0 | - 41+4 | 1050 |
| 4S/14W-21L01 S | 73+0 | 10-09-57 | 109+7 | - 36.7 | 1050 | CONT. | | 10-02-57 | 122+0 | - 40+4 | |
| | | 3-07-58 | 108+0 | - 35.0 | | | | 11-05-57 | 122+0 | - 40+4 | |
| 4S/14W-21L02 S | 73+0 | 10-23-57 | 106+0 | - 33.8 | 1101 | | | 12-08-57 | 123+0 | - 41+4 | |
| | | 4-22-58 | 111+9 | - 38.9 | | | 81.9 | 1-08-58 | 122+0 | - 40+4 | |
| 4S/14W-21N01 S | 101+8 | 10-09-57 | 141+2 | - 39+4 | 1050 | | | 2-04-58 | 122+0 | - 40+4 | |
| | | 3-07-58 | 139+4 | - 37.6 | | | | 3-04-58 | 121+0 | - 40+1 | |
| 4S/14W-21P02 S | 81+0** | 10-09-57 | 120+1 | - 39.1 | 1050 | 4S/14W-22N01 S | 80+3** | 4-02-58 | 122+0 | - 40+1 | |
| | | 3-07-58 | 118+5 | - 37.5 | | | 80+0 | 5-01-58 | 121+0 | - 39+1 | |
| 4S/14W-21O01 S | 102+2 | 10-09-57 | 142+0 | - 39.8 | 1050 | | 78.6 | 6-03-58 | 171+0 | - 39+1 | |
| | | 3-07-58 | 140+3 | - 38.1 | | | | | | | |
| 4S/14W-22D01 S | 81+6 | 7-01-57 | 123+0 | - 41+4 | 1050 | 4S/14W-22O01 S | 75+3 | 7-29-57 | 125+0 | - 49.7 | 1050 |
| | | 7-09-57 | 123+6 | - 42.0 | 1101 | | | 8-30-57 | 125+0 | - 49.7 | |
| | | 8-06-57 | 123+0 | - 41.4 | 1050 | | | 9-30-57 | 124+0 | - 48.7 | |
| | | 8-13-57 | 123+5 | - 41.9 | 1101 | | | 10-31-57 | 124+0 | - 48.7 | |
| | | 9-04-57 | 123+1 | - 41.5 | | | | 11-30-57 | 124+0 | - 48.7 | |
| | | 9-06-57 | 123+0 | - 41.4 | 1050 | | | 12-31-57 | 124+0 | - 48.7 | |
| | | 10-02-57 | 122+0 | - 40.4 | | | | 1-31-58 | 124+0 | - 48.7 | |
| | | 10-08-57 | 122+7 | - 41.1 | 1101 | | | 3-01-58 | 122+0 | - 46.7 | |
| | | 10-23-57 | 123+2 | - 41.6 | 1050 | | | 4-01-58 | 122+0 | - 46.7 | |
| | | 11-05-57 | 122+0 | - 40.4 | | | | 4-30-58 | 122+0 | - 46.7 | |
| | | 11-20-57 | 122+2 | - 40.6 | 1101 | | | 6-01-58 | 122+0 | - 46.7 | |
| | | 12-08-57 | 123+0 | - 41.4 | 1050 | 4S/14W-23E01 S | 72+5 | 10-07-57 | 125+0 | - 52+5 | 1050 |
| | | 12-09-57 | 122+4 | - 40.8 | 1101 | | | | | | |
| | | 1-07-58 | 121+9 | - 40.3 | | 4S/14W-23J01 S | 75+7 | 10-09-57 | 134+8 | - 59+1 | 1050 |
| | | 1-08-58 | 122+0 | - 40.4 | 1050 | | | 11-19-57 | 131+6 | - 53+9 | 1101 |
| | | 2-04-58 | 122+0 | - 40.4 | | | | 3-07-58 | 129+5 | - 53+6 | 1050 |
| | | 2-10-58 | 121+4 | - 39.8 | 1101 | | | 4-22-58 | 130+4 | - 54+7 | 1101 |
| | | 3-04-58 | 121+0 | - 38.4 | 1050 | 4S/14W-23J02 S | 76+0 | 10-09-57 | 131+8 | - 55+8 | 1050 |
| | | 3-11-58 | 121+1 | - 39.5 | 1101 | | | 10-09-57 | 131+8 | - 57+0 | 1101 |
| | | 4-02-58 | 122+0 | - 40.4 | 1050 | | | 11-19-57 | 129+8 | - 51+0 | 1050 |
| | | 4-09-58 | 121+0 | - 39.4 | 1101 | | | 3-07-58 | 127+5 | - 51+5 | 1050 |
| | | 4-30-58 | 121+3 | - 38.7 | | | | 4-22-58 | 128+7 | - 53+9 | 1101 |
| | | 5-01-58 | 121+0 | - 38.4 | 1050 | 4S/14W-23N02 S | 113+6 | 10-07-57 | 169+9 | - 56+3 | 1050 |
| | | 5-27-58 | 121+2 | - 39.6 | 1101 | | | 3-07-58 | 166+7 | - 53+1 | |
| | | 6-03-58 | 121+0 | - 38.4 | 1050 | 4S/14W-24A01 S | 58+8 | 10-09-57 | 129+3 | - 70+5 | 1050 |
| | | 6-11-58 | 121+3 | - 39.7 | 1101 | | | 3-07-58 | 126+7 | - 67+9 | |
| 4S/14W-22D02 S | 81+6 | 7-01-57 | 123+0 | - 41.4 | 1050 | | | | | | |
| | | 8-06-57 | 123+0 | - 41.4 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|------------------------------|---|--|------------------------------|----------------------------------|-------------------|---|------|-------------------------------------|-----------------------------|--|------|----------------|---------|--|------|----------------|-------|--|------|----------------|---------|--|------|----------------|-------|--|------|----------------|---------|--|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WEST COAST BASIN 41102 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4S/14W-24E01 S | 66.9 | 7-01-57 238.0 8-06-57 238.0 9-06-57 238.0 10-02-57 238.0 11-05-57 238.0 12-08-57 238.0 1-08-58 238.0 2-04-58 238.0 3-04-58 238.0 4-02-58 238.0 5-01-58 238.0 6-03-58 238.0 | - 171.1 - 171.1 - 171.1 - 171.1 - 171.1 - 171.1 - 171.1 - 171.1 - 171.1 - 171.1 - 171.1 - 171.1 | 1050 | 4S/14W-35D03 S 4S/14W-35D05 S | 153.4 167.9 | 1-31-58 210.6 11-15-57 226.4 11-22-57 226.4 11-29-57 226.3 12-06-57 224.3 12-13-57 224.0 12-28-57 223.8 1-03-58 223.6 1-10-58 223.6 1-17-58 223.7 1-24-58 223.7 1-31-58 223.8 2-07-58 223.7 2-14-58 223.7 2-21-58 223.7 3-07-58 222.7 3-14-58 222.5 3-21-58 222.3 3-28-58 222.5 4-04-58 222.3 4-11-58 222.0 4-18-58 222.0 4-25-58 222.2 5-02-58 222.5 5-09-58 222.5 5-16-58 222.5 6-13-58 223.0 6-20-58 223.2 6-27-58 223.3 | 1050 | 4S/14W-35E02 S | 180.8 | 7-01-57 230.0 8-01-57 232.0 8-30-57 233.0 10-01-57 233.0 11-01-57 244.0 11-22-57 233.0 11-31-57 248.0 12-28-58 202.0 3-31-58 236.0 4-30-58 265.0* | 1050 | 4S/14W-35E06 S | 140.0** | 1-07-58 194.7 2-10-58 194.2 3-11-58 193.5 4-16-58 193.3 5-27-58 194.0 6-11-58 194.2 | 1050 | 4S/14W-35E02 S | 180.8 | 7-01-57 230.0 8-01-57 232.0 8-30-57 233.0 10-01-57 233.0 11-01-57 244.0 11-22-57 233.0 11-31-57 248.0 12-28-58 202.0 3-31-58 236.0 4-30-58 265.0* | 1050 | 4S/14W-35E06 S | 140.0** | 1-07-58 194.7 2-10-58 194.2 3-11-58 193.5 4-16-58 193.3 5-27-58 194.0 6-11-58 194.2 | 1050 | 4S/14W-35E02 S | 180.8 | 7-01-57 230.0 8-01-57 232.0 8-30-57 233.0 10-01-57 233.0 11-01-57 244.0 11-22-57 233.0 11-31-57 248.0 12-28-58 202.0 3-31-58 236.0 4-30-58 265.0* | 1050 | 4S/14W-35E06 S | 140.0** | 1-07-58 194.7 2-10-58 194.2 3-11-58 193.5 4-16-58 193.3 5-27-58 194.0 6-11-58 194.2 |
| 4S/14W-24F02 S | | 10-28-57 DRY 4-22-58 DRY | | | 1101 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4S/14W-24Q01 S | 58.3 | 10-09-57 121.3 3-07-58 134.4 4-14-58 116.8 | - 63.0 - 76.1 - 58.5 | 1050 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4S/14W-25B01 S | 66.0** | 10-09-57 114.7 10-09-57 114.7* 3-07-58 115.5 3-07-58 115.5 | - 48.7 - 48.7 - 49.5 - 49.5 | 1050 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4S/14W-25G02 S | 67.2 | 10-07-57 127.2 3-05-58 124.8 4-16-58 124.8 | - 60.0 - 57.6 - 57.6 | 1050 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4S/14W-25G04 S | 70.3 70.7 70.3 70.7 | 10-09-57 144.0 10-28-57 130.4 3-07-58 143.9 4-22-58 138.7 | - 73.7 - 59.7 - 73.6 - 68.0 | 1050 1101 1050 1101 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4S/14W-27B01 S | 81.2 | 10-23-57 126.6 4-22-58 129.1 | - 45.4 - 48.1 | 1101 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4S/14W-27M01 S | 185.0 | 10-07-57 229.1 3-07-58 227.8 | - 46.1 - 42.8 | 1050 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4S/14W-28G01 S | 168.0 | 10-07-57 203.0 3-07-58 201.6 | - 35.0 - 33.6 | 1050 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4S/14W-28J01 S | 174.0 | 10-07-57 227.8 3-07-58 224.5 | - 53.8 - 50.5 | 1050 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4S/14W-35D03 S | 153.4 | 7-01-57 212.0 | - 58.6 | 1050 | | | | | | | | | | | | | | | | | | | | | | | | | | | |

GROUND WATER LEVELS AT WELLS

| Stile Well Number | R.P. Elev. in feet | Date | Diqt. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | Stile Well Number | R.P. Elev. in feet | Date | Diqt. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | | | | | | |
| 41100 | | | | | | 41102 | | | | | |
| 45/14W-35E02 S | 180.8 | 5-31-58 | 231.0 | 50.2 | 1050 | 55/12W-10H02 S | 7.4 | 10-02-57 | 8.0 | 2.8 | 1050 |
| 45/14W-35F01 S | 171.0 | 10-07-57 | 245.0 | 74.0 | 1050 | | | 3-04-58 | 4.6 | | |
| 45/14W-35J01 S | 173.5 | 7-03-57 | 236.4 | 62.9 | 1050 | | | 10-02-57 | 3.3 | 1.4 | 1050 |
| | | 8-03-57 | 236.4 | 62.8 | | | | 10-28-57 | 3.4 | 1.3 | 1101 |
| | | 9-21-57 | 236.4 | 62.8 | | | | 3-04-58 | 3.4 | 1.3 | 1050 |
| | | 10-31-57 | 236.4 | 62.8 | | | | 4-29-58 | 3.4 | 1.3 | 1101 |
| | | 1-23-57 | 236.4 | 62.8 | | | | | | | |
| | | 1-31-57 | 236.4 | 62.8 | | | | | | | |
| | | 1-31-58 | 236.4 | 62.8 | | | | | | | |
| | | 2-28-58 | 236.4 | 62.8 | | | | | | | |
| | | 3-10-58 | 236.4 | 62.8 | | | | | | | |
| | | 4-28-58 | 236.4 | 62.8 | | | | | | | |
| | | 5-28-58 | 236.4 | 62.8 | | | | | | | |
| | | 6-30-58 | 236.4 | 62.8 | | | | | | | |
| 45/14W-36H01 S | 44.2 | 7-22-57 | 118.7 | 74.5 | 1050 | 55/13W-02B02 S | 6.2 | 7-15-57 | 21.4 | 15.2 | 1101 |
| | | 8-26-57 | 113.9 | 69.3 | | | | 10-16-57 | 21.6 | 15.4 | |
| | | 9-21-57 | 113.9 | 69.3 | | | | 1-08-58 | 22.6 | 16.4 | |
| | | 10-28-57 | 109.2 | 65.0 | | | | 4-09-58 | 32.2 | 26.0 | |
| | | 1-29-57 | 109.2 | 65.0 | | | | | | | |
| | | 1-31-57 | 109.2 | 65.0 | | | | | | | |
| | | 1-31-58 | 109.2 | 65.0 | | | | | | | |
| | | 2-28-58 | 109.2 | 65.0 | | | | | | | |
| | | 3-10-58 | 104.5 | 60.0 | | | | | | | |
| | | 4-28-58 | 105.6 | 61.6 | | | | | | | |
| | | 5-29-58 | 105.8 | 61.6 | | | | | | | |
| | | 6-30-58 | 105.8 | 61.6 | | | | | | | |
| 45/14W-36J01 S | 47.7 | 7-22-57 | 127.1 | 79.4 | 1050 | 55/13W-03D03 S | 15.2 | 7-01-57 | 16.1 | 8.9 | 1101 |
| | | 8-30-57 | 116.0 | 68.3 | | | | 8-03-57 | 16.4 | 1.2 | |
| | | 9-21-57 | 116.0 | 68.3 | | | | 10-01-57 | 17.2 | 2.0 | |
| | | 10-28-57 | 109.4 | 61.7 | | | | 11-06-57 | 15.9 | 1.7 | |
| | | 1-29-57 | 109.3 | 61.6 | | | | 12-04-57 | 16.5 | 1.3 | |
| | | 1-31-57 | 109.3 | 61.6 | | | | | | | |
| | | 1-31-58 | 109.4 | 61.7 | | | | | | | |
| | | 2-28-58 | 109.3 | 61.6 | | | | | | | |
| | | 3-10-58 | 107.4 | 59.7 | | | | | | | |
| | | 4-28-58 | 108.2 | 60.5 | | | | | | | |
| | | 5-29-58 | 108.2 | 60.5 | | | | | | | |
| | | 6-30-58 | 108.2 | 60.5 | | | | | | | |
| 45/14W-36K01 S | 47.7 | 7-22-57 | 127.1 | 79.4 | 1050 | 55/13W-03L01 S | 25.4 | 10-07-57 | 21.4 | 4.0 | 1050 |
| | | 8-30-57 | 116.0 | 68.3 | | | | 3-03-58 | 21.8 | 3.6 | |
| | | 9-21-57 | 116.0 | 68.3 | | | | | | | |
| | | 10-28-57 | 109.4 | 61.7 | | | | | | | |
| | | 1-29-57 | 109.3 | 61.6 | | | | | | | |
| | | 1-31-57 | 109.3 | 61.6 | | | | | | | |
| | | 1-31-58 | 109.4 | 61.7 | | | | | | | |
| | | 2-28-58 | 109.3 | 61.6 | | | | | | | |
| | | 3-10-58 | 107.4 | 59.7 | | | | | | | |
| | | 4-28-58 | 108.2 | 60.5 | | | | | | | |
| | | 5-29-58 | 108.2 | 60.5 | | | | | | | |
| | | 6-30-58 | 108.2 | 60.5 | | | | | | | |
| 55/12W-10H01 S | 5.8 | 10-28-57 | 5.5 | 4.3 | 1101 | 55/13W-03P11 S | 21.3 | 7-15-57 | 70.2* | 48.9 | 1101 |
| | | 4-29-58 | 1.6 | 4.2 | | | | 10-16-57 | 66.2* | 44.9 | |
| | | | | | | | | 1-08-58 | 4.8 | 16.5 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | |
|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | |
| WEST COAST BASIN | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | | |
| 41100 | | | | | | 41103 | | | | | | |
| 55/13W-03P11 S | 21.3 | 4-09-58 | 4.8 | 16.5 | 1101 | 15/14W-19R05 S | 141.0** | 6-05-58 | 273.0* | - | 132.0 | 1101 |
| 55/13W-03P12 S | 22.8 | 7-15-57 | 4.2*0* | - | 1101 | 15/14W-20M02 S | 141.0 | 7-04-57 | 260.0* | - | 119.0 | 1101 |
| | | 10-15-57 | 5.2 | 17.6 | | | | 8-01-57 | 182.0* | - | 78.0 | |
| | | 1-08-58 | 4.5*4* | - | 22.6 | | | 9-19-57 | 216.0* | - | 121.0 | |
| | | 4-09-58 | 37.9* | - | 15.1 | | | 10-03-57 | 262.0* | - | 151.0 | |
| 55/13W-03002 S | .6 | 11-13-57 | .8 | .2 | 1101 | | | 11-21-57 | 283.0* | - | 126.0 | |
| | | 5-06-58 | .7 | .1 | | | | 12-05-57 | 291.0* | - | 160.0 | |
| | | | | | | | | 11-02-58 | 205.0* | - | 62.0 | |
| | | | | | | | | 6-20-58 | 225.0* | - | 84.0 | |
| 55/13W-06D01 S | 33.8 | 7-01-57 | 14.2*4* | - | 108.6 | 15/14W-29D02 S | 125.0 | 8-14-57 | 137.5 | - | 12.5 | 1101 |
| | | 9-05-57 | 14.3*8* | - | 110.0 | | | 9-10-57 | 133.3 | - | 8.3 | |
| | | 8-03-57 | 14.5*5* | - | 110.7 | | | 11-04-57 | 134.2 | - | 9.2 | |
| | | 10-01-57 | 14.5*5* | - | 110.7 | | | 11-20-57 | 134.4 | - | 9.4 | |
| | | 11-06-57 | 14.2*4* | - | 108.6 | | | 1-10-57 | 133.6 | - | 8.6 | |
| | | 12-04-57 | 14.6*5* | - | 110.7 | | | 1-07-58 | 139.8 | - | 14.8 | |
| | | 1-07-58 | 95.6 | - | 61.8 | | | 2-11-58 | 139.8 | - | 14.8 | |
| | | 2-11-58 | 14.6*5* | - | 110.7 | | | 3-11-58 | 139.0 | - | 14.0 | |
| | | 3-03-58 | 14.6*5* | - | 110.7 | | | 4-09-58 | 140.8 | - | 15.8 | |
| | | 4-15-58 | 14.6*5* | - | 110.7 | | | 4-30-58 | 140.1 | - | 15.1 | |
| | | 5-20-58 | 14.6*5* | - | 110.7 | | | 5-27-58 | 148.4 | - | 18.4 | |
| 55/13W-11H01 S | 22.3 | 7-15-57 | 30.9* | - | 8.6 | 1101 | 130.0 | 6-10-58 | 149.8 | - | 19.8 | |
| | | 10-16-57 | 30.8* | - | 8.5 | | | 11-04-57 | 78.6 | - | 20.4 | 1101 |
| | | 1-08-58 | 32.6* | - | 10.3 | | | 5-06-58 | 76.5 | - | 22.5 | |
| | | 4-09-58 | 37.9* | - | 15.6 | | | 7-04-57 | 157.0* | - | 70.0 | 1101 |
| 55/13W-18J02 S | 7.0 | 10-29-57 | 6.5 | .5 | 1050 | 15/14W-32D01 S | 99.0 | 8-01-57 | 160.0* | - | 73.0 | |
| | | 3-05-58 | 7.1 | .1 | | | | 9-05-57 | 159.0* | - | 72.0 | |
| 55/14W-02J01 S | 113.0 | 10-07-57 | 110.2 | 2.8 | 1050 | 15/14W-32K02 S | 87.0 | 10-03-57 | 161.0* | - | 74.0 | |
| | | 3-05-58 | 109.0 | 4.0 | | | | 11-07-57 | 157.0* | - | 70.0 | |
| 55/14W-12B02 S | 9.4 | 12-03-57 | 4.6 | 4.8 | 1101 | | | 12-05-57 | 162.0* | - | 75.0 | |
| | | 10-07-57 | 9.5 | 6.7 | 1050 | | | 1-02-58 | 164.0* | - | 77.0 | |
| 55/14W-12B04 S | 16.2 | 10-07-57 | 9.5 | 6.7 | 1050 | | | 2-13-58 | 164.0* | - | 77.0 | |
| | | 3-05-58 | 8.9 | 7.3 | | | | 3-13-58 | 176.0* | - | 89.0 | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | | |
| 41103 | | | | | | 41103 | | | | | | |
| 15/14W-19R04 S | 138.5 | 7-04-57 | 205.0* | - | 66.5 | 15/14W-32M04 S | 80.3 | 7-04-57 | 224.0* | - | 143.7 | 1101 |
| | | 8-01-57 | 215.0* | - | 76.5 | | | 8-01-57 | 223.0* | - | 142.7 | |
| | | 9-05-57 | 203.0* | - | 64.5 | | | 9-01-57 | 226.0* | - | 143.7 | |
| | | 10-03-57 | 200.0* | - | 61.5 | | | 10-03-57 | 225.0* | - | 142.7 | |
| 15/14W-19R05 S | 141.0** | 5-22-58 | 270.0* | - | 129.0 | | | 11-07-57 | 225.0* | - | 144.7 | |
| | | | | | | | | 12-05-57 | 225.0* | - | 144.7 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|---|--|-----------------------------|-----------------------|-------------------------|--------------------|---|--|--|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 41103 | | | | | | | | | | | |
| 15/14W-32M04 S CONT. | 80.3 | 1-02-58 2-13-58 3-13-58 4-10-58 5-08-58 6-05-58 | 225.0* 225.0* 224.0* 219.0* 225.0* 220.0* | 1101 | 1101 | 25/12W-08K01 S CONT. | 157.5 | 4-30-58 5-31-58 6-30-58 | 225.0* 222.0* 228.0* | 67.5 64.5 70.5 | 1101 |
| 15/14W-32M05 S | 88.0 | 7-04-57 4-10-58 5-08-58 6-02-58 | 253.0* 226.0* 223.0* 220.0* | 1101 | 1101 | 25/12W-08P01 S | 148.4 | 7-31-57 8-31-57 9-30-57 10-30-57 11-30-57 12-31-57 | 243.0* 218.0* 242.0* 211.0* 235.0* 204.0* | 94.6 69.6 93.6 62.6 86.6 54.6 | 1101 |
| 25/12W-07001 S | 159.5 | 7-31-57 8-31-57 9-30-57 10-31-57 11-30-57 12-31-57 | 200.0* 203.0* 200.0* 197.0* 193.0* 192.0* | 1101 | 1101 | 25/12W-09M01 S | 160.0 | 7-31-57 8-31-57 9-30-57 10-30-57 11-30-57 12-31-57 | 213.0* 198.0* 214.0* 195.0* 208.0* 193.0* | 38.0 54.0 35.0 48.0 33.0 35.0 | 1101 |
| 25/12W-07002 S | 160.4 | 1-31-58 2-28-58 3-31-58 4-30-58 5-31-58 6-30-58 | 201.0* 190.0* 189.0* 184.0* 185.0* 196.0* | 1101 | 1101 | 25/12W-09M02 S | 160.4 | 7-31-57 8-31-57 9-30-57 10-30-57 11-30-57 12-31-57 | 192.0* 194.0* 193.0* 207.0* 192.0* 204.0* | 38.0 33.0 33.0 47.0 33.0 42.0 | 1101 |
| 25/12W-08K01 S | 157.5 | 7-31-57 8-31-57 9-30-57 10-30-57 11-30-57 12-31-57 | 244.0* 247.0* 245.0* 212.0* 206.0* 205.0* | 1101 | 1101 | | | 7-11-57 7-31-57 8-22-57 | 218.0* 221.1 223.7 | 36.3 39.4 42.0 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------------|--------------------|---|--|-----------------------------|--|-------------------|-------------------------|-------|--|--|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 25/12W-16001 S | 181.7 | 9-12-57 220.7 10-22-57 216.9 11-16-57 215.9 12-27-58 212.8 3-20-58 212.0 3-25-58 204.0 4-10-58 204.6 4-15-58 205.9 5-01-58 205.8 5-22-58 206.2 6-12-58 205.2 | 220.7 216.9 215.9 212.8 212.0 204.0 204.6 205.9 205.8 206.2 205.2 | - | 39.0 35.2 34.2 31.1 30.3 22.3 22.9 24.2 24.1 24.5 | 1101 | 25/12W-17002 S CONT. | 146.0 | 3-31-54 215.0* 4-30-58 199.0* 5-31-58 220.0* 6-30-58 200.0* | 69.0 53.0 74.0 54.0 | 1101 |
| 25/12W-17C01 S | 145.2 | 7-31-57 217.0* 8-31-57 196.0* 9-30-57 216.0* 10-30-57 192.0* 11-30-57 209.0* 12-31-57 189.0* 1-31-58 204.0* 2-28-58 188.0* 3-31-58 201.0* 4-30-58 189.0* 5-31-58 204.0* 6-30-58 188.0* | 217.0* 196.0* 216.0* 192.0* 209.0* 189.0* 204.0* 188.0* 201.0* 189.0* 204.0* 188.0* | - | 71.8 50.8 70.8 66.8 63.8 43.8 58.8 42.8 55.8 43.8 58.8 42.8 | 1101 | 25/12W-17001 S | 136.7 | 7-11-57 174.0* 8-13-57 180.0* 9-16-57 180.0* 11-05-57 180.0* 12-30-57 180.0* 1-02-58 180.0* 2-03-58 180.0* 3-03-58 180.0* 4-01-58 180.0* 5-01-58 170.0* 6-06-58 165.0* | 37.3 43.3 43.3 43.3 43.3 43.3 43.3 43.3 43.3 33.3 28.3 | 1101 |
| 25/12W-17D01 S | 145.5 | 7-31-57 219.0* 8-31-57 202.0* 9-30-57 217.0* 10-30-57 199.0* 11-30-57 205.0* 12-31-57 182.0* 1-31-58 201.0* 2-28-58 185.0* 3-31-58 191.0* 4-30-58 199.0* 5-30-58 199.0* 6-30-58 192.0* | 219.0* 202.0* 217.0* 199.0* 205.0* 182.0* 201.0* 185.0* 191.0* 199.0* 199.0* 192.0* | - | 73.5 56.5 71.5 53.5 58.5 58.5 45.5 49.5 45.5 53.5 46.5 | 1101 | 25/12W-19C01 S | 147.5 | 9-26-57 222.4 10-31-57 225.8 5-01-58 227.5 6-18-58 219.4* | 74.9 75.3 80.0 71.9 | 1101 |
| 25/12W-17D02 S | 146.0 | 8-31-57 233.0* 7-31-57 206.0* 9-30-57 232.0* 10-30-57 202.0* 11-30-57 221.0* 12-31-57 198.0* 1-31-58 220.0* 2-28-58 197.0* | 233.0* 206.0* 232.0* 202.0* 221.0* 198.0* 220.0* 197.0* | - | 87.0 60.0 86.0 56.0 75.0 52.0 74.0 51.0 | 1101 | 25/12W-19M01 S | 144.9 | 10-31-57 145.8 5-08-58 144.0 6-18-58 144.0 | 49 49 | 1101 |
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 25/12W-16001 S | 181.7 | 9-12-57 220.7 10-22-57 216.9 11-16-57 215.9 12-27-58 212.8 3-20-58 212.0 3-25-58 204.0 4-10-58 204.6 4-15-58 205.9 5-01-58 205.8 5-22-58 206.2 6-12-58 205.2 | 220.7 216.9 215.9 212.8 212.0 204.0 204.6 205.9 205.8 206.2 205.2 | - | 39.0 35.2 34.2 31.1 30.3 22.3 22.9 24.2 24.1 24.5 | 1101 | 25/12W-17D02 S CONT. | 146.0 | 3-31-54 215.0* 4-30-58 199.0* 5-31-58 220.0* 6-30-58 200.0* | 69.0 53.0 74.0 54.0 | 1101 |
| 25/12W-17C01 S | 145.2 | 7-31-57 217.0* 8-31-57 196.0* 9-30-57 216.0* 10-30-57 192.0* 11-30-57 209.0* 12-31-57 189.0* 1-31-58 204.0* 2-28-58 188.0* 3-31-58 201.0* 4-30-58 189.0* 5-31-58 204.0* 6-30-58 188.0* | 217.0* 196.0* 216.0* 192.0* 209.0* 189.0* 204.0* 188.0* 201.0* 189.0* 204.0* 188.0* | - | 71.8 50.8 70.8 66.8 63.8 43.8 58.8 42.8 55.8 43.8 58.8 42.8 | 1101 | 25/12W-17001 S | 136.7 | 7-11-57 174.0* 8-13-57 180.0* 9-16-57 180.0* 11-05-57 180.0* 12-30-57 180.0* 1-02-58 180.0* 2-03-58 180.0* 3-03-58 180.0* 4-01-58 180.0* 5-01-58 170.0* 6-06-58 165.0* | 37.3 43.3 43.3 43.3 43.3 43.3 43.3 43.3 43.3 33.3 28.3 | 1101 |
| 25/12W-17D01 S | 145.5 | 7-31-57 219.0* 8-31-57 202.0* 9-30-57 217.0* 10-30-57 199.0* 11-30-57 205.0* 12-31-57 182.0* 1-31-58 201.0* 2-28-58 185.0* 3-31-58 191.0* 4-30-58 199.0* 5-30-58 199.0* 6-30-58 192.0* | 219.0* 202.0* 217.0* 199.0* 205.0* 182.0* 201.0* 185.0* 191.0* 199.0* 199.0* 192.0* | - | 73.5 56.5 71.5 53.5 58.5 58.5 45.5 49.5 45.5 53.5 46.5 | 1101 | 25/12W-19C01 S | 147.5 | 9-26-57 222.4 10-31-57 225.8 5-01-58 227.5 6-18-58 219.4* | 74.9 75.3 80.0 71.9 | 1101 |
| 25/12W-17D02 S | 146.0 | 8-31-57 233.0* 7-31-57 206.0* 9-30-57 232.0* 10-30-57 202.0* 11-30-57 221.0* 12-31-57 198.0* 1-31-58 220.0* 2-28-58 197.0* | 233.0* 206.0* 232.0* 202.0* 221.0* 198.0* 220.0* 197.0* | - | 87.0 60.0 86.0 56.0 75.0 52.0 74.0 51.0 | 1101 | 25/12W-19M01 S | 144.9 | 10-31-57 145.8 5-08-58 144.0 6-18-58 144.0 | 49 49 | 1101 |
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 25/12W-16001 S | 181.7 | 9-12-57 220.7 10-22-57 216.9 11-16-57 215.9 12-27-58 212.8 3-20-58 212.0 3-25-58 204.0 4-10-58 204.6 4-15-58 205.9 5-01-58 205.8 5-22-58 206.2 6-12-58 205.2 | 220.7 216.9 215.9 212.8 212.0 204.0 204.6 205.9 205.8 206.2 205.2 | - | 39.0 35.2 34.2 31.1 30.3 22.3 22.9 24.2 24.1 24.5 | 1101 | 25/12W-17D02 S CONT. | 146.0 | 3-31-54 215.0* 4-30-58 199.0* 5-31-58 220.0* 6-30-58 200.0* | 69.0 53.0 74.0 54.0 | 1101 |
| 25/12W-17C01 S | 145.2 | 7-31-57 217.0* 8-31-57 196.0* 9-30-57 216.0* 10-30-57 192.0* 11-30-57 209.0* 12-31-57 189.0* 1-31-58 204.0* 2-28-58 188.0* 3-31-58 201.0* 4-30-58 189.0* 5-31-58 204.0* 6-30-58 188.0* | 217.0* 196.0* 216.0* 192.0* 209.0* 189.0* 204.0* 188.0* 201.0* 189.0* 204.0* 188.0* | - | 71.8 50.8 70.8 66.8 63.8 43.8 58.8 42.8 55.8 43.8 58.8 42.8 | 1101 | 25/12W-17001 S | 136.7 | 7-11-57 174.0* 8-13-57 180.0* 9-16-57 180.0* 11-05-57 180.0* 12-30-57 180.0* 1-02-58 180.0* 2-03-58 180.0* 3-03-58 180.0* 4-01-58 180.0* 5-01-58 170.0* 6-06-58 165.0* | 37.3 43.3 43.3 43.3 43.3 43.3 43.3 43.3 43.3 33.3 28.3 | 1101 |
| 25/12W-17D01 S | 145.5 | 7-31-57 219.0* 8-31-57 202.0* 9-30-57 217.0* 10-30-57 199.0* 11-30-57 205.0* 12-31-57 182.0* 1-31-58 201.0* 2-28-58 185.0* 3-31-58 191.0* 4-30-58 199.0* 5-30-58 199.0* 6-30-58 192.0* | 219.0* 202.0* 217.0* 199.0* 205.0* 182.0* 201.0* 185.0* 191.0* 199.0* 199.0* 192.0* | - | 73.5 56.5 71.5 53.5 58.5 58.5 45.5 49.5 45.5 53.5 46.5 | 1101 | 25/12W-19C01 S | 147.5 | 9-26-57 222.4 10-31-57 225.8 5-01-58 227.5 6-18-58 219.4* | 74.9 75.3 80.0 71.9 | 1101 |
| 25/12W-17D02 S | 146.0 | 8-31-57 233.0* 7-31-57 206.0* 9-30-57 232.0* 10-30-57 202.0* 11-30-57 221.0* 12-31-57 198.0* 1-31-58 220.0* 2-28-58 197.0* | 233.0* 206.0* 232.0* 202.0* 221.0* 198.0* 220.0* 197.0* | - | 87.0 60.0 86.0 56.0 75.0 52.0 74.0 51.0 | 1101 | 25/12W-19M01 S | 144.9 | 10-31-57 145.8 5-08-58 144.0 6-18-58 144.0 | 49 49 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|-----------|--------------------------------------|-----------------------------|-----------------------|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 25/12W-20K02 S | 135.7 | 8-13-57 | 172.0* | 36.3 | 1101 | 25/12W-29J01 S | 123.0 | 8-15-57 | 145.0* | 22.0 | 1101 |
| CONT. | | 9-16-57 | 172.0* | 36.3 | | CONT. | | 9-15-57 | 146.0* | 23.0 | |
| | | 11-05-57 | 172.0* | 36.3 | | | | 10-15-57 | 144.0* | 21.0 | |
| | | 1-2-03-57 | 172.0* | 36.3 | | | | 1-15-57 | 143.0* | 20.0 | |
| | | 1-02-58 | 175.0* | 39.3 | | | | 1-2-57 | 142.0* | 19.0 | |
| | | 2-03-58 | 175.0* | 39.3 | | | | 1-15-58 | 142.0* | 19.0 | |
| | | 3-05-58 | 175.0* | 39.3 | | | | 2-1-58 | 143.0* | 20.0 | |
| | | 4-01-58 | 172.0* | 36.3 | | | | 3-1-58 | 140.0* | 17.0 | |
| | | 5-01-58 | 172.0* | 36.3 | | | | 4-1-58 | 132.0* | 9.0 | |
| | | 6-06-58 | 172.0* | 36.3 | | | | 5-1-58 | 138.0* | 15.0 | |
| 25/12W-20K03 S | 134.0 | 10-31-57 | 172.4 | 38.4 | 1101 | 25/12W-29K01 S | | 10-2-57 | DRY | | 1101 |
| | | 4-23-58 | 167.7 | 33.7 | | | | 4-21-58 | DRY | | |
| 25/12W-20L01 S | 138.5 | 11-01-57 | 167.9* | 29.4 | 1101 | 25/12W-29K02 S | 121.4 | 10-2-57 | 15.1 | 106.3 | 1101 |
| 25/12W-20R01 S | 131.8 | 8-01-57 | 162.0* | 30.2 | 1101 | | | 4-21-58 | 15.5 | 105.9 | |
| | | 8-29-57 | 164.0* | 32.2 | | | | 7-21-57 | 156.0* | 38.0 | 1101 |
| | | 9-26-57 | 162.0* | 30.2 | | | | 12-1-57 | 145.0* | 27.0 | |
| | | 10-31-57 | 162.0* | 30.2 | | | | 1-15-58 | 143.0* | 25.0 | |
| | | 11-27-57 | 161.0* | 29.2 | | | | 3-31-58 | 139.0* | 21.0 | |
| | | 1-02-58 | 160.0* | 28.2 | | | | 5-30-58 | 148.0* | 30.0 | |
| | | 1-30-58 | 160.0* | 28.2 | | | | 6-21-58 | 148.0* | 30.0 | |
| | | 2-27-58 | 158.0* | 26.2 | | | | 7-11-57 | 121.6 | 5.6 | 1101 |
| | | 3-28-58 | 152.0* | 20.2 | | | | 7-17-57 | 122.7 | 6.7 | |
| | | 5-01-58 | 153.0* | 21.2 | | | | 7-31-57 | 122.0 | 6.0 | |
| | | 5-28-58 | 153.0* | 21.2 | | | | 8-19-57 | 122.0 | 6.0 | |
| | | 6-26-58 | 153.0* | 21.2 | | | | 8-2-57 | 122.9 | 6.9 | |
| 25/12W-28N03 S | 121.0 | 7-15-57 | 143.0* | 22.0 | 1101 | | | 9-1-57 | 123.3 | 7.3 | |
| | | 8-15-57 | 143.0* | 22.0 | | | | 9-2-57 | 122.9 | 6.9 | |
| | | 9-15-57 | 143.0* | 22.0 | | | | 10-2-57 | 123.4 | 7.4 | |
| | | 10-15-57 | 142.0* | 21.0 | | | | 11-1-57 | 124.8 | 8.8 | |
| | | 11-15-57 | 138.0* | 17.0 | | | | 1-05-57 | 123.2 | 7.2 | |
| | | 1-15-58 | 136.0* | 15.0 | | | | 1-2-57 | 123.1 | 7.1 | |
| | | 2-15-58 | 135.0* | 14.0 | | | | 1-06-58 | 123.3 | 7.3 | |
| | | 3-15-58 | 135.0* | 14.0 | | | | 1-20-58 | 123.4 | 7.4 | |
| | | 4-07-58 | 127.0* | 6.0 | | | | 2-06-58 | 123.1 | 7.1 | |
| | | 5-15-58 | 133.0* | 12.0 | | | | 2-10-58 | 122.8 | 6.8 | |
| | | 6-01-58 | 141.0* | 20.0 | | | | 2-2-58 | 122.7 | 6.7 | |
| 25/12W-29A04 S | 130.0 | 9-24-57 | 166.0* | 36.0 | 1101 | | | 2-2-58 | 122.7 | 6.7 | |
| | | 10-31-57 | 162.0* | 32.0 | | | | 3-10-58 | 122.4 | 6.4 | |
| | | 4-23-58 | 166.0* | 36.0 | | | | 3-20-58 | 122.3 | 6.3 | |
| | | 6-04-58 | 163.0* | 33.0 | | | | 4-10-58 | 121.8 | 5.8 | |
| 25/12W-29J01 S | 123.0 | 7-21-57 | 164.0* | 21.0 | 1101 | | | 4-1-58 | 121.8 | 5.8 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|--------------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41100 | | | | | | 41103 | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 25/12W-29P06 S | 116.0 | 4-28-58 | 122.3 | 6.3 | 1101 | 25/12W-31L01 S | 109.0 | 6-15-58 | 150.0* | 41.0 | 1101 |
| CONT. | | | | | | | | | | | |
| | | 5-01-58 | 122.3 | 6.3 | | | | 7-01-57 | 150.0* | 39.0 | |
| | | 5-22-58 | 122.8 | 6.8 | | | | 7-15-57 | 152.0* | 44.0 | |
| | | 6-09-58 | 122.5 | 6.5 | | | | 8-01-57 | 152.0* | 38.0 | |
| | | 6-12-58 | 123.2 | 7.2 | | | | 8-15-57 | 149.0* | 35.0 | |
| | | | | | | | | 9-01-57 | 146.0* | 33.0 | |
| 25/12W-31H02 S | 128.0 | 10-31-57 | 166.2 | 38.2 | 1101 | | | 9-15-57 | 148.0* | 35.0 | |
| | | 4-23-58 | 162.8* | 34.8 | | | | 10-01-57 | 148.0* | 29.0 | |
| | | | | | | | | 10-05-57 | 140.0* | 29.0 | |
| 25/12W-31H01 S | 109.0* | 7-31-57 | 150.0* | 41.0 | 1101 | | | 11-01-57 | 138.0* | 27.0 | |
| | | 8-31-57 | 150.0* | 41.0 | | | | 11-15-57 | 138.0* | 30.0 | |
| | | 9-30-57 | 150.0* | 41.0 | | | | 12-01-57 | 141.0* | 26.0 | |
| | | 10-31-57 | 140.0* | 31.0 | | | | 12-15-57 | 137.0* | 27.0 | |
| | | 11-30-57 | 137.0* | 28.0 | | | | | | | |
| | | 12-31-57 | 137.0* | 28.0 | | | | | | | |
| | | 1-01-58 | 137.0* | 28.0 | | | | | | | |
| | | 1-31-58 | 138.0* | 29.0 | | | | | | | |
| | | 2-01-58 | 138.0* | 29.0 | | | | | | | |
| | | 3-01-58 | 135.0* | 26.0 | | | | | | | |
| | | 4-01-58 | 133.0* | 24.0 | | | | | | | |
| | | 5-01-58 | 137.0* | 28.0 | | | | | | | |
| | | 6-01-58 | 140.0* | 31.0 | | | | | | | |
| 25/12W-31L01 S | 109.0 | 7-01-57 | 176.0* | 67.0 | 1101 | | | | | | |
| | | 7-15-57 | 169.0* | 60.0 | | | | | | | |
| | | 8-15-57 | 134.0* | 25.0 | | | | | | | |
| | | 8-31-57 | 135.0* | 26.0 | | | | | | | |
| | | 9-01-57 | 135.0* | 26.0 | | | | | | | |
| | | 9-15-57 | 134.0* | 25.0 | | | | | | | |
| | | 10-01-57 | 133.0* | 24.0 | | | | | | | |
| | | 10-15-57 | 137.0* | 28.0 | | | | | | | |
| | | 11-01-57 | 125.0* | 16.0 | | | | | | | |
| | | 11-15-57 | 122.0* | 13.0 | | | | | | | |
| | | 12-01-57 | 126.0* | 17.0 | | | | | | | |
| | | 12-15-57 | 122.0* | 13.0 | | | | | | | |
| | | 1-01-58 | 124.0* | 15.0 | | | | | | | |
| | | 1-15-58 | 123.0* | 14.0 | | | | | | | |
| | | 2-01-58 | 121.0* | 12.0 | | | | | | | |
| | | 2-15-58 | 121.0* | 12.0 | | | | | | | |
| | | 3-01-58 | 120.0* | 11.0 | | | | | | | |
| | | 3-15-58 | 118.0* | 9.0 | | | | | | | |
| | | 4-01-58 | 118.0* | 9.0 | | | | | | | |
| | | 4-15-58 | 118.0* | 9.0 | | | | | | | |
| | | 5-01-58 | 125.0* | 16.0 | | | | | | | |
| | | 5-15-58 | 125.0* | 16.0 | | | | | | | |
| | | 6-01-58 | 150.0* | 41.0 | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41100 | | | | | | 41103 | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 25/12W-31L01 S | 108.0* | 7-01-57 | 154.0* | 46.0 | 1101 | 25/12W-31M01 S | 108.0* | 7-01-57 | 154.0* | 46.0 | 1101 |
| | | 7-15-57 | 150.0* | 42.0 | | | | 7-15-57 | 150.0* | 42.0 | |
| | | 8-01-57 | 162.0* | 54.0 | | | | 8-01-57 | 162.0* | 54.0 | |
| | | 8-15-57 | 160.0* | 52.0 | | | | 8-15-57 | 160.0* | 52.0 | |
| | | 9-01-57 | 154.0* | 46.0 | | | | 9-01-57 | 154.0* | 46.0 | |
| | | 9-15-57 | 154.0* | 46.0 | | | | 9-15-57 | 154.0* | 46.0 | |
| | | 10-01-57 | 156.0* | 48.0 | | | | 10-01-57 | 156.0* | 48.0 | |
| | | 10-15-57 | 150.0* | 42.0 | | | | 10-15-57 | 150.0* | 42.0 | |
| | | 11-01-57 | 151.0* | 43.0 | | | | 11-01-57 | 151.0* | 43.0 | |
| | | 11-15-57 | 152.0* | 44.0 | | | | 11-15-57 | 152.0* | 44.0 | |
| | | 12-01-57 | 148.0* | 40.0 | | | | 12-01-57 | 148.0* | 40.0 | |
| | | 12-15-57 | 146.0* | 38.0 | | | | 12-15-57 | 146.0* | 38.0 | |
| | | 1-01-58 | 144.0* | 36.0 | | | | 1-01-58 | 144.0* | 36.0 | |
| | | 1-15-58 | 142.0* | 34.0 | | | | 1-15-58 | 142.0* | 34.0 | |
| | | 2-01-58 | 141.0* | 33.0 | | | | 2-01-58 | 141.0* | 33.0 | |
| | | 2-13-58 | 141.0* | 32.0 | | | | 2-13-58 | 141.0* | 32.0 | |
| | | 3-01-58 | 140.0* | 32.0 | | | | 3-01-58 | 140.0* | 32.0 | |
| | | 4-01-58 | 139.0* | 31.0 | | | | 4-01-58 | 139.0* | 31.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------------|--------------------|--|--|--|-----------------------|-------------------|--------------------|--|--|--|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 25/12W-31N01 S | 108.0 | 4-15-58 5-01-58 5-15-58 6-01-58 6-15-58 | 136.0* 142.0* 144.0* 148.0* 144.0* | 28.0 36.0 35.0 40.0 36.0 | 1101 | 25/13W-18003 S | 156.1 | 10-29-57 4-23-58 | 126.3* 124.9* | 29.8 34.2 | 1101 |
| 25/12W-33M01 S | 115.0 | 8-01-57 8-29-57 9-26-57 10-21-57 11-27-57 1-02-58 1-20-58 2-28-58 3-28-58 5-01-58 5-28-58 6-26-58 | 142.0* 142.0* 143.0* 138.0* 139.0* 135.0* 135.0* 134.0* 130.0* 132.0* 137.0* 135.0* | 27.0 27.0 28.0 28.0 28.0 20.0 20.0 19.0 15.0 17.0 22.0 20.0 | 1101 | 25/13W-24Q02 S | 145.0 | 7-15-57 8-13-57 9-13-57 10-13-57 11-13-57 1-13-58 2-13-58 3-13-58 4-13-58 5-13-58 6-13-58 | 225.0* 230.0* 258.0* 253.0* 250.0* 215.0* 215.0* 209.0* 209.0* 211.0* 215.0* | 80.0 85.0 78.0 78.0 70.0 67.0 64.0 64.0 66.0 70.0 | 1101 |
| 25/13W-13F01 S | 167.7 | 7-11-57 8-13-57 9-16-57 11-03-57 12-03-57 1-02-58 2-03-58 3-03-58 4-01-58 5-01-58 6-06-58 | 250.0* 250.0* 250.0* 250.0* 250.0* 250.0* 250.0* 250.0* 250.0* 250.0* 250.0* | 82.3 82.3 82.3 82.3 82.3 82.3 82.3 82.3 82.3 82.3 | 1101 | 25/13W-24Q03 S | 145.0 | 7-15-57 8-15-57 9-15-57 10-15-57 11-15-57 1-13-58 2-13-58 3-17-58 4-15-58 4-21-58 5-15-58 6-01-58 | 179.0* 177.0* 177.0* 162.0* 159.0* 178.0* 173.0* 159.0* 152.0* 174.0* 164.0* 159.0* | 34.0 32.0 37.0 35.0 35.0 28.0 10.0 19.0 29.0 11.0 14.0 16.0 | 1101 |
| 25/13W-13H01 S | 163.2 | 7-11-57 8-13-57 9-16-57 11-03-57 12-03-57 1-02-58 2-03-58 3-03-58 4-01-58 5-01-58 6-06-58 | 235.0* 245.0* 245.0* 245.0* 245.0* 245.0* 245.0* 245.0* 245.0* 245.0* 245.0* | 71.8 81.8 61.8 81.8 81.8 81.8 81.8 81.8 81.8 81.8 | 1101 | 25/13W-25B01 S | | 10-31-57 4-23-58 | DRY DRY | | 1101 |
| 25/13W-13R01 S | 157.8 | 10-31-57 4-23-58 | 290.0* 248.0* | 132.2 90.2 | 1101 | 25/13W-25C01 S | 140.3 | 7-01-57 8-01-57 9-01-57 10-01-57 1-01-58 2-01-58 3-01-58 4-01-58 5-01-58 6-01-58 | 214.0* 219.0* 226.0* 267.0* 212.0* 237.0* 212.0* 209.0* 207.0* 207.0* 239.0* | 73.7 78.7 83.7 62.7 71.7 81.7 71.7 58.7 66.7 66.7 98.7 | 1101 |
| 25/13W-13R02 S | 158.0 | 4-23-58 | 136.0* | 22.0 | 1101 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|---------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 41100 | | | | | | 41100 | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 25/13W-25Q01 S | 145.0 | 7-01-57 | 176.0* | - 31.0 | 1101 | 25/13W-32R02 S | 118.3 | 4-21-58 | 237.0* | - 118.7 | 1101 |
| | | 8-01-57 | 178.0* | - 33.0 | | | | | | | |
| | | 9-01-57 | 180.0* | - 35.0 | | | | | | | |
| | | 10-01-57 | 173.0* | - 28.0 | | | | | | | |
| | | 11-01-57 | 168.0* | - 23.0 | | | | | | | |
| | | 12-01-57 | 166.0* | - 21.0 | | | | | | | |
| | | 1-01-58 | 166.0* | - 21.0 | | | | | | | |
| | | 2-01-58 | 164.0* | - 19.0 | | | | | | | |
| | | 3-01-58 | 160.0* | - 15.0 | | | | | | | |
| | | 4-01-58 | 166.0* | - 21.0 | | | | | | | |
| | | 5-01-58 | 168.0* | - 23.0 | | | | | | | |
| | 125.3 | 6-01-58 | 168.0* | - 42.7 | | | | | | | |
| 25/13W-25Q01 S | 145.0** | 7-15-57 | 179.0* | - 34.0 | 1101 | 25/13W-34D01 S | 132.1 | 7-01-57 | 105.0* | 27.1 | 1101 |
| | | 8-15-57 | 177.0* | - 32.0 | | | | | | | |
| | | 9-15-57 | 177.0* | - 32.0 | | | | | | | |
| | | 10-15-57 | 162.0* | - 17.0 | | | | | | | |
| | | 11-15-57 | 160.0* | - 15.0 | | | | | | | |
| | | 12-15-57 | 178.0* | - 33.0 | | | | | | | |
| | | 1-15-58 | 173.0* | - 28.0 | | | | | | | |
| | | 2-15-58 | 173.0* | - 28.0 | | | | | | | |
| | | 3-15-58 | 173.0* | - 28.0 | | | | | | | |
| | | 4-15-58 | 173.0* | - 28.0 | | | | | | | |
| | | 5-15-58 | 154.0* | - 14.0 | | | | | | | |
| | | 6-01-58 | 161.0* | - 16.0 | | | | | | | |
| 25/13W-30N01 S | | 10-29-57 | DRY | | 1101 | 25/13W-34D02 S | 130.3 | 7-01-57 | 100.0* | 30.3 | 1101 |
| | | 11-19-57 | DRY | | | | | | | | |
| | | 4-23-58 | DRY | | | | | | | | |
| | | 5-19-58 | DRY | | | | | | | | |
| 25/13W-31C02 S | 132.9 | 10-29-57 | 173.0 | - 40.1 | 1101 | | | | | | |
| | | 4-23-58 | 173.2 | - 40.3 | | | | | | | |
| 25/13W-32C04 S | 131.1 | 12-27-57 | 196.0 | - 64.9 | 1101 | | | | | | |
| | 131.0** | 12-27-57 | 196.0 | - 65.0 | 1200 | | | | | | |
| 25/13W-32N02 S | 125.0** | 10-30-57 | 189.5* | - 64.5 | 1101 | | | | | | |
| | | 11-29-57 | 187.8 | - 62.8 | | | | | | | |
| | 124.1 | 11-29-57 | 187.8 | - 63.7 | 1200 | | | | | | |
| 25/13W-32N03 S | 125.0 | 10-22-57 | 191.0* | - 66.0 | 1101 | | | | | | |
| | | 4-17-58 | 217.0* | - 92.0 | | | | | | | |
| 25/13W-32R02 S | 118.3 | 10-22-57 | 238.0* | - 119.7 | 1101 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. To Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. To Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | |
| 25/13W-34002 S | 130.3 | 2-01-58 | 102.0* | 28.3 | 1101 | 25/13W-35A01 S | 122.0 | 11-01-57 | 156.0* | 34.0 | 1101 |
| CONT. | | 2-15-58 | 102.0* | 28.3 | | CONT. | | 11-15-57 | 154.0* | 32.0 | |
| | | 3-01-58 | 102.0* | 28.3 | | | | 12-01-57 | 154.0* | 32.0 | |
| | | 3-15-58 | 102.0* | 28.3 | | | | 12-15-57 | 153.0* | 31.0 | |
| | | 4-01-58 | 101.0* | 29.3 | | | | 1-01-58 | 154.0* | 32.0 | |
| | | 4-15-58 | 102.0* | 28.3 | | | | 1-15-58 | 151.0* | 29.0 | |
| | | 5-01-58 | 101.0* | 29.3 | | | | 2-01-58 | 150.0* | 28.0 | |
| | | 5-15-58 | 101.0* | 29.3 | | | | 2-15-58 | 149.0* | 27.0 | |
| | | 6-01-58 | 102.0* | 29.3 | | | | 3-01-58 | 149.0* | 27.0 | |
| | | 6-15-58 | 113.0* | 17.3 | | | | 3-15-58 | 146.0* | 24.0 | |
| 25/13W-34003 S | 127.1 | 7-01-57 | 92.0* | 35.1 | 1101 | | | 4-01-58 | 147.0* | 25.0 | |
| | | 8-01-57 | 92.0* | 35.1 | | | | 4-15-58 | 146.0* | 24.0 | |
| | | 9-01-57 | 92.0* | 35.1 | | | | 5-01-58 | 154.0* | 32.0 | |
| | | 10-01-57 | 92.0* | 35.1 | | | | 5-15-58 | 156.0* | 34.0 | |
| | | 11-01-57 | 92.0* | 35.1 | | | | 6-01-58 | 157.0* | 35.0 | |
| | | 12-01-57 | 92.0* | 35.1 | | | | 6-15-58 | 158.0* | 36.0 | |
| | | 1-01-58 | 92.0* | 35.1 | | | | | | | |
| | | 6-23-58 | 92.0* | 35.1 | | 25/13W-36B01 S | 121.9 | 7-01-57 | 162.0* | 40.1 | 1101 |
| 25/13W-34004 S | 130.3 | 9-15-57 | 96.0* | 34.3 | 1101 | | | 7-15-57 | 161.0* | 39.1 | |
| | | 10-15-57 | 96.0* | 34.3 | | | | 8-01-57 | 162.0* | 40.1 | |
| | | 11-15-57 | 96.0* | 34.3 | | | | 8-15-57 | 170.0* | 48.1 | |
| | | 12-01-57 | 97.0* | 33.3 | | | | 9-01-57 | 168.0* | 46.1 | |
| | | 12-15-57 | 97.0* | 33.3 | | | | 9-15-57 | 170.0* | 48.1 | |
| | | 1-01-58 | 97.0* | 33.3 | | | | 10-01-57 | 170.0* | 48.1 | |
| | | 1-15-58 | 97.0* | 33.3 | | | | 10-15-57 | 166.0* | 44.1 | |
| | | 2-01-58 | 98.0* | 32.3 | | | | 11-01-57 | 160.0* | 38.1 | |
| | | 2-15-58 | 98.0* | 32.3 | | | | 11-15-57 | 160.0* | 38.1 | |
| | | 3-01-58 | 98.0* | 32.3 | | | | 12-01-57 | 162.0* | 40.1 | |
| | | 3-15-58 | 97.0* | 33.3 | | | | 12-15-57 | 156.0* | 36.1 | |
| | | 4-01-58 | 97.0* | 33.3 | | | | 1-01-58 | 157.0* | 35.1 | |
| | | 4-15-58 | 98.0* | 32.3 | | | | 1-15-58 | 153.0* | 31.1 | |
| | | 5-01-58 | 98.0* | 32.3 | | | | 2-01-58 | 153.0* | 31.1 | |
| | | 5-15-58 | 99.0* | 31.3 | | | | 2-15-58 | 152.0* | 30.1 | |
| | | 6-01-58 | 118.0* | 12.3 | | | | 3-01-58 | 156.0* | 35.1 | |
| | | 6-15-58 | 112.0* | 18.3 | | | | 4-01-58 | 154.0* | 32.1 | |
| 25/13W-35A01 S | 122.0 | 7-01-57 | 160.0* | 38.0 | 1101 | | | 4-15-58 | 164.0* | 36.1 | |
| | | 7-15-57 | 163.0* | 41.0 | | | | 5-01-58 | 160.0* | 32.1 | |
| | | 8-01-57 | 165.0* | 43.0 | | | | 5-15-58 | 165.0* | 35.1 | |
| | | 8-15-57 | 165.0* | 43.0 | | | | 6-01-58 | 165.0* | 35.1 | |
| | | 9-01-57 | 165.0* | 43.0 | | | | 6-15-58 | 164.0* | 34.1 | |
| | | 9-15-57 | 165.0* | 43.0 | | | | | | | |
| | | 10-01-57 | 165.0* | 43.0 | | 25/13W-36F01 S | 121.0 | 7-01-57 | 155.0* | 34.0 | 1101 |
| | | 10-15-57 | 165.0* | 43.0 | | | | 7-15-57 | 158.0* | 37.0 | |
| | | | | | | | | 8-01-57 | 157.0* | 36.0 | |
| | | | | | | | | 8-15-57 | 161.0* | 40.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | |
|--------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | | |
| 41100 | | | | | | 41100 | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | | |
| 41103 | | | | | | 41103 | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | | |
| 41101 | | | | | | 41101 | | | | | | |
| 25/13W-36F01 S | 121.0 | 9-01-57 | 158.0* | - | 37.0 | 1101 | 114.0 | 7-15-57 | 156.0* | - | 42.0 | 1101 |
| | | 9-15-57 | 161.0* | - | 40.0 | | | 8-01-57 | 154.0* | - | 40.0 | |
| | | 10-01-57 | 156.0* | - | 35.0 | | | 8-15-57 | 154.0* | - | 40.0 | |
| | | 10-15-57 | 152.0* | - | 31.0 | | | 9-01-57 | 154.0* | - | 40.0 | |
| | | 11-01-57 | 146.0* | - | 25.0 | | | 9-15-57 | 152.0* | - | 38.0 | |
| | | 11-15-57 | 146.0* | - | 25.0 | | | 10-01-57 | 151.0* | - | 37.0 | |
| | | 12-01-57 | 148.0* | - | 27.0 | | | 10-15-57 | 146.0* | - | 32.0 | |
| | | 12-15-57 | 146.0* | - | 25.0 | | | 11-01-57 | 145.0* | - | 31.0 | |
| | | 1-01-58 | 146.0* | - | 25.0 | | | 11-15-57 | 143.0* | - | 29.0 | |
| | | 1-15-58 | 145.0* | - | 24.0 | | | 12-01-57 | 144.0* | - | 30.0 | |
| | | 2-01-58 | 144.0* | - | 23.0 | | | 12-15-57 | 142.0* | - | 28.0 | |
| | | 3-01-58 | 143.0* | - | 22.0 | | | 1-01-58 | 134.0* | - | 29.0 | |
| | | 3-15-58 | 142.0* | - | 21.0 | | | 1-01-58 | 143.0* | - | 29.0 | |
| | | 4-01-58 | 142.0* | - | 21.0 | | | 2-01-58 | 140.0* | - | 26.0 | |
| | | 4-15-58 | 140.0* | - | 19.0 | | | 2-15-58 | 139.0* | - | 25.0 | |
| | | 5-01-58 | 147.0* | - | 26.0 | | | 3-01-58 | 138.0* | - | 24.0 | |
| | | 5-15-58 | 148.0* | - | 27.0 | | | 3-15-58 | 139.0* | - | 25.0 | |
| | | 6-01-58 | 152.0* | - | 31.0 | | | 4-01-58 | 138.0* | - | 24.0 | |
| | | 6-15-58 | 154.0* | - | 33.0 | | | 5-01-58 | 141.0* | - | 27.0 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | | |
| 41101 | | | | | | 41101 | | | | | | |
| 25/13W-36F02 S | 121.0 | 7-01-57 | 169.0* | - | 48.0 | 1101 | 115.1 | 7-01-57 | 159.0* | - | 37.9 | 1101 |
| | | 7-15-57 | 171.0* | - | 50.0 | | | 7-15-57 | 156.0* | - | 40.9 | |
| | | 8-01-57 | 170.0* | - | 49.0 | | | 8-01-57 | 155.0* | - | 39.9 | |
| | | 8-15-57 | 174.0* | - | 53.0 | | | 9-01-57 | 152.0* | - | 36.9 | |
| | | 9-01-57 | 172.0* | - | 51.0 | | | 9-15-57 | 152.0* | - | 36.9 | |
| | | 9-15-57 | 171.0* | - | 50.0 | | | 10-01-57 | 150.0* | - | 34.9 | |
| | | 10-01-57 | 168.0* | - | 47.0 | | | 10-15-57 | 149.0* | - | 34.9 | |
| | | 10-15-57 | 164.0* | - | 43.0 | | | 11-01-57 | 147.0* | - | 32.9 | |
| | | 11-01-57 | 163.0* | - | 42.0 | | | 11-15-57 | 146.0* | - | 30.9 | |
| | | 11-15-57 | 164.0* | - | 43.0 | | | 12-01-57 | 146.0* | - | 30.9 | |
| | | 12-01-57 | 164.0* | - | 43.0 | | | 12-15-57 | 142.0* | - | 26.9 | |
| | | 12-15-57 | 159.0* | - | 38.0 | | | 1-01-58 | 146.0* | - | 28.9 | |
| | | 1-01-58 | 158.0* | - | 37.0 | | | 1-15-58 | 140.0* | - | 24.9 | |
| | | 1-15-58 | 154.0* | - | 33.0 | | | 2-01-58 | 139.0* | - | 23.9 | |
| | | 2-01-58 | 159.0* | - | 38.0 | | | 2-15-58 | 138.0* | - | 22.9 | |
| | | 2-15-58 | 154.0* | - | 33.0 | | | 3-01-58 | 138.0* | - | 22.9 | |
| | | 3-01-58 | 154.0* | - | 33.0 | | | 3-15-58 | 133.0* | - | 17.9 | |
| | | 4-01-58 | 152.0* | - | 31.0 | | | 4-01-58 | 132.0* | - | 16.9 | |
| | | 4-15-58 | 150.0* | - | 29.0 | | | 5-01-58 | 140.0* | - | 24.9 | |
| | | 5-01-58 | 158.0* | - | 37.0 | | | 6-01-58 | 144.0* | - | 28.9 | |
| | | 5-15-58 | 159.0* | - | 38.0 | | | | | | | |
| | | 6-01-58 | 161.0* | - | 40.0 | | | | | | | |
| | | 6-15-58 | 162.0* | - | 41.0 | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | | |
| 41101 | | | | | | 41101 | | | | | | |
| 25/13W-36G01 S | 114.0 | 7-01-57 | 152.0* | - | 38.0 | 1101 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41100 | | | | | | 41100 | | | | | |
| 2S/13W-36R01 S | 115.1 | 6-15-58 | 144.0* | - 28.9 | 1101 | 2S/14W-05D06 S | 88.0** | 8-07-57 | 196.0* | - 108.0 | 4736 |
| 2S/14W-03001 S | 110.7 | 7-09-57 | 139.2 | - 28.5 | 1101 | CONT. | | 9-07-57 | 205.0 | - 117.0 | |
| | | 8-14-57 | 140.2 | - 29.5 | | | | 10-07-57 | 203.0 | - 115.0 | |
| | | 9-10-57 | 140.8 | - 30.1 | | | | 11-08-57 | 210.0 | - 122.0 | |
| | | 10-09-57 | 141.6 | - 30.9 | | | | 12-07-57 | 206.0 | - 118.0 | |
| | | 10-30-57 | 141.9 | - 31.2 | | | | 1-07-58 | 203.0 | - 115.0 | |
| | | 11-20-57 | 142.2 | - 31.5 | | | | 2-07-58 | 200.0 | - 112.0 | |
| | | 12-10-57 | 142.5 | - 31.8 | | | | 3-05-58 | 202.0 | - 114.0 | |
| | | 1-07-58 | 142.8 | - 32.1 | | | | 4-07-58 | 205.0 | - 117.0 | |
| | | 2-10-58 | 143.2 | - 32.5 | | | | 5-07-58 | 205.0 | - 117.0 | |
| | | 3-11-58 | 143.1 | - 32.4 | | | | 6-07-58 | 208.0 | - 120.0 | |
| | | 4-09-58 | 143.2 | - 32.5 | | | | 10-30-57 | 193.0* | - 105.0 | 1101 |
| | | 4-30-58 | 143.7 | - 33.0 | | | | 5-06-58 | 194.0* | - 106.0 | |
| | | 5-27-58 | 144.4 | - 33.7 | | | | 6-15-58 | 189.0* | - 101.0 | |
| | | 6-10-58 | 144.9 | - 34.2 | | | | 11-04-57 | 30.5 | 59.5 | 1101 |
| 2S/14W-04N01 S | 106.0 | 11-04-57 | 156.4 | - 50.4 | 1101 | 2S/14W-05D09 S | 90.0** | 5-06-58 | 29.3 | 60.7 | |
| | | 5-06-58 | 176.7* | - 70.7 | | | | 7-15-57 | 210.0* | - 130.0 | 1101 |
| 2S/14W-05B03 S | 82.0 | 7-04-57 | 149.0* | - 67.0 | 1101 | 2S/14W-05D11 S | 80.0** | 8-15-57 | 215.0* | - 135.0 | |
| | | 8-01-57 | 141.0* | - 59.0 | | | | 9-15-57 | 217.0* | - 137.0 | |
| | | 9-05-57 | 150.0* | - 68.0 | | | | 10-15-57 | 209.0* | - 129.0 | |
| | | 10-03-57 | 153.0* | - 71.0 | | | | 11-15-57 | 210.0* | - 130.0 | |
| | | 11-07-57 | 145.0* | - 63.0 | | | | 12-15-57 | 200.0* | - 120.0 | |
| | | 12-05-57 | 150.0* | - 68.0 | | | | 1-15-58 | 198.0* | - 118.0 | |
| | | 1-02-58 | 153.0* | - 71.0 | | | | 2-15-58 | 196.0* | - 116.0 | |
| | | 2-13-58 | 149.0* | - 67.0 | | | | 3-15-58 | 196.0* | - 116.0 | |
| | | 3-13-58 | 139.0* | - 57.0 | | | | 4-15-58 | 196.0* | - 116.0 | |
| | | 4-10-58 | 140.0* | - 58.0 | | | | 5-15-58 | 197.0* | - 117.0 | |
| | | 5-08-58 | 139.0* | - 57.0 | | | | 6-01-58 | 197.0* | - 117.0 | |
| | | 6-05-58 | 138.0* | - 56.0 | | | | 11-04-57 | 148.2 | - 54.2 | 1101 |
| 2S/14W-05C03 S | 82.0 | 7-04-57 | 141.0* | - 41.0 | 1101 | 2S/14W-05E01 S | 94.0 | 5-06-58 | 151.3 | - 59.2 | |
| | | 8-01-57 | 32.0* | - 50.0 | | | | 9-25-57 | 172.6 | - 40.3 | 1101 |
| | | 9-05-57 | 44.0* | - 38.0 | | | | 4-30-58 | 173.0 | - 40.7 | |
| | | 10-03-57 | 45.0* | - 37.0 | | | | 9-25-57 | 170.6 | - 44.7 | 1101 |
| | | 11-07-57 | 41.0* | - 37.0 | | | | 5-01-58 | 172.0 | - 46.1 | |
| | | 12-05-57 | 45.0* | - 37.0 | | | | 9-25-57 | 171.5 | - 45.9 | 1101 |
| | | 1-02-58 | 46.0* | - 36.0 | | | | 4-30-58 | 173.0 | - 47.4 | |
| | | 2-13-58 | 45.0* | - 37.0 | | | | 10-30-57 | 182.7 | - 51.8 | 1101 |
| | | 3-13-58 | 39.0* | - 43.0 | | | | 5-06-58 | 176.4 | - 45.5 | |
| | | 4-10-58 | 40.0* | - 42.0 | | | | | | | |
| | | 5-08-58 | 35.0* | - 47.0 | | | | | | | |
| | | 6-05-58 | 38.0* | - 44.0 | | | | | | | |
| 2S/14W-05D06 S | 88.0** | 7-07-57 | 194.0 | - 106.0 | 4736 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|---------------------|-------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|---------------------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 25/14W-14C05 S | 129.7 | 9-25-57 5-01-58 | 172.9 173.7 | 43.2 44.0 | 1101 | 25/14W-27007 S CONT. | 146.3 | 5-05-58 6-06-58 | 213.0 212.0 | 66.7 65.7 | 1050 |
| 25/14W-14F02 S | 117.3 | 9-25-57 5-01-58 | 165.7 170.0 | 48.4 49.7 | 1101 | 35/11W-03R01 S | 187.0 | 10-23-57 4-22-58 | 6.2 4.1 | 180.8 182.9 | 1101 |
| 25/14W-15A01 S | 125.0 | 9-25-57 4-30-58 | 167.0 171.0 | 45.9 46.0 | 1101 | 35/11W-07H02 S | 118.4 | 10-29-57 5-12-58 | 146.1 143.7* | 27.7 25.3 | 1101 |
| 25/14W-22A02 S | 168.0 | 10-30-57 4-25-58 | 206.7 206.0 | 38.7 38.0 | 1101 | 35/11W-07J01 S | 124.2 | 7-11-57 7-30-57 | 135.8 136.3 | 11.6 12.1 | 1101 |
| 25/14W-22N04 S | 141.0 | 7-07-57 8-06-57 | 205.0 199.0 | 64.0 58.0 | 1050 | | | 8-25-57 10-12-57 | 137.0 135.9 | 12.8 11.7 | |
| | | 9-05-57 | 200.0 | 59.0 | | | | 10-22-57 | 137.3 | 13.0 | |
| | | 11-03-57 | 202.0 | 61.0 | | | | 1-16-57 | 137.2 | 13.0 | |
| | | 12-03-57 | 199.0 | 57.0 | | | | 1-26-57 | 135.6 | 13.0 | |
| | | 1-03-58 | 196.0 | 58.0 | | | | 1-16-58 | 137.8 | 13.6 | |
| | | 2-04-58 | 193.0 | 52.0 | | | | 2-06-58 | 137.9 | 13.9 | |
| | | 3-03-58 | 192.0 | 51.0 | | | | 2-27-58 | 139.2 | 13.0 | |
| | | 4-04-58 | 192.0 | 51.0 | | | | 3-20-58 | 139.2 | 13.0 | |
| | | 5-01-58 | 194.0 | 53.0 | | | | 4-10-58 | 138.5 | 14.3 | |
| | | 6-06-58 | 193.0 | 52.0 | | | | 5-01-58 | 138.4 | 14.2 | |
| | | | | | | | | 5-22-58 | 138.4 | 14.2 | |
| | | | | | | | | 6-12-58 | 135.7 | 11.5 | |
| 25/14W-23H02 S | 136.7 | 10-25-57 4-25-58 | 210.0* 208.0* | 73.3 71.3 | 1101 | 35/11W-07P02 S | 110.0 | 7-11-57 7-30-57 | 125.8 127.1 | 15.8 17.1 | 1101 |
| 25/14W-23H03 S | 137.8 | 1-20-58 | 171.5 | 33.7 | 1101 | | | 8-22-57 | 128.1 | 18.1 | |
| 25/14W-23H06 S | 136.9 | 10-25-57 4-25-58 | 206.0* 213.0* | 69.1 76.1 | 1101 | | | 9-12-57 | 128.3 | 18.3 | |
| | | | | | | | | 10-22-57 | 126.0 | 16.0 | |
| | | | | | | | | 11-14-57 | 124.7 | 14.7 | |
| | | | | | | | | 12-05-57 | 125.1 | 15.1 | |
| 25/14W-27C07 S | 157.0 | 10-10-57 3-03-58 | 245.0 226.9 | 88.0 69.9 | 1050 | | | 12-26-57 | 125.7 | 15.7 | |
| 25/14W-27D07 S | 146.3 | 7-07-57 8-06-57 | 221.5 215.0 | 75.2 68.7 | 1050 | | | 1-16-58 | 124.3 | 14.3 | |
| | | 9-05-57 | 217.0 | 71.2 | | | | 2-06-58 | 123.7 | 13.7 | |
| | | 10-03-57 | 220.0 | 73.2 | | | | 2-27-58 | 126.4* | 16.4 | |
| | | 11-03-57 | 217.3 | 71.0 | | | | 3-20-58 | 122.5 | 12.5 | |
| | | 12-03-57 | 219.2 | 72.9 | | | | 4-10-58 | 121.7 | 11.7 | |
| | | 1-03-58 | 215.7 | 69.4 | | | | 5-01-58 | 122.7 | 12.7 | |
| | | 2-04-58 | 214.0 | 67.7 | | | | 5-22-58 | 119.9 | 9.9 | |
| | | 3-03-58 | 210.0 | 63.7 | | | | 6-12-58 | 124.9 | 14.9 | |
| | | 4-04-58 | 213.0 | 66.7 | | | | 10-29-57 | 120.4 | 11.9 | 1101 |
| | | | | | | | | 4-24-58 | 120.9 | 12.4 | |
| | | | | | | | | 10-29-57 | DRY | | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | P.P. Elev. in feet | Date | Dist. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------------|--------------------|----------|--------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 3S/11W-08P02 S | | 4-29-58 | DRY | | 1101 | 3S/11W-16B01 S | 108.0 | 1-31-58 | 117.0* | - | 1101 |
| 3S/11W-09N01 S | 102.1** | 7-11-57 | 87.0 | 15.1 | 1101 | | | 2-28-58 | 117.0* | 9.0 | |
| | | 7-30-57 | 87.2 | 14.9 | | | | 3-31-58 | 117.0* | 9.0 | |
| | | 8-22-57 | 87.4 | 14.7 | | | | 5-02-58 | 117.0* | 9.0 | |
| | | 9-12-57 | 87.7 | 14.4 | | | | 5-29-58 | 118.0* | 10.0 | |
| | | 10-22-57 | 88.1 | 14.0 | | | | 6-27-58 | 119.0* | 11.0 | |
| | | 11-14-57 | 88.4 | 13.7 | | | | | | | |
| | | 12-03-57 | 88.3 | 13.8 | | | | | | | |
| | | 12-26-57 | 83.6 | 18.5 | | | | | | | |
| | | 1-16-58 | 84.1 | 18.0 | | | | 10-29-57 | 126.8 | 14.8 | 1101 |
| | | 2-06-58 | 84.0 | 18.1 | | | | 4-24-58 | 119.8 | 7.8 | |
| | | 2-27-58 | 75.5 | 26.6 | | | | | | | |
| | | 3-30-58 | 81.1 | 21.0 | | | | 10-29-57 | 144.8 | 33.8 | 1101 |
| | | 4-10-58 | 72.4 | 29.7 | | | | 4-24-58 | 139.3 | 28.3 | |
| | | 5-01-58 | 79.1 | 23.0 | | | | | | | |
| | | 5-22-58 | 82.0 | 20.1 | | | | | | | |
| | | 6-12-58 | 83.8 | 18.3 | | | | | | | |
| 3S/11W-10N01 S | 144.0 | 10-24-57 | 165.7* | 21.7 | 1101 | | | 8-02-57 | 141.0* | 35.0 | 1101 |
| | | 11-13-57 | 150.0 | - | | | | 8-30-57 | 156.0* | 50.0 | |
| | | 12-06-57 | 144.6 | - | | | | 9-27-57 | 156.0* | 50.0 | |
| | | 2-07-58 | 145.8 | 1.8 | | | | 11-01-57 | 156.0* | 50.0 | |
| | | 3-21-58 | 139.1 | 4.9 | | | | 11-29-57 | 156.0* | 50.0 | |
| | | 4-11-58 | 136.1 | 7.9 | | | | 1-03-58 | 156.0* | 50.0 | |
| | | 6-13-58 | 178.4* | 34.4 | | | | 1-31-58 | 156.0* | 50.0 | |
| | | 10-29-57 | 83.7 | 61.3 | | | | 2-28-58 | 156.0* | 50.0 | |
| 3S/11W-10N02 S | 145.0 | 4-24-58 | 82.6 | 62.4 | 1101 | | | 3-31-58 | 156.0* | 50.0 | |
| | | | | | | | | 5-02-58 | 156.0* | 50.0 | |
| | | | | | | | | 6-27-58 | 156.0* | 50.0 | |
| | | 10-29-57 | 83.7 | 61.3 | | | | | | | |
| | | 4-24-58 | 82.6 | 62.4 | | | | 10-29-57 | 124.3 | 26.3 | 1101 |
| 3S/11W-14R02 S | 220.0 | 10-29-57 | 210.1 | 9.9 | 1101 | | | 4-29-58 | 126.5* | 28.5 | |
| | | 4-29-58 | 194.1 | 25.9 | | | | | | | |
| 3S/11W-15G01 S | 165.0 | 10-29-57 | 167.1 | - | 1101 | | | 8-30-57 | 125.0 | 27.0 | 1101 |
| | | 11-01-57 | 188.0 | - | | | | 9-27-57 | 124.0 | 26.0 | |
| | | 4-24-58 | 270.0* | - | | | | 11-01-57 | 121.0 | 23.0 | |
| | | | | - | | | | 11-29-57 | 120.0 | 22.0 | |
| | | | | - | | | | 1-03-58 | 120.0 | 22.0 | |
| | | | | - | | | | 1-31-58 | 119.0 | 21.0 | |
| 3S/11W-15P01 S | 125.5 | 11-01-57 | 145.0 | - | 1101 | | | 2-28-58 | 116.0 | 18.0 | |
| | | 5-27-58 | 155.0* | - | | | | 3-31-58 | 115.0 | 17.0 | |
| | | | | - | | | | 5-02-58 | 119.0 | 21.0 | |
| | | | | - | | | | 5-29-58 | 122.0 | 24.0 | |
| | | | | - | | | | 6-27-58 | 124.0 | 26.0 | |
| 3S/11W-16B01 S | 108.0 | 8-02-57 | 116.0* | 8.0 | 1101 | | | | | | |
| | | 8-30-57 | 117.0* | 9.0 | | | | 7-01-57 | 132.2 | 29.2 | 1101 |
| | | 9-27-57 | 117.0* | 9.0 | | | | 8-01-57 | 134.3 | 31.3 | |
| | | 11-01-57 | 117.0* | 9.0 | | | | 9-01-57 | 134.2 | 31.2 | |
| | | 11-29-57 | 117.0* | 9.0 | | | | 10-01-57 | 135.3 | 32.3 | |
| | | 1-03-58 | 117.0* | 9.0 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 3S/11W-18B05 S CONT. | 103.0 | 11-01-57 | 134.8 | - 31.8 | 1101 | 3S/11W-18M01 S CONT. | 96.0 | 1-31-58 | 124.0* | - 28.0 | 1101 |
| | | 12-01-57 | 136.7 | - 30.7 | | | | 2-28-58 | 123.0* | - 27.0 | |
| | | 1-01-58 | 126.1 | - 23.1 | | | | 3-31-58 | 118.0* | - 22.0 | |
| | | 2-01-58 | 125.0 | - 22.0 | | | | 5-02-58 | 123.0* | - 27.0 | |
| | | 3-01-58 | 125.0 | - 22.0 | | | | 5-29-58 | 130.0* | - 34.0 | |
| | | 4-01-58 | 123.4 | - 20.4 | | | | 6-27-58 | 132.0* | - 36.0 | |
| | | 5-01-58 | 122.0 | - 19.0 | | | | | | | |
| | | 6-01-58 | 124.0 | - 21.0 | | | | 7-08-57 | 92.1 | 7.9 | 1101 |
| 3S/11W-18G01 S | 103.0 | 7-01-57 | 120.1 | - 17.1 | 1101 | | | 7-29-57 | 92.6 | 2.4 | |
| | | 8-01-57 | 128.0 | - 25.0 | | | | 8-19-57 | 93.0 | 2.0 | |
| | | 9-01-57 | 130.0 | - 27.0 | | | | 9-09-57 | 93.4 | 1.6 | |
| | | 10-01-57 | 128.5 | - 25.5 | | | | 11-21-57 | 94.1 | 7 | |
| | | 11-01-57 | 127.0 | - 24.0 | | | | 1-11-57 | 94.4 | 6 | |
| | | 12-01-57 | 126.5 | - 23.5 | | | | 12-02-57 | 94.4 | 6 | |
| | | 1-01-58 | 124.8 | - 21.8 | | | | 12-23-57 | 94.8 | 2.2 | |
| | | 2-01-58 | 124.4 | - 21.4 | | | | 1-13-58 | 94.7 | 3 | |
| | | 3-01-58 | 124.0 | - 21.0 | | | | 2-03-58 | 93.6 | 1.4 | |
| | | 4-01-58 | 123.0 | - 20.0 | | | | 2-24-58 | 93.5 | 1.5 | |
| | | 5-01-58 | 122.0 | - 19.0 | | | | 3-17-58 | 93.5 | 1.5 | |
| | | 6-01-58 | 122.0 | - 19.0 | | | | 4-07-58 | 93.4 | 1.6 | |
| | | 7-15-57 | 130.0* | - 28.0 | 1101 | | | 4-28-58 | 99.1* | - 4.1 | |
| 3S/11W-18G04 S | 102.0 | 8-15-57 | 130.0* | - 28.0 | | | | 5-19-58 | 94.7 | 3 | |
| | | 9-15-57 | 130.0* | - 28.0 | | | | 6-09-58 | 94.9 | 1 | |
| | | 10-15-57 | 130.0* | - 28.0 | | | | 6-30-58 | 95.2 | - 2.2 | |
| | | 11-30-57 | 130.0* | - 28.0 | | | | | | | |
| | | 1-15-58 | 125.0* | - 23.0 | | | | 8-02-57 | 124.0* | - 37.0 | 1101 |
| | | 12-15-57 | 124.0* | - 22.0 | | | | 8-30-57 | 131.0* | - 36.0 | |
| | | 1-15-58 | 124.0* | - 22.0 | | | | 9-27-57 | 123.0* | - 36.0 | |
| | | 2-15-58 | 124.0* | - 22.0 | | | | 11-01-57 | 123.0* | - 36.0 | |
| | | 3-15-58 | 122.0* | - 20.0 | | | | 11-29-57 | 115.0* | - 28.0 | |
| | | 4-01-58 | 122.0* | - 20.0 | | | | 1-03-58 | 113.0* | - 26.0 | |
| | | 5-07-58 | 123.0* | - 21.0 | | | | 1-31-58 | 112.0* | - 25.0 | |
| | | 5-07-58 | 123.0* | - 21.0 | | | | 2-28-58 | 110.0* | - 23.0 | |
| | | 5-30-58 | 125.0* | - 23.0 | | | | 3-28-58 | 108.0* | - 21.0 | |
| | | 6-15-58 | 126.0* | - 24.0 | | | | 5-02-58 | 113.0* | - 26.0 | |
| | | 10-22-57 | 129.0 | - 32.3 | 1101 | | | 5-29-58 | 115.0* | - 28.0 | |
| 3S/11W-18L02 S | 96.7 | 4-24-58 | 126.3* | - 29.6 | | | | 6-27-58 | 119.0* | - 32.0 | |
| | | 8-02-57 | 142.0* | - 46.0 | | | | 8-30-57 | 127.0* | - 46.0 | 1101 |
| | | 8-30-57 | 142.0* | - 46.0 | 1101 | | | 8-30-57 | 125.0* | - 38.0 | |
| | | 9-27-57 | 137.0* | - 41.0 | | | | 9-27-57 | 124.0* | - 37.0 | |
| | | 11-01-57 | 127.0* | - 31.0 | | | | 11-01-57 | 124.0* | - 37.0 | |
| | | 11-29-57 | 124.0* | - 28.0 | | | | 11-29-57 | 115.0* | - 25.0 | |
| | | 1-03-58 | 124.0* | - 28.0 | | | | 1-03-58 | 112.0* | - 28.0 | |
| | | 1-31-58 | 124.0* | - 28.0 | | | | 1-31-58 | 112.0* | - 25.0 | |
| | | 2-28-58 | 124.0* | - 28.0 | | | | 2-28-58 | 110.0* | - 23.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| 35/11M-19A03 S | 87.0 | 3-28-58 | 106.0* | - 21.0 | 1101 | 35/11M-19J02 S | 76.5 | 6-27-59 | 105.0* | - 28.5 | 1101 |
| CONT. | | 5-02-58 | 112.0* | - 25.0 | | | | 8-02-57 | 110.0* | - 38.0 | |
| | | 5-29-58 | 118.0* | - 31.0 | | 35/11M-19001 S | 72.0 | 8-30-57 | 110.0* | - 38.0 | 1101 |
| | | 6-27-58 | 122.0* | - 35.0 | | | | 9-27-57 | 105.0* | - 33.0 | |
| 35/11M-19A04 S | | 10-22-57 | DRY | | 1101 | | | 11-01-57 | 97.0* | - 25.0 | |
| | | 4-21-58 | DRY | | | | | 11-29-57 | 95.0* | - 23.0 | |
| 35/11M-19E02 S | 88.0** | 8-02-57 | 134.0* | - 46.0 | 1101 | | | 1-03-58 | 89.0* | - 17.0 | |
| | | 8-30-57 | 132.0* | - 44.0 | | | | 1-31-58 | 92.0* | - 20.0 | |
| | | 9-27-57 | 133.0* | - 45.0 | | | | 2-28-58 | 89.0 | - 17.0 | |
| | | 11-01-57 | 124.0* | - 36.0 | | | | 3-01-58 | 88.0 | - 16.0 | |
| | | 11-29-57 | 124.0* | - 36.0 | | | | 5-02-58 | 92.0 | - 20.0 | |
| | | 1-03-58 | 120.0* | - 32.0 | | | | 5-29-58 | 102.0 | - 30.0 | |
| | | 1-21-58 | 120.0* | - 32.0 | | | | 6-27-58 | 105.0 | - 33.0 | |
| | | 2-28-58 | 118.0* | - 30.0 | | 35/11M-20A01 S | 84.0 | 8-02-57 | 116.0* | - 32.0 | 1101 |
| | | 3-28-58 | 115.0* | - 27.0 | | | | 8-30-57 | 119.0* | - 35.0 | |
| | | 5-02-58 | 120.0* | - 32.0 | | | | 9-27-57 | 116.0* | - 32.0 | |
| | | 5-29-58 | 127.0* | - 39.0 | | | | 11-01-57 | 115.0* | - 31.0 | |
| | | 6-27-58 | 127.0* | - 39.0 | | | | 11-29-57 | 106.0* | - 22.0 | |
| 35/11M-19E04 S | 86.5 | 8-02-57 | 97.0* | - 10.5 | 1101 | | | 1-03-58 | 103.0* | - 19.0 | |
| | | 8-30-57 | 97.0* | - 10.5 | | | | 1-31-58 | 103.0* | - 19.0 | |
| | | 9-27-57 | 99.0* | - 12.5 | | | | 2-28-58 | 102.0* | - 18.0 | |
| | | 11-01-57 | 95.0* | - 8.5 | | | | 3-31-58 | 101.0* | - 17.0 | |
| | | 11-29-57 | 94.0* | - 7.5 | | | | 5-02-58 | 104.0* | - 20.0 | |
| | | 1-03-58 | 94.0* | - 7.5 | | | | 5-29-58 | 109.0* | - 25.0 | |
| | | 1-21-58 | 99.0* | - 12.5 | | | | 6-27-58 | 115.0* | - 31.0 | |
| | | 2-28-58 | 97.0* | - 10.5 | | 35/11M-20A02 S | 83.0 | 10-29-57 | 105.1 | - 22.1 | 1101 |
| | | 3-28-58 | 96.0* | - 9.5 | | | | 4-29-58 | 101.1 | - 18.1 | |
| | | 4-22-58 | 113.0* | - 26.5 | | | | 8-30-57 | 98.0* | - 17.0 | 1101 |
| | | 5-02-58 | 89.0* | - 2.5 | | | | 9-27-57 | 98.0* | - 17.0 | |
| | | 5-29-58 | 101.0* | - 14.5 | | 35/11M-20C01 S | 81.0 | 11-01-57 | 98.0* | - 17.0 | |
| | | 6-27-58 | 102.0* | - 15.5 | | | | 11-29-57 | 98.0* | - 17.0 | |
| 35/11M-19J02 S | 76.5 | 8-02-57 | 122.0* | - 45.5 | 1101 | | | 1-03-58 | 98.0* | - 17.0 | |
| | | 8-30-57 | 113.0* | - 36.5 | | | | 1-31-58 | 98.0* | - 17.0 | |
| | | 9-27-57 | 108.0* | - 31.5 | | | | 2-28-58 | 98.0* | - 17.0 | |
| | | 11-01-57 | 92.0* | - 15.5 | | | | 3-31-58 | 98.0* | - 17.0 | |
| | | 11-29-57 | 105.0* | - 28.5 | | | | 5-02-58 | 90.0* | - 9.0 | |
| | | 1-03-58 | 95.0* | - 18.5 | | | | 5-29-58 | 87.0* | - 6.0 | |
| | | 1-21-58 | 94.0* | - 17.5 | | | | 6-27-58 | 101.0* | - 20.0 | |
| | | 2-28-58 | 93.0* | - 16.5 | | | | 10-23-57 | 86.4* | - 5.4 | 1101 |
| | | 3-21-58 | 92.0* | - 15.5 | | 35/11M-20F01 S | 81.0 | 5-02-58 | 80.7 | + 3 | |
| | | 5-29-58 | 108.0* | - 31.5 | | | | 10-23-57 | 85.0* | - 7.9 | 1101 |
| | | 5-29-58 | 106.0* | - 29.5 | | 35/11M-20J01 S | 78.0 | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41100 | | | | | | | | | | | |
| 35/11W-20J01 S | 78.0 | 5-02-58 | 88.2* | - 6.2 | 1101 | 35/11W-27N01 S | 71.0 | 4-22-58 | 84.6 | - 13.6 | 1101 |
| 35/11W-20K02 S | 73.0 | 10-23-57 | 86.4 | - 11.4 | 1101 | 35/11W-27R02 S | 65.1 | 7-24-57 | 120.3 | - 55.2 | 3102 |
| 35/11W-20R03 S | 73.0 | 5-02-58 | 83.9 | - 10.9 | | | | 8-26-57 | 115.2 | - 50.1 | |
| 35/11W-20R05 S | 74.0** | 10-23-57 | 85.0 | - 12.0 | 1101 | | | 10-29-57 | 108.1 | - 43.0 | |
| 35/11W-21B01 S | 95.0 | 5-02-58 | 82.6 | - 9.6 | | | | 9-24-57 | 96.0 | - 30.9 | |
| 35/11W-21D01 S | 84.3 | 10-29-57 | DRY | | 1101 | | | 11-26-57 | 88.5 | - 18.4 | |
| 35/11W-21D02 S | 83.0 | 10-22-57 | 102.3 | - 19.3 | 1101 | | | 12-31-57 | 83.5 | - 18.4 | |
| 35/11W-21D04 S | 81.5 | 4-21-58 | 13.0 | 82.0 | | | | 1-28-58 | 85.0 | - 19.9 | |
| 35/11W-21M03 S | 77.0 | 10-29-57 | 81.5 | - 0 | 1101 | | | 2-27-58 | 81.3 | - 12.2 | |
| 35/11W-21N01 S | 77.0 | 10-23-57 | 91.8 | - 14.8 | 1101 | | | 3-27-58 | 77.3 | - 18.4 | |
| 35/11W-22K01 S | 84.0 | 5-02-58 | 83.4 | - 0.6 | | | | 4-25-58 | 83.5 | - 18.4 | |
| 35/11W-27G03 S | 65.3 | 10-24-57 | 110.8 | - 26.8 | 1101 | | | 5-27-58 | 93.8 | - 28.7 | |
| | | 4-24-58 | 110.9 | - 26.9 | | | | 6-24-58 | 109.5 | - 44.4 | |
| | | 7-24-57 | 104.2 | - 38.9 | 3102 | | | | | | |
| | | 8-26-57 | 102.8 | - 37.5 | | | | | | | |
| | | 9-24-57 | 100.6 | - 35.3 | | | | | | | |
| | | 10-29-57 | 94.9 | - 29.6 | | | | | | | |
| | | 11-26-57 | 89.2 | - 23.9 | | | | | | | |
| | | 12-31-57 | 82.5 | - 17.2 | | | | | | | |
| | | 1-28-58 | 80.8 | - 15.5 | | | | | | | |
| | | 2-27-58 | 80.7 | - 15.4 | | | | | | | |
| | | 3-27-58 | 78.6 | - 13.3 | | | | | | | |
| | | 4-25-58 | 77.8 | - 12.5 | | | | | | | |
| | | 5-27-58 | 89.5 | - 24.2 | | | | | | | |
| | | 6-24-58 | 88.7 | - 23.4 | | | | | | | |
| 35/11W-27N01 S | 58.0 | 10-23-57 | 95.9 | - 37.9 | 1101 | 35/11W-28K01 S | 63.0 | 7-11-57 | 81.6 | - 18.6 | 1101 |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41103 | | | | | | | | | | | |
| | | 10-23-57 | 100.4 | - 23.4 | 1101 | | | 10-23-57 | 217.4* | - 143.4 | 1101 |
| | | 5-02-58 | 94.4 | - 17.4 | | | | 5-02-58 | 123.3 | - 49.3 | |
| | | 5-02-58 | 83.4 | - 6.4 | | | | | | | |
| | | 10-24-57 | 110.8 | - 26.8 | 1101 | | | | | | |
| | | 4-24-58 | 110.9 | - 26.9 | | | | | | | |
| | | 7-24-57 | 104.2 | - 38.9 | 3102 | | | | | | |
| | | 8-26-57 | 102.8 | - 37.5 | | | | | | | |
| | | 9-24-57 | 100.6 | - 35.3 | | | | | | | |
| | | 10-29-57 | 94.9 | - 29.6 | | | | | | | |
| | | 11-26-57 | 89.2 | - 23.9 | | | | | | | |
| | | 12-31-57 | 82.5 | - 17.2 | | | | | | | |
| | | 1-28-58 | 80.8 | - 15.5 | | | | | | | |
| | | 2-27-58 | 80.7 | - 15.4 | | | | | | | |
| | | 3-27-58 | 78.6 | - 13.3 | | | | | | | |
| | | 4-25-58 | 77.8 | - 12.5 | | | | | | | |
| | | 5-27-58 | 89.5 | - 24.2 | | | | | | | |
| | | 6-24-58 | 88.7 | - 23.4 | | | | | | | |
| 35/11W-28J01 S | 69.0 | 10-23-57 | 82.1 | - 13.1 | 1101 | 35/11W-28L01 S | 67.0 | 4-22-58 | 73.1 | - 9.1 | 1101 |
| | | 5-02-58 | 78.8 | - 9.8 | | | | 10-23-57 | 77.2 | - 13.2 | 1101 |
| | | 11-12-57 | 82.7 | - 15.7 | | | | 4-22-58 | 97.9 | - 30.9 | 1101 |
| | | 5-02-58 | 78.6 | - 11.6 | | | | 5-08-58 | 91.2 | - 24.2 | 1101 |
| | | 10-23-57 | 67.0 | - 6.0 | | | | 7-11-57 | 81.6 | - 18.6 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| 41103 | | | | | | 41100 | | | | | |
| 35/11W-28N01 S | 63.0 | 7-30-57 | 89.3 | 26.3 | 1101 | 35/11W-31C01 S | 58.3 | 8-22-57 | 88.4 | 30.1 | 1101 |
| CONT. | | 8-22-57 | 90.0 | 27.0 | | | | 9-12-57 | 85.4 | 27.1 | |
| | | 9-12-57 | 89.9 | 26.0 | | | | 10-23-57 | 76.7 | 12.4 | |
| | | 10-23-57 | 81.8 | 18.9 | | | | 11-15-57 | 69.0 | 10.2 | |
| | | 11-15-57 | 78.5 | 15.5 | | | | 12-05-57 | 65.0 | 10.7 | |
| | | 12-05-57 | 76.6 | 12.6 | | | | 12-26-57 | 65.0 | 10.7 | |
| | | 12-26-57 | 80.2 | 17.1 | | | | 1-16-58 | 66.2 | 7.9 | |
| | | 1-16-58 | 75.4 | 12.4 | | | | 2-06-58 | 66.2 | 5.9 | |
| | | 2-06-58 | 75.0 | 12.0 | | | | 2-27-58 | 62.5 | 4.5 | |
| | | 2-27-58 | 73.8 | 10.9 | | | | 3-20-58 | 61.5 | 3.2 | |
| | | 3-20-58 | 76.7 | 13.7 | | | | 4-10-58 | 60.6 | 2.3 | |
| | | 4-10-58 | 71.8 | 8.8 | | | | 5-01-58 | 65.3 | 7.0 | |
| | | 5-01-58 | 79.0 | 16.0 | | | | 5-22-58 | 70.9 | 12.9 | |
| | | 5-22-58 | 77.0 | 14.0 | | | | 6-12-58 | 77.6 | 19.3 | |
| | | 6-12-58 | 83.3* | 20.3 | | | | | | | |
| 35/11W-28P02 S | 61.7 | 7-24-57 | 82.1 | 20.4 | 3102 | 35/11W-31W02 S | 51.0 | 10-22-57 | 80.9 | 29.9 | 1101 |
| | | 8-26-57 | 82.8 | 21.1 | | | | 7-15-57 | 96.0* | 42.0 | 1101 |
| | | 9-24-57 | 82.7 | 21.0 | | | | 8-15-57 | 106.0* | 52.0 | |
| | | 10-29-57 | 78.8 | 17.1 | | | | 9-07-57 | 100.0* | 46.0 | |
| | | 11-26-57 | 76.4 | 14.7 | | | | 10-01-57 | 81.0* | 27.0 | |
| | | 12-31-57 | 74.2 | 12.5 | | | | 11-15-57 | 84.0* | 26.0 | |
| | | 1-28-58 | 74.4 | 12.7 | | | | 12-15-57 | 80.0* | 26.0 | |
| | | 2-27-58 | 71.7 | 10.0 | | | | 1-15-58 | 90.0* | 46.0 | |
| | | 4-25-58 | 70.7 | 9.0 | | | | 2-15-58 | 98.0* | 23.0 | |
| | | 5-27-58 | 74.3 | 12.6 | | | | 3-15-58 | 77.0* | 20.0 | |
| | | 6-24-58 | 80.8 | 19.1 | | | | 5-15-58 | 74.0* | 20.0 | |
| 35/11W-29E03 S | 68.0 | 10-23-57 | 94.7 | 26.7 | 1101 | 35/11W-31P01 S | 48.0 | 10-22-57 | 69.5 | 21.5 | 1101 |
| | | 5-02-58 | 86.2 | 18.2 | | | | 4-29-58 | 58.9 | 10.9 | |
| 35/11W-29R01 S | 67.0 | 4-22-58 | 82.6 | 15.6 | 1101 | 35/11W-32A01 S | 60.5 | 4-22-58 | 68.1 | 7.6 | 1101 |
| 35/11W-29R02 S | 58.0 | 10-24-57 | 79.3 | 21.3 | 1101 | 35/11W-32K02 S | 52.0 | 10-23-57 | 74.4 | 22.4 | 1101 |
| | | 5-02-58 | 72.1 | 14.1 | | | | 5-02-58 | 68.0 | 16.0 | |
| 35/11W-30D01 S | 71.0 | 10-23-57 | 75.1 | 4.1 | 1101 | 35/11W-32R03 S | 47.2 | 7-11-57 | 86.6 | 39.4 | 1101 |
| | | 5-02-58 | 73.5 | 2.5 | | | | 7-24-57 | 85.2 | 38.0 | 3102 |
| 35/11W-30E02 S | 68.0** | 4-22-58 | 66.2 | 1.8 | 1101 | | | 7-30-57 | 86.6 | 39.4 | 1101 |
| 35/11W-30P01 S | 58.8 | 10-23-57 | 7.6 | 51.2 | 1101 | | | 8-22-57 | 87.5 | 40.3 | |
| | | 4-22-58 | 5.2 | 53.6 | | | | 8-26-57 | 85.7 | 38.5 | 3102 |
| 35/11W-31C01 S | 58.3 | 7-11-57 | 85.2 | 26.9 | 1101 | | | 9-12-57 | 85.4 | 38.2 | 1101 |
| | | 7-30-57 | 86.5 | 28.2 | | | | 10-22-57 | 70.2 | 23.0 | 1101 |
| | | | | | | | | 10-29-57 | 68.7 | 21.5 | 3102 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 35/11W-32R03 S | 474.2 | 11-14-57 | 644.2 | 17.0 | 1101 | 35/12W-05A01 S | 110.0 | 3-28-58 | 130.0* | 20.0 | 1101 |
| | | 11-26-57 | 634.1 | 15.9 | 3102 | | | 5-01-58 | 132.0* | 22.0 | |
| | | 12-05-57 | 654.0 | 17.8 | 1101 | | | 5-28-58 | 138.0* | 28.0 | |
| | | 12-26-57 | 614.7 | 14.5 | | | | 6-26-58 | 138.0* | 28.0 | |
| | | 12-31-57 | 604.7 | 13.5 | 3102 | | | | | | |
| | | 1-16-58 | 654.2 | 18.0 | 1101 | 35/12W-05B06 S | 109.5 | 8-01-57 | 85.0* | 24.5 | 1101 |
| | | 2-26-58 | 604.9 | 13.7 | 3102 | | | 8-20-57 | 85.0* | 24.5 | |
| | | 2-27-58 | 584.8 | 13.2 | 1101 | | | 9-26-57 | 85.0* | 24.5 | |
| | | 2-27-58 | 574.6 | 10.6 | 3102 | | | 10-31-57 | 86.0* | 23.5 | |
| | | 3-20-58 | 574.6 | 10.4 | 1101 | | | 11-27-57 | 85.0* | 24.5 | |
| | | 3-27-58 | 564.1 | 8.9 | 3102 | | | 1-02-58 | 87.0* | 22.5 | |
| | | 4-10-58 | 564.1 | 8.9 | 1101 | | | 1-30-58 | 88.0* | 21.5 | |
| | | 4-25-58 | 564.9 | 9.7 | 3102 | | | 2-27-58 | 87.0* | 22.5 | |
| | | 5-01-58 | 614.4 | 14.2 | 1101 | | | 3-28-58 | 87.0* | 22.5 | |
| | | 5-22-58 | 694.0 | 21.8 | 1101 | | | 5-01-58 | 87.0* | 22.5 | |
| | | 5-27-58 | 674.8 | 20.6 | 3102 | | | 5-20-58 | 88.0* | 21.5 | |
| | | 6-24-58 | 774.7 | 30.5 | | | | 6-26-58 | 80.8* | 28.7 | |
| 35/11W-32R04 S | 484.0 | 10-23-57 | 704.5 | 22.5 | 1101 | 35/12W-05D02 S | 107.0 | 7-01-57 | 56.0* | 18.0 | 1101 |
| | | 4-22-58 | 594.7 | 11.7 | | | | 7-10-57 | 65.0* | 18.0 | |
| 35/11W-33B02 S | 584.0 | 10-24-57 | 824.2 | 24.2 | 1101 | | | 8-01-57 | 88.0* | 19.0 | |
| | | 4-22-58 | 674.5 | 9.5 | | | | 8-10-57 | 91.0* | 16.0 | |
| 35/12W-04N01 S | 1074.0 | 7-15-57 | 854.0* | 22.0 | 1101 | | | 9-01-57 | 92.0* | 15.0 | |
| | | 8-15-57 | 850.0* | 22.0 | | | | 10-10-57 | 92.0* | 14.0 | |
| | | 9-15-57 | 850.0* | 22.0 | | | | 10-15-57 | 91.0* | 15.0 | |
| | | 10-15-57 | 804.0* | 27.0 | | | | 11-01-57 | 94.0* | 16.0 | |
| | | 11-15-57 | 894.0* | 18.0 | | | | 11-10-57 | 93.0* | 13.0 | |
| | | 12-15-57 | 834.0* | 24.0 | | | | 12-01-57 | 92.0* | 15.0 | |
| | | 1-15-58 | 874.0* | 20.0 | | | | 12-18-57 | 91.0* | 16.0 | |
| | | 2-15-58 | 894.0* | 18.0 | | | | 1-01-58 | 92.0* | 15.0 | |
| | | 3-15-58 | 884.0* | 17.0 | | | | 1-10-58 | 91.0* | 16.0 | |
| | | 4-15-58 | 884.0* | 20.0 | | | | 2-01-58 | 89.0* | 18.0 | |
| | | 5-15-58 | 894.0* | 19.0 | | | | 2-10-58 | 88.0* | 19.0 | |
| | | 6-01-58 | 924.0* | 15.0 | | | | 3-01-58 | 89.0* | 18.0 | |
| | | 8-01-57 | 1454.0* | 35.0 | 1101 | | | 3-10-58 | 914.0* | 16.0 | |
| | | 8-29-57 | 1454.0* | 35.0 | | | | 4-01-58 | 914.0* | 16.0 | |
| | | 9-26-57 | 1504.0* | 40.0 | | | | 4-10-58 | 914.0* | 16.0 | |
| | | 10-31-57 | 1404.0* | 30.0 | | | | | | | |
| | | 11-27-57 | 1384.0* | 28.0 | | | | 10-28-57 | DRY | | 1101 |
| | | 1-02-58 | 1354.0* | 25.0 | | | | 8-01-57 | 1414.0* | 41.0 | 1101 |
| | | 1-30-58 | 1364.0* | 26.0 | | | | 8-29-57 | 1394.0* | 39.0 | |
| | | 2-27-58 | 1324.0* | 22.0 | | | | 9-26-57 | 1384.0* | 38.0 | |
| | | | | | | | | 10-31-57 | 1294.0* | 29.0 | |
| | | | | | | | | 11-27-57 | 1304.0* | 30.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | |
|--------------------------------------|--------------------|--|-------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|--|-------------------------------------|-----------------------------|-----------------------|--|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | | |
| 35/12W-05M01 S CONT. | 100.0 | 1-02-58 1-30-58 2-27-58 2-28-58 5-01-58 5-28-58 6-18-58 6-26-58 | 126.0* | 26.0 | 1101 | 35/12W-06B03 S CONT. | 103.0 | 5-01-58 5-15-58 6-01-58 6-15-58 | 134.0* | 31.0 | 1101 | |
| 35/12W-05R01 S | 103.0 | 7-21-57 8-07-57 9-15-57 10-15-57 11-15-57 12-15-57 12-21-57 1-15-58 2-15-58 3-15-58 4-07-58 4-15-58 5-07-58 | 135.0* | 32.0 | 1101 | 35/12W-06D01 S | 109.0 | 7-01-57 8-15-57 8-01-57 9-15-57 9-01-57 10-15-57 10-01-57 11-01-57 11-01-57 12-01-57 12-01-57 1-01-58 1-01-58 2-01-58 3-01-58 4-01-58 | 143.0* | 36.0 | 1101 | |
| 35/12W-06A02 S | 104.2 | 10-28-57 4-29-58 | 21.5 | 82.7 | 1101 | 35/12W-06D02 S | 109.0 | 7-01-57 7-15-57 8-01-57 8-01-57 9-01-57 9-01-57 10-01-57 10-01-57 11-01-57 11-01-57 12-01-57 12-01-57 1-01-58 1-01-58 2-01-58 2-01-58 3-01-58 4-01-58 | 141.0* | 32.0 | 1101 | |
| 35/12W-06B03 S | 103.0 | 7-01-57 7-15-57 8-01-57 8-15-57 9-01-57 9-15-57 10-01-57 10-15-57 11-01-57 11-01-57 12-01-57 12-01-57 1-01-58 1-01-58 2-01-58 2-01-58 3-01-58 4-01-58 | 117.0* | 14.0 | 1101 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| 35/12W-06D02 S | 109.0 | 4-01-58 | 129.0* | 20.0 | 1101 | 35/12W-06D04 S | 112.0 | 2-15-58 | 136.0* | 24.0 | 1101 |
| | | 4-15-58 | 130.0* | 21.0 | | CONT. | | 3-01-58 | 135.0* | 23.0 | |
| | | 5-01-58 | 136.0* | 27.0 | | | | 3-15-58 | 135.0* | 22.0 | |
| | | 5-15-58 | 135.0* | 26.0 | | | | 4-01-58 | 135.0* | 23.0 | |
| | | 6-01-58 | 137.0* | 28.0 | | | | 4-15-58 | 136.0* | 22.0 | |
| | | 6-10-58 | 137.0* | 28.0 | | | | 5-01-58 | 141.0* | 29.0 | |
| | | 6-15-58 | 143.0* | 34.0 | | | | 5-15-58 | 141.0* | 29.0 | |
| | | | | | | | | 6-01-58 | 147.0* | 35.0 | |
| 35/12W-06D03 S | 108.0 | 8-01-57 | 148.0* | 40.0 | 1101 | | | 6-15-58 | 147.0* | 35.0 | |
| | | 8-15-57 | 146.0* | 40.0 | | | | | | | |
| | | 9-01-57 | 146.0* | 38.0 | | 35/12W-06E01 S | 105.0 | 7-01-57 | 149.0* | 44.0 | 1101 |
| | | 9-15-57 | 146.0* | 38.0 | | | | 7-15-57 | 152.0* | 47.0 | |
| | | 10-01-57 | 148.0* | 40.0 | | | | 8-01-57 | 148.0* | 43.0 | |
| | | 10-15-57 | 144.0* | 36.0 | | | | 8-15-57 | 150.0* | 45.0 | |
| | | 11-01-57 | 136.0* | 28.0 | | | | 9-01-57 | 148.0* | 43.0 | |
| | | 11-15-57 | 135.0* | 27.0 | | | | 9-15-57 | 150.0* | 45.0 | |
| | | 12-01-57 | 140.0* | 32.0 | | | | 10-01-57 | 150.0* | 45.0 | |
| | | 12-15-57 | 137.0* | 29.0 | | | | 10-15-57 | 144.0* | 39.0 | |
| | | 1-01-58 | 138.0* | 30.0 | | | | 11-01-57 | 139.0* | 34.0 | |
| | | 1-15-58 | 136.0* | 28.0 | | | | 11-15-57 | 138.0* | 33.0 | |
| | | 2-01-58 | 133.0* | 25.0 | | | | 12-01-57 | 140.0* | 35.0 | |
| | | 2-15-58 | 136.0* | 28.0 | | | | 12-15-57 | 140.0* | 35.0 | |
| | | 3-01-58 | 135.0* | 27.0 | | | | 1-01-58 | 142.0* | 37.0 | |
| | | 3-15-58 | 135.0* | 27.0 | | | | 1-15-58 | 142.0* | 37.0 | |
| | | 4-01-58 | 136.0* | 28.0 | | | | 2-01-58 | 137.0* | 32.0 | |
| | | 4-15-58 | 136.0* | 28.0 | | | | 2-15-58 | 136.0* | 31.0 | |
| | | 5-01-58 | 143.0* | 35.0 | | | | 3-01-58 | 135.0* | 30.0 | |
| | | 5-15-58 | 146.0* | 38.0 | | | | 3-15-58 | 134.0* | 29.0 | |
| | | 6-01-58 | 153.0* | 45.0 | | | | 4-01-58 | 132.0* | 27.0 | |
| | | 6-15-58 | 151.0* | 43.0 | | | | 4-15-58 | 132.0* | 27.0 | |
| 35/12W-06D04 S | 112.0 | 7-01-57 | 152.0* | 40.0 | 1101 | | | 5-01-58 | 137.0* | 32.0 | |
| | | 7-15-57 | 156.0* | 44.0 | | | | 6-01-58 | 144.0* | 32.0 | |
| | | 8-01-57 | 156.0* | 44.0 | | | | 6-15-58 | 146.0* | 41.0 | |
| | | 8-15-57 | 156.0* | 44.0 | | | | | | | |
| | | 9-01-57 | 152.0* | 40.0 | | 35/12W-07C02 S | | 10-22-57 | DRY | | 1101 |
| | | 9-15-57 | 152.0* | 40.0 | | | | 4-21-58 | DRY | | |
| | | 10-01-57 | 152.0* | 40.0 | | | | | | | |
| | | 10-15-57 | 146.0* | 34.0 | | | | 4-21-58 | 67.9 | 19.1 | 1101 |
| | | 11-01-57 | 140.0* | 29.0 | | | | 10-31-57 | 118.5* | 35.5 | 1101 |
| | | 11-15-57 | 135.0* | 27.0 | | | | 4-23-58 | 116.7* | 33.7 | |
| | | 12-01-57 | 142.0* | 30.0 | | | | | | | |
| | | 1-15-58 | 146.0* | 34.0 | | | | 10-28-57 | 14.4* | 70.2 | 1101 |
| | | 1-15-58 | 146.0* | 34.0 | | | | 4-29-58 | DRY | | |
| | | 2-01-58 | 136.0* | 24.0 | | | | | | | |
| | | | | | | 35/12W-08C01 S | 98.3 | 7-11-57 | 74.0 | 24.3 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|---------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 35/12W-08C01 S | 98.3 | 7-30-57 | 74.6 | 23.7 | 1101 | 35/12W-08F01 S | 88.8 | 4-23-58 | 119.1 | 30.3 | 1101 |
| | | 8-22-57 | 75.0 | 23.3 | | | | 7-01-57 | 68.4 | 18.6 | 1101 |
| | | 9-12-57 | 74.6 | 23.7 | | | | 7-08-57 | 68.3 | 18.7 | |
| | | 10-22-57 | 74.1 | 24.2 | | | | 7-15-57 | 68.9 | 18.1 | |
| | | 11-14-57 | 73.2 | 25.1 | | | | 7-22-57 | 69.0 | 18.0 | |
| | | 1-26-58 | 75.2 | 22.1 | | | | 7-28-57 | 68.7 | 19.3 | |
| | | 3-16-58 | 73.3 | 23.6 | | | | 8-05-57 | 69.4 | 17.6 | |
| | | 2-05-58 | 72.9 | 24.0 | | | | 8-12-57 | 69.3 | 17.7 | |
| | | 3-50-58 | 73.0 | 25.3 | | | | 8-19-57 | 69.8 | 17.2 | |
| | | 4-10-58 | 73.0 | 25.3 | | | | 8-26-57 | 69.5 | 17.2 | |
| | | 5-01-58 | 72.9 | 21.5 | | | | 9-02-57 | 68.7 | 18.3 | |
| | | 5-22-58 | 75.3 | 23.0 | | | | 9-09-57 | 68.9 | 18.1 | |
| | | 6-12-58 | 75.3 | 22.4 | | | | 9-16-57 | 68.5 | 18.5 | |
| 35/12W-08C03 S | 92.0 | 10-22-57 | 24.0 | 68.0 | 1101 | 9-23-57 | 69.0 | 19.0 | | | |
| | | 6-18-58 | 25.5 | 69.5 | 1101 | 9-30-57 | 69.7 | 17.3 | | | |
| 35/12W-08C04 S | 95.0** | | | | | 10-07-57 | 68.5 | 18.5 | | | |
| | | | | | | 10-14-57 | 67.2 | 19.8 | | | |
| 35/12W-08D01 S | 96.0 | 8-01-57 | 74.0* | 22.0 | 1101 | 10-21-57 | 66.7 | 20.3 | | | |
| | | 11-27-57 | 79.0* | 17.0 | | 10-28-57 | 67.2 | 19.8 | | | |
| | | 1-02-58 | 78.0* | 18.0 | | 11-04-57 | 66.8 | 20.2 | | | |
| | | 1-30-58 | 78.0* | 18.0 | | 11-11-57 | 66.4 | 20.6 | | | |
| | | 2-27-58 | 78.0* | 18.0 | | 11-18-57 | 66.7 | 20.3 | | | |
| | | 3-27-58 | 78.0* | 18.0 | | 11-25-57 | 67.4 | 19.5 | | | |
| | | 5-01-58 | 79.0* | 17.0 | | 12-02-57 | 66.8 | 20.2 | | | |
| | | 5-28-58 | 80.0* | 16.0 | | 12-09-57 | 66.2 | 20.8 | | | |
| | | 6-26-58 | 80.0* | 16.0 | | 12-16-57 | 66.2 | 20.8 | | | |
| | | | | | | 12-23-57 | 66.4 | 20.6 | | | |
| 35/12W-08D03 S | 96.6 | 7-11-57 | 73.7 | 22.9 | 1101 | 1-06-58 | 66.4 | 20.6 | | | |
| | | 7-30-57 | 75.3 | 21.3 | | 1-13-58 | 66.5 | 20.5 | | | |
| | | 8-22-57 | 76.1 | 20.5 | | 1-20-58 | 66.9 | 20.1 | | | |
| | | 9-12-57 | 75.3 | 21.9 | | 2-03-58 | 66.9 | 20.0 | | | |
| | | 10-07-57 | 74.7 | 21.3 | | 2-10-58 | 66.3 | 20.7 | | | |
| | | 10-22-57 | 73.5 | 23.0 | | 2-17-58 | 66.0 | 20.8 | | | |
| | | 1-05-57 | 73.5 | 23.1 | | 2-24-58 | 66.2 | 20.8 | | | |
| | | 1-26-57 | 73.2 | 23.4 | | 3-03-58 | 66.9 | 20.7 | | | |
| | | 1-16-58 | 72.8 | 23.8 | | 3-10-58 | 66.1 | 20.9 | | | |
| | | 2-06-58 | 74.2 | 22.4 | | 3-17-58 | 66.1 | 20.9 | | | |
| | | 2-27-58 | 72.6 | 24.2 | | 3-24-58 | 66.9 | 21.1 | | | |
| | | 3-20-58 | 72.8 | 24.1 | | 3-31-58 | 66.9 | 21.6 | | | |
| | | 4-10-58 | 72.5 | 24.1 | | 4-07-58 | 66.2 | 21.6 | | | |
| | | 5-01-58 | 73.9 | 22.7 | | 4-14-58 | 66.2 | 19.6 | | | |
| | | 5-22-58 | 75.1 | 21.5 | | 4-21-58 | 67.5 | 19.5 | | | |
| | | 6-12-58 | 75.1 | 21.5 | | 5-06-58 | 67.5 | 19.1 | | | |
| 35/12W-08F01 S | 88.8 | 10-31-57 | 116.3 | 27.5 | 1101 | 5-05-58 | 67.9 | 19.4 | | | |
| | | | | | | 5-12-58 | 67.6 | 19.4 | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|--------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41100 | | | | | | 41103 | | | | | |
| 35/12W-08L03 S | 87.0 | 5-19-58 | 69.3 | 17.7 | 1101 | 35/12W-09B02 S | 107.0 | 9-30-57 | 132.9 | - | 25.9 |
| | | 5-26-58 | 69.6 | 17.4 | | CONT. | | 10-07-57 | 129.7 | - | 22.7 |
| | | 6-02-58 | 69.7 | 17.3 | | | | 10-14-57 | 126.0 | - | 19.0 |
| | | 6-09-58 | 70.2 | 16.8 | | | | 10-21-57 | 124.2 | - | 17.2 |
| | | 6-16-58 | 70.2 | 16.8 | | | | 10-28-57 | 124.8 | - | 17.6 |
| | | 6-23-58 | 71.1 | 15.9 | | | | 11-04-57 | 123.1 | - | 16.1 |
| | | 6-30-58 | 71.4 | 15.6 | | | | 11-11-57 | 122.1 | - | 15.1 |
| 35/12W-08M01 S | 90.0 | 7-13-57 | 85.0* | 5.0 | 1101 | | | 11-18-57 | 122.1 | - | 15.1 |
| | | 12-13-57 | 85.0* | 5.0 | | | | 11-25-57 | 122.1 | - | 15.1 |
| | | 1-13-58 | 86.0* | 6.0 | | | | 11-26-57 | 126.0 | - | 17.0 |
| | | 2-13-58 | 86.0* | 6.0 | | | | 12-02-57 | 124.1 | - | 15.7 |
| | | 3-13-58 | 86.0* | 6.0 | | | | 12-09-57 | 122.7 | - | 15.0 |
| | | 4-01-58 | 86.0* | 6.0 | | | | 12-16-57 | 126.0 | - | 15.0 |
| | | 5-01-58 | 86.0* | 6.0 | | | | 12-23-57 | 126.0 | - | 15.0 |
| | | 5-13-58 | 81.0* | 9.0 | | | | 1-06-58 | 122.3 | - | 15.3 |
| | | | | | | | | 1-13-58 | 121.9 | - | 14.9 |
| | | | | | | | | 1-20-58 | 123.2 | - | 16.2 |
| | | | | | | | | 2-03-58 | 121.7 | - | 14.1 |
| 35/12W-08M02 S | 88.0 | 7-15-57 | 80.0* | 8.0 | 1101 | | | 2-10-58 | 126.1 | - | 19.1 |
| | | 8-15-57 | 82.0* | 6.0 | | | | 2-17-58 | 120.3 | - | 13.3 |
| | | 9-15-57 | 80.0* | 8.0 | | | | 2-24-58 | 120.2 | - | 13.2 |
| | | 10-15-57 | 81.0* | 7.0 | | | | 3-03-58 | 119.1 | - | 12.1 |
| | | 11-15-57 | 79.0* | 9.0 | | | | 3-10-58 | 120.2 | - | 13.2 |
| | | 12-15-57 | 79.0* | 9.0 | | | | 3-17-58 | 119.3 | - | 12.3 |
| | | 1-15-58 | 76.0* | 12.0 | | | | 3-24-58 | 118.5 | - | 11.5 |
| | | 2-15-58 | 77.0* | 11.0 | | | | 3-31-58 | 117.6 | - | 10.6 |
| | | 3-15-58 | 80.0* | 8.0 | | | | 4-07-58 | 115.9 | - | 8.9 |
| | | 4-15-58 | 76.0* | 12.0 | | | | 4-14-58 | 116.4 | - | 9.4 |
| | | 5-15-58 | 73.0* | 15.0 | | | | 4-21-58 | 121.3 | - | 14.3 |
| | | 6-15-58 | 79.0 | 9.0 | | | | 4-28-58 | 121.7 | - | 14.7 |
| 35/12W-09B01 S | 108.5 | 3-07-58 | 114.0 | - | 5.5 | 1101 | | 5-05-58 | 121.5 | - | 14.5 |
| | | 6-02-58 | 107.9 | - | 4.6 | | | 5-12-58 | 121.4 | - | 14.4 |
| 35/12W-09B02 S | 107.0 | 7-01-57 | 131.0 | - | 24.0 | 1101 | | 5-19-58 | 126.1 | - | 19.1 |
| | | 7-08-57 | 131.8 | - | 24.8 | | | 5-26-58 | 126.1 | - | 19.1 |
| | | 7-15-57 | 133.1 | - | 26.1 | | | 6-02-58 | 125.4 | - | 18.5 |
| | | 7-22-57 | 132.7 | - | 25.7 | | | 6-09-58 | 124.9 | - | 17.9 |
| | | 7-29-57 | 132.0 | - | 25.0 | | | 6-16-58 | 127.1 | - | 20.1 |
| | | 8-05-57 | 132.3 | - | 25.3 | | | 6-23-58 | 129.5 | - | 22.5 |
| | | 8-12-57 | 133.6 | - | 26.6 | | | 6-30-58 | 129.0 | - | 22.0 |
| | | 8-19-57 | 133.5 | - | 27.5 | | | 7-15-57 | 147.0* | - | 40.0 |
| | | 8-26-57 | 133.0 | - | 26.0 | | | 8-15-57 | 149.0* | - | 42.0 |
| | | 9-02-57 | 132.2 | - | 25.2 | | | 10-15-57 | 149.0* | - | 42.0 |
| | | 9-09-57 | 131.8 | - | 24.8 | | | 11-15-57 | 138.0* | - | 31.0 |
| | | 9-16-57 | 132.3 | - | 25.3 | | | 12-13-57 | 145.0* | - | 38.0 |
| | | 9-23-57 | 131.4 | - | 24.4 | | | 1-13-58 | 136.0* | - | 29.0 |
| 35/12W-09B01 S | | | | | | 35/12W-09B02 S | | | | | |
| 108.5 | | | | | | 107.0 | | | | | |
| 41100 | | | | | | 41103 | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| CONT. | | | | | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------------|--------------------|--|--|--|-----------------------|--------------------------------------|--------------------|---|--|--|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | |
| 35/12W-09D05 S CONT. | 107.0 | 2-15-58 3-15-58 4-15-58 6-15-58 | 132.0* 123.0* 128.0* 135.0* | 25.0 18.0 24.0 28.0 | 1101 | 35/12W-10N03 S CONT. | 96.0 | 11-01-57 1-29-57 1-03-58 2-27-58 3-28-58 5-02-58 5-28-58 6-27-58 | 137.0* 138.0* 125.0* 125.0* 117.0* 119.0* 128.0* 127.0* | 41.0 42.0 29.0 29.0 24.0 23.0 32.0 31.0 | 1101 |
| 35/12W-09E03 S | 99.5 | 8-29-57 9-57-57 11-01-57 11-09-57 1-6-58 2-27-58 3-58-58 5-02-58 5-29-58 6-26-58 | 89.0* 88.0* 87.0* 87.0* 86.0* 85.0* 85.0* 87.0* 87.0* 87.0* | 10.5 11.5 12.5 12.5 12.5 14.5 14.5 12.5 12.5 14.5 | 1101 | 35/12W-10G03 S | | 10-22-57 4-21-58 | DRY DRY | | 1101 |
| 35/12W-09G01 S | 103.5 | 8-01-57 8-29-57 9-56-57 11-01-57 11-09-57 1-03-58 1-30-58 2-27-58 3-58-58 5-01-58 5-29-58 6-26-58 | 145.0* 145.0* 145.0* 131.0* 130.0* 128.0* 128.0* 125.0* 133.0* 137.0* 131.0* 138.0* | 41.5 41.5 31.5 27.5 26.5 24.5 24.5 21.5 21.5 32.5 27.5 34.5 | 1101 | 35/12W-13A02 S | 105.0 | 7-01-57 7-15-57 7-21-57 8-13-57 10-07-57 1-15-58 2-21-58 4-15-58 6-01-58 6-21-58 | 133.0* 149.0* 135.0* 135.0* 134.0* 127.0* 127.0* 123.0* 125.0* 129.0* | 28.0 35.0 28.0 20.0 29.0 22.0 20.0 34.0 34.0 24.0 | 1101 |
| 35/12W-09G02 S | 103.5 | 8-01-57 8-29-57 9-56-57 11-01-57 11-09-57 1-03-58 1-30-58 2-27-58 3-58-58 5-01-58 5-29-58 6-26-58 | 90.0* 90.0* 93.0* 93.0* 93.0* 93.0* 93.0* 93.0* 93.0* 93.0* 94.0* 95.0* | 13.5 10.5 10.5 10.5 10.5 10.5 10.5 10.5 10.5 10.5 8.5 8.5 | 1101 | 35/12W-13B04 S | 104.0 | 9-01-57 10-01-57 10-15-57 11-21-57 1-15-58 1-15-58 2-07-58 6-15-58 | 142.0* 141.0* 135.0* 130.0* 134.0* 135.0* 119.0* 123.0* | 38.0 37.0 31.0 26.0 30.0 31.0 15.0 19.0 | 1101 |
| 35/12W-10N03 S | 96.0 | 8-02-57 8-30-57 9-27-57 | 138.0* 138.0* 134.0* | 42.0 42.0 38.0 | 1101 | 35/12W-13B06 S | 105.0 | 7-15-57 8-07-57 9-15-57 11-15-57 1-07-58 1-21-58 2-15-58 3-15-58 | 143.0* 138.0* 138.0* 109.0* 127.0* 152.0* 125.0* 125.0* | 38.0 33.0 31.0 27.0 27.0 27.0 20.0 20.0 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41100 | | | | | | 41100 | | | | | |
| 35/12W-13B06 S | 105.0 | 4-15-58 | 129.0* | 20.0 | 1101 | 35/12W-14F01 S | 93.0 | 11-01-57 | 124.0* | 31.0 | 1101 |
| | | 5-15-58 | 128.0* | 23.0 | | | | 11-29-57 | 121.0* | 28.0 | |
| | | 6-15-58 | 129.0* | 19.0 | | | | 1-03-58 | 120.0* | 27.0 | |
| | | | | 24.0 | | | | 1-31-58 | 119.0* | 26.0 | |
| 35/12W-13F01 S | 99.0 | 8-02-57 | 139.0* | 40.0 | 1101 | | | 2-28-58 | 117.0* | 24.0 | |
| | | 8-30-57 | 139.0* | 40.0 | | | | 3-28-58 | 115.0* | 22.0 | |
| | | 9-27-57 | 132.0* | 33.0 | | | | 5-02-58 | 116.0* | 23.0 | |
| | | 11-01-57 | 135.0* | 36.0 | | | | 5-29-58 | 123.0* | 30.0 | |
| | | 11-29-57 | 127.0* | 28.0 | | | | 6-27-58 | 126.0* | 33.0 | |
| | | 1-03-58 | 124.0* | 25.0 | | | | | | | |
| | | 1-31-58 | 124.0* | 25.0 | | | | 8-02-57 | 134.0* | 64.0 | 1101 |
| | | 2-28-58 | 122.0* | 23.0 | | | | 8-30-57 | 134.0* | 64.0 | |
| | | 3-31-58 | 119.0* | 20.0 | | | | 9-27-57 | 128.0* | 59.0 | |
| | | 5-02-58 | 122.0* | 23.0 | | | | 11-01-57 | 129.0* | 52.0 | |
| | | 5-29-58 | 128.0* | 29.0 | | | | 11-29-57 | 126.0* | 28.0 | |
| | | 6-27-58 | 130.0* | 31.0 | | | | 1-31-58 | 117.0* | 27.0 | |
| 35/12W-13K03 S | 89.0 | 10-28-57 | 93.7* | 4.7 | 1101 | 35/12W-14J01 S | 90.0 | 2-28-58 | 117.0* | 27.0 | |
| | | 4-21-58 | 108.5* | 19.5 | | | | 3-28-58 | 114.0* | 24.0 | |
| 35/12W-13L01 S | 93.0 | 10-28-57 | 113.0 | 20.0 | 1101 | | | 5-02-58 | 115.0* | 25.0 | |
| | | 4-24-58 | 109.0 | 16.0 | | | | 5-29-58 | 123.0* | 33.0 | |
| 35/12W-13O01 S | 90.0 | 10-28-57 | 111.0 | 21.0 | 1101 | | | 6-27-58 | 125.0* | 35.0 | |
| | | 4-24-58 | 107.4* | 17.4 | | | | | | | |
| 35/12W-14A04 S | 97.0** | 1-14-58 | 100.7 | 3.7 | 1101 | 35/12W-15A03 S | 94.0 | 8-02-57 | 123.0* | 29.0 | 1101 |
| | | 4-21-58 | 90.2 | 6.8 | | | | 8-30-57 | 124.0* | 30.0 | |
| 35/12W-14C06 S | 97.5 | 8-02-57 | 136.0* | 38.5 | 1101 | | | 9-27-57 | 122.0* | 28.0 | |
| | | 8-30-57 | 136.0* | 38.5 | | | | 11-01-57 | 115.0* | 21.0 | |
| | | 9-27-57 | 133.0* | 35.5 | | | | 11-29-57 | 114.0* | 20.0 | |
| | | 11-01-57 | 124.0* | 26.5 | | | | 1-31-58 | 112.0* | 18.0 | |
| | | 11-29-57 | 122.0* | 24.5 | | | | 2-28-58 | 110.0* | 16.0 | |
| | | 1-03-58 | 118.0* | 20.5 | | | | 3-28-58 | 110.0* | 16.0 | |
| | | 1-31-58 | 112.0* | 14.5 | | | | 5-02-58 | 110.0* | 16.0 | |
| | | 2-28-58 | 118.0* | 20.5 | | | | 5-29-58 | 114.0* | 20.0 | |
| | | 3-31-58 | 115.0* | 17.5 | | | | 6-27-58 | 114.0* | 20.0 | |
| | | 5-02-58 | 117.0* | 19.5 | | | | | | | |
| | | 5-29-58 | 122.0* | 24.5 | | | | 2-03-58 | DRY | | 1101 |
| | | 6-27-58 | 124.0* | 26.5 | | | | 7-11-57 | 76.4 | 10.6 | 1101 |
| 35/12W-14F01 S | 93.0 | 8-02-57 | 135.0* | 42.0 | 1101 | | | 7-30-57 | 77.1 | 9.9 | |
| | | 8-30-57 | 135.0* | 42.0 | | | | 8-22-57 | 78.2 | 8.8 | |
| | | 9-27-57 | 131.0* | 38.0 | | | | 9-12-57 | 75.6 | 11.4 | |
| | | | | | | | | 10-22-57 | 76.7 | 10.3 | |
| | | | | | | | | 11-14-57 | 75.8 | 11.2 | |
| | | | | | | | | 12-05-57 | 75.4 | 11.2 | |
| | | | | | | | | 12-26-57 | 75.3 | 11.7 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | |
|--------------------------------|--------------------|--|--|--|-----------------------|-------------------------|--------------------|---|---|--|-----------------------|------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | | |
| 41100 | | | | | | | | | | | | |
| 35/12W-15H01 S CONT. | 87.0 | 1-16-58 2-06-58 2-27-58 3-20-58 4-10-58 2-01-58 2-12-58 6-12-58 | 75+2 75+7 74+7 74+3 74+3 75+6 78+9 78+1 | 11.8 11.3 12.3 12.7 12.7 11.4 10.2 8.9 | 1101 | 35/12W-17A01 S CONT. | 87.0 | 5-15-58 6-15-58 | 72.0* 75.0* | 15+0 12+0 | 1101 | |
| 35/12W-15N02 S | 86.0 | 8-02-57 8-30-57 9-27-57 10-11-57 10-29-57 1-03-58 1-07-58 2-28-58 3-31-58 5-21-58 5-26-58 6-27-58 | 74.0* 88.0* 88.0* 88.0* 79.0* 79.0* 79.0* 79.0* 79.0* 83.0* 83.0* 85.0* | 12.0 - - 2.0 7.0 7.0 7.0 7.0 7.0 6.0 5.0 1.0 | 1101 | 35/12W-17K01 S | 80.3 | 8-02-57 8-30-57 9-27-57 11-01-57 11-23-57 1-03-58 1-31-58 2-28-58 2-31-58 3-26-58 6-27-58 | 73.0* 72.0* 72.0* 72.0* 66.0* 68.0* 68.0* 67.0* 69.0* 72.0* 74.0* | 7.3 7.3 8.3 8.3 12.3 12.3 12.3 12.3 11.3 8.3 6.3 | 1101 | |
| 35/12W-16H01 S | 93.0 | 8-02-57 8-30-57 9-27-57 11-01-57 11-29-57 1-03-58 1-31-58 2-28-58 3-31-58 5-02-58 5-29-58 6-27-58 | 123.0* 130.0* 129.0* 119.0* 118.0* 115.0* 115.0* 113.0* 112.0* 115.0* 122.0* 124.0* | 30.0 37.0 36.0 26.0 25.0 22.0 22.0 20.0 22.0 22.0 29.0 31.0 | 1101 | 35/12W-17P03 S | | 10-22-57 4-21-58 | DRY DRY | | | 1101 |
| 35/12W-17A01 S | 87.0 | 7-15-57 8-17-57 8-21-57 9-15-57 10-15-57 11-15-57 12-15-57 1-15-58 2-15-58 3-15-58 4-15-58 | 73.0* 82.0* 84.0* 73.0* 73.0* 70.0* 69.0* 70.0* 70.0* 70.0* 69.0* | 14.0 5.0 13.0 16.0 14.0 17.0 18.0 17.0 17.0 17.0 18.0 | 1101 | 35/12W-18H04 S | 79.5 | 8-01-57 8-29-57 9-26-57 10-31-57 11-21-57 1-01-58 1-30-58 2-27-58 3-26-58 5-01-58 6-26-58 | 67.0* 67.0* 66.0* 65.0* 63.0* 63.0* 60.0* 62.0* 61.0* 64.0* 66.0* | 12.5 12.5 13.5 14.5 16.5 16.5 19.5 17.5 18.5 15.5 11.5 | 1101 | |
| | | | | | | 35/12W-18J02 S | 78.0** | 10-15-57 | 59.5 | 18.5 | 1101 | |
| | | | | | | 35/12W-18L01 S | 71.5 | 8-01-57 | 66.0* | 5.5 | 1101 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|--------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 35/12W-18L01 S | 71.5 | 8-29-57 | 64.0* | 7.5 | 1101 | 35/12W-19G01 S | 71.8 | 8-02-57 | 63.3 | 8.5 | 1101 |
| | | 9-26-57 | 62.0* | 9.5 | | | | 8-23-57 | 63.2 | 8.6 | |
| | | 10-31-57 | 66.0* | 5.5 | | | | 9-13-57 | 62.7* | - | 9 |
| | | 11-27-57 | 61.0* | 10.5 | | | | 10-24-57 | 56.0 | 15.8 | |
| | | 1-02-58 | 58.0* | 13.5 | | | | 11-13-57 | 55.5 | 16.3 | |
| | | 1-29-58 | 60.0* | 11.5 | | | | 12-06-57 | 55.4 | 19.4 | |
| | | 2-27-58 | 67.0* | 4.5 | | | | 12-27-57 | 54.6 | 17.2 | |
| | | 3-27-58 | 58.0* | 13.5 | | | | 1-17-58 | 53.5 | 19.5 | |
| | | 5-01-58 | 62.0* | 9.5 | | | | 2-08-58 | 54.8 | 17.0 | |
| | | 5-28-58 | 65.0* | 6.5 | | | | 3-58-58 | 54.5 | 17.5 | |
| | | 6-26-58 | 67.0* | 4.5 | | | | 4-21-58 | 54.2 | 17.9 | |
| 35/12W-18002 S | | 10-28-57 | DRY | | 1101 | | | 4-22-58 | 58.1 | 13.7 | |
| | | 4-29-58 | DRY | | | | | 5-02-58 | 59.1 | 17.7 | |
| 35/12W-18003 S | 75.0 | 10-22-57 | 59.3 | 15.7 | 1101 | | | 5-23-58 | 60.0 | 11.8 | |
| | | 4-21-58 | 59.6 | 15.4 | | | | 6-13-58 | 63.3 | 8.5 | |
| 35/12W-19C01 S | 73.0 | 8-01-57 | 63.0* | 10.0 | 1101 | 35/12W-19N01 S | 66.0 | 10-22-57 | 53.7 | 12.3 | 1101 |
| | | 8-29-57 | 62.0* | 11.0 | | | | 4-22-58 | 53.1 | 12.9 | |
| | | 9-26-57 | 60.0* | 13.0 | | | | | | | |
| | | 10-26-57 | 64.0* | 9.0 | | | | 10-23-57 | 121.7 | - | 95.7 |
| | | 11-27-57 | 65.0* | 8.0 | | | | 1-28-58 | 115.0 | - | 49.0 |
| | | 1-02-58 | 58.0* | 18.0 | | | | 4-30-58 | 115.4 | - | 49.4 |
| | | 1-30-58 | 33.0* | 40.2 | | | | 5-02-58 | 132.0* | - | 66.0 |
| | | 2-27-58 | 33.0* | 40.2 | | | | 6-19-58 | 120.0 | - | 54.0 |
| | | 3-27-58 | 33.0* | 40.2 | | | | | | | |
| | | 5-01-58 | 34.0* | 39.2 | | | | 10-22-57 | DRY | | 1101 |
| | | 5-28-58 | 40.0* | 33.2 | | | | 4-22-58 | DRY | | |
| | | 6-23-58 | 57.0* | 16.0 | | | | 8-02-57 | 61.0* | 7.0 | 1101 |
| 35/12W-19C03 S | 73.2 | 8-01-57 | 54.0* | 19.2 | 1101 | 35/12W-19R02 S | 68.0 | 8-30-57 | 61.0* | 7.0 | |
| | | 8-29-57 | 46.0* | 27.2 | | | | 9-27-57 | 66.0* | 2.0 | |
| | | 9-26-57 | 46.0* | 27.2 | | | | 11-01-57 | 54.0* | 14.0 | |
| | | 11-27-57 | 37.0* | 36.2 | | | | 11-29-57 | 54.0* | 14.0 | |
| | | 1-02-58 | 33.0* | 40.2 | | | | 1-03-58 | 54.0* | 14.0 | |
| | | 1-30-58 | 33.0* | 40.2 | | | | 2-28-58 | 56.0* | 12.0 | |
| | | 2-27-58 | 33.0* | 40.2 | | | | 3-31-58 | 55.0* | 13.0 | |
| | | 3-27-58 | 34.0* | 39.2 | | | | 5-02-58 | 60.0* | 8.0 | |
| | | 5-01-58 | 34.0* | 39.2 | | | | 5-25-58 | 58.0* | 10.0 | |
| | | 5-28-58 | 40.0* | 33.2 | | | | 6-27-58 | 62.0* | 6.0 | |
| | | 6-26-58 | 45.0* | 28.2 | | | | | | | |
| 35/12W-19F06 S | 71.0 | 10-22-57 | 12.0* | 59.0 | 1101 | 35/12W-21B01 S | 87.0 | 8-02-57 | 73.0* | 14.0 | 1101 |
| | | 4-22-58 | DRY | | | | | 8-30-57 | 72.0* | 15.0 | |
| | | 7-12-57 | 73.3* | - | 1.5 | 1101 | | 9-27-57 | 73.0* | 14.0 | |
| 35/12W-19G01 S | 71.8 | | | | | | | 11-01-57 | 67.0* | 20.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41100 | | | | | | 41100 | | | | | |
| 35/12W-21B01 S | 87.0 | 11-29-57 | 67.0* | 20.0 | 1101 | 35/12W-21001 S | 71.0 | 2-07-58 | 99.9 | 22.9 | 1101 |
| CONT. | | 1-03-58 | 68.0* | 19.0 | | CONT. | | 2-28-58 | 92.1 | 21.1 | |
| | | 1-31-58 | 65.0* | 22.0 | | | | 3-21-58 | 91.8 | 18.8 | |
| | | 2-28-58 | 64.0* | 23.0 | | | | 4-11-58 | 89.5 | 19.5 | |
| | | 3-28-58 | 65.0* | 22.0 | | | | 5-01-58 | 96.2 | 25.2 | |
| | | 5-02-58 | 69.0* | 18.0 | | | | 5-23-58 | 101.7 | 30.7 | |
| | | 5-29-58 | 71.0* | 16.0 | | | | 6-13-58 | 103.8 | 32.8 | |
| | | 6-27-58 | 75.0* | 12.0 | | | | | | | |
| 35/12W-21E01 S | 78.0 | 8-02-57 | 76.0* | 2.0 | 1101 | 35/12W-21002 S | | 10-23-57 | DRY | | 1101 |
| | | 8-30-57 | 76.0* | 2.0 | | | | 4-22-58 | DRY | | |
| | | 9-27-57 | 74.0* | 4.0 | | | | | | | |
| | | 11-01-57 | 67.0* | 11.0 | | | | 7-01-57 | 74.0* | 3.0 | 1101 |
| | | 11-29-57 | 68.0* | 10.0 | | | | 8-01-57 | 72.0* | 1.0 | |
| | | 1-03-58 | 68.0* | 10.0 | | | | 9-01-57 | 61.0* | 10.0 | |
| | | 1-31-58 | 67.0* | 11.0 | | | | 10-01-57 | 64.0* | 7.0 | |
| | | 2-28-58 | 67.0* | 11.0 | | | | 11-01-57 | 60.0* | 11.0 | |
| | | 3-31-58 | 67.0* | 11.0 | | | | 12-01-57 | 60.0* | 11.0 | |
| | | 5-02-58 | 73.0* | 5.0 | | | | 2-01-58 | 61.0* | 10.0 | |
| | | 5-29-58 | 74.0* | 4.0 | | | | 3-01-58 | 59.0* | 12.0 | |
| | | 6-27-58 | 75.0* | 3.0 | | | | 4-01-58 | 65.0* | 6.0 | |
| | | | | | | | | 5-01-58 | 70.0* | 1.0 | |
| 35/12W-21G04 S | 80.0 | 4-22-58 | 71.6 | 8.4 | 1101 | | | 6-01-58 | 74.0* | 3.0 | |
| 35/12W-21H01 S | 78.0 | 8-02-57 | 79.0 | - 1.0 | 1101 | 35/12W-22A01 S | 87.0 | 8-01-57 | 132.0* | 45.0 | 1101 |
| | | 8-30-57 | 78.0 | 0 | | | | 8-30-57 | 137.0* | 50.0 | |
| | | 9-27-57 | 77.0 | 1.0 | | | | 9-27-57 | 129.0* | 42.0 | |
| | | 11-01-57 | 71.0 | 7.0 | | | | 11-01-57 | 116.0* | 29.0 | |
| | | 11-29-57 | 72.0 | 6.0 | | | | 11-29-57 | 114.0* | 27.0 | |
| | | 1-03-58 | 70.0 | 8.0 | | | | 1-03-58 | 110.0* | 23.0 | |
| | | 1-31-58 | 70.0 | 8.0 | | | | 1-31-58 | 110.0* | 23.0 | |
| | | 2-28-58 | 70.0* | 8.0 | | | | 2-28-58 | 108.0* | 21.0 | |
| | | 3-31-58 | 70.0* | 8.0 | | | | 3-28-58 | 107.0* | 20.0 | |
| | | 5-02-58 | 76.0* | 2.0 | | | | 5-01-58 | 111.0* | 24.0 | |
| | | 5-29-58 | 91.0* | - 13.0 | | | | 5-29-58 | 118.0* | 31.0 | |
| | | 6-27-58 | 91.0* | - 13.0 | | | | 6-27-58 | 124.0* | 37.0 | |
| 35/12W-21001 S | 71.0 | 7-12-57 | 112.3 | - 41.3 | 1101 | 35/12W-22F01 S | 77.0 | 7-01-57 | 81.0* | 4.0 | 1101 |
| | | 8-02-57 | 115.4 | - 44.4 | | | | 8-01-57 | 82.0* | 5.0 | |
| | | 8-23-57 | 115.0 | - 44.0 | | | | 9-01-57 | 75.0* | 2.0 | |
| | | 9-13-57 | 113.8 | - 42.8 | | | | 10-01-57 | 75.0* | 2.0 | |
| | | 10-24-57 | 101.0 | - 30.0 | | | | 11-01-57 | 67.0* | 10.0 | |
| | | 11-15-57 | 98.6 | - 25.6 | | | | 12-01-57 | 69.0* | 8.0 | |
| | | 12-06-57 | 98.6 | - 27.6 | | | | 1-01-58 | 68.0* | 9.0 | |
| | | 1-27-58 | 94.8 | - 23.8 | | | | 2-01-58 | 67.0* | 10.0 | |
| | | 1-17-58 | 96.2 | - 25.2 | | | | 3-01-58 | 65.0* | 12.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41100 | | | | | | | | | | | |
| 35/12W-22F01 S | 77.0 | 4-01-58 | 65.0* | 12.0 | 1101 | 35/12W-22P02 S | 76.0 | 7-01-57 | 79.0* | 3.0 | 1101 |
| | | 5-01-58 | 67.0* | 10.0 | | | | 8-01-57 | 78.0* | 2.0 | |
| | | 6-01-58 | 72.0* | 5.0 | | | | 9-01-57 | 79.0* | 3.0 | |
| 35/12W-22G02 S | 82.0 | 7-01-57 | 123.0* | - | 1101 | | | 10-01-57 | 73.0* | 3.0 | |
| | | 8-01-57 | 123.0* | 41.0 | | | | 11-01-57 | 70.0* | 6.0 | |
| | | 9-01-57 | 120.0* | 38.0 | | | | 12-01-57 | 69.0* | 7.0 | |
| | | 10-01-57 | 116.0* | 34.0 | | | | 1-01-58 | 70.0* | 6.0 | |
| | | 11-01-57 | 102.0* | 20.0 | | | | 2-01-58 | 69.0* | 7.0 | |
| | | 12-01-57 | 101.0* | 19.0 | | | | 3-01-58 | 68.0* | 8.0 | |
| | | 1-01-58 | 99.0* | 17.0 | | | | 4-01-58 | 75.0* | 1.0 | |
| | | 2-01-58 | 96.0* | 16.0 | | | | 5-01-58 | 78.0* | 2.0 | |
| | | 3-01-58 | 93.0* | 11.0 | | | | 6-01-58 | 81.0* | 5.0 | |
| | | 4-01-58 | 93.0* | 11.0 | | | | | | | |
| | | 5-01-58 | 100.0* | 18.0 | | | | | | | |
| | | 6-01-58 | 106.0* | 24.0 | | | | | | | |
| 35/12W-22G03 S | 81.0 | 7-01-57 | 86.0* | 5.0 | 1101 | 35/12W-23B02 S | 87.0 | 7-01-57 | 80.8 | 6.2 | 1101 |
| | | 8-01-57 | 88.0* | 7.0 | | | | 7-22-57 | 81.9 | 5.1 | |
| | | 9-01-57 | 91.0* | 2.0 | | | | 8-12-57 | 82.8 | 4.2 | |
| | | 10-01-57 | 79.0* | 2.0 | | | | 9-02-57 | 83.3 | 3.7 | |
| | | 11-01-57 | 69.0* | 15.0 | | | | 10-14-57 | 84.2 | 2.8 | |
| | | 12-01-57 | 68.0* | 15.0 | | | | 11-04-57 | 82.5 | 4.5 | |
| | | 1-01-58 | 68.0* | 13.0 | | | | 11-23-57 | 81.2 | 5.8 | |
| | | 2-01-58 | 66.0* | 15.0 | | | | 12-16-57 | 80.6 | 6.4 | |
| | | 3-01-58 | 66.0* | 15.0 | | | | 1-05-58 | 80.6 | 6.4 | |
| | | 4-01-58 | 64.0* | 17.0 | | | | 2-11-58 | 78.5 | 7.5 | |
| | | 5-01-58 | 64.0* | 17.0 | | | | 3-30-58 | 72.2 | 7.8 | |
| | | 6-01-58 | 69.0* | 12.0 | | | | 4-21-58 | 79.7 | 1.5 | |
| | | 7-01-58 | 74.0* | 7.0 | | | | 5-12-58 | 80.1 | 7.5 | |
| | | 8-01-58 | 74.0* | 7.0 | | | | 6-02-58 | 81.0 | 5.0 | |
| | | 9-01-58 | 77.8 | 4.2 | 1101 | | | 6-23-58 | 82.0 | 4.4 | |
| | | 10-01-58 | 78.2 | 3.8 | | | | | | | |
| | | 11-01-58 | 79.2 | 2.8 | | | | | | | |
| | | 12-01-58 | 78.5 | 3.5 | | | | | | | |
| | | 1-02-59 | 76.7 | 5.3 | | | | | | | |
| | | 1-16-57 | 74.5 | 7.5 | | | | | | | |
| | | 1-05-57 | 74.8 | 7.2 | | | | | | | |
| | | 1-26-57 | 72.9 | 9.1 | | | | | | | |
| | | 1-16-58 | 73.8 | 8.2 | | | | | | | |
| | | 2-06-58 | 73.6 | 8.4 | | | | | | | |
| | | 2-27-58 | 72.8 | 9.2 | | | | | | | |
| | | 3-20-58 | 72.6 | 9.4 | | | | | | | |
| | | 4-10-58 | 72.4 | 9.6 | | | | | | | |
| | | 5-01-58 | 74.7 | 7.3 | | | | | | | |
| | | 5-22-58 | 76.7 | 5.3 | | | | | | | |
| | | 6-13-58 | 78.8 | 3.2 | | | | | | | |
| 35/12W-22H01 S | 82.0** | 7-11-57 | 77.8 | 4.2 | 1101 | 35/12W-23C03 S | 86.5 | 7-08-57 | 85.1 | 1.4 | 1101 |
| | | 7-30-57 | 78.2 | 3.8 | | | | 7-29-57 | 85.4 | 1.1 | |
| | | 8-22-57 | 79.2 | 2.8 | | | | 8-19-57 | 86.4 | 1.1 | |
| | | 9-12-57 | 78.5 | 3.5 | | | | 9-09-57 | 86.4 | 1.1 | |
| | | 10-22-57 | 76.7 | 5.3 | | | | 9-30-57 | 86.9 | 1.4 | |
| | | 11-16-57 | 74.5 | 7.5 | | | | 10-21-57 | 85.0 | 1.5 | |
| | | 12-05-57 | 74.8 | 7.2 | | | | 11-11-57 | 84.0 | 2.5 | |
| | | 1-26-57 | 72.9 | 9.1 | | | | 11-02-57 | 84.5 | 2.0 | |
| | | 1-16-58 | 73.8 | 8.2 | | | | 12-23-57 | 84.5 | 2.0 | |
| | | 2-06-58 | 73.6 | 8.4 | | | | 1-13-58 | 82.3 | 4.2 | |
| | | 2-27-58 | 72.8 | 9.2 | | | | 2-03-58 | 82.2 | 4.3 | |
| | | 3-20-58 | 72.6 | 9.4 | | | | 2-24-58 | 81.7 | 4.8 | |
| | | 4-10-58 | 72.4 | 9.6 | | | | 3-17-58 | 81.2 | 5.3 | |
| | | 5-01-58 | 74.7 | 7.3 | | | | 4-07-58 | 81.2 | 5.3 | |
| | | 5-22-58 | 76.7 | 5.3 | | | | 4-28-58 | 88.4 | 1.9 | |
| | | 6-13-58 | 78.8 | 3.2 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|--------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 35/12W-23C03 S | 86.5 | 5-19-58 | 89.3 | 2.8 | 1101 | 35/12W-23R01 S | 76.0 | 8-30-57 | 90.0* | 14.0 | 1101 |
| | | 6-09-58 | 90.7* | 4.2 | | | | 9-27-57 | 96.0* | 12.0 | |
| | | 6-30-58 | 94.8* | 8.3 | | | | 10-23-57 | 96.8* | 7.8 | |
| 35/12W-23D02 S | 85.0 | 10-22-57 | DRY | | 1101 | | | 11-03-57 | 81.0* | 5.0 | |
| | | 4-21-58 | 16.2 | 68.8 | | | | 11-23-58 | 80.0* | 4.0 | |
| 35/12W-23D03 S | 85.0 | 7-01-57 | 86.0* | 1.0 | 1101 | | | 1-21-58 | 80.0* | 1.0 | |
| | | 8-01-57 | 86.0* | 1.0 | | | | 2-28-58 | 79.0* | 1.0 | |
| | | 9-01-57 | 82.0* | 3.0 | | | | 3-29-58 | 77.7* | 3.3 | |
| | | 10-01-57 | 83.0* | 2.0 | | | | 5-62-58 | 86.0* | 4.0 | |
| | | 11-01-57 | 78.0* | 7.0 | | | | 5-26-58 | 80.0* | 10.0 | |
| | | 12-01-57 | 78.0* | 7.0 | | | | 6-27-58 | 85.0* | 12.0 | |
| | | 1-01-58 | 78.0* | 7.0 | | | | | | | |
| | | 2-01-58 | 78.0* | 7.0 | | | | | | | |
| | | 3-01-58 | 75.0* | 10.0 | | | | | | | |
| | | 4-01-58 | 75.0* | 10.0 | | | | | | | |
| | | 5-01-58 | 78.0* | 7.0 | | | | | | | |
| | | 6-01-58 | 82.0* | 3.0 | | | | | | | |
| 35/12W-23E02 S | 82.0 | 7-01-57 | 87.0* | 5.0 | 1101 | 35/12W-24B01 S | 88.0 | 8-02-57 | 91.0* | 3.0 | 1101 |
| | | 8-01-57 | 89.0* | 7.0 | | | | 8-30-57 | 91.0* | 3.0 | |
| | | 9-01-57 | 83.0* | 1.0 | | | | 9-27-57 | 91.0* | 3.0 | |
| | | 10-01-57 | 84.0* | 2.0 | | | | 11-01-57 | 88.0* | 1.0 | |
| | | 11-01-57 | 78.0* | 4.0 | | | | 11-29-57 | 89.0* | 1.0 | |
| | | 12-01-57 | 78.0* | 4.0 | | | | 1-63-58 | 87.0* | 1.0 | |
| | | 1-01-58 | 78.0* | 4.0 | | | | 1-21-58 | 87.0* | 1.0 | |
| | | 2-01-58 | 79.0* | 3.0 | | | | 2-28-58 | 86.0* | 2.0 | |
| | | 3-01-58 | 72.0* | 10.0 | | | | 3-28-58 | 85.0* | 2.0 | |
| | | 4-01-58 | 72.0* | 10.0 | | | | 5-02-58 | 86.0* | 1.0 | |
| | | 5-01-58 | 76.0* | 6.0 | | | | 5-29-58 | 91.0* | 3.0 | |
| | | 6-01-58 | 81.0* | 1.0 | | | | | | | |
| 35/12W-23E03 S | 83.0** | 8-02-57 | 78.0* | 5.0 | 1101 | 35/12W-24D01 S | 86.0 | 8-02-57 | 116.0* | 30.0 | 1101 |
| | | 8-30-57 | 76.0* | 7.0 | | | | 8-30-57 | 117.0* | 31.0 | |
| | | 9-27-57 | 74.0* | 9.0 | | | | 9-27-57 | 116.0* | 26.0 | |
| | | 11-01-57 | 72.0* | 11.0 | | | | 11-01-57 | 105.0* | 19.0 | |
| | | 11-29-57 | 72.0* | 9.0 | | | | 11-29-57 | 100.0* | 14.0 | |
| | | 1-03-58 | 72.0* | 11.0 | | | | 1-63-58 | 99.0* | 13.0 | |
| | | 1-30-58 | 72.0* | 11.0 | | | | 1-31-58 | 99.0* | 13.0 | |
| | | 2-28-58 | 70.0* | 13.0 | | | | 2-28-58 | 101.0* | 15.0 | |
| | | 3-31-58 | 70.0* | 13.0 | | | | 3-28-58 | 98.0* | 10.0 | |
| | | 5-02-58 | 75.0* | 11.0 | | | | 5-02-58 | 96.0* | 10.0 | |
| | | 5-28-58 | 75.0* | 8.0 | | | | 5-29-58 | 102.0* | 16.0 | |
| | | 6-21-58 | 77.0* | 6.0 | | | | 6-27-58 | 105.0* | 19.0 | |
| 35/12W-23R01 S | 76.0 | 8-02-57 | 90.0* | 14.0 | 1101 | 35/12W-24D03 S | 85.0** | 10-22-57 | 91.4* | 6.4 | 1101 |
| | | | | | | | | 5-12-58 | 91.1* | 6.1 | |
| | | | | | | | | 10-22-57 | DRY | | 1101 |
| | | | | | | | | 4-21-58 | DRY | | |
| 35/12W-24F01 S | 77.0 | 8-02-57 | 86.0* | 9.0 | 1101 | 35/12W-24F01 S | 77.0 | 8-02-57 | 86.0* | 9.0 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 35/12W-24F01 S | 77.0 | 8-30-57 | 87.0* | 10.0 | 1101 | 35/12W-26C02 S | 75.0 | 3-01-58 | 97.0* | 22.0 | 1101 |
| CONT. | | 9-27-57 | 83.0* | 8.0 | | CONT. | | 4-01-58 | 96.0* | 21.0 | |
| | | 11-01-57 | 83.0* | 6.0 | | | | 6-01-58 | 100.0* | 25.0 | |
| | | 11-29-57 | 83.0* | 6.0 | | | | 6-01-58 | 109.0* | 34.0 | |
| | | 1-03-58 | 81.0* | 4.0 | | | | | | | |
| | | 1-31-58 | 81.0* | 4.0 | | 35/12W-26D03 S | 74.0 | 7-01-57 | 118.0* | 44.0 | 1101 |
| | | 2-28-58 | 80.0* | 3.0 | | | | 8-01-57 | 121.0* | 47.0 | |
| | | 3-28-58 | 78.0* | 1.0 | | | | 9-01-57 | 121.0* | 47.0 | |
| | | 5-01-58 | 80.0* | 3.0 | | | | 10-01-57 | 118.0* | 44.0 | |
| | | 5-27-58 | 83.0* | 6.0 | | | | 11-01-57 | 105.0* | 31.0 | |
| | | 6-27-58 | 85.0* | 8.0 | | | | 12-01-57 | 103.0* | 29.0 | |
| 35/12W-24K01 S | 83.0 | 8-02-57 | 93.0* | 10.0 | 1101 | | | 1-01-58 | 99.0* | 25.0 | |
| | | 8-30-57 | 93.0* | 10.0 | | | | 2-01-58 | 99.0* | 25.0 | |
| | | 9-27-57 | 90.0* | 7.0 | | | | 3-01-58 | 97.0* | 23.0 | |
| | | 11-01-57 | 86.0* | 3.0 | | | | 4-01-58 | 97.0* | 23.0 | |
| | | 11-29-57 | 85.0* | 2.0 | | | | 5-01-58 | 100.0* | 26.0 | |
| | | 1-03-58 | 87.0* | 4.0 | | | | 6-01-58 | 109.0* | 35.0 | |
| | | 1-31-58 | 87.0* | 4.0 | | | | | | | |
| | | 2-28-58 | 83.0* | 4.0 | | | | | | | |
| | | 3-28-58 | 85.0* | 2.0 | | | | | | | |
| | | 5-02-58 | 83.0* | 4.0 | | | | | | | |
| | | 5-29-58 | 88.0* | 5.0 | | | | | | | |
| | | 6-27-58 | 92.0* | 9.0 | | | | | | | |
| 35/12W-24R01 S | 74.0 | 10-23-57 | 14.3* | 59.7 | 1101 | 35/12W-26J01 S | 73.0 | 10-22-57 | 73.9 | .9 | 1101 |
| | | 4-22-58 | 8.6 | 65.4 | | | | 4-30-58 | 72.8 | .2 | |
| 35/12W-25N01 S | 66.5 | 9-04-57 | 82.0 | 15.5 | 1101 | 35/12W-26K01 S | 66.0 | 10-22-57 | 60.3* | 5.7 | 1101 |
| 35/12W-25N02 S | | 10-23-57 | DRY | | 1101 | | | | | | |
| | | 4-22-58 | DRY | | | 35/12W-26L01 S | 68.0 | 7-01-57 | 84.0* | 16.0 | 1101 |
| 35/12W-25N03 S | 63.0** | 6-04-58 | 12.7 | 50.3 | 1101 | | | 8-01-57 | 86.0* | 18.0 | |
| 35/12W-25P01 S | 64.0 | 10-22-57 | 70.4 | 6.4 | 1101 | | | 9-01-57 | 83.0* | 15.0 | |
| | | 4-30-58 | 68.1 | 4.1 | | | | 10-01-57 | 85.0* | 17.0 | |
| 35/12W-26C02 S | 75.0 | 7-01-57 | 118.0* | 43.0 | 1101 | | | 11-01-57 | 78.0* | 10.0 | |
| | | 8-01-57 | 121.0* | 46.0 | | | | 12-01-57 | 76.0* | 8.0 | |
| | | 9-01-57 | 121.0* | 46.0 | | | | 2-01-58 | 72.0* | 5.0 | |
| | | 10-01-57 | 118.0* | 43.0 | | | | 3-01-58 | 70.0* | 4.0 | |
| | | 11-01-57 | 105.0* | 30.0 | | | | 4-01-58 | 69.0* | 2.0 | |
| | | 12-01-57 | 103.0* | 28.0 | | | | 5-01-58 | 74.0* | 6.0 | |
| | | 1-01-58 | 99.0* | 24.0 | | | | 6-01-58 | 77.0* | 9.0 | |
| | | 2-01-58 | 99.0* | 24.0 | | | | 7-01-57 | 81.0* | 15.0 | 1101 |
| | | | | | | | | 8-01-57 | 80.0* | 16.0 | |
| | | | | | | | | 9-01-57 | 81.0* | 16.0 | |
| | | | | | | | | 10-01-57 | 79.0* | 14.0 | |
| | | | | | | | | 11-01-57 | 69.0* | 5.0 | |
| | | | | | | | | 12-01-57 | 67.0* | 3.0 | |
| | | | | | | | | 1-01-58 | 67.0* | 3.0 | |
| | | | | | | | | 2-01-58 | 64.0* | 1.0 | |
| | | | | | | | | 3-01-58 | 63.0* | 2.0 | |
| | | | | | | | | 4-01-58 | 61.0* | 4.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 41100 | | | | | | 41100 | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 41103 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 41103 | | | | | | | | | | | |
| 35/12W-26N02 S | 65.0** | 5-01-58 | 66.0* | 1.0 | 1101 | 35/12W-27H01 S | 70.0 | 11-01-57 | 67.0* | 3.0 | 1101 |
| | | 6-01-58 | 75.0* | 10.0 | | CONT. | | 12-01-57 | 67.0* | 3.0 | |
| 35/12W-26N03 S | 67.0 | 7-01-57 | 82.0* | 15.0 | 1101 | | | 1-01-58 | 67.0* | 3.0 | |
| | | 8-01-57 | 83.0* | 16.0 | | | | 2-01-58 | 65.0* | 5.0 | |
| | | 9-01-57 | 83.0* | 16.0 | | | | 3-01-58 | 63.0* | 7.0 | |
| | | 10-01-57 | 91.0* | 4.0 | | | | 4-01-58 | 63.0* | 7.0 | |
| | | 11-01-57 | 79.0* | 3.0 | | | | 5-01-58 | 68.0* | 2.0 | |
| | | 12-01-57 | 69.0* | 2.0 | | | | 6-01-58 | 73.0* | 3.0 | |
| | | 1-01-58 | 69.0* | 1.0 | | | | | | | |
| | | 2-01-58 | 68.0* | 2.0 | | | | 7-01-57 | 77.0* | 1.0 | 1101 |
| | | 3-01-58 | 65.0* | 4.0 | | | | 8-01-57 | 68.0* | 1.0 | |
| | | 4-01-58 | 63.0* | 4.0 | | | | 9-01-57 | 67.0* | 0 | |
| | | 5-01-58 | 68.0* | 1.0 | | | | 10-01-57 | 58.0* | 9.0 | |
| | | 6-01-58 | 68.0* | 1.0 | | | | 11-01-57 | 61.0* | 6.0 | |
| | | | 77.0* | 10.0 | | | | 12-01-57 | 58.0* | 9.0 | |
| 35/12W-27C02 S | 72.0 | 7-01-57 | 120.0* | 48.0 | 1101 | 35/12W-27M01 S | 67.0 | 7-01-57 | 77.0* | 1.0 | 1101 |
| | | 8-01-57 | 119.0* | 47.0 | | | | 8-01-57 | 68.0* | 1.0 | |
| | | 9-01-57 | 116.0* | 48.0 | | | | 9-01-57 | 67.0* | 0 | |
| | | 10-01-57 | 109.0* | 28.0 | | | | 10-01-57 | 58.0* | 9.0 | |
| | | 11-01-57 | 98.0* | 29.0 | | | | 11-01-57 | 61.0* | 6.0 | |
| | | 12-01-57 | 95.0* | 23.0 | | | | 12-01-57 | 58.0* | 9.0 | |
| | | 1-01-58 | 95.0* | 20.0 | | | | 1-01-58 | 57.0* | 10.0 | |
| | | 2-01-58 | 89.0* | 21.0 | | | | 2-01-58 | 56.0* | 11.0 | |
| | | 3-01-58 | 89.0* | 16.0 | | | | 3-01-58 | 60.0* | 7.0 | |
| | | 4-01-58 | 98.0* | 29.0 | | | | 4-01-58 | 68.0* | 1.0 | |
| | | 5-01-58 | 103.0* | 23.0 | | | | 5-01-58 | 68.0* | 1.0 | |
| | | 6-01-58 | 112.0* | 40.0 | | | | 6-01-58 | 71.0* | 4.0 | |
| 35/12W-27G01 S | 73.0 | 7-01-57 | 85.0* | 12.0 | 1101 | 35/12W-27O01 S | 66.0 | 7-01-57 | 120.0* | 54.0 | 1101 |
| | | 8-01-57 | 83.0* | 10.0 | | | | 8-01-57 | 124.0* | 58.0 | |
| | | 9-01-57 | 89.0* | 7.0 | | | | 9-01-57 | 122.0* | 56.0 | |
| | | 10-01-57 | 73.0* | 4.0 | | | | 10-01-57 | 118.0* | 52.0 | |
| | | 11-01-57 | 77.0* | 4.0 | | | | 11-01-57 | 103.0* | 37.0 | |
| | | 12-01-57 | 72.0* | 1.0 | | | | 12-01-57 | 100.0* | 34.0 | |
| | | 1-01-58 | 72.0* | 1.0 | | | | 1-01-58 | 98.0* | 32.0 | |
| | | 2-01-58 | 70.0* | 3.0 | | | | 2-01-58 | 99.0* | 33.0 | |
| | | 3-01-58 | 95.0* | 4.0 | | | | 3-01-58 | 97.0* | 31.0 | |
| | | 4-01-58 | 95.0* | 1.0 | | | | 4-01-58 | 94.0* | 28.0 | |
| | | 5-01-58 | 75.0* | 1.0 | | | | 5-01-58 | 101.0* | 35.0 | |
| | | 6-01-58 | 75.0* | 11.0 | | | | 6-01-58 | 107.0* | 41.0 | |
| | | | 84.0* | 16.0 | | | | | | | |
| 35/12W-27H01 S | 70.0 | 7-01-57 | 78.0* | 8.0 | 1101 | 35/12W-27R01 S | 62.0 | 7-01-57 | 106.0* | 44.0 | 1101 |
| | | 8-01-57 | 80.0* | 7.0 | | | | 8-01-57 | 113.0* | 51.0 | |
| | | 9-01-57 | 77.0* | 4.0 | | | | 9-01-57 | 111.0* | 49.0 | |
| | | 10-01-57 | 74.0* | 1.0 | | | | 10-01-57 | 109.0* | 47.0 | |
| | | | 75.0* | 1.0 | | | | 11-01-57 | 97.0* | 35.0 | |
| | | | 84.0* | 11.0 | | | | 12-01-57 | 94.0* | 32.0 | |
| | | | 78.0* | 8.0 | | | | 1-01-58 | 93.0* | 31.0 | |
| | | | 80.0* | 7.0 | | | | 2-01-58 | 90.0* | 28.0 | |
| | | | 77.0* | 4.0 | | | | 3-01-58 | 89.0* | 27.0 | |
| | | | 74.0* | 1.0 | | | | 4-01-58 | 86.0* | 24.0 | |
| | | | 74.0* | 4.0 | | | | 5-01-58 | 94.0* | 32.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|--------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41100 | | | | | | 41100 | | | | | |
| 35/12W-27R01 S | 62+0 | 6-01-58 | 110+0* | - 38.0 | 1101 | 35/12W-28Q01 S | 63+0 | 11-01-57 | 60+0* | 3.0 | 1101 |
| 35/12W-28H02 S | 67+0 | 7-01-57 | 76+0* | - 9.0 | 1101 | CONT. | | 12-01-57 | 57+0* | 6.0 | |
| | | 8-01-57 | 72+0* | - 5.0 | | | | 1-01-58 | 57+0* | 7.0 | |
| | | 10-01-57 | 61+0* | 6.0 | | | | 2-01-58 | 56+0* | 8.0 | |
| | | 11-01-57 | 64+0* | 3.0 | | | | 3-01-58 | 55+0* | 8.0 | |
| | | 12-01-57 | 61+0* | 6.0 | | | | 4-01-58 | 60+0* | 3.0 | |
| | | 1-01-58 | 60+0* | 7.0 | | | | 5-01-58 | 66+0* | - 3.0 | |
| | | 2-01-58 | 59+0* | 8.0 | | | | 6-01-58 | 73+0* | - 10+0 | |
| | | 3-01-58 | 58+0* | 9.0 | | | | | | | |
| | | 4-01-58 | 64+0* | 3.0 | | | | | | | |
| | | 5-01-58 | 72+0* | - 5.0 | | | | | | | |
| | | 6-01-58 | 75+0* | - 8.0 | | | | | | | |
| 35/12W-28H03 S | 69+0 | 7-01-57 | 77+0* | - 8.0 | 1101 | 35/12W-29J01 S | 64+0 | 8-02-57 | 61+9 | 2+1 | 1101 |
| | | 8-01-57 | 73+0* | - 4.0 | | | | 8-23-57 | 61+5 | 2+5 | |
| | | 10-01-57 | 64+0* | 8.0 | | | | 9-13-57 | 58+4 | 5+6 | |
| | | 11-01-57 | 64+0* | 5.0 | | | | 10-24-57 | 51+8 | 12+2 | |
| | | 12-01-57 | 61+0* | 8.0 | | | | 11-15-57 | 51+8 | 12+2 | |
| | | 1-01-58 | 60+0* | 9.0 | | | | 12-06-57 | 52+2 | 11+8 | |
| | | 2-01-58 | 59+0* | 10.0 | | | | 1-27-57 | 52+4 | 11+6 | |
| | | 3-01-58 | 58+0* | 11.0 | | | | 1-17-58 | 59+7* | 4+3 | |
| | | 4-01-58 | 64+0* | 5.0 | | | | 2-07-58 | 50+3 | 13+7 | |
| | | 5-01-58 | 72+0* | - 3.0 | | | | 2-20-58 | 49+6 | 15+4 | |
| | | 6-01-58 | 75+0* | - 6.0 | | | | 3-21-58 | 56+4* | 7+6 | |
| | | | | | | | | 4-11-58 | 48+8 | 15+2 | |
| | | | | | | | | 5-23-58 | 26+8 | 1+2 | |
| | | | | | | | | 6-13-58 | 60+4 | 3+6 | |
| 35/12W-28J02 S | 64+0 | 7-01-57 | 69+0* | - 5.0 | 1101 | 35/12W-29H01 S | 64+0 | 10-23-57 | 57+9* | 6+1 | 1101 |
| | | 8-01-57 | 60+0* | 4.0 | | | | 6-30-58 | 59+3* | 4+7 | |
| | | 9-01-57 | 60+0* | 4.0 | | | | 4-30-58 | 58+5* | 5+5 | |
| | | 10-01-57 | 48+0* | 16.0 | | | | 4-30-58 | 58+4 | 5+6 | |
| | | 11-01-57 | 53+0* | 11.0 | | | | | | | |
| | | 12-01-57 | 49+0* | 15.0 | | | | 10-22-57 | 58+7 | 5+3 | 1101 |
| | | 1-01-58 | 50+0* | 14.0 | | | | 4-30-58 | 58+4 | 5+6 | |
| | | 2-01-58 | 48+0* | 16.0 | | | | 7-12-57 | DRY | | 1101 |
| | | 3-01-58 | 47+0* | 17.0 | | | | 8-02-57 | DRY | | |
| | | 4-01-58 | 52+0* | 12.0 | | | | 10-24-57 | 51+3 | 6+7 | |
| | | 5-01-58 | 63+0* | 4.0 | | | | 11-15-57 | 50+8 | 7+2 | |
| | | 6-01-58 | 65+0* | - 1.0 | | | | 12-06-57 | 51+2 | 6+8 | |
| | | | | | | | | 1-27-57 | 48+4 | 9+6 | |
| | | | | | | | | 1-17-58 | 48+4 | 9+6 | |
| | | | | | | | | 2-07-58 | 48+9 | 9+1 | |
| 35/12W-28P04 S | | 10-23-57 | DRY | | 1101 | | | 2-28-58 | 48+6 | 9+4 | |
| | | 4-22-58 | DRY | | | | | 3-21-58 | 47+0 | 11+0 | |
| 35/12W-28Q01 S | 63+0 | 7-01-57 | 69+0* | - 6.0 | 1101 | | | 4-11-58 | 45+7 | 12+3 | |
| | | 8-01-57 | 68+0* | - 5.0 | | | | 5-02-58 | 49+7 | 8+3 | |
| | | 9-01-57 | 67+0* | - 4.0 | | | | 5-23-58 | 51+6 | 6+4 | |
| | | 10-01-57 | 58+0* | - 5.0 | | | | 5-23-58 | 54+2 | 2+3 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 35/124-31E03 S | 65.0 | 12-02-57 | 116.0* | 51.0 | 1101 | 35/124-31E03 S | 57.7 | 5-11-58 | 132.9 | 80.2 | 1101 |
| | | 1-28-58 | 158.0* | 9.7 | | CUNT. | | 5-19-58 | 136.9 | 82.1 | |
| | | 3-06-58 | 85.0 | 20.0 | | | | 5-29-58 | 136.6 | 83.7 | |
| 35/124-31E1 S | 60.0* | 4-22-58 | 48.0 | 12.0 | 1101 | | | 6-02-58 | 138.2 | 85.6 | |
| | | 4-22-58 | 51.7 | 8.3 | | 35/124-31E01 S | 58.7 | 6-16-58 | 140.4 | 87.6 | |
| 35/124-30G01 | 63.5 | 10-22-57 | 48.3 | 12.7 | 1101 | | | 7-02-57 | 95.4 | 40.0 | 1101 |
| | | 4-30-58 | 43.3 | 17.2 | | | | 7-09-57 | 92.0 | 42.1 | |
| 35/124-31E2 S | 66.0 | 10-22-57 | 86.4* | 26.4 | 1101 | | | 7-16-57 | 96.8 | 41.3 | |
| | | 4-30-58 | 87.4* | 7.1 | | | | 7-23-57 | 91.0 | 42.1 | |
| 35/124-30P01 | 58.4 | 10-21-57 | 87.5* | 29.1 | 1101 | | | 7-30-57 | 91.8 | 42.1 | |
| | | 4-30-58 | 83.8 | 25.6 | | | | 8-06-57 | 98.2 | 43.1 | |
| 35/124-31E3 S | 55.0 | 10-22-57 | 86.1 | 29.1 | 1101 | | | 8-13-57 | 98.5 | 44.9 | |
| | | 4-22-58 | DRY | | | | | 8-20-57 | 98.8 | 44.9 | |
| | | | DRY | | | | | 8-27-57 | 99.7 | 44.8 | |
| | | | DRY | | | | | 9-03-57 | 99.2 | 44.3 | |
| | | | DRY | | | | | 9-10-57 | 99.0 | 44.1 | |
| | | | DRY | | | | | 9-17-57 | 98.6 | 43.7 | |
| 35/124-31E1 S | 52.7 | 10-22-57 | 147.5 | 94.8 | 1101 | | | 9-24-57 | 99.1 | 44.2 | |
| | | 10-22-57 | 147.5 | 94.8 | | | | 10-01-57 | 98.1 | 43.2 | |
| | | 11-20-57 | 136.4 | 81.7 | | | | 10-08-57 | 98.5 | 43.6 | |
| | | 11-26-57 | 141.3 | 89.6 | | | | 10-15-57 | 99.4 | 39.6 | |
| | | 12-02-57 | 138.1 | 85.4 | | | | 10-22-57 | 93.1 | 38.2 | |
| | | 12-08-57 | 136.9 | 84.2 | | | | 10-29-57 | 92.6 | 37.7 | |
| | | 12-16-57 | 133.8 | 81.1 | | | | 11-05-57 | 92.6 | 37.7 | |
| | | 12-23-57 | 130.9 | 78.2 | | | | 11-12-57 | 89.1 | 34.2 | |
| | | 12-30-57 | 128.4 | 75.7 | | | | 11-19-57 | 89.1 | 34.2 | |
| | | 1-06-58 | 133.2 | 80.5 | | | | 11-26-57 | 92.1 | 37.2 | |
| | | 1-13-58 | 136.9 | 82.2 | | | | 12-03-57 | 93.2 | 38.3 | |
| | | 1-20-58 | 137.2 | 84.5 | | | | 12-10-57 | 91.1 | 36.2 | |
| | | 1-27-58 | 129.6 | 76.7 | | | | 12-17-57 | 90.2 | 35.3 | |
| | | 2-03-58 | 127.1 | 74.4 | | | | 12-24-57 | 88.8 | 33.9 | |
| | | 2-10-58 | 124.3 | 71.6 | | | | 12-31-57 | 87.9 | 33.0 | |
| | | 2-17-58 | 125.1 | 72.4 | | | | 1-07-58 | 88.4 | 33.5 | |
| | | 2-24-58 | 124.9 | 72.2 | | | | 1-14-58 | 89.0 | 33.1 | |
| | | 3-03-58 | 127.2 | 74.5 | | | | 1-21-58 | 87.1 | 32.2 | |
| | | 3-10-58 | 129.5 | 76.8 | | | | 2-04-58 | 87.5 | 33.6 | |
| | | 3-17-58 | 127.8 | 75.1 | | | | 3-04-58 | 87.9 | 33.0 | |
| | | 3-24-58 | 123.0 | 70.3 | | | | 4-01-58 | 86.3 | 31.4 | |
| | | 4-01-58 | 121.5 | 68.8 | | | | 5-06-58 | 90.5 | 35.6 | |
| | | 4-07-58 | 122.9 | 70.2 | | | | 6-04-58 | 93.4 | 38.5 | |
| | | 4-14-58 | 124.0 | 71.5 | | | | | | | |
| | | 4-30-58 | 131.0 | 78.3 | | | | | | | |
| | | 5-05-58 | 131.2 | 78.5 | | | | | | | |
| | | | | | | 35/124-32L01 S | 53.2 | 7-31-57 | 45.0* | 8.2 | 1101 |
| | | | | | | | | 8-31-57 | 47.0* | 6.2 | |
| | | | | | | | | 9-30-57 | 44.0* | 9.2 | |
| | | | | | | | | 10-31-57 | 44.0* | 9.2 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | P.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PIPEWIRE 41103 | | | | | | | | | | | |
| 35/12N-32L01 | 55.2 | 11-30-57 | 40.8* | 13.2 | 1101 | 35/12N-33A06 5 | 66.4* | 10-04-57 | 190.0* | 124.4 | 1101 |
| | | 12-31-57 | 42.0* | 11.2 | | | | 10-14-57 | 173.0* | 107.0 | |
| | | 1-01-58 | 47.0* | 11.2 | | | | 10-28-57 | 178.0* | 117.0 | |
| | | 1-31-58 | 41.0* | 12.2 | | | | 11-08-57 | 165.0* | 92.0 | |
| | | 2-01-58 | 41.0* | 12.2 | | | | 11-20-57 | 162.0* | 56.0 | |
| | | 3-01-58 | 43.0* | 10.2 | | | | 11-30-57 | 164.0* | 58.0 | |
| | | 4-01-58 | 38.0* | 15.2 | | | | 12-03-57 | 172.0* | 126.0 | |
| | | 5-01-58 | 38.0* | 15.2 | | | | 12-17-57 | 155.0* | 37.0 | |
| | | 6-01-58 | 38.0* | 15.2 | | | | 12-20-57 | 159.0* | 32.0 | |
| 35/12N-33P01 | 63.2 | 11-04-57 | 55.2 | 7.2 | 1101 | | | 1-03-58 | 163.0* | 77.0 | |
| | | 4-30-58 | 57.9 | 7.9 | | | | 1-20-58 | 175.0* | 109.0 | |
| 35/12N-33Q01 | 58.2 | 6-03-58 | 47.0 | 6.2 | 1101 | | | 1-31-58 | 153.0* | 85.0 | |
| 35/12N-33R01 | 54.4 | 11-08-57 | DRY | | 1101 | | | 2-03-58 | 150.0* | 96.0 | |
| | | 4-30-58 | 23.4 | 25.0 | | | | 3-03-58 | 154.0* | 93.0 | |
| 35/12N-33A03 5 | 63.0 | 10-23-57 | 101.0 | 35.0 | 1101 | | | 5-03-58 | 166.0* | 173.0 | |
| | | 4-30-58 | 103.7 | 41.7 | | | | 6-02-58 | 111.0* | 45.0 | |
| 35/12N-33A04 5 | 62.0 | 10-22-57 | 103.8* | 40.5 | 1101 | 35/12N-33F02 5 | 57.0 | 10-22-57 | 36.7 | 30.3 | 1101 |
| | | 4-30-58 | 98.1 | 36.1 | | | | 4-22-58 | 39.4 | 21.6 | |
| 35/12N-33A05 5 | 62.0 | 7-01-57 | 68.0* | 6.0 | 1101 | 35/12N-33R01 5 | 48.0** | 7-20-57 | 67.0* | 15.0 | 1101 |
| | | 8-01-57 | 62.0* | | | | | 8-18-57 | 68.0* | 20.0 | |
| | | 9-01-57 | 61.0* | 1.0 | | | | 9-28-57 | 56.0* | 8.0 | |
| | | 10-01-57 | 53.0* | 9.0 | | | | 10-20-57 | 55.0* | 7.0 | |
| | | 11-01-57 | 55.0* | 7.0 | | | | 11-12-57 | 48.0* | 2.0 | |
| | | 12-01-57 | 52.0* | 10.0 | | | | 11-20-57 | 53.0* | 5.0 | |
| | | 1-01-58 | 57.0* | 5.0 | | | | 12-19-57 | 56.0* | 8.0 | |
| | | 2-01-58 | 51.0* | 11.0 | | | | 1-01-58 | 55.0* | 7.0 | |
| | | 3-01-58 | 50.0* | 12.0 | | | | 1-14-58 | 56.0* | 8.0 | |
| | | 4-01-58 | 54.0* | 8.0 | | | | 3-01-58 | 57.0* | 9.0 | |
| | | 5-01-58 | 64.0* | 2.0 | | | | 4-01-58 | 56.0* | 2.0 | |
| | | 6-01-58 | 66.0* | 4.0 | | | | 5-01-58 | 63.0* | 5.0 | |
| | | 7-11-57 | 118.0* | 52.0 | 1101 | | | 6-04-58 | 60.0* | 12.0 | |
| | | 7-19-57 | 121.0* | 55.0 | | | | 6-12-58 | 63.0* | 15.0 | |
| | | 7-23-57 | 120.0* | 54.0 | | | | 7-07-57 | 165.0* | 112.0 | 1101 |
| | | 7-26-57 | 122.0* | 56.0 | | | | 8-15-57 | 166.0* | 113.0 | |
| | | 7-28-57 | 119.0* | 53.0 | | | | 9-16-57 | 165.0* | 112.0 | |
| | | 8-02-57 | 121.0* | 55.0 | | | | 10-18-57 | 103.0* | 50.0 | |
| | | 9-12-57 | 131.0* | 115.0 | | | | 11-04-57 | 98.0* | 46.0 | |
| | | 9-16-57 | 186.0* | 118.0 | | | | 12-03-57 | 98.0* | 45.0 | |
| | | 9-30-57 | 185.0* | 119.0 | | | | 1-01-58 | 91.0* | 38.0 | |
| CENTRAL COASTAL PLAIN PIPEWIRE 41103 | | | | | | | | | | | |
| 35/12N-33A06 5 | | | | | | | | | | | |
| | | 7-11-57 | 118.0* | 52.0 | 1101 | 35/12N-33A04 5 | 53.0 | 7-07-57 | 165.0* | 112.0 | 1101 |
| | | 7-19-57 | 121.0* | 55.0 | | | | 8-15-57 | 166.0* | 113.0 | |
| | | 7-23-57 | 120.0* | 54.0 | | | | 9-16-57 | 165.0* | 112.0 | |
| | | 7-26-57 | 122.0* | 56.0 | | | | 10-18-57 | 103.0* | 50.0 | |
| | | 7-28-57 | 119.0* | 53.0 | | | | 11-04-57 | 98.0* | 46.0 | |
| | | 8-02-57 | 121.0* | 55.0 | | | | 12-03-57 | 98.0* | 45.0 | |
| | | 9-12-57 | 131.0* | 115.0 | | | | 1-01-58 | 91.0* | 38.0 | |
| | | 9-16-57 | 186.0* | 118.0 | | | | | | | |
| | | 9-30-57 | 185.0* | 119.0 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | PP Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | PP Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES C'Y | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 41103 | | | | | | | | | | | |
| 35/12W-34C04 S | 53.0 | 1-19-58 | 75.0* | 42.0 | 1101 | 35/12W-34F01 S | 62.0* | 7-18-57 | 159.0* | 91.0 | 1101 |
| | | 1-27-58 | 53.0* | 42.0 | | | | 2-18-57 | 156.0* | 84.0 | |
| | | 2-31-58 | 52.0* | 35.0 | | | | 2-23-57 | 126.0* | 42.0 | |
| | | 3-14-58 | 70.0* | 35.0 | | | | 1-23-57 | 122.0* | 59.0 | |
| | | 3-01-58 | 49.0* | 36.0 | | | | 1-20-57 | 110.0* | 49.0 | |
| | | 3-19-58 | 58.0* | 35.0 | | | | 1-20-57 | 105.0* | 47.0 | |
| | | 3-26-58 | 55.0* | 35.0 | | | | 2-01-58 | 105.0* | 43.0 | |
| | | 4-01-58 | 55.0* | 35.0 | | | | 2-01-58 | 105.0* | 43.0 | |
| | | 4-10-58 | 56.0* | 35.0 | | | | 2-01-58 | 101.0* | 39.0 | |
| | | 4-16-58 | 55.0* | 35.0 | | | | 4-24-58 | 101.0* | 41.0 | |
| | | 4-23-58 | 55.0* | 45.0 | | | | 4-29-58 | 104.0* | 42.0 | |
| | | 4-29-58 | 95.0* | 45.0 | | | | 5-01-58 | 106.0* | 42.0 | |
| | | 5-01-58 | 73.0* | 45.0 | | | | 5-01-58 | 105.0* | 43.0 | |
| | | 5-14-58 | 99.0* | 45.0 | | | | 5-18-58 | 107.0* | 45.0 | |
| | | 5-25-58 | 102.0* | 45.0 | | | | 5-22-58 | 139.0* | 77.0 | |
| | | 6-04-58 | 157.0* | 58.0 | | | | 6-01-58 | 142.0* | 80.0 | |
| | | 6-12-58 | 107.0* | 58.0 | | | | 6-14-58 | 142.0* | 50.0 | |
| | | 6-22-58 | 115.0* | 58.0 | | | | 6-30-58 | 112.0* | 50.0 | |
| | | 6-30-58 | 111.0* | 58.0 | | | | | | | |
| COASTAL PLAIN LOS ANGELES C'Y | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 41103 | | | | | | | | | | | |
| 35/12W-34D01 S | 65.0 | 7-01-57 | 80.0* | 17.0 | 1101 | 35/12W-34F03 S | 64.0 | 7-18-57 | 119.0* | 55.0 | 1101 |
| | | 8-01-57 | 69.0* | 6.0 | | | | 8-18-57 | 129.0* | 65.0 | |
| | | 9-01-57 | 71.0* | 8.0 | | | | 9-23-57 | 80.0* | 18.0 | |
| | | 10-01-57 | 62.0* | 1.0 | | | | 10-05-57 | 80.0* | 18.0 | |
| | | 11-01-57 | 64.0* | 1.0 | | | | 11-17-57 | 72.0* | 18.0 | |
| | | 12-01-57 | 61.0* | 2.0 | | | | 12-17-57 | 71.0* | 7.0 | |
| | | 1-01-58 | 63.0* | 4.0 | | | | 2-01-58 | 69.0* | 5.0 | |
| | | 1-01-58 | 78.0* | 38.0 | | | | 2-01-58 | 70.0* | 6.0 | |
| | | 2-01-58 | 75.0* | 31.0 | | | | 4-01-58 | 67.0* | 3.0 | |
| | | 3-01-58 | 95.0* | 21.0 | | | | 4-01-58 | 66.0* | 2.0 | |
| | | 4-01-58 | 75.0* | 31.0 | | | | 5-01-58 | 70.0* | 6.0 | |
| | | 5-01-58 | 104.0* | 40.0 | | | | 5-20-58 | 101.0* | 37.0 | |
| | | 6-01-58 | 103.0* | 39.0 | | | | 6-01-58 | 101.0* | 37.0 | |
| | | 6-01-58 | 104.0* | 39.0 | | | | 6-30-58 | 89.0* | 25.0 | |
| COASTAL PLAIN LOS ANGELES C'Y | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 41103 | | | | | | | | | | | |
| 35/12W-34D01 S | 65.0 | 7-01-57 | 80.0* | 17.0 | 1101 | 35/12W-34G01 S | 62.0 | 7-12-57 | 101.9 | 39.9 | 1101 |
| | | 8-01-57 | 69.0* | 6.0 | | | | 8-02-57 | 104.5 | 42.5 | |
| | | 9-01-57 | 71.0* | 8.0 | | | | 8-23-57 | 104.4 | 42.4 | |
| | | 10-01-57 | 62.0* | 1.0 | | | | 9-13-57 | 103.2 | 41.2 | |
| | | 11-01-57 | 64.0* | 1.0 | | | | 10-23-57 | 87.6 | 25.6 | |
| | | 12-01-57 | 61.0* | 2.0 | | | | 11-18-57 | 83.0 | 21.0 | |
| | | 1-01-58 | 63.0* | 4.0 | | | | 12-06-57 | 84.4 | 22.4 | |
| | | 2-01-58 | 60.0* | 3.0 | | | | 1-21-57 | 80.8 | 18.8 | |
| | | 3-01-58 | 59.0* | 4.0 | | | | 1-21-56 | 81.1 | 19.1 | |
| | | 5-01-58 | 70.0* | 7.0 | | | | 2-01-58 | 80.1 | 18.1 | |
| | | 6-01-58 | 75.0* | 12.0 | | | | 2-28-58 | 78.3 | 16.3 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 35/124-36G01 5 | 62.0 | 3-21-58 | 77.4 | 15.4 | 1101 | 35/134-01G01 5 | 106.0 | 9-15-57 | 138.0* | 32.0 | 1101 |
| CONT. | | | | | | | | | | | |
| | | 4-11-58 | 75.9 | 13.9 | | | | 10-01-57 | 141.0* | 34.0 | |
| | | 5-02-58 | 81.8 | 19.8 | | | | 10-15-57 | 131.0* | 29.0 | |
| | | 5-23-58 | 87.1 | 25.1 | | | | 11-01-57 | 131.0* | 29.0 | |
| | | 6-11-58 | 94.3 | 32.3 | | | | 11-15-57 | 131.0* | 29.0 | |
| 35/124-36H31 5 | 67.0 | 10-23-57 | 36.0 | 24.0 | 1101 | | | 12-01-57 | 133.0* | 29.0 | |
| | | 4-22-58 | 44.1 | 16.1 | | | | 12-15-57 | 133.0* | 29.0 | |
| 35/124-36C01 5 | 66.0 | 10-22-57 | 66.5 | 0.5 | 1101 | | | 1-01-58 | 137.0* | 27.0 | |
| | | 4-22-58 | 64.7 | 0.7 | | | | 1-15-58 | 135.0* | 24.0 | |
| | | | | | | | | 2-03-58 | 151.0* | 21.0 | |
| 35/124-37D02 5 | 65.0 | 7-12-57 | 66.7 | 16.7 | 1101 | | | 5-01-58 | 151.0* | 21.0 | |
| | | 8-02-57 | 47.5 | 14.1 | | | | 3-15-58 | 126.0* | 24.0 | |
| | | 8-21-57 | 47.5 | 14.5 | | | | 4-01-58 | 130.0* | 24.0 | |
| | | 9-13-57 | 64.5 | 15.5 | | | | 4-15-58 | 134.0* | 24.0 | |
| | | 10-26-57 | 41.7 | 20.3 | | | | 5-01-58 | 136.0* | 28.0 | |
| | | 11-18-57 | 40.7 | 21.3 | | | | 5-15-58 | 138.0* | 30.0 | |
| | | 12-06-57 | 41.5 | 20.5 | | | | 6-01-58 | 139.0* | 33.0 | |
| | | 12-27-57 | 40.0 | 22.0 | | | | 6-15-58 | 136.0* | 30.0 | |
| | | 1-17-58 | 40.5 | 21.5 | | 35/134-01P03 5 | | 10-22-57 | DRY | | 1101 |
| | | 2-07-58 | 39.2 | 22.8 | | | | 4-21-58 | DRY | | |
| | | 2-28-58 | 38.7 | 23.3 | | | | | | | |
| | | 3-21-58 | 37.8 | 24.2 | | 35/134-02A02 5 | 107.0 | 7-01-57 | 49.0 | 58.0 | 1101 |
| | | 4-11-58 | 37.4 | 24.6 | | | | 8-05-57 | 49.1 | 57.0 | |
| | | 5-02-58 | 39.5 | 22.5 | | | | 9-03-57 | 49.2 | 57.8 | |
| | | 5-23-58 | 41.6 | 20.4 | | | | 10-01-57 | 59.1 | 47.0 | |
| | | 6-13-58 | 44.0 | 18.0 | | | | 11-06-57 | 40.0 | 58.0 | |
| 35/124-25LQ2 5 | 57.0** | 10-22-57 | 66.0 | 9.0 | 1101 | | | 12-04-57 | 40.1 | 57.9 | |
| | | 4-30-58 | 60.5 | 3.5 | | | | 1-07-58 | 58.8* | 48.0 | |
| | | | | | | | | 2-11-58 | 45.1 | 57.0 | |
| | | | | | | | | 3-03-58 | 58.7 | 48.3 | |
| | | | | | | | | 4-15-58 | 56.4 | 50.6 | |
| | | | | | | | | 4-29-58 | 49.1 | 57.9 | |
| | | | | | | | | 5-20-58 | 49.2 | 57.8 | |
| | | | | | | | | 6-10-58 | 49.2 | 57.8 | |
| 35/124-36F01 5 | 60.0 | 10-22-57 | 53.0* | 7.0 | 1101 | 35/134-02B01 5 | 105.0 | 8-01-57 | 78.0* | 27.0 | 1101 |
| | | 4-30-58 | 48.5 | 11.5 | | | | 8-15-57 | 78.0* | 30.0 | |
| 35/134-01G01 5 | 106.0 | 7-01-57 | 140.0* | 34.0 | 1101 | | | 9-01-57 | 73.0* | 31.0 | |
| | | 7-03-57 | 145.0* | 38.0 | | | | 9-15-57 | 73.0* | 31.0 | |
| | | 8-01-57 | 145.0* | 39.0 | | | | 10-01-57 | 73.0* | 33.0 | |
| | | 8-15-57 | 145.0* | 40.0 | | | | 10-15-57 | 72.0* | 33.0 | |
| | | 9-01-57 | 141.0* | 35.0 | | | | 11-01-57 | 72.0* | 33.0 | |
| | | | | | | | | 11-15-57 | 72.0* | 33.0 | |
| | | | | | | | | 12-01-57 | 74.0* | 31.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | RP Elev. in feet | Date | Dist. RP to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | RP Elev. in feet | Date | Dist. RP to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|------------------|----------|------------------------------------|-----------------------------|-----------------------|-------------------------|------------------|----------|------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 35/13W-01E01 S CONT. | 105.4 | 12-15-57 | 75.0* | 32.0 | 1101 | 35/13W-02001 S CONT. | 97.0 | 3-19-58 | 67.0* | 30.0 | 1101 |
| | | 1-01-58 | 72.0* | 33.0 | | | | 4-20-58 | 68.0* | 27.0 | |
| | | 1-15-58 | 72.0* | 33.7 | | | | 4-02-58 | 70.0* | 27.0 | |
| | | 2-01-58 | 72.0* | 33.0 | | | | 4-16-58 | 72.0* | 25.0 | |
| | | 2-11-58 | 72.0* | 32.0 | | | | 5-01-58 | 72.0* | 25.0 | |
| | | 3-01-58 | 71.0* | 32.0 | | | | 5-21-58 | 71.0* | 26.0 | |
| | | 2-11-58 | 71.0* | 34.0 | | | | 5-21-58 | 73.0* | 26.0 | |
| | | 4-01-58 | 72.0* | 34.0 | | | | 6-21-58 | 72.0* | 25.0 | |
| | | 5-13-58 | 75.0* | 31.0 | | | | 6-21-58 | 73.0* | 24.0 | |
| | | 2-11-58 | 74.0* | 29.0 | | | | 6-23-58 | 73.0* | 24.0 | |
| | | 6-01-58 | 76.0* | 29.0 | | | | | | | |
| | | 6-13-58 | 76.0* | 29.0 | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 35/13W-01W01 S | 96.7 | 7-01-57 | 65.7 | 33.0 | 1101 | 35/13W-03E01 S | 104.0 | 10-25-57 | DRY | | 1101 |
| | | 8-05-57 | 66.1 | 32.6 | | | | 4-21-58 | 63.2 | 40.8 | |
| | | 9-03-57 | 66.3 | 32.4 | | | | 7-05-57 | 60.0 | 37.8 | |
| | | 1-01-57 | 66.4 | 32.3 | | | | 7-31-57 | 60.3 | 37.5 | |
| | | 1-08-57 | 65.4 | 33.3 | | | | 8-14-57 | 60.6 | 37.2 | |
| | | 1-10-57 | 65.2 | 32.8 | | | | 9-20-57 | 61.0 | 36.8 | |
| | | 2-11-58 | 65.2 | 32.9 | | | | 10-19-57 | 61.4 | 37.4 | |
| | | 3-11-58 | 65.4 | 32.9 | | | | 11-29-57 | 61.6 | 36.2 | |
| | | 3-01-58 | 65.4 | 33.2 | | | | 12-27-57 | 61.6 | 36.2 | |
| | | 4-15-58 | 66.1 | 32.9 | | | | 1-21-58 | 61.8 | 36.0 | |
| | | 4-29-58 | 66.7 | 32.0 | | | | 2-28-58 | 61.8 | 36.0 | |
| | | 5-20-58 | 67.1 | 31.6 | | | | 4-20-58 | 61.9 | 35.9 | |
| | | 6-10-58 | 67.7 | 31.0 | | | | 5-23-58 | 62.2 | 35.6 | |
| | | | | | | | | 6-21-58 | 62.7 | 35.1 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 35/13W-02001 S | 97.0 | 7-05-57 | 73.0* | 24.0 | 1101 | 35/13W-03R01 S | 100.5 | 7-06-57 | 200.0* | | 1101 |
| | | 7-17-57 | 74.0* | 23.0 | | | | 7-11-57 | 184.0* | 83.5 | |
| | | 8-01-57 | 74.0* | 23.0 | | | | 8-01-57 | 184.0* | 83.5 | |
| | | 8-21-57 | 74.0* | 23.0 | | | | 8-21-57 | 185.0* | 84.5 | |
| | | 9-11-57 | 74.0* | 23.0 | | | | 9-11-57 | 184.0* | 83.5 | |
| | | 9-25-57 | 72.0* | 25.0 | | | | 9-25-57 | 184.0* | 83.5 | |
| | | 10-09-57 | 72.0* | 29.0 | | | | 10-09-57 | 184.0* | 83.5 | |
| | | 11-23-57 | 68.0* | 29.0 | | | | 11-23-57 | 174.0* | 76.5 | |
| | | 11-15-57 | 67.0* | 30.0 | | | | 11-15-57 | 176.0* | 75.5 | |
| | | 11-27-57 | 70.0* | 27.0 | | | | 11-27-57 | 177.0* | 76.5 | |
| | | 1-21-58 | 70.0* | 27.0 | | | | 12-11-57 | 177.0* | 76.5 | |
| | | 1-26-57 | 70.0* | 27.0 | | | | 12-26-57 | 175.0* | 74.5 | |
| | | 1-15-58 | 70.0* | 27.0 | | | | 1-15-58 | 175.0* | 74.5 | |
| | | 1-29-58 | 68.0* | 29.0 | | | | 1-19-58 | 175.0* | 74.5 | |
| | | 2-05-58 | 68.0* | 29.0 | | | | 2-05-58 | 174.0* | 73.5 | |
| | | 2-15-58 | 68.0* | 29.0 | | | | 2-13-58 | 175.0* | 74.5 | |
| | | 2-26-58 | 68.0* | 29.0 | | | | 2-26-58 | 175.0* | 74.5 | |
| | | 3-05-58 | 68.0* | 29.0 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 35/134-03R01 S | 100.5 | 3-05-58 | 176.0* | - 75.5 | 1101 | 35/134-09A01 S | 94.1 | 3-27-58 | 130.0* | - 36.0 | 1101 |
| | | 3-19-58 | 173.0* | 72.5 | | | | 5-01-58 | 148.0* | - 44.0 | |
| | | 3-26-58 | 173.0* | 72.5 | | | | 5-28-58 | 144.5* | - 48.5 | |
| | | 4-02-58 | 170.0* | 69.5 | | | | 8-01-57 | 150.0* | - 68.0 | 1101 |
| | | 4-16-58 | 170.0* | 69.5 | | | | 8-23-57 | 154.0* | - 66.0 | |
| | | 4-30-58 | 175.0* | 74.5 | | | | 10-26-57 | 157.0* | - 63.0 | |
| | | 5-07-58 | 177.0* | 76.5 | | | | 11-21-57 | 154.0* | - 64.0 | |
| | | 5-21-58 | 160.0* | 79.5 | | | | 11-27-57 | 156.0* | - 65.0 | |
| | | 5-28-58 | 180.0* | 79.5 | | | | 1-30-58 | 153.0* | - 64.0 | |
| | | 6-04-58 | 180.0* | 81.5 | | | | 2-27-58 | 152.0* | - 71.0 | |
| | | 6-18-58 | 182.0* | 81.5 | | | | 5-01-58 | 154.0* | - 71.3 | |
| | | 6-25-58 | 183.0* | 82.5 | | | | 5-21-58 | 151.0* | - 75.3 | |
| | | | | | | | | 5-28-58 | 159.0* | - 75.3 | |
| 35/134-04D01 S | 116.0** | 4-01-58 | 226.0* | - 112.0 | 1101 | | | 6-26-58 | 164.0* | - 57.3 | |
| 35/134-05F01 S | 114.2 | 10-22-57 | 269.0* | - 155.0 | 1101 | | | | | | |
| | | 4-21-58 | 274.0* | - 160.0 | | | | | | | |
| 35/134-05F02 S | 114.0 | 10-22-57 | 225.0* | - 111.0 | 1101 | 35/134-09R01 S | 86.4 | 7-12-57 | 136.9 | - 50.5 | 1101 |
| | | 4-21-58 | 229.0* | - 115.0 | | | | 8-02-57 | 138.4 | - 51.0 | |
| 35/134-06R01 S | 130.7 | 7-05-57 | 195.1 | - 64.4 | 1200 | | | 8-23-57 | 138.2 | - 51.8 | |
| | | 7-31-57 | 196.1 | - 65.6 | | | | 9-13-57 | 137.1 | - 50.7 | |
| | | 8-14-57 | 197.0 | - 66.3 | | | | 10-24-57 | 132.6 | - 46.2 | |
| | | 9-20-57 | 198.2 | - 67.5 | | | | 11-15-57 | 131.3 | - 44.5 | |
| | | 10-30-57 | 198.4 | - 67.7 | | | | 12-06-57 | 131.3 | - 44.9 | |
| | | 11-29-57 | 198.1 | - 67.4 | | | | 12-27-57 | 130.1 | - 43.7 | |
| | | 12-27-57 | 196.7 | - 66.0 | | | | 1-17-58 | 130.7 | - 44.3 | |
| | | 1-31-58 | 199.4 | - 68.7 | | | | 2-01-58 | 129.2 | - 42.8 | |
| | | 2-26-58 | 199.7 | - 69.0 | | | | 2-28-58 | 129.0 | - 42.5 | |
| | | 3-28-58 | 199.8 | - 69.1 | | | | 3-21-58 | 128.6 | - 42.2 | |
| | | 4-30-58 | 200.5 | - 69.8 | | | | 4-11-58 | 127.9 | - 41.5 | |
| | | 5-28-58 | 201.9 | - 71.2 | | | | 5-02-58 | 133.0 | - 46.6 | |
| | | 6-27-58 | 203.2 | - 72.5 | | | | 5-23-58 | 136.3 | - 49.9 | |
| 35/134-08R01 S | 99.3 | 10-24-57 | 169.4* | - 70.1 | 1101 | 35/134-10G01 S | 86.0 | 7-01-57 | 130.0* | - 44.0 | 1101 |
| | | 4-21-58 | 161.5* | - 65.2 | | | | 7-15-57 | 133.0* | - 47.0 | |
| 35/134-09A01 S | 94.0 | 8-01-57 | 144.0* | - 50.0 | 1101 | | | 8-01-57 | 142.0* | - 56.0 | |
| | | 9-29-57 | 144.0* | - 50.0 | | | | 8-15-57 | 144.0* | - 58.0 | |
| | | 10-26-57 | 142.0* | - 48.0 | | | | 9-01-57 | 140.0* | - 54.0 | |
| | | 11-31-57 | 130.0* | - 39.0 | | | | 9-15-57 | 140.0* | - 54.0 | |
| | | 1-02-58 | 138.0* | - 46.0 | | | | 10-01-57 | 139.0* | - 53.0 | |
| | | 1-30-58 | 134.0* | - 40.0 | | | | 10-15-57 | 132.0* | - 46.0 | |
| | | 2-27-58 | 129.0* | - 35.0 | | | | 11-01-57 | 132.0* | - 46.0 | |
| | | | | | | | | 11-15-57 | 131.0* | - 45.0 | |
| | | | | | | | | 12-01-57 | 131.0* | - 45.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 35/13W-10601 S | 86.0 | 12-15-57 | 128.0* | 42.0 | 1101 | 35/13W-11802 S | 90.0 | 7-17-57 | 143.0* | 53.0 | 1101 |
| CONT. | | 1-01-58 | 129.0* | 43.0 | | CONT. | | 8-01-57 | 143.0* | 51.0 | |
| | | 2-15-58 | 130.0* | 44.0 | | | | 9-01-57 | 143.0* | 55.0 | |
| | | 2-01-58 | 128.0* | 42.0 | | | | 9-25-57 | 137.0* | 47.0 | |
| | | 2-15-58 | 129.0* | 38.0 | | | | 10-09-57 | 137.0* | 52.0 | |
| | | 3-15-58 | 129.0* | 40.0 | | | | 10-23-57 | 142.0* | 52.0 | |
| | | 4-01-58 | 129.0* | 41.0 | | | | 11-06-57 | 146.0* | 50.0 | |
| | | 4-15-58 | 131.0* | 45.0 | | | | 11-20-57 | 140.0* | 50.0 | |
| | | 5-01-58 | 134.0* | 48.0 | | | | 12-11-57 | 140.0* | 51.0 | |
| | | 5-15-58 | 136.0* | 50.0 | | | | 12-26-57 | 141.0* | 50.0 | |
| | | 6-01-58 | 130.0* | 48.0 | | | | 1-15-58 | 140.0* | 50.0 | |
| | | 6-15-58 | 138.0* | 52.0 | | | | 1-29-58 | 140.0* | 50.0 | |
| 35/13W-10602 S | 87.0 | 7-01-57 | 128.0* | 41.0 | 1101 | | | 2-05-58 | 140.0* | 50.0 | |
| | | 7-15-57 | 130.0* | 43.0 | | | | 2-15-58 | 140.0* | 50.0 | |
| | | 8-01-57 | 142.0* | 55.0 | | | | 2-29-58 | 140.0* | 50.0 | |
| | | 8-15-57 | 146.0* | 53.0 | | | | 3-05-58 | 140.0* | 50.0 | |
| | | 9-01-57 | 146.0* | 59.0 | | | | 3-19-58 | 140.0* | 50.0 | |
| | | 9-15-57 | 138.0* | 51.0 | | | | 3-26-58 | 142.0* | 52.0 | |
| | | 10-01-57 | 146.0* | 57.0 | | | | 4-02-58 | 142.0* | 52.0 | |
| | | 10-15-57 | 136.0* | 49.0 | | | | 4-16-58 | 146.0* | 54.0 | |
| | | 11-01-57 | 130.0* | 43.0 | | | | 4-30-58 | 140.0* | 50.0 | |
| | | 11-15-57 | 132.0* | 45.0 | | | | 5-07-58 | 145.0* | 55.0 | |
| | | 12-01-57 | 136.0* | 47.0 | | | | 5-16-58 | 140.0* | 50.0 | |
| | | 12-15-57 | 128.0* | 41.0 | | | | 5-28-58 | 140.0* | 50.0 | |
| | | 1-01-58 | 129.0* | 42.0 | | | | 6-06-58 | 140.0* | 50.0 | |
| | | 1-15-58 | 132.0* | 45.0 | | | | 6-18-58 | 147.0* | 57.0 | |
| | | 2-01-58 | 126.0* | 37.0 | | | | 6-25-58 | 142.0* | 52.0 | |
| | | 2-15-58 | 130.0* | 43.0 | | | | | | | |
| | | 3-01-58 | 130.0* | 43.0 | | | | | | | |
| | | 3-15-58 | 126.0* | 39.0 | | | | | | | |
| | | 4-01-58 | 128.0* | 41.0 | | | | | | | |
| | | 4-15-58 | 136.0* | 49.0 | | | | | | | |
| | | 5-01-58 | 138.0* | 51.0 | | | | | | | |
| | | 5-15-58 | 146.0* | 57.0 | | | | | | | |
| | | 6-01-58 | 140.0* | 53.0 | | | | | | | |
| | | 6-15-58 | 141.0* | 54.0 | | | | | | | |
| 35/13W-10601 S | 86.0 | 11-13-57 | 138.0* | 52.0 | 1101 | 35/13W-11C01 S | 91.0 | 7-05-57 | 137.0* | 46.0 | 1101 |
| | | 4-21-58 | 150.0* | 64.0 | | | | 7-17-57 | 138.0* | 47.0 | |
| 35/13W-10602 S | 86.0 | 11-13-57 | 135.0* | 49.0 | 1101 | | | 8-07-57 | 138.0* | 47.0 | |
| | | 4-21-58 | 137.0* | 51.0 | | | | 8-21-57 | 137.0* | 46.0 | |
| 35/13W-11802 S | 90.0 | 7-05-57 | 165.0* | 75.0 | 1101 | | | 9-11-57 | 134.0* | 43.0 | |
| | | | | | | | | 9-25-57 | 134.0* | 43.0 | |
| | | | | | | | | 10-09-57 | 134.0* | 43.0 | |
| | | | | | | | | 10-23-57 | 128.0* | 37.0 | |
| | | | | | | | | 11-13-57 | 125.0* | 34.0 | |
| | | | | | | | | 11-27-57 | 125.0* | 34.0 | |
| | | | | | | | | 12-11-57 | 125.0* | 34.0 | |
| | | | | | | | | 12-26-57 | 123.0* | 32.0 | |
| | | | | | | | | 1-08-58 | 124.0* | 33.0 | |
| | | | | | | | | 1-22-58 | 123.0* | 32.0 | |
| | | | | | | | | 2-05-58 | 122.0* | 31.0 | |
| | | | | | | | | 2-15-58 | 123.0* | 32.0 | |
| | | | | | | | | 2-26-58 | 120.0* | 29.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elevation in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elevation in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|-------------------------------------|---------------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|---------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| 35/13W-11C01 S | 91.0 | 3-05-58 | 120.0* | - 29.0 | 1101 | 35/13W-11K01 S | 86.4 | 4-30-58 | 87.0* | - 6.6 | 1101 |
| CONT. | | 3-19-58 | 120.0* | - 29.0 | | CONT. | | 5-07-58 | 87.0* | - 6.6 | |
| | | 3-26-58 | 119.0* | - 28.0 | | | | 5-21-58 | 89.0* | - 2.6 | |
| | | 4-02-58 | 120.0* | - 29.0 | | | | 5-28-58 | 90.0* | - 3.6 | |
| | | 4-16-58 | 122.0* | - 31.0 | | | | 6-04-58 | 90.0* | - 3.6 | |
| | | 4-30-58 | 131.0* | - 40.0 | | | | 6-18-58 | 92.0* | - 5.6 | |
| | | 5-07-58 | 130.0* | - 39.0 | | | | 6-25-58 | 94.0* | - 7.6 | |
| | | 5-21-58 | 130.0* | - 39.0 | | | | | | | |
| | | 5-28-58 | 132.0* | - 41.0 | | 35/13W-11P04 S | 83.0 | 10-24-57 | 56.7 | - 26.3 | 1101 |
| | | 6-04-58 | 132.0* | - 41.0 | | | 84.4** | 4-21-58 | 51.0 | - 33.4 | |
| | | 6-18-58 | 134.0* | - 43.0 | | | | | | | |
| | | 6-25-58 | 135.0* | - 44.0 | | 35/13W-12A01 S | 94.0 | 7-05-57 | 144.0* | - 50.0 | 1101 |
| 35/13W-11E01 S | 87.0 | 7-05-57 | 139.0* | - 52.0 | 1101 | | | 7-17-57 | 147.0* | - 53.0 | |
| | | 7-17-57 | 141.0* | - 54.0 | | | | 8-07-57 | 146.0* | - 52.0 | |
| | | 8-09-57 | 140.0* | - 53.0 | | | | 8-21-57 | 146.0* | - 52.0 | |
| | | 8-21-57 | 149.0* | - 62.0 | | | | 9-11-57 | 144.0* | - 50.0 | |
| | | 9-11-57 | 138.0* | - 51.0 | | | | 9-25-57 | 142.0* | - 48.0 | |
| | | 9-25-57 | 138.0* | - 51.0 | | | | 10-09-57 | 139.0* | - 45.0 | |
| | | 10-09-57 | 135.0* | - 48.0 | | | | 11-13-57 | 132.0* | - 39.0 | |
| | | 10-23-57 | 133.0* | - 46.0 | | | | 11-27-57 | 130.0* | - 38.0 | |
| | | 11-13-57 | 132.0* | - 45.0 | | | | 12-11-57 | 130.0* | - 36.0 | |
| | | 6-16-58 | 144.2 | - 57.2 | | | | 1-26-57 | 130.0* | - 36.0 | |
| 35/13W-11K01 S | 86.4 | 7-05-57 | 88.0* | - 1.6 | 1101 | | | 1-08-58 | 129.0* | - 35.0 | |
| | | 7-17-57 | 88.0* | - 1.6 | | | | 1-22-58 | 130.0* | - 36.0 | |
| | | 8-09-57 | 88.0* | - 1.6 | | | | 2-05-58 | 128.0* | - 34.0 | |
| | | 8-21-57 | 87.0* | - 6.6 | | | | 2-15-58 | 130.0* | - 36.0 | |
| | | 9-11-57 | 90.0* | - 3.6 | | | | 2-26-58 | 127.0* | - 33.0 | |
| | | 9-25-57 | 88.0* | - 1.6 | | | | 3-05-58 | 125.0* | - 31.0 | |
| | | 10-09-57 | 88.0* | - 1.6 | | | | 3-19-58 | 125.0* | - 31.0 | |
| | | 10-23-57 | 87.0* | - 4.6 | | | | 4-02-58 | 125.0* | - 31.0 | |
| | | 11-13-57 | 83.0* | - 3.6 | | | | 4-23-58 | 132.0* | - 38.0 | |
| | | 11-27-57 | 89.0* | - 2.6 | | | | 5-07-58 | 132.0* | - 38.0 | |
| | | 12-11-57 | 87.0* | - 6.6 | | | | 5-21-58 | 135.0* | - 41.0 | |
| | | 12-26-57 | 87.0* | - 6.6 | | | | 6-04-58 | 137.0* | - 43.0 | |
| | | 1-20-58 | 88.0* | - 1.6 | | | | 6-18-58 | 137.0* | - 43.0 | |
| | | 2-05-58 | 87.0* | - 6.6 | | | | 6-23-58 | 139.0* | - 43.0 | |
| | | 2-15-58 | 87.0* | - 6.6 | | 35/13W-12E04 S | 91.0 | 7-05-57 | 139.0* | - 48.0 | 1101 |
| | | 2-26-58 | 87.0* | - 6.6 | | | | 7-17-57 | 141.0* | - 50.0 | |
| | | 3-05-58 | 87.0* | - 6.6 | | | | 8-07-57 | 138.0* | - 47.0 | |
| | | 3-19-58 | 87.0* | - 6.6 | | | | 8-21-57 | 137.0* | - 46.0 | |
| | | 3-26-58 | 87.0* | - 6.6 | | | | 9-11-57 | 138.0* | - 47.0 | |
| | | 4-02-58 | 87.0* | - 6.6 | | | | 9-25-57 | 134.0* | - 43.0 | |
| | | 4-16-58 | 87.0* | - 6.6 | | | | 10-09-57 | 130.0* | - 39.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------------|--------------------|----------------------------------|-------------------------------------|-----------------------------|-----------------------|--------------------------------------|--------------------|----------------------------------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | |
| 35/13W-12E04 S CONT. | 91.0 | 10-23-57 11-13-57 12-26-57 | 128.0* 147.0* 125.0* | 37.0 56.0 34.0 | 1101. | 35/13W-12J01 S CONT. | 85.0 | 5-21-58 5-28-58 6-04-58 | 113.0* 120.0* 115.0* | 28.0 55.0 30.0 | 1101 |
| | | 1-08-58 1-22-58 2-03-58 | 127.0* 126.0* 126.0* | 36.0 35.0 35.0 | | | | 6-18-58 6-25-58 | 119.0* 120.0* | 34.0 35.0 | |
| | | 2-13-58 2-26-58 3-03-58 | 124.0* 123.0* 124.0* | 33.0 32.0 33.0 | | | | 7-05-57 7-17-57 8-07-57 | 135.0* 140.0* 141.0* | 50.0 55.0 56.0 | 1101 |
| | | 3-19-58 4-02-58 4-16-58 | 117.0* 117.0* 125.0* | 29.0 26.0 34.0 | | | | 9-25-57 10-09-57 10-23-57 | 137.0* 137.0* 127.0* | 52.0 55.0 46.0 | |
| | | 4-30-58 5-07-58 5-21-58 | 125.0* 131.0* 132.0* | 40.0 41.0 44.0 | | | | 11-13-57 11-27-57 12-11-57 | 123.0* 124.0* 123.0* | 38.0 39.0 38.0 | |
| | | 5-28-58 6-04-58 6-18-58 | 135.0* 135.0* 131.0* | 44.0 40.0 47.0 | | | | 1-08-58 1-22-58 2-05-58 | 128.0* 124.0* 124.0* | 43.0 38.0 38.0 | |
| | | 6-23-58 | 138.0* | | | | | 2-15-58 3-05-58 3-19-58 | 124.0* 120.0* 120.0* | 39.0 38.0 38.0 | |
| 35/13W-12J01 S | 85.0 | 7-05-57 | 130.0* | 45.0 | 1101. | | | 3-26-58 4-02-58 4-16-58 | 120.0* 120.0* 120.0* | 36.0 36.0 35.0 | |
| | | 8-07-57 | 129.0* | 44.0 | | | | 4-30-58 5-07-58 5-21-58 | 127.0* 129.0* 128.0* | 46.0 46.0 50.0 | |
| | | 8-21-57 | 126.0* | 43.0 | | | | 5-28-58 6-04-58 6-18-58 | 133.0* 136.0* 133.0* | 48.0 53.0 48.0 | |
| | | 9-11-57 | 128.0* | 43.0 | | | | 6-25-58 | 135.0* | 48.0 | |
| | | 10-09-57 | 123.0* | 38.0 | | | | | | | |
| | | 11-13-57 | 116.0* | 31.0 | | | | | | | |
| | | 11-27-57 | 113.0* | 28.0 | | | | | | | |
| | | 12-11-57 | 113.0* | 28.0 | | | | | | | |
| | | 12-26-57 | 115.0* | 27.0 | | | | | | | |
| | | 1-13-58 | 115.0* | 28.0 | | | | | | | |
| | | 1-29-58 | 115.0* | 27.0 | | | | | | | |
| | | 2-03-58 | 115.0* | 27.0 | | | | | | | |
| | | 2-13-58 | 115.0* | 27.0 | | 35/13W-12002 S | 84.0 | 7-05-57 | 128.0* | 46.0 | 1101 |
| | | 2-26-58 | 113.0* | 28.0 | | | | 7-17-57 | 139.0* | 55.0 | |
| | | 3-03-58 | 113.0* | 28.0 | | | | 8-07-57 | 135.0* | 51.0 | |
| | | 3-19-58 | 113.0* | 29.0 | | | | 8-21-57 | 135.0* | 51.0 | |
| | | 3-26-58 | 115.0* | 27.0 | | | | 9-11-57 | 130.0* | 46.0 | |
| | | 4-02-58 | 115.0* | 33.0 | | | | 9-25-57 | 129.0* | 45.0 | |
| | | 4-16-58 | 115.0* | 27.0 | | | | 10-09-57 | 125.0* | 44.0 | |
| | | 4-30-58 | 115.0* | 29.0 | | | | 10-23-57 | 126.0* | 46.0 | |
| | | 5-07-58 | 113.0* | 30.0 | | | | 11-13-57 | 113.0* | 29.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 35/13W-12002 S | 84.0 | 11-27-57 | 120.0* | 36.0 | 1101 | 35/13W-13001 S | 81.0 | 6-18-58 | 125.0* | 44.0 | 1101 |
| CONT. | | 12-11-57 | 120.0* | 36.0 | | CONT. | | 6-25-58 | 127.0* | 46.0 | |
| | | 12-26-57 | 120.0* | 36.0 | | | | | | | |
| | | 1-08-58 | 120.0* | 36.0 | | 35/13W-13F01 S | 78.4 | 10-23-57 | 61.2 | 17.2 | 1101 |
| | | 1-22-58 | 120.0* | 36.0 | | | | 4-22-58 | 58.0 | 20.4 | |
| | | 2-05-58 | 120.0* | 36.0 | | | | | | | |
| | | 2-15-58 | 120.0* | 36.0 | | | | | | | |
| | | 2-26-58 | 115.0* | 31.0 | | | | | | | |
| | | 3-05-58 | 114.0* | 30.0 | | 35/13W-13F04 S | 78.5 | 8-01-57 | 130.0* | 51.5 | 1101 |
| | | 3-19-58 | 114.0* | 30.0 | | | | 8-29-57 | 127.0* | 48.5 | |
| | | 3-26-58 | 114.0* | 30.0 | | | | 9-26-57 | 124.0* | 45.5 | |
| | | 4-02-58 | 114.0* | 30.0 | | | | 10-31-57 | 121.0* | 42.5 | |
| | | 4-16-58 | 112.0* | 28.0 | | | | 11-27-57 | 119.0* | 40.5 | |
| | | 4-30-58 | 117.0* | 33.0 | | | | 1-02-58 | 115.0* | 36.5 | |
| | | 5-07-58 | 117.0* | 33.0 | | | | 1-29-58 | 114.0* | 35.5 | |
| | | 5-21-58 | 120.0* | 36.0 | | | | 2-27-58 | 112.0* | 33.5 | |
| | | 5-28-58 | 127.0* | 43.0 | | | | 3-27-58 | 112.0* | 33.5 | |
| | | 6-04-58 | 128.0* | 44.0 | | | | 5-01-58 | 118.0* | 39.5 | |
| | | | | | | | | 5-28-58 | 124.0* | 45.5 | |
| | | | | | | | | 6-26-58 | 127.0* | 48.5 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 35/13W-13001 S | 81.0 | 7-05-57 | 126.0* | 45.0 | 1101 | 35/13W-13F07 S | 78.0 | 4-22-58 | 17.0 | 61.0 | 1101 |
| | | 7-17-57 | 130.0* | 49.0 | | | | 8-01-57 | 65.0* | 14.0 | 1101 |
| | | 8-21-57 | 130.0* | 49.0 | | | | 8-29-57 | 65.0* | 14.0 | |
| | | 9-11-57 | 127.0* | 46.0 | | | | 9-26-57 | 64.0* | 15.0 | |
| | | 9-23-57 | 126.0* | 45.0 | | | | 10-31-57 | 60.0* | 19.0 | |
| | | 10-09-57 | 126.0* | 47.0 | | | | 11-27-57 | 60.0* | 19.0 | |
| | | 10-23-57 | 120.0* | 39.0 | | | | 1-02-58 | 60.0* | 19.0 | |
| | | 11-12-57 | 116.0* | 35.0 | | | | 1-30-58 | 60.0* | 19.0 | |
| | | 12-11-57 | 116.0* | 35.0 | | | | 2-27-58 | 58.0* | 21.0 | |
| | | 12-11-57 | 116.0* | 35.0 | | | | 3-27-58 | 58.0* | 21.0 | |
| | | 12-21-57 | 116.0* | 35.0 | | | | 5-01-58 | 61.0* | 18.0 | |
| | | 1-08-58 | 116.0* | 35.0 | | | | 5-28-58 | 64.0* | 15.0 | |
| | | 1-22-58 | 115.0* | 34.0 | | | | 6-26-58 | 64.0* | 15.0 | |
| | | 2-05-58 | 115.0* | 34.0 | | | | | | | |
| | | 2-15-58 | 115.0* | 34.0 | | | | 8-01-57 | 68.0* | 13.0 | 1101 |
| | | 2-26-58 | 115.0* | 31.0 | | | | 8-29-57 | 68.0* | 13.0 | |
| | | 3-05-58 | 115.0* | 31.0 | | | | 9-26-57 | 68.0* | 18.0 | |
| | | 3-19-58 | 115.0* | 31.0 | | | | 10-31-57 | 61.0* | 18.0 | |
| | | 3-26-58 | 115.0* | 31.0 | | | | 11-27-57 | 64.0* | 17.0 | |
| | | 4-02-58 | 114.0* | 33.0 | | | | 11-27-57 | 63.0* | 18.0 | |
| | | 4-16-58 | 112.0* | 31.0 | | | | 1-30-58 | 63.0* | 18.0 | |
| | | 4-30-58 | 116.0* | 35.0 | | | | 2-27-58 | 62.0* | 19.0 | |
| | | 5-07-58 | 120.0* | 39.0 | | | | 2-27-58 | 62.0* | 19.0 | |
| | | 5-21-58 | 121.0* | 40.0 | | | | 3-27-58 | 66.0* | 17.0 | |
| | | 5-28-58 | 123.0* | 42.0 | | | | 5-01-58 | 64.0* | 14.0 | |
| | | 6-04-58 | 123.0* | 42.0 | | | | 5-28-58 | 67.0* | 14.0 | |
| | | | | | | | | 6-26-58 | 69.0* | 12.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------------------|--------------------|-----------------|--------------------------------------|------------------------------|-----------------------|-------------------|--------------------|-----------------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 3S/13W-13M01 S | 77.9 | 7-15-57 123.0* | - | 45.1 | 1101 | 3S/13W-13P01 S | 78.2 | 8-29-57 56.0* | - | 22.2 | 1101 |
| | | 8-15-57 123.5* | - | 45.6 | | | | 9-26-57 55.0* | - | 23.2 | |
| | | 8-31-57 124.0* | - | 46.1 | | | | 10-31-57 54.0* | - | 24.2 | |
| | | 9-15-57 121.0* | - | 43.1 | | | | 11-27-57 54.0* | - | 24.2 | |
| | | 9-30-57 119.0* | - | 41.1 | | | | 1-02-58 52.0* | - | 26.2 | |
| | | 10-15-57 115.0* | - | 37.1 | | | | 1-30-58 51.0* | - | 26.2 | |
| | | 10-31-57 112.0* | - | 34.1 | | | | 2-27-58 52.0* | - | 27.2 | |
| | | 11-15-57 112.0* | - | 34.1 | | | | 3-01-58 54.0* | - | 24.2 | |
| | | 11-30-57 111.0* | - | 33.1 | | | | 5-01-58 56.0* | - | 22.2 | |
| | | 12-15-57 112.0* | - | 34.1 | | | | 6-26-58 57.0* | - | 21.2 | |
| | | 12-31-57 110.0* | - | 32.1 | | | | | | | |
| | | 1-15-58 110.0* | - | 32.1 | | | | | | | |
| | | 1-31-58 112.0* | - | 34.1 | | | | | | | |
| | | 2-28-58 110.0* | - | 32.1 | | | | | | | |
| | | 3-15-58 109.0* | - | 31.1 | | | | | | | |
| | | 4-15-58 110.0* | - | 32.1 | | | | | | | |
| | | 4-30-58 112.0* | - | 34.1 | | | | | | | |
| | | 5-15-58 112.0* | - | 36.1 | | | | | | | |
| | | 5-31-58 112.0* | - | 34.1 | | | | | | | |
| | | 6-15-58 117.0* | - | 39.1 | | | | | | | |
| 3S/13W-13M02 S | 77.9 | 7-15-57 125.0* | - | 47.1 | 1101 | 3S/13W-13R02 S | 78.0 | 8-01-57 127.0* | - | 49.0 | 1101 |
| | | 7-31-57 149.5* | - | 71.6 | | | | 8-29-57 122.0* | - | 44.0 | |
| | | 8-15-57 128.5* | - | 46.6 | | | | 9-26-57 123.0* | - | 45.0 | |
| | | 8-31-57 125.0* | - | 47.1 | | | | 10-31-57 108.0* | - | 30.0 | |
| | | 9-15-57 123.0* | - | 44.1 | | | | 11-29-57 106.0* | - | 28.0 | |
| | | 9-30-57 123.0* | - | 45.1 | | | | 1-02-58 103.0* | - | 27.0 | |
| | | 10-15-57 118.5* | - | 40.6 | | | | 1-30-58 108.0* | - | 30.0 | |
| | | 10-31-57 117.0* | - | 39.1 | | | | 2-27-58 104.0* | - | 26.0 | |
| | | 11-15-57 116.0* | - | 38.1 | | | | 3-27-58 102.0* | - | 24.0 | |
| | | 11-30-57 116.0* | - | 38.1 | | | | 5-01-58 110.0* | - | 35.0 | |
| | | 12-15-57 113.0* | - | 35.1 | | | | 5-28-58 113.0* | - | 35.0 | |
| | | 12-31-57 111.0* | - | 33.1 | | | | 6-26-58 117.0* | - | 39.0 | |
| | | 1-15-58 115.0* | - | 37.1 | | | | | | | |
| | | 1-31-58 114.0* | - | 36.1 | | | | | | | |
| | | 2-15-58 112.0* | - | 34.1 | | | | | | | |
| | | 2-28-58 110.0* | - | 32.1 | | | | | | | |
| | | 3-15-58 110.0* | - | 32.1 | | | | | | | |
| | | 3-31-58 111.0* | - | 33.1 | | | | | | | |
| | | 4-15-58 111.5* | - | 33.6 | | | | | | | |
| | | 4-30-58 114.0* | - | 36.1 | | | | | | | |
| | | 5-15-58 116.0* | - | 38.1 | | | | | | | |
| | | 5-31-58 121.0* | - | 43.1 | | | | | | | |
| | | 6-15-58 121.0* | - | 43.1 | | | | | | | |
| 3S/13W-13P01 S | 78.2 | 8-01-57 56.0* | - | 22.2 | 1101 | 3S/13W-15K01 S | 79.0 | 8-01-57 139.0* | - | 60.0 | 1101 |
| | | | | | | | | 8-29-57 140.0* | - | 61.0 | |
| | | | | | | | | 9-26-57 140.0* | - | 61.0 | |
| | | | | | | | | 10-31-57 138.0* | - | 59.0 | |
| | | | | | | | | 11-27-57 138.0* | - | 59.0 | |
| | | | | | | | | 1-02-58 137.0* | - | 58.0 | |
| | | | | | | | | 1-30-58 138.0* | - | 59.0 | |
| | | | | | | | | 2-27-58 137.0* | - | 58.0 | |
| | | | | | | | | 3-27-58 136.0* | - | 57.0 | |
| | | | | | | | | 5-01-58 138.0* | - | 59.0 | |
| | | | | | | | | 5-28-58 139.0* | - | 60.0 | |
| | | | | | | | | 6-26-58 141.0* | - | 62.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------------|--------------------|-----------------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|-----------------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 35/13W-15M03 S | 81.0 | 10-23-57 131.4 | - | 50.4 | 1101 | 35/13W-16D01 S | 96.0 | 9-26-57 177.0* | - | 81.0 | 1101 |
| | | 4-23-58 134.9 | - | 53.9 | | | | 10-31-57 165.0* | - | 69.0 | |
| 35/13W-15M05 S | 77.0 | 9-01-57 148.0* | - | 71.0 | 1101 | | | 11-27-57 164.0* | - | 68.0 | |
| | | 3-31-58 127.0* | - | 50.0 | | | | 1-02-58 161.0* | - | 65.0 | |
| 35/13W-15R01 S | 72.5 | 7-15-57 125.0* | - | 52.5 | 1101 | | | 1-30-58 163.0* | - | 67.0 | |
| | | 7-31-57 125.0* | - | 52.5 | | | | 2-27-58 162.0* | - | 66.0 | |
| | | 8-15-57 126.0* | - | 53.5 | | | | 5-01-58 164.0* | - | 68.0 | |
| | | 9-12-57 126.0* | - | 52.5 | | | | 5-28-58 180.0* | - | 84.0 | |
| | | 9-20-57 125.5* | - | 53.0 | | | | 6-26-58 182.0* | - | 86.0 | |
| | | 9-28-57 125.5* | - | 57.5 | | | | | | | |
| | | 10-18-57 152.5* | - | 67.0 | | 35/13W-16E01 S | 92.5 | 7-15-57 179.0* | - | 86.5 | 1101 |
| | | 10-30-57 121.0* | - | 68.0 | | | | 7-31-57 152.0* | - | 59.5 | |
| | | 11-10-57 130.5* | - | 58.0 | | | | 8-15-57 180.0* | - | 87.5 | |
| | | 11-30-57 119.0* | - | 66.5 | | | | 8-31-57 180.0* | - | 87.5 | |
| | | 12-19-57 120.0* | - | 47.5 | | | | 9-15-57 181.0* | - | 88.5 | |
| | | 12-31-57 118.0* | - | 45.5 | | | | 9-30-57 183.5* | - | 91.0 | |
| | | 1-15-58 119.0* | - | 46.5 | | | | 10-15-57 183.5* | - | 91.0 | |
| | | 1-31-58 118.0* | - | 45.5 | | | | 10-31-57 155.0* | - | 82.5 | |
| | | 2-15-58 118.0* | - | 45.5 | | | | 11-15-57 160.0* | - | 87.5 | |
| | | 2-28-58 117.0* | - | 44.5 | | | | 11-30-57 184.0* | - | 91.5 | |
| | | 3-15-58 115.5* | - | 43.0 | | | | 12-17-57 183.0* | - | 85.5 | |
| | | 3-31-58 117.0* | - | 44.5 | | | | 1-15-58 182.0* | - | 90.5 | |
| | | 4-15-58 128.0* | - | 55.5 | | | | 1-31-58 182.0* | - | 89.5 | |
| | | 4-15-58 127.0* | - | 54.5 | | | | 2-15-58 186.0* | - | 87.5 | |
| | | 4-30-58 120.0* | - | 47.5 | | | | 2-28-58 181.0* | - | 88.5 | |
| | | 5-15-58 124.0* | - | 49.5 | | | | 3-15-58 182.0* | - | 89.5 | |
| | | 5-31-58 122.0* | - | 51.5 | | | | 3-31-58 180.0* | - | 87.5 | |
| | | 6-15-58 125.0* | - | 52.5 | | | | 4-15-58 181.0* | - | 88.5 | |
| | | | - | 53.0 | | | | 4-30-58 183.0* | - | 90.5 | |
| 35/13W-16A01 S | 83.0 | 8-01-57 136.0* | - | 52.0 | 1101 | | | 5-15-58 183.5* | - | 91.0 | |
| | | 8-29-57 135.0* | - | 52.0 | | | | 5-31-58 186.0* | - | 93.5 | |
| | | 9-26-57 135.0* | - | 52.0 | | | | 6-15-58 189.0* | - | 96.5 | |
| | | 10-31-57 131.0* | - | 48.0 | | | | | | | |
| | | 11-27-57 133.0* | - | 50.0 | | | | | | | |
| | | 1-02-58 132.0* | - | 49.0 | | 35/13W-16H01 S | | 10-23-57 DRY | - | | 1101 |
| | | 1-30-58 130.0* | - | 47.0 | | | | 4-23-58 DRY | - | | |
| | | 2-27-58 132.0* | - | 49.0 | | | | | | | |
| | | 3-27-58 131.0* | - | 48.0 | | | | | | | |
| | | 5-01-58 130.0* | - | 47.0 | | | | | | | |
| | | 5-28-58 134.0* | - | 51.0 | | | | | | | |
| | | 6-26-58 138.0* | - | 55.0 | | | | | | | |
| 35/13W-16D01 S | 96.0 | 8-01-57 171.0* | - | 75.0 | 1101 | | | | | | |
| | | 8-29-57 176.0* | - | 80.0 | | | | | | | |
| | | | - | 80.0 | | 35/13W-16H02 S | 81.0 | 7-15-57 144.0* | - | 63.0 | 1101 |
| | | | - | 80.0 | | | | 8-15-57 145.0* | - | 64.0 | |
| | | | - | 80.0 | | | | 9-15-57 147.0* | - | 66.0 | |
| | | | - | 80.0 | | | | 10-15-57 147.0* | - | 66.0 | |
| | | | - | 80.0 | | | | 11-15-57 147.0* | - | 66.0 | |
| | | | - | 80.0 | | | | 12-15-57 147.0* | - | 66.0 | |
| | | | - | 80.0 | | | | 1-15-58 147.0* | - | 66.0 | |
| | | | - | 80.0 | | | | 2-15-58 147.0* | - | 66.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | P.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | P.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|---|--|--|-----------------------|----------------------------------|--------------------|--|--|---|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41100 | | | | | | | | | | | |
| 35/13W-16H02 S | 81.0 | 3-01-58 4-01-58 5-15-58 6-15-58 | 146.0* 147.0* 148.0* 148.0* | 65.0 66.0 67.0 67.0 | 1101 | 35/13W-20H01 S CONT. | 106.0 | 1-15-58 2-15-58 3-15-58 | 162.0* 162.0* 162.0* | 56.0 56.0 56.0 | 1101 |
| 35/13W-16N02 S | 105.0 | 8-01-57 8-29-57 9-26-57 10-31-57 11-27-57 11-27-57 1-30-58 2-27-58 3-21-58 5-01-58 5-28-58 6-26-58 | 169.0* 161.0* 193.0* 190.0* 189.0* 188.0* 188.0* 188.0* 188.0* 188.0* 189.0* 193.0* | 64.0 86.0 85.0 84.0 84.0 83.0 83.0 84.0 84.0 84.0 88.0 | 1101 | 35/13W-20H03 S 35/13W-20H08 S | 105.0 107.0 | 10-15-57 7-15-57 8-15-57 10-15-57 11-15-57 1-15-57 2-15-58 3-21-58 4-15-58 5-07-58 6-01-58 | 228.0* 167.0* 171.0* 174.0* 171.0* 170.0* 171.0* 171.0* 176.0* 176.0* 178.0* | 123.0 60.0 64.0 67.0 64.0 63.0 64.0 65.0 64.0 59.0 69.0 71.0 | 1050 1101 |
| 35/13W-16N06 S | 108.0 | 8-01-57 8-29-57 9-26-57 10-31-57 11-27-57 11-27-57 1-30-58 2-27-58 3-21-58 5-01-58 5-28-58 6-26-58 | 185.0* 187.0* 188.0* 185.0* 185.0* 177.0* 181.0* 179.0 180.0 179.0 184.0 189.0 | 77.0 79.0 80.0 77.0 69.0 73.0 71.0 72.0 71.0 76.0 81.0 | 1101 | 35/13W-20J03 S 35/13W-21A01 S | 85.5 81.0 | 10-15-57 3-06-58 8-01-57 8-29-57 9-26-57 10-31-57 11-27-57 1-02-58 1-30-58 2-27-58 3-01-58 5-28-58 6-26-58 | 143.4 128.3 135.0* 137.0* 135.0* 134.0* 136.0* 136.0* 135.0* 134.0* 133.0* 134.0* 138.0* | 57.9 42.8 54.0 54.0 53.0 55.0 55.0 54.0 53.0 52.0 53.0 57.0 | 1050 1101 |
| 35/13W-17E02 S | 132.8** | 10-25-57 4-22-58 | 194.4 192.6 | 61.6 59.8 | 1101 | 35/13W-21B01 S | 86.0 | 8-01-57 8-29-57 9-26-57 10-31-57 11-27-57 | 139.0* 139.0* 140.0* 139.0* 139.0* | 53.0 53.0 54.0 53.0 53.0 | 1101 |
| 35/13W-17G02 S | 122.0 | 10-24-57 4-22-58 | 204.3* 211.0* | 82.3 89.0 | 1101 | | | | | | |
| 35/13W-17O05 S | 117.1 | 10-24-57 4-22-58 | DRY 163.3 | - 46.2 | 1101 | | | | | | |
| 35/13W-20H01 S | 106.0 | 7-15-57 8-15-57 9-15-57 10-15-57 11-30-57 12-15-57 | 168.0* 167.0* 166.0* 165.0* 162.0* 162.0* | 62.0 61.0 60.0 59.0 56.0 56.0 | 1101 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 35/13W-21C06 S | 96.0 | 9-03-57 | 178.0* | - 82.0 | 1101 | 35/13W-22H02 S | 70.7 | 2-15-58 | 114.0 | - 47.3 | 1101 |
| | | 9-26-57 | 176.0* | - 82.0 | | | | 2-28-58 | 114.0 | - 47.3 | |
| | | 10-31-57 | 176.0* | - 82.0 | | | | 3-15-58 | 112.0 | - 41.1 | |
| | | 11-27-57 | 169.0* | - 73.0 | | | | 3-31-58 | 112.5 | - 41.8 | |
| | | 1-22-58 | 175.0* | - 79.0 | | | | 4-15-58 | 112.0 | - 41.3 | |
| | | 2-27-58 | 170.0* | - 74.0 | | | | 4-31-58 | 117.0 | - 46.3 | |
| | | 3-27-58 | 176.0* | - 79.0 | | | | 5-15-58 | 130.5* | - 59.8 | |
| | | 5-01-58 | 177.0* | - 81.0 | | | | 6-31-58 | 118.0 | - 47.3 | |
| | | 5-28-58 | 186.0* | - 90.0 | | | | 6-15-58 | 135.0* | - 64.3 | |
| | | 6-26-58 | 189.0* | - 93.0 | | | | 7-15-57 | 151.0 | - 80.3 | 1101 |
| 35/13W-21P01 S | | 10-30-57 | DRY | | 1101 | 35/13W-22H07 S | 70.7 | 7-31-57 | 151.0 | - 80.3 | |
| | | 5-05-58 | DRY | | | | | 8-15-57 | 150.5 | - 79.8 | |
| 35/13W-21R01 S | 92.7 | 10-11-57 | 170.1* | - 77.4 | 1050 | | | 9-31-57 | 150.0 | - 79.3 | |
| | | 10-30-57 | 167.1 | - 74.4 | 1101 | | | 9-15-57 | 152.0 | - 81.3 | |
| | | 5-05-58 | 168.2 | - 75.5 | | | | 9-30-57 | 152.0 | - 81.3 | |
| 35/13W-21R03 S | 93.5 | 8-01-57 | 173.0* | - 79.5 | 1101 | | | 10-15-57 | 147.5 | - 76.8 | |
| | | 8-29-57 | 174.0* | - 80.5 | | | | 10-31-57 | 146.2 | - 75.5 | |
| | | 9-26-57 | 173.0* | - 79.5 | | | | 11-30-57 | 146.0 | - 75.3 | |
| | | 10-31-57 | 170.0* | - 76.5 | | | | 12-15-57 | 140.0 | - 69.3 | |
| | | 11-27-57 | 170.0* | - 76.5 | | | | 12-31-57 | 137.0 | - 66.3 | |
| | | 1-02-58 | 163.0* | - 69.5 | | | | 1-15-58 | 136.0 | - 65.3 | |
| | | 1-30-58 | 167.0* | - 73.5 | | | | 1-31-58 | 137.0 | - 66.3 | |
| | | 2-28-58 | 164.0* | - 70.5 | | | | 2-15-58 | 139.0 | - 68.3 | |
| | | 3-27-58 | 166.0* | - 72.5 | | | | 2-28-58 | 132.5 | - 61.8 | |
| | | 5-01-58 | 170.0* | - 76.5 | | | | 3-15-58 | 133.0 | - 62.3 | |
| | | 5-28-58 | 175.0* | - 81.5 | | | | 3-31-58 | 133.5 | - 62.8 | |
| | | 6-26-58 | 179.0* | - 85.5 | | | | 4-15-58 | 135.0 | - 64.3 | |
| 35/13W-22H02 S | 70.7 | 7-15-57 | 133.0* | - 62.3 | 1101 | | | 4-10-58 | 138.5 | - 67.8 | |
| | | 7-31-57 | 133.0* | - 62.3 | | | | 5-15-58 | 140.0 | - 69.3 | |
| | | 8-15-57 | 134.0* | - 63.3 | | | | 5-31-58 | 144.0 | - 73.3 | |
| | | 8-31-57 | 132.0* | - 62.8 | | | | 6-15-58 | 145.0 | - 74.3 | |
| | | 9-15-57 | 132.0* | - 61.3 | | | | 7-12-57 | 162.6 | - 80.6 | 1101 |
| | | 9-30-57 | 133.0* | - 62.3 | | | | 8-02-57 | 166.1 | - 86.1 | |
| | | 10-15-57 | 129.5* | - 58.8 | | | | 8-23-57 | 165.6 | - 83.9 | |
| | | 10-31-57 | 128.5* | - 57.8 | | | | 9-13-57 | 163.7 | - 79.1 | |
| | | 11-15-57 | 127.0* | - 56.3 | | | | 10-26-57 | 164.1 | - 78.2 | |
| | | 11-30-57 | 128.5* | - 57.8 | | | | 1-26-57 | 154.1 | - 75.1 | |
| | | 1-31-57 | 114.5* | - 42.8 | | | | 1-16-57 | 157.2 | - 75.2 | |
| | | 1-31-58 | 127.0* | - 56.3 | | | | 1-27-57 | 157.2 | - 75.2 | |
| | | 1-31-58 | 127.0* | - 56.3 | | | | 1-17-58 | 157.5 | - 75.3 | |
| | | 1-31-58 | 114.0 | - 43.3 | | | | 2-07-58 | 157.2 | - 75.2 | |
| | | 1-31-58 | 114.0 | - 43.3 | | | | 2-28-58 | 157.1 | - 75.1 | |
| | | 1-31-58 | 114.0 | - 43.3 | | | | 3-21-58 | 157.0 | - 75.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|---|---|--|-----------------------|--|------------------------------|--|--|--|------------------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41100 | | | | | | 41100 | | | | | |
| 35/13W-22N02 S CONT. | 82.0 | 4-11-58 5-02-58 9-23-58 | 157.0 158.6 161.5 | 75.0 76.6 79.5 | 1101 | 35/13W-24D01 S CONT. | 71.3 | 11-15-57 11-30-57 12-15-57 | 53.0* 54.0* 53.0* | 18.3 17.3 18.3 | 1101 |
| 35/13W-22004 S | 71.1 | 7-15-57 | 138.0 | 66.9 | 1101 | | | 1-15-58 1-31-58 2-15-58 3-15-58 3-31-58 4-15-58 4-30-58 5-15-58 5-31-58 | 53.0* 53.0* 53.0* 53.0* 52.0* 53.0* 54.0* 55.0* 55.8* | 18.3 18.3 18.3 19.3 18.3 17.3 16.3 15.5 | |
| | | 7-31-57 8-15-57 9-31-57 9-15-57 9-30-57 10-31-57 11-30-57 12-15-57 12-31-57 1-15-58 2-15-58 3-15-58 3-31-58 4-15-58 5-15-58 5-31-58 6-15-58 | 204.0* 204.0* 205.0* 205.0* 206.0* 203.0* 134.0 192.5* 194.0* 194.0* 182.0* 200.0* 202.5* 203.4* | 132.9 135.9 133.9 134.9 131.9 62.9 121.4 122.9 120.9 128.9 126.9 131.4 132.3 | | | | 10-23-57 4-22-58 | DRY DRY | 1101 | |
| 35/13W-23R02 S | 66.0 | 7-12-57 8-02-57 9-30-57 10-13-57 11-15-57 12-02-57 12-09-57 1-15-58 2-15-58 3-15-58 3-31-58 4-15-58 5-15-58 5-31-58 6-15-58 | 52.7 54.4 53.0 53.7 52.1 52.6 52.3 52.3 52.3 52.3 50.0* 50.5* 50.0* 50.0* 50.0* | 13.3 11.6 11.0 11.3 11.9 11.7 11.7 11.7 11.7 11.7 11.7 11.7 11.7 11.7 11.7 | 1101 | 35/13W-24G03 S 35/13W-25D03 S 35/13W-25D04 S | 64.8 69.4 67.0 66.0 | 10-04-57 10-28-57 10-23-57 8-01-57 8-29-57 9-26-57 10-31-57 11-27-57 1-02-58 1-30-58 2-27-58 3-27-58 3-01-58 3-28-58 4-28-58 | 83.6 29.2 102.1 57.0* 56.0* 56.0* 57.0* 57.0* 56.0* 56.0* 56.0* 57.0* 56.0* 59.0* | 18.8 40.2 35.1 9.0 10.0 9.0 9.0 10.0 10.0 10.0 9.0 8.0 7.0 | 1101 1101 1101 1101 |
| 35/13W-24001 S | 71.3 | 7-15-57 7-31-57 8-15-57 8-31-57 9-15-57 9-30-57 10-15-57 10-31-57 | 56.0* 56.0* 59.0* 62.0* 56.0* 54.0* 54.0* 54.0* | 15.3 11.3 11.3 11.3 11.3 11.3 11.3 11.3 | 1101 | 35/13W-25G02 S | 64.0 | 8-01-57 8-29-57 9-26-57 10-31-57 11-27-57 1-02-58 1-30-58 2-27-58 3-27-58 3-01-58 3-28-58 4-28-58 | 143.0* 142.0* 142.0* 137.0* 136.0* 128.0* 128.0* 128.0* 128.0* 128.0* 128.0* 128.0* | 79.0 78.0 78.0 73.0 74.0 64.0 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 41103 | | | | | | | | | | | |
| 3S/13W-25G02 S | 64.0 | 2-27-58 | 125.0* | - 61.0 | 1101 | 3S/13W-26J03 S | 62.3 | 2-26-58 | 53.0 | 9.3 | 1101 |
| | | 3-27-58 | 125.0* | - 61.0 | | CONT. | | 3-21-58 | 54.2 | 8.1 | |
| | | 5-01-58 | 132.0* | - 68.0 | | | | 4-02-58 | 54.3 | 8.0 | |
| | | 5-28-58 | 136.0* | - 72.0 | | | | 5-02-58 | 56.1 | 6.2 | |
| | | 6-16-58 | 134.4 | - 70.4 | | | | 5-23-58 | 57.3 | 7.0 | |
| | | 6-26-58 | 140.0* | - 76.0 | | | | 6-13-58 | 55.3 | 7.0 | |
| 3S/13W-25P02 S | 53.0 | 10-23-57 | 21.1 | 31.9 | 1101 | 3S/13W-26M01 S | 61.7 | 7-15-57 | 238.0* | - 176.3 | 1101 |
| | | 4-22-58 | 21.5 | 31.5 | | | | 7-31-57 | 243.0* | - 181.3 | |
| 3S/13W-25G02 S | 58.1 | 10-23-57 | 102.1 | - 46.0 | 1101 | | | 8-15-57 | 163.0* | - 109.3 | |
| | | 4-30-58 | 87.7 | - 29.6 | | | | 9-31-57 | 249.0* | - 184.3 | |
| 3S/13W-26C01 S | 63.5 | 7-15-57 | 146.5 | - 83.0 | 1101 | | | 0-10-57 | 256.0* | - 191.3 | |
| | | 8-21-57 | 178.5* | - 115.0 | | | | 10-19-57 | 167.0* | - 105.3 | |
| | | 8-21-57 | 146.5 | - 83.0 | | | | 10-31-57 | 169.0 | - 87.3 | |
| | | 8-31-57 | 146.5 | - 83.0 | | | | 11-15-57 | 147.0 | - 85.3 | |
| | | 9-15-57 | 147.0 | - 83.5 | | | | 11-30-57 | 148.0 | - 86.3 | |
| | | 9-30-57 | 147.0 | - 83.5 | | | | 12-15-57 | 147.5 | - 85.8 | |
| | | 10-15-57 | 142.0 | - 78.5 | | | | 12-30-57 | 147.0 | - 85.3 | |
| | | 10-31-57 | 140.0 | - 76.5 | | | | 1-15-58 | 145.5 | - 83.8 | |
| | | 11-15-57 | 135.0 | - 71.5 | | | | 1-31-58 | 145.0 | - 83.3 | |
| | | 11-30-57 | 137.0 | - 73.5 | | | | 2-15-58 | 145.0 | - 83.3 | |
| | | 12-15-57 | 134.0 | - 70.5 | | | | 2-28-58 | 145.0 | - 83.3 | |
| | | 12-31-57 | 130.0 | - 66.5 | | | | 3-15-58 | 145.5 | - 83.8 | |
| | | 1-15-58 | 128.5 | - 65.0 | | | | 3-31-58 | 145.0 | - 83.3 | |
| | | 1-31-58 | 130.0 | - 66.5 | | | | 4-10-58 | 146.0 | - 84.3 | |
| | | 2-15-58 | 129.0 | - 65.5 | | | | 4-20-58 | 144.0* | - 182.3 | |
| | | 2-28-58 | 125.0 | - 61.5 | | | | 5-15-58 | 242.0* | - 180.3 | |
| | | 3-15-58 | 126.0 | - 62.5 | | | | 5-31-58 | 246.0* | - 184.3 | |
| | | 3-31-58 | 126.5 | - 63.0 | | | | 6-15-58 | 162.0 | - 100.3 | |
| | | 4-15-58 | 163.0* | - 99.5 | | | | 7-15-57 | 167.0 | - 76.7 | 1101 |
| | | 4-30-58 | 136.0 | - 72.5 | | | | 7-31-57 | 172.0 | - 81.7 | |
| | | 5-15-58 | 138.3 | - 74.8 | | | | 8-15-57 | 171.3 | - 81.0 | |
| | | 5-31-58 | 140.0 | - 76.5 | | | | 8-31-57 | 170.0 | - 79.7 | |
| | | 6-15-58 | 143.0 | - 79.5 | | | | 9-15-57 | 171.0 | - 80.7 | |
| | | 7-19-57 | 52.6 | 9.7 | 1101 | | | 9-30-57 | 173.0 | - 82.7 | |
| | | 8-09-57 | 52.7 | 9.6 | | | | 10-15-57 | 169.0 | - 78.7 | |
| | | 10-04-57 | 52.8 | 9.5 | | | | 10-31-57 | 165.3 | - 75.0 | |
| | | 10-25-57 | 50.9 | 11.4 | | | | 11-15-57 | 166.0 | - 75.7 | |
| | | 11-15-57 | 53.2 | 9.1 | | | | 11-30-57 | 166.5 | - 76.2 | |
| | | 12-06-57 | 51.3 | 11.0 | | | | 12-15-57 | 165.0 | - 74.7 | |
| | | 12-27-57 | 53.9 | 8.4 | | | | 12-31-57 | 163.5 | - 73.2 | |
| | | 1-17-58 | 55.0 | 7.3 | | | | 1-15-58 | 165.0 | - 74.7 | |
| | | 2-07-58 | 54.0 | 8.3 | | | | 1-31-58 | 165.0 | - 74.7 | |
| | | | | | | | | 2-15-58 | 165.0 | - 74.7 | |
| 3S/13W-26J03 S | 62.3 | | | | | 3S/13W-27E02 S | 90.3 | | | | |
| | | | | | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | |
|--------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|--------------------------------|---------------------|-------|--------------------------------------|------------------------------|-----------------------|-------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | | |
| 41100 | | | | | | 41100 | | | | | | |
| 35/13W-27E02 S | 90+3 | 2-28-58 | 163+0 | - | 72+7 | 1101 | 35/13W-34D02 S | 126+5 | 11-04-57 | 202+5 | 76+0 | 1050 |
| | | 3-15-58 | 163+5 | - | 73+2 | | | | 3-10-58 | 240+8* | - | 114+1 |
| | | 3-31-58 | 165+0 | - | 74+7 | | | | | | | |
| | | 4-30-58 | 168+0 | - | 77+7 | | | | | | | |
| | | 5-15-58 | 170+5 | - | 80+2 | | | | | | | |
| | | 5-31-58 | 176+0 | - | 85+7 | | | | | | | |
| | | 6-15-58 | 177+5 | - | 87+2 | | | | | | | |
| 35/13W-28D03 S | 98+0 | 7-15-57 | 194+0* | - | 56+0 | 1101 | 35/13W-34G01 S | 127+0 | 8-01-57 | 229+4 | 102+4 | 1050 |
| | | 8-15-57 | 194+3* | - | 56+3 | | | | 9-01-57 | 234+3 | 107+3 | |
| | | 9-31-57 | 193+0* | - | 55+0 | | | | 9-01-57 | 234+3 | 107+3 | |
| | | 9-15-57 | 190+0* | - | 52+0 | | | | 9-30-57 | 236+4 | 109+4 | |
| | | 9-30-57 | 192+0* | - | 54+0 | | | | 9-30-57 | 236+4 | 109+4 | |
| | | 10-15-57 | 148+0* | - | 50+0 | | | | 11-01-57 | 237+8 | 110+8 | |
| | | 10-31-57 | 148+0* | - | 50+0 | | | | 11-01-57 | 237+8 | 110+8 | |
| | | 11-15-57 | 151+0* | - | 53+0 | | | | 12-02-57 | 238+2 | 111+2 | |
| | | 11-30-57 | 151+0* | - | 53+0 | | | | 12-02-57 | 238+2 | 111+2 | |
| | | 12-15-57 | 150+5* | - | 52+5 | | | | 1-02-58 | 227+8 | 100+8 | |
| | | 12-31-57 | 150+5* | - | 52+5 | | | | 1-02-58 | 227+8 | 100+8 | |
| | | 1-15-58 | 148+0* | - | 50+0 | | | | 2-03-58 | 232+7 | 105+7 | |
| | | 2-15-58 | 150+5* | - | 52+5 | | | | 3-01-58 | 219+8 | 92+8 | |
| | | 2-28-58 | 151+2* | - | 53+2 | | | | 3-01-58 | 219+8 | 92+8 | |
| | | 3-15-58 | 154+0* | - | 56+0 | | | | 4-01-58 | 216+5 | 89+5 | |
| | | | | - | 56+0 | | | | 4-01-58 | 216+5 | 89+5 | |
| 35/13W-28E02 S | 92+0 | 10-11-57 | 160+7 | - | 68+7 | 1050 | | | 5-01-58 | 216+4 | 89+4 | |
| | | 3-06-58 | 156+3 | - | 64+3 | | | | 5-01-58 | 216+4 | 89+4 | |
| 35/13W-28G01 S | 92+9 | 10-11-57 | 153+9 | - | 61+0 | 5050 | | | 6-02-58 | 236+5 | 100+5 | |
| | | 3-06-58 | 150+4 | - | 57+5 | | | | 6-02-58 | 236+5 | 100+5 | |
| 35/13W-28G04 S | 97+0 | 10-30-57 | 172+0 | - | 75+0 | 1101 | | | 10-30-57 | 209+9* | 77+4 | 1101 |
| | | 5-05-58 | 172+8 | - | 75+8 | | | | 5-05-58 | 208+8* | 78+4 | |
| 35/13W-33A03 S | 146+0 | 10-10-57 | 221+2 | - | 75+2 | 1050 | | | 10-23-57 | 57+6 | 3+5 | 1101 |
| | | 10-16-57 | 221+2 | - | 73+2 | 1101 | | | 4-23-58 | 57+3 | 3+2 | |
| | | 10-30-57 | 221+7 | - | 73+7 | | | | | | | |
| | | 3-14-58 | 221+1 | - | 75+1 | 1050 | | | | | | |
| | | 5-05-58 | 221+2 | - | 73+2 | 1101 | | | | | | |
| 35/13W-33B01 S | 157+2 | 10-16-57 | 230+4 | - | 73+2 | 1050 | | | 8-01-57 | 162+0 | - | 115+5 |
| | | 10-16-57 | 230+4 | - | 73+2 | 1101 | | | 8-01-57 | 164+2 | - | 117+7 |
| | | 10-29-57 | 229+7 | - | 72+5 | | | | 8-30-57 | 163+2 | - | 116+7 |
| | | 3-14-58 | 225+0 | - | 67+8 | 1050 | | | 9-30-57 | 161+5 | - | 115+0 |
| | | | | - | 67+8 | | | | 1-01-57 | 158+4 | - | 111+9 |
| | | | | - | 67+8 | | | | 12-02-57 | 156+2 | - | 109+7 |
| | | | | - | 67+8 | | | | 1-01-58 | 153+8 | - | 107+3 |
| | | | | - | 67+8 | | | | 1-02-58 | 153+8 | - | 107+3 |
| | | | | - | 67+8 | | | | 1-17-58 | 153+3 | - | 106+8 |
| | | | | - | 67+8 | | | | 2-03-58 | 151+6 | - | 105+1 |
| | | | | - | 67+8 | | | | 2-05-58 | 151+5 | - | 105+0 |
| | | | | - | 67+8 | | | | 2-17-58 | 152+4 | - | 105+9 |
| 35/13W-34D02 S | 126+5 | 10-16-57 | 202+5 | - | 76+0 | 1050 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|---|--|--|--|--------------------------------|--------------------|---|--|--|--|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41100 | | | | | | 41103 | | | | | |
| 35/13w-35k03 S CONT. | 46.5 | 3-01-58 3-01-58 3-13-58 4-01-58 4-05-58 5-11-58 5-11-58 5-20-58 6-02-58 6-14-58 | 154.2 148.3 150.3 154.4 157.0 170.0 174.5 171.0 171.0 173.4 | - 107.7 - 101.8 - 103.8 - 107.9 - 107.5 - 110.5 - 111.0 - 111.5 - 112.7 - 118.9 | 1050 1101 1050 1101 1050 1101 1050 1101 1101 | 45/11w-03p01 S CONT. | 42.3 41.0 | 7-24-57 7-30-57 8-22-57 8-26-57 9-12-57 9-24-57 10-22-57 10-29-57 11-14-57 11-26-57 12-03-57 12-26-57 1-21-58 1-28-58 2-05-58 2-27-58 3-20-58 3-27-58 4-10-58 4-29-58 5-01-58 | 86.0 87.7 89.3 86.6 83.7 81.7 65.4 64.4 58.9 60.7 61.2 58.3 54.4 54.0 53.6 51.6 51.6 50.7 50.0 49.8 52.8 55.8 | 43.7 46.7 48.3 44.3 42.7 39.4 74.4 72.1 17.9 18.4 20.2 14.3 13.1 11.1 13.3 13.4 6.4 9.7 7.7 8.8 10.5 14.8 | 3102 1101 3102 3102 3102 1101 3102 1101 3102 1101 1101 3102 1101 1101 3102 1101 3102 1101 1101 3102 1101 3102 1101 |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41100 | | | | | | 41103 | | | | | |
| 35/13w-35r01 S | 50.0 | 10-29-57 5-06-58 5-30-58 6-03-58 6-10-58 6-17-58 6-20-58 | 581.1 581.6 584.4 584.4 584.3 584.4 584.4 | - 8.1 - 8.6 - 8.4 - 8.4 - 8.3 - 8.4 - 8.4 | 1101 1101 1101 1101 1101 1101 1101 | 45/11w-06f01 S | 47.0 | 10-23-57 5-12-58 | 67.2 65.2 | 20.2 18.2 | 1101 |
| 35/14w-01f01 S | 227.8 | 10-29-57 4-23-58 | 265.0 266.0 | - 37.2 - 38.2 | 1101 | 45/11w-06f01 S | 45.0 | 7-24-57 8-26-57 10-23-57 10-29-57 11-26-57 12-31-57 1-28-58 2-27-58 3-27-58 4-25-58 5-04-58 6-06-58 | 80.8 81.5 65.1 64.4 61.3 56.3 56.5 52.4 51.1 54.0 55.5 64.0 | 35.8 30.5 11.0 16.3 11.3 11.3 7.4 6.1 9.0 10.5 17.8 | 3102 3102 1101 3102 1101 1101 1101 1101 1101 1101 1101 1101 |
| 35/14w-01f03 S | 227.5 | 10-29-57 4-23-58 | 261.9 | - 34.2 - 34.4 | 1101 | 45/11w-06n03 S | 45.0 | 7-24-57 8-26-57 10-23-57 10-29-57 11-26-57 12-31-57 1-28-58 2-27-58 3-27-58 4-25-58 5-04-58 6-06-58 | 80.8 81.5 65.1 64.4 61.3 56.3 56.5 52.4 51.1 54.0 55.5 64.0 | 35.8 30.5 11.0 16.3 11.3 11.3 7.4 6.1 9.0 10.5 17.8 | 3102 3102 1101 3102 1101 1101 1101 1101 1101 1101 1101 |
| 35/14w-22n09 S | 151.3 | 7-07-57 8-06-57 9-05-57 10-03-57 11-03-57 12-03-57 1-03-58 2-05-58 3-06-58 4-09-58 5-04-58 6-06-58 | 207.0 214.0 213.0 219.0 211.0 213.2 211.0 212.8 210.8 210.8 215.0 210.3 | - 55.7 - 62.7 - 61.7 - 67.7 - 69.7 - 61.9 - 59.7 - 61.5 - 50.5 - 59.5 - 63.7 - 59.0 | 1050 1050 1050 1050 1050 1050 1050 1050 1050 1050 1050 1050 | 45/11w-05c02 S | 46.0 | 10-23-57 | 67.7 | 21.7 | 3102 |
| 45/11w-05c02 S | 46.0 | 10-23-57 | 67.7 | - 21.7 | 1101 | 45/11w-06p01 S | 43.2 | 7-03-57 7-10-57 7-11-57 7-17-57 7-24-57 7-30-57 | 86.8 85.8 84.9 84.4 87.4 85.0 | 43.6 42.6 41.6 41.2 44.2 41.7 | 3102 1101 3102 1101 1101 1101 |
| 45/11w-05d01 S | 45.2 | 9-24-57 4-25-58 6-24-58 | 81.5 58.0 78.8 | - 36.3 - 12.8 - 33.6 | 3102 1101 1101 | 45/11w-05p01 S | 41.0 | 7-11-57 | 87.7 | 46.7 | 1101 |
| 45/11w-05p01 S | 41.0 | 7-11-57 | 87.7 | - 46.7 | 1101 | | 43.3 | | 85.0 | | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41100 | | | | | | 41100 | | | | | |
| 45/11W-06P01 S | 43+2 | 7-31-57 | 88+3 | 45+1 | 3102 | 45/11W-07A01 S | 40+0 | 4-29-58 | 55+3 | 15+3 | 1101 |
| CONT. | 43+3 | 8-07-57 | 89+8 | 46+6 | | | | | | | |
| | 43+2 | 8-22-57 | 87+6 | 44+3 | 1101 | 45/11W-07L01 S | 38+0 | 12-15-57 | 54+0* | 16+0 | 1101 |
| | 43+2 | 9-04-57 | 83+4 | 40+2 | 3102 | | | 1-15-58 | 56+0* | 18+0 | |
| | 43+3 | 9-11-57 | 84+9 | 41+7 | | | | 2-15-58 | 45+0* | 7+0 | |
| | 43+3 | 9-12-57 | 83+0 | 39+7 | 1101 | | | 5-15-58 | 45+0* | 7+0 | |
| | 43+2 | 9-18-57 | 84+1 | 40+9 | 3102 | | | 4-15-58 | 46+0* | 6+0 | |
| | 43+3 | 10-09-57 | 76+9 | 33+7 | | | | 5-15-58 | 51+0* | 13+0 | |
| | 43+2 | 10-22-57 | 64+4 | 21+1 | 1101 | 45/11W-07L02 S | 34+0** | 6-01-58 | 58+0* | 20+0 | 1101 |
| | 43+2 | 10-23-57 | 65+9 | 22+7 | 3102 | | | 7-15-57 | 73+0* | 39+0 | |
| | 43+3 | 11-13-57 | 59+0 | 15+8 | | | | 8-15-57 | 73+0* | 39+0 | |
| | 43+3 | 11-14-57 | 58+4 | 15+1 | 1101 | | | 9-15-57 | 89+0* | 55+0 | |
| | 43+2 | 11-27-57 | 61+7 | 18+5 | 3102 | | | 10-15-57 | 92+0* | 58+0 | |
| | 43+3 | 12-05-57 | 61+3 | 18+0 | 1101 | | | 11-15-57 | 80+0* | 46+0 | |
| | 43+2 | 12-11-57 | 58+3 | 15+1 | 3102 | | | 12-15-57 | 62+0* | 28+0 | |
| | 43+3 | 12-16-57 | 55+9 | 12+6 | 1101 | | | 1-15-58 | 55+0* | 21+0 | |
| | 43+2 | 1-08-58 | 55+9 | 12+7 | 3102 | | | 2-15-58 | 56+0* | 22+0 | |
| | 43+3 | 1-16-58 | 57+1 | 13+8 | 1101 | | | 3-15-58 | 55+0* | 21+0 | |
| | 43+2 | 1-22-58 | 58+6 | 15+4 | 3102 | | | 4-15-58 | 51+0* | 17+0 | |
| | 43+3 | 1-29-58 | 55+8 | 12+6 | | | | 5-15-58 | 53+0* | 21+0 | |
| | 43+2 | 2-06-58 | 53+6 | 10+3 | 1101 | 45/11W-07N01 S | 32+0 | 6-02-57 | 64+0* | 32+0 | 1101 |
| | 43+2 | 2-12-58 | 51+0 | 7+8 | 3102 | | | 8-30-57 | 64+0* | 32+0 | |
| | 43+3 | 2-27-58 | 51+8 | 8+5 | 1101 | | | 9-27-57 | 60+0* | 28+0 | |
| | 43+2 | 3-12-58 | 51+1 | 7+9 | 3102 | | | 11-01-57 | 55+0* | 23+0 | |
| | 43+3 | 3-19-58 | 51+0 | 7+4 | 1101 | | | 11-26-57 | 39+0* | 7+0 | |
| | 43+2 | 3-20-58 | 50+7 | 7+8 | 3102 | | | 1-03-58 | 45+0* | 13+0 | |
| | 43+2 | 3-26-58 | 51+0 | 6+8 | | | | 1-31-58 | 43+0* | 11+0 | |
| | 43+3 | 4-09-58 | 50+2 | 7+0 | 1101 | | | 2-28-58 | 40+0* | 8+0 | |
| | 43+2 | 4-10-58 | 50+3 | 7+0 | 3102 | | | 3-31-58 | 40+0* | 8+0 | |
| | 43+2 | 4-16-58 | 51+7 | 10+5 | | | | 5-02-58 | 46+0* | 14+0 | |
| | 43+3 | 4-30-58 | 55+2 | 12+0 | 1101 | | | 5-28-58 | 48+0* | 16+0 | |
| | 43+2 | 5-01-58 | 55+6 | 12+3 | 3102 | | | 6-27-58 | 57+0* | 25+0 | |
| | 43+2 | 5-07-58 | 59+9 | 16+7 | | | | 11-18-57 | 54+0 | 19+5 | 1101 |
| | 43+2 | 5-14-58 | 62+6 | 19+4 | | | | 4-30-58 | 49+7 | 15+2 | |
| | 43+3 | 5-21-58 | 64+8 | 21+6 | 1101 | 45/11W-07P02 S | 34+5 | 10-23-57 | 65+7 | 29+7 | 1101 |
| | 43+3 | 5-22-58 | 65+3 | 22+0 | 3102 | | | 4-29-58 | 54+6 | 18+6 | |
| | 43+2 | 5-28-58 | 69+9 | 26+7 | | | | 7-11-57 | 93+8 | 58+5 | 1101 |
| | 43+2 | 6-04-58 | 75+4 | 32+2 | | | | 7-30-57 | 93+6 | 58+3 | |
| | 43+3 | 6-11-58 | 75+1 | 31+9 | 1101 | 45/11W-08E02 S | 36+0 | 8-28-57 | 95+0 | 59+7 | |
| | 43+2 | 6-12-58 | 71+2 | 27+9 | 3102 | | | 9-12-57 | 91+5 | 56+2 | |
| | 43+2 | 6-18-58 | 78+3 | 35+1 | | | | | | | |
| | 43+2 | 6-25-58 | 80+3 | 37+1 | | | | | | | |
| | 40+0 | 10-23-57 | 65+3 | 25+3 | 1101 | 45/11W-07A01 S | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| 45/11W-08P01 S | 35.3 | 10-22-57 | 71.5 | 36.2 | 1101 | 45/12W-01D04 S | 53.0 | 1-28-58 | 58.4 | 5.4 | 3102 |
| CONT. | | 11-15-57 | 63.9 | 27.7 | | | | 2-27-58 | 55.1 | 2.1 | |
| | | 12-02-57 | 59.9 | 29.2 | | | | 3-27-58 | 53.4 | .4 | |
| | | 1-16-58 | 58.4 | 23.0 | | | | 4-25-58 | 59.7 | 6.7 | |
| | | 2-06-58 | 60.4 | 25.1 | | | | 5-27-58 | 70.8 | 17.8 | |
| | | 2-27-58 | 57.8 | 22.5 | | 45/12W-01K02 S | 47.0 | 10-24-57 | 58.8 | 11.8 | 1101 |
| | | 3-20-58 | 52.8 | 17.5 | | | | 4-29-58 | 45.2 | 1.8 | |
| | | 4-10-58 | 50.4 | 15.1 | | | | 11-04-57 | 72.7 | 30.7 | 1101 |
| | | 5-01-58 | 57.0 | 21.7 | | 45/12W-01P02 S | 42.0 | 5-05-58 | 62.6 | 20.6 | |
| | | 5-22-58 | 65.6 | 30.3 | | | | | | | |
| | | 6-12-58 | 77.6 | 42.3 | | | | | | | |
| 45/11W-18J01 S | 31.0 | 10-23-57 | 57.1 | 26.1 | 1101 | 45/12W-02H01 S | 51.2 | 7-12-57 | 111.0 | 59.8 | 1101 |
| | | 4-29-58 | 45.7 | 14.7 | | | | 8-02-57 | 113.9 | 62.1 | |
| | | | | | | | | 8-23-57 | 113.5 | 62.1 | |
| 45/11W-19K01 S | 26.1 | 7-03-57 | 76.0 | 49.9 | 3102 | | | 9-13-57 | 110.9 | 59.7 | |
| | | 7-10-57 | 76.7 | 50.6 | | | | 10-24-57 | 90.8 | 30.6 | |
| | | 7-17-57 | 78.2 | 52.1 | | | | 11-15-57 | 84.1 | 22.9 | |
| | | 7-24-57 | 76.0 | 49.9 | | | | 12-06-57 | 84.5 | 33.3 | |
| | | | | | | | | 12-27-57 | 80.5 | 29.3 | |
| 45/11W-19M01 S | 24.5 | 7-25-57 | 49.1 | 24.6 | 3102 | | | 1-17-58 | 92.1* | 40.9 | |
| | | 8-27-57 | 51.8 | 27.3 | | | | 2-07-58 | 86.7 | 39.5 | |
| | | 9-26-57 | 50.0 | 25.0 | | | | 2-28-58 | 80.0 | 28.8 | |
| | | 10-31-57 | 43.5 | 19.0 | | | | 3-21-58 | 80.7 | 29.5 | |
| | | 11-29-57 | 39.1 | 14.6 | | | | 4-11-58 | 80.2 | 29.0 | |
| | | 12-27-57 | 37.5 | 13.0 | | | | 5-02-58 | 84.0 | 32.8 | |
| | | 1-30-58 | 35.7 | 11.2 | | | | 5-23-58 | 85.6 | 34.4 | |
| | | 2-28-58 | 32.7 | 8.2 | | | | 6-13-58 | 128.5* | 77.3 | |
| | | 3-28-58 | 30.7 | 6.2 | | 45/12W-02K01 S | 49.0 | 11-04-57 | 59.0 | 10.0 | 1101 |
| | | 4-25-58 | 29.9 | 5.4 | | | | 4-30-58 | 58.8 | 9.8 | |
| | | 5-29-58 | 36.0 | 11.5 | | | | | | | |
| | | 6-26-58 | 42.7 | 18.2 | | | | | | | |
| 45/12W-01D01 S | 50.9 | 10-22-57 | 47.2 | 3.7 | 1101 | 45/12W-02O01 S | 48.0 | 7-13-57 | 116.0* | 68.0 | 1101 |
| | | 4-29-58 | 45.9 | 5.0 | | | | 8-15-57 | 182.0* | 134.0 | |
| 45/12W-01D02 S | 52.0 | 10-22-57 | 91.4 | 39.4 | 1101 | | | 9-16-57 | 109.0* | 61.0 | |
| | | 4-29-58 | 90.4* | 38.4 | | | | 10-14-57 | 97.0* | 49.0 | |
| 45/12W-01D04 S | 53.0 | 7-24-57 | 82.5 | 29.5 | 3102 | | | 11-14-57 | 88.0* | 40.0 | |
| | | 8-26-57 | 84.8 | 31.0 | | | | 12-05-57 | 109.0* | 61.0 | |
| | | 9-26-57 | 74.8 | 21.0 | | | | 1-01-58 | 86.0* | 38.0 | |
| | | 10-29-57 | 69.7 | 14.9 | | | | 1-17-58 | 87.0* | 39.0 | |
| | | 11-26-57 | 63.7 | 10.7 | | | | 2-03-58 | 88.0* | 40.0 | |
| | | 12-31-57 | 57.7 | 4.7 | | | | 2-17-58 | 85.0* | 37.0 | |
| | | | | | | | | 3-07-58 | 85.0* | 37.0 | |
| | | | | | | | | 3-18-58 | 85.0* | 37.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|---------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 45/12W-02001 S | 48.0 | 3-31-58 | 81.0* | 33.0 | 1101 | 45/12W-03H01 S | 56.0 | 1-10-58 | 105.0* | 49.0 | 1101 |
| CONT. | | 4-08-58 | 85.0* | 37.0 | | CONT. | | 1-21-58 | 102.0* | 46.0 | |
| | | 4-15-58 | 81.0* | 33.0 | | | | 1-30-58 | 104.0* | 48.0 | |
| | | 4-21-58 | 89.0* | 41.0 | | | | 2-01-58 | 103.0* | 47.0 | |
| | | 4-30-58 | 90.0* | 42.0 | | | | 2-13-58 | 101.0* | 45.0 | |
| | | 5-01-58 | 92.0* | 44.0 | | | | 2-20-58 | 102.0* | 46.0 | |
| | | 5-15-58 | 96.0* | 48.0 | | | | 3-05-58 | 102.0* | 46.0 | |
| | | 5-31-58 | 104.0* | 56.0 | | | | 3-12-58 | 101.0* | 45.0 | |
| | | 6-01-58 | 104.0* | 56.0 | | | | 3-21-58 | 98.0* | 42.0 | |
| | | 6-20-58 | 115.0* | 67.0 | | | | 3-31-58 | 98.0* | 42.0 | |
| 45/12W-03001 S | 55.0 | 10-22-57 | 106.0 | 51.0 | 1101 | | | 4-01-58 | 97.0* | 41.0 | |
| | | 4-30-58 | 94.7 | 39.7 | | | | 4-15-58 | 100.0* | 44.0 | |
| 45/12W-03E01 S | 53.0 | 7-05-57 | 115.0* | 62.0 | 1101 | | | 4-20-58 | 102.0* | 46.0 | |
| | | 8-18-57 | 119.0* | 66.0 | | | | 4-27-58 | 102.0* | 46.0 | |
| | | 9-17-57 | 117.0* | 64.0 | | | | 5-09-58 | 106.0* | 50.0 | |
| | | 10-14-57 | 108.0* | 55.0 | | | | 5-20-58 | 109.0* | 53.0 | |
| | | 11-19-57 | 105.0* | 52.0 | | | | 5-25-58 | 108.0* | 52.0 | |
| | | 12-16-57 | 95.0* | 42.0 | | | | 6-07-58 | 110.0* | 54.0 | |
| | | 1-01-58 | 96.0* | 43.0 | | | | 6-30-58 | 117.0* | 61.0 | |
| | | 1-14-58 | 99.0* | 46.0 | | | | | | | |
| | | 1-31-58 | 95.0* | 42.0 | | | | | | | |
| | | 2-01-58 | 103.0* | 50.0 | | | | | | | |
| | | 2-18-58 | 95.0* | 42.0 | | | | | | | |
| | | 2-26-58 | 95.0* | 42.0 | | | | | | | |
| | | 3-02-58 | 99.0* | 46.0 | | | | | | | |
| | | 3-15-58 | 94.0* | 41.0 | | | | | | | |
| | | 3-31-58 | 93.0* | 40.0 | | | | | | | |
| | | 4-08-58 | 92.0* | 39.0 | | | | | | | |
| | | 4-18-58 | 95.0* | 42.0 | | | | | | | |
| | | 4-29-58 | 98.0* | 45.0 | | | | | | | |
| | | 5-06-58 | 100.0* | 47.0 | | | | | | | |
| | | 5-15-58 | 102.0* | 49.0 | | | | | | | |
| | | 5-23-58 | 103.0* | 50.0 | | | | | | | |
| | | 6-01-58 | 103.0* | 50.0 | | | | | | | |
| | | 6-05-58 | 105.0* | 52.0 | | | | | | | |
| | | 6-28-58 | 110.0* | 57.0 | | | | | | | |
| 45/12W-03H01 S | 56.0 | 7-07-57 | 122.0* | 66.0 | 1101 | | | | | | |
| | | 8-18-57 | 118.0* | 62.0 | | | | | | | |
| | | 9-15-57 | 170.0* | 114.0 | | | | | | | |
| | | 10-20-57 | 112.0* | 56.0 | | | | | | | |
| | | 11-02-57 | 108.0* | 52.0 | | | | | | | |
| | | 12-12-57 | 111.0* | 55.0 | | | | | | | |
| | | 1-03-58 | 104.0* | 48.0 | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 45/12W-04J03 S | 53.0 | 7-15-57 | 151.0* | 98.0 | 1101 | | | | | | |
| | | 8-15-57 | 148.0* | 95.0 | | | | | | | |
| | | 9-12-57 | 112.0* | 59.0 | | | | | | | |
| | | 10-02-57 | 110.0* | 57.0 | | | | | | | |
| | | 11-04-57 | 89.0* | 36.0 | | | | | | | |
| | | 12-15-57 | 128.0* | 75.0 | | | | | | | |
| | | 1-22-58 | 99.0* | 46.0 | | | | | | | |
| | | 1-28-58 | 86.0* | 33.0 | | | | | | | |
| | | 2-02-58 | 90.0* | 37.0 | | | | | | | |
| | | 2-20-58 | 80.0* | 27.0 | | | | | | | |
| | | 2-27-58 | 83.0* | 30.0 | | | | | | | |
| | | 3-13-58 | 92.0* | 39.0 | | | | | | | |
| | | 3-21-58 | 84.0* | 31.0 | | | | | | | |
| | | 3-31-58 | 88.0* | 35.0 | | | | | | | |
| | | 4-01-58 | 82.0* | 29.0 | | | | | | | |
| | | 4-06-58 | 90.0* | 37.0 | | | | | | | |
| | | 4-20-58 | 95.0* | 42.0 | | | | | | | |
| | | 5-02-58 | 88.0* | 35.0 | | | | | | | |
| | | 5-07-58 | 91.0* | 38.0 | | | | | | | |
| | | 5-12-58 | 94.0* | 41.0 | | | | | | | |
| | | 5-31-58 | 138.0* | 85.0 | | | | | | | |
| | | 6-15-58 | 136.0* | 83.0 | | | | | | | |
| 45/12W-05H01 S | 51.0 | 11-04-57 | 44.3 | 6.7 | 1101 | | | | | | |
| | | 4-30-58 | 43.0 | 8.0 | | | | | | | |
| 45/12W-05H02 S | 50.0 | 7-01-57 | 44.3 | 5.7 | 1101 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supporting Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supporting Data |
|--------------------------------|---------------------|----------|--------------------------------------|------------------------------|------------------------|-------------------|---------------------|----------|--------------------------------------|------------------------------|------------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 4S/12W-05H02 S | 50.0 | 7-08-57 | 44.7 | 5.3 | 1101 | 4S/12W-05H02 S | 50.0 | 6-02-58 | 44.8 | 5.2 | 1101 |
| | | 7-15-57 | 44.9 | 5.1 | | | | 6-09-58 | 45.2 | 4.8 | |
| | | 7-22-57 | 45.2 | 4.8 | | | | 6-16-58 | 45.5 | 4.5 | |
| | | 7-29-57 | 45.4 | 4.6 | | | | 6-23-58 | 45.8 | 4.2 | |
| | | 8-05-57 | 45.7 | 4.3 | | | | 6-30-58 | 46.1 | 3.9 | |
| | | 8-12-57 | 45.9 | 4.1 | | | | | | | |
| | | 8-19-57 | 46.0 | 4.0 | | | | | | | |
| | | 8-26-57 | 46.1 | 3.9 | | 4S/12W-06J01 S | 50.1 | 7-02-57 | 212.0* | - | 161.9 |
| | | 9-02-57 | 46.0 | 4.0 | | | | 7-09-57 | 214.5* | - | 164.4 |
| | | 9-09-57 | 46.0 | 4.0 | | | | 7-16-57 | 213.1* | - | 163.0 |
| | | 9-16-57 | 46.1 | 3.9 | | | | 7-23-57 | 214.7* | - | 164.6 |
| | | 9-23-57 | 46.0 | 4.0 | | | | 7-30-57 | 216.1* | - | 166.0 |
| | | 9-30-57 | 45.9 | 4.1 | | | | 8-06-57 | 216.8* | - | 166.7 |
| | | 10-01-57 | 45.9 | 4.1 | | | | 8-13-57 | 217.5* | - | 167.4 |
| | | 10-21-57 | 45.7 | 4.7 | | | | 8-20-57 | 211.7* | - | 161.6 |
| | | 10-28-57 | 45.3 | 5.7 | | | | 8-27-57 | 211.1* | - | 161.0 |
| | | 11-06-57 | 44.8 | 6.2 | | | | 9-03-57 | 214.2* | - | 164.1 |
| | | 11-11-57 | 44.8 | 6.2 | | | | 9-10-57 | 214.7* | - | 164.6 |
| | | 11-21-57 | 44.9 | 5.7 | | | | 9-17-57 | 211.9* | - | 161.8 |
| | | 12-02-57 | 44.4 | 6.6 | | | | 9-24-57 | 211.6* | - | 161.5 |
| | | 12-09-57 | 44.4 | 6.6 | | | | 10-01-57 | 212.3* | - | 162.2 |
| | | 12-16-57 | 44.3 | 6.7 | | | | 10-08-57 | 212.9* | - | 162.8 |
| | | 12-23-57 | 44.2 | 6.8 | | | | 10-15-57 | 215.4* | - | 165.3 |
| | | 12-30-57 | 44.1 | 6.9 | | | | 10-22-57 | 215.4* | - | 165.3 |
| | | 1-06-58 | 44.2 | 6.8 | | | | 10-29-57 | 216.0* | - | 165.9 |
| | | 1-13-58 | 44.1 | 6.9 | | | | 11-05-57 | 205.2* | - | 123.1 |
| | | 1-20-58 | 44.2 | 6.8 | | | | 11-12-57 | 203.2* | - | 121.1 |
| | | 1-27-58 | 44.3 | 6.7 | | | | 11-19-57 | 198.1* | - | 116.0 |
| | | 2-03-58 | 44.3 | 6.7 | | | | 11-26-57 | 200.9* | - | 120.8 |
| | | 2-10-58 | 44.2 | 6.8 | | | | 12-03-57 | 202.6* | - | 121.5 |
| | | 2-17-58 | 44.2 | 6.8 | | | | 12-10-57 | 201.6* | - | 121.5 |
| | | 2-24-58 | 44.1 | 6.9 | | | | 12-17-57 | 201.4* | - | 121.3 |
| | | 3-03-58 | 44.0 | 7.0 | | | | 12-24-57 | 142.5 | - | 92.4 |
| | | 3-10-58 | 44.0 | 7.0 | | | | 12-31-57 | 139.9 | - | 89.8 |
| | | 3-17-58 | 43.9 | 6.1 | | | | 1-07-58 | 139.0 | - | 88.9 |
| | | 3-24-58 | 43.8 | 6.2 | | | | 1-14-58 | 194.6* | - | 144.5 |
| | | 4-01-58 | 42.9 | 7.1 | | | | 1-21-58 | 199.5* | - | 149.4 |
| | | 4-07-58 | 42.8 | 7.2 | | | | 2-04-58 | 136.2 | - | 86.1 |
| | | 4-14-58 | 42.8 | 7.2 | | | | 3-04-58 | 190.2* | - | 140.1 |
| | | 4-21-58 | 42.9 | 7.1 | | | | 4-01-58 | 128.6 | - | 78.5 |
| | | 4-28-58 | 43.2 | 6.8 | | | | 5-01-58 | 195.4* | - | 145.3 |
| | | 5-05-58 | 43.5 | 6.5 | | | | 6-04-58 | 200.2* | - | 150.1 |
| | | 5-12-58 | 43.8 | 6.2 | | | | | | | |
| | | 5-19-58 | 44.0 | 6.0 | | | | | | | |
| | | 5-26-58 | 44.4 | 5.6 | | | | | | | |
| | | | | | | 4S/12W-06K01 S | 47.7 | 10-15-57 | 153.1 | - | 105.4 |
| | | | | | | | | 10-22-57 | 148.5 | - | 100.8 |
| | | | | | | | | 11-05-57 | 146.9 | - | 102.2 |
| | | | | | | | | 11-12-57 | 147.7 | - | 100.0 |

GROUND WATER LEVELS AT WELLS

| Stake Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | Stake Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 45/12W-06K01 S | 47.7 | 11-19-57 | 145.3 | 97.6 | 1101 | 45/12W-06K02 S | 47.4 | 5-06-58 | 145.3* | 97.9 | 1101 |
| | | 12-10-57 | 147.5 | 99.8 | | | | 6-04-58 | 149.6* | 102.2 | |
| | | 12-17-57 | 145.6 | 97.9 | | | | | | | |
| | | 12-24-57 | 139.3 | 91.6 | | | | 7-02-57 | 141.8 | 95.4 | |
| | 46.9 | 12-31-57 | 137.0 | 89.3 | | 45/12W-06K04 S | 46.4 | 7-09-57 | 143.3 | 96.9 | |
| | | 1-07-58 | 135.8 | 88.9 | | | | 7-16-57 | 160.0* | 96.9 | |
| | | 1-14-58 | 137.9 | 91.0 | | | | 7-23-57 | 143.6 | 97.2 | |
| | | 1-21-58 | 143.7 | 96.8 | | | | 7-30-57 | 144.4 | 98.0 | |
| | | 2-04-58 | 133.2 | 86.3 | | | | 8-06-57 | 143.8 | 97.4 | |
| | | 4-01-58 | 125.0 | 79.1 | | | | 8-13-57 | 146.9 | 100.5 | |
| | | 5-06-58 | 134.7 | 87.8 | | | | 8-20-57 | 147.5 | 101.1 | |
| | | 7-02-57 | 149.5* | 102.1 | | | | 8-27-57 | 161.4* | 115.0 | |
| 45/12W-06K02 S | 47.4 | 7-09-57 | 153.0* | 105.6 | 1101 | | | 9-03-57 | 165.2* | 118.8 | |
| | | 7-16-57 | 152.4 | 104.8 | | | | 9-10-57 | 162.6* | 116.2 | |
| | | 7-23-57 | 151.1* | 103.7 | | | | 9-17-57 | 159.9* | 113.5 | |
| | | 7-30-57 | 151.9* | 104.5 | | | | 9-24-57 | 158.7* | 112.3 | |
| | | 8-06-57 | 154.3* | 106.7 | | | | 10-01-57 | 149.5 | 103.1 | |
| | | 8-13-57 | 154.3* | 106.9 | | | | 10-08-57 | 150.0 | 103.6 | |
| | | 8-20-57 | 156.2* | 108.8 | | | | 10-15-57 | 147.1 | 100.7 | |
| | | 8-27-57 | 159.2* | 111.8 | | | | 10-22-57 | 142.9 | 96.5 | |
| | | 9-03-57 | 160.4* | 113.0 | | | | 10-29-57 | 140.8 | 94.4 | |
| | | 9-10-57 | 159.9* | 112.5 | | | | 11-05-57 | 137.3 | 90.9 | |
| | | 9-17-57 | 159.4* | 112.0 | | | | 11-12-57 | 135.4 | 89.0 | |
| | | 9-24-57 | 159.0* | 111.6 | | | | 11-19-57 | 134.2 | 87.8 | |
| | | 10-01-57 | 158.2* | 110.8 | | | | 11-26-57 | 137.8 | 91.4 | |
| | | 10-08-57 | 157.1* | 109.7 | | | | 12-03-57 | 136.5 | 90.1 | |
| | | 10-15-57 | 155.3* | 107.9 | | | | 12-10-57 | 128.3 | 81.9 | |
| | | 10-22-57 | 151.7* | 104.3 | | | | 12-17-57 | 124.6 | 78.2 | |
| | | 10-29-57 | 148.5* | 101.1 | | | | 12-24-57 | 129.7 | 83.3 | |
| | | 11-05-57 | 146.6* | 99.0 | | | | 1-07-58 | 129.6 | 83.2 | |
| | | 11-12-57 | 146.8* | 97.4 | | | | 1-14-58 | 121.7 | 81.3 | |
| | | 11-19-57 | 143.5* | 96.1 | | | | 1-21-58 | 121.4 | 75.0 | |
| | | 11-26-57 | 146.3* | 98.9 | | | | 2-04-58 | 120.3 | 83.9 | |
| | | 12-03-57 | 145.0* | 97.6 | | | | 3-04-58 | 128.3 | 81.9 | |
| | | 12-10-57 | 130.4 | 83.0 | | | | 4-01-58 | 121.8 | 75.4 | |
| | | 12-17-57 | 121.6 | 74.2 | | | | 5-06-58 | 134.6 | 88.2 | |
| | | 12-24-57 | 140.2* | 92.8 | | | | 6-04-58 | 141.6 | 95.2 | |
| | | 1-31-57 | 138.9* | 91.5 | | | | | | | |
| | | 1-07-58 | 138.0* | 90.6 | | 45/12W-07H01 S | 68.0 | 10-22-57 | 113.6 | 45.6 | 1101 |
| | | 1-14-58 | 119.0 | 71.6 | | | | 4-30-58 | 112.6 | 44.6 | |
| | | 1-21-58 | 140.5* | 93.1 | | | | | | | |
| | | 2-04-58 | 117.8 | 70.4 | | 45/12W-08B01 S | 51.0 | 7-02-57 | 150.0* | 99.0 | 1101 |
| | | 3-25-58 | 116.8 | 69.4 | | | | 8-01-57 | 157.0* | 106.0 | |
| | | 4-01-58 | 133.8* | 86.4 | | | | 9-02-57 | 165.0* | 114.0 | |
| | | 4-29-58 | 142.8* | 95.4 | | | | 10-08-57 | 158.0* | 107.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | |
|--------------------------------|--------------------|---|---|---|-----------------------|--------------------------------|--------------------|---|---|---|-----------------------|--|
| COASTAL PLAIN LOS ANGELES CO | | | 41100 | | | COASTAL PLAIN LOS ANGELES CO | | | 41100 | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | 41103 | | | CENTRAL COASTAL PLAIN PRESSURE | | | 41103 | | | |
| 4S/12W-08R01 S CONT. | 51.0 | 11-01-57 12-01-57 1-01-58 3-01-58 4-01-58 5-01-58 6-01-58 8-06-58 8-13-58 6-28-58 6-30-58 | 150.0* 148.0* 135.0* 129.0* 125.0* 130.0* 140.0* 140.0* 143.0* 148.0* 148.0* | 99.0 97.0 84.0 78.0 74.0 79.0 89.0 92.0 97.0 | 1101 | 4S/12W-08P06 S CONT. | 69.5 | 6-27-58 6-30-58 | 163.0* 162.0* | 93.5 92.5 | 1101 | |
| 4S/12W-08F01 S | 66.0 | 8-15-57 9-15-57 10-15-57 11-01-57 1-01-58 2-01-58 3-01-58 4-01-58 5-01-58 6-02-58 | 196.0* 189.0* 209.0* 188.0* 158.0* 164.0* 153.0* 147.0* 140.0* 152.0* | 132.0 135.0 141.0 143.0 92.0 81.0 89.0 83.0 88.0 90.0 132.0 | 1101 | 4S/12W-09C01 S | 60.0 | 4-30-58 | 149.7 | 89.7 | 1101 | |
| | | 7-10-57 8-15-57 9-29-57 10-11-57 11-08-57 12-18-57 1-13-58 1-24-58 2-03-58 2-18-58 2-20-58 3-20-58 4-01-58 4-19-58 4-29-58 5-09-58 5-15-58 5-31-58 6-05-58 6-15-58 | 115.0* 152.0* 114.0* 108.0* 95.0* 90.0* 97.0* 91.0* 95.0* 88.0* 83.0* 88.0* 88.0* 85.0* 83.0* 88.0* 86.0* 84.0* 88.0* 85.0* 83.0* 88.0* 87.5* 81.0* 88.0* 86.0* 85.0* 87.5* 89.0* 84.0* 88.0* 85.0* 87.0* 88.0* 83.0* 87.0* 88.0* 85.0* 87.0* | 63.0 100.0 62.0 56.0 43.0 38.0 45.0 39.0 43.0 36.0 31.0 36.0 31.0 32.0 37.0 38.0 48.0 48.0 53.0 60.5 61.5 | 1101 | 4S/12W-10A02 S | 52.0 | 7-10-57 8-15-57 9-29-57 10-11-57 11-08-57 12-18-57 1-13-58 1-24-58 2-03-58 2-18-58 2-20-58 3-20-58 4-01-58 4-19-58 4-29-58 5-09-58 5-15-58 5-31-58 6-05-58 6-15-58 | 115.0* 152.0* 114.0* 108.0* 95.0* 90.0* 97.0* 91.0* 95.0* 88.0* 83.0* 88.0* 88.0* 85.0* 83.0* 88.0* 86.0* 84.0* 88.0* 85.0* 83.0* 88.0* 87.5* 81.0* 88.0* 86.0* 85.0* 87.5* 89.0* 84.0* 88.0* 85.0* 87.0* 88.0* 83.0* 87.0* 88.0* 85.0* 87.0* | 63.0 100.0 62.0 56.0 43.0 38.0 45.0 39.0 43.0 36.0 31.0 36.0 31.0 32.0 37.0 38.0 48.0 48.0 53.0 60.5 61.5 | 1101 | |
| 4S/12W-08N02 S | 68.5 | 6-29-58 6-13-58 | 145.6* 143.8 | 77.1 75.3 | 1101 | 4S/12W-10G01 S | 51.0 | 7-05-57 7-13-57 7-29-57 8-04-57 8-06-57 8-19-57 9-08-57 9-20-57 10-06-57 10-15-57 10-31-57 11-01-57 11-15-57 | 178.0* 180.0* 149.0* 184.0* 152.0* 152.0* 182.0* 173.0* 180.0* 161.0* 172.0* 165.0* 168.0* | 127.0 129.0 98.0 133.0 101.0 101.0 132.0 122.0 129.0 110.0 121.0 114.0 | 1101 | |
| 4S/12W-08P06 S | 69.5 | 7-01-57 8-01-57 9-01-57 10-01-57 12-01-57 1-01-58 1-14-58 2-01-58 3-01-58 4-01-58 5-01-58 6-01-58 6-12-58 6-15-58 6-23-58 | 165.0* 168.0* 174.0* 173.0* 164.0* 160.0* 151.0* 148.0* 143.0* 139.0* 145.0* 155.0* 157.0* 157.0* 159.0* | 95.5 98.5 104.5 94.5 90.5 80.5 81.5 78.5 73.5 69.5 75.5 87.5 87.5 87.5 | 1101 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 4S/12W-1U601 S | 51.0 | 11-17-57 | 132.0* | 81.0 | 1101 | 4S/12W-1U601 S | 48.0 | 5-30-58 | 116.0 | 68.0 | 1101 |
| | | 11-30-57 | 172.0* | 121.0 | | | | 6-01-58 | 116.0 | 68.0 | |
| | | 12-03-57 | 169.0* | 118.0 | | CONT. | | 6-20-58 | 154.0* | 106.0 | |
| | | 12-14-57 | 130.0* | 79.0 | | | | | | | |
| | | 12-15-57 | 128.0* | 77.0 | | | | | | | |
| | | 12-28-57 | 127.0* | 76.0 | | 4S/12W-1U603 S | 46.0 | 7-15-57 | 168.9* | 122.9* | 1101 |
| | | 12-30-57 | 166.0* | 115.0 | | | | 8-14-57 | 173.5* | 127.5* | |
| | | 1-04-58 | 129.0* | 78.0 | | | | 9-15-57 | 171.2* | 125.2* | |
| | | 1-18-58 | 130.0* | 79.0 | | | | 10-15-57 | 159.6* | 113.6* | |
| | | 1-21-58 | 132.0* | 81.0 | | | | 11-18-57 | 157.2* | 111.3* | |
| | | 1-28-58 | 127.0* | 76.0 | | | | 12-29-57 | 143.5* | 97.5* | |
| | | 2-07-58 | 126.0* | 75.0 | | | | 1-06-58 | 157.3* | 111.3* | |
| | | 2-15-58 | 125.0* | 74.0 | | | | 2-09-58 | 143.5* | 97.5* | |
| | | 2-27-58 | 128.0* | 77.0 | | | | 4-15-58 | 145.8* | 95.8* | |
| | | 3-01-58 | 126.0* | 75.0 | | | | 5-15-58 | 157.3* | 111.3* | |
| | | 3-10-58 | 130.0* | 79.0 | | 4S/12W-1UJ02 S | 45.0 | 7-17-57 | 132.0* | 87.0 | 1101 |
| | | 3-16-58 | 120.0* | 69.0 | | | | 8-20-57 | 135.0* | 90.0 | |
| | | 3-24-58 | 124.0* | 73.0 | | | | 9-14-57 | 132.0* | 87.0 | |
| | | 3-30-58 | 123.0* | 72.0 | | | | 10-12-57 | 122.0* | 87.0 | |
| | | 4-10-58 | 126.0* | 75.0 | | | | 11-04-57 | 122.0* | 77.0 | |
| | | 4-22-58 | 130.0* | 79.0 | | | | 12-25-57 | 110.0* | 65.0 | |
| | | 4-26-58 | 128.0* | 77.0 | | | | 1-13-58 | 117.0* | 72.0 | |
| | | 5-19-58 | 126.0* | 75.0 | | | | 1-28-58 | 112.0* | 67.0 | |
| | | 5-22-58 | 130.0* | 79.0 | | | | 1-29-58 | 115.0* | 70.0 | |
| | | 5-27-58 | 126.0* | 75.0 | | | | 2-07-58 | 111.0* | 66.0 | |
| | | | | | | | | 2-12-58 | 110.0* | 65.0 | |
| 4S/12W-1U601 S | 48.0 | 7-07-57 | 127.0 | 79.0 | 1101 | | | 2-20-58 | 113.0* | 68.0 | |
| | | 8-19-57 | 133.0 | 85.0 | | | | 3-06-58 | 112.0* | 67.0 | |
| | | 9-20-57 | 135.0 | 87.0 | | | | 3-18-58 | 110.0* | 65.0 | |
| | | 10-15-57 | 125.0 | 77.0 | | | | 3-31-58 | 110.0* | 65.0 | |
| | | 11-24-57 | 116.0 | 68.0 | | | | 4-08-58 | 107.0* | 62.0 | |
| | | 12-17-57 | 113.0 | 65.0 | | | | 4-13-58 | 105.0* | 60.0 | |
| | | 1-01-58 | 114.0 | 66.0 | | | | 4-29-58 | 114.0* | 65.0 | |
| | | 1-05-58 | 112.0 | 64.0 | | | | 5-01-58 | 115.0* | 70.0 | |
| | | 1-18-58 | 113.0 | 65.0 | | | | 5-17-58 | 149.0* | 104.0 | |
| | | 1-19-58 | 116.0 | 68.0 | | | | 5-31-58 | 150.0* | 105.0 | |
| | | 2-03-58 | 117.0 | 69.0 | | | | 6-08-58 | 115.0* | 70.0 | |
| | | 2-09-58 | 103.0 | 55.0 | | | | 6-16-58 | 154.0* | 105.0 | |
| | | 2-23-58 | 109.0 | 61.0 | | | | | | | |
| | | 3-09-58 | 108.0 | 60.0 | | 4S/12W-11803 S | 43.0 | 7-15-57 | 151.0* | 108.0 | 1101 |
| | | 4-22-58 | 118.0 | 70.0 | | | | 8-15-57 | 156.0* | 113.0 | |
| | | 4-29-58 | 120.0 | 72.0 | | | | 9-15-57 | 157.0* | 114.0 | |
| | | 5-01-58 | 119.0 | 71.0 | | | | 10-11-57 | 110.0* | 67.0 | |
| | | 5-04-58 | 110.0 | 62.0 | | | | 11-13-57 | 97.0* | 54.0 | |
| | | 5-11-58 | 110.0 | 62.0 | | | | 12-19-57 | 92.0* | 49.0 | |
| | | 5-18-58 | 119.0 | 71.0 | | | | 1-01-58 | 136.0* | 93.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41103 | | | | | | 41103 | | | | | |
| 45/12W-11B03 S | 43.0 | 3-01-58 | 91.0* | - 48.0 | 1101 | 45/12W-13A02 S | 35.1 | 6-04-58 | 184.5* | - 169.4 | 1101 |
| | | 3-09-58 | 92.0* | - 49.0 | | | | | | | |
| | | 3-20-58 | 90.0* | - 47.0 | | | | | | | |
| | | 4-01-58 | 87.0* | - 44.0 | | 45/12W-13A03 S | 36.0 | 11-04-57 | 12.2* | 23.8 | 1171 |
| | | 4-20-58 | 91.0* | - 48.0 | | | | 4-30-58 | 10.4* | 25.6 | |
| | | 4-28-58 | 93.0* | - 50.0 | | | | | | | |
| | | 5-01-58 | 92.0* | - 49.0 | | 45/12W-13B02 S | 35.0 | 7-09-57 | 196.2* | - 161.2 | 1101 |
| | | 5-06-58 | 94.0* | - 51.0 | | | | 7-30-57 | 198.2* | - 163.2 | |
| | | 5-19-58 | 96.0* | - 53.0 | | | | 8-06-57 | 207.2* | - 172.2 | |
| | | 5-27-58 | 99.0* | - 56.0 | | | | 8-13-57 | 206.4* | - 171.4 | |
| | | 5-31-58 | 101.0* | - 58.0 | | | | 8-20-57 | 208.6* | - 173.6 | |
| | | 6-01-58 | 100.0* | - 57.0 | | | | 8-27-57 | 206.0* | - 171.0 | |
| | | 6-07-58 | 102.0* | - 59.0 | | | | 9-03-57 | 208.6* | - 173.6 | |
| | | 6-14-58 | 102.0* | - 59.0 | | | | 9-07-57 | 203.4* | - 168.4 | |
| | | 6-20-58 | 105.0* | - 62.0 | | | | 9-24-57 | 204.0* | - 168.4 | |
| | | 6-30-58 | 108.0* | - 65.0 | | | | 10-01-57 | 205.3* | - 170.3 | |
| 45/12W-11B04 S | 47.0** | 11-04-57 | 15.3 | 31.7 | 1101 | | | 10-15-57 | 197.9* | - 162.9 | |
| | | 4-30-58 | 14.3 | 32.7 | | | | 10-29-57 | 196.7* | - 161.7 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41103 | | | | | | 41103 | | | | | |
| 45/12W-13A02 S | 35.1 | 7-03-57 | 105.0 | - 69.9 | 1101 | | | 11-05-57 | 195.4* | - 160.4 | |
| | | 7-09-57 | 106.8 | - 70.7 | | | | 11-12-57 | 197.9* | - 162.9 | |
| | | 7-14-57 | 107.0 | - 70.9 | | | | 11-18-57 | 195.6* | - 160.6 | |
| | | 7-23-57 | 107.0 | - 71.9 | | | | 11-26-57 | 194.4* | - 159.4 | |
| | | 7-30-57 | 175.6* | - 140.5 | | | | 12-17-57 | 193.9* | - 158.9 | |
| | | 8-05-57 | 181.6* | - 146.3 | | | | 12-21-57 | 191.0* | - 156.0 | |
| | | 8-20-57 | 185.2* | - 150.1 | | | | 12-27-58 | 198.2* | - 163.2 | |
| | | 8-27-57 | 182.1* | - 147.0 | | | | 1-14-58 | 198.7* | - 163.7 | |
| | | 9-03-57 | 181.7* | - 146.6 | | | | 2-04-58 | 198.0* | - 163.0 | |
| | | 9-10-57 | 182.0* | - 146.9 | | | | 3-04-58 | 204.4* | - 169.4 | |
| | | 9-17-57 | 178.2* | - 143.1 | | | | 4-01-58 | 196.2* | - 161.2 | |
| | | 10-01-57 | 182.6* | - 147.3 | | | | 4-08-58 | 92.9 | - 57.9 | |
| | | 10-08-57 | 180.8* | - 145.7 | | | | 4-29-58 | 198.0* | - 163.0 | |
| | | 10-20-57 | 175.7* | - 140.6 | | | | 5-20-58 | 198.3* | - 163.3 | |
| | | 11-05-57 | 173.6* | - 138.8 | | | | 6-04-58 | 201.6* | - 166.6 | |
| | | 11-26-57 | 172.7* | - 137.6 | | | | | | | |
| | | 12-03-57 | 174.6* | - 139.7 | | | | 7-02-57 | 115.4* | - 80.6 | 1101 |
| | | 12-17-57 | 177.1* | - 142.0 | | | | 7-09-57 | 116.4* | - 81.6 | |
| | | 12-24-57 | 175.6* | - 140.5 | | | | 7-23-57 | 116.4* | - 81.6 | |
| | | 1-07-58 | 176.1* | - 141.0 | | | | 7-30-57 | 120.0* | - 85.2 | |
| | | 1-14-58 | 176.1* | - 141.0 | | | | 10-15-57 | 67.8* | - 33.0 | |
| | | 2-04-58 | 93.0 | - 57.9 | | | | 10-22-57 | 54.0 | - 19.2 | |
| | | 2-11-58 | 90.8 | - 55.7 | | | | 10-29-57 | 54.0 | - 19.2 | |
| | | 3-04-58 | 183.0* | - 147.9 | | | | 11-05-57 | 51.1 | - 16.3 | |
| | | 4-01-58 | 178.5* | - 143.4 | | | | 11-12-57 | 46.3 | - 14.5 | |
| | | 5-06-58 | 180.8* | - 145.7 | | | | 11-19-57 | 48.0 | - 13.2 | |
| | | | | | | | | 11-26-57 | 104.0* | - 69.2 | |
| | | | | | | | | 12-03-57 | 107.4* | - 72.6 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------------|---------------------|-----------------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|---------------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| 4S/12W-13B03 S | 34.8 | 12-17-57 46.6 | - | 11.8 | 1101 | 4S/12W-13C02 S | 37.5 | 7-09-57 105.7 | - | 68.2 | 1101 |
| CONT. | | 12-24-57 46.3 | - | 11.5 | | CONT. | | 7-16-57 106.2 | - | 68.7 | |
| | | 12-31-57 47.2 | - | 12.4 | | | | 7-23-57 108.1 | - | 70.6 | |
| | | 1-07-58 46.2 | - | 11.4 | | | | 7-30-57 105.7 | - | 72.2 | |
| | | 1-14-58 47.1 | - | 12.3 | | | | 8-06-57 109.9 | - | 72.4 | |
| | | 2-14-58 43.5 | - | 8.7 | | | | 8-13-57 110.3 | - | 72.8 | |
| | | 3-04-58 41.7 | - | 6.9 | | | | 8-20-57 109.7 | - | 72.2 | |
| | | 4-01-58 44.2 | - | 5.4 | | | | 9-03-57 108.9 | - | 70.9 | |
| | | 5-06-58 44.2 | - | 9.4 | | | | 9-10-57 108.6 | - | 71.1 | |
| | | 6-04-58 54.6 | - | 19.8 | | | | 9-17-57 109.7 | - | 72.2 | |
| | | | | | | | | 9-24-57 108.8 | - | 71.3 | |
| 4S/12W-13C01 S | 36.3 | 7-02-57 156.2* | - | 119.9 | 1101 | | | 10-01-57 94.6 | - | 55.1 | |
| | | 7-09-57 160.0* | - | 123.7 | | | | 10-08-57 92.5 | - | 57.0 | |
| | | 7-16-57 161.4* | - | 124.8 | | | | 10-15-57 87.3 | - | 49.8 | |
| | | 7-23-57 157.6* | - | 121.3 | | | | 10-22-57 85.0 | - | 47.5 | |
| | | 8-13-57 159.6* | - | 123.3 | | | | 10-29-57 83.0 | - | 45.5 | |
| | | 8-20-57 156.9* | - | 122.1 | | | | 11-05-57 80.8 | - | 43.3 | |
| | | 8-27-57 158.7* | - | 122.4 | | | | 11-12-57 78.9 | - | 42.4 | |
| | | 9-03-57 159.2* | - | 122.9 | | | | 11-19-57 78.5 | - | 41.0 | |
| | | 9-10-57 160.1* | - | 123.8 | | | | 11-26-57 78.0 | - | 41.5 | |
| | | 9-17-57 159.9* | - | 123.6 | | | | 12-03-57 78.8 | - | 41.3 | |
| | | 9-24-57 161.5* | - | 125.2 | | | | 12-10-57 77.4 | - | 39.9 | |
| | | 10-01-57 163.7* | - | 127.4 | | | | 12-17-57 76.1 | - | 37.6 | |
| | | 10-08-57 156.4* | - | 120.1 | | | | 12-24-57 74.8 | - | 37.3 | |
| | | 10-15-57 153.0* | - | 116.7 | | | | 12-31-57 74.5 | - | 37.0 | |
| | | 10-22-57 150.8* | - | 114.5 | | | | 1-07-58 75.8 | - | 38.3 | |
| | | 10-29-57 150.1* | - | 113.8 | | | | 1-14-58 76.0 | - | 38.5 | |
| | | 11-05-57 148.6* | - | 112.3 | | | | 2-04-58 73.9 | - | 36.4 | |
| | | 11-12-57 149.6* | - | 113.3 | | | | 2-25-58 73.0 | - | 35.5 | |
| | | 11-19-57 148.1* | - | 111.8 | | | | 3-11-58 71.8 | - | 34.3 | |
| | | 12-03-57 149.3* | - | 113.0 | | | | 3-25-58 71.9 | - | 34.4 | |
| | | 12-10-57 143.0* | - | 106.7 | | | | 4-08-58 70.9 | - | 33.4 | |
| | | 12-17-57 146.7* | - | 110.4 | | | | 4-22-58 75.0 | - | 37.5 | |
| | | 12-24-57 145.1* | - | 108.8 | | | | 5-06-58 76.4 | - | 38.9 | |
| | | 12-31-57 145.3* | - | 109.0 | | | | 6-04-58 97.3 | - | 59.8 | |
| | | 1-07-58 146.6* | - | 110.3 | | | | | | | |
| | | 1-14-58 147.3* | - | 111.0 | | | | | | | |
| | | 2-04-58 146.3* | - | 110.0 | | | | | | | |
| | | 3-04-58 150.9* | - | 114.6 | | | | | | | |
| | | 4-01-58 140.6* | - | 104.3 | | | | | | | |
| | | 4-29-58 147.5* | - | 111.2 | | | | | | | |
| | | 5-06-58 148.9* | - | 112.6 | | | | | | | |
| | | 6-04-58 150.2* | - | 113.9 | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 41103 | | | | | | | | | | | |
| 4S/12W-13C01 S | 37.5 | 7-02-57 104.3 | - | 66.8 | 1101 | 4S/12W-13C01 S | 39.8 | 7-02-57 106.6 | - | 66.8 | 1101 |
| | | | | | | | | 7-09-57 106.5 | - | 66.7 | |
| | | | | | | | | 7-16-57 107.9 | - | 68.1 | |
| | | | | | | | | 7-23-57 110.6 | - | 70.8 | |
| | | | | | | | | 7-30-57 112.3 | - | 72.5 | |
| | | | | | | | | 8-06-57 115.4 | - | 72.6 | |
| | | | | | | | | 8-13-57 118.1 | - | 73.3 | |
| | | | | | | | | 8-20-57 112.6 | - | 72.8 | |
| | | | | | | | | 8-27-57 113.7 | - | 73.9 | |
| 4S/12W-13C02 S | 37.5 | | | | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------------|--------------------|-----------------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|-----------------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 45/12W-13001 S | 39+8 | 9-03-57 111.2 | - | 71+4 | 1101 | 45/12W-13002 S | 36+3 | 12-03-57 139+1* | - | 101+3 | 1101 |
| | | 9-10-57 110+2 | - | 71+1 | | | | 12-10-57 134+6* | - | 97+8 | |
| | | 9-17-57 110+9 | - | 70+6 | | | | 12-17-57 135+5* | - | 98+7 | |
| | | 9-24-57 111+3 | - | 71+0 | | | | 12-24-57 135+0* | - | 98+2 | |
| | | 10-01-57 101+0 | - | 64+5 | | | | 1-07-58 136+2* | - | 99+1 | |
| | | 10-08-57 102+0 | - | 62+2 | | | | 1-14-58 137+2* | - | 100+4 | |
| | | 10-15-57 96+8 | - | 57+2 | | | | 2-04-58 132+0* | - | 99+2 | |
| | | 10-22-57 94+6 | - | 54+8 | | | | 3-04-58 132+0* | - | 99+7 | |
| | | 10-29-57 92+1 | - | 52+3 | | | | 4-01-58 127+5* | - | 96+7 | |
| | | 11-05-57 89+3 | - | 49+5 | | | | 5-06-58 129+4* | - | 92+6 | |
| | | 11-12-57 88+2 | - | 48+4 | | | | 6-04-58 135+1* | - | 98+3 | |
| | | 11-19-57 86+8 | - | 47+0 | | | | | | | |
| | | 11-26-57 87+7 | - | 46+9 | | 45/12W-13001 S | 35+0 | 11-05-57 68+5 | - | 33+5 | 1101 |
| | | 12-03-57 87+4 | - | 47+6 | | | | 4-29-58 57+2 | - | 22+2 | |
| | | 12-10-57 86+2 | - | 44+4 | | | | | | | |
| | | 12-17-57 84+2 | - | 44+0 | | 45/12W-13001 S | 32+0 | 7-12-57 70+0* | - | 38+0 | 1101 |
| | | 12-24-57 83+8 | - | 44+0 | | | | 8-01-57 70+0* | - | 38+0 | |
| | | 12-31-57 83+4 | - | 43+6 | | | | 9-10-57 73+0* | - | 41+0 | |
| | | 1-07-58 84+4 | - | 44+6 | | | | 10-01-57 70+0* | - | 38+0 | |
| | | 1-14-58 84+6 | - | 44+8 | | | | 11-24-57 60+0* | - | 28+0 | |
| | | 1-28-58 85+8 | - | 46+0 | | | | 12-01-57 68+0* | - | 28+0 | |
| | | 2-11-58 84+5 | - | 44+7 | | | | 1-01-58 55+0* | - | 23+0 | |
| | | 3-04-58 83+5 | - | 43+7 | | | | 3-01-58 59+0* | - | 27+0 | |
| | | 3-18-58 80+4 | - | 40+6 | | | | 4-01-58 52+0* | - | 20+0 | |
| | | 4-01-58 79+9 | - | 40+1 | | | | 4-20-58 52+0* | - | 20+0 | |
| | | 4-22-58 80+9 | - | 41+1 | | | | 5-18-58 56+0* | - | 24+0 | |
| | | 5-06-58 83+2 | - | 43+4 | | | | 5-22-58 60+0* | - | 28+0 | |
| | | 6-01-58 87+3 | - | 47+5 | | | | 5-31-58 61+0* | - | 29+0 | |
| | | 6-10-58 91+6 | - | 51+8 | | | | 6-01-58 63+0* | - | 31+0 | |
| | | | - | | | | | 6-06-58 62+0* | - | 30+0 | |
| | | | - | | | | | 6-13-58 63+0* | - | 31+0 | |
| | | | - | | | | | 6-21-58 64+0* | - | 32+0 | |
| | | | - | | | | | 6-30-58 67+0* | - | 35+0 | |
| 45/12W-13002 S | 36+8 | 7-09-57 146+7* | - | 109+9 | 1101 | 45/12W-14A03 S | 38+4 | 6-03-58 51+3 | - | 12+9 | 1101 |
| | | 7-23-57 146+4* | - | 109+6 | | | | 7-02-57 112+2 | - | 72+9 | 1101 |
| | | 8-06-57 148+0* | - | 111+2 | | | | 7-09-57 116+7 | - | 77+4 | |
| | | 8-13-57 151+1* | - | 114+3 | | | | 7-16-57 119+2 | - | 79+9 | |
| | | 8-20-57 152+8* | - | 116+0 | | | | 7-23-57 118+8 | - | 79+5 | |
| | | 8-27-57 151+2* | - | 114+4 | | | | 7-30-57 119+8 | - | 80+5 | |
| | | 9-03-57 150+7* | - | 113+9 | | | | 8-06-57 120+6 | - | 81+3 | |
| | | 10-01-57 132+1* | - | 113+3 | | | | 8-13-57 121+4 | - | 82+1 | |
| | | 10-08-57 133+2* | - | 116+4 | | | | 8-20-57 122+8 | - | 83+5 | |
| | | 10-15-57 143+1* | - | 122+9 | | 45/12W-14B01 S | 39+3 | 8-27-57 122+6 | - | 83+3 | |
| | | 10-22-57 143+1* | - | 126+2 | | | | | | | |
| | | 10-29-57 143+5* | - | 126+5 | | | | | | | |
| | | 11-05-57 135+2* | - | 121+8 | | | | | | | |
| | | 11-12-57 138+6* | - | 131+6 | | | | | | | |
| | | 11-19-57 139+6* | - | 132+9 | | | | | | | |
| | | 11-26-57 141+0* | - | 134+2 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|--------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 45/12W-14B01 S | 39.3 | 9-03-57 | 120.42 | 80.9 | 1101 | 45/12W-14C01 S | 47.0 | 1-07-58 | 108.61 | 61.6 | 1101 |
| | | 9-10-57 | 119.6 | 80.3 | | | | 1-14-58 | 108.6 | 61.1 | |
| | | 9-17-57 | 160.2* | 120.9 | | | | 2-04-58 | 85.9 | 38.9 | |
| | | 9-24-57 | 169.9* | 130.6 | | | | 2-18-58 | 85.2 | 38.2 | |
| | | 10-01-57 | 165.6* | 126.3 | | | | 3-04-58 | 88.3 | 41.3 | |
| | | 10-08-57 | 163.6* | 124.3 | | | | 3-25-58 | 94.4 | 47.4 | |
| | | 10-15-57 | 158.5* | 119.2 | | | | 4-08-58 | 95.8 | 48.8 | |
| | | 10-22-57 | 156.3* | 117.0 | | | | 4-22-58 | 98.0 | 51.0 | |
| | | 10-29-57 | 156.3* | 117.0 | | | | 5-06-58 | 100.3 | 53.8 | |
| | | 11-05-57 | 154.0* | 114.7 | | | | 5-27-58 | 105.3 | 58.3 | |
| | | 11-12-57 | 154.5* | 115.2 | | | | 6-10-58 | 109.7 | 62.7 | |
| | | 11-19-57 | 158.2* | 118.9 | | | | | | | |
| | | 11-26-57 | 155.0* | 115.7 | | | | | | | |
| | | 12-03-57 | 156.4* | 117.1 | | | | | | | |
| | | 12-10-57 | 156.8* | 117.5 | | | | | | | |
| | | 12-17-57 | 156.4* | 117.1 | | | | | | | |
| | | 12-24-57 | 154.8* | 115.5 | | | | | | | |
| | | 12-31-57 | 156.0* | 116.7 | | | | | | | |
| | | 1-07-58 | 157.5* | 118.2 | | | | | | | |
| | | 1-14-58 | 158.0* | 118.7 | | | | | | | |
| | | 2-04-58 | 157.3* | 118.0 | | | | | | | |
| | | 3-04-58 | 157.9* | 118.6 | | | | | | | |
| | | 4-01-58 | 152.0* | 112.7 | | | | | | | |
| | | 4-29-58 | 156.3* | 117.0 | | | | | | | |
| | | 5-20-58 | 161.0* | 121.7 | | | | | | | |
| | | 6-04-58 | 163.2* | 123.9 | | | | | | | |
| 45/12W-14C01 S | | | | | | 45/12W-14C02 S | | | | | |
| | 47.0 | 7-02-57 | 116.4 | 69.4 | 1101 | | 46.1 | 7-02-57 | 179.7* | 133.6 | 1101 |
| | | 7-09-57 | 119.5 | 72.5 | | | | 7-09-57 | 182.1* | 136.0 | |
| | | 7-16-57 | 147.9* | 100.9 | | | | 7-23-57 | 182.7* | 136.6 | |
| | | 7-23-57 | 149.1* | 102.1 | | | | 7-30-57 | 183.5* | 137.4 | |
| | | 7-30-57 | 146.0* | 99.0 | | | | 8-06-57 | 181.9* | 135.8 | |
| | | 8-06-57 | 142.9* | 95.9 | | | | 8-13-57 | 185.0* | 138.9 | |
| | | 8-13-57 | 144.2* | 97.2 | | | | 8-20-57 | 184.2* | 138.1 | |
| | | 10-15-57 | 121.1 | 74.1 | | | | 8-27-57 | 184.8* | 138.7 | |
| | | 10-22-57 | 119.1 | 72.1 | | | | 9-10-57 | 185.4* | 139.3 | |
| | | 10-29-57 | 118.1 | 71.1 | | | | 9-24-57 | 185.1* | 139.0 | |
| | | 11-05-57 | 110.3 | 63.3 | | | | 10-01-57 | 182.1* | 136.0 | |
| | | 11-12-57 | 108.1 | 61.1 | | | | 10-08-57 | 183.6* | 137.5 | |
| | | 11-19-57 | 109.3 | 62.3 | | | | 10-15-57 | 182.5* | 136.4 | |
| | | 11-26-57 | 109.1 | 62.1 | | | | 10-22-57 | 180.7* | 134.6 | |
| | | 12-03-57 | 110.1 | 63.1 | | | | 11-05-57 | 180.3* | 134.2 | |
| | | 12-10-57 | 110.3 | 63.3 | | | | 11-12-57 | 177.0* | 132.3 | |
| | | 12-17-57 | 107.9 | 60.9 | | | | 11-19-57 | 176.2* | 130.1 | |
| | | 12-24-57 | 107.3 | 60.3 | | | | 11-26-57 | 175.9* | 129.8 | |
| | | 12-31-57 | 106.0 | 59.0 | | | | 12-03-57 | 176.8* | 130.7 | |
| | | | | | | | | 12-10-57 | 175.5* | 129.4 | |
| | | | | | | | | 12-17-57 | 173.2* | 127.1 | |
| | | | | | | | | 12-24-57 | 172.8* | 126.7 | |
| | | | | | | | | 12-31-57 | 171.6* | 125.5 | |
| | | | | | | | | 1-07-58 | 173.2* | 127.1 | |
| | | | | | | | | 1-14-58 | 173.5* | 127.4 | |
| | | | | | | | | 2-04-58 | 172.0* | 125.9 | |
| | | | | | | | | 3-04-58 | 159.8* | 113.7 | |
| | | | | | | | | 4-01-58 | 161.5* | 115.4 | |
| | | | | | | | | 4-22-58 | 163.8* | 117.7 | |
| | | | | | | | | 4-29-58 | 166.4* | 120.3 | |
| | | | | | | | | 5-13-58 | 169.1* | 123.0 | |
| | | | | | | | | 6-04-58 | 172.0* | 125.9 | |
| 45/12W-14C03 S | | | | | | 45/12W-14C03 S | | | | | |
| | | 11-05-57 | DRY | | | | | 11-05-57 | DRY | | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 4S/12M-14C03 S | | 4-30-58 | DRY | | 1101 | 4S/12M-14D02 S | 53.3 | 5-02-58 | 106.4 | 53.1 | 1101 |
| 4S/12M-14C04 S | | 11-05-57 | DRY | | 1101 | CONT. | | 5-23-58 | 110.1 | 56.8 | |
| | | 4-30-58 | DRY | | | | | 6-13-58 | 115.8 | 62.5 | |
| 4S/12M-14D01 S | 46.1 | 7-16-57 | 197.2* | - 151.1 | 1101 | 4S/12M-14K01 S | 22.0 | 7-02-57 | 87.0* | 65.0 | 1101 |
| | | 7-23-57 | 198.2* | - 152.1 | | | | 8-18-57 | 95.0* | 73.0 | |
| | | 8-06-57 | 154.7* | - 108.6 | | | | 9-01-57 | 93.0* | 71.0 | |
| | | 8-13-57 | 203.0* | - 156.9 | | | | 10-14-57 | 87.0* | 65.0 | |
| | | 8-27-57 | 199.8* | - 153.7 | | | | 11-01-57 | 83.0* | 61.0 | |
| | | 9-03-57 | 208.2* | - 162.1 | | | | 12-01-57 | 80.0* | 58.0 | |
| | | 10-24-57 | 182.8* | - 153.7 | | | | 1-01-58 | 78.0* | 56.0 | |
| | | 10-08-57 | 203.6* | - 162.9 | | | | 2-01-58 | 80.0* | 58.0 | |
| | | 10-32-57 | 198.8* | - 153.7 | | | | 2-15-58 | 78.0* | 56.0 | |
| | | 11-06-57 | 200.9* | - 154.8 | | | | 3-01-58 | 79.0* | 57.0 | |
| | | 11-19-57 | 198.2* | - 152.8 | | | | 4-01-58 | 73.0* | 51.0 | |
| | | 12-03-57 | 196.7* | - 150.4 | | | | 5-08-58 | 75.0* | 53.0 | |
| | | 12-17-57 | 146.3* | - 100.2 | | | | 7-18-58 | 78.0* | 56.0 | |
| | | 12-24-57 | 196.3* | - 150.2 | | | | 7-26-58 | 80.0* | 58.0 | |
| | | 1-07-58 | 197.2* | - 151.1 | | | | 8-21-58 | 83.0* | 61.0 | |
| | | 1-24-58 | 197.8* | - 151.7 | | | | 8-22-58 | 86.0* | 64.0 | |
| | | 2-04-58 | 194.1* | - 148.0 | | | | 8-30-58 | 88.0* | 66.0 | |
| | | 2-18-58 | 195.0* | - 148.9 | | 4S/12M-14P01 S | 31.0 | 7-02-57 | 145.0* | 118.0 | 1101 |
| | | 2-25-58 | 192.7* | - 146.6 | | | | 7-09-57 | 146.0* | 115.0 | |
| | | 3-04-58 | 192.5* | - 146.4 | | | | 7-16-57 | 148.0* | 117.0 | |
| | | 3-11-58 | 190.5* | - 142.6 | | | | 7-23-57 | 149.0* | 118.0 | |
| | | 4-01-58 | 188.7* | - 142.6 | | | | 7-30-57 | 148.6* | 117.6 | |
| | | 4-08-58 | 129.7* | - 83.6 | | | | 8-06-57 | 150.0* | 119.0 | |
| | | 4-29-58 | 190.9* | - 144.8 | | | | 8-13-57 | 151.0* | 120.0 | |
| | | 5-10-58 | 192.3* | - 146.2 | | | | 8-20-57 | 151.2* | 120.2 | |
| | | 6-10-58 | 193.9* | - 147.8 | | | | 8-27-57 | 150.6* | 119.6 | |
| 4S/12M-14D02 S | 53.3 | 7-12-57 | 121.7 | - 68.4 | 1101 | | | 9-03-57 | 150.7* | 119.7 | |
| | | 8-02-57 | 124.7 | - 71.4 | | | | 9-10-57 | 150.7* | 119.7 | |
| | | 8-23-57 | 125.9 | - 72.6 | | | | 9-17-57 | 150.4* | 119.4 | |
| | | 9-13-57 | 123.3 | - 70.0 | | | | 9-24-57 | 150.9* | 119.9 | |
| | | 10-24-57 | 113.8 | - 60.5 | | | | 10-01-57 | 151.2* | 120.2 | |
| | | 11-15-57 | 110.0 | - 56.7 | | | | 10-08-57 | 152.9* | 121.9 | |
| | | 12-06-57 | 110.5 | - 57.2 | | | | 10-15-57 | 149.7* | 118.7 | |
| | | 12-27-57 | 107.5 | - 54.2 | | | | 10-22-57 | 149.4* | 118.4 | |
| | | 1-07-58 | 109.9 | - 56.6 | | | | 10-29-57 | 145.6* | 114.6 | |
| | | 2-07-58 | 108.7 | - 55.4 | | | | 11-05-57 | 144.4* | 113.4 | |
| | | 2-28-58 | 107.8 | - 54.5 | | | | 11-12-57 | 143.1* | 112.1 | |
| | | 3-21-58 | 106.6 | - 53.3 | | | | 11-19-57 | 144.0* | 113.0 | |
| | | 4-11-58 | 101.9 | - 48.6 | | | | 11-26-57 | 143.1* | 112.1 | |
| | | | | | | | | 12-03-57 | 143.0* | 112.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 4S/12W-14P01 S | 31+0 | 12-31-57 | 1417* | 110.7 | 1101 | 4S/12W-1P801 S | 42.1 | 9-10-57 | 171.5* | -129.4 | 1101 |
| CONT. | | 1-07-58 | 120+4 | 89.4 | | CONT. | | 9-17-57 | 171.5* | -129.4 | |
| | | 1-14-58 | 144.6* | 113.6 | | | | 10-01-57 | 172.5* | -130.4 | |
| | | 1-21-58 | 141.2* | 113.2 | | | | 10-08-57 | 149.1 | -107.0 | |
| | | 2-04-58 | 140.8* | 110.2 | | | | 10-15-57 | 172.6* | -130.5 | |
| | | 2-18-58 | 109+2 | 105.8 | | | | 10-22-57 | 170.8* | -128.7 | |
| | | 3-04-58 | 104.8 | 78.2 | | | | 10-29-57 | 171.4* | -120.3 | |
| | | 4-01-58 | 99+4 | 73.8 | | | | 11-05-57 | 168.4* | -126.3 | |
| | | 5-06-58 | 143.7* | 112.7 | | | | 11-12-57 | 167.2* | -125.1 | |
| | | 6-04-58 | 143.7* | 112.7 | | | | 11-26-57 | 165.3* | -123.2 | |
| 4S/12W-14R01 S | 30+0 | 7-07-57 | 85+0* | 55.0 | 1101 | | | 12-03-57 | 166.7* | -124.6 | |
| | | 8-15-57 | 115+0* | 85.0 | | | | 12-10-57 | 165.8* | -123.7 | |
| | | 9-01-57 | 89+0* | 59.0 | | | | 12-17-57 | 162.1* | -120.0 | |
| | | 10-14-57 | 83+0* | 53.0 | | | | 12-24-57 | 167.8* | -125.7 | |
| | | 11-21-57 | 76+0* | 46.0 | | | | 12-31-57 | 163.8* | -121.7 | |
| | | 12-04-57 | 75+0* | 45.0 | | | | 1-07-58 | 164.5* | -122.4 | |
| | | 1-01-58 | 72+0* | 42.0 | | | | 1-14-58 | 165.0* | -122.9 | |
| | | 1-11-58 | 75+0* | 42.0 | | | | 2-04-58 | 163.1* | -121.0 | |
| | | 1-22-58 | 76+0* | 46.0 | | | | 2-18-58 | 129.9 | -87.8 | |
| | | 2-17-58 | 74+0* | 44.0 | | | | 2-25-58 | 123.2 | -81.1 | |
| | | 3-05-58 | 68+0* | 42.0 | | | | 3-11-58 | 121.3 | -79.2 | |
| | | 3-19-58 | 68+0* | 38.0 | | | | 4-01-58 | 154.5* | -112.4 | |
| | | 3-23-58 | 66+0* | 36.0 | | | | 4-29-58 | 157.7* | -115.6 | |
| | | 4-01-58 | 67+0* | 37.0 | | | | 5-13-58 | 159.9* | -116.9 | |
| | | 4-16-58 | 66+0* | 36.0 | | | | 6-04-58 | 163.0* | -120.9 | |
| | | 4-22-58 | 68+0* | 38.0 | | | | | | | |
| | | 4-29-58 | 69+0* | 39.0 | | | | | | | |
| | | 5-16-58 | 69+0* | 39.0 | | | | | | | |
| | | 5-26-58 | 74+0* | 44.0 | | | | | | | |
| | | 6-01-58 | 76+0* | 46.0 | | | | | | | |
| | | 6-07-58 | 77+0* | 47.0 | | | | | | | |
| | | 6-23-58 | 81+0* | 51.0 | | | | | | | |
| | | 6-30-58 | 83+0* | 53.0 | | | | | | | |
| 4S/12W-15B01 S | 42+1 | 7-09-57 | 167+2* | 125.1 | 1101 | 4S/12W-15B02 S | 41.0 | 6-03-58 | 43.6 | -2+6 | 1101 |
| | | 7-16-57 | 169+6* | 127.5 | | | | 11-05-57 | 19.1 | 20+9 | 1101 |
| | | 7-23-57 | 170+9* | 128.8 | | | | 4-30-58 | 19.2 | 20+8 | |
| | | 8-06-57 | 172+0* | 128.6 | | | | | | | |
| | | 8-13-57 | 170+8* | 128.7 | | | | | | | |
| | | 8-20-57 | 171+1* | 129.0 | | | | | | | |
| | | 8-27-57 | 172+1* | 130.0 | | | | | | | |
| | | 9-03-57 | 171+7* | 129.6 | | | | | | | |
| | | 7-02-57 | 167+2* | 125.1 | | | | | | | |
| | | 7-09-57 | 169+6* | 127.5 | | | | | | | |
| | | 7-16-57 | 169+6* | 127.5 | | | | | | | |
| | | 7-23-57 | 170+9* | 128.8 | | | | | | | |
| | | 8-06-57 | 172+0* | 128.6 | | | | | | | |
| | | 8-13-57 | 170+8* | 128.7 | | | | | | | |
| | | 8-20-57 | 171+1* | 129.0 | | | | | | | |
| | | 8-27-57 | 172+1* | 130.0 | | | | | | | |
| | | 9-03-57 | 171+7* | 129.6 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| Site Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | Site Well Number | P.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 4S/12W-15J01 S | 41.0 | 4-18-58 | 81.0* | 40.0 | 1101 | 4S/12W-15K03 S | 37.0 | 1-15-58 | 167.8* | 130.8 | 1101 |
| | | 5-28-58 | 87.0* | 46.0 | | | | 2-21-58 | 156.3* | 119.3 | |
| | | 6-01-58 | 91.0* | 49.0 | | | | 3-18-58 | 153.9* | 116.9 | |
| | | 6-08-58 | 91.0* | 50.0 | | | | 4-17-58 | 160.9* | 123.9 | |
| | | 6-20-58 | 93.0* | 52.0 | | | | 5-01-58 | 163.2* | 126.2 | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 4S/12W-15J02 S | 37.0 | 7-08-57 | 136.0* | 99.0 | 1101 | 4S/12W-16C01 S | | 11-05-57 | DRY | | 1101 |
| | | 8-20-57 | 140.0* | 103.0 | | | | 4-30-58 | DRY | | |
| | | 9-24-57 | 141.0* | 104.0 | | | | | | | |
| | | 10-13-57 | 138.0* | 96.0 | | | | 7-01-57 | 117.0* | 82.0 | 1101 |
| | | 11-20-57 | 133.0* | 91.0 | | | | 8-15-57 | 132.0* | 87.0 | |
| | | 12-17-57 | 129.0* | 92.0 | | | | 9-15-57 | 120.0* | 109.0 | |
| | | 1-01-58 | 128.0* | 91.0 | | | | 10-13-57 | 115.0* | 80.0 | |
| | | 1-11-58 | 129.0* | 92.0 | | | | 11-01-57 | 115.0* | 80.0 | |
| | | 1-19-58 | 128.0* | 91.0 | | | | 12-01-57 | 112.0* | 77.0 | |
| | | 1-26-58 | 126.0* | 89.0 | | | | 1-01-58 | 103.0* | 68.0 | |
| | | 1-31-58 | 125.0* | 88.0 | | | | 2-01-58 | 101.0* | 66.0 | |
| | | 2-09-58 | 124.0* | 87.0 | | | | 3-01-58 | 105.0* | 70.0 | |
| | | 2-17-58 | 117.0* | 80.0 | | | | 3-20-58 | 101.0* | 66.0 | |
| | | 2-24-58 | 116.0* | 79.0 | | | | 4-01-58 | 97.0* | 62.0 | |
| | | 2-28-58 | 113.0* | 76.0 | | | | 4-23-58 | 125.0* | 90.0 | |
| | | 3-01-58 | 112.0* | 75.0 | | | | 5-16-58 | 132.0* | 97.0 | |
| | | 3-09-58 | 114.0* | 77.0 | | | | 6-01-58 | 136.0* | 101.0 | |
| | | 3-15-58 | 110.0* | 73.0 | | | | 6-30-58 | 138.0* | 103.0 | |
| | | 3-24-58 | 115.0* | 78.0 | | | | | | | |
| | | 3-27-58 | 116.0* | 77.0 | | | | 7-02-57 | 160.0* | 101.9 | 1101 |
| | | 4-01-58 | 112.0* | 75.0 | | | | 7-09-57 | 160.8 | 101.9 | |
| | | 4-15-58 | 112.0* | 75.0 | | | | 7-16-57 | 161.8 | 102.9 | |
| | | 4-24-58 | 118.0* | 81.0 | | | | 7-23-57 | 162.0 | 103.1 | |
| | | 4-31-58 | 121.0* | 83.0 | | | | 7-30-57 | 162.5 | 103.6 | |
| | | 5-03-58 | 121.0* | 84.0 | | | | 8-06-57 | 168.3 | 109.4 | |
| | | 5-18-58 | 123.0* | 86.0 | | | | 8-13-57 | 171.5 | 112.6 | |
| | | 5-31-58 | 126.0* | 89.0 | | | | 8-20-57 | 169.4 | 110.5 | |
| | | 6-01-58 | 126.0* | 89.0 | | | | 8-27-57 | 170.9 | 112.0 | |
| | | 6-09-58 | 126.0* | 87.0 | | | | 9-03-57 | 171.6 | 112.7 | |
| | | 6-19-58 | 126.0* | 91.0 | | | | 9-10-57 | 171.6 | 112.7 | |
| | | 6-27-58 | 128.0* | 92.0 | | | | 9-17-57 | 171.1 | 112.2 | |
| | | | | | | | | 9-24-57 | 169.6 | 110.9 | |
| | | | | | | | | 10-01-57 | 170.8 | 111.7 | |
| | | | | | | | | 10-08-57 | 171.1 | 112.2 | |
| | | | | | | | | 10-15-57 | 165.4 | 106.5 | |
| | | | | | | | | 10-22-57 | 160.0 | 101.1 | |
| | | | | | | | | 10-29-57 | 159.7 | 100.8 | |
| | | | | | | | | 11-05-57 | 154.8 | 95.9 | |
| | | | | | | | | 11-12-57 | 154.1 | 93.2 | |
| | | | | | | | | 11-19-57 | 150.1 | 91.2 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 4S/12W-15K03 S | 37.0 | 7-08-57 | 170.1* | 133.1 | 1101 | 4S/12W-17N01 S | 58.9 | 7-02-57 | 160.0* | 101.9 | 1101 |
| | | 8-12-57 | 170.1* | 133.1 | | | | 7-09-57 | 160.8 | 101.9 | |
| | | 9-12-57 | 172.4* | 135.4 | | | | 7-16-57 | 161.8 | 102.9 | |
| | | 10-14-57 | 167.8* | 130.8 | | | | 7-23-57 | 162.0 | 103.1 | |
| | | 11-16-57 | 160.9* | 123.9 | | | | 7-30-57 | 162.5 | 103.6 | |
| | | 12-09-57 | 165.5* | 128.5 | | | | 8-06-57 | 168.3 | 109.4 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | |
| 4S/12W-17N01 S 58+9 | | | | | | | | | | | |
| CONT. | | | | | | | | | | | |
| 4S/12W-17N01 S | 58+9 | 11-26-57 | 153+0 | 98+1 | 1101 | 4S/12W-17N01 S | 46+8 | 7-16-57 | 152+7 | 105+9 | 1101 |
| | | 12-03-57 | 156+0 | 97+1 | | | | 7-23-57 | 152+9 | 106+1 | |
| | | 12-10-57 | 148+6 | 85+7 | | | | 8-06-57 | 153+3 | 106+5 | |
| | | 12-17-57 | 144+3 | 85+4 | | | | 8-20-57 | 156+5 | 109+7 | |
| | | 12-24-57 | 143+3 | 84+4 | | | | 8-30-57 | 157+9 | 111+1 | |
| | | 12-31-57 | 140+8 | 81+9 | | | | 9-03-57 | 159+1 | 111+3 | |
| | | 1-07-58 | 143+2 | 84+3 | | | | 9-07-57 | 159+9 | 111+3 | |
| | | 1-14-58 | 142+4 | 83+5 | | | | 9-10-57 | 159+9 | 111+1 | |
| | | 2-01-58 | 146+4 | 87+5 | | | | 9-17-57 | 159+5 | 111+7 | |
| | | 2-04-58 | 136+2 | 77+3 | | | | 9-24-57 | 157+9 | 111+1 | |
| | | 3-00-58 | 147+6 | 88+7 | | | | 10-01-57 | 159+5 | 111+7 | |
| | | 4-01-58 | 139+6 | 80+7 | | | | 10-08-57 | 159+8 | 111+0 | |
| | | 5-06-58 | 161+6 | 102+7 | | | | 10-15-57 | 153+6 | 108+8 | |
| | | 6-04-58 | 164+2 | 105+3 | | | | 10-22-57 | 167+9 | 101+1 | |
| 4S/12W-17N02 S 56+6 | | | | | | | | | | | |
| | | 7-30-57 | 161+0 | 104+4 | 4206 | | | 10-29-57 | 169+5 | 102+7 | |
| | | 8-27-57 | 169+4 | 112+8 | | | | 11-05-57 | 164+3 | 97+5 | |
| | | 9-24-57 | 168+0 | 111+4 | | | | 11-12-57 | 162+4 | 98+7 | |
| | | 10-29-57 | 157+6 | 101+0 | | | | 11-19-57 | 161+5 | 99+1 | |
| | | 11-26-57 | 156+2 | 99+6 | | | | 11-26-57 | 165+9 | 99+1 | |
| | | 12-31-57 | 139+8 | 83+2 | | | | 12-03-57 | 165+2 | 98+4 | |
| | | 1-28-58 | 140+3 | 83+7 | | | | 12-09-57 | 139+3 | 92+5 | |
| | | 2-25-58 | 143+3 | 86+7 | | | | 12-17-57 | 135+8 | 89+0 | |
| | | 3-25-58 | 140+1 | 83+5 | | | | 12-24-57 | 135+0 | 88+2 | |
| | | 4-29-58 | 154+9 | 98+3 | | | | 1-07-58 | 132+6 | 85+8 | |
| | | 5-27-58 | 161+6 | 105+0 | | | | 1-07-58 | 161+7* | 114+9 | |
| | | 6-24-58 | 165+1 | 108+5 | | | | 1-14-58 | 161+5* | 114+7 | |
| 4S/12W-17P01 S 50+0 | | | | | | | | | | | |
| | | 7-19-57 | 38+4 | 11+6 | 1101 | | | 2-04-58 | 171+5 | 80+7 | |
| | | 8-09-57 | 37+7 | 12+3 | | | | 2-18-58 | 133+3 | 86+5 | |
| | | 9-13-57 | 37+8 | 12+2 | | | | 3-04-58 | 134+0 | 87+2 | |
| | | 10-04-57 | 37+9 | 12+1 | | | | 4-01-58 | 127+2 | 80+4 | |
| | | 10-25-57 | 37+9 | 12+0 | | | | 4-15-58 | 128+9 | 82+1 | |
| | | 11-15-57 | 38+0 | 12+0 | | | | 5-06-58 | 144+0 | 97+2 | |
| | | 12-06-57 | 38+3 | 11+7 | | | | 6-04-58 | 148+9 | 102+1 | |
| | | 12-27-57 | 39+0 | 11+0 | | | | | | | 1101 |
| | | 1-17-58 | 38+2 | 11+8 | | | | 7-02-57 | 167+8 | 101+8 | |
| | | 2-07-58 | 37+7 | 12+3 | | | | 7-09-57 | 168+1 | 102+1 | |
| | | 3-21-58 | 36+9 | 13+1 | | | | 7-16-57 | 168+6 | 102+6 | |
| | | 4-11-58 | 36+9 | 13+1 | | | | 7-23-57 | 169+0 | 103+0 | |
| | | 5-02-58 | 37+6 | 12+4 | | | | 7-30-57 | 174+9 | 108+9 | |
| | | 5-23-58 | 38+3 | 11+7 | | | | 8-06-57 | 178+8 | 112+8 | |
| | | 6-13-58 | 37+9 | 12+1 | | | | 8-13-57 | 173+8 | 107+8 | |
| | | 7-02-57 | 150+5 | 103+7 | 1101 | | | 8-20-57 | 172+6 | 106+6 | |
| | | 7-09-57 | 152+0 | 105+2 | | | | 8-27-57 | 173+2 | 107+2 | |
| 4S/12W-17N01 S 46+8 | | | | | | | | | | | |
| | | 7-09-57 | 152+0 | 105+2 | | | | 9-03-57 | 178+2 | 112+2 | |
| | | 7-09-57 | 152+0 | 105+2 | | | | 9-10-57 | 178+2 | 112+2 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 4S/12W-19801 S | 66±0 | 9-17-57 | 176±8 | - 110.8 | 1101 | 4S/12W-20001 S | 50±7 | 7-02-57 | 152±6 | - 101.9 | 1101 |
| CONT. | | 9-24-57 | 176±2 | - 110.2 | | | | 7-09-57 | 153±9 | - 103.2 | |
| | | 10-01-57 | 177±5 | - 111.5 | | | | 7-16-57 | 153±9 | - 103.2 | |
| | | 10-08-57 | 178±5 | - 112.5 | | | | 7-23-57 | 154±8 | - 104.5 | |
| | | 10-15-57 | 173±5 | - 107.5 | | | | 7-30-57 | 155±2 | - 104.5 | |
| | | 10-22-57 | 166±7 | - 100.7 | | | | 8-06-57 | 155±4 | - 104.7 | |
| | | 10-29-57 | 165±8 | - 99.8 | | | | 8-13-57 | 170±3* | - 119.6 | |
| | | 11-05-57 | 161±4 | - 95.4 | | | | 8-20-57 | 171±2* | - 120.5 | |
| | | 11-12-57 | 160±0 | - 94.0 | | | | 8-27-57 | 174±8* | - 123.6 | |
| | | 11-19-57 | 159±5 | - 93.5 | | | | 9-03-57 | 174±6* | - 123.9 | |
| | | 11-26-57 | 167±5 | - 101.5 | | | | 9-11-57 | 174±5* | - 123.8 | |
| | | 10-03-57 | 170±8 | - 104.8 | | | | 9-24-57 | 172±9* | - 122.2 | |
| | | 10-10-57 | 154±2 | - 88.2 | | | | 10-08-57 | 175±8* | - 124.8 | |
| | | 10-17-57 | 149±8 | - 83.8 | | | | 10-15-57 | 169±8* | - 118.6 | |
| | | 10-24-57 | 149±7 | - 83.7 | | | | 10-22-57 | 163±1* | - 112.4 | |
| | | 12-31-57 | 147±6 | - 81.6 | | | | 10-29-57 | 163±2* | - 112.5 | |
| | | 1-07-58 | 150±0 | - 84.0 | | | | 11-05-57 | 160±8* | - 109.5 | |
| | | 1-14-58 | 149±3 | - 83.3 | | | | 11-12-57 | 158±0* | - 107.3 | |
| | | 1-21-58 | 153±5 | - 87.5 | | | | 11-26-57 | 162±1* | - 111.4 | |
| | | 2-04-58 | 143±7 | - 77.7 | | | | 12-03-57 | 148±3 | - 97.6 | |
| | | 4-01-58 | 154±2 | - 88.2 | | | | 12-10-57 | 139±6 | - 88.9 | |
| | | 5-06-58 | 146±1 | - 80.1 | | | | 12-17-57 | 135±4 | - 84.7 | |
| | | 6-04-58 | 170±7 | - 104.7 | | | | 12-24-57 | 135±8 | - 85.1 | |
| 4S/12W-19A01 S | 72±0 | 12-05-57 | 133±0* | - 61.0 | 1101 | | | 1-07-58 | 135±5 | - 84.8 | |
| | | 1-28-58 | 131±0* | - 59.0 | | | | 1-14-58 | 134±9 | - 84.2 | |
| | | 2-07-58 | 154±0* | - 82.0 | | | | 2-04-58 | 148±6* | - 97.9 | |
| | | 3-06-58 | 158±0* | - 86.0 | | | | 3-04-58 | 153±0* | - 102.3 | |
| | | 3-21-58 | 133±0 | - 61.0 | | | | 4-01-58 | 145±7* | - 95.0 | |
| | | 4-03-58 | 156±0* | - 86.0 | | | | 4-29-58 | 163±7* | - 113.0 | |
| | | 5-02-58 | 134±0 | - 62.0 | | | | 5-20-58 | 163±2* | - 112.5 | |
| | | 6-19-58 | 135±0* | - 63.0 | | | | 6-04-58 | 170±0* | - 119.3 | |
| 4S/12W-19B02 S | 75±0 | 1-29-58 | 138±6 | - 53.4 | 1101 | 4S/12W-20G01 S | 33±8 | 7-02-57 | 151±9* | - 117.7 | 1101 |
| | | 2-02-58 | 168±6 | - 83.0 | | | | 7-09-57 | 153±1* | - 119.3 | |
| | | 6-19-58 | 165±0* | - 80.0 | | | | 7-16-57 | 154±9* | - 120.2 | |
| 4S/12W-19B04 S | 76±0 | 12-05-57 | 132±0* | - 56.0 | 1101 | | | 7-30-57 | 154±8* | - 120.6 | |
| | | 1-28-58 | 130±0* | - 54.0 | | | | 8-06-57 | 141±2 | - 107.6 | |
| | | 2-07-58 | 134±0* | - 58.0 | | | | 8-13-57 | 142±3 | - 108.5 | |
| | | 3-06-58 | 139±0* | - 63.0 | | | | 8-20-57 | 145±3 | - 110.7 | |
| | | 3-21-58 | 155±0* | - 79.0 | | | | 9-01-57 | 145±3 | - 113.1 | |
| | | 4-05-58 | 137±0* | - 61.0 | | | | 9-10-57 | 146±8 | - 113.0 | |
| | | 5-02-58 | 132±0* | - 56.0 | | | | 9-17-57 | 146±6 | - 112.8 | |
| | | 6-19-58 | 135±0* | - 59.0 | | | | 9-24-57 | 143±8 | - 110.0 | |

GROUND WATER LEVELS AT WELLS

| Stake Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | Stake Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------------|--------------------|-----------------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|-----------------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 45/12W-20601 S | 33.8 | 10-01-57 145.6 | - | 111.8 | 1101 | 45/12W-20J01 S | 38.4 | 12-17-57 121.1 | - | 82.7 | 1101 |
| | | 10-08-57 146.6 | - | 112.9 | | | | 12-24-57 121.2 | - | 82.8 | |
| | | 10-18-57 146.4 | - | 112.9 | | | | 12-31-57 123.2 | - | 84.8 | |
| | | 10-23-57 139.1 | - | 101.3 | | | | 1-07-58 142.1* | - | 103.7 | |
| | | 10-26-57 130.0 | - | 102.3 | | | | 1-14-58 140.5* | - | 102.1 | |
| | | 11-08-57 130.0 | - | 96.2 | | | | 1-21-58 141.8* | - | 103.4 | |
| | | 11-12-57 128.0 | - | 94.5 | | | | 2-04-58 113.6* | - | 75.2 | |
| | | 11-16-57 127.0 | - | 93.2 | | | | 2-10-58 140.5* | - | 102.1 | |
| | | 11-28-57 131.9 | - | 98.1 | | | | 3-04-58 143.4* | - | 105.0 | |
| | | 12-03-57 146.4* | - | 112.4 | | | | 4-01-58 128.0* | - | 87.9 | |
| | | 12-10-57 137.1* | - | 103.9 | | | | 5-08-58 106.1* | - | 58.7 | |
| | | 12-17-57 133.9* | - | 100.1 | | | | 5-08-58 106.1* | - | 58.7 | |
| | | 12-24-57 133.5* | - | 99.7 | | | | 6-04-58 100.3* | - | 111.2 | |
| | | 12-31-57 131.1* | - | 97.3 | | | | | | | |
| | | 1-07-58 161.7* | - | 127.9 | | 45/12W-21F01 S | 35.8 | 7-01-57 140.7 | - | 104.9 | 1101 |
| | | 1-14-58 161.5* | - | 127.9 | | | | 7-08-57 143.0 | - | 107.2 | |
| | | 2-04-58 111.9 | - | 78.1 | | | | 7-15-57 148.7 | - | 108.3 | |
| | | 2-25-58 117.9 | - | 84.1 | | | | 7-22-57 148.1 | - | 108.3 | |
| | | 3-04-58 122.1 | - | 88.3 | | | | 7-26-57 145.1 | - | 110.3 | |
| | | 3-28-58 116.5 | - | 82.7 | | | | 8-05-57 145.1 | - | 113.0 | |
| | | 4-08-58 112.1 | - | 78.3 | | | | 8-12-57 148.9 | - | 113.1 | |
| | | 4-28-58 123.3 | - | 89.5 | | | | 8-19-57 147.4 | - | 111.6 | |
| | | 5-04-58 132.6 | - | 98.8 | | | | 8-26-57 146.9 | - | 111.1 | |
| | | 5-04-58 136.0 | - | 102.2 | | | | 9-02-57 148.7 | - | 110.9 | |
| | | | | | | | | 9-05-57 145.3 | - | 110.5 | |
| | | | | | | | | 9-12-57 148.6 | - | 111.8 | |
| | | | | | | | | 9-19-57 148.8 | - | 110.0 | |
| | | | | | | | | 9-20-57 148.2 | - | 110.4 | |
| | | | | | | | | 10-02-57 148.2 | - | 110.4 | |
| | | | | | | | | 10-07-57 148.7 | - | 109.9 | |
| | | | | | | | | 10-14-57 143.0 | - | 106.2 | |
| | | | | | | | | 10-21-57 138.7 | - | 102.3 | |
| | | | | | | | | 10-28-57 138.2 | - | 102.3 | |
| | | | | | | | | 11-04-57 138.2 | - | 98.4 | |
| | | | | | | | | 11-06-57 138.1 | - | 98.3 | |
| | | | | | | | | 11-05-57 138.2 | - | 98.4 | |
| | | | | | | | | 11-11-57 132.1 | - | 96.4 | |
| | | | | | | | | 11-18-57 136.3 | - | 94.5 | |
| | | | | | | | | 11-25-57 136.5 | - | 98.7 | |
| | | | | | | | | 12-02-57 139.7 | - | 100.9 | |
| | | | | | | | | 12-06-57 137.8 | - | 102.0 | |
| | | | | | | | | 12-09-57 137.6 | - | 102.0 | |
| | | | | | | | | 12-09-57 147.4* | - | 109.0 | |
| | | | | | | | | 11-11-57 147.8* | - | 91.8 | |
| | | | | | | | | 11-18-57 147.8* | - | 91.4 | |
| | | | | | | | | 12-03-57 136.0 | - | 87.3 | |
| | | | | | | | | 12-03-57 135.1 | - | 87.3 | |
| | | | | | | | | 12-10-57 125.3 | - | 89.0 | |
| | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 45/12W-20J01 S | 38.4 | 7-18-57 143.0 | - | 104.6 | 1101 | | | | | | |
| | | 7-28-57 143.8 | - | 105.4 | | | | | | | |
| | | 7-30-57 141.2 | - | 102.8 | | | | | | | |
| | | 8-08-57 146.7 | - | 106.3 | | | | | | | |
| | | 8-13-57 145.1 | - | 106.7 | | | | | | | |
| | | 8-20-57 148.2 | - | 109.8 | | | | | | | |
| | | 8-27-57 148.5 | - | 110.1 | | | | | | | |
| | | 9-03-57 150.1 | - | 111.7 | | | | | | | |
| | | 9-10-57 150.1 | - | 111.7 | | | | | | | |
| | | 9-21-57 148.0* | - | 109.6 | | | | | | | |
| | | 10-01-57 163.1* | - | 124.9 | | | | | | | |
| | | 10-08-57 165.0* | - | 126.6 | | | | | | | |
| | | 10-15-57 158.2* | - | 119.8 | | | | | | | |
| | | 10-22-57 152.6* | - | 114.2 | | | | | | | |
| | | 10-26-57 153.6* | - | 115.2 | | | | | | | |
| | | 11-03-57 148.7* | - | 110.3 | | | | | | | |
| | | 11-11-57 147.4* | - | 109.0 | | | | | | | |
| | | 11-18-57 147.8* | - | 109.4 | | | | | | | |
| | | 12-03-57 136.0 | - | 97.6 | | | | | | | |
| | | 12-03-57 135.1 | - | 96.7 | | | | | | | |
| | | 12-10-57 125.3 | - | 86.9 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| 4S/12M-21F01 S | 35.8 | 1-07-58 | 130.4 | 94.6 | 1101 | 4S/12M-21M02 S | 36.0 | 10-22-57 | 131.3 | 95.3 | 1101 |
| CONT. | | 1-13-58 | 123.7 | 87.9 | | CONT. | | 10-29-57 | 132.5 | 96.5 | |
| | | 1-20-58 | 126.6 | 91.0 | | | | 11-03-57 | 127.5 | 91.5 | |
| | | 2-03-58 | 124.7 | 88.9 | | | | 11-19-57 | 126.3 | 90.0 | |
| | | 2-10-58 | 125.6 | 89.6 | | | | 11-26-57 | 131.4 | 95.4 | |
| | | 2-11-58 | 126.7 | 89.6 | | | | 12-03-57 | 176.1* | 138.1 | |
| | | 2-16-58 | 125.9 | 90.9 | | | | 12-10-57 | 120.3 | 84.3 | |
| | | 2-24-58 | 122.1 | 88.3 | | | | 12-17-57 | 117.1 | 81.1 | |
| | | 3-03-58 | 122.1 | 88.3 | | | | 12-24-57 | 116.1 | 80.1 | |
| | | 3-10-58 | 112.8 | 77.0 | | | | 12-31-57 | 164.8* | 128.8 | |
| | | 3-17-58 | 110.3 | 74.5 | | | | 1-07-58 | 123.0* | 87.0 | |
| | | 3-24-58 | 108.1 | 72.3 | | | | 1-14-58 | 120.0* | 84.0 | |
| | | 4-01-58 | 112.6 | 76.8 | | | | 1-28-58 | 117.1 | 81.1 | |
| | | 4-14-58 | 116.6 | 80.8 | | | | 2-02-58 | 109.1 | 73.1 | |
| | | 4-15-58 | 114.2 | 78.4 | | | | 2-18-58 | 166.3* | 130.3 | |
| | | 4-21-58 | 117.3 | 81.5 | | | | 2-25-58 | 117.8 | 81.8 | |
| | | 4-28-58 | 120.5 | 84.7 | | | | 3-04-58 | 122.9 | 86.9 | |
| | | 4-29-58 | 121.3 | 85.5 | | | | 3-18-58 | 121.6 | 85.6 | |
| | | 5-05-58 | 123.5 | 87.7 | | | | 3-25-58 | 114.9 | 78.9 | |
| | | 5-12-58 | 124.8 | 89.0 | | | | 4-08-58 | 107.4 | 71.4 | |
| | | 5-19-58 | 126.9 | 91.1 | | | | 4-29-58 | 173.1* | 137.1 | |
| | | 5-20-58 | 127.1 | 91.3 | | | | 5-13-58 | 133.8 | 97.8 | |
| | | 5-26-58 | 131.3 | 95.5 | | | | 5-27-58 | 176.5* | 140.5 | |
| | | 6-02-58 | 129.4 | 93.6 | | | | 6-10-58 | 139.3 | 103.3 | |
| | | 6-09-58 | 130.0 | 94.2 | | | | 6-24-58 | 140.8 | 104.8 | |
| | | 6-10-58 | 130.3 | 94.5 | | | | | | | |
| | | 6-16-58 | 136.1 | 100.3 | | | | | | | |
| | | 6-23-58 | 132.7 | 96.9 | | | | | | | |
| | | 6-30-58 | 134.2 | 98.4 | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 41103 | | | | | | | | | | | |
| 4S/12M-21M04 S | 36.0 | 7-02-57 | 180.1* | 144.1 | 1101 | 4S/12M-21M04 S | 32.5 | 7-02-57 | 134.7 | 102.2 | 1101 |
| | | 7-09-57 | 181.5* | 145.5 | | | | 7-09-57 | 135.7 | 103.2 | |
| | | 7-16-57 | 182.1* | 146.1 | | | | 7-16-57 | 136.5 | 103.6 | |
| | | 7-30-57 | 181.0* | 145.0 | | | | 7-23-57 | 136.7 | 103.8 | |
| | | 8-06-57 | 180.5* | 144.5 | | | | 7-30-57 | 131.3 | 104.6 | |
| | | 8-13-57 | 180.8* | 144.8 | | | | 8-06-57 | 138.6 | 109.1 | |
| | | 8-20-57 | 182.3* | 146.3 | | | | 8-13-57 | 139.6 | 108.1 | |
| | | 8-27-57 | 183.9 | 148.3 | | | | 8-27-57 | 141.0 | 108.5 | |
| | | 9-03-57 | 169.1* | 132.1 | | | | 9-03-57 | 145.2 | 109.7 | |
| | | 9-10-57 | 169.1* | 132.1 | | | | 9-10-57 | 145.9 | 111.6 | |
| | | 9-17-57 | 183.1* | 147.2 | | | | 9-17-57 | 142.9 | 110.0 | |
| | | 9-24-57 | 183.1* | 147.2 | | | | 9-24-57 | 140.6 | 108.1 | |
| | | 10-01-57 | 181.2* | 145.2 | | | | 10-01-57 | 142.9 | 110.4 | |
| | | 10-08-57 | 181.8* | 145.8 | | | | 10-08-57 | 144.6 | 112.1 | |
| | | 10-15-57 | 181.8* | 145.8 | | | | 10-15-57 | 134.5 | 102.0 | |
| | | 10-22-57 | 181.8* | 145.8 | | | | 10-22-57 | 129.3 | 96.8 | |
| | | 10-29-57 | 181.8* | 145.8 | | | | 10-29-57 | 131.7 | 99.2 | |
| | | 10-13-57 | 134.7 | 98.7 | | | | 11-05-57 | 124.8 | 92.3 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|--------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41100 | | | | | | 41100 | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41103 | | | | | | 41103 | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41101 | | | | | | 41101 | | | | | |
| 45/12W-21M04 S | 32.5 | 11-12-57 | 123*5 | 91.2 | 1101 | 45/12W-21M05 S | 37.7 | 12-17-57 | 119*4 | 81.7 | 1101 |
| CONT. | | 11-19-57 | 125*8 | 93.3 | | CONT. | | 12-24-57 | 118.9 | 81.2 | |
| | | 11-26-57 | 129*1 | 96.6 | | | | 1-31-57 | 139*8 | 102.2 | |
| | | 12-03-57 | 127*8 | 95.3 | | | | 1-07-58 | 139*1* | 101.4 | |
| | | 12-10-57 | 118*2 | 85.7 | | | | 1-14-58 | 141*8* | 103.3 | |
| | | 12-17-57 | 114*1 | 81.6 | | | | 1-21-58 | 123*4 | 85.7 | |
| | | 12-24-57 | 113*7 | 81.2 | | | | 1-28-58 | 119*7 | 82.0 | |
| | | 12-31-57 | 116*5 | 84.0 | | | | 2-04-58 | 112*5 | 74.8 | |
| | | 1-07-58 | 115*4 | 82.9 | | | | 2-11-58 | 116*1 | 78.4 | |
| | | 1-14-58 | 117*7 | 85.2 | | | | 2-18-58 | 122*1 | 84.4 | |
| | | 1-21-58 | 117*8 | 85.3 | | | | 3-04-58 | 143*8* | 106.1 | |
| | | 1-28-58 | 112*2 | 79.7 | | | | 3-18-58 | 121*2 | 83.5 | |
| | | 2-04-58 | 107*1 | 74.6 | | | | 4-01-58 | 115*2 | 77.5 | |
| | | 2-18-58 | 116*4 | 83.9 | | | | 4-29-58 | 159*7* | 122.0 | |
| | | 3-04-58 | 120*0 | 87.5 | | | | 5-20-58 | 163*8* | 126.1 | |
| | | 3-18-58 | 115*9 | 83.4 | | | | 6-17-58 | 169*7* | 132.0 | |
| | | 4-01-58 | 118*7 | 86.2 | | | | | | | |
| | | 4-15-58 | 116*5 | 84.0 | | | | | | | |
| | | 4-29-58 | 130*6 | 98.1 | | | | | | | |
| | | 5-13-58 | 131*8 | 99.3 | | | | | | | |
| | | 6-04-58 | 137*9 | 105.4 | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41103 | | | | | | 41103 | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41101 | | | | | | 41101 | | | | | |
| 45/12W-21M05 S | 37.7 | 7-02-57 | 142*6* | 104.9 | 1101 | 45/12W-21M06 S | 36.0** | 6-04-58 | 18*8 | 17.2 | 1101 |
| | | 7-09-57 | 143*8* | 106.1 | | | | 7-19-57 | 65*0 | 43.2 | 1101 |
| | | 7-16-57 | 145*6* | 107.9 | | | | 7-28-57 | 63*1 | 41.3 | |
| | | 7-23-57 | 145*0* | 107.3 | | | | 8-09-57 | 66*3 | 44.5 | |
| | | 7-30-57 | 145*7* | 108.0 | | | | 9-13-57 | 66*4 | 44.6 | |
| | | 8-06-57 | 147*3* | 109.6 | | | | 10-04-57 | 66*0 | 44.2 | |
| | | 8-13-57 | 148*4* | 110.7 | | | | 10-25-57 | 62*5 | 40.7 | |
| | | 8-20-57 | 150*0* | 112.3 | | | | 11-15-57 | 60*2 | 38.4 | |
| | | 8-27-57 | 150*6* | 112.9 | | | | 12-06-57 | 60*0 | 38.2 | |
| | | 9-03-57 | 152*3* | 114.6 | | | | 12-27-57 | 58*3 | 36.5 | |
| | | 9-10-57 | 152*8* | 115.1 | | | | 1-17-58 | 58*3 | 36.9 | |
| | | 9-17-57 | 152*8* | 115.1 | | | | 2-07-58 | 58*3 | 36.5 | |
| | | 9-24-57 | 152*3* | 114.6 | | | | 2-28-58 | 55*1 | 36.3 | |
| | | 10-01-57 | 151*1* | 113.4 | | | | 3-21-58 | 55*8 | 34.0 | |
| | | 10-08-57 | 155*8* | 118.1 | | | | 4-11-58 | 54*7 | 32.9 | |
| | | 10-15-57 | 140*0* | 102.3 | | | | 5-09-58 | 56*2 | 34.4 | |
| | | 10-22-57 | 134*7* | 97.0 | | | | 5-23-58 | 57*8 | 36*0 | |
| | | 10-29-57 | 142*7* | 105.0 | | | | | | | |
| | | 11-05-57 | 130*6 | 92.9 | | | | | | | |
| | | 11-12-57 | 129*2 | 91.5 | | | | | | | |
| | | 11-19-57 | 149*2* | 111.5 | | | | | | | |
| | | 11-26-57 | 153*3* | 115.6 | | | | | | | |
| | | 12-03-57 | 151*1* | 113.4 | | | | | | | |
| | | 12-10-57 | 123*5 | 85.8 | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41103 | | | | | | 41103 | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41101 | | | | | | 41101 | | | | | |
| 45/12W-22M01 S | 26.0 | 7-11-57 | 74*5 | 48.5 | 1101 | 45/12W-22M01 S | 26.0 | 8-07-57 | 76*0 | 50.0 | 1101 |
| | | 8-07-57 | 76*0 | 50.0 | | | | 8-23-57 | 76*9 | 50.9 | |
| | | 8-23-57 | 76*9 | 50.9 | | | | 9-13-57 | 76*7 | 50.7 | |
| | | 9-13-57 | 76*7 | 50.7 | | | | 10-24-57 | 72*8 | 46.8 | |
| | | 10-24-57 | 72*8 | 46.8 | | | | 11-15-57 | 70*0 | 44.0 | |
| | | 11-15-57 | 70*0 | 44.0 | | | | 12-06-57 | 67*8 | 43.8 | |
| | | 12-06-57 | 67*8 | 43.8 | | | | 12-27-57 | 61*7 | 41.7 | |
| | | 12-27-57 | 61*7 | 41.7 | | | | 1-17-58 | 68*9 | 42.9 | |
| | | 1-17-58 | 68*9 | 42.9 | | | | 2-07-58 | 69*5 | 43.5 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 45/12W-22M01 S | 26.0 | 2-28-58 | 67.3 | 41.3 | 1101 | 45/12W-24K04 S | | 4-30-58 | | | 1101 |
| | | 3-21-58 | 66.8 | 40.8 | | | | 7-12-57 | 70.2 | 48.2 | |
| | | 4-11-58 | 63.8 | 37.8 | | | | 7-25-57 | 71.5 | 49.2 | 1101 |
| | | 5-02-58 | 67.0 | 41.0 | | | | 8-02-57 | 72.7 | 50.7 | 1101 |
| | | 6-13-58 | 71.3 | 45.3 | | | | | | | |
| 45/12W-23M02 S | 20.0 | 7-31-57 | 122.3 | 102.3 | 1101 | | | 8-27-57 | 73.6 | 51.3 | 3102 |
| | | 8-01-57 | 122.3 | 102.3 | | | | 9-13-57 | 76.1 | 52.1 | 1101 |
| | | 10-13-57 | 128.5 | 108.5 | | | | 10-24-57 | 67.9 | 45.9 | 3102 |
| | | 1-06-58 | 138.5 | 118.5 | | | | 11-31-57 | 64.9 | 42.6 | 3102 |
| | | 1-01-58 | 163.0 | 143.0 | | | | 11-28-57 | 62.7 | 40.7 | 1101 |
| 45/12W-23K03 S | 23.0 | 7-01-57 | 66.5* | 43.5 | 1101 | | | 12-08-57 | 60.4 | 38.4 | 3102 |
| | | 8-15-57 | 117.3* | 94.3 | | | | 12-21-57 | 57.6 | 35.6 | |
| | | 9-15-57 | 119.6* | 96.6 | | | | 1-30-58 | 59.4 | 37.4 | 3102 |
| | | 10-20-57 | 51.0* | 28.0 | | | | 2-01-58 | 58.3 | 36.4 | 1101 |
| | | 11-03-57 | 52.0* | 29.0 | | | | 2-02-58 | 58.3 | 36.4 | 3102 |
| | | 12-13-57 | 53.0* | 30.0 | | | | 2-28-58 | 55.3 | 33.3 | 1101 |
| | | 1-01-58 | 98.8* | 75.8 | | | | 2-28-58 | 58.0 | 35.8 | 3102 |
| | | 3-01-58 | 98.8* | 75.8 | | | | 3-21-58 | 55.1 | 33.1 | 1101 |
| | | 4-01-58 | 101.2* | 78.2 | | | | 3-21-58 | 56.2 | 34.2 | 3102 |
| | | 5-01-58 | 105.8* | 82.8 | | | | 4-11-58 | 52.3 | 30.3 | 1101 |
| 45/12W-24B01 S | 27.8 | 7-12-57 | 59.5 | 31.7 | 1101 | | | 4-25-58 | 51.5 | 29.2 | 3102 |
| | | 8-02-57 | 65.5 | 37.7 | | | | 5-01-58 | 55.9 | 33.3 | 1101 |
| | | 8-23-57 | 67.9 | 40.1 | | | | 5-23-58 | 54.3 | 32.3 | 3102 |
| | | 9-13-57 | 51.1 | 23.3 | | | | 6-13-58 | 61.3 | 39.3 | 1101 |
| | | 10-24-57 | 51.1 | 23.3 | | | | 6-26-58 | 64.8 | 42.5 | 3102 |
| | | 11-05-57 | 43.0 | 15.2 | | | | | | | |
| | | 11-15-57 | 41.3 | 13.5 | | | | | | | |
| | | 12-06-57 | 46.6 | 18.8 | | | | | | | |
| | | 1-27-57 | 39.7 | 11.9 | | | | | | | |
| | | 1-17-58 | 51.2* | 23.4 | | | | | | | |
| | | 2-07-58 | 41.6 | 13.8 | | | | | | | |
| | | 3-21-58 | 35.2 | 7.4 | | | | | | | |
| | | 4-11-58 | 34.0 | 6.2 | | | | | | | |
| | | 5-02-58 | 33.1 | 5.3 | | | | | | | |
| | | 6-23-58 | 38.0 | 10.2 | | | | | | | |
| | | 6-13-58 | 41.6 | 13.8 | | | | | | | |
| | | 6-13-58 | 46.6 | 18.8 | | | | | | | |
| 45/12W-24J01 S | 25.0 | 11-05-57 | 69.2 | 44.2 | 1101 | 45/12W-24M02 S | 24.1 | 7-02-57 | 107.3* | 83.2 | 1101 |
| | | 4-29-58 | 59.7 | 34.7 | | | | 7-09-57 | 108.7* | 84.6 | |
| | | 11-05-57 | DRY | | | | | 7-16-57 | 107.8* | 83.7 | |
| 45/12W-24K04 S | | | | | | | | 7-23-57 | 108.8* | 84.0 | |
| | | | | | | | | 7-30-57 | 109.2* | 85.1 | |
| | | | | | | | | 8-06-57 | 100.9* | 76.8 | |
| | | | | | | | | 8-13-57 | 108.9* | 84.8 | |
| | | | | | | | | 8-20-57 | 110.7* | 86.6 | |
| | | | | | | | | 9-27-57 | 110.8* | 86.7 | |
| | | | | | | | | 9-03-57 | 111.1* | 87.0 | |
| | | | | | | | | 9-10-57 | 113.6* | 89.5 | |
| | | | | | | | | 9-17-57 | 111.1* | 87.0 | |
| | | | | | | | | 9-24-57 | 110.2* | 86.1 | |
| | | | | | | | | 10-01-57 | 110.8* | 86.7 | |
| | | | | | | | | 10-08-57 | 110.7* | 86.6 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Date | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Date |
|--------------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|-----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 45/12N-24M02 S | 24.1 | 10-15-57 | 108.1* | 86.0 | 1101 | 45/12M-24M04 S | 22.9 | 1-2-17-57 | 98.6* | 75.7 | 1101 |
| CONT. | | 10-22-57 | 107.6* | 83.5 | | CONT. | | 1-24-57 | 86.4 | 63.5 | |
| | | 10-29-57 | 105.5* | 81.4 | | | | 1-31-57 | 86.1 | 63.2 | |
| | | 11-05-57 | 104.0* | 78.9 | | | | 1-07-58 | 82.4 | 59.5 | |
| | | 11-12-57 | 102.9* | 78.8 | | | | 1-14-58 | 84.2 | 61.3 | |
| | | 11-19-57 | 102.4* | 78.3 | | | | 1-21-58 | 96.7* | 73.8 | |
| | | 11-26-57 | 102.3* | 78.2 | | | | 2-04-58 | 81.0 | 58.1 | |
| | | 12-03-57 | 101.5* | 77.4 | | | | 3-04-58 | 97.7* | 74.8 | |
| | | 12-10-57 | 99.8* | 75.7 | | | | 3-18-58 | 84.0 | 61.9 | |
| | | 12-17-57 | 99.9* | 75.8 | | | | 4-02-58 | 78.1 | 55.2 | |
| | | 12-24-57 | 97.8* | 73.7 | | | | 4-29-58 | 84.8 | 61.9 | |
| | | 12-31-57 | 96.9* | 72.8 | | | | 5-06-58 | 87.0 | 64.1 | |
| | | 1-07-58 | 82.1 | 58.0 | | | | 5-13-58 | 97.0* | 74.9 | |
| | | 1-14-58 | 101.4* | 77.3 | | | | 5-20-58 | 87.6 | 64.7 | |
| | | 1-21-58 | 97.5* | 73.4 | | | | 6-17-58 | 100.8* | 77.6 | |
| | | 2-04-58 | 81.2 | 57.1 | | | | | | | |
| | | 2-11-58 | 95.8* | 71.7 | | 45/12M-24N01 S | 20.5 | 7-25-57 | 29.2 | 8.7 | 3102 |
| | | 3-04-58 | 99.0* | 74.9 | | | | 8-27-57 | 29.9 | 9.4 | |
| | | 4-01-58 | 81.0 | 57.7 | | | | 9-26-57 | 28.3 | 7.8 | |
| | | 4-29-58 | 95.9* | 71.8 | | | | 10-31-57 | 27.0 | 7.3 | |
| | | 5-06-58 | 96.7* | 72.6 | | | | 11-29-57 | 29.3 | 8.8 | |
| | | 6-04-58 | 100.4* | 76.3 | | | | 12-27-57 | 29.0 | 8.5 | |
| 45/12M-24M04 S | 22.9 | 7-02-57 | 105.3* | 82.4 | 1101 | | | 1-30-58 | 28.5 | 8.0 | |
| | | 7-09-57 | 106.2* | 83.3 | | | | 2-28-58 | 26.5 | 6.0 | |
| | | 7-16-57 | 106.5* | 83.6 | | | | 3-28-58 | 26.1 | 5.6 | |
| | | 7-23-57 | 106.8* | 83.9 | | | | 4-25-58 | 25.2 | 4.7 | |
| | | 7-30-57 | 107.2* | 84.3 | | | | 5-29-58 | 25.9 | 5.4 | |
| | | 8-06-57 | 107.6* | 84.7 | | | | 6-26-58 | 27.3 | 6.8 | |
| | | 8-13-57 | 107.6* | 84.7 | | 45/12M-25E01 S | 8.0 | 11-13-57 | 88.9 | 80.9 | 1101 |
| | | 8-20-57 | 109.2* | 86.3 | | | | 5-12-58 | 84.7 | 76.7 | |
| | | 8-27-57 | 109.6* | 86.7 | | | | | | | |
| | | 9-03-57 | 109.2* | 86.3 | | | | 7-01-57 | 66.0 | 46.3 | 1101 |
| | | 9-10-57 | 111.0* | 88.1 | | | | 7-19-57 | 69.1 | 49.4 | |
| | | 9-17-57 | 109.0* | 86.1 | | | | 8-05-57 | 70.5 | 50.8 | |
| | | 9-24-57 | 109.0* | 86.1 | | | | 8-09-57 | 71.2 | 51.5 | |
| | | 10-01-57 | 109.6* | 86.7 | | | | 8-29-57 | 71.1 | 51.4 | |
| | | 10-08-57 | 109.5* | 86.6 | | | | 9-13-57 | 70.2 | 50.5 | |
| | | 10-15-57 | 101.1 | 78.2 | | | | 10-02-57 | 69.1 | 49.4 | |
| | | 10-22-57 | 107.3* | 84.4 | | | | 10-04-57 | 68.2 | 48.5 | |
| | | 11-05-57 | 103.4* | 80.5 | | | | 10-25-57 | 57.4 | 37.7 | |
| | | 11-12-57 | 101.8* | 78.9 | | | | 11-05-57 | 63.0 | 43.3 | |
| | | 11-19-57 | 101.0* | 78.1 | | | | 11-15-57 | 61.4 | 41.7 | |
| | | 11-26-57 | 100.7* | 77.8 | | | | 12-04-57 | 61.7 | 42.0 | |
| | | 12-03-57 | 100.8* | 77.9 | | | | 12-06-57 | 61.9 | 42.2 | |
| | | 12-10-57 | 90.0 | 67.1 | | | | 12-27-57 | 58.4 | 38.7 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 45/12W-26F02 S | 19.7 | 1-07-58 | 58.3 | 38.6 | 1101 | 45/12W-26M01 S | 16.0 | 2-28-58 | 68.9 | 52.9 | 1101 |
| CONT. | | 1-17-58 | 58.0 | 39.2 | | CONT. | | 3-21-58 | 67.3 | 51.3 | |
| | | 2-07-58 | 58.3 | 38.6 | | | | 4-11-58 | 65.9 | 49.9 | |
| | | 2-11-58 | 58.3 | 39.1 | | | | 5-02-58 | 74.2 | 58.2 | |
| | | 2-28-58 | 58.6 | 38.9 | | | | 5-23-58 | 76.6 | 60.6 | |
| | | 3-03-58 | 58.7 | 39.0 | | | 16.6 | 6-13-58 | 79.8 | 63.2 | |
| | | 3-21-58 | 58.3 | 36.6 | | | | | | | |
| | | 4-11-58 | 53.8 | 34.1 | | 45/12W-28H01 S | 24.4 | 7-02-57 | 138.6 | 114.2 | 1101 |
| | | 4-15-58 | 53.1 | 34.4 | | | | 7-09-57 | 140.5 | 116.1 | |
| | | 4-28-58 | 56.1 | 36.4 | | | | 7-16-57 | 141.9 | 117.5 | |
| | | 5-02-58 | 56.0 | 36.3 | | | | 7-23-57 | 142.5 | 118.1 | |
| | | 5-20-58 | 58.1 | 38.4 | | | | 7-30-57 | 141.9 | 117.5 | |
| | | 5-23-58 | 57.8 | 39.1 | | | | 8-06-57 | 169.7* | 145.3 | |
| | | 6-10-58 | 61.1 | 41.4 | | | | 8-13-57 | 170.6* | 146.2 | |
| | | 6-13-58 | 61.2 | 41.5 | | | | 8-20-57 | 164.8* | 140.4 | |
| 45/12W-26G01 S | 15.3 | 7-19-57 | 61.7 | 46.4 | 1101 | | | 8-28-57 | 138.6 | 114.2 | |
| | | 8-09-57 | 63.2 | 47.9 | | | | 9-03-57 | 138.9 | 114.5 | |
| | | 9-13-57 | 65.8 | 49.5 | | | | 9-10-57 | 139.0 | 114.6 | |
| | | 10-04-57 | 63.5 | 48.2 | | | | 9-17-57 | 139.0 | 114.6 | |
| | | 10-23-57 | 66.8 | 49.5 | | | | 9-24-57 | 138.4 | 114.0 | |
| | | 11-13-57 | 54.2 | 38.9 | | | | 10-01-57 | 138.8 | 114.4 | |
| | | 11-18-57 | 54.7 | 39.4 | | | | 10-08-57 | 138.1 | 113.7 | |
| | | 12-06-57 | 54.7 | 39.4 | | | | 10-15-57 | 126.0 | 101.6 | |
| | | 12-27-57 | 51.3 | 36.0 | | | | 10-22-57 | 124.0 | 99.5 | |
| | | 1-17-58 | 51.6 | 36.3 | | | | 10-29-57 | 132.1* | 107.7 | |
| | | 2-07-58 | 52.1 | 36.8 | | | | 11-05-57 | 119.7 | 95.3 | |
| | | 2-28-58 | 51.7 | 36.4 | | | | 11-12-57 | 119.0 | 94.6 | |
| | | 3-11-58 | 48.2 | 33.0 | | | | 11-19-57 | 117.6 | 93.2 | |
| | | 3-18-58 | 48.7 | 33.2 | | | | 11-26-57 | 129.1* | 104.7 | |
| | | 5-02-58 | 48.7 | 33.2 | | | | 12-03-57 | 122.4 | 98.0 | |
| | | 5-25-58 | 50.6 | 35.3 | | | | 12-10-57 | 132.9* | 108.5 | |
| | | 6-13-58 | 53.8 | 38.5 | | | | 12-17-57 | 122.8 | 98.4 | |
| 45/12W-26G02 S | 15.7 | 11-05-57 | 18.0 | 2.3 | 1101 | | | 12-24-57 | 125.9* | 105.4 | |
| | | 4-30-58 | 18.2 | 4.5 | | | | 12-31-57 | 123.7* | 105.3 | |
| 45/12N-26M01 S | 16.0 | 7-19-57 | 86.4 | 70.4 | 1101 | | | 1-04-58 | 177.9 | 150.2 | |
| | | 8-09-57 | 89.0 | 73.0 | | | | 1-21-58 | 111.8 | 87.2 | |
| | | 9-13-57 | 90.0 | 74.0 | | | | 2-04-58 | 148.5* | 124.1 | |
| | | 10-04-57 | 88.1 | 72.1 | | | | 2-18-58 | 105.4 | 81.0 | |
| | | 10-25-67 | 82.6 | 66.6 | | | | 3-04-58 | 101.5 | 77.0 | |
| | | 11-15-57 | 78.0 | 62.0 | | | | 4-01-58 | 100.0 | 75.6 | |
| | | 12-06-57 | 76.1 | 60.1 | | | | 5-06-58 | 115.9 | 91.5 | |
| | | 12-27-57 | 70.0 | 54.0 | | | | 6-04-58 | 121.7 | 97.3 | |
| | | 1-17-58 | 71.4 | 55.4 | | | | | | | |
| | | 2-07-58 | 68.6 | 52.6 | | | | 7-02-57 | 164.7* | 139.0 | |
| | | | | | | | | 7-09-57 | 166.3* | 140.6 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 4S/12W-28H06 S 25.7 | | | | | | | | | | | |
| | | 7-16-57 | 167.5* | 141.8 | 1101 | 4S/12W-28H08 S | 31.3 | 9-23-57 | 68.2 | 36.9 | 1101 |
| | | 7-32-57 | 168.0* | 142.3 | | CONT. | | 9-30-57 | 68.2 | 36.9 | |
| | | 8-06-57 | 167.8* | 142.1 | | | | 10-07-57 | 68.1 | 36.8 | |
| | | 8-13-57 | 173.0* | 142.3 | | | | 10-14-57 | 67.9 | 36.6 | |
| | | 8-20-57 | 174.0* | 142.1 | | | | 10-21-57 | 67.2 | 35.9 | |
| | | 8-27-57 | 167.8* | 142.1 | | | | 10-28-57 | 66.7 | 35.4 | |
| | | 9-03-57 | 166.2* | 140.5 | | | | 11-04-57 | 66.4 | 35.1 | |
| | | 9-10-57 | 166.7* | 140.0 | | | | 11-11-57 | 66.0 | 34.7 | |
| | | 9-17-57 | 166.1* | 140.4 | | | | 11-18-57 | 65.7 | 34.4 | |
| | | 9-27-57 | 165.8* | 140.3 | | | | 11-25-57 | 65.5 | 34.2 | |
| | | 10-01-57 | 166.2* | 140.1 | | | | 12-02-57 | 65.4 | 34.1 | |
| | | 10-08-57 | 165.9* | 140.5 | | | | 12-09-57 | 65.3 | 34.0 | |
| | | 10-15-57 | 127.6 | 101.9 | | | | 12-16-57 | 64.9 | 33.6 | |
| | | 10-22-57 | 125.5 | 99.8 | | | | 12-23-57 | 64.6 | 33.3 | |
| | | 10-29-57 | 159.9* | 134.2 | | | | 12-30-57 | 64.3 | 33.0 | |
| | | 11-05-57 | 122.9 | 97.2 | | | | 1-06-58 | 64.4 | 33.1 | |
| | | 11-12-57 | 119.6 | 93.9 | | | | 1-13-58 | 64.4 | 33.1 | |
| | | 11-19-57 | 118.3 | 92.6 | | | | 1-20-58 | 64.6 | 33.3 | |
| | | 11-26-57 | 156.1* | 130.4 | | | | 1-27-58 | 64.7 | 33.4 | |
| | | 12-03-57 | 123.1 | 97.4 | | | | 2-03-58 | 64.4 | 33.1 | |
| | | 12-10-57 | 125.4 | 99.7 | | | | 2-10-58 | 64.3 | 33.0 | |
| | | 12-17-57 | 124.2 | 98.5 | | | | 2-17-58 | 64.1 | 32.8 | |
| | | 12-24-57 | 128.7 | 103.0 | | | | 2-24-58 | 64.1 | 32.8 | |
| | | 12-31-57 | 127.5 | 101.8 | | | | 3-03-58 | 64.0 | 32.7 | |
| | | 1-07-58 | 125.6 | 99.9 | | | | 3-10-58 | 64.0 | 32.7 | |
| | | 1-14-58 | 118.8 | 93.1 | | | | 3-17-58 | 63.8 | 32.5 | |
| | | 1-21-58 | 114.8 | 89.1 | | | | 3-24-58 | 63.2 | 31.9 | |
| | | 2-04-58 | 125.9 | 100.2 | | | | 4-01-58 | 62.5 | 31.2 | |
| | | 3-04-58 | 102.5 | 76.8 | | | | 4-07-58 | 62.3 | 31.0 | |
| | | 4-01-58 | 102.1 | 76.4 | | | | 4-14-58 | 62.2 | 30.9 | |
| | | 5-06-58 | 117.3 | 91.6 | | | | 4-21-58 | 62.2 | 30.9 | |
| | | 6-04-58 | 122.7 | 97.0 | | | | 5-05-58 | 62.3 | 31.0 | |
| | | 7-01-57 | 65.8 | 34.5 | 1101 | | | 5-12-58 | 62.7 | 31.4 | |
| | | 7-08-57 | 66.2 | 34.9 | | | | 5-19-58 | 62.8 | 31.5 | |
| | | 7-15-57 | 66.6 | 35.3 | | | | 5-26-58 | 63.0 | 31.7 | |
| | | 7-22-57 | 66.9 | 35.6 | | | | 6-02-58 | 64.0 | 32.0 | |
| | | 7-29-57 | 67.0 | 35.7 | | | | 6-09-58 | 64.4 | 33.1 | |
| | | 8-05-57 | 67.6 | 36.3 | | | | 6-16-58 | 64.8 | 33.5 | |
| | | 8-12-57 | 67.8 | 36.5 | | | | 6-23-58 | 65.1 | 33.8 | |
| | | 8-19-57 | 68.0 | 36.7 | | | | 6-30-58 | 65.4 | 34.1 | |
| | | 8-26-57 | 68.2 | 36.9 | | | | | | | |
| | | 9-02-57 | 68.3 | 37.0 | | | | 7-01-57 | 122.1 | 90.9 | |
| | | 9-09-57 | 68.2 | 36.9 | | | | 7-08-57 | 122.8 | 91.6 | |
| | | 9-16-57 | 68.2 | 36.9 | | | | 7-15-57 | 124.0 | 92.6 | |
| | | | | | | | | 7-22-57 | 124.3 | 93.1 | |
| | | | | | | | | 7-29-57 | 124.5 | 93.3 | |
| | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 4S/12W-28H09 S 31.2 | | | | | | | | | | | |
| | | 7-01-57 | 122.1 | 90.9 | | 4S/12W-28H09 S | 31.2 | 7-01-57 | 122.1 | 90.9 | 1101 |
| | | 7-08-57 | 122.8 | 91.6 | | | | 7-08-57 | 122.8 | 91.6 | |
| | | 7-15-57 | 124.0 | 92.6 | | | | 7-15-57 | 124.0 | 92.6 | |
| | | 7-22-57 | 124.3 | 93.1 | | | | 7-22-57 | 124.3 | 93.1 | |
| | | 7-29-57 | 124.5 | 93.3 | | | | 7-29-57 | 124.5 | 93.3 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 45/12W-28H09 S | 31.2 | 8-05-57 | 124.6 | 93.4 | 1101 | 45/12W-28H09 S | 31.2 | 6-23-58 | 123.9 | 92.7 | 1101 |
| | | 8-12-57 | 125.3 | 93.1 | | | | 6-30-58 | 124.1 | 92.9 | |
| | | 8-19-57 | 124.2 | 93.0 | | | | | | | |
| | | 8-26-57 | 126.1 | 93.0 | | | | | | | |
| | | 9-02-57 | 128.6 | 91.4 | | | | 7-02-57 | 152.2* | 129.7 | 1101 |
| | | 9-09-57 | 128.9 | 91.6 | | | | 7-09-57 | 154.1* | 131.6 | |
| | | 9-16-57 | 129.7 | 91.6 | | | | 7-16-57 | 154.8* | 132.0 | |
| | | 9-23-57 | 129.7 | 91.6 | | | | 7-23-57 | 155.8* | 132.8 | |
| | | 10-07-57 | 129.7 | 91.5 | | | | 7-30-57 | 155.2* | 132.7 | |
| | | 10-14-57 | 129.6 | 91.4 | | | | 8-06-57 | 155.9 | 133.4 | |
| | | 10-21-57 | 119.0 | 87.8 | | | | 8-13-57 | 156.4 | 133.4 | |
| | | 10-28-57 | 118.2 | 87.0 | | | | 8-20-57 | 157.3 | 134.0 | |
| | | 11-04-57 | 114.6 | 83.4 | | | | 9-27-57 | 157.4 | 134.0 | |
| | | 11-11-57 | 113.0 | 81.8 | | | | 9-03-57 | 158.8 | 134.8 | |
| | | 11-18-57 | 112.7 | 81.5 | | | | 9-10-57 | 159.3 | 135.1 | |
| | | 11-25-57 | 117.5 | 86.3 | | | | 9-17-57 | 159.3 | 135.1 | |
| | | 12-02-57 | 113.7 | 82.5 | | | | 9-24-57 | 159.6 | 135.2 | |
| | | 12-09-57 | 110.1 | 78.9 | | | | 10-01-57 | 159.4 | 135.0 | |
| | | 12-16-57 | 106.3 | 75.1 | | | | 10-08-57 | 159.3 | 134.8 | |
| | | 12-23-57 | 105.4 | 74.2 | | | | 10-15-57 | 159.3 | 134.8 | |
| | | 12-30-57 | 105.0 | 73.8 | | | | 10-22-57 | 159.4 | 134.8 | |
| | | 1-06-58 | 106.4 | 75.2 | | | | 10-29-57 | 124.4 | 101.0 | |
| | | 1-13-58 | 104.9 | 73.7 | | | | 11-05-57 | 115.8 | 93.3 | |
| | | 1-20-58 | 109.7 | 78.5 | | | | 11-12-57 | 115.8 | 93.3 | |
| | | 1-27-58 | 104.8 | 73.6 | | | | 11-19-57 | 112.5 | 90.0 | |
| | | 2-03-58 | 102.5 | 71.3 | | | | 11-26-57 | 123.8* | 101.3 | |
| | | 2-10-58 | 99.9 | 68.7 | | | | 12-03-57 | 116.7 | 94.2 | |
| | | 2-17-58 | 105.2 | 74.0 | | | | 12-10-57 | 116.3 | 93.8 | |
| | | 2-24-58 | 107.1 | 75.9 | | | | 12-17-57 | 114.1 | 91.6 | |
| | | 3-03-58 | 104.8 | 73.6 | | | | 12-24-57 | 116.7 | 94.2 | |
| | | 3-10-58 | 110.5 | 78.3 | | | | 12-31-57 | 115.9 | 94.4 | |
| | | 3-17-58 | 104.5 | 73.4 | | | | 1-07-58 | 117.0 | 94.5 | |
| | | 3-24-58 | 104.3 | 73.1 | | | | 1-14-58 | 110.5 | 88.0 | |
| | | 4-01-58 | 100.2 | 69.0 | | | | 1-21-58 | 107.1 | 84.6 | |
| | | 4-07-58 | 99.0 | 67.8 | | | | 2-04-58 | 113.3 | 90.8 | |
| | | 4-14-58 | 102.3 | 71.1 | | | | 3-04-58 | 103.2 | 77.7 | |
| | | 4-21-58 | 109.0 | 76.8 | | | | 4-01-58 | 96.4 | 73.9 | |
| | | 4-28-58 | 114.6 | 83.4 | | | | 4-29-58 | 149.4* | 126.0 | |
| | | 5-05-58 | 117.1 | 85.9 | | | | 5-27-58 | 146.8* | 125.3 | |
| | | 5-12-58 | 117.2 | 86.0 | | | | 6-04-58 | 147.7* | 125.2 | |
| | | 5-19-58 | 119.4 | 88.2 | | | | | | | |
| | | 5-26-58 | 120.0 | 88.8 | | | | 7-01-57 | 61.6 | 47.8 | 1101 |
| | | 6-02-58 | 121.8 | 90.6 | | | | 8-06-57 | 65.0 | 51.2 | |
| | | 6-09-58 | 124.6 | 93.4 | | | | 8-23-57 | 65.9 | 52.1 | |
| | | 6-16-58 | 123.5 | 92.3 | | | | 10-02-57 | 68.5 | 52.4 | |
| | | | | | | | | 1-03-57 | 63.8 | 47.7 | |
| | | | | | | | | 12-04-57 | 61.2 | 45.1 | |
| | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 45/12W-28H09 S | 31.2 | 8-05-57 | 124.6 | 93.4 | 1101 | 45/12W-28H09 S | 31.2 | 6-23-58 | 123.9 | 92.7 | 1101 |
| | | 8-12-57 | 125.3 | 93.1 | | | | 6-30-58 | 124.1 | 92.9 | |
| | | 8-19-57 | 124.2 | 93.0 | | | | | | | |
| | | 8-26-57 | 126.1 | 93.0 | | | | | | | |
| | | 9-02-57 | 128.6 | 91.4 | | | | 7-02-57 | 152.2* | 129.7 | 1101 |
| | | 9-09-57 | 128.9 | 91.6 | | | | 7-09-57 | 154.1* | 131.6 | |
| | | 9-16-57 | 129.7 | 91.6 | | | | 7-16-57 | 154.8* | 132.0 | |
| | | 9-23-57 | 129.7 | 91.6 | | | | 7-23-57 | 155.8* | 132.8 | |
| | | 10-07-57 | 129.7 | 91.5 | | | | 7-30-57 | 155.2* | 132.7 | |
| | | 10-14-57 | 129.6 | 91.4 | | | | 8-06-57 | 155.9 | 133.4 | |
| | | 10-21-57 | 119.0 | 87.8 | | | | 8-13-57 | 156.4 | 133.4 | |
| | | 10-28-57 | 118.2 | 87.0 | | | | 8-20-57 | 157.3 | 134.0 | |
| | | 11-04-57 | 114.6 | 83.4 | | | | 9-27-57 | 157.4 | 134.0 | |
| | | 11-11-57 | 113.0 | 81.8 | | | | 9-03-57 | 158.8 | 134.8 | |
| | | 11-18-57 | 112.7 | 81.5 | | | | 9-10-57 | 159.3 | 135.1 | |
| | | 11-25-57 | 117.5 | 86.3 | | | | 9-17-57 | 159.3 | 135.1 | |
| | | 12-02-57 | 113.7 | 82.5 | | | | 9-24-57 | 159.6 | 135.2 | |
| | | 12-09-57 | 110.1 | 78.9 | | | | 10-01-57 | 159.4 | 135.0 | |
| | | 12-16-57 | 106.3 | 75.1 | | | | 10-08-57 | 159.3 | 134.8 | |
| | | 12-23-57 | 105.4 | 74.2 | | | | 10-15-57 | 159.3 | 134.8 | |
| | | 12-30-57 | 105.0 | 73.8 | | | | 10-22-57 | 124.4 | 101.0 | |
| | | 1-06-58 | 106.4 | 75.2 | | | | 11-05-57 | 115.8 | 93.3 | |
| | | 1-13-58 | 104.9 | 73.7 | | | | 11-12-57 | 112.5 | 90.0 | |
| | | 1-20-58 | 109.7 | 78.5 | | | | 11-19-57 | 112.5 | 90.0 | |
| | | 1-27-58 | 104.8 | 73.6 | | | | 11-26-57 | 123.8* | 101.3 | |
| | | 2-03-58 | 102.5 | 71.3 | | | | 12-03-57 | 116.7 | 94.2 | |
| | | 2-10-58 | 99.9 | 68.7 | | | | 12-10-57 | 116.3 | 93.8 | |
| | | 2-17-58 | 105.2 | 74.0 | | | | 12-17-57 | 114.1 | 91.6 | |
| | | 2-24-58 | 107.1 | 75.9 | | | | 12-24-57 | 116.7 | 94.2 | |
| | | 3-03-58 | 104.8 | 73.6 | | | | 12-31-57 | 115.9 | 94.4 | |
| | | 3-10-58 | 110.5 | 78.3 | | | | 1-07-58 | 117.0 | 94.5 | |
| | | 3-17-58 | 104.5 | 73.4 | | | | 1-14-58 | 110.5 | 88.0 | |
| | | 3-24-58 | 104.3 | 73.1 | | | | 1-21-58 | 107.1 | 84.6 | |
| | | 4-01-58 | 100.2 | 69.0 | | | | 2-04-58 | 113.3 | 90.8 | |
| | | 4-07-58 | 99.0 | 67.8 | | | | 3-04-58 | 103.2 | 77.7 | |
| | | 4-14-58 | 102.3 | 71.1 | | | | 4-01-58 | 96.4 | 73.9 | |
| | | 4-21-58 | 109.0 | 76.8 | | | | 4-29-58 | 149.4* | 126.0 | |
| | | 4-28-58 | 114.6 | 83.4 | | | | 5-27-58 | 146.8* | 125.3 | |
| | | 5-05-58 | 117.1 | 85.9 | | | | 6-04-58 | 147.7* | 125.2 | |
| | | 5-12-58 | 117.2 | 86.0 | | | | | | | |
| | | 5-19-58 | 119.4 | 88.2 | | | | 7-01-57 | 61.6 | 47.8 | 1101 |
| | | 5-26-58 | 120.0 | 88.8 | | | | 8-06-57 | 65.0 | 51.2 | |
| | | 6-02-58 | 121.8 | 90.6 | | | | 8-23-57 | 65.9 | 52.1 | |
| | | 6-09-58 | 124.6 | 93.4 | | | | 10-02-57 | 68.5 | 52.4 | |
| | | 6-16-58 | 123.5 | 92.3 | | | | 1-03-57 | 63.8 | 47.7 | |
| | | | | | | | | 12-04-57 | 61.2 | 45.1 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 4S/12W-34B02 S | 16.1 | 1-07-58 | 57.2 | 41.1 | 1101 | 4S/12W-35C02 S | 16.8 | 12-16-57 | 48.5 | 31.7 | 1101 |
| CONT. | | 2-11-58 | 57.1 | 40.9 | | | | 12-23-57 | 47.9 | 31.1 | |
| | | 3-03-58 | 57.0 | 40.9 | | | | 12-30-57 | 47.4 | 30.6 | |
| | | 4-13-58 | 52.9 | 36.8 | | | | 1-06-58 | 47.2 | 30.4 | |
| | | 4-29-58 | 40.0* | 23.9 | | | | 1-13-58 | 47.5 | 30.7 | |
| | | 5-20-58 | 54.7 | 38.6 | | | | 1-20-58 | 47.8 | 31.0 | |
| | | 6-10-58 | 57.0 | 40.9 | | | | 1-27-58 | 48.1 | 31.3 | |
| 4S/12W-34J02 S | 79.5 | 11-05-57 | 124.3* | 44.8 | 1101 | | | 2-03-58 | 48.0 | 31.2 | |
| | | 5-12-58 | 120.0* | 40.5 | | | | 2-10-58 | 47.6 | 30.8 | |
| | | | | | | | | 2-17-58 | 47.4 | 30.6 | |
| | | | | | | | | 2-24-58 | 47.0 | 30.2 | |
| 4S/12W-35C01 S | 9.1 | 7-19-57 | 56.7 | 47.6 | 1101 | | | 3-03-58 | 46.8 | 30.0 | |
| | | 8-09-57 | 58.1 | 49.0 | | | | 3-10-58 | 46.4 | 29.6 | |
| | | 9-13-57 | 57.8 | 40.7 | | | | 3-17-58 | 46.0 | 29.2 | |
| | | 10-04-57 | 56.9 | 47.8 | | | | 3-24-58 | 45.0 | 28.2 | |
| | | 10-23-57 | 52.4 | 43.3 | | | | 4-01-58 | 42.6 | 25.8 | |
| | | 11-13-57 | 50.0 | 40.9 | | | | 4-07-58 | 43.0 | 26.2 | |
| | | 12-06-57 | 51.1 | 42.0 | | | | 4-14-58 | 42.6 | 25.8 | |
| | | 12-27-57 | 46.6 | 37.5 | | | | 4-21-58 | 42.6 | 25.8 | |
| | | 1-17-58 | 46.7 | 37.6 | | | | 4-28-58 | 43.0 | 26.2 | |
| | | 2-07-58 | 47.0 | 37.9 | | | | 5-05-58 | 43.1 | 26.3 | |
| | | 2-28-58 | 46.8 | 37.7 | | | | 5-12-58 | 43.4 | 26.6 | |
| | | 3-21-58 | 43.5 | 34.4 | | | | 5-19-58 | 43.9 | 27.1 | |
| | | 4-11-58 | 42.4 | 33.3 | | | | 5-26-58 | 44.5 | 27.7 | |
| | | 5-02-58 | 44.1 | 35.0 | | | | 6-02-58 | 46.7 | 29.9 | |
| | | 5-23-58 | 48.0 | 38.9 | | | | 6-09-58 | 47.3 | 30.5 | |
| | | 6-13-58 | 48.5 | 39.4 | | | | 6-16-58 | 47.7 | 30.9 | |
| | | | | | | | | 6-23-58 | 48.1 | 31.3 | |
| 4S/12W-35C02 S | 16.8 | 7-01-57 | 51.6 | 34.8 | 1101 | | | 6-30-58 | 48.8 | 32.0 | |
| | | 7-08-57 | 54.5 | 35.7 | | | | | | | |
| | | 7-15-57 | 53.1 | 36.3 | | 4S/12W-35M01 S | 60.5 | 11-05-57 | 93.7* | 33.2 | 1101 |
| | | 7-22-57 | 53.5 | 36.7 | | | | 5-12-58 | 94.8* | 34.3 | |
| | | 7-29-57 | 53.5 | 36.7 | | | | | | | |
| | | 8-05-57 | 54.3 | 37.5 | | | | | | | |
| | | 9-23-57 | 53.3 | 36.5 | | | | | | | |
| | | 9-30-57 | 53.2 | 36.4 | | | | | | | |
| | | 10-07-57 | 53.1 | 36.3 | | | | | | | |
| | | 10-14-57 | 52.9 | 36.1 | | | | | | | |
| | | 10-21-57 | 51.7 | 34.9 | | | | | | | |
| | | 10-28-57 | 50.9 | 34.1 | | 4S/12W-35O01 S | 25.7 | 7-25-57 | 63.1 | 37.4 | 3102 |
| | | 11-04-57 | 50.1 | 33.3 | | | | 8-27-57 | 64.3 | 37.6 | |
| | | 11-11-57 | 50.0 | 33.2 | | | | 9-26-57 | 63.0 | 37.3 | |
| | | 11-18-57 | 49.7 | 32.9 | | | | 10-31-57 | 59.0 | 35.3 | |
| | | 11-25-57 | 49.5 | 32.7 | | | | 11-05-57 | 60.7 | 35.7 | 1101 |
| | | 12-02-57 | 49.3 | 32.5 | | | | 11-29-57 | 57.1 | 35.4 | 3102 |
| | | 12-09-57 | 49.1 | 32.3 | | | | 12-27-57 | 54.5 | 28.8 | |
| | | | | | | | | 1-30-58 | 55.7 | 30.0 | |
| | | | | | | | | 2-28-58 | 54.4 | 28.7 | |
| | | | | | | | | 3-28-58 | 51.3 | 25.6 | |
| | | | | | | | | 4-25-58 | 50.8 | 25.1 | 1101 |
| | | | | | | | | 5-12-58 | 52.9 | 27.9 | 3102 |
| | | | | | | | | 5-29-58 | 53.9 | 28.2 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 4S/12W-35001 S | 25.7 | 6-26-58 | 56.6 | 31.1 | 3102 | 4S/13W-01F01 S | 47.4 | 9-17-57 | 125.4 | 78.0 | 1101 |
| 4S/12W-35002 S | 22.0 | 12-11-57 | 49.6 | 27.6 | 1101 | CONT. | | | | | |
| 4S/12W-35003 S | | 5-05-58 | 4.5 | 23.5 | | | | 10-01-57 | 125.2 | 77.8 | |
| 4S/12W-35004 S | | 8-21-57 | DRY | | 1101 | | | 10-08-57 | 150.7 | 78.3 | |
| 4S/12W-35005 S | | 5-05-58 | DRY | | | | | 10-12-57 | 150.7 | 72.5 | |
| | | 7-19-57 | 59.8 | 42.4 | | | | 10-25-57 | 119.0 | 71.6 | |
| | | 8-05-57 | 59.0 | 43.4 | | | | 11-06-57 | 116.8 | 68.6 | |
| | | 8-09-57 | 61.3 | 44.9 | | | | 11-12-57 | 111.2 | 69.4 | |
| | | 9-04-57 | 59.1 | 42.7 | | | | 11-19-57 | 111.2 | 63.8 | |
| | | 9-19-57 | 59.7 | 43.3 | | | | 11-26-57 | 116.0 | 66.2 | |
| | | 10-02-57 | 56.3 | 37.9 | | | | 12-03-57 | 118.4 | 66.2 | |
| | | 10-04-57 | 59.5 | 43.1 | | | | 12-10-57 | 112.1 | 64.7 | |
| | | 10-28-57 | 54.8 | 38.4 | | | | 12-17-57 | 111.5 | 62.1 | |
| | | 11-08-57 | 50.9 | 34.5 | | | | 12-24-57 | 109.5 | 62.1 | |
| | | 11-18-57 | 49.9 | 33.5 | | | | 1-01-58 | 108.4 | 61.0 | |
| | | 12-06-57 | 50.8 | 34.4 | | | | 1-07-58 | 107.9 | 60.5 | |
| | | 12-27-57 | 46.2 | 29.8 | | | | 1-14-58 | 107.5 | 60.1 | |
| | | 1-07-58 | 48.4 | 32.0 | | | | 1-21-58 | 106.7 | 59.3 | |
| | | 2-07-58 | 49.1 | 32.7 | | | | 2-04-58 | 103.8 | 56.4 | |
| | | 2-11-58 | 48.7 | 32.3 | | | | 3-04-58 | 104.9 | 57.5 | |
| | | 2-28-58 | 48.2 | 31.8 | | | | 4-01-58 | 102.1 | 54.7 | |
| | | 3-03-58 | 47.3 | 30.9 | | | | 5-06-58 | 108.2 | 60.8 | |
| | | 3-21-58 | 47.1 | 30.7 | | | | 6-04-58 | 117.3 | 69.9 | |
| | | 4-11-58 | 42.9 | 26.5 | | | | 1-01-58 | 142.0 | 95.5 | 1101 |
| | | 4-15-58 | 42.1 | 25.7 | | | | 1-20-58 | 142.0 | 95.5 | |
| | | 4-29-58 | 43.0 | 26.6 | | | | 2-13-58 | 143.0 | 96.5 | |
| | | 5-02-58 | 43.0 | 26.6 | | | | 2-28-58 | 144.0 | 97.5 | |
| | | 5-20-58 | 43.6 | 29.2 | | | | 3-10-58 | 138.4 | 91.9 | |
| | | 5-23-58 | 45.9 | 29.5 | | | | 3-21-58 | 143.5 | 97.0 | |
| | | 6-10-58 | 50.2 | 33.8 | | | | 4-07-58 | 144.3 | 97.8 | |
| | | 6-13-58 | 50.5 | 34.1 | | | | 4-19-58 | 147.6 | 101.1 | |
| 4S/13W-01C01 S | 48.0 | 10-22-57 | 72.9 | 24.9 | 1101 | | | 5-01-58 | 151.0 | 104.5 | |
| | | 7-02-57 | 116.3 | 66.9 | 1101 | | | 5-20-58 | 151.3 | 104.8 | |
| 4S/13W-01F01 S | 47.4 | 7-09-57 | 110.0 | 68.6 | | | | 6-14-58 | 153.2 | 106.7 | |
| | | 7-20-57 | 115.0 | 68.4 | | | | 6-20-58 | 153.2 | 108.7 | |
| | | 7-30-57 | 113.1 | 69.7 | | | | 10-15-57 | 53.5 | 38.5 | 1050 |
| | | 8-06-57 | 117.0 | 69.6 | | | | 10-16-57 | 55.5 | 34.5 | |
| | | 8-13-57 | 117.2 | 69.8 | | | | 3-10-58 | 59.1 | 18.1 | |
| | | | | | | | | 11-12-57 | 57.5 | 20.5 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| 4S/13W-02P05 S | 35.5 | 3-10-58 | 58.4 | 19.9 | 1050 | 4S/13W-11R07 S | 32.5 | 1-23-58 | 33.2 | - | 7 |
| CONT. | 37.5 | 5-06-58 | 58.6 | 21.6 | 1101 | CONT. | | 7-08-57 | 100.7 | - | 1101 |
| 4S/13W-11R02 S | | 10-28-57 | DRY | | 1101 | | | 7-15-57 | 101.1 | - | |
| | | 4-29-58 | DRY | | | | | 7-22-57 | 101.4 | - | |
| | | | DRY | | | | | 7-29-57 | 101.6 | - | |
| | | | DRY | | | | | 8-05-57 | 102.6 | - | |
| | | | DRY | | | | | 8-11-57 | 102.9 | - | |
| | | | DRY | | | | | 8-20-57 | 103.4 | - | |
| | | | DRY | | | | | 8-26-57 | 103.9 | - | |
| | | | DRY | | | | | 9-09-57 | 104.1 | - | |
| | | | DRY | | | | | 9-16-57 | 104.2 | - | |
| | | | DRY | | | | | 9-23-57 | 104.1 | - | |
| | | | DRY | | | | | 10-07-57 | 104.0 | - | |
| | | | DRY | | | | | 10-14-57 | 103.0 | - | |
| | | | DRY | | | | | 10-21-57 | 101.3 | - | |
| | | | DRY | | | | | 10-28-57 | 99.9 | - | |
| | | | DRY | | | | | 11-04-57 | 99.1 | - | |
| | | | DRY | | | | | 11-11-57 | 97.8 | - | |
| | | | DRY | | | | | 11-18-57 | 98.4 | - | |
| | | | DRY | | | | | 11-26-57 | 98.1 | - | |
| | | | DRY | | | | | 12-03-57 | 98.6 | - | |
| | | | DRY | | | | | 12-09-57 | 98.0 | - | |
| | | | DRY | | | | | 12-16-57 | 96.3 | - | |
| | | | DRY | | | | | 12-23-57 | 95.5 | - | |
| | | | DRY | | | | | 12-31-57 | 95.0 | - | |
| | | | DRY | | | | | 1-06-58 | 94.6 | - | |
| | | | DRY | | | | | 1-13-58 | 94.0 | - | |
| | | | DRY | | | | | 1-20-58 | 94.4 | - | |
| | | | DRY | | | | | 2-04-58 | 93.3 | - | |
| | | | DRY | | | | | 3-04-58 | 92.5 | - | |
| | | | DRY | | | | | 4-01-58 | 91.6 | - | |
| | | | DRY | | | | | 5-06-58 | 95.6 | - | |
| | | | DRY | | | | | 6-04-58 | 99.6 | - | |
| 4S/13W-11R07 S | 32.5 | 7-01-57 | 33.3 | .8 | 1101 | | | 11-04-57 | DRY | | 1101 |
| | | 9-04-57 | 33.2 | .7 | | | | 4-23-58 | DRY | | 1101 |
| | | 10-08-57 | 33.2 | .8 | | | | | | | |
| | | 11-06-57 | 33.3 | .8 | | | | | | | |
| | | 12-12-57 | 33.3 | .8 | | | | | | | |
| | | 12-19-57 | 32.6 | .1 | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 41103 | | | | | | | | | | | |
| 4S/13W-12A01 S | 34.0 | 7-01-57 | 100.1 | | | 4S/13W-12E01 S | 34.8 | 7-19-57 | 134.9* | - | 100.1 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE 41103 | | | | | | | | | | | |
| 45/13W-12E01 S | 34.8 | 8-09-57 | 121.2 | - 86.4 | 1101 | 45/13W-12E06 S | 36.0 | 9-02-57 | 80.2 | - 42.3 | 1050 |
| CONT. | | 9-13-57 | 152.0* | - 117.2 | | CONT. | | 9-12-57 | 83.5 | - 45.5 | |
| | | 10-04-57 | 119.1 | - 84.2 | | | | 10-08-57 | 91.3 | - 43.3 | |
| | 34.6 | 10-15-57 | 116.4 | - 81.8 | 1050 | | | 10-13-57 | 89.0 | - 41.0 | |
| | 34.8 | 10-25-57 | 117.3 | - 82.5 | 1101 | | | 10-19-57 | 91.4 | - 45.4 | |
| | | 11-15-57 | 115.3 | - 80.8 | | | | 11-03-57 | 79.7 | - 35.7 | |
| | | 12-06-57 | 113.6 | - 78.8 | | | | 11-15-57 | 77.3 | - 34.3 | |
| | | 12-27-57 | 114.2 | - 79.4 | | | | 11-14-58 | 76.8 | - 34.8 | |
| | | 1-17-58 | 114.3 | - 83.5 | | | | 2-04-58 | 75.8 | - 37.5 | |
| | | 2-07-58 | 113.0 | - 78.2 | | | | 2-15-58 | 76.5 | - 38.5 | |
| | 34.6 | 2-28-58 | 114.6 | - 79.8 | | | | 3-03-58 | 76.7 | - 38.7 | |
| | 34.8 | 3-05-58 | 112.8 | - 78.2 | 1050 | | | 3-16-58 | 66.6 | - 28.6 | |
| | | 3-21-58 | 111.1 | - 76.3 | 1101 | | | 4-15-58 | 78.1 | - 40.1 | |
| | | 4-11-58 | 115.4 | - 80.6 | | | | 5-16-58 | 81.7 | - 43.7 | |
| | | 5-02-58 | 123.7 | - 88.9 | | | | 5-25-58 | 79.7 | - 41.7 | |
| | | 5-23-58 | 143.4* | - 108.6 | | | | 6-17-58 | 84.6 | - 46.6 | |
| | | 6-13-58 | 135.0 | - 100.2 | | | | 6-22-58 | 122.4 | - 86.4 | 5050 |
| 45/13W-12E04 S | 32.4 | 7-01-57 | 41.7 | - 9.3 | 1101 | 45/13W-12F01 S | 85.8 | 11-04-57 | 129.7 | - 43.9 | 1101 |
| | | 9-04-57 | 43.9 | - 11.5 | | | | 4-23-58 | 129.7 | - 43.9 | |
| | | 10-08-57 | 46.2 | - 12.8 | | | | 7-01-57 | 188.5 | - 98.0 | 1101 |
| | | 11-06-57 | 46.9 | - 13.5 | | | | 7-08-57 | 190.3 | - 99.8 | |
| | | 12-12-57 | 46.7 | - 14.3 | | | | 7-15-57 | 191.8 | - 101.3 | |
| | | 12-19-57 | 46.8 | - 14.4 | | | | 7-22-57 | 192.9 | - 102.4 | |
| | | 1-23-58 | 47.4 | - 15.0 | | | | 7-29-57 | 193.9 | - 103.4 | |
| | | 1-30-58 | 47.5 | - 15.1 | | | | 8-05-57 | 194.8 | - 104.3 | |
| | | 2-07-58 | 47.6 | - 15.2 | | | | 8-12-57 | 195.4 | - 105.4 | |
| | | 2-21-58 | 47.5 | - 15.1 | | | | 8-19-57 | 196.4 | - 105.9 | |
| | | 2-25-58 | 47.5 | - 15.1 | | | | 8-26-57 | 197.7 | - 107.2 | |
| | | 2-27-58 | 47.4 | - 15.0 | | | | 9-02-57 | 198.5 | - 108.0 | |
| | | 3-18-58 | 47.4 | - 15.0 | | | | 9-09-57 | 198.7 | - 108.2 | |
| | | 4-15-58 | 47.4 | - 15.0 | | | | 9-16-57 | 199.4 | - 108.9 | |
| | | 4-29-58 | 47.6 | - 15.2 | | | | 9-23-57 | 199.3 | - 108.8 | |
| | | 6-12-58 | 47.7 | - 15.3 | | | | 9-30-57 | 199.7 | - 109.2 | |
| 45/13W-12E05 S | 34.0 | 7-01-57 | 34.3 | - .3 | 1101 | 45/13W-12K01 S | 90.5 | 10-07-57 | 199.4 | - 108.9 | |
| | | 7-02-57 | 83.5 | - 45.5 | 1050 | | | 10-14-57 | 198.8 | - 108.3 | |
| | | 7-04-57 | 76.5 | - 38.5 | | | | 10-21-57 | 195.4 | - 104.9 | |
| | | 7-28-57 | 80.8 | - 42.6 | | | | 10-28-57 | 193.6 | - 103.1 | |
| | | 8-28-57 | 80.0 | - 42.0 | | | | 11-04-57 | 193.0 | - 102.5 | |
| | | 8-01-57 | 85.2 | - 48.2 | | | | 11-04-57 | 191.2 | - 100.7 | |
| | | 8-10-57 | 84.0 | - 48.4 | | | | 11-18-57 | 189.4 | - 98.9 | |
| | | 8-15-57 | 83.6 | - 43.0 | | | | | | | |
| | | 8-21-57 | 87.0 | - 49.0 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | |
|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | |
| 41100 | | | | | | 41100 | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | | |
| 45/13W-12K01 S | 96.5 | 11-25-57 | 189.0 | - | 1101 | 45/13W-12M01 S | 77.5 | 6-12-58 | 42.6 | - | 13.1 | 1101 |
| CONT. | | 12-02-57 | 188.8 | - | 98.3 | | | | | | | |
| | | 12-09-57 | 186.3 | - | 97.8 | 45/13W-12M04 S | 31.0 | 6-03-58 | 80.3 | - | 4.3 | 1101 |
| | | 1-06-58 | 182.0 | - | 91.5 | | | | | | | |
| | | 1-13-58 | 181.2 | - | 90.7 | 45/13W-12N01 S | 30.0 | 7-01-57 | 25.4 | - | 7.6 | 1101 |
| | | 1-20-58 | 181.7 | - | 91.2 | | | | | | | |
| | | 1-22-58 | 181.6 | - | 91.1 | | | | | | | |
| | | 2-03-58 | 177.5 | - | 89.0 | | | | | | | |
| | | 2-10-58 | 177.5 | - | 87.0 | | | | | | | |
| | | 2-17-58 | 176.6 | - | 86.1 | | | | | | | |
| | | 2-24-58 | 176.9 | - | 85.4 | | | | | | | |
| | | 3-03-58 | 174.7 | - | 84.2 | | | | | | | |
| | | 3-10-58 | 174.8 | - | 84.3 | | 33.0 | 2-07-58 | DRY | | | |
| | | 3-17-58 | 173.9 | - | 83.4 | | | 2-21-58 | 72.3 | | | |
| | | 3-24-58 | 172.5 | - | 82.0 | | | 2-25-58 | 72.3 | | | |
| | | 3-31-58 | 171.4 | - | 80.9 | | | 2-27-58 | 22.0 | | | |
| | | 4-07-58 | 169.3 | - | 78.8 | | | 3-18-58 | 26.9 | | | |
| | | 4-14-58 | 169.1 | - | 78.6 | | | 4-15-58 | 25.2 | | | |
| | | 4-21-58 | 170.1 | - | 79.6 | | | 4-29-58 | 25.3 | | | |
| | | 4-28-58 | 171.2 | - | 80.7 | | | 6-12-58 | DRY | | | |
| | | 5-05-58 | 173.3 | - | 82.8 | | | | | | | |
| | | 5-12-58 | 175.0 | - | 84.5 | | 26.0** | 7-01-57 | 97.7 | - | 71.7 | 1101 |
| | | 5-19-58 | 176.4 | - | 85.7 | | | 9-04-57 | 97.0 | - | 71.0 | |
| | | 5-26-58 | 178.1 | - | 87.6 | | | 10-08-57 | 100.4 | - | 76.4 | |
| | | 6-02-58 | 179.4 | - | 88.9 | | | 11-06-57 | 100.1 | - | 76.1 | |
| | | 6-09-58 | 180.7 | - | 90.2 | | | 12-12-57 | 99.1 | - | 73.1 | |
| | | 6-16-58 | 182.5 | - | 92.0 | | | 12-19-57 | 98.9 | - | 72.9 | |
| | | 6-30-58 | 186.2 | - | 95.7 | | | 1-23-58 | 98.3 | - | 72.3 | |
| 45/13W-12K02 S | 48.5 | 6-03-58 | 125.6 | - | 77.1 | | | 1-30-58 | 98.2 | - | 72.2 | |
| | | 7-01-57 | 35.3 | - | 5.8 | | | 2-07-58 | 96.9 | - | 70.9 | |
| 45/13W-12M01 S | 29.5 | 9-04-57 | 39.0 | - | 9.5 | | | 2-21-58 | 93.1 | - | 67.1 | |
| | | 10-08-57 | 40.3 | - | 10.8 | | | 2-25-58 | 93.5 | - | 67.5 | |
| | | 11-06-57 | 41.4 | - | 11.9 | | | 2-27-58 | 93.5 | - | 67.5 | |
| | | 12-12-57 | 42.4 | - | 12.9 | | | 3-10-58 | 137.6* | - | 111.6 | 1050 |
| | | 12-19-57 | 42.0 | - | 12.5 | | | 3-18-58 | 93.3 | - | 67.3 | 1101 |
| | | 1-23-58 | 42.7 | - | 13.2 | | | 4-15-58 | 94.6 | - | 68.6 | |
| | | 1-30-58 | 42.8 | - | 13.3 | | | 4-29-58 | 98.0 | - | 72.0 | |
| | | 2-07-58 | 42.9 | - | 13.4 | | | 6-12-58 | 103.1 | - | 77.1 | |
| | | 2-21-58 | 43.1 | - | 13.6 | | | 11-12-57 | 139.3 | - | 62.7 | 1101 |
| | | 2-25-58 | 43.0 | - | 13.5 | | | 5-06-58 | 141.2 | - | 64.8 | |
| | | 2-27-58 | 35.2* | - | 5.7 | | | | | | | |
| | | 3-18-58 | 41.9 | - | 12.4 | | | 8-21-57 | 16.6 | - | 4.0 | 1101 |
| | | 4-15-58 | 42.1 | - | 12.6 | | | 11-21-57 | 31.1* | - | 18.5 | |
| | | 4-29-58 | 42.4 | - | 12.9 | | | 12-06-57 | 32.1* | - | 19.5 | |
| | | | | - | | | | 12-11-57 | DRY | - | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------------------|---------------------|--|--|------------------------------|-----------------------|-------------------|--|--|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 55/12W-02A02 S | 12.6 | 12-27-57 1-17-58 5-05-58 | 31.3* | 18.7 19.2 3.5 | 1101 | 55/12W-02B07 S | 12.9 | 12-11-57 5-05-58 | 13.5 | .6 | 1101 |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 55/12W-02B01 S | 14.3 | 7-19-57 8-09-57 8-21-57 9-13-57 10-04-57 10-25-57 11-15-57 12-06-57 12-11-57 1-17-58 2-07-58 2-28-58 3-21-58 4-11-58 5-02-58 5-23-58 6-13-58 | 45.3 46.2 46.5 45.5 45.1 42.3 40.9 40.7 40.1 39.0 38.5 38.4 36.4 35.3 35.9 37.2 39.8 | 1101 | 55/12W-02C01 S | 25.0 | 7-25-57 8-21-57 9-26-57 10-31-57 11-05-57 11-29-57 12-21-57 1-30-58 2-28-58 3-28-58 4-28-58 5-20-58 5-29-58 6-26-58 | 55.3 56.1 30.7 53.8 53.6 52.7 51.1 51.1 51.3 48.9 49.1 51.4 51.9 | 3102 | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 55/12W-02B05 S | 10.5 | 8-21-57 12-11-57 3-05-58 | 8.6 8.6 8.6 | 1.9 1.9 1.9 | 1101 | 55/12W-02C04 S | 14.5 | 12-11-57 5-05-58 | 33.1 | 18.6 | 1101 |
| 55/12W-02B06 S | 12.9 | 7-19-57 8-09-57 8-21-57 9-13-57 10-04-57 10-25-57 11-15-57 12-06-57 12-11-57 1-17-58 2-07-58 2-28-58 3-21-58 4-11-58 5-02-58 5-23-58 6-13-58 | 74.9 78.2 79.7 80.8 79.2 77.7 73.2 71.2 70.1 66.2 63.2 63.6 62.7 60.3 60.9 64.6 66.2 | 1101 | 55/12W-02C05 S | 27.5 | 11-05-57 11-21-57 12-06-57 12-27-57 1-17-58 2-07-58 2-28-58 3-21-58 4-11-58 5-02-58 5-23-58 6-13-58 | 64.4 62.9 61.1 59.9 59.9 58.7 60.0 57.1 53.1 57.1 62.5 67.5 | 1101 | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | | | | | | |
| 55/12W-02B07 S | 16.0 | 7-19-57 8-09-57 9-13-57 10-25-57 11-05-57 11-15-57 12-06-57 12-11-57 1-17-58 | 57.2 52.6 54.9 56.3 57.1 50.9 48.2 49.5 | 1101 | 55/12W-02D02 S | 16.0 | 7-19-57 8-09-57 9-13-57 10-25-57 11-05-57 11-15-57 12-06-57 12-11-57 1-17-58 | 87.2 82.4 84.9 86.3 79.1 75.0 78.2 79.5 | 1101 | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 41100 | 41103 | 41100 | 41103 | 41100 | 41103 | 41100 | 41103 | 41100 | 41103 | 41100 | 41103 |
| 55/12W-02D03 S | 24.5 | 11-05-57 | 53.0 | - 28.5 | 1101 | 55/12W-02G09 S | 10.7 | 5-02-58 | 26.0 | - 15.3 | 1101 |
| | | 9-12-58 | 49.5 | - 25.0 | | CONT. | | 5-05-58 | 28.3 | - 17.6 | |
| 55/12W-02F01 S | 11.3 | 8-21-57 | 23.3 | - 12.0 | 1101 | | | 6-13-58 | 31.1 | - 20.4 | |
| | | 12-11-57 | 23.5 | - 12.2 | | | | | | | |
| | | 5-05-58 | 22.4 | - 11.1 | | 55/12W-02G10 S | 12.0 | 8-21-57 | 26.1 | - 14.1 | 1101 |
| 55/12W-02G03 S | 36.8 | 8-21-57 | 47.5 | - 10.7 | 1101 | | | 12-11-57 | 26.0 | - 14.0 | |
| | | 12-11-57 | 47.5 | - 10.7 | | | | 5-05-58 | 24.5 | - 12.5 | |
| | | 5-05-58 | 28.2* | 8.6 | | 55/12W-02G11 S | 13.2 | 8-21-57 | 26.5 | - 13.3 | 1101 |
| 55/12W-02G04 S | 12.1 | 8-21-57 | 24.6 | - 12.5 | 1101 | | | 12-11-57 | 26.5 | - 13.3 | |
| | | 12-11-57 | 25.4 | - 13.3 | | | | 5-05-58 | 24.7 | - 11.5 | |
| | | 5-05-58 | 24.0 | - 11.9 | | 55/12W-02G12 S | 11.7 | 7-19-57 | 34.1 | - 22.4 | 1101 |
| 55/12W-02G05 S | 9.6 | 8-21-57 | 32.5 | - 22.9 | 1101 | | | 8-09-57 | 34.7 | - 23.0 | |
| | | 12-11-57 | 30.2 | - 20.6 | | | | 8-21-57 | 34.9 | - 24.1 | |
| | | 5-05-58 | 27.4 | - 17.8 | | | | 9-13-57 | 34.6 | - 23.8 | |
| 55/12W-02G06 S | 10.3 | 8-21-57 | 33.0 | - 22.7 | 1101 | | | 10-04-57 | 33.9 | - 23.1 | |
| | | 12-11-57 | 30.4 | - 20.1 | | | | 10-25-57 | 32.8 | - 22.0 | |
| | | 5-05-58 | 27.4 | - 17.1 | | | | 11-15-57 | 32.0 | - 21.2 | |
| 55/12W-02G07 S | 11.3 | 8-21-57 | 24.8 | - 13.5 | 1101 | | | 12-06-57 | 31.9 | - 21.1 | |
| | | 12-11-57 | 24.9 | - 13.6 | | | | 12-11-57 | 28.8 | - 18.0 | |
| | | 5-05-58 | 20.9 | - 9.6 | | | | 12-27-57 | 30.5 | - 19.7 | |
| 55/12W-02G08 S | 11.9 | 8-21-57 | 25.5 | - 13.6 | 1101 | | | 1-17-58 | 31.0 | - 20.2 | |
| | | 12-11-57 | 25.4 | - 13.5 | | | | 2-07-58 | 30.7 | - 19.9 | |
| | | 5-05-58 | 24.0 | - 12.1 | | | | 2-28-58 | 29.7 | - 18.9 | |
| 55/12W-02G09 S | 10.8 | 7-19-57 | 34.7 | - 23.9 | 1101 | | | 3-21-58 | 28.0 | - 17.2 | |
| | | 8-09-57 | 35.4 | - 24.6 | | | | 4-11-58 | 27.3 | - 16.5 | |
| | | 8-21-57 | 35.7 | - 25.0 | | | | 5-02-58 | 28.3 | - 17.5 | |
| | | 9-13-57 | 35.3 | - 24.6 | | | | 5-23-58 | 29.3 | - 18.5 | |
| | | 10-04-57 | 35.8 | - 25.1 | | | | 6-13-58 | 31.2 | - 20.4 | |
| | | 10-25-57 | 34.4 | - 23.7 | | | | | | | |
| | | 11-15-57 | 31.9 | - 21.2 | | | | | | | |
| | | 12-06-57 | 31.5 | - 20.8 | | | | | | | |
| | | 12-11-57 | 30.8 | - 20.1 | | | | | | | |
| | | 12-27-57 | 30.2 | - 19.5 | | | | | | | |
| | | 1-17-58 | 31.2 | - 20.5 | | | | | | | |
| | | 2-07-58 | 31.0 | - 20.3 | | | | | | | |
| | | 2-28-58 | 30.0 | - 19.3 | | | | | | | |
| | | 3-21-58 | 27.8 | - 17.1 | | | | | | | |
| | | 4-11-58 | 24.6 | - 13.9 | | | | | | | |
| | | | | | | 55/12W-02H04 S | 11.6 | 8-21-57 | 38.0 | - 26.4 | 1101 |
| | | | | | | | | 12-11-57 | 38.8 | - 27.2 | |
| | | | | | | | | 5-05-58 | 29.0 | - 17.4 | |
| | | | | | | 55/12W-02H05 S | 15.1 | 8-21-57 | 32.0 | - 16.9 | 1101 |
| | | | | | | | | 12-11-57 | 31.7 | - 16.6 | |
| | | | | | | | | 5-05-58 | 28.7 | - 13.6 | |
| | | | | | | 55/12W-02J03 S | 8.0 | 10-22-57 | 43.8 | - 35.8 | 1101 |
| | | | | | | | | 11-05-57 | 44.3 | - 36.3 | |
| | | | | | | | | 11-15-57 | 43.0 | - 35.0 | |
| | | | | | | | | 12-06-57 | 42.3 | - 34.3 | |
| | | | | | | | | 12-27-57 | 40.0 | - 32.0 | |
| | | | | | | | | 1-17-58 | 38.5 | - 30.5 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | RP Elev. in feet | Date | Dist. PP to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | RP Elev. in feet | Date | Dist. PP to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------------|------------------|----------|-----------------------------------|-----------------------------|-----------------------|--------------------------------|------------------|----------|-----------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| CENTRAL COASTAL PLAIN PRESSURE | | | | | | CENTRAL COASTAL PLAIN PRESSURE | | | | | |
| 55/12W-02J03 S | 8.7 | 2-28-58 | 38.3 | 29.6 | 1101 | 55/12W-11G01 S | 7.9 | 8-05-57 | 15.3 | 7.4 | 1101 |
| CONT. | | 3-21-58 | 37.9 | 29.2 | | CONT. | | 9-04-57 | 13.1 | 5.2 | |
| | | 4-11-58 | 35.7 | 27.0 | | | | 11-05-57 | 15.4 | 7.5 | |
| | | 5-02-58 | 34.6 | 25.9 | | | | 12-04-57 | 15.1 | 7.2 | |
| | | 5-22-58 | 36.4 | 27.7 | | | | 1-07-58 | 13.8 | 5.9 | |
| | | 6-13-58 | 37.9 | 29.2 | | | | 2-11-58 | 12.6 | 4.7 | |
| 55/12W-02P02 S | 6.0 | 7-01-57 | 51.1 | 45.1 | 1101 | | | 4-15-58 | 13.5 | 5.6 | |
| | | 8-05-57 | 54.5 | 48.5 | | | | 4-29-58 | 12.4 | 4.5 | |
| | | 10-01-57 | 57.6 | 51.6 | | | | 6-10-58 | 13.4 | 5.5 | |
| | | 11-05-57 | 54.7 | 48.7 | | LOS ANGELES FOREBAY AREA | | | | | |
| | | 12-04-57 | 53.2 | 47.2 | | 15/13W-27002 S | 2.68+0 | 10-28-57 | 53.5 | 214.5 | 1101 |
| | | 1-07-58 | 49.5 | 43.5 | | 15/13W-32F01 S | 2.25+0 | 4-30-58 | 52.4 | 215.6 | 1101 |
| | | 2-11-58 | 46.1 | 40.1 | | | | 10-30-57 | 135.6 | 89.4 | 1101 |
| | | 3-03-58 | 45.5 | 39.5 | | 15/13W-33A01 S | 2.60+0 | 4-30-58 | 136.1 | 88.9 | 1101 |
| | | 4-15-58 | 42.7 | 36.7 | | | | 10-30-57 | 111.1 | 148.9 | 1101 |
| | | 4-29-58 | 41.6 | 35.6 | | | | 4-30-58 | 111.4 | 148.6 | 1101 |
| | | 5-20-58 | 40.5 | 34.5 | | | | 10-28-57 | 146.2 | 98.2 | 1101 |
| | | 6-10-58 | 41.1 | 35.1 | 1101 | | | 10-30-57 | 221.4 | 164.4 | 1101 |
| 55/12W-02P04 S | 5.7 | 10-28-57 | DRY | 3.2 | | 15/13W-33K01 S | 2.44+4 | 5-06-58 | 223.1 | 181.1 | 1101 |
| | | 4-29-58 | 8.9 | 3.2 | | 15/14W-35P01 S | 2.05+0 | 10-29-57 | 252.0 | 41.0 | 1101 |
| 55/12W-02P05 S | 5.0 | 11-13-57 | 10.8 | 5.8 | 1101 | 25/12W-06K01 S | 2.11+0 | 4-21-58 | 240.0 | 29.0 | 1101 |
| | | 5-12-58 | 12.5 | 7.5 | | 25/12W-06K02 S | 2.27+0 | 5-13-58 | 283.0* | 72.0 | 1101 |
| 55/12W-03A01 S | 19.0 | 11-05-57 | 45.3 | 26.3 | 1101 | 25/12W-06K04 S | 2.11.5** | 10-29-57 | 194.4 | 32.6 | 1101 |
| | | 11-21-57 | 45.0 | 26.0 | | 25/12W-06M01 S | 2.24+9 | 5-01-58 | 282.4* | 55.4 | 1101 |
| | | 12-06-57 | 44.2 | 25.2 | | | | 10-29-57 | 267.0 | 55.5 | 1101 |
| | | 12-27-57 | 44.4 | 25.4 | | | | 5-01-58 | 266.5 | 53.0 | 1101 |
| | | 1-17-58 | 57.2* | 38.2 | | | | 7-31-57 | 328.0* | 103.1 | 1101 |
| | | 2-07-58 | 44.1 | 25.1 | | | | 8-31-57 | 298.0* | 73.1 | 1101 |
| | | 2-28-58 | 43.7 | 24.7 | | | | 9-30-57 | 330.0* | 105.1 | 1101 |
| | | 3-21-58 | 40.4 | 21.6 | | | | 10-31-57 | 293.0* | 70.1 | 1101 |
| | | 4-01-58 | 20.2 | 18.2 | | | | 11-20-57 | 255.0* | 114.1 | 1101 |
| | | 5-21-58 | 20.7 | 18.7 | 1101 | | | 12-21-57 | 253.0* | 101.1 | 1101 |
| | | 5-25-58 | 43.9 | 21.9 | | | | 1-21-58 | 333.0* | 170.1 | 1101 |
| | | 6-13-58 | 46.7 | 27.7 | | | | 2-28-58 | 291.0* | 112.1 | 1101 |
| 55/12W-10H02 S | 7.4 | 10-28-57 | 6.8 | 6 | 1101 | | | 3-31-58 | 336.0* | 131.1 | 1101 |
| | | 4-29-58 | 4.2 | 3.2 | | | | 4-30-58 | 293.0* | 68.1 | 1101 |
| 55/12W-11D01 S | 3.7 | 10-28-57 | 5.2 | 1.5 | 1101 | | | | | | |
| | | 4-29-58 | 3.2 | 6.5 | | | | | | | |
| 55/12W-11G01 S | 7.9 | 7-01-57 | 8.5 | 6 | 1101 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------------|--------------------|-----------------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|-----------------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| LOS ANGELES FOREBAY AREA 41104 | | | | | | | | | | | |
| 2S/12W-06M01 S | 224.9 | 5-31-58 340.0* | 41104 | 115.1 | 1101 | 2S/12W-06P04 S | 196.5 | 11-30-57 331.0* | 41104 | 136.5 | 1101 |
| | | 6-30-58 295.0* | | 70.1 | | CONT. | | 12-31-57 273.0* | | 76.5 | |
| 2S/12W-06P01 S | 200.4 | 7-31-57 338.0* | | 137.6 | 1101 | | | 1-28-58 270.0* | | 118.5 | |
| | | 8-31-57 309.0* | | 108.6 | | | | 2-28-58 273.0* | | 73.5 | |
| | | 9-30-57 343.0* | | 142.6 | | | | 3-31-58 301.0* | | 103.5 | |
| | | 10-31-57 292.0* | | 91.6 | | | | 4-30-58 288.0* | | 84.5 | |
| | | 11-30-57 293.0* | | 92.6 | | | | 5-31-58 331.0* | | 136.5 | |
| | | 12-31-57 283.0* | | 82.6 | | | | 6-30-58 294.0* | | 97.5 | |
| | | 1-31-58 287.0* | | 86.6 | | | | | | | |
| | | 2-28-58 280.0* | | 79.6 | | | | 7-31-57 247.0* | | 58.4 | 1101 |
| | | 3-31-58 279.0* | | 78.6 | | | | 8-31-57 209.0* | | 20.4 | |
| | | 4-30-58 288.0* | | 87.6 | | | | 9-30-57 249.0* | | 60.4 | |
| | | 5-31-58 329.0* | | 128.6 | | | | 10-31-57 203.0* | | 14.4 | |
| | | 6-30-58 304.0* | | 103.6 | | | | 11-30-57 249.0* | | 60.4 | |
| | | | | | | | | 12-31-57 209.0* | | 20.4 | |
| 2S/12W-06P02 S | 205.2 | 7-31-57 303.0* | | 97.8 | 1101 | 2S/12W-07C01 S | 188.6 | 1-31-58 249.0* | | 60.4 | |
| | | 8-31-57 308.0* | | 102.8 | | | | 2-28-58 207.0* | | 18.4 | |
| | | 9-30-57 304.0* | | 98.8 | | | | 3-31-58 243.0* | | 54.4 | |
| | | 10-31-57 292.0* | | 86.8 | | | | 4-30-58 209.0* | | 20.4 | |
| | | 11-30-57 292.0* | | 86.8 | | | | 5-31-58 264.0* | | 75.4 | |
| | | 12-31-57 283.0* | | 77.8 | | | | 6-30-58 213.0* | | 24.4 | |
| | | 1-31-58 288.0* | | 82.8 | | | | | | | |
| | | 2-28-58 279.0* | | 73.8 | | | | 7-31-57 319.0* | | 133.2 | 1101 |
| | | 3-31-58 277.0* | | 71.8 | | | | 8-31-57 282.0* | | 98.2 | |
| | | 4-30-58 285.0* | | 79.8 | | | | 9-30-57 323.0* | | 137.2 | |
| | | 5-31-58 295.0* | | 89.8 | | | | 10-31-57 268.0* | | 83.2 | |
| | | 6-30-58 301.0* | | 95.8 | | | | 11-30-57 305.0* | | 119.2 | |
| | | | | | | | | 12-31-57 260.0* | | 74.2 | |
| 2S/12W-06P03 S | 193.0 | 7-31-57 335.0* | | 142.0 | 1101 | 2S/12W-07C02 S | 185.8 | 1-31-58 306.0* | | 120.2 | |
| | | 8-31-57 294.0* | | 101.0 | | | | 2-28-58 258.0* | | 72.2 | |
| | | 9-30-57 337.0* | | 144.0 | | | | 3-31-58 293.0* | | 107.2 | |
| | | 10-31-57 278.0* | | 85.0 | | | | 4-30-58 261.0* | | 75.2 | |
| | | 11-30-57 280.0* | | 87.0 | | | | 5-31-58 303.0* | | 117.2 | |
| | | 12-31-57 270.0* | | 77.0 | | | | 6-30-58 273.0* | | 87.2 | |
| | | 1-31-58 273.0* | | 80.0 | | | | | | | |
| | | 2-28-58 270.0* | | 77.0 | | | | 7-31-57 339.0* | | 146.0 | 1101 |
| | | 3-31-58 263.0* | | 70.0 | | | | 8-31-57 293.0* | | 100.0 | |
| | | 4-30-58 271.0* | | 78.0 | | | | 9-30-57 340.0* | | 147.0 | |
| | | 5-31-58 328.0* | | 135.0 | | | | 10-31-57 275.0* | | 82.0 | |
| | | 6-30-58 285.0* | | 92.0 | | | | 11-30-57 282.0* | | 89.0 | |
| | | | | | | | | 12-31-57 270.0* | | 77.0 | |
| | | | | | | | | 1-31-58 274.0* | | 81.0 | |
| 2S/12W-06P04 S | 196.5 | 7-31-57 337.0* | | 140.5 | 1101 | 2S/12W-07C03 S | 193.0 | 2-28-58 270.0* | | 77.0 | |
| | | 8-31-57 297.0* | | 100.5 | | | | 3-31-58 265.0* | | 72.0 | |
| | | 9-30-57 339.0* | | 142.5 | | | | 4-30-58 272.0* | | 79.0 | |
| | | 10-31-57 281.0* | | 84.5 | | | | 5-31-58 330.0* | | 137.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 41104 | | | | | | | | | | | |
| LOS ANGELES FOREBAY AREA | | | | | | | | | | | |
| 25/12W-07C03 S | 193.0 | 6-30-58 | 281.0* | - 88.0 | 1101 | 25/13W-10A01 S | 220.7 | 9-03-57 | 311.4 | - 90.7 | 1101 |
| 25/12W-07D01 S | 184.5 | 7-31-57 | 320.0* | - 135.5 | 1101 | CONT. | | 10-01-57 | 306.3 | - 85.6 | |
| | | 8-31-57 | 283.0* | - 98.5 | | | | 10-08-57 | 310.2 | - 89.5 | |
| | | 9-30-57 | 321.0* | - 136.5 | | | | 10-09-57 | 318.5 | - 87.8 | |
| | | 10-31-57 | 271.0* | - 86.5 | | | | 12-04-57 | 311.0 | - 90.3 | |
| | | 11-30-57 | 272.0* | - 87.5 | | | | 1-07-58 | 312.3 | - 91.6 | |
| | | 3-31-58 | 313.0* | - 128.5 | | | | 2-11-58 | 312.8 | - 92.1 | |
| | | 4-30-58 | 264.0* | - 79.5 | | | | 3-03-58 | 311.9 | - 91.2 | |
| | | 5-31-58 | 323.0* | - 138.5 | | | | 4-04-58 | 312.9 | - 92.2 | |
| | | 6-30-58 | 278.0* | - 93.5 | | | | 4-15-58 | 310.3 | - 89.6 | |
| 25/12W-07G01 S | 168.8 | 7-31-57 | 270.0* | - 101.2 | 1101 | | | 4-29-58 | 312.2 | - 91.5 | |
| | | 8-31-57 | 250.0* | - 81.2 | | | | 5-20-58 | 314.9 | - 94.2 | |
| | | 9-30-57 | 272.0* | - 103.2 | | 25/13W-10A03 S | 231.7 | 6-10-58 | 315.8 | - 95.1 | |
| | | 10-31-57 | 239.0* | - 70.2 | | | | 10-28-57 | 318.4 | - 86.7 | 1101 |
| | | 11-30-57 | 257.0* | - 88.2 | | | | 5-13-58 | 307.9 | - 76.2 | |
| | | 12-31-57 | 231.0* | - 62.2 | | | | 10-28-57 | 309.9* | - 83.9 | 1101 |
| | | 1-31-58 | 233.0* | - 84.2 | | 25/13W-10A04 S | 226.0 | 5-13-58 | 311.9* | - 85.9 | |
| | | 2-28-58 | 230.0* | - 61.2 | | | | 10-28-57 | 319.0 | - 94.5 | 1101 |
| | | 3-21-58 | 237.0* | - 89.2 | | 25/13W-10R01 S | 224.5 | 5-13-58 | 312.9 | - 88.4 | |
| | | 4-20-58 | 261.0* | - 92.2 | | | | 7-15-57 | 292.0* | - 86.0 | 1101 |
| | | 5-20-58 | 263.0* | - 93.2 | | | | 8-15-57 | 293.0* | - 87.0 | |
| | | 6-20-58 | 242.0* | - 73.2 | | 25/13W-10M01 S | 206.0 | 9-15-57 | 295.0* | - 89.0 | |
| 25/13W-01K01 S | 198.5 | 10-29-57 | 273.4* | - 74.9 | 1101 | | | 10-13-57 | 293.0* | - 87.0 | |
| | | 5-13-58 | 280.5* | - 82.0 | | | | 11-13-57 | 295.0* | - 89.0 | |
| 25/13W-02M01 S | 252.0** | 10-28-57 | 496.0** | - 244.0 | 1101 | | | 12-13-57 | 293.0* | - 87.0 | |
| | | 5-13-58 | 504.0* | - 252.0 | | | | 1-13-58 | 290.0* | - 84.0 | |
| 25/13W-02M02 S | 255.4 | 10-28-57 | 423.8 | - 170.4 | 1101 | | | 3-13-58 | 291.0* | - 85.0 | |
| | | 5-13-58 | 422.0 | - 166.6 | | | | 4-13-58 | 288.0* | - 83.0 | |
| 25/13W-02N01 S | 255.0 | 5-01-58 | 346.0 | - 91.0 | 1101 | | | 5-15-58 | 291.0* | - 85.0 | |
| 25/13W-04D01 S | 230.8 | 10-29-57 | 254.1 | - 23.3 | 1101 | | | 6-07-58 | 291.0* | - 85.0 | |
| | | 4-30-58 | 252.8 | - 22.0 | | 25/13W-10P03 S | 204.3 | 6-15-58 | 300.0* | - 94.0 | |
| 25/13W-05A01 S | 228.0 | 10-29-57 | 264.6 | - 36.6 | 1101 | | | 7-15-57 | 292.1 | - 87.8 | 1101 |
| | | 4-30-58 | 267.9 | - 39.9 | | | | 8-15-57 | 291.0 | - 86.7 | |
| 25/13W-05B01 S | 221.0** | 4-29-58 | 268.0* | - 47.0 | 1101 | | | 9-15-57 | 291.7 | - 87.4 | |
| | | 7-01-57 | 310.5 | - 89.8 | | | | 10-15-57 | 295.4 | - 91.4 | |
| 25/13W-10A01 S | 220.7 | 8-05-57 | 311.2 | - 90.5 | | | | 11-15-57 | 291.5 | - 87.2 | |
| | | | | | | | | 12-15-57 | 288.5 | - 84.2 | |
| | | | | | | | | 1-15-58 | 289.8 | - 85.5 | |
| | | | | | | | | 2-15-58 | 290.0 | - 85.7 | |
| | | | | | | | | 3-15-58 | 288.8 | - 84.5 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|---|--|--|-----------------------|------------------------------|-------------------------|--|--|--|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| LOS ANGELES FOREBAY AREA | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| 41100 | | | | | | 41100 | | | | | |
| LOS ANGELES FOREBAY AREA | | | | | | LOS ANGELES FOREBAY AREA | | | | | |
| 41104 | | | | | | 41104 | | | | | |
| 25/13W-10P03 S CONT. | 204.3 | 4-15-58 5-15-58 | 290.9 287.8 | 86.6 83.5 | 1101 | 25/13W-10R05 S CONT. | 199.7 | 2-11-58 3-03-58 4-15-58 4-28-58 5-20-58 6-10-58 | 318.1* 191.0 191.2 191.5 192.0 192.4 | 115.9 8.4 8.7 8.5 7.7 7.3 | 1101 |
| 25/13W-10P04 S | 205.7 | 7-15-57 8-15-57 9-15-57 10-15-57 11-15-57 1-15-58 1-15-58 2-15-58 3-15-58 4-15-58 5-15-58 | 290.0* 224.1* 426.6* 423.4* 412.8* 415.0* 290.3* 290.4* 420.1* 420.1* 420.1* | 207.1 84.3 98.3 214.4 214.4 | 1101 | 25/13W-10R06 S | 202.2 202.7 202.2 | 10-28-57 10-28-57 5-13-58 | 318.1* 280.0* 319.9* | 115.9 77.3 117.7 | 1101 |
| 25/13W-10P05 S | 202.0 | 7-15-57 8-15-57 9-15-57 10-15-57 11-15-57 1-15-58 2-15-58 3-15-58 4-15-58 5-15-58 | 305.4 307.0* 301.6 311.0* 302.0* 304.3 301.8 300.3 300.7 302.0* | 103.4 105.0 99.6 109.0 100.0 102.3 99.8 98.3 98.7 100.0 | 1101 | 25/13W-11E03 S | 208.4 | 8-09-57 8-23-57 9-03-57 10-01-57 10-28-57 12-04-57 1-07-58 2-11-58 3-03-58 4-15-58 4-29-58 5-20-58 6-09-58 | 251.3 252.1 253.3 253.8 254.1 254.5 254.5 254.8 255.8 255.9 256.7 257.5 | 42.9 43.7 43.7 44.9 45.4 45.7 46.1 46.4 47.4 47.2 47.5 48.3 49.1 | 1101 |
| 25/13W-10P06 S | 203.7 | 7-15-57 8-15-57 9-15-57 10-15-57 11-15-57 1-15-58 2-15-58 3-15-58 4-15-58 5-15-58 | 305.0* 302.3* 301.5 309.0 301.0 286.0 297.7 290.0 295.5 294.7 | 101.3 98.6 97.8 105.3 97.3 94.0 86.3 91.8 93.3 91.0 | 1101 | 25/13W-11G06 S | 198.0 | 10-29-57 4-30-58 | 300.2 309.0 | 102.2 111.0 | 1101 |
| 25/13W-10R05 S | 199.7 | 7-01-57 8-05-57 9-03-57 10-01-57 10-28-57 1-04-58 1-07-58 | 185.8 189.5 189.9 190.4 190.4 190.4 193.8 | 13.9 10.2 9.8 9.3 9.3 9.3 5.9 | 1101 | 25/13W-11J02 S | 183.0 | 10-29-57 4-30-58 | 232.5 234.4 | 49.5 51.4 | 1101 |
| | | | | | | 25/13W-11N05 S | 200.0 | 5-13-58 | 251.8* | 51.8 | 1101 |
| | | | | | | 25/13W-11P02 S | 202.0 | 5-13-58 | 360.0* | 158.0 | 1101 |
| | | | | | | 25/13W-11R02 S | 191.6 | 7-15-57 8-15-57 9-15-57 10-15-57 11-15-57 12-15-57 1-15-58 2-15-58 3-15-58 4-15-58 5-15-58 | 344.5 353.1 352.0 352.3 348.9 341.9 346.6 343.2 337.7 336.5 345.8 | 152.9 161.5 160.4 157.3 150.3 155.0 151.6 146.1 149.9 154.2 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------------|--------------------|-----------------|--------------------------------------|------------------------------|-----------------------|-------------------|--------------------|-----------------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| LOS ANGELES FOREBAY AREA | | | | | | | | | | | |
| 25/13W-11R03 S | 191.4 | 7-15-57 330.6 | - | 139.2 | 1101 | 25/13W-13D01 S | 184.1 | 7-11-57 200.0* | - | 15.9 | 1101 |
| | | 8-15-57 331.9 | - | 140.5 | | | | 8-13-57 200.0* | - | 15.9 | |
| | | 9-15-57 328.3 | - | 136.0 | | | | 9-16-57 200.0* | - | 15.9 | |
| | | 10-15-57 332.0 | - | 140.6 | | | | 11-05-57 200.0* | - | 15.9 | |
| | | 11-15-57 329.9 | - | 138.5 | | | | 12-03-57 200.0* | - | 15.9 | |
| | | 12-15-57 322.7 | - | 131.3 | | | | 1-02-58 200.0* | - | 15.9 | |
| | | 1-15-58 325.8 | - | 134.4 | | | | 2-03-58 200.0* | - | 15.9 | |
| | | 2-15-58 329.0 | - | 137.6 | | | | 3-05-58 200.0* | - | 15.9 | |
| | | 3-15-58 322.1 | - | 130.7 | | | | 4-01-58 200.0* | - | 15.9 | |
| | | 4-15-58 315.6 | - | 124.2 | | | | 5-01-58 200.0* | - | 15.9 | |
| | | 5-15-58 330.1 | - | 138.7 | | | | 6-08-58 200.0* | - | 15.9 | |
| 25/13W-11R04 S | 190.5 | 7-15-57 337.4 | - | 146.9 | 1101 | 25/13W-13E03 S | 182.4 | 10-25-57 252.7 | - | 70.3 | 1101 |
| | | 8-15-57 327.8 | - | 137.3 | | | | 4-21-58 263.4 | - | 81.0 | |
| | | 9-15-57 327.9 | - | 137.4 | | | | 7-15-57 324.6 | - | 136.8 | 1101 |
| | | 10-15-57 328.1 | - | 137.6 | | 25/13W-14A01 S | 189.6 | 8-15-57 327.6 | - | 138.0 | |
| | | 11-15-57 324.9 | - | 134.4 | | | | 9-15-57 326.7 | - | 137.1 | |
| | | 12-15-57 318.2 | - | 127.7 | | | | 10-15-57 327.5 | - | 137.1 | |
| | | 1-15-58 320.1 | - | 129.6 | | | | 11-15-57 329.6 | - | 140.0 | |
| | | 2-15-58 323.0 | - | 132.5 | | | | 12-15-57 323.2 | - | 133.0 | |
| | | 3-15-58 313.8 | - | 123.3 | | | | 1-15-58 328.1 | - | 138.5 | |
| | | 4-15-58 311.4 | - | 120.9 | | | | 2-15-58 320.8 | - | 131.2 | |
| | | 5-15-58 324.1 | - | 133.6 | | | | 3-15-58 316.8 | - | 127.2 | |
| 25/13W-12A01 S | 187.2 | 7-31-57 339.0* | - | 151.8 | 1101 | 25/13W-14H01 S | 182.9 | 7-15-57 367.6* | - | 184.7 | 1101 |
| | | 8-31-57 287.0* | - | 99.8 | | | | 8-15-57 367.3* | - | 184.4 | |
| | | 9-30-57 337.0* | - | 149.8 | | | | 10-15-57 260.5* | - | 77.6 | |
| | | 10-31-57 277.0* | - | 89.8 | | | | 11-15-57 256.0* | - | 73.1 | |
| | | 11-30-57 323.0* | - | 135.8 | | | | 12-15-57 310.9* | - | 128.0 | |
| | | 12-31-57 270.0* | - | 82.8 | | | | 1-15-57 307.0* | - | 124.1 | |
| | | 1-31-58 321.0* | - | 133.8 | | | | 2-15-58 253.0* | - | 70.1 | |
| | | 2-28-58 265.0* | - | 77.8 | | | | 3-15-58 249.9* | - | 172.8 | |
| | | 3-31-58 313.0* | - | 125.8 | | | | 4-15-58 356.8* | - | 173.9 | |
| | | 4-30-58 271.0* | - | 83.8 | | | | 5-15-58 358.2* | - | 175.3 | |
| | | 5-30-58 284.0* | - | 141.8 | | | | 7-15-57 377.4* | - | 192.2 | 1101 |
| | | 6-30-58 285.0* | - | 97.8 | | | | 8-15-57 300.7 | - | 115.5 | |
| 25/13W-12L01 S | 196.5 | 10-29-57 DRY | - | | 1101 | 25/13W-14H02 S | 185.2 | 10-15-57 300.4 | - | 118.4 | |
| | | 4-30-58 DRY | - | | | | | 11-15-57 304.0 | - | 115.2 | |
| 25/13W-12M02 S | 193.5 | 4-30-58 241.0 | - | 47.5 | 1101 | | | 12-15-57 307.7 | - | 122.5 | |
| 25/13W-12M03 S | 187.0** | 10-10-57 232.2 | - | 45.2 | 1101 | | | 1-15-57 300.8 | - | 115.6 | |
| | | 5-01-58 235.7 | - | 48.7 | | | | 1-15-57 291.6 | - | 106.4 | |
| 25/13W-12P03 S | 176.0 | 4-30-58 127.2 | - | 48.8 | 1101 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|---|--|---|-----------------------|--------------------------|--------------------|---|---|--|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 41100 | | | | | | 41100 | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| LOS ANGELES FOREBAY AREA | | | | | | LOS ANGELES FOREBAY AREA | | | | | |
| 41104 | | | | | | | | | | | |
| 25/13W-14H02 S CONT. | 185.2 | 2-15-58 3-15-58 4-15-58 5-15-58 | 298.0 291.8 290.0 290.2 | - 112.8 - 106.6 - 104.8 - 105.0 | 1101 | 25/13W-16007 S CONT. | 176.7 | 3-28-58 4-30-58 5-28-58 6-27-58 | 199.9 201.3 203.0 204.3 | 23.2 24.6 26.3 27.6 | 1200 |
| 25/13W-14H03 S | 187.1 | 7-15-57 8-15-57 9-15-57 10-15-57 11-15-57 12-15-57 1-15-58 2-15-58 3-15-58 4-15-58 5-15-58 | 404.5* 408.4* 406.2* 330.0* 405.6* 307.0* 400.3* 404.1* 303.5 299.2 401.6* | - 217.4 - 221.3 - 219.1 - 142.9 - 218.5 - 119.9 - 213.2 - 217.0 - 116.4 - 112.1 - 216.5 | 1101 | 25/13W-18P01 S | 153.9 | 7-05-57 7-31-57 8-14-57 9-20-57 10-29-57 11-29-57 1-27-57 1-31-58 2-26-58 3-28-58 4-23-58 5-28-58 6-27-58 | 176.9 178.4 178.8 179.5 180.0 180.0 179.1 179.8 180.3 179.8 180.9 181.7 183.0 | 23.0 24.5 25.6 26.1 26.0 25.2 25.7 26.4 26.4 27.0 27.8 29.1 | 1200 |
| 25/13W-15C01 S | 196.0 | 10-28-57 4-30-58 | 177.9 176.1 | 18.1 19.9 | 1101 | | | 7-11-57 11-15-57 | 121.3 129.0 | 36.7 39.4 | 1101 |
| 25/13W-15L01 S | 190.0 | 10-25-57 4-21-58 | 88.3 85.1 | 101.7 106.9 | 1101 | 25/13W-20J03 S | 156.0 | 3-26-58 6-28-58 | 120.4 121.0 | 37.6 37.0 | 1200 |
| 25/13W-16006 S | 175.3 | 7-05-57 8-14-57 9-20-57 10-30-57 11-29-57 12-27-57 1-31-58 2-26-58 3-28-58 4-30-58 5-28-58 6-27-58 | 156.0 156.5 156.7 157.1 157.6 157.6 158.1 158.2 158.5 159.0 159.4 159.8 | 19.3 18.8 18.6 18.2 17.7 17.7 17.4 17.2 17.1 16.8 16.3 15.9 15.5 | 1200 | 25/13W-20R02 S | 153.0 | 7-11-57 11-15-57 3-26-58 6-28-58 | 120.0* 120.0* 119.0* 120.0* | 33.0 33.0 34.0 33.0 | 1101 |
| 25/13W-16007 S | 176.7 | 7-05-57 7-31-57 8-14-57 9-20-57 10-30-57 11-29-57 1-31-58 2-26-58 3-28-58 4-30-58 5-28-58 6-27-58 | 199.4 200.2 200.6 201.2 200.7 199.9 199.5 199.6 199.6 199.6 | - 22.5 - 23.5 - 23.9 - 24.5 - 24.0 - 23.2 - 22.8 - 22.9 | 1200 | 25/13W-21E01 S | 165.0 | 7-07-57 8-15-57 9-07-57 10-15-57 11-15-57 12-15-57 1-15-58 2-15-58 3-15-58 4-21-58 5-15-58 | 229.0* 225.0* 228.0* 227.0* 226.0* 225.0* 227.0* 225.0* 224.0* 224.0* 227.0* | 64.0 60.0 63.0 62.0 61.0 60.0 62.0 60.0 60.0 59.0 62.0 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| LOS ANGELES FOREBAY AREA | | | | | | | | | | | |
| 2S/13W-21E01 S | 165.0 | 5-31-58 | 229.0* | 64.0 | 1101 | 2S/13W-22P01 S | 159.7 | 8-01-57 | 232.0* | 72.3 | 1101 |
| CONT. | | 6-15-58 | 234.0 | 69.0 | | CONT. | | 9-01-57 | 236.0* | 76.3 | |
| 2S/13W-21K04 S | 166.7 | 10-18-57 | 186.0 | 21.3 | 1101 | | | 10-01-57 | 229.0* | 69.3 | |
| 2S/13W-21K07 S | 165.0 | 10-18-57 | 234.0 | 69.0 | 1101 | | | 11-01-57 | 229.0* | 69.3 | |
| 2S/13W-21008 S | 181.6 | 10-28-57 | 211.4 | 29.8 | 1101 | | | 12-01-57 | 223.0* | 64.3 | |
| | | 4-21-58 | 203.6 | 22.0 | | | | 1-01-58 | 227.0* | 67.3 | |
| 2S/13W-22D04 S | 179.0** | 7-18-57 | 194.0* | 15.0 | 1101 | | | 2-01-58 | 231.0* | 71.3 | |
| | | 8-15-57 | 197.0* | 18.0 | | | | 3-01-58 | 217.0* | 57.3 | |
| | | 9-11-57 | 195.0* | 16.0 | | | | 4-01-58 | 230.0* | 70.3 | |
| | | 10-11-57 | 195.0* | 16.0 | | | | 5-01-58 | 230.0* | 70.3 | |
| | | 11-11-57 | 193.0* | 14.0 | | | | 6-01-58 | 240.0* | 80.3 | |
| | | 12-01-57 | 192.0* | 13.0 | | | | | | | |
| | | 1-18-58 | 193.0* | 14.0 | | | | 7-01-57 | 235.0* | 73.0 | 1101 |
| | | 2-18-58 | 192.0* | 13.0 | | | | 8-01-57 | 232.0* | 70.0 | |
| | | 3-18-58 | 192.0* | 13.0 | | | | 9-01-57 | 235.0* | 73.0 | |
| | | 4-18-58 | 192.0* | 13.0 | | | | 10-01-57 | 229.0* | 67.0 | |
| | | 4-30-58 | 191.0* | 12.0 | | | | 11-01-57 | 228.0* | 66.0 | |
| | | 5-18-58 | 194.0* | 15.0 | | | | 12-01-57 | 226.0* | 64.0 | |
| | | | | | | | | 1-01-58 | 220.0* | 58.0 | |
| | | | | | | | | 2-01-58 | 230.0* | 68.0 | |
| | | | | | | | | 3-01-58 | 224.0* | 62.0 | |
| | | | | | | | | 4-01-58 | 235.0* | 73.0 | |
| | | | | | | | | 5-01-58 | 240.0* | 78.0 | |
| | | | | | | | | 6-01-58 | 248.0* | 86.0 | |
| 2S/13W-22D06 S | 179.0 | 8-01-57 | 265.0* | 86.0 | 1101 | | | 7-11-57 | 155.1 | 7.7 | 1101 |
| | | 9-01-57 | 265.0* | 86.0 | | | | 7-31-57 | 152.7 | 10.1 | |
| | | 10-01-57 | 265.0* | 86.0 | | | | 8-22-57 | 154.1 | 8.7 | |
| | | 11-15-57 | 267.0* | 88.0 | | | | 9-12-57 | 138.8 | 24.0 | |
| | | 12-15-57 | 270.0* | 91.0 | | | | 10-22-57 | 148.3 | 14.5 | |
| | | 1-21-58 | 264.0* | 85.0 | | | | 11-14-57 | 142.3 | 20.5 | |
| | | 2-18-58 | 264.0* | 85.0 | | | | 12-05-57 | 143.5 | 19.3 | |
| | | 3-18-58 | 266.0* | 87.0 | | | | 1-16-58 | 132.3 | 30.5 | |
| | | 4-18-58 | 265.0* | 86.0 | | | | 2-06-58 | 132.0 | 30.8 | |
| | | 5-18-58 | 260.0* | 81.0 | | | | 2-27-58 | 129.0 | 33.8 | |
| | | 6-21-58 | 265.0* | 86.0 | | | | 3-20-58 | 129.4 | 33.4 | |
| 2S/13W-22D07 S | 179.0 | 7-15-57 | 270.0* | 91.0 | 1101 | | | 4-10-58 | 128.6 | 34.2 | |
| | | 8-01-57 | 278.0* | 99.0 | | | | 5-01-58 | 130.0 | 32.8 | |
| | | 9-15-57 | 278.0* | 99.0 | | | | 5-22-58 | 128.9 | 33.9 | |
| | | 10-15-57 | 271.0* | 92.0 | | | | 6-12-58 | 128.4 | 34.4 | |
| | | 3-01-58 | 267.0* | 88.0 | | | | | | | |
| | | 4-01-58 | 268.0* | 89.0 | | | | | | | |
| | | 5-07-58 | 267.0* | 88.0 | | | | | | | |
| | | 6-01-58 | 270.0* | 91.0 | | | | | | | |
| | | 6-15-58 | 270.0 | 91.0 | | | | | | | |
| 2S/13W-22P01 S | 159.7 | 7-01-57 | 137.0* | 22.7 | 1101 | 2S/13W-23D05 S | 175.0 | 7-01-57 | 260.0* | 85.0 | 1101 |
| | | | | | | | | 8-01-57 | 256.0* | 81.0 | |
| | | | | | | | | 9-01-57 | 262.0* | 87.0 | |
| | | | | | | | | 10-01-57 | 249.0* | 74.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| LOS ANGELES FOREBAY AREA | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| 25/13W-23005 S | 175.0 | 11-01-57 | 25.0* | 74.0 | 1101 | 25/13W-25004 S | 143.0 | 8-01-57 | 226.0* | 83.0 | 1101 |
| CONT. | | 12-01-57 | 22.0* | 51.0 | | CONT. | | 10-01-57 | 226.0* | 75.0 | |
| | | 1-01-58 | 24.0* | 59.0 | | | | 1-01-57 | 213.0* | 69.0 | |
| | | 3-01-58 | 21.0* | 43.0 | | | | 12-01-57 | 212.0* | 70.0 | |
| | | 2-01-58 | 24.0* | 73.0 | | | | 1-01-58 | 214.0* | 71.0 | |
| | | 5-01-58 | 25.0* | 78.0 | | | | 2-01-58 | 212.0* | 65.0 | |
| | | 6-01-58 | 26.10* | 86.0 | | | | 3-01-58 | 205.0* | 62.0 | |
| 25/13W-23401 S | 155.0 | 7-01-57 | 236.0* | 81.0 | 1101 | | | 4-01-58 | 240.0* | 77.0 | |
| | | 8-01-57 | 234.0* | 75.0 | | | | 5-01-58 | 210.0* | 77.0 | |
| | | 9-01-57 | 232.0* | 77.0 | | | | 6-01-58 | 215.0* | 72.0 | |
| | | 10-01-57 | 232.0* | 74.0 | | | | | | | |
| | | 11-01-57 | 259.0* | 73.0 | | 25/13W-27B07 S | 158.0 | 1-26-58 | 225.0* | 67.0 | 1101 |
| | | 12-01-57 | 259.0* | 67.0 | | | | 2-26-58 | 225.0* | 67.0 | |
| | | 1-01-58 | 252.0* | 99.0 | | | | 3-26-58 | 225.0* | 65.0 | |
| | | 2-01-58 | 254.0* | 99.0 | | | | 4-26-58 | 225.0* | 67.0 | |
| | | 3-01-58 | 256.0* | 71.0 | | | | 5-26-58 | 225.0* | 67.0 | |
| | | 4-01-58 | 256.0* | 61.0 | | | | 6-30-58 | 216.0* | 58.0 | |
| | | 6-01-58 | 252.0* | 79.0 | | 25/13W-27B11 S | 157.0 | 7-26-57 | 233.0* | 76.0 | 1101 |
| 25/13W-23J02 S | 146.9 | 7-01-57 | 220.0* | 73.1 | 1101 | | | 8-26-57 | 233.0* | 78.0 | |
| | | 8-01-57 | 220.0* | 73.1 | | | | 9-26-57 | 233.0* | 75.0 | |
| | | 9-01-57 | 220.0* | 73.1 | | | | 10-26-57 | 233.0* | 75.0 | |
| | | 10-01-57 | 212.0* | 65.1 | | | | 1-26-58 | 266.0* | 126.0 | |
| | | 11-01-57 | 212.0* | 65.1 | | | | 12-26-57 | 252.0* | 117.0 | |
| | | 1-01-58 | 216.0* | 69.1 | | | | 1-26-58 | 216.0* | 117.0 | |
| | | 1-01-58 | 206.0* | 59.1 | | | | 3-1-58 | 178.0* | 18.0 | |
| | | 2-01-58 | 207.0* | 60.1 | | | | 4-24-58 | 183.7 | 26.7 | |
| | | 3-01-58 | 200.0* | 53.1 | | | | | | | |
| | | 4-01-58 | 212.0* | 65.1 | | | | 1-26-58 | 200.0* | 43.0 | 1101 |
| | | 5-01-58 | 212.0* | 65.1 | | | | 2-26-58 | 200.0* | 43.0 | |
| | | 6-01-58 | 215.0* | 68.1 | | | | 3-26-58 | 195.0* | 38.0 | |
| 25/13W-25003 S | 140.6 | 7-01-57 | 195.0* | 54.4 | 1101 | | | 4-26-58 | 200.0* | 43.0 | |
| | | 8-01-57 | 192.0* | 51.4 | | | | | | | |
| | | 9-01-57 | 196.0* | 55.4 | | | | 1-26-58 | 256.0* | 99.0 | 1101 |
| | | 10-01-57 | 185.0* | 42.4 | | | | 2-26-58 | 255.0* | 97.0 | |
| | | 11-01-57 | 184.0* | 43.4 | | | | 3-26-58 | 265.0* | 107.0 | |
| | | 1-01-58 | 178.0* | 37.4 | | | | 4-26-58 | 230.0* | 73.0 | |
| | | 1-01-58 | 160.0* | 39.4 | | | | 5-26-58 | 230.0* | 73.0 | |
| | | 2-01-58 | 177.0* | 36.4 | | | | 6-30-58 | 226.0* | 71.0 | |
| | | 3-01-58 | 166.0* | 25.4 | | | | | | | |
| | | 4-01-58 | 177.0* | 36.4 | | | | 7-21-57 | 201.0* | 59.0 | 1101 |
| | | 6-01-58 | 191.0* | 50.4 | | | | 8-15-57 | 201.0* | 59.0 | |
| | | | | | | | | 9-01-57 | 198.0* | 56.0 | |
| 25/13W-25D04 S | 143.0 | 7-01-57 | 226.0* | 83.0 | 1101 | | | 10-31-57 | 198.0* | 56.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------------|--------------------|-----------------|-------------------------------------|-----------------------------|-----------------------|-------------------------------|--------------------|-----------------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| LOS ANGELES FOREBAY AREA 41104 | | | | | | | | | | | |
| 25/13W-28G01 S | 142.0 | 11-15-57 200.0* | - | 58.0 | 1101 | 25/13W-28H01 S | 142.0 | 6-15-58 111.0* | 31.0 | 1101 | |
| | | 12-15-57 192.0* | - | 50.0 | | | | | | | |
| | | 1-15-58 192.0* | - | 50.0 | | | | | | | |
| | | 2-15-58 192.0* | - | 50.0 | | 25/14W-24G01 S | 135.2 | 10-23-57 84.1 | 55.1 | 1101 | |
| | | 3-07-58 191.0* | - | 49.0 | | | | 4-23-58 82.7 | 56.5 | | |
| | | 4-07-58 195.0* | - | 53.0 | | MONTEBELLO FOREBAY AREA 41105 | | | | | |
| | | 5-15-58 196.0* | - | 54.0 | | | | | | | |
| | | 6-01-58 200.0* | - | 58.0 | | 15/12W-32D01 S | 286.5 | 10-22-57 76.6 | 209.9 | 1101 | |
| | | 6-02-58 211.0* | - | 69.0 | | | | 5-01-58 78.0 | 208.5 | | |
| 25/13W-28G02 S | 142.0 | 9-01-57 184.0* | - | 42.0 | 1101 | 15/12W-33P02 S | 250.5 | 7-31-57 375.0* | - 124.4 | 1101 | |
| | | 10-07-57 183.0* | - | 41.0 | | | | 8-31-57 324.0* | - 73.4 | | |
| | | 11-15-57 181.0* | - | 35.0 | | | | 9-30-57 360.0* | - 129.5 | | |
| | | 12-15-57 182.0* | - | 40.0 | | | | 10-30-57 315.0* | - 67.5 | | |
| | | 1-15-58 182.0* | - | 40.0 | | | | 11-30-57 315.0* | - 54.5 | | |
| | | 2-15-58 180.0* | - | 38.0 | | | | 12-31-57 313.0* | - 62.5 | | |
| | | 3-15-58 181.0* | - | 39.0 | | | | 1-31-58 311.0* | - 60.5 | | |
| | | 4-07-58 182.0* | - | 40.0 | | | | 2-28-58 310.0* | - 59.5 | | |
| | | 5-21-58 185.0* | - | 43.0 | | | | 3-31-58 310.0* | - 63.5 | | |
| | | 6-07-58 195.0* | - | 43.0 | | | | 4-30-58 314.0* | - 119.5 | | |
| 25/13W-28G03 S | 142.0 | 8-21-57 202.0* | - | 60.0 | 1101 | | | 6-30-58 320.0* | - 69.5 | | |
| | | 9-07-57 197.0* | - | 55.0 | | 25/11W-05N05 S | 201.0 | 10-21-57 36.3 | 166.7 | 1101 | |
| | | 11-01-57 188.0* | - | 46.0 | | | | 4-24-58 15.3 | 185.1 | | |
| | | 11-15-57 185.0* | - | 43.0 | | | | | | | |
| | | 12-01-57 188.0* | - | 46.0 | | 25/11W-06G02 S | 208.0 | 7-19-57 17.6 | 190.4 | 1101 | |
| | | 12-15-57 184.0* | - | 42.0 | | | | 8-09-57 19.2 | 189.4 | | |
| | | 1-15-58 192.0* | - | 50.0 | | | | 8-30-57 19.9 | 188.1 | | |
| | | 2-15-58 190.0* | - | 48.0 | | | | 9-17-57 21.4 | 186.4 | | |
| | | 3-15-58 188.0* | - | 46.0 | | | | 9-23-57 20.3 | 187.7 | | |
| | | 4-07-58 188.0* | - | 46.0 | | | | 10-21-57 19.1 | 188.3 | | |
| | | 5-15-58 190.0* | - | 48.0 | | | | 11-01-57 19.2 | 188.6 | | |
| | | 6-01-58 202.0* | - | 60.0 | | | | 12-13-57 18.5 | 189.5 | | |
| 25/13W-28H01 S | 142.0 | 7-15-57 107.0* | - | 35.0 | 1101 | | | 12-23-57 19.5 | 189.5 | | |
| | | 8-15-57 109.0* | - | 33.0 | | | | 1-06-58 17.0 | 191.0 | | |
| | | 9-15-57 109.0* | - | 33.0 | | | | 1-16-58 16.8 | 191.0 | | |
| | | 10-15-57 109.0* | - | 33.0 | | | | 2-10-58 15.7 | 192.3 | | |
| | | 11-15-57 109.0* | - | 33.0 | | | | 2-10-58 13.5 | 194.5 | | |
| | | 12-15-57 109.0* | - | 33.0 | | | | 2-14-58 13.2 | 194.8 | | |
| | | 1-15-58 109.0* | - | 33.0 | | | | 2-24-58 13.1 | 194.9 | | |
| | | 2-15-58 108.0* | - | 34.0 | | | | 3-07-58 13.4 | 194.6 | | |
| | | 3-15-58 109.0* | - | 35.0 | | | | 3-10-58 13.0 | 195.0 | | |
| | | 4-15-58 109.0* | - | 33.0 | | | | 3-28-58 13.0 | 195.0 | | |
| | | 5-15-58 110.0* | - | 32.0 | | | | 4-18-58 12.6 | 195.4 | | |
| | | | - | | | | | 5-09-58 12.5 | 195.5 | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|------------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| COASTAL PLAIN FOREBAY AREA | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | MONTEBELLO FOREBAY AREA | | | | | |
| 2S/11W-06G02 5 | 208.0 | 5-19-58 | 12.3 | 195.7 | 1101 | 2S/11W-06M01 5 | 192.6 | 2-14-58 | 12.2 | 180.4 | 1101 |
| | | 6-09-58 | 12.1 | 195.9 | | CONT. | | 2-18-58 | 10.4 | 182.2 | |
| | | 6-20-58 | 12.4 | 195.6 | | | | 2-26-58 | 7.5 | 185.1 | |
| | | 6-30-58 | 12.6 | 195.4 | | | | 3-03-58 | 7.5 | 185.1 | |
| 2S/11W-06K01 5 | 198.4 | 7-17-57 | 21.9 | 176.5 | 1101 | | | 3-10-58 | 6.5 | 186.1 | |
| | | 8-19-57 | 2.7 | 174.7 | | | | 3-17-58 | 5.1 | 187.5 | |
| | | 9-09-57 | 23.7 | 174.7 | | | | 3-24-58 | 4.6 | 188.0 | |
| | | 11-18-57 | DRY | | | | | 3-31-58 | 4.5 | 188.1 | |
| | | 12-02-57 | DRY | | | | | 4-14-58 | 4.2 | 188.4 | |
| | | 12-09-57 | DRY | | | | | 4-21-58 | 4.1 | 188.5 | |
| | | 12-23-57 | 23.3 | 175.1 | | | | 4-28-58 | 4.3 | 188.3 | |
| | 198.4 | 12-30-57 | 23.3 | 175.1 | | | | 5-05-58 | 4.0 | 188.6 | |
| | | 1-06-58 | 20.7 | 177.7 | | | | 5-12-58 | 3.9 | 188.7 | |
| | | 1-13-58 | 18.3 | 180.1 | | | | 5-19-58 | 3.8 | 188.8 | |
| | | 1-20-58 | 19.7 | 178.7 | | | | 5-26-58 | 3.9 | 188.7 | |
| | | 2-7-58 | 17.0 | 181.4 | | | | 6-02-58 | 4.0 | 188.6 | |
| | | 2-10-58 | 12.0 | 186.4 | | | | 6-09-58 | 4.0 | 188.6 | |
| | | 2-17-58 | 10.3 | 188.1 | | | | 6-16-58 | 3.8 | 188.8 | |
| | | 2-24-58 | 10.8 | 187.6 | | | | 6-23-58 | 3.7 | 188.9 | |
| | | 3-03-58 | 10.8 | 187.6 | | | | 6-30-58 | 3.9 | 188.7 | |
| | | 3-10-58 | 10.5 | 187.9 | | 2S/11W-07B01 5 | 197.0 | 7-17-57 | 35.4 | 161.6 | 1101 |
| | | 3-17-58 | 8.8 | 189.6 | | | | 8-07-57 | DRY | | |
| | | 3-24-58 | 8.8 | 189.6 | | | | 8-28-57 | DRY | | |
| | | 3-31-58 | 8.8 | 189.6 | | | | 9-01-57 | DRY | | |
| | | 4-14-58 | 7.5 | 190.9 | | | | 9-23-57 | DRY | | |
| | | 4-21-58 | 7.2 | 191.2 | | | | 10-21-57 | DRY | | |
| | | 4-28-58 | 7.7 | 190.7 | | | | 10-30-57 | DRY | | |
| | | 5-12-58 | 7.4 | 191.0 | | | | 11-18-57 | DRY | | |
| | | 5-19-58 | 7.4 | 191.0 | | | | 12-02-57 | DRY | | |
| | | 5-26-58 | 7.4 | 191.0 | | | | 12-11-57 | DRY | | |
| | | 6-02-58 | 7.3 | 191.1 | | | | 12-23-57 | DRY | | |
| | | 6-09-58 | 7.3 | 191.1 | | | | 1-01-58 | DRY | | |
| | | 6-15-58 | 7.3 | 191.1 | | | | 1-06-58 | DRY | | |
| | | 6-23-58 | 7.3 | 191.1 | | | | 1-20-58 | 33.9 | 163.1 | |
| | | 6-30-58 | 7.4 | 191.0 | | | | 2-05-58 | DRY | | |
| 2S/11W-06M01 5 | 192.6 | 7-17-57 | DRY | | 1101 | | | 2-12-58 | 30.8 | 166.2 | |
| | | 8-19-57 | DRY | | | | | 2-19-58 | 29.1 | 167.9 | |
| | | 11-18-57 | DRY | | | | | 3-12-58 | 23.9 | 173.1 | |
| | | 12-02-57 | DRY | | | | | 4-02-58 | 20.4 | 176.6 | |
| | | 12-09-57 | DRY | | | | | 4-23-58 | 18.1 | 178.9 | |
| | | 12-23-57 | DRY | | | | | 5-07-58 | 18.1 | 178.9 | |
| | | 1-16-58 | DRY | | | | | 5-28-58 | 16.5 | 180.5 | |
| | | 1-20-58 | DRY | | | | | 6-09-58 | 15.9 | 181.6 | |
| | | | DRY | | | | | 6-18-58 | 15.4 | 181.6 | |
| | | | DRY | | | | | 6-30-58 | 15.8 | 181.2 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 2S/11W-07B03 S | 199.0** | 7-17-57 | 43.0* | 156.0 | 1101 | 2S/11W-07J01 S | 193.5 | 6-16-58 | 11.0* | 182.5 | 1101 |
| | | 8-17-57 | 45.0* | 156.0 | | 2S/11W-07J02 S | 193.9 | 10-22-57 | 68.2 | 125.7 | 1101 |
| | | 6-15-58 | 25.0* | 174.0 | | | | 4-29-58 | 44.0 | 145.9 | |
| 2S/11W-07D02 S | 194.0 | 7-17-57 | 46.7 | 147.3 | 1101 | 2S/11W-07M04 S | 192.0 | 7-03-57 | 6.0* | 132.0 | 1101 |
| | | 8-19-57 | 51.0 | 143.0 | | | | 8-03-57 | 71.0 | 121.0 | |
| | | 9-23-57 | 53.3 | 140.7 | | | | 12-02-57 | 77.0 | 115.0 | |
| | | 10-21-57 | 54.9 | 138.0 | | | | 1-08-58 | 70.5 | 121.5 | |
| | | 11-09-57 | 55.1 | 138.2 | | | | 3-18-58 | 47.5 | 152.5 | |
| | | 11-23-57 | 53.8 | 146.2 | | | | 4-01-58 | 51.5 | 150.5 | |
| | | 11-26-58 | 52.2 | 141.8 | | | | 5-22-58 | 38.0 | 154.0 | |
| | | 1-20-58 | 48.0 | 146.0 | | | | 6-01-58 | 36.0 | 158.0 | |
| | | 2-10-58 | 43.4 | 150.6 | | | | 6-13-58 | 34.0 | | |
| | | 2-24-58 | 39.6 | 154.4 | | | | | | | |
| | | 3-10-58 | 35.9 | 158.1 | | 2S/11W-07P02 S | 185.0 | 7-19-57 | 63.6 | 121.4 | 1101 |
| | | 3-24-58 | 32.1 | 161.9 | | | | 8-09-57 | 66.8 | 118.2 | |
| | | 4-14-58 | 28.4 | 165.6 | | | | 8-30-57 | 73.0 | 112.0 | |
| | | 4-28-58 | 27.3 | 166.7 | | | | 9-17-57 | 66.9 | 118.1 | |
| | | 5-19-58 | 25.0 | 169.0 | | | | 10-21-57 | 69.3 | 115.7 | |
| | | 6-09-58 | 24.0 | 170.0 | | | | 11-01-57 | 69.5 | 115.5 | |
| | | 6-30-58 | 22.7 | 171.3 | | | | 11-22-57 | 73.0 | 112.0 | |
| 2S/11W-07H01 S | 192.1 | 7-29-57 | 43.0* | 149.1 | 1101 | | | 12-13-57 | 72.4 | 112.6 | |
| | | 8-26-57 | 43.0* | 149.1 | | | | 12-23-57 | 68.4 | 116.4 | |
| | | 9-30-57 | 44.0* | 148.1 | | | | 1-06-58 | 65.6 | 119.4 | |
| | | 10-28-57 | 46.5* | 145.6 | | | | 1-16-58 | 65.0 | 120.0 | |
| | | 11-12-57 | 46.0* | 146.1 | | | | 1-20-58 | 60.5 | 124.5 | |
| | | 12-16-57 | 41.0* | 151.1 | | | | 1-24-58 | 58.8 | 126.2 | |
| | | 1-13-58 | 28.0* | 164.1 | | | | 2-14-58 | 53.5 | 131.5 | |
| | | 2-10-58 | 25.0* | 167.1 | | | | 3-07-58 | 49.7 | 135.3 | |
| | | 3-10-58 | 16.0* | 176.1 | | | | 3-10-58 | 44.6 | 140.4 | |
| | | 4-07-58 | 11.45* | 180.6 | | | | 3-28-58 | 48.5 | 136.5 | |
| | | 5-11-58 | 11.1* | 181.0 | | | | 4-18-58 | 34.2 | 150.8 | |
| | | 6-16-58 | 12.4* | 179.7 | | | | 5-09-58 | 31.8 | 153.2 | |
| 2S/11W-07J01 S | 193.5 | 7-29-57 | 45.0* | 148.5 | 1101 | | | 5-30-58 | 29.6 | 155.4 | |
| | | 8-26-57 | 50.0* | 143.5 | | | | 6-09-58 | 37.4 | 147.6 | |
| | | 9-30-57 | 51.0* | 142.5 | | | | 6-20-58 | 27.5 | 157.5 | |
| | | 10-28-57 | 52.0* | 141.5 | | | | | | | |
| | | 12-16-57 | 54.0* | 139.5 | | | | 10-21-57 | 61.1 | 123.9 | 1101 |
| | | 1-13-58 | 52.0* | 161.5 | | | | 4-22-58 | 15.2 | 169.8 | |
| | | 2-10-58 | 24.0* | 169.5 | | | | | | | |
| | | 3-10-58 | 20.0* | 173.5 | | | | 7-19-57 | 59.1 | 145.9 | 1101 |
| | | 3-14-58 | 14.0* | 180.0 | | | | 8-09-57 | 64.8 | 140.2 | |
| | | 5-11-58 | 12.0* | 181.5 | | | | 8-30-57 | 64.2 | 140.8 | |
| | | | | | | | | 9-23-57 | 55.1 | 139.0 | |
| | | | | | | | | 10-11-57 | 72.1 | 132.9 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA 41105 | | | | | | | | | | | |
| 25/11W-08N01 S | 205.0 | 10-21-57 | 65.8 | 139.2 | 1101 | 25/11W-18K03 S | 182.0 | 8-19-57 | 101.0* | 81.0 | 1101 |
| CONT. | | 12-13-57 | 61.7 | 143.3 | | | | 10-31-57 | 107.0* | 75.0 | |
| | | 12-23-57 | 57.2 | 147.8 | | | | 11-18-57 | 116.0* | 66.0 | |
| | | 1-06-58 | 48.1 | 156.9 | | | | 12-02-57 | 109.0* | 73.0 | |
| | | 1-20-58 | 45.5 | 159.5 | | | | 3-08-58 | 120.0* | 65.0 | |
| | | 2-10-58 | 39.1 | 165.9 | | | | 5-10-58 | 82.0* | 81.0 | |
| | | 3-07-58 | 31.9 | 173.1 | | | | 7-20-58 | 78.0* | 98.0 | |
| | | 3-28-58 | 29.7 | 175.3 | | | | 3-28-58 | 69.0* | 105.0 | |
| | | 4-18-58 | 27.4 | 177.6 | | | | 5-09-58 | 62.0* | 113.0 | |
| | | 5-09-58 | 26.2 | 178.8 | | | | 4-28-58 | 67.0* | 118.0 | |
| | | 5-30-58 | 25.3 | 179.7 | | | | 5-19-58 | 54.0* | 138.0 | |
| | | 6-09-58 | 25.3 | 179.7 | | | | 6-09-58 | 62.0* | 128.0 | |
| | | 6-20-58 | 26.0 | 179.0 | | | | 6-30-58 | 59.0* | 123.0 | |
| | | 6-30-58 | 26.6 | 178.4 | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| 25/11W-18B01 S | 187.0 | 7-19-57 | 72.2 | 114.8 | 1101 | 25/11W-18K02 S | 189.5 | 5-23-57 | 130.3 | 50.2 | 1101 |
| | | 8-09-57 | 76.4 | 110.6 | | | | 10-16-57 | 133.2 | 47.1 | |
| | | 8-30-57 | 80.5 | 106.5 | | | | 11-18-57 | 132.2 | 46.3 | |
| | | 9-17-57 | 82.7 | 104.3 | | | | 12-02-57 | 136.5 | 46.3 | |
| | | 10-11-57 | 85.2 | 101.8 | | | | 12-17-57 | 136.5 | 46.3 | |
| | | 11-01-57 | 85.4 | 101.6 | | | | 1-20-58 | 118.2* | 65.9 | |
| | | 11-22-57 | 86.4 | 100.6 | | | | 2-10-58 | 120.5 | 65.2 | |
| | | 12-13-57 | 83.5 | 103.5 | | | | 2-24-58 | 115.5 | 68.2 | |
| | | 1-24-58 | 67.8 | 119.2 | | | | 3-10-58 | 103.8 | 95.7 | |
| | | 2-14-58 | 62.2 | 124.8 | | | | 3-24-58 | 95.3 | 95.2 | |
| | | 3-07-58 | 48.5 | 138.5 | | | | 4-14-58 | 83.8 | 96.7 | |
| | | 3-28-58 | 44.3 | 142.7 | | | | 4-28-58 | 80.1 | 100.4 | |
| | | 4-18-58 | 40.8 | 146.2 | | | | 5-19-58 | 72.1 | 108.4 | |
| | | 5-09-58 | 30.9 | 156.1 | | | | 6-09-58 | 64.7 | 115.8 | |
| | | 5-30-58 | 31.1 | 155.9 | | | | | | | |
| | | 6-20-58 | 27.5 | 159.5 | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| 25/11W-18B05 S | 180.0 | 7-02-57 | 80.0* | 100.0 | 1101 | 25/11W-18K03 S | 181.7 | 7-29-57 | 119.0* | 62.7 | 1101 |
| | | 8-03-57 | 90.0* | 90.0 | | | | 8-26-57 | 129.0* | 52.7 | |
| | | 10-07-57 | 90.0* | 90.0 | | | | 9-30-57 | 131.0* | 50.7 | |
| | | 11-04-57 | 85.0* | 95.0 | | | | 10-28-57 | 130.0* | 51.7 | |
| | | 12-02-57 | 95.0* | 85.0 | | | | 11-12-57 | 132.0* | 49.7 | |
| | | 1-20-58 | 95.0* | 85.0 | | | | 11-18-57 | 130.0 | 51.7 | |
| | | 2-21-58 | 79.0* | 101.0 | | | | 11-25-57 | 134.0 | 47.7 | |
| | | 3-14-58 | 68.0* | 112.0 | | | | 12-02-57 | 135.0 | 46.7 | |
| | | 4-21-58 | 52.0* | 128.0 | | | | 12-09-57 | 136.0 | 45.7 | |
| | | 5-22-58 | 47.0* | 133.0 | | | | 12-16-57 | 131.0 | 50.7 | |
| | | 6-13-58 | 45.0* | 135.0 | | | | 12-23-57 | 130.0 | 51.7 | |
| | | 6-27-58 | 43.0* | 137.0 | | | | 12-30-57 | 130.0 | 51.7 | |
| | | | | | | | | 1-06-58 | 133.0 | 48.7 | |
| | | | | | | | | 1-13-58 | 134.0 | 48.7 | |
| | | | | | | | | 1-20-58 | 134.0 | 48.7 | |
| | | | | | | | | 2-07-58 | 133.0 | 48.7 | |
| 25/11W-18C03 S | 182.0 | 7-17-57 | 95.0* | 87.0 | 1101 | | | 2-03-58 | 125.0 | 96.7 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|---------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 25/11W-19K03 S | 181.7 | 2-10-58 | 124.0 | 57.7 | 1101 | 25/11W-19D06 S | 168.1 | 5-21-58 | 18.0 | 150.1 | 1101 |
| CONT. | | | | | | CONT. | | | | | |
| | | 2-17-58 | 122.0 | 59.7 | | | | 3-26-58 | 18.0 | 149.6 | |
| | | 2-24-58 | 118.0 | 63.7 | | | | 6-03-58 | 19.2 | 148.9 | |
| | | 3-03-58 | 118.0 | 63.7 | | | | 6-10-58 | 22.8 | 145.9 | |
| | | 3-10-58 | 122.0 | 59.7 | | | | 6-17-58 | 22.8 | 145.3 | |
| | | 3-17-58 | 105.0 | 76.7 | | | | 6-24-58 | 22.4 | 145.7 | |
| | | 3-24-58 | 98.0 | 83.7 | | 25/11W-19E01 S | 171.4 | 7-17-57 | DRY | | 1101 |
| | | 3-31-58 | 95.0 | 86.7 | | | | 8-19-57 | DRY | | |
| | | 4-07-58 | 93.0 | 88.7 | | | | 9-23-57 | DRY | | |
| | | 4-14-58 | 88.0 | 93.7 | | | | 10-16-57 | DRY | | |
| | | 4-21-58 | 85.0 | 96.7 | | | | 1-10-57 | DRY | | |
| | | 4-28-58 | 82.0 | 99.7 | | | | 1-20-57 | DRY | | |
| | | 5-05-58 | 80.0 | 101.7 | | | | 1-28-57 | DRY | | |
| | | 5-11-58 | 78.0 | 103.7 | | | | 1-28-58 | DRY | | |
| | | 5-19-58 | 76.0 | 105.7 | | | | 1-28-58 | DRY | | |
| | | 5-26-58 | 73.0 | 108.7 | | | | 2-03-58 | DRY | | |
| | | 6-02-58 | 70.0 | 111.7 | | | | 2-24-58 | DRY | | |
| | | 6-09-58 | 74.0 | 107.7 | | | | 3-08-58 | 64.0* | 107.4 | |
| | | 6-16-58 | 75.0 | 106.7 | | | | 3-17-58 | 55.1 | 116.3 | |
| | | 6-23-58 | 74.0 | 107.7 | | | | 3-21-58 | 53.7 | 117.7 | |
| | | 6-30-58 | 75.0 | 106.7 | | | | 3-31-58 | 48.0 | 123.4 | |
| 25/11W-19C01 S | 171.8 | 3-08-58 | 16.8 | 155.0 | 1101 | | | 4-07-58 | 48.9 | 122.5 | |
| | | 3-14-58 | 11.4 | 160.0 | | | | 4-14-58 | 45.0 | 126.4 | |
| | | 3-21-58 | 13.6 | 158.0 | | | | 4-21-58 | 41.4 | 130.0 | |
| | | 3-28-58 | 10.4 | 161.6 | | | | 5-05-58 | 38.7 | 132.7 | |
| | | 4-05-58 | 13.7 | 159.1 | | | | 5-13-58 | 37.6 | 133.8 | |
| | | 4-11-58 | 18.8 | 154.0 | | | | 5-19-58 | 35.9 | 135.5 | |
| | | 4-20-58 | 11.8 | 161.0 | | | | 5-26-58 | 34.7 | 136.7 | |
| | | 5-2-58 | 11.5 | 160.3 | | | | 6-02-58 | 33.5 | 137.9 | |
| | | 5-19-58 | 11.2 | 160.6 | | | | 6-09-58 | 33.4 | 138.0 | |
| | | 5-21-58 | 12.0 | 159.8 | | | | 6-16-58 | 33.5 | 137.9 | |
| | | 5-21-58 | 12.2 | 159.6 | | | | 6-23-58 | 34.1 | 137.3 | |
| | | 5-26-58 | 12.1 | 159.7 | | | | 3-08-58 | 9.8 | 160.9 | 1101 |
| | | 6-03-58 | 12.2 | 159.6 | | | | 4-05-58 | 9.7 | 161.0 | |
| | | 6-10-58 | 13.6 | 158.2 | | | | 5-06-58 | 9.4 | 161.3 | |
| | | 6-17-58 | 13.7 | 158.1 | | | | 6-03-58 | 9.1 | 161.6 | |
| | | 6-24-58 | 16.6 | 155.2 | | | | 6-10-58 | 9.3 | 161.4 | |
| | | | | | | | | 6-17-58 | 9.7 | 161.0 | |
| | | | | | | | | 6-24-58 | 10.1 | 160.6 | |
| 25/11W-19D06 S | 168.1 | 3-28-58 | 15.2 | 152.9 | 1101 | 25/11W-19E04 S | 170.7 | 3-08-58 | 9.8 | 160.9 | 1101 |
| | | 4-05-58 | 22.0 | 146.1 | | | | 4-05-58 | 9.7 | 161.0 | |
| | | 4-11-58 | 23.0 | 145.1 | | | | 5-06-58 | 9.4 | 161.3 | |
| | | 4-22-58 | 14.8 | 153.3 | | | | 6-03-58 | 9.1 | 161.6 | |
| | | 4-29-58 | 18.8 | 149.3 | | | | 6-10-58 | 9.3 | 161.4 | |
| | | 5-06-58 | 16.9 | 151.2 | | | | 6-17-58 | 9.7 | 161.0 | |
| | | 5-13-58 | 17.6 | 150.5 | | | | 6-24-58 | 10.1 | 160.6 | |
| | | | | | | | | 3-14-58 | 52.5 | 116.2 | |
| | | | | | | | | 4-05-58 | 52.4 | 116.3 | |
| | | | | | | | | 4-11-58 | 51.5 | 117.2 | |
| | | | | | | | | 4-22-58 | 48.8 | 119.9 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|---------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 41105 | | | | | | | | | | | |
| MONTABELLO FOREBAY AREA | | | | | | | | | | | |
| 41105 | | | | | | | | | | | |
| MONTABELLO FOREBAY AREA | | | | | | | | | | | |
| 41105 | | | | | | | | | | | |
| 2S/11W-19E07 S | 168.7 | 4-29-58 | 47.2 | 121.5 | 1101 | 2S/11W-19E10 S | 168.5 | 3-28-58 | 13.3 | 155.2 | 1101 |
| | | 5-06-58 | 45.3 | 123.4 | | | | 4-05-58 | 14.0 | 154.5 | |
| | | 5-21-58 | 43.2 | 124.5 | | | | 4-11-58 | 15.8 | 152.7 | |
| | | 5-21-58 | 41.2 | 127.5 | | | | 4-22-58 | 13.6 | 154.9 | |
| | | 5-26-58 | 37.9 | 128.8 | | | | 4-29-58 | 15.0 | 153.5 | |
| | | 6-03-58 | 37.8 | 130.7 | | | | 5-06-58 | 13.5 | 155.0 | |
| | | 6-10-58 | 37.2 | 131.5 | | | | 5-13-58 | 13.0 | 155.5 | |
| | | 6-17-58 | 37.0 | 131.7 | | | | 5-21-58 | 12.8 | 155.7 | |
| | | 6-24-58 | 37.5 | 131.2 | | | | 5-22-58 | 18.1 | 150.4 | |
| | | 3-08-58 | 5.8 | 169.0 | 1101 | | | 5-26-58 | 13.0 | 155.5 | |
| 2S/11W-19E08 S | 166.8 | 3-14-58 | 7.1 | 161.7 | | | | 6-03-58 | 13.9 | 154.6 | |
| | | 3-21-58 | 7.0 | 161.8 | | | | 6-10-58 | 15.7 | 152.8 | |
| | | 3-28-58 | 6.5 | 162.3 | | | | 6-17-58 | 17.2 | 151.3 | |
| | | 4-11-58 | 10.0 | 158.8 | | | | 6-24-58 | 17.8 | 150.7 | |
| | | 4-22-58 | 5.2 | 163.6 | | | | | | | |
| | | 4-29-58 | 7.4 | 161.4 | | | | | | | |
| | | 5-04-58 | 8.2 | 160.6 | | | | | | | |
| | | 5-06-58 | 4.9 | 163.7 | | | | | | | |
| | | 5-13-58 | 4.8 | 164.0 | | | | | | | |
| | | 5-21-58 | 4.5 | 164.3 | | | | | | | |
| | | 5-26-58 | 4.7 | 164.1 | | | | | | | |
| | | 6-03-58 | 5.1 | 163.9 | | | | | | | |
| | | 6-10-58 | 7.9 | 160.9 | | | | | | | |
| | | 6-17-58 | 10.9 | 157.9 | | | | | | | |
| | | 6-24-58 | 11.4 | 154.4 | | | | | | | |
| | | 3-14-58 | 54.1* | 114.7 | 1101 | | | | | | |
| 2S/11W-19E09 S | 168.8 | 3-21-58 | 54.1 | 114.7 | | | | | | | |
| | | 3-28-58 | 54.0 | 114.8 | | | | | | | |
| | | 4-05-58 | 54.3 | 114.5 | | | | | | | |
| | | 4-11-58 | 54.7 | 114.1 | | | | | | | |
| | | 4-22-58 | 48.7 | 120.1 | | | | | | | |
| | | 4-29-58 | 47.5 | 121.3 | | | | | | | |
| | | 5-06-58 | 45.6 | 123.2 | | | | | | | |
| | | 5-13-58 | 43.5 | 125.3 | | | | | | | |
| | | 5-21-58 | 41.4 | 127.4 | | | | | | | |
| | | 5-26-58 | 40.2 | 128.6 | | | | | | | |
| | | 6-03-58 | 38.1 | 130.7 | | | | | | | |
| | | 6-10-58 | 37.6 | 131.2 | | | | | | | |
| | | 6-17-58 | 37.5 | 131.3 | | | | | | | |
| | | 6-24-58 | 38.0 | 130.8 | | | | | | | |
| | | 3-08-58 | 14.3 | 154.2 | 1101 | | | | | | |
| 2S/11W-19E10 S | 168.5 | 3-14-58 | 13.8 | 154.7 | | | | | | | |
| | | 3-21-58 | 14.2 | 154.3 | | | | | | | |
| | | 3-08-58 | 14.3 | 154.2 | 1101 | | | | | | |
| | | 2-14-58 | 13.8 | 154.7 | | | | | | | |
| | | 3-11-58 | 14.2 | 154.3 | | | | | | | |
| | | 10-21-57 | DRY | | | | | | | | |
| | | 2-14-58 | DRY | | | | | | | | |
| | | 3-11-58 | DRY | | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. in Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. in Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 41105 | | | | | | | | | | | |
| 4-11-58 | DRY | | | | 1101 | 25/11W-19M03 S | 160.0 | 6-09-58 | 33.2 | 126.8 | 1101 |
| 5-13-58 | DRY | | | | | CONT. | | 6-13-58 | 30.9 | 159.2 | |
| 6-17-58 | DRY | | | | | | | 6-23-58 | 31.7 | 128.3 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| 7-19-57 | 119.8 | | | 42.6 | 1101 | 25/11W-19M04 S | 163.3 | 11-18-57 | 97.3 | 66.0 | 1101 |
| 8-01-57 | 125.6 | | | 36.8 | | | | 4-29-58 | 93.3 | 70.0 | |
| 8-30-57 | 128.0 | | | 34.4 | | | | | | | |
| 9-27-57 | 130.3 | | | 31.5 | | 25/11W-19N02 S | 166.0 | 7-09-57 | 123.0 | 43.0 | 1101 |
| 10-25-57 | 127.8 | | | 34.6 | | | | 10-21-57 | 134.5* | 31.5 | |
| 11-03-57 | 127.5 | | | 34.9 | | | | 4-22-58 | 89.6 | 76.4 | |
| 11-18-58 | 117.3 | | | 45.1 | | | | | | | |
| 2-22-58 | 91.2 | | | 71.2 | | 25/11W-30D01 S | 159.5 | 7-17-57 | 110.6 | 48.9 | 1101 |
| 3-15-58 | 83.0 | | | 79.4 | | | | 8-19-57 | 113.9 | 45.6 | |
| 4-19-58 | 81.3 | | | 81.1 | | | | 9-23-57 | 117.1 | 42.4 | |
| 5-17-58 | 76.7 | | | 85.7 | | | | 10-16-57 | 118.8 | 40.7 | |
| 6-13-58 | 62.2 | | | 100.2 | | | | 11-18-57 | 120.5 | 39.0 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| 10-22-57 | 126.2 | | | 36.6 | 1101 | | | 12-17-57 | 122.8 | 36.7 | |
| 4-22-58 | 55.2* | | | 107.6 | | | | 12-31-57 | 121.7 | 37.8 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 41105 | | | | | | | | | | | |
| 10-22-57 | 129.6 | | | 32.4 | 1101 | | | 1-06-58 | 119.0 | 40.5 | |
| 4-22-58 | 95.1* | | | 66.9 | | | | 1-20-58 | 114.3 | 45.2 | |
| 6-16-58 | 64.7 | | | 97.3 | | | | 2-10-58 | 108.1 | 51.4 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 41101 | | | | | | | | | | | |
| 7-11-57 | 118.5 | | | 41.5 | 1101 | | | 2-24-58 | 104.4 | 55.1 | |
| 7-31-57 | 123.5 | | | 36.5 | | | | 3-10-58 | 99.5 | 60.0 | |
| 8-22-57 | 125.7 | | | 34.3 | | | | 3-24-58 | 91.3 | 68.2 | |
| 9-12-57 | 128.7 | | | 31.3 | | | | 4-14-58 | 80.6 | 78.9 | |
| 10-22-57 | 126.0 | | | 34.0 | | | | 4-28-58 | 73.1 | 86.4 | |
| 11-14-57 | 126.5 | | | 33.5 | | | 159.2 | 5-19-58 | 63.1 | 96.4 | |
| 12-02-57 | 129.1 | | | 30.9 | | | | 6-02-58 | 42.2 | 117.3 | |
| 1-26-58 | 126.6 | | | 33.4 | | | | 6-09-58 | 53.6 | 105.6 | |
| 1-06-58 | 89.6* | | | 70.4 | | 25/11W-30G01 S | 157.2 | 6-16-58 | 51.3 | 107.9 | |
| 1-13-58 | 85.1 | | | 74.9 | | | | 7-17-57 | 104.8 | 52.4 | |
| 1-20-58 | 92.7* | | | 67.3 | | | | 8-19-57 | 103.5 | 53.7 | |
| 2-06-58 | 83.6 | | | 76.4 | | | | 9-23-57 | 105.1 | 52.1 | |
| 2-17-58 | 68.4 | | | 84.6 | | | | 10-16-57 | 105.5 | 51.7 | |
| 2-24-58 | 73.5 | | | 84.5 | | | | 11-18-57 | 107.4 | 49.8 | |
| 3-03-58 | 72.3 | | | 92.7 | | | | 12-02-57 | 108.5 | 46.7 | |
| 3-10-58 | 58.4 | | | 107.6 | | | | 12-17-57 | 105.4 | 47.6 | |
| 3-17-58 | 59.1 | | | 107.0 | | | | 12-23-58 | 107.3 | 50.8 | |
| 2-20-58 | 56.1 | | | 116.0 | | | | 1-06-58 | 105.3 | 47.9 | |
| 5-01-58 | 43.9 | | | 116.0 | | | | 2-10-58 | 102.8 | 50.4 | |
| 5-22-58 | 37.9 | | | 122.1 | | | | 2-24-58 | 105.1 | 52.1 | |
| 6-02-58 | 34.6 | | | 125.4 | | | | 3-10-58 | 103.4 | 53.8 | |
| | | | | | | | | 3-24-58 | 101.6 | 55.6 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | P.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | P.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|---|--|--|-----------------------|-------------------------|--------------------|--|--|--|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | MONTEBELLO FOREBAY AREA | | | | | |
| 41100 | | | | | | 41105 | | | | | |
| 25/111W-30G01 S | 157.2 | 4-09-58 4-16-58 4-16-58 5-28-58 6-19-58 6-09-58 | 99.5 98.7 96.7 92.8 87.1 | 57.7 58.5 60.5 64.2 70.1 | 1101 | 25/111W-32M02 S | 162.0 | 9-23-57 10-16-57 11-18-57 12-02-57 12-17-57 12-23-57 | 134.2 133.1 135.1 133.3 134.6 135.0 | 27.8 28.9 26.9 29.7 27.4 28.0 | 1101 |
| 25/111W-30M01 S | 151.0 | 7-17-57 8-19-57 9-23-57 10-16-57 11-18-57 12-02-57 12-17-57 12-23-57 1-06-58 1-20-58 2-10-58 2-24-58 3-10-58 3-24-58 4-14-58 4-28-58 5-19-58 6-09-58 | 113.9 116.1 118.7 119.6 120.4 121.4 121.5 121.1 120.1 116.9 116.2 114.2 111.6 107.3 99.8 95.5 87.2 78.8 | 37.1 34.9 32.3 31.4 30.6 29.6 29.5 29.9 30.6 31.0 34.7 36.4 39.4 43.7 51.2 55.5 63.8 72.2 | 1101 | 25/12W-01P02 S | 204.0 | 8-01-57 8-31-57 9-28-57 10-02-57 11-02-57 11-16-57 11-29-57 1-02-58 1-30-58 2-27-58 3-27-58 5-01-58 5-29-58 6-26-58 | 66.0* 69.0* 47.0* 65.5* 59.0* 73.0* 53.0* 72.0* 84.0* 64.0* 65.0* 70.0* 60.0* 90.0* | 138.0 135.0 137.5 137.5 136.0 136.0 131.0 127.0 120.0 160.0 139.0 134.0 138.0 114.0 | 1101 |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | MONTEBELLO FOREBAY AREA | | | | | |
| 41100 | | | | | | 41105 | | | | | |
| 25/111W-31B04 S | 156.0 | 7-17-57 8-19-57 9-23-57 10-16-57 11-18-57 12-02-57 12-17-57 1-06-58 1-20-58 2-10-58 2-24-58 3-10-58 3-24-58 4-14-58 4-28-58 5-19-58 6-09-58 | 113.7 114.9 116.5 117.5 118.6 119.0 119.5 119.7 120.1 118.9 116.9 114.2 111.6 107.3 99.8 95.5 87.2 78.8 | 42.3 41.1 39.5 38.5 37.4 37.0 36.5 36.3 36.0 35.9 36.2 36.5 37.1 37.9 40.1 42.3 46.1 50.6 | 1101 | 25/12W-01P03 S | 221.0** | 8-01-57 8-31-57 9-28-57 10-02-57 11-02-57 11-16-57 11-29-57 1-02-58 1-30-58 2-27-58 3-27-58 5-01-58 5-29-58 6-26-58 | 146.0* 145.0* 153.0* 159.0* 160.0* 160.0* 157.0* 152.0* 147.0* 144.0* 134.0* 150.0* 132.0* | 77.0 76.0 68.0 62.0 61.0 64.0 69.0 74.0 77.0 87.0 71.0 89.0 | 1101 |
| 25/111W-32M02 S | 162.0 | 7-17-57 8-19-57 9-23-57 10-16-57 11-18-57 12-02-57 12-17-57 1-06-58 1-20-58 2-10-58 2-24-58 3-10-58 3-24-58 4-14-58 4-28-58 5-19-58 6-09-58 | 130.9 131.6 131.6 131.6 131.6 131.6 131.6 131.6 131.6 131.6 131.6 131.6 131.6 131.6 131.6 131.6 131.6 | 31.1 30.4 | 1101 | 25/12W-01R01 S | 195.0 | 9-23-57 10-21-57 11-18-57 12-02-57 12-23-57 | 46.2 47.3 47.6 48.1 48.5 | 148.8 147.4 146.9 149.5 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| MONTEBELLO FORERAY AREA | | | | | | MONTEBELLO FORERAY AREA | | | | | |
| 41100 | | | | | | 41100 | | | | | |
| 25/12W-01R01 S | 195.0 | 1-06-58 | 44.5 | 150.5 | 1101 | 25/12W-01R06 S | 189.0 | 4-24-58 | 26.4 | 162.6 | 1101 |
| | | 1-20-58 | 41.4 | 153.6 | | | | 7-17-57 | 27.1 | 164.3 | 1101 |
| | | 2-10-58 | 34.5 | 160.5 | | | | 8-19-57 | 27.1 | 164.3 | |
| | | 2-24-58 | 28.1 | 166.9 | | | | 9-23-57 | 27.1 | 164.3 | |
| | | 3-10-58 | 24.3 | 170.7 | | | | 11-18-57 | 27.1 | 164.3 | |
| | | 3-24-58 | 19.4 | 175.6 | | | | 12-09-57 | 21.2 | 164.2 | |
| | | 4-14-58 | 15.7 | 179.3 | | | | 12-09-57 | 21.2 | 164.2 | |
| | | 4-28-58 | 15.0 | 180.0 | | | | 12-23-57 | 21.2 | 164.2 | |
| | | 5-19-58 | 14.3 | 180.7 | | | | 12-30-57 | 21.3 | 164.1 | |
| | | 6-09-58 | 13.0 | 182.0 | | | | 1-06-58 | 24.8 | 164.6 | |
| | | 6-30-58 | 12.7 | 182.3 | | | | 1-16-58 | 23.7 | 167.7 | |
| | | 7-17-57 | 36.4 | 143.6 | 1101 | | | 1-20-58 | 25.7 | 165.7 | |
| | | 8-19-57 | 39.8 | 140.2 | | | | 1-27-58 | 25.7 | 167.7 | |
| | | 9-23-57 | 41.9 | 138.1 | | | | 2-10-58 | 24.1 | 167.3 | |
| | | 10-21-57 | 42.5 | 137.5 | | | | 2-17-58 | 23.5 | 167.9 | |
| | | 11-18-57 | 43.3 | 136.7 | | | | 2-24-58 | 22.4 | 169.0 | |
| | | 12-02-57 | 44.6 | 135.4 | | | | 3-03-58 | 20.7 | 170.7 | |
| | | 12-09-57 | 44.5 | 135.5 | | | | 3-07-58 | 17.6 | 173.8 | |
| | | 12-23-57 | 42.9 | 137.1 | | | | 3-17-58 | 14.9 | 176.5 | |
| | | 12-30-57 | 41.1 | 138.9 | | | | 3-24-58 | 13.4 | 178.0 | |
| | | 1-06-58 | 39.2 | 140.8 | | | | 3-31-58 | 12.1 | 179.3 | |
| | | 1-13-58 | 36.7 | 143.3 | | | | 4-14-58 | 11.0 | 180.4 | |
| | | 1-20-58 | 36.1 | 143.9 | | | | 4-21-58 | 9.9 | 181.5 | |
| | | 1-27-58 | 34.7 | 145.3 | | | | 4-28-58 | 10.1 | 181.3 | |
| | | 2-10-58 | 30.6 | 149.4 | | | | 5-05-58 | 9.8 | 181.6 | |
| | | 2-17-58 | 28.4 | 151.6 | | | | 5-12-58 | 9.2 | 182.2 | |
| | | 2-24-58 | 23.4 | 154.6 | | | | 5-19-58 | 9.1 | 182.3 | |
| | | 3-03-58 | 23.4 | 156.6 | | | | 5-26-58 | 8.8 | 182.6 | |
| | | 3-10-58 | 21.4 | 158.9 | | | | 6-02-58 | 8.8 | 182.6 | |
| | | 3-17-58 | 19.4 | 162.0 | | | | 6-09-58 | 9.6 | 181.8 | |
| | | 3-24-58 | 17.3 | 165.9 | | | | 6-13-58 | 8.7 | 182.7 | |
| | | 4-1-58 | 14.1 | 169.0 | | | | 6-23-58 | 8.2 | 183.2 | |
| | | 4-21-58 | 13.7 | 167.3 | | | | 6-30-58 | 8.3 | 183.1 | |
| | | 4-28-58 | 12.8 | 167.2 | | | | 4-29-58 | 252.0 | - | 5.0 |
| | | 5-05-58 | 12.6 | 167.4 | | | | 7-31-57 | 252.0* | - | 15.4 |
| | | 5-11-58 | 11.6 | 168.4 | | | | 8-31-57 | 256.0* | - | 17.4 |
| | | 5-19-58 | 12.4 | 167.6 | | | | 9-30-57 | 255.0* | - | 18.4 |
| | | 5-26-58 | 11.6 | 168.4 | | | | 10-30-57 | 245.0* | - | 7.4 |
| | | 6-02-58 | 11.3 | 168.7 | | | | 11-30-57 | 241.0* | - | 4.4 |
| | | 6-09-58 | 11.0 | 169.0 | | | | 12-31-57 | 233.0* | - | 4.4 |
| | | 6-13-58 | 10.5 | 169.5 | | | | 2-28-58 | 225.0* | - | 4.6 |
| | | 6-23-58 | 10.2 | 169.8 | | | | 3-31-58 | 225.0* | - | 9.8 |
| | | 10-02-57 | 54.3 | 134.7 | 1101 | | | 3-31-58 | 225.0* | - | 11.6 |
| | | 10-21-57 | 53.5 | 135.5 | | | | | | | |
| 25/12W-01R06 S | 189.0 | | | | | 25/12W-03C01 S | 247.0 | | | | |
| | | | | | | 25/12W-03C02 S | 236.6 | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------------|--------------------|--|--|---|-----------------------|-------------------|--------------------|--|--|--|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA 41105 | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA 41105 | | | | | | | | | | | |
| 25/12N-03C02 S | 236.6 | 4-30-58 5-31-58 6-30-58 | 230.0* 233.0* 238.0* | 6.6 3.6 1.6 | 1101 | 25/12N-05A01 S | 228.3 | 11-30-57 12-31-57 | 313.0* | 84.7 | 1101 |
| CONT. | | | | | | | | | | | |
| 25/12N-04C01 S | 247.8 | 7-31-57 8-31-57 9-30-57 10-30-57 11-30-57 12-31-57 | 957.0* 929.0* 969.0* 922.0* 927.0* 917.0* | -109.2 -81.2 -121.2 -49.2 -69.2 | 1101 | 25/12N-05B01 S | 261.5 | 7-31-57 8-31-57 9-30-57 11-30-57 1-31-58 3-31-58 4-30-58 5-31-58 6-30-58 | 347.0* 371.0* 369.0* 349.0* 279.0* 343.0* 362.0* 345.0* 351.0* | 85.4 89.4 87.5 87.5 17.5 81.5 80.5 83.5 89.5 | 1101 |
| CONT. | | | | | | | | | | | |
| 25/12N-04E02 S | 228.0 | 7-31-57 8-31-57 9-30-57 10-30-57 11-30-57 12-31-57 | 328.0* 326.0* 285.0* 287.0* 284.0* 283.0* | -100.0 -68.0 -69.0 -66.0 -62.0 -62.0 | 1101 | 25/12N-05J01 S | 203.7 | 7-31-57 8-31-57 9-30-57 10-30-57 11-30-57 12-31-57 | 323.0* 288.0* 320.0* 280.0* 311.0* 272.0* | 119.3 89.3 116.3 107.3 68.3 88.3 | 1101 |
| CONT. | | | | | | | | | | | |
| 25/12N-04E03 S | 226.7 | 6-30-58 7-31-57 8-31-57 9-30-57 10-30-57 11-30-57 12-31-57 | 230.0* 208.0* 228.0* 228.0* 226.0* 204.0* 222.0* | 3.3 18.7 11.7 20.7 26.7 4.7 | 1101 | 25/12N-05M01 S | 197.0 | 7-31-57 8-31-57 9-30-57 10-30-57 11-30-57 12-31-57 | 310.0* 276.0* 265.0* 259.0* 300.0* 257.0* | 113.0 79.0 116.0 106.0 103.0 102.0 | 1101 |
| CONT. | | | | | | | | | | | |
| 25/12N-05A01 S | 228.3 | 7-31-57 8-31-57 9-30-57 10-30-57 | 318.0* 304.0* 320.0* 299.0* | -89.7 -75.7 -91.7 -70.7 | 1101 | 25/12N-05P01 S | 197.5 | 7-31-57 8-31-57 9-30-57 10-30-57 11-30-57 12-31-57 | 354.0* 274.0* 351.0* 265.0* 267.0* 255.0* | 156.5 76.5 153.5 67.5 67.5 56.5 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 41105 | | | | | | | | | | | |
| 25/12W-05P01 S | 197.5 | 3-31-58 | 258.0* | 60.5 | 1101 | 25/12W-07H01 S | 163.8 | 9-30-57 | 269.0* | 99.2 | 1101 |
| | | CONT. | | | | | | | | | |
| | | 4-30-58 | 253.0* | 55.5 | | | | 11-30-57 | 264.0* | 95.2 | |
| | | 5-31-58 | 285.0* | 87.5 | | | | 1-31-58 | 244.0* | 80.2 | |
| | | 6-30-58 | 256.0* | 58.5 | | | | 3-31-58 | 242.0* | 78.2 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 41105 | | | | | | | | | | | |
| 25/12W-05P02 S | 196.8 | 7-31-57 | 316.0* | 119.2 | 1101 | 25/12W-08B01 S | 186.8 | 7-31-57 | 301.0* | 120.2 | 1101 |
| | | CONT. | | | | | | | | | |
| | | 8-31-57 | 279.0* | 82.2 | | | | 8-31-57 | 303.0* | 128.2 | |
| | | 9-30-57 | 316.0* | 119.2 | | | | 9-30-57 | 300.0* | 118.2 | |
| | | 10-31-57 | 270.0* | 73.2 | | | | 11-30-57 | 295.0* | 105.2 | |
| | | 11-30-57 | 304.0* | 107.2 | | | | 12-31-57 | 233.0* | 58.2 | |
| | | 12-31-57 | 260.0* | 65.2 | | | | 1-31-58 | 230.0* | 48.2 | |
| | | 1-31-58 | 298.0* | 101.2 | | | | 2-28-58 | 230.0* | 56.2 | |
| | | 2-28-58 | 261.0* | 84.2 | | | | 3-31-58 | 297.0* | 100.2 | |
| | | 3-31-58 | 297.0* | 100.2 | | | | 4-30-58 | 261.0* | 84.2 | |
| | | 4-30-58 | 261.0* | 84.2 | | | | 5-31-58 | 307.0* | 110.2 | |
| | | 5-31-58 | 307.0* | 110.2 | | | | 6-30-58 | 265.0* | 68.2 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 41105 | | | | | | | | | | | |
| 25/12W-05B01 S | 190.5 | 7-31-57 | 339.0* | 148.5 | 1101 | 25/12W-08C01 S | 170.0 | 7-31-57 | 268.0* | 98.0 | 1101 |
| | | CONT. | | | | | | | | | |
| | | 8-31-57 | 269.0* | 78.5 | | | | 8-31-57 | 253.0* | 83.0 | |
| | | 9-30-57 | 542.0* | 151.5 | | | | 9-30-57 | 272.0* | 102.0 | |
| | | 10-30-57 | 258.0* | 67.5 | | | | 10-31-57 | 242.0* | 72.0 | |
| | | 11-30-57 | 258.0* | 67.5 | | | | 11-30-57 | 257.0* | 87.0 | |
| | | 12-31-57 | 252.0* | 61.5 | | | | 12-31-57 | 236.0* | 66.0 | |
| | | 1-31-58 | 248.0* | 57.5 | | | | 1-31-58 | 251.0* | 81.0 | |
| | | 2-28-58 | 246.0* | 55.5 | | | | 2-28-58 | 233.0* | 61.0 | |
| | | 3-31-58 | 248.0* | 57.5 | | | | 3-31-58 | 250.0* | 86.0 | |
| | | 4-30-58 | 245.0* | 54.5 | | | | 4-30-58 | 235.0* | 61.0 | |
| | | 5-31-58 | 251.0* | 60.5 | | | | 5-31-58 | 256.0* | 86.0 | |
| | | 6-30-58 | 250.0* | 59.5 | | | | 6-30-58 | 240.0* | 70.0 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 41105 | | | | | | | | | | | |
| 25/12W-06J01 S | 197.0 | 7-31-57 | 321.0* | 124.0 | 1101 | 25/12W-08F01 S | 162.5 | 7-31-57 | 264.0* | 101.5 | 1101 |
| | | CONT. | | | | | | | | | |
| | | 8-31-57 | 290.0* | 93.0 | | | | 8-31-57 | 239.0* | 76.5 | |
| | | 9-30-57 | 318.0* | 121.0 | | | | 9-30-57 | 265.0* | 102.5 | |
| | | 10-31-57 | 282.0* | 85.0 | | | | 10-31-57 | 233.0* | 77.5 | |
| | | 11-30-57 | 301.0* | 104.0 | | | | 11-30-57 | 251.0* | 88.5 | |
| | | 12-31-57 | 274.0* | 77.0 | | | | 12-31-57 | 223.0* | 66.5 | |
| | | 1-31-58 | 300.0* | 103.0 | | | | 1-31-58 | 250.0* | 87.5 | |
| | | 2-28-58 | 269.0* | 72.0 | | | | 2-28-58 | 223.0* | 60.5 | |
| | | 3-31-58 | 291.0* | 94.0 | | | | 3-31-58 | 246.0* | 83.5 | |
| | | 4-30-58 | 272.0* | 75.0 | | | | 4-30-58 | 224.0* | 61.5 | |
| | | 5-31-58 | 302.0* | 105.0 | | | | 5-31-58 | 252.0* | 89.5 | |
| | | 6-30-58 | 283.0* | 86.0 | | | | 6-30-58 | 225.0* | 62.5 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 41105 | | | | | | | | | | | |
| 25/12W-07H01 S | 163.8 | 7-31-57 | 261.0* | 97.2 | 1101 | 25/12W-10J01 S | 195.1 | 7-31-57 | 254.0* | 58.9 | 1101 |
| | | CONT. | | | | | | | | | |
| | | 8-31-57 | 265.0* | 101.2 | | | | 8-31-57 | 254.0* | 58.9 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 41105 | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 25/12W-10U01 S | | | | | | | | | | | |
| 195.1 | | | | | | | | | | | |
| 8-31-57 168.0* | | | | | | | | | | | |
| 9-30-57 262.0* | | | | | | | | | | | |
| 10-30-57 167.0* | | | | | | | | | | | |
| 11-30-57 256.0* | | | | | | | | | | | |
| 12-31-57 172.0* | | | | | | | | | | | |
| 1-31-58 171.0* | | | | | | | | | | | |
| 2-28-58 163.0* | | | | | | | | | | | |
| 3-31-58 259.0* | | | | | | | | | | | |
| 4-30-58 142.0* | | | | | | | | | | | |
| 5-31-58 142.0* | | | | | | | | | | | |
| 5-31-58 252.0* | | | | | | | | | | | |
| 7-31-57 244.0* | | | | | | | | | | | |
| 8-31-57 168.0* | | | | | | | | | | | |
| 9-30-57 249.0* | | | | | | | | | | | |
| 10-30-57 166.0* | | | | | | | | | | | |
| 11-30-57 247.0* | | | | | | | | | | | |
| 12-31-57 169.0* | | | | | | | | | | | |
| 1-31-58 168.0* | | | | | | | | | | | |
| 2-28-58 161.0* | | | | | | | | | | | |
| 3-31-58 236.0* | | | | | | | | | | | |
| 4-30-58 146.0* | | | | | | | | | | | |
| 5-31-58 223.0* | | | | | | | | | | | |
| 6-30-58 122.0* | | | | | | | | | | | |
| 7-31-57 197.0* | | | | | | | | | | | |
| 8-31-57 198.0* | | | | | | | | | | | |
| 9-30-57 199.0* | | | | | | | | | | | |
| 10-30-57 199.0* | | | | | | | | | | | |
| 11-30-57 200.0* | | | | | | | | | | | |
| 12-31-57 200.0* | | | | | | | | | | | |
| 1-31-58 200.0* | | | | | | | | | | | |
| 2-28-58 198.0* | | | | | | | | | | | |
| 3-31-58 195.0* | | | | | | | | | | | |
| 4-30-58 193.0* | | | | | | | | | | | |
| 5-31-58 191.0* | | | | | | | | | | | |
| 6-30-58 188.0* | | | | | | | | | | | |
| 7-01-57 159.4 | | | | | | | | | | | |
| 7-08-57 160.2 | | | | | | | | | | | |
| 7-15-57 161.2 | | | | | | | | | | | |
| 7-22-57 161.8 | | | | | | | | | | | |
| 7-29-57 162.4 | | | | | | | | | | | |
| 8-05-57 163.1 | | | | | | | | | | | |
| 8-12-57 163.8 | | | | | | | | | | | |
| 8-19-57 164.9 | | | | | | | | | | | |
| 8-26-57 164.7 | | | | | | | | | | | |
| 25/12W-10U03 S | | | | | | | | | | | |
| 193.0 | | | | | | | | | | | |
| 7-31-57 244.0* | | | | | | | | | | | |
| 8-31-57 168.0* | | | | | | | | | | | |
| 9-30-57 249.0* | | | | | | | | | | | |
| 10-30-57 166.0* | | | | | | | | | | | |
| 11-30-57 247.0* | | | | | | | | | | | |
| 12-31-57 169.0* | | | | | | | | | | | |
| 1-31-58 168.0* | | | | | | | | | | | |
| 2-28-58 161.0* | | | | | | | | | | | |
| 3-31-58 236.0* | | | | | | | | | | | |
| 4-30-58 146.0* | | | | | | | | | | | |
| 5-31-58 223.0* | | | | | | | | | | | |
| 6-30-58 122.0* | | | | | | | | | | | |
| 7-31-57 197.0* | | | | | | | | | | | |
| 8-31-57 198.0* | | | | | | | | | | | |
| 9-30-57 199.0* | | | | | | | | | | | |
| 10-30-57 199.0* | | | | | | | | | | | |
| 11-30-57 200.0* | | | | | | | | | | | |
| 12-31-57 200.0* | | | | | | | | | | | |
| 1-31-58 200.0* | | | | | | | | | | | |
| 2-28-58 198.0* | | | | | | | | | | | |
| 3-31-58 195.0* | | | | | | | | | | | |
| 4-30-58 193.0* | | | | | | | | | | | |
| 5-31-58 191.0* | | | | | | | | | | | |
| 6-30-58 188.0* | | | | | | | | | | | |
| 7-01-57 159.4 | | | | | | | | | | | |
| 7-08-57 160.2 | | | | | | | | | | | |
| 7-15-57 161.2 | | | | | | | | | | | |
| 7-22-57 161.8 | | | | | | | | | | | |
| 7-29-57 162.4 | | | | | | | | | | | |
| 8-05-57 163.1 | | | | | | | | | | | |
| 8-12-57 163.8 | | | | | | | | | | | |
| 8-19-57 164.9 | | | | | | | | | | | |
| 8-26-57 164.7 | | | | | | | | | | | |
| 25/12W-10U02 S | | | | | | | | | | | |
| 187.7 | | | | | | | | | | | |
| 9-02-57 164.9* | | | | | | | | | | | |
| 9-09-57 165.5* | | | | | | | | | | | |
| 9-16-57 167.1* | | | | | | | | | | | |
| 9-23-57 167.3* | | | | | | | | | | | |
| 10-21-57 164.1* | | | | | | | | | | | |
| 10-28-57 167.9* | | | | | | | | | | | |
| 11-04-57 164.3* | | | | | | | | | | | |
| 11-11-57 163.3* | | | | | | | | | | | |
| 11-18-57 168.0* | | | | | | | | | | | |
| 11-25-57 170.7* | | | | | | | | | | | |
| 12-02-57 171.1* | | | | | | | | | | | |
| 12-09-57 171.0* | | | | | | | | | | | |
| 12-16-57 172.0* | | | | | | | | | | | |
| 12-23-57 176.0* | | | | | | | | | | | |
| 1-06-58 169.1* | | | | | | | | | | | |
| 1-13-58 169.2* | | | | | | | | | | | |
| 1-20-58 170.0* | | | | | | | | | | | |
| 2-03-58 169.6* | | | | | | | | | | | |
| 2-10-58 168.3* | | | | | | | | | | | |
| 2-17-58 166.7* | | | | | | | | | | | |
| 2-24-58 163.0* | | | | | | | | | | | |
| 3-03-58 159.6* | | | | | | | | | | | |
| 3-10-58 157.2* | | | | | | | | | | | |
| 3-17-58 157.4* | | | | | | | | | | | |
| 3-24-58 151.2* | | | | | | | | | | | |
| 3-31-58 150.2* | | | | | | | | | | | |
| 4-07-58 147.0* | | | | | | | | | | | |
| 4-14-58 146.5* | | | | | | | | | | | |
| 4-21-58 146.4* | | | | | | | | | | | |
| 4-28-58 145.1* | | | | | | | | | | | |
| 5-05-58 144.5* | | | | | | | | | | | |
| 5-12-58 139.6* | | | | | | | | | | | |
| 5-19-58 140.6* | | | | | | | | | | | |
| 5-26-58 139.2* | | | | | | | | | | | |
| 6-02-58 141.8* | | | | | | | | | | | |
| 6-09-58 134.6* | | | | | | | | | | | |
| 6-16-58 133.1* | | | | | | | | | | | |
| 6-23-58 131.9* | | | | | | | | | | | |
| 6-30-58 129.0* | | | | | | | | | | | |
| 6-30-58 143.7 | | | | | | | | | | | |
| 25/12W-11R03 S | | | | | | | | | | | |
| 180.0 | | | | | | | | | | | |
| 7-10-57 110.0* | | | | | | | | | | | |
| 8-15-57 116.0* | | | | | | | | | | | |
| 9-21-57 121.0* | | | | | | | | | | | |
| 10-25-57 125.0* | | | | | | | | | | | |
| 11-13-57 125.0* | | | | | | | | | | | |
| 25/12W-10U01 S | | | | | | | | | | | |
| 1101 | | | | | | | | | | | |
| 9-02-57 164.9* | | | | | | | | | | | |
| 9-09-57 165.5* | | | | | | | | | | | |
| 9-16-57 167.1* | | | | | | | | | | | |
| 9-23-57 167.3* | | | | | | | | | | | |
| 10-21-57 164.1* | | | | | | | | | | | |
| 10-28-57 167.9* | | | | | | | | | | | |
| 11-04-57 164.3* | | | | | | | | | | | |
| 11-11-57 163.3* | | | | | | | | | | | |
| 11-18-57 168.0* | | | | | | | | | | | |
| 11-25-57 170.7* | | | | | | | | | | | |
| 12-02-57 171.1* | | | | | | | | | | | |
| 12-09-57 171.0* | | | | | | | | | | | |
| 12-16-57 172.0* | | | | | | | | | | | |
| 12-23-57 176.0* | | | | | | | | | | | |
| 1-06-58 169.1* | | | | | | | | | | | |
| 1-13-58 169.2* | | | | | | | | | | | |
| 1-20-58 170.0* | | | | | | | | | | | |
| 2-03-58 169.6* | | | | | | | | | | | |
| 2-10-58 168.3* | | | | | | | | | | | |
| 2-17-58 166.7* | | | | | | | | | | | |
| 2-24-58 163.0* | | | | | | | | | | | |
| 3-03-58 159.6* | | | | | | | | | | | |
| 3-10-58 157.2* | | | | | | | | | | | |
| 3-17-58 157.4* | | | | | | | | | | | |
| 3-24-58 151.2* | | | | | | | | | | | |
| 3-31-58 150.2* | | | | | | | | | | | |
| 4-07-58 147.0* | | | | | | | | | | | |
| 4-14-58 146.5* | | | | | | | | | | | |
| 4-21-58 146.4* | | | | | | | | | | | |
| 4-28-58 145.1* | | | | | | | | | | | |
| 5-05-58 144.5* | | | | | | | | | | | |
| 5-12-58 139.6* | | | | | | | | | | | |
| 5-19-58 140.6* | | | | | | | | | | | |
| 5-26-58 139.2* | | | | | | | | | | | |
| 6-02-58 141.8* | | | | | | | | | | | |
| 6-09-58 134.6* | | | | | | | | | | | |
| 6-16-58 133.1* | | | | | | | | | | | |
| 6-23-58 131.9* | | | | | | | | | | | |
| 6-30-58 129.0* | | | | | | | | | | | |
| 6-30-58 143.7 | | | | | | | | | | | |
| 25/12W-10U02 S | | | | | | | | | | | |
| 1101 | | | | | | | | | | | |
| 9-02-57 164.9* | | | | | | | | | | | |
| 9-09-57 165.5* | | | | | | | | | | | |
| 9-16-57 167.1* | | | | | | | | | | | |
| 9-23-57 167.3* | | | | | | | | | | | |
| 10-21-57 164.1* | | | | | | | | | | | |
| 10-28-57 167.9* | | | | | | | | | | | |
| 11-04-57 164.3* | | | | | | | | | | | |
| 11-11-57 163.3* | | | | | | | | | | | |
| 11-18-57 168.0* | | | | | | | | | | | |
| 11-25-57 170.7* | | | | | | | | | | | |
| 12-02-57 171.1* | | | | | | | | | | | |
| 12-09-57 171.0* | | | | | | | | | | | |
| 12-16-57 172.0* | | | | | | | | | | | |
| 12-23-57 176.0* | | | | | | | | | | | |
| 1-06-58 169.1* | | | | | | | | | | | |
| 1-13-58 169.2* | | | | | | | | | | | |
| 1-20-58 170.0* | | | | | | | | | | | |
| 2-03-58 169.6* | | | | | | | | | | | |
| 2-10-58 168.3* | | | | | | | | | | | |
| 2-17-58 166.7* | | | | | | | | | | | |
| 2-24-58 163.0* | | | | | | | | | | | |
| 3-03-58 159.6* | | | | | | | | | | | |
| 3-10-58 157.2* | | | | | | | | | | | |
| 3-17-58 157.4* | | | | | | | | | | | |
| 3-24-58 151.2* | | | | | | | | | | | |
| 3-31-58 150.2* | | | | | | | | | | | |
| 4-07-58 147.0* | | | | | | | | | | | |
| 4-14-58 146.5* | | | | | | | | | | | |
| 4-21-58 146.4* | | | | | | | | | | | |
| 4-28-58 145.1* | | | | | | | | | | | |
| 5-05-58 144.5* | | | | | | | | | | | |
| 5-12-58 139.6* | | | | | | | | | | | |
| 5-19-58 140.6* | | | | | | | | | | | |
| 5-26-58 139.2* | | | | | | | | | | | |
| 6-02-58 141.8* | | | | | | | | | | | |
| 6-09-58 134.6* | | | | | | | | | | | |
| 6-16-58 133.1* | | | | | | | | | | | |
| 6-23-58 131.9* | | | | | | | | | | | |
| 6-30-58 129.0* | | | | | | | | | | | |
| 6-30-58 143.7 | | | | | | | | | | | |
| 25/12W-11R03 S | | | | | | | | | | | |
| 180.0 | | | | | | | | | | | |
| 7-10-57 110.0* | | | | | | | | | | | |
| 8-15-57 116.0* | | | | | | | | | | | |
| 9-21-57 121.0* | | | | | | | | | | | |
| 10-25-57 125.0* | | | | | | | | | | | |
| 11-13-57 125.0* | | | | | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| CONT. | | | | | | | | | | | |
| 25/12N-11R03 S | 180.0 | 1-14-58 | 126.0* | 54.0 | 1101 | 25/12M-12A06 S | 192.2 | 3-24-58 | 27.6 | 165.0 | 1101 |
| | | 2-24-58 | 117.0* | 68.0 | | | | 3-31-58 | 25.2 | 166.5 | |
| | | 3-14-58 | 99.0* | 81.0 | | | | 4-14-58 | 22.2 | 177.0 | |
| | | 4-28-58 | 88.0* | 96.0 | | | | 4-21-58 | 21.2 | 171.0 | |
| | | 5-30-58 | 61.0* | 119.0 | | | | 4-28-58 | 21.3 | 170.0 | |
| | | 6-07-58 | 59.0* | 121.0 | | | | 5-05-58 | 20.0 | 172.2 | |
| 25/12N-12A01 S | 187.0 | 7-17-57 | 42.0* | 145.0 | 1101 | | | 5-12-58 | 18.5 | 175.7 | |
| | | 8-17-57 | 45.0* | 138.0 | | | | 5-19-58 | 18.3 | 175.8 | |
| | | 11-17-57 | 51.0* | 136.0 | | | | 6-02-58 | 18.0 | 174.7 | |
| | | 3-17-58 | 46.0* | 141.0 | | | | 6-09-58 | 18.4 | 177.8 | |
| | | 3-15-58 | 42.0* | 143.0 | | | | 6-13-58 | 18.4 | 173.3 | |
| | | 5-15-58 | 42.0* | 143.0 | | | | 6-23-58 | 17.6 | 174.6 | |
| | | 5-15-58 | 36.0* | 153.0 | | | | 6-30-58 | 17.1 | 175.1 | |
| | | 6-15-58 | 39.0* | 148.0 | | | | 7-01-57 | 115.0* | 96.0 | 1101 |
| 25/12N-12A03 S | 187.0 | 10-21-57 | 45.0 | 142.0 | 1101 | 25/12N-12E02 S | 211.0 | 8-01-57 | 125.0* | 96.0 | |
| | | 4-22-58 | 13.1 | 173.9 | | | | 9-03-57 | 113.0 | 96.0 | |
| 25/12N-12A05 S | 188.0 | 7-17-57 | 44.0* | 144.0 | 1101 | | | 10-02-57 | 126.0* | 85.0 | |
| | | 8-17-57 | 49.0* | 139.0 | | | | 1-14-58 | 121.0* | 90.0 | |
| | | 11-17-57 | 54.0* | 134.0 | | | | 2-26-58 | 115.0* | 96.0 | |
| | | 4-15-58 | 28.0* | 160.0 | | | | 3-30-58 | 109.0* | 111.0 | |
| | | 5-18-58 | 26.0* | 162.0 | | | | 4-28-58 | 98.0* | 113.0 | |
| | | 6-15-58 | 22.0* | 166.0 | | | | 5-31-58 | 86.0* | 125.0 | |
| 25/12N-12A06 S | 192.2 | 7-17-57 | 44.4 | 147.8 | 1101 | 25/12N-12E05 S | 201.0 | 7-01-57 | 115.0* | 86.0 | 1101 |
| | | 8-19-57 | 48.2 | 144.0 | | | | 8-04-57 | 120.0* | 81.0 | |
| | | 9-23-57 | DRY | | | | | 9-01-57 | 124.0* | 76.0 | |
| | | 11-18-57 | DRY | | | | | 10-01-57 | 124.0* | 76.0 | |
| | | 12-02-57 | DRY | | | | | 1-16-58 | 119.0* | 82.0 | |
| | | 12-09-57 | DRY | | | | | 2-24-58 | 115.0* | 86.0 | |
| | | 12-23-57 | DRY | | | | | 3-15-58 | 103.0* | 98.0 | |
| | 192.2 | 12-30-57 | 48.2 | 144.0 | | | | 4-23-58 | 100.0* | 101.0 | |
| | | 1-06-58 | 45.2 | 147.0 | | | | 5-29-58 | 89.0* | 112.0 | |
| | | 1-13-58 | 43.2 | 149.0 | | | | 6-30-58 | 86.0* | 121.0 | |
| | | 1-20-58 | 44.2 | 148.0 | | | | 7-02-57 | 120.0* | 86.0 | 1101 |
| | | 1-27-58 | 44.4 | 147.8 | | | | 8-01-57 | 120.0* | 86.0 | |
| | | 2-10-58 | 41.4 | 150.8 | | | | 9-01-57 | 127.0* | 79.0 | |
| | | 2-17-58 | 38.9 | 153.3 | | | | 10-03-57 | 123.0* | 83.0 | |
| | | 2-24-58 | 36.4 | 155.8 | | | | 1-09-58 | 119.0* | 87.0 | |
| | | 3-03-58 | 31.4 | 161.8 | | | | 2-05-58 | 120.0* | 86.0 | |
| | | 3-17-58 | 28.9 | 164.3 | | | | 3-27-58 | 100.0* | 106.0 | |
| | | | | | | | | 4-29-58 | 90.0* | 116.0 | |
| | | | | | | | | 5-26-58 | 90.0* | 116.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | MONTEBELLO FOREBAY AREA | | | | | |
| 25/12W-12E06 S | 206.0** | 6-24-58 | 81.0* | 125.0 | 1101 | 25/12W-12N07 S | 171.6 | 5-13-58 | 20.0 | 151.6 | 1101 |
| 25/12W-12H06 S | 186.0 | 7-19-57 | 53.2 | 132.8 | 1101 | CONT. | | 5-20-58 | 19.9 | 151.7 | |
| | | 8-09-57 | 56.5 | 129.5 | | | | 6-03-58 | 20.0 | 151.6 | |
| | | 8-30-57 | 67.0* | 119.0 | | | | 6-10-58 | 20.0 | 151.6 | |
| | | 9-17-57 | 61.0 | 125.0 | | | | 6-17-58 | 20.0 | 151.6 | |
| | | 10-11-57 | 66.2 | 119.8 | | | | 6-24-58 | 20.1 | 151.5 | |
| | | 11-01-57 | 65.1 | 120.9 | | | | | | | |
| | | 11-22-57 | 65.4 | 120.6 | | 25/12W-12R01 S | 183.0 | 9-15-57 | DRY | | 1101 |
| | | 12-13-57 | 70.3* | 115.7 | | | | 2-03-58 | 82.0 | 101.0 | |
| | | 1-24-58 | 57.6 | 128.4 | | | | 2-24-58 | 82.0 | 101.0 | |
| | | 2-14-58 | 53.6 | 132.4 | | | | 3-17-58 | 81.7 | 101.3 | |
| | | 3-07-58 | 47.1 | 138.9 | | | | 4-07-58 | 80.1 | 102.9 | |
| | | 3-28-58 | 45.9 | 140.1 | | | | 4-28-58 | 80.0 | 103.0 | |
| | | 4-18-58 | 39.3 | 146.7 | | | | 5-19-58 | 60.0 | 123.0 | |
| | | 5-09-58 | 33.6 | 152.4 | | | 182.1 | 6-09-58 | 47.9 | 134.2 | |
| | | 6-20-58 | 27.7 | 158.3 | | | | 6-30-58 | 36.5 | 145.6 | |
| 25/12W-12M02 S | 213.0 | 7-04-57 | 118.0* | 95.0 | 1101 | 25/12W-13B02 S | 177.0 | 7-17-57 | 95.4 | 81.6 | 1101 |
| | | 8-10-57 | 121.0* | 92.0 | | | | 8-19-57 | 99.8 | 77.2 | |
| | | 9-02-57 | 125.0* | 88.0 | | | | 9-23-57 | 103.3 | 73.7 | |
| | | 10-01-57 | 133.0* | 80.0 | | | | 10-21-57 | DRY | | |
| | | 10-06-57 | 130.0* | 83.0 | | | | 11-18-57 | DRY | | |
| | | 10-13-57 | 128.0* | 85.0 | | | | 12-02-57 | DRY | | |
| | | 1-21-58 | 128.0* | 85.0 | | | | 12-23-57 | DRY | | |
| | | 2-11-58 | 119.0* | 94.0 | | | | 1-06-58 | DRY | | |
| | | 3-26-58 | 109.0* | 104.0 | | | | 1-20-58 | DRY | | |
| | | 4-13-58 | 103.0* | 110.0 | | | 177.0 | 2-10-58 | 101.8 | 75.2 | |
| | | 4-30-58 | 96.0* | 117.0 | | | | 2-24-58 | 95.4 | 81.6 | |
| | | 5-18-58 | 97.0* | 116.0 | | | | 3-10-58 | 64.1 | 92.9 | |
| | | 5-30-58 | 92.0* | 121.0 | | | | 3-24-58 | 73.9 | 103.1 | |
| | | 6-23-58 | 89.0* | 124.0 | | | | 4-14-58 | 59.9 | 117.1 | |
| 25/12W-12M03 S | | 4-15-58 | DRY | | 1101 | | | 4-28-58 | 57.6 | 119.4 | |
| 25/12W-12N07 S | 171.6 | 2-18-58 | DRY | | 1101 | 25/12W-13C01 S | 170.0 | 5-09-58 | 50.2 | 126.8 | |
| | | 2-26-58 | DRY | | | | | 6-09-58 | 36.4 | 140.6 | |
| | | 3-04-58 | DRY | | | | | 6-30-58 | 30.3 | 146.7 | |
| | 171.6 | 3-11-58 | 19.9 | 151.7 | | | | 7-17-57 | 106.3 | 63.7 | |
| | | 3-18-58 | 20.0 | 151.6 | | | | 8-19-57 | 111.1 | 58.9 | |
| | | 3-25-58 | 20.1 | 151.5 | | | | 9-23-57 | 116.3 | 53.7 | |
| | | 4-05-58 | 20.1 | 151.5 | | | | 1-18-57 | 122.9 | 47.1 | |
| | | 4-15-58 | 20.2 | 151.4 | | | | 12-02-57 | 121.9 | 48.1 | |
| | | 4-22-58 | 20.0 | 151.6 | | | | 12-23-57 | 115.0 | 55.0 | |
| | | 4-29-58 | 20.1 | 151.5 | | | | 1-06-58 | 116.5 | 53.5 | |
| | | 5-06-58 | 20.0 | 151.6 | | | | 1-20-58 | 118.1 | 61.9 | |
| | | | | | | | | 2-10-58 | 108.1 | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | MONTEBELLO FOREBAY AREA | | | | | |
| 25/12W-13C01 S | 170.0 | 2-17-58 | 104.5 | 65.5 | 1101 | 25/12W-13L05 S | 175.0 | 1-02-58 | 119.0* | 56.0 | 1101 |
| CONT. | | 2-26-58 | 91.9 | 78.1 | | CONT. | | 2-11-58 | 104.0* | 71.0 | |
| | | 3-00-58 | 81.3 | 81.0 | | | | 3-1-58 | | 74.0* | |
| | | 3-10-58 | 81.2 | 82.8 | | | | 3-1-58 | | 74.0* | |
| | | 3-24-58 | 61.8 | 107.2 | | | | 5-23-58 | | 101.0 | |
| | | 4-14-58 | 61.5 | 108.5 | | | | 6-13-58 | | 109.0 | |
| | | 4-28-58 | 59.7 | 110.3 | | | | | | 112.0 | |
| | | 5-19-58 | 50.8 | 119.2 | | 25/12W-14B08 S | 170.0 | 7-17-57 | 121.2 | 48.8 | 1101 |
| | | 6-09-58 | 24.4 | 143.6 | | | | 8-19-57 | 177.1 | 42.9 | |
| | | 6-30-58 | 24.5 | 145.5 | | | | 10-03-57 | 133.7 | 96.3 | |
| 25/12W-13D07 S | 172.0 | 10-25-57 | 121.6 | 50.4 | 1101 | | | 10-16-57 | 133.7 | 96.3 | |
| | | 4-29-58 | 119.3 | 52.7 | | | | 11-18-57 | 135.5 | 54.5 | |
| 25/12W-13E01 S | 177.0 | 7-17-57 | DRY | | 1101 | | | 12-02-57 | 136.1 | 31.9 | |
| | | 8-15-57 | DRY | | | | | 12-18-57 | 137.7 | 32.3 | |
| | | 11-18-57 | DRY | | | | | 12-23-57 | 137.4 | 32.6 | |
| | | 12-02-57 | DRY | | | | | 1-06-58 | 134.8 | 95.2 | |
| | | 12-30-57 | DRY | | | | | 1-16-58 | 135.0 | 95.0 | |
| | | 1-06-58 | DRY | | | | | 1-21-58 | 135.0 | 95.0 | |
| | | 1-20-58 | DRY | | | | | 2-11-58 | 131.7 | 38.3 | |
| | | 2-10-58 | DRY | | | | | 2-14-58 | 131.3 | 38.7 | |
| | | 2-18-58 | 92.9 | 84.1 | | | | 2-24-58 | 111.2 | 58.8 | |
| | 177.0 | 2-24-58 | 78.3 | 98.7 | | | | 3-04-58 | 97.1 | 72.9 | |
| | | 3-04-58 | 65.8 | 111.2 | | | | 3-10-58 | 95.4 | 74.6 | |
| | | 3-10-58 | 61.9 | 115.1 | | | | 3-24-58 | 80.1 | 89.9 | |
| | | 3-18-58 | 53.4 | 123.6 | | | | 4-14-58 | 85.6 | 84.4 | |
| | | 4-07-58 | 58.7 | 118.3 | | | | 5-19-58 | 83.9 | 86.1 | |
| | | 4-14-58 | 62.7 | 114.3 | | | | 6-09-58 | 52.6 | 117.4 | |
| | | 4-21-58 | 63.3 | 113.7 | | 25/12W-14E01 S | 196.0 | 7-17-57 | 163.5 | 32.5 | 1101 |
| | | 5-05-58 | 60.2 | 115.0 | | | | 8-19-57 | 165.1 | 30.9 | |
| | | 5-12-58 | 52.3 | 124.7 | | | | 9-23-57 | DRY | | |
| | | 5-19-58 | 41.8 | 135.2 | | | | 10-15-57 | DRY | | |
| | | 5-26-58 | 28.9 | 148.1 | | | | 11-18-57 | DRY | | |
| | | 6-02-58 | 15.0 | 162.0 | | | | 12-02-57 | DRY | | |
| | | 6-09-58 | 14.0 | 163.0 | | | | 12-09-57 | DRY | | |
| | | 6-15-58 | 16.8 | 160.2 | | | | 12-23-57 | DRY | | |
| | | 6-23-58 | 14.9 | 162.1 | | | | 12-30-57 | DRY | | |
| | | 6-30-58 | 26.8 | 150.2 | | | | 1-06-58 | DRY | | |
| | | | | | | | | 1-13-58 | DRY | | |
| | | | | | | | | 1-27-58 | DRY | | |
| 25/12W-13L05 S | 175.0 | 7-02-57 | 110.0* | 65.0 | 1101 | | | 2-10-58 | DRY | | |
| | | 8-03-57 | 116.0* | 59.0 | | | | 2-17-58 | DRY | | |
| | | 10-07-57 | 118.0* | 57.0 | | | | 2-24-58 | DRY | | |
| | | 11-04-57 | 119.0* | 56.0 | | | | 3-03-58 | DRY | | |
| | | 12-02-57 | 121.0* | 54.0 | | | 196.0 | 3-10-58 | 165.6 | 30.4 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|---------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| 25/12W-14E01 S | 196.0 | 3-17-58 | 158.3 | 37.7 | 1101 | 25/12W-14P01 S | 158.1 | 4-29-58 | 42.5 | 108.6 | 1101 |
| CONT. | | 3-24-58 | 154.7 | 41.3 | | | | 5-06-58 | 45.7 | 112.6 | |
| | | 3-31-58 | 151.4 | 44.6 | | | | 5-13-58 | 42.0 | 115.1 | |
| | | 4-14-58 | 149.1 | 46.9 | | | | 5-20-58 | 37.0 | 118.1 | |
| | | 4-21-58 | 145.6 | 50.4 | | | | 5-27-58 | 35.0 | 120.2 | |
| | | 4-28-58 | 144.4 | 51.6 | | | | 6-01-58 | 28.8 | 121.7 | |
| | | 5-05-58 | 142.4 | 54.6 | | | | 6-17-58 | 28.8 | 121.7 | |
| | | 5-12-58 | 142.4 | 54.8 | | | | 6-24-58 | 24.7 | 133.4 | |
| | | 5-19-58 | 142.5 | 53.5 | | | | 7-04-58 | 45.2 | 121.5 | 1101 |
| | | 5-26-58 | 135.8 | 50.2 | | 25/12W-14R06 S | 167.4 | 7-18-58 | 42.0 | 125.4 | |
| | | 6-02-58 | 134.3 | 61.7 | | | | 4-05-58 | 53.4 | 116.0 | |
| | | 6-09-58 | 130.1 | 65.9 | | | | 4-29-58 | 48.4 | 119.0 | |
| | | 6-13-58 | 127.4 | 68.6 | | | | 5-06-58 | 43.5 | 123.0 | |
| | | 6-23-58 | 124.7 | 71.1 | | | | 5-20-58 | 35.4 | 135.0 | |
| | | 6-30-58 | 122.3 | 73.7 | | | | 6-03-58 | 42.6 | 136.8 | |
| | | | | | | | | 6-17-58 | 32.5 | 134.9 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 41105 | | | | | | | | | | | |
| 25/12W-14J01 S | 166.6 | 2-18-58 | 29.3 | 139.3 | 1101 | 25/12N-15H03 S | 197.0 | 10-21-57 | DRY | 50.0 | 1101 |
| | | 2-26-58 | 28.7 | 137.9 | | | | 4-24-58 | 147.0 | | |
| | | 3-04-58 | 24.5 | 144.1 | | | | 10-21-57 | 171.4 | 17.6 | 1101 |
| | | 3-11-58 | 25.1 | 143.5 | | | | 4-24-58 | 137.8 | 51.2 | |
| | | 3-18-58 | 25.3 | 143.3 | | | | 10-21-57 | DRY | | 1101 |
| | | 3-23-58 | 26.0 | 145.6 | | | | 4-24-58 | DRY | | |
| | | 4-03-58 | 30.6 | 135.8 | | | | 4-24-58 | DRY | | |
| | | 4-10-58 | 42.2 | 123.4 | | | | 4-24-58 | DRY | | |
| | | 4-17-58 | 42.2 | 123.4 | | | | 7-17-57 | 158.7 | 4.7 | 1101 |
| | | 5-02-58 | 38.6 | 138.0 | | | | 8-19-57 | 161.5 | 7.5 | |
| | | 5-16-58 | 28.9 | 136.0 | | | | 10-15-57 | 163.8 | 9.8 | |
| | | 5-20-58 | 27.6 | 145.0 | | | | 11-18-57 | 163.6 | 9.6 | |
| | | 6-01-58 | 21.8 | 146.8 | | | | 12-02-57 | 163.9 | 9.9 | |
| | | 6-10-58 | 21.8 | 145.8 | | | | 12-23-57 | 164.6 | 10.6 | |
| | | 6-17-58 | 22.7 | 145.9 | | | | 1-06-58 | 165.0 | 11.0 | |
| | | 6-24-58 | 21.0 | 147.6 | | | | 1-20-58 | 164.8 | 10.8 | |
| 25/12W-14P01 S | 158.1 | 2-10-58 | 77.7 | 80.4 | 1101 | 25/12N-15N01 S | 154.0** | 3-10-58 | 157.9 | 3.9 | |
| | | 2-12-58 | 80.0 | 78.1 | | | | 3-24-58 | 152.2 | 1.8 | |
| | | 2-16-58 | 79.7 | 78.6 | | | | 4-14-58 | 149.9 | 4.1 | |
| | | 2-18-58 | 79.5 | 78.6 | | | | 4-28-58 | 143.5 | 10.5 | |
| | | 2-26-58 | 52.5 | 106.6 | | | | 5-19-58 | 137.8 | 16.2 | |
| | | 3-04-58 | 47.1 | 111.0 | | | | 6-09-58 | 132.4 | 21.6 | |
| | | 3-13-58 | 44.2 | 115.0 | | | | 6-30-58 | 127.5 | 26.5 | |
| | | 3-20-58 | 42.1 | 116.0 | | | | 10-21-57 | DRY | | 1101 |
| | | 4-03-58 | 42.1 | 115.1 | | | | | | | |
| | | 4-15-58 | 53.0 | 107.0 | | | | | | | |
| | | 4-22-58 | 50.3 | 107.0 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| Site Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------------------|---------------------|------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA 41105 | | | | | | | | | | | |
| 25/12W-16L01 S | | | | | | | | | | | |
| CONT. | | | | | | | | | | | |
| 2-12-58 | | DRY | | | 1101 | 25/12W-16L01 S | 174.8 | 8-31-57 | 183.0* | 32.2 | 1101 |
| 3-06-58 | | DRY | | | | | | 9-30-57 | 204.6* | 54.8 | |
| 4-15-58 | | DRY | | | | | | 10-31-57 | 177.0* | 26.7 | |
| 5-06-58 | | DRY | | | | | | 11-30-57 | 176.0* | 47.2 | |
| 5-27-58 | 176.0 | | | 38.0 | | | | 1-31-57 | 176.0* | 21.8 | |
| 6-03-58 | | | | 41.1 | | | | 2-28-58 | 173.0* | 28.8 | |
| 6-17-58 | | | | 43.4 | | | | 5-31-58 | 185.0* | 36.6 | |
| 6-20-58 | | | | 46.0 | | | | 4-30-58 | 168.0* | 17.2 | |
| 6-27-58 | | | | 48.5 | | | | 5-31-58 | 176.0* | 28.8 | |
| 7-11-57 | 145.1 | | | 17.3 | 1101 | | | 6-30-58 | 156.0* | 7.2 | |
| 7-31-57 | | | | 26.0 | | | | 7-31-57 | 198.0* | 46.5 | 1101 |
| 8-22-57 | | | | 22.6 | | | | 9-30-57 | 181.0* | 29.5 | |
| 9-12-57 | | | | 22.0 | | 25/12W-16001 S | 151.0 | 9-30-57 | 202.0* | 50.5 | |
| 10-22-57 | | | | 21.6 | | | | 9-30-57 | 176.0* | 28.6 | |
| 11-14-57 | | | | 19.3 | | | | 11-30-57 | 170.0* | 23.5 | |
| 12-05-57 | | | | 23.1 | | | | 11-30-57 | 175.0* | 23.5 | |
| 1-26-57 | | | | 23.3 | | | | 1-31-58 | 175.0* | 23.5 | |
| 1-16-58 | | | | 23.8 | | | | 2-28-58 | 167.0* | 17.5 | |
| 2-06-58 | | | | 19.5 | | | | 3-31-58 | 185.0* | 33.8 | |
| 2-27-58 | | | | 19.5 | | | | 4-30-58 | 163.0* | 11.8 | |
| 3-20-58 | | | | 18.5 | | | | 5-31-58 | 180.0* | 28.8 | |
| 4-10-58 | | | | 17.8 | | | | 6-30-58 | 154.0* | 2.5 | |
| 5-01-58 | | | | 18.9 | | | | | | | |
| 5-22-58 | | | | 10.6 | | | | | | | |
| 6-12-58 | | | | 4.8 | | 25/12W-21805 S | 152.8 | | | | |
| 7-17-57 | 166.5 | | | 17.2 | 1101 | | | 7-11-57 | 100.0* | 52.8 | 1101 |
| 8-19-57 | | | | 18.2 | | | | 8-13-57 | 105.0* | 47.8 | |
| 9-23-57 | | | | 18.6 | | | | 9-16-57 | 105.0* | 47.8 | |
| 10-15-57 | | | | 18.1 | | | | 11-03-57 | 105.0* | 47.8 | |
| 11-18-57 | | | | 19.6 | | | | 12-03-57 | 105.0* | 47.8 | |
| 12-02-57 | | | | 18.9 | | | | 1-02-58 | 105.0* | 47.8 | |
| 1-23-57 | | | | 17.9 | | | | 2-03-58 | 105.0* | 47.8 | |
| 1-06-58 | | | | 17.2 | | | | 3-05-58 | 105.0* | 47.8 | |
| 1-20-58 | | | | 15.5 | | | | 4-01-58 | 100.0* | 52.8 | |
| 2-10-58 | | | | 11.3 | | | | 5-01-58 | 96.0* | 50.8 | |
| 3-28-58 | | | | 11.2 | | 25/12W-21E01 S | 147.5 | 6-06-58 | 96.0* | 50.8 | |
| 3-10-58 | | | | 6.3 | | | | 10-31-57 | 174.7 | 27.2 | 1101 |
| 4-24-58 | | | | 3.9 | | | | 4-23-58 | 176.8 | 2.9 | |
| 5-24-58 | | | | 3.9 | | | | 7-11-57 | 166.0* | 16.6 | 1101 |
| 6-24-58 | | | | 2.5 | | 25/12W-21G02 S | 151.6 | 8-13-57 | 166.0* | 16.6 | |
| 6-09-58 | | | | 2.8 | | | | 11-03-57 | 176.0* | 26.4 | |
| 6-30-58 | | | | 7.0 | | | | 1-03-58 | 176.0* | 26.4 | |
| 7-31-57 | 200.0* | | | 49.2 | 1101 | | | 2-03-58 | 176.0* | 26.4 | |
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA 41105 | | | | | | | | | | | |
| 25/12W-16H01 S | | | | | | | | | | | |
| 7-17-57 | 166.5 | | | 17.2 | 1101 | | | 7-11-57 | 100.0* | 52.8 | 1101 |
| 8-19-57 | | | | 18.2 | | | | 8-13-57 | 105.0* | 47.8 | |
| 9-23-57 | | | | 18.6 | | | | 9-16-57 | 105.0* | 47.8 | |
| 10-15-57 | | | | 18.1 | | | | 11-03-57 | 105.0* | 47.8 | |
| 11-18-57 | | | | 19.6 | | | | 12-03-57 | 105.0* | 47.8 | |
| 12-02-57 | | | | 18.9 | | | | 1-02-58 | 105.0* | 47.8 | |
| 1-23-57 | | | | 17.9 | | | | 2-03-58 | 105.0* | 47.8 | |
| 1-06-58 | | | | 17.2 | | | | 3-05-58 | 105.0* | 47.8 | |
| 1-20-58 | | | | 15.5 | | | | 4-01-58 | 100.0* | 52.8 | |
| 2-10-58 | | | | 11.3 | | | | 5-01-58 | 96.0* | 50.8 | |
| 3-28-58 | | | | 11.2 | | 25/12W-21E01 S | 147.5 | 6-06-58 | 96.0* | 50.8 | |
| 3-10-58 | | | | 6.3 | | | | 10-31-57 | 174.7 | 27.2 | 1101 |
| 4-24-58 | | | | 3.9 | | | | 4-23-58 | 176.8 | 2.9 | |
| 5-24-58 | | | | 3.9 | | | | 7-11-57 | 166.0* | 16.6 | 1101 |
| 6-24-58 | | | | 2.5 | | 25/12W-21G02 S | 151.6 | 8-13-57 | 166.0* | 16.6 | |
| 6-09-58 | | | | 2.8 | | | | 11-03-57 | 176.0* | 26.4 | |
| 6-30-58 | | | | 7.0 | | | | 1-03-58 | 176.0* | 26.4 | |
| 7-31-57 | 200.0* | | | 49.2 | 1101 | | | 2-03-58 | 176.0* | 26.4 | |
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA 41105 | | | | | | | | | | | |
| 25/12W-16F02 S | | | | | | | | | | | |
| 7-11-57 | 145.1 | | | 17.3 | 1101 | | | 7-31-57 | 198.0* | 46.5 | 1101 |
| 8-22-57 | | | | 22.6 | | | | 9-30-57 | 181.0* | 29.5 | |
| 9-12-57 | | | | 22.0 | | 25/12W-16001 S | 151.0 | 9-30-57 | 202.0* | 50.5 | |
| 10-22-57 | | | | 21.6 | | | | 9-30-57 | 176.0* | 28.6 | |
| 11-14-57 | | | | 19.3 | | | | 11-30-57 | 170.0* | 23.5 | |
| 12-05-57 | | | | 23.1 | | | | 11-30-57 | 175.0* | 23.5 | |
| 1-26-57 | | | | 23.3 | | | | 1-31-58 | 175.0* | 23.5 | |
| 1-16-58 | | | | 23.8 | | | | 2-28-58 | 167.0* | 17.5 | |
| 2-06-58 | | | | 19.5 | | | | 3-31-58 | 185.0* | 33.8 | |
| 2-27-58 | | | | 19.5 | | | | 4-30-58 | 163.0* | 11.8 | |
| 3-20-58 | | | | 18.5 | | | | 5-31-58 | 180.0* | 28.8 | |
| 4-10-58 | | | | 17.8 | | | | 6-30-58 | 154.0* | 2.5 | |
| 5-01-58 | | | | 18.9 | | | | | | | |
| 5-22-58 | | | | 10.6 | | | | | | | |
| 6-12-58 | | | | 4.8 | | 25/12W-21805 S | 152.8 | | | | |
| 7-17-57 | 177.7 | | | 17.2 | 1101 | | | 7-11-57 | 100.0* | 52.8 | 1101 |
| 8-19-57 | | | | 18.2 | | | | 8-13-57 | 105.0* | 47.8 | |
| 9-23-57 | | | | 18.6 | | | | 9-16-57 | 105.0* | 47.8 | |
| 10-15-57 | | | | 18.1 | | | | 11-03-57 | 105.0* | 47.8 | |
| 11-18-57 | | | | 19.6 | | | | 12-03-57 | 105.0* | 47.8 | |
| 12-02-57 | | | | 18.9 | | | | 1-02-58 | 105.0* | 47.8 | |
| 1-23-57 | | | | 17.9 | | | | 2-03-58 | 105.0* | 47.8 | |
| 1-06-58 | | | | 17.2 | | | | 3-05-58 | 105.0* | 47.8 | |
| 1-20-58 | | | | 15.5 | | | | 4-01-58 | 100.0* | 52.8 | |
| 2-10-58 | | | | 11.3 | | | | 5-01-58 | 96.0* | 50.8 | |
| 3-28-58 | | | | 11.2 | | 25/12W-21E01 S | 147.5 | 6-06-58 | 96.0* | 50.8 | |
| 3-10-58 | | | | 6.3 | | | | 10-31-57 | 174.7 | 27.2 | 1101 |
| 4-24-58 | | | | 3.9 | | | | 4-23-58 | 176.8 | 2.9 | |
| 5-24-58 | | | | 3.9 | | | | 7-11-57 | 166.0* | 16.6 | 1101 |
| 6-24-58 | | | | 2.5 | | 25/12W-21G02 S | 151.6 | 8-13-57 | 166.0* | 16.6 | |
| 6-09-58 | | | | 2.8 | | | | 11-03-57 | 176.0* | 26.4 | |
| 6-30-58 | | | | 7.0 | | | | 1-03-58 | 176.0* | 26.4 | |
| 7-31-57 | 200.0* | | | 49.2 | 1101 | | | 2-03-58 | 176.0* | 26.4 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA 41105 | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA 41105 | | | | | | | | | | | |
| 2S/12W-21G02 S | 151.6 | 3-05-58 | 176.0* | 24.4 | 1101 | 2S/12W-21G01 S | 147.0 | 7-17-57 | 160.6 | 13.4 | 1101 |
| CONT. | | 4-01-58 | 176.0* | 24.4 | | | | 8-19-57 | 161.4 | 18.7 | |
| | | 5-01-58 | 176.0* | 24.4 | | | | 9-23-57 | 161.2 | 19.2 | |
| | | 6-06-58 | 176.0* | 24.4 | | | | 10-18-57 | 166.3 | 18.4 | |
| 2S/12W-21G03 S | 154.4 | 7-11-57 | 175.0* | 20.6 | 1101 | | | 11-08-57 | 162.2 | 18.2 | |
| | | 8-13-57 | 176.0* | 21.6 | | | | 12-06-57 | 163.8 | 18.8 | |
| | | 11-03-57 | 177.0* | 20.6 | | | | 12-23-57 | 163.8 | 17.8 | |
| | | 12-03-57 | 180.0* | 23.6 | | | | 12-30-57 | 164.9 | 17.1 | |
| | | 1-02-58 | 180.0* | 23.6 | | | | 1-06-58 | 164.8 | 17.5 | |
| | | 2-03-58 | 180.0* | 23.6 | | | | 1-13-58 | 165.0 | 18.0 | |
| | | 3-03-58 | 180.0* | 23.6 | | | | 1-20-58 | 165.1 | 18.1 | |
| | | 4-01-58 | 168.0* | 13.6 | | | | 1-27-58 | 165.2 | 18.3 | |
| | | 5-01-58 | 168.0* | 13.6 | | | | 2-10-58 | 165.2 | 18.2 | |
| | | 6-06-58 | 168.0* | 13.6 | | | | 2-17-58 | 164.6 | 17.4 | |
| | | | | | | | | 2-24-58 | 163.7 | 16.7 | |
| | | | | | | | | 3-03-58 | 163.6 | 16.6 | |
| 2S/12W-21J01 S | 156.0 | 8-01-57 | 193.0* | 35.0 | 1101 | | | 3-10-58 | 162.8 | 15.8 | |
| | | 8-29-57 | 196.0* | 38.0 | | | | 3-17-58 | 161.9 | 14.0 | |
| | | 9-26-57 | 191.0* | 33.0 | | | | 3-24-58 | 160.8 | 13.8 | |
| | | 10-31-57 | 191.0* | 33.0 | | | | 3-31-58 | 159.5 | 12.5 | |
| | | 11-27-57 | 188.0* | 30.0 | | | | 4-14-58 | 157.2 | 10.5 | |
| | | 1-02-58 | 182.0* | 24.0 | | | | 4-21-58 | 157.0 | 10.0 | |
| | | 1-30-58 | 182.0* | 24.0 | | | | 5-05-58 | 156.1 | 9.1 | |
| | | 2-27-58 | 176.0* | 18.0 | | | | 5-09-58 | 155.8 | 8.8 | |
| | | 3-28-58 | 164.0* | 6.0 | | | | 5-19-58 | 154.0 | 7.0 | |
| | | 5-01-58 | 162.0* | 4.0 | | | | 5-26-58 | 153.8 | 6.0 | |
| | | 5-28-58 | 156.0* | 2.0 | | | | 6-02-58 | 152.0 | 7.0 | |
| | | 6-26-58 | 155.0* | 3.0 | | | | 6-09-58 | 152.0 | 5.6 | |
| | | | | | | | | 6-16-58 | 151.6 | 2.9 | |
| | | | | | | | | 6-23-58 | 150.6 | 2.1 | |
| | | | | | | | | 6-30-58 | 149.6 | 1.1 | |
| 2S/12W-21K02 S | 150.0 | 8-01-57 | 188.0* | 38.0 | 1101 | | 148.5** | | | | |
| | | 8-29-57 | 183.0* | 33.0 | | | | | | | |
| | | 9-26-57 | 187.0* | 37.0 | | | | | | | |
| | | 10-31-57 | 184.0* | 34.0 | | | | | | | |
| | | 11-27-57 | 184.0* | 34.0 | | 2S/12W-22G01 S | 174.9 | 7-17-57 | 156.0 | 18.9 | 1101 |
| | | 1-02-58 | 181.0* | 31.0 | | | | 8-19-57 | 155.3 | 19.6 | |
| | | 1-30-58 | 181.0* | 31.0 | | | | 9-23-57 | 155.5 | 19.4 | |
| | | 2-27-58 | 174.0* | 24.0 | | | | 10-15-57 | 155.2 | 19.7 | |
| | | 3-28-58 | 162.0* | 12.0 | | | | 11-18-57 | 155.3 | 19.6 | |
| | | 5-01-58 | 159.0* | 9.0 | | | | 12-02-57 | DRY | | |
| | | 5-28-58 | 159.0* | 9.0 | | | | 12-23-57 | DRY | | |
| | | 6-26-58 | 156.0* | 6.0 | | | | 1-06-58 | 158.6 | 16.3 | |
| | | | | | | | | 1-20-58 | 158.2 | 16.7 | |
| 2S/12W-21P02 S | 144.0 | 8-19-57 | 161.0 | 17.0 | 1101 | | | 2-10-58 | 158.7 | 18.2 | |
| | | 10-31-57 | 166.1 | 22.1 | | | | 2-20-58 | 154.5 | 20.4 | |
| | | 4-23-58 | 155.6 | 11.6 | | | | 3-10-58 | 154.7 | 20.2 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------------|--------------------|------|--------------------------------------|------------------------------|-----------------------|------------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| MONTEBELLO FORBAY AREA | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| 41105 | | | | | | 41100 | | | | | |
| 25/12W-22601 S | | | | | | 25/12W-23X01 S | | | | | |
| CONT. | | | | | | CONT. | | | | | |
| 3-24-58 | 174.9 | | 3-24-58 | 21.1 | 1101 | 25/12W-23X01 S | 161.0 | 1-06-58 | 146.4 | 14.6 | 1101 |
| 4-14-58 | | | 4-14-58 | 150.6 | | | | 1-20-58 | 146.6 | 14.4 | |
| 4-28-58 | | | 4-28-58 | 133.6 | | | | 2-10-58 | 138.0 | 22.7 | |
| 5-19-58 | | | 5-19-58 | 129.3 | | | | 2-24-58 | 123.4 | 37.5 | |
| 6-09-58 | | | 6-09-58 | 123.2 | | | | 3-10-58 | 82.4 | 78.6 | |
| 6-30-58 | | | 6-30-58 | 105.2 | | | | 3-24-58 | 81.2 | 79.8 | |
| 11-21-57 | 175.0 | | 11-21-57 | 165.8 | 1101 | | | 4-14-58 | 81.0 | 80.0 | |
| 4-24-58 | | | 4-24-58 | 121.6 | | | | 4-28-58 | 85.4 | 75.6 | |
| 4-24-58 | | | 4-24-58 | 121.6 | | | | 5-19-58 | 79.7 | 81.3 | |
| 10-21-57 | 158.0 | | 10-21-57 | 162.4 | 1101 | | | 6-09-58 | 65.1 | 98.3 | |
| 4-24-58 | | | 4-24-58 | 136.7 | | | | 6-30-58 | 61.1 | 101.9 | |
| 7-17-57 | 163.8 | | 7-17-57 | 124.7 | 1101 | 25/12W-23X02 S | 150.0 | 7-17-57 | 124.6 | 27.4 | 1101 |
| 8-19-57 | | | 8-19-57 | 129.8 | | | | 8-19-57 | 118.9 | 71.5 | |
| 9-23-57 | | | 9-23-57 | 135.0 | | | | 9-23-57 | DRY | DRY | |
| 10-15-57 | | | 10-15-57 | 137.2 | | | | 10-15-57 | DRY | DRY | |
| 11-18-57 | | | 11-18-57 | 142.6 | | | | 1-3-57 | DRY | DRY | |
| 12-02-57 | | | 12-02-57 | 142.8 | | | | 1-20-57 | DRY | DRY | |
| 1-23-57 | | | 1-23-57 | DRY | | | | 12-23-57 | DRY | DRY | |
| 1-20-58 | | | 1-20-58 | DRY | | | | 1-30-57 | DRY | DRY | |
| 2-10-58 | 161.8 | | 2-10-58 | 140.1 | | | | 1-06-58 | DRY | DRY | |
| 2-24-58 | | | 2-24-58 | 125.6 | | | | 1-06-58 | DRY | DRY | |
| 3-10-58 | | | 3-10-58 | 99.7 | | | | 1-20-58 | DRY | DRY | |
| 3-24-58 | | | 3-24-58 | 88.0 | | | | 2-11-58 | 123.4 | 28.6 | |
| 4-14-58 | | | 4-14-58 | 81.9 | | | | 2-14-58 | 121.6 | 28.4 | |
| 4-28-58 | | | 4-28-58 | 79.5 | | | | 2-18-58 | 118.2 | 31.1 | |
| 5-19-58 | | | 5-19-58 | 64.1 | | | | 2-24-58 | 65.7 | 90.3 | |
| 6-09-58 | | | 6-09-58 | 54.6 | | | | 2-26-58 | 111.3 | 33.7 | |
| 6-30-58 | | | 6-30-58 | 54.6 | | | | 3-02-58 | 72.1 | 77.7 | |
| 8-17-57 | 164.0 | | 8-17-57 | 130.2* | 1101 | | | 3-02-58 | 106.1 | 41.9 | |
| 2-17-58 | | | 2-17-58 | 134.0* | | | | 1-09-58 | 75.5 | 74.5 | |
| 3-17-58 | | | 3-17-58 | 110.0* | | | | 3-10-58 | 99.7 | 53.3 | |
| 4-16-58 | | | 4-16-58 | 100.0* | | | | 3-17-58 | 93.9 | 56.1 | |
| 5-18-58 | | | 5-18-58 | 94.0* | | | | 3-24-58 | 80.3 | 62.8 | |
| 6-15-58 | | | 6-15-58 | 80.0* | | | | 1-24-58 | 71.2 | 58.8 | |
| 7-17-57 | 161.0 | | 7-17-57 | 132.6 | 1101 | | | 1-30-58 | 82.5 | 67.4 | |
| 8-19-57 | | | 8-19-57 | 137.9 | | | | 3-31-58 | 87.1 | 62.8 | |
| 9-23-57 | | | 9-23-57 | 142.0 | | | | 4-06-58 | 84.4 | 61.6 | |
| 10-15-57 | | | 10-15-57 | 144.2 | | | | 4-14-58 | 86.1 | 63.8 | |
| 11-18-57 | | | 11-18-57 | 145.1 | | | | 4-20-58 | 88.0 | 62.0 | |
| 12-02-57 | | | 12-02-57 | 146.0 | | | | 4-21-58 | 84.1 | 66.7 | |
| 1-23-57 | | | 1-23-57 | 146.4 | | | | 4-28-58 | 80.8 | 69.1 | |
| | | | | | | | | 5-05-58 | 76.2 | 73.8 | |
| | | | | | | | | 5-12-58 | 70.6 | 73.4 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN: LOS ANGELES CO | | | | | | | | | | | |
| MONTÉBELLO FOREBAY AREA | | | | | | MONTÉBELLO FOREBAY AREA | | | | | |
| 41105 | | | | | | 41105 | | | | | |
| 25/12W-23M02 S | 151.0 | 5-19-58 | 65.8 | 84.2 | 1101 | 25/12W-24E06 S | 166.0 | 10-07-57 | 140.0* | 26.0 | 1101 |
| CONT. | | 5-26-58 | 61.7 | 88.5 | | CONT. | | 11-04-57 | 141.0* | 23.0 | |
| | | 6-02-58 | 61.0 | 89.0 | | | | 1-20-58 | 141.0* | 23.0 | |
| | | 6-09-58 | 57.7 | 94.3 | | | | 2-28-58 | 130.0* | 76.0 | |
| | | 6-13-58 | 54.2 | 92.6 | | | | 4-25-58 | 84.0* | 80.0 | |
| | | 6-23-58 | 51.7 | 98.1 | | | | 5-22-58 | 70.0* | 86.0 | |
| | | 6-30-58 | 51.7 | 98.1 | | | | 6-13-58 | 70.0* | 86.0 | |
| COASTAL PLAIN: LOS ANGELES CO | | | | | | | | | | | |
| 41100 | | | | | | 41100 | | | | | |
| 25/12W-23P04 S | 177.7 | 7-17-57 | 140.4* | 16.6 | 1101 | 25/12W-24F01 S | | 2-10-58 | DRY | | 1101 |
| | | 8-19-57 | 145.0 | 14.0 | | | | 7-17-57 | 124.8 | 38.2 | |
| | | 9-23-57 | 142.6 | 13.2 | | | | 8-19-57 | 134.8 | 32.9 | |
| | | 10-13-57 | 146.1 | 12.4 | | | | 9-23-57 | 130.1 | 26.9 | |
| | | 11-18-57 | 137.6 | 11.6 | | | | 10-12-57 | 139.6 | 25.4 | |
| | | 12-02-57 | 136.0* | 10.0 | | | | 11-18-57 | 129.6 | 25.0 | |
| | | 12-23-57 | 146.7* | 10.3 | | | | 13-09-57 | 161.0 | 25.0 | |
| | | 1-06-58 | 146.8* | 10.2 | | | | 12-07-57 | 160.8 | 21.2 | |
| | | 1-20-58 | 147.8* | 13.2 | | | | 12-23-57 | 161.9 | 21.6 | |
| | | 2-20-58 | 143.3 | 18.7 | | | | 1-06-58 | 139.4 | 28.6 | |
| | | 2-24-58 | 128.2 | 58.7 | | | | 1-20-58 | 132.4 | 28.6 | |
| | | 3-10-58 | 177.7 | 60.6 | | | | 3-10-58 | 129.5 | 32.1 | |
| | | 3-24-58 | 176.7* | 77.7 | | | | 3-24-58 | 124.9 | 32.9 | |
| | | 4-28-58 | 78.3* | 78.8 | | | | 3-10-58 | 118.9 | 45.9 | |
| | | 5-19-58 | 75.7* | 88.8 | | | | 4-02-58 | 109.1 | 65.8 | |
| | | 6-09-58 | 75.1* | 84.0 | | | | 4-28-58 | 87.2 | 78.6 | |
| | | 6-30-58 | 71.5 | 85.5 | | | | 5-19-58 | 78.5 | 87.7 | |
| 25/12W-24A05 S | 168.7* | 6-24-58 | 55.2 | 113.7 | 1101 | | | 6-09-58 | 68.6 | 94.4 | |
| COASTAL PLAIN: LOS ANGELES CO | | | | | | | | | | | |
| 41103 | | | | | | 41103 | | | | | |
| 25/12W-24C03 S | 166.0 | 7-17-57 | DRY | 7-03-57 | 127.8 | 25/12W-24M03 S | 160.5 | 7-03-57 | 127.8 | 32.7 | 1101 |
| | | 8-19-57 | DRY | 8-19-57 | 129.2 | | | 7-11-57 | 129.2 | 31.3 | |
| | | 9-23-57 | DRY | 9-23-57 | 129.6 | | | 7-15-57 | 129.6 | 30.7 | |
| | | 10-16-57 | DRY | 11-18-57 | 131.0 | | | 7-22-57 | 131.0 | 29.5 | |
| | | 11-18-57 | DRY | 12-02-57 | 136.0 | | | 7-26-57 | 132.1 | 28.4 | |
| | | 12-02-57 | DRY | 12-17-57 | DRY | | | 8-05-57 | 133.1 | 27.4 | |
| | | 12-17-57 | DRY | 1-06-58 | DRY | | | 8-12-57 | 134.1 | 26.4 | |
| | | 1-06-58 | DRY | 1-20-58 | DRY | | | 8-19-57 | 135.2 | 25.3 | |
| | | 1-20-58 | DRY | 2-10-58 | DRY | | | 8-26-57 | 136.1 | 26.4 | |
| | | 2-10-58 | DRY | 2-24-58 | DRY | | | 9-02-57 | 137.0 | 23.5 | |
| | | 2-24-58 | DRY | 3-10-58 | DRY | | | 9-09-57 | 137.3 | 23.2 | |
| | | 3-10-58 | DRY | 3-24-58 | DRY | | | 9-16-57 | 138.3 | 28.2 | |
| | | 3-24-58 | DRY | 7-02-57 | 131.0* | | | 9-23-57 | 142.1 | 18.4 | |
| | | 8-03-57 | 130.7 | 20.8 | | | | 9-26-57 | 139.3 | 21.2 | |
| | | 10-03-57 | 139.7 | 20.8 | | | | 10-03-57 | 139.7 | 20.8 | |
| | | 10-07-57 | 140.1 | 20.4 | | | | 10-07-57 | 140.1 | 20.4 | |
| 25/12W-24E06 S | 166.0 | 7-02-57 | 131.0* | 35.0 | 1101 | | | | | | |
| | | 8-03-57 | 137.0* | 29.0 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | | | |
|------------------------------|--------------------|--|--------------------------------------|--|-----------------------|--|---|------------------------------|--------------------------------------|------------------------------|--|--------------|--|------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | | | | |
| 25/12W-24M03 S CONT. | 160.5 | 10-14-57 14.0.5 10-21-57 14.0.6 10-28-57 14.0.9 11-04-57 14.1.1 11-11-57 14.1.4 11-18-57 14.1.8 12-02-57 14.2.2 12-09-57 14.2.5 12-17-57 14.1.7 12-23-57 14.2.5 12-30-57 14.2.3 1-02-58 14.2.3 1-09-58 14.1.9 1-16-58 14.1.2 1-23-58 14.0.6 2-06-58 139.0 2-13-58 137.9 2-21-58 136.0 2-27-58 133.5 3-03-58 131.2 3-10-58 128.4 3-17-58 119.5 3-24-58 113.2 4-01-58 102.9 4-08-58 102.7 4-15-58 97.0 5-01-58 86.1 5-08-58 95.4 5-15-58 89.1 5-22-58 81.9 6-01-58 74.8 6-08-58 72.2 6-15-58 69.9 6-22-58 68.5 6-30-58 | 160.5 | 10-14-57 14.0.5 10-21-57 14.0.6 10-28-57 14.0.9 11-04-57 14.1.1 11-11-57 14.1.4 11-18-57 14.1.8 12-02-57 14.2.2 12-09-57 14.2.5 12-17-57 14.1.7 12-23-57 14.2.5 12-30-57 14.2.3 1-02-58 14.2.3 1-09-58 14.1.9 1-16-58 14.1.2 1-23-58 14.0.6 2-06-58 139.0 2-13-58 137.9 2-21-58 136.0 2-27-58 133.5 3-03-58 131.2 3-10-58 128.4 3-17-58 119.5 3-24-58 113.2 4-01-58 102.9 4-08-58 102.7 4-15-58 97.0 5-01-58 86.1 5-08-58 95.4 5-15-58 89.1 5-22-58 81.9 6-01-58 74.8 6-08-58 72.2 6-15-58 69.9 6-22-58 68.5 6-30-58 | 41100 | 20.0 19.9 19.6 19.4 19.1 18.7 18.3 18.0 18.4 18.2 18.6 19.3 17.7 21.5 24.5 24.5 27.0 29.3 34.1 41.0 54.5 57.7 57.8 63.9 65.1 68.1 71.4 74.9 78.6 82.4 85.7 88.3 90.6 92.0 | 1101 | 25/12W-24P01 S CONT. | 161.0** | 6-17-58 68.6 6-24-58 66.2 | 68.6 66.2 | 37.4 94.8 | 1101 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | | | | |
| 25/12W-25A01 S | 156.2 | 7-17-57 11.2 8-19-57 11.7 9-23-57 11.5 10-16-57 12.4 11-18-57 12.3 12-02-57 12.9 12-17-57 12.4 12-23-57 12.9 1-06-58 12.5 1-20-58 11.6 2-10-58 10.3 2-24-58 10.7 3-10-58 10.3 3-24-58 9.4 4-09-58 8.5 4-14-58 8.6 4-28-58 7.6 5-19-58 6.1 6-01-58 5.3 | 156.2 | 7-17-57 11.2 8-19-57 11.7 9-23-57 11.5 10-16-57 12.4 11-18-57 12.3 12-02-57 12.9 12-17-57 12.4 12-23-57 12.9 1-06-58 12.5 1-20-58 11.6 2-10-58 10.3 2-24-58 10.7 3-10-58 10.3 3-24-58 9.4 4-09-58 8.5 4-14-58 8.6 4-28-58 7.6 5-19-58 6.1 6-01-58 5.3 | 41105 | 68.6 66.2 | 43.0 37.2 36.7 34.8 33.0 32.3 31.8 33.3 35.7 40.2 46.1 49.2 53.2 61.7 71.2 73.5 80.0 93.1 102.9 | 1101 | 25/12W-25C06 S | 157.3 | 7-17-57 12.4 8-19-57 12.2 9-23-57 13.7 10-16-57 13.1 11-18-57 13.2 12-02-57 13.7 12-17-57 13.6 1-06-58 13.4 1-20-58 13.2 2-10-58 12.5 2-24-58 12.7 3-10-58 12.8 3-24-58 12.8 4-09-58 11.9 4-14-58 10.9 4-28-58 10.4 5-19-58 10.2 6-01-58 9.1 6-09-58 7.8 | 157.3 | 12.4 12.2 13.7 13.1 13.2 13.7 13.6 13.4 13.2 12.5 12.7 12.8 12.8 11.9 10.9 10.4 10.2 9.1 7.8 | 1101 |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | | | | |
| 25/12W-24P01 S | 161.0** | 3-14-58 DRY 5-06-58 89.2 5-13-58 85.7 5-21-58 81.8 5-27-58 78.8 6-03-58 74.4 6-10-58 71.4 | 161.0** | 3-14-58 DRY 5-06-58 89.2 5-13-58 85.7 5-21-58 81.8 5-27-58 78.8 6-03-58 74.4 6-10-58 71.4 | 41105 | 134.0 142.0 125.3 121.3 | 134.0 142.0 125.3 121.3 | 19.0 12.0 28.7 32.7 | 1101 | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Date | State Well Number | P.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Date |
|------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| 41105 | | | | | | 41100 | | | | | |
| 25/12W-25E06 S | | | | | | 25/12W-25M09 S | | | | | |
| CONC. | | | | | | CONC. | | | | | |
| 3-28-58 | 117.5 | | | 36.5 | 1101 | 25/12W-25M09 S | 151.0 | 2-06-58 | 138.6 | 12.4 | 1101 |
| 4-03-58 | 114.4 | | | 42.6 | | | | 2-27-58 | 131.9 | 19.1 | |
| 4-11-58 | 118.4 | | | 42.6 | | | | 3-20-58 | 136.0 | 15.0 | |
| 4-22-58 | 108.0 | | | 47.6 | | | | 4-10-58 | 124.2 | 26.8 | |
| 4-23-58 | 108.0 | | | 50.0 | | | | 5-22-58 | 103.7 | 47.3 | |
| 5-06-58 | 107.3 | | | 56.7 | | | | 6-12-58 | 97.6 | 53.4 | |
| 5-21-58 | 94.9 | | | 59.1 | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| 41105 | | | | | | 41105 | | | | | |
| 25/12W-25E10 S | | | | | | 25/12W-25P07 S | | | | | |
| 7-02-57 | 131.0* | | | 27.0 | 1101 | 25/12W-25P07 S | 148.0 | 7-17-57 | 124.2* | 23.8 | 1101 |
| 8-03-57 | 135.0* | | | 23.0 | | | | 8-19-57 | 127.7 | 20.3 | |
| 10-01-57 | 138.0* | | | 20.0 | | | | 9-23-57 | 130.3* | 17.7 | |
| 11-04-57 | 139.0* | | | 20.0 | | | | 10-16-57 | 131.0* | 17.0 | |
| 12-02-57 | 139.0* | | | 19.0 | | | | 11-18-57 | 131.8* | 16.2 | |
| 2-05-58 | 136.0* | | | 22.0 | | | | 12-02-57 | 132.7* | 15.3 | |
| 2-24-58 | 111.7 | | | 46.3 | | | | 12-17-57 | 132.0 | 16.0 | |
| 4-25-58 | 110.0* | | | 48.0 | | | | 1-06-58 | 131.1 | 16.9 | |
| 5-22-58 | 98.0* | | | 60.0 | | | | 1-20-58 | 129.2* | 18.8 | |
| 6-11-58 | 90.0* | | | 68.0 | | | | 2-10-58 | 127.4 | 20.6 | |
| 6-21-58 | 85.0* | | | 73.0 | | | | 2-24-58 | 125.4* | 22.6 | |
| | | | | | | | | 3-10-58 | 123.6 | 24.4 | |
| | | | | | | | | 3-24-58 | 117.2* | 30.8 | |
| | | | | | | | | 4-09-58 | 111.4* | 36.6 | |
| | | | | | | | | 4-14-58 | 109.9 | 38.1 | |
| | | | | | | | | 4-28-58 | 106.6* | 41.4 | |
| | | | | | | | | 5-19-58 | 96.8 | 51.2 | |
| | | | | | | | | 6-09-58 | 87.9* | 60.1 | |
| 25/12W-25E11 S | 155.0** | 6-10-58 | 87.0 | 68.0 | 1101 | | | 7-25-57 | 133.0* | 13.8 | 1101 |
| | | 6-24-58 | 81.1 | 73.9 | 1101 | | | 9-25-57 | 137.0* | 9.8 | |
| 25/12W-25W1 S | 153.0 | 8-01-57 | 139.0* | 14.0 | | | | 11-18-57 | 140.0* | 6.8 | |
| | | 9-26-57 | 143.0* | 10.0 | | | | 3-20-58 | 112.0* | 34.8 | |
| | | 10-31-57 | 141.0* | 12.0 | | | | 6-16-58 | 98.0* | 48.8 | |
| | | 11-27-57 | 144.0* | 9.0 | | | | | | | |
| | | 1-02-58 | 142.0* | 11.0 | | | | | | | |
| | | 1-30-58 | 140.0* | 13.0 | | | | | | | |
| | | 2-27-58 | 138.0* | 15.0 | | | | | | | |
| | | 3-28-58 | 125.0* | 28.0 | | | | | | | |
| | | 5-01-58 | 115.0* | 38.0 | | | | | | | |
| | | 5-28-58 | 105.0* | 48.0 | | | | | | | |
| | | 6-26-58 | 98.0* | 55.0 | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| 41105 | | | | | | 41105 | | | | | |
| 25/12W-25M09 S | | | | | | 25/12W-26E03 S | | | | | |
| 7-11-57 | 130.5 | | | 20.5 | 1101 | 25/12W-26E03 S | 146.0 | 8-01-57 | 136.0* | 10.0 | 1101 |
| 7-31-57 | 133.3 | | | 17.7 | | | | 8-29-57 | 138.0* | 9.0 | |
| 8-22-57 | 137.4 | | | 13.6 | | | | 9-26-57 | 137.0* | 8.0 | |
| 9-1-57 | 137.0 | | | 14.0 | | | | 10-31-57 | 137.0* | 9.0 | |
| 10-22-57 | 137.6 | | | 13.4 | | | | 1-02-58 | 140.0* | 6.0 | |
| 11-14-57 | 137.9 | | | 13.1 | | | | 1-30-58 | 141.0* | 5.0 | |
| 1-05-57 | 136.8 | | | 12.2 | | | | 2-27-58 | 135.0* | 11.0 | |
| 1-26-57 | 136.1 | | | 12.9 | | | | 3-28-58 | 122.0* | 24.0 | |
| 1-16-58 | 137.8 | | | 13.2 | | | | 5-01-58 | 115.0* | 31.0 | |
| | | | | | | | | 5-28-58 | 106.0* | 40.0 | |
| | | | | | | | | 6-26-58 | 98.0* | 48.0 | |
| | | | | | | | | 7-17-57 | 134.0 | 19.0 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|-----------------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| 25/12W-26H24 S | 153.0** | 8-19-57 138.6 | 14.4 | 1101 | 1101 | 25/12W-26R05 S | 150.0 | 5-21-58 109.0 | 41.0 | 1101 | 1101 |
| CONT. | | 9-23-57 138.8 | 14.2 | | | CONT. | | 5-27-58 107.0 | 43.0 | | |
| | | 10-15-57 141.0 | 12.0 | | | | | 6-03-58 103.5 | 46.5 | | |
| | | 11-18-57 142.4 | 10.6 | | | | | 6-17-58 100.5 | 49.5 | | |
| | | 12-02-57 143.0 | 10.0 | | | | | | | | |
| | | 12-23-57 142.7* | 10.3 | | | | | | | | |
| | | 1-06-58 142.7* | 10.3 | | | 25/12W-27B02 S | 149.0 | 7-17-57 140.2 | 8.8 | 1101 | 1101 |
| | | 2-10-58 141.0 | 12.0 | | | | | 8-19-57 144.4 | 4.6 | | |
| | | 2-10-58 137.6 | 15.4 | | | | | 9-23-57 147.0 | 2.0 | | |
| | | 2-24-58 135.3 | 17.7 | | | | | 10-15-57 148.3 | .7 | | |
| | | 3-10-58 134.6 | 18.4 | | | | | 11-18-57 147.8 | 1.2 | | |
| | | 3-24-58 123.0 | 30.0 | | | | | 1-02-57 148.5 | .5 | | |
| | | 4-14-58 115.6 | 37.4 | | | | | 1-23-57 148.2 | .5 | | |
| | | 4-28-58 112.7 | 40.3 | | | | | 1-06-58 148.5 | .5 | | |
| | | 5-19-58 102.6 | 50.4 | | | | | 1-20-58 149.3 | .3 | | |
| | | 6-09-58 93.4 | 59.6 | | | | | 2-10-58 145.6 | 9.4 | | |
| | | 6-30-58 87.8 | 65.2 | | | | | 2-24-58 139.4 | 9.6 | | |
| | | | | | | | | 3-10-58 132.5 | 16.5 | | |
| 25/12W-26H08 S | DRY | 3-08-58 | | 1101 | | | | 3-24-58 125.8 | 23.2 | | |
| 25/12W-26G01 S | 142.0 | 7-17-57 127.5 | 14.5 | 1101 | 1101 | | | 4-14-58 121.1 | 27.9 | | |
| | | 10-15-57 132.8 | 9.2 | | | | | 4-28-58 118.1 | 30.9 | | |
| | | 1-06-58 133.4 | 8.6 | | | | | 5-19-58 111.6 | 37.4 | | |
| | | 1-20-58 135.1 | 6.9 | | | | | 6-09-58 104.2 | 44.8 | | |
| | | 2-10-58 132.2 | 9.8 | | | | | 6-30-58 98.9 | 50.1 | | |
| | | 2-24-58 129.5 | 12.5 | | | | | | | | |
| | | 3-10-58 128.2 | 13.8 | | | 25/12W-27B03 S | 151.0** | 10-21-57 147.6 | 3.4 | 1101 | 1101 |
| | | 3-24-58 122.5 | 19.5 | | | | | 7-17-57 143.9 | 12.1 | 1101 | 1101 |
| | | 4-14-58 116.8 | 25.2 | | | | | 8-19-57 145.5 | 10.5 | | |
| | | 4-28-58 115.1 | 26.9 | | | | | 9-23-57 154.6 | 1.4 | | |
| | | 5-19-58 111.2 | 30.8 | | | | | 10-15-57 154.8 | 1.2 | | |
| | | 6-09-58 109.6 | 32.4 | | | | | 11-18-57 154.9 | 1.1 | | |
| | | 6-30-58 109.3 | 32.7 | | | | | 12-02-57 154.9 | 1.1 | | |
| | | | | | | | | 12-23-57 154.4 | .6 | | |
| 25/12W-26R05 S | 150.0 | 10-22-57 150.3 | 3 | 1101 | 1101 | | | 1-06-58 155.2 | .8 | | |
| | | 2-26-58 138.2 | 11.4 | | | | | 1-20-58 155.7 | .3 | | |
| | | 2-26-58 136.5 | 15.4 | | | | | 2-10-58 153.5 | 2.5 | | |
| | | 3-04-58 132.2 | 17.6 | | | | | 2-24-58 148.4 | 1.6 | | |
| | | 3-11-58 132.7 | 17.6 | | | | | 3-10-58 156.4 | 13.5 | | |
| | | 3-18-58 126.2 | 21.8 | | | | | 3-24-58 152.8 | 13.5 | | |
| | | 3-25-58 125.7 | 24.3 | | | | | 4-14-58 132.8 | 20.2 | | |
| | | 3-25-58 119.0 | 31.0 | | | | | 4-14-58 132.8 | 20.2 | | |
| | | 4-22-58 117.1 | 32.9 | | | | | 4-28-58 131.2 | 24.8 | | |
| | | 4-29-58 116.2 | 33.8 | | | | | 5-19-58 126.1 | 29.9 | | |
| | | 5-06-58 114.3 | 35.7 | | | | | 6-09-58 119.3 | 36.1 | | |
| | | 5-13-58 112.1 | 37.9 | | | | | 6-30-58 116.8 | 39.2 | | |
| | | | | | | | | 7-03-57 144.0* | 10.0 | | 1101 |
| | | | | | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------------|--------------------|-----------------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO 41100 | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA 41105 | | | | | | | | | | | |
| 25/12N-27G05 S | 134.0 | 8-15-57 151.0* | - | 17.0 | 1101 | 25/12N-28G01 S | 134.7** | 6-30-58 | 137.1 | 2.4 | 1101 |
| CONT. | | 0-15-57 151.0* | - | 17.0 | | | | | | | |
| | | 10-15-57 151.0* | - | 17.0 | | 25/12N-28J01 S | 135.0 | 10-31-57 | DRY | | 1101 |
| | | 11-31-57 150.0* | - | 16.0 | | | | 4-23-58 | DRY | | |
| | | 12-20-57 150.0* | - | 15.0 | | | | | | | |
| | | 1-16-58 151.0* | - | 17.0 | | 25/12N-28J06 S | 127.0** | 7-15-57 | 162.0* | - | 1101 |
| | | 2-17-58 165.0* | - | 14.0 | | | | 8-15-57 | 165.0* | - | 38.0 |
| | | 2-28-58 137.0* | - | 2.0 | | | | 9-15-57 | 162.0* | - | 35.0 |
| | | 3-01-58 136.0* | - | 2.0 | | | | 10-15-57 | 160.0* | - | 33.0* |
| | | 3-12-58 132.0* | - | 5.0 | | | | 11-16-57 | 160.0* | - | 33.0 |
| | | 3-19-58 129.0* | - | 9.0 | | | | 12-15-57 | 162.0* | - | 35.0 |
| | | 3-31-58 125.0* | - | 9.0 | | | | 1-01-58 | 155.0* | - | 28.0 |
| | | 4-01-58 124.0* | - | 10.0 | | | | 1-16-58 | 159.0* | - | 32.0 |
| | | 4-02-58 123.0* | - | 11.0 | | | | 2-15-58 | 155.0* | - | 28.0 |
| | | 4-15-58 123.0* | - | 11.0 | | | | 3-15-58 | 150.0* | - | 23.0 |
| | | 5-01-58 123.0* | - | 11.0 | | | | 4-15-58 | 148.0* | - | 21.0 |
| | | 5-15-58 121.0* | - | 13.0 | | | | 5-15-58 | 146.0* | - | 19.0 |
| | | 5-24-58 132.0* | - | 2.0 | | | | 6-15-58 | 144.0* | - | 17.0 |
| | | 5-31-58 118.0* | - | 16.0 | | | | | | | |
| | | 6-01-58 118.0* | - | 16.0 | | 25/12N-28J07 S | 136.5 | 7-17-57 | 147.4 | - | 10.9 |
| | | 6-14-58 115.0 | - | 19.0 | | | | 8-19-57 | 149.7 | - | 13.2 |
| | | 6-30-58 113.0 | - | 21.0 | | | | 9-23-57 | 150.4 | - | 13.9 |
| 25/12N-27H01 S | 70.0 | 3-07-58 129.8 | - | 59.8 | 1101 | | | 10-15-57 | 149.5 | - | 13.0 |
| | | 6-02-58 107.9 | - | 37.9 | | | | 11-18-57 | 147.7 | - | 11.2 |
| 25/12N-27O01 S | 138.0 | 10-31-57 140.8 | - | 2.8 | 1101 | | | 12-02-57 | 148.6 | - | 12.1 |
| | | 4-23-58 125.4 | - | 12.6 | | | | 12-23-57 | 147.4 | - | 10.9 |
| 25/12N-27O03 S | | 12-23-57 DRY | - | | 1101 | | | 1-06-58 | 147.0 | - | 10.5 |
| | | 5-19-58 DRY | - | | | | | 1-20-58 | 148.0 | - | 11.5 |
| 25/12N-28A04 S | 144.0** | 8-01-57 164.0* | - | 20.0 | 1101 | | | 2-10-58 | 146.4 | - | 9.9 |
| | | 8-29-57 164.0* | - | 20.0 | | | | 2-24-58 | 146.9 | - | 10.4 |
| | | 9-26-57 165.0* | - | 21.0 | | | | 3-10-58 | 146.0 | - | 9.5 |
| | | 10-31-57 169.0* | - | 25.0 | | | | 3-24-58 | 141.1 | - | 4.6 |
| | | 11-27-57 169.0* | - | 25.0 | | | | 4-14-58 | 137.3 | - | 8 |
| | | 1-02-58 167.0* | - | 23.0 | | | | 4-28-58 | 137.7 | - | 1.2 |
| | | 1-30-58 168.0* | - | 24.0 | | | | 5-19-58 | 135.8 | - | 7 |
| | | 2-27-58 158.0* | - | 14.0 | | | | 6-09-58 | 134.3 | - | 2.2 |
| | | 3-28-58 158.0* | - | 14.0 | | | | 6-30-58 | 130.8* | - | 5.7 |
| | | 5-01-58 146.0* | - | 2.0 | | | | | | | |
| | | 5-28-58 147.0* | - | 3.0 | | | | 7-21-57 | 147.9* | - | 17.0 |
| | | 6-26-58 145.0* | - | 1.0 | | | | 8-15-57 | 143.0* | - | 13.0 |
| 25/12N-28G01 S | 135.0 | 7-17-57 142.6 | - | 7.6 | 1101 | 25/12N-28K01 S | 130.0 | 9-15-57 | 142.0* | - | 12.0 |
| | | | - | | | | | 10-15-57 | 144.0* | - | 14.0 |
| | | | - | | | | | 11-15-57 | 144.0* | - | 14.0 |
| | | | - | | | | | 12-15-57 | 137.0* | - | 7.0 |
| | | | - | | | | | 1-15-58 | 135.0* | - | 5.0 |
| | | | - | | | | | 2-15-58 | 135.0* | - | 5.0 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | MONTEBELLO FOREBAY AREA | | | | | |
| 25/12W-28K01 S | 130.0 | 3-15-58 | 135.0* | - | 5.0 | 25/12W-33B04 S | 127.0 | 3-17-58 | 134.7 | - | 7.7 |
| | | 2-15-58 | 129.0* | 1.0 | 1101 | | | 3-20-58 | 137.0 | - | 10.0 |
| | | 5-07-58 | 130.0* | 4.0 | | | | 3-24-58 | 133.0 | - | 6.8 |
| 25/12W-28001 S | 130.0 | 6-02-58 | 133.1 | - | 3.1 | | | 3-31-58 | 131.5 | - | 4.6 |
| | | 10-31-57 | 165.0* | - | 35.7 | | | 4-10-58 | 133.4 | - | 5.4 |
| 25/12W-29A02 S | 129.3 | 4-23-58 | 156.0* | - | 24.7 | | | 4-14-58 | 131.0 | - | 4.0 |
| | | 5-28-58 | 148.0* | - | 18.7 | | | 4-21-58 | 133.2 | - | 6.0 |
| 25/12W-33B01 S | 124.0 | 8-01-57 | 142.0* | - | 18.0 | | | 4-28-58 | 134.7 | - | 7.2 |
| | | 8-29-57 | 142.0* | - | 18.0 | | | 5-05-58 | 133.0 | - | 5.0 |
| | | 9-26-57 | 145.0* | - | 21.0 | | | 5-12-58 | 131.5 | - | 4.6 |
| | | 10-31-57 | 140.0* | - | 16.0 | | | 5-22-58 | 133.1 | - | 5.3 |
| | | 11-27-57 | 140.0* | - | 16.0 | | | 5-26-58 | 132.8 | - | 5.8 |
| | | 1-02-58 | 137.0* | - | 13.0 | | | 6-02-58 | 132.2 | - | 5.2 |
| | | 1-30-58 | 138.0* | - | 14.0 | | | 6-09-58 | 132.7 | - | 5.7 |
| | | 2-27-58 | 135.0* | - | 11.0 | 25/12W-33C02 S | 121.2 | 6-12-58 | 132.1 | - | 5.1 |
| | | 3-28-58 | 128.0* | - | 4.0 | | | 6-30-58 | 131.9 | - | 4.5 |
| | | 5-01-58 | 132.0* | - | 8.0 | | | 10-28-57 | DRY | | 1101 |
| | | 5-28-58 | 134.0* | - | 10.0 | | | 4-29-58 | DRY | | 1101 |
| | | 6-26-58 | 130.0* | - | 6.0 | 25/12W-33L03 S | 115.7 | 7-17-57 | 96.3 | 19.4 | 19.4 |
| 25/12W-33B04 S | 127.0 | 7-11-57 | 136.1 | - | 11.1 | | | 8-19-57 | 96.5 | 19.2 | 19.2 |
| | | 7-17-57 | 133.3 | - | 6.3 | | | 9-23-57 | 97.6 | 18.1 | 18.1 |
| | | 8-19-57 | 142.1 | - | 15.1 | | | 10-15-57 | 98.3 | 17.4 | 17.4 |
| | | 8-19-57 | 143.5 | - | 16.5 | | | 11-18-57 | 98.5 | 17.2 | 17.2 |
| | | 8-22-57 | 143.3 | - | 16.8 | | | 12-02-57 | 98.7 | 17.0 | 17.0 |
| | | 9-12-57 | 144.3 | - | 17.3 | | | 12-23-57 | DRY | | |
| | | 9-23-57 | 138.7 | - | 11.9 | | | 1-06-58 | DRY | | |
| | | 10-15-57 | 140.5 | - | 13.5 | | | 2-10-58 | DRY | | |
| | | 10-22-57 | 140.8 | - | 13.8 | | | 3-10-58 | DRY | | |
| | | 11-14-57 | 140.4 | - | 13.4 | | | 4-14-58 | DRY | | |
| | | 12-02-57 | 144.0 | - | 17.0 | | | 5-19-58 | DRY | | |
| | | 12-09-57 | 139.2 | - | 12.2 | | | 6-09-58 | DRY | | |
| | | 12-23-57 | 136.3 | - | 11.3 | 25/12W-33P02 S | 115.0 | 6-30-58 | DRY | | |
| | | 1-06-58 | 140.0 | - | 13.0 | | | 7-17-57 | 96.1 | 18.9 | 18.9 |
| | | 1-13-58 | 139.3 | - | 12.3 | | | 8-19-57 | 96.4 | 18.6 | 18.6 |
| | | 2-06-58 | 138.0 | - | 11.0 | | | 9-23-57 | 97.4 | 17.6 | 17.6 |
| | | 2-10-58 | 138.5 | - | 11.5 | | | 10-15-57 | 97.6 | 17.4 | 17.4 |
| | | 2-17-58 | 138.5 | - | 11.5 | | | 11-18-57 | 98.1 | 16.9 | 16.9 |
| | | 2-24-58 | 137.9 | - | 10.9 | | | 12-02-57 | 98.1 | 16.8 | 16.8 |
| | | 2-27-58 | 138.7 | - | 11.7 | | | 12-23-57 | 98.6 | 16.7 | 16.7 |
| | | 3-03-58 | 136.7 | - | 9.7 | | | 1-06-58 | 98.6 | 16.4 | 16.4 |
| | | 3-10-58 | 135.7 | - | 8.7 | | | 2-10-58 | 98.7 | 16.5 | 16.5 |
| | | | | | | | | 2-24-58 | 98.8 | 16.2 | 16.2 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | | |
|------------------------------|--------------------|--|---|---|--|--|--------------------|---|--|--|--|--|------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | | |
| 41100 | | | | | | 41100 | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | | |
| 41105 | | | | | | 41105 | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | | | |
| 25/12W-33P02 S | 115.0 | 3-10-58 3-24-58 4-14-58 4-28-58 5-19-58 6-19-58 6-30-58 | 98.8 98.8 98.7 98.7 99.1 99.1 99.5 | 16.2 16.2 16.3 16.3 15.9 15.9 15.5 | 1101 | 25/12W-35X01 S | 139.0 | 1-02-58 1-30-58 2-27-58 3-28-58 5-01-58 5-28-58 6-26-58 | 155.0* 155.0* 146.0* 138.0* 133.0* 129.0* 127.0* | 16.0 16.0 7.0 6.0 6.0 10.0 12.0 | 1101 | | |
| CONT. | | | | | | CONT. | | | | | | | |
| 25/12W-34A01 S | 135.0 | 7-17-57 8-19-57 9-23-57 10-15-57 11-18-57 12-02-57 12-23-57 1-06-58 1-20-58 2-10-58 2-24-58 3-10-58 3-24-58 4-14-58 4-28-58 5-16-58 6-09-58 6-30-58 | DRY DRY DRY DRY DRY DRY DRY DRY DRY DRY DRY DRY DRY DRY DRY DRY DRY DRY DRY | 13.0 13.0 13.0 13.0 8.0 8.0 8.0 6.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 | 142.0* 143.0* 140.0* 138.0* 138.0* 136.0* 136.0* 136.0* 133.0* 128.0* 127.0* 130.0* 130.0* 126.0* 126.0* 127.0* 127.0* 126.0* | 12.0 13.0 10.0 8.0 6.0 6.0 6.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 | 1101 | 25/12W-36J01 S | 133.0 | 7-17-57 8-19-57 9-23-57 10-16-57 12-17-57 12-23-57 1-06-58 1-20-58 2-10-58 2-24-58 3-10-58 3-24-58 4-14-58 4-28-58 5-16-57 6-09-57 6-30-57 | 115.0 118.3 125.0 126.5 130.8 122.5 122.5 122.5 151.7 151.7 170.9 179.7 117.1 114.9 112.8* 107.6* | 18.0 14.7 8.0 5.5 10.2 10.1 10.1 10.5 11.5 11.7 13.2 13.5 13.9 15.1 15.1 28.2 28.4 | 1101 |
| 25/12W-34R01 S | 130.0 | 1-02-58 1-30-58 2-27-58 3-28-58 5-01-58 5-28-58 6-16-58 6-26-58 6-27-58 | 138.0* 136.0* 138.0* 128.0* 129.0* 127.0* 126.4* 125.0* 139.0* | 8.0 6.0 4.0 2.0 1.0 2.0 3.0 3.0 9.0 | 1101 | 25/12W-36R02 S | 130.0** | 9-25-57 11-19-57 3-15-58 3-24-58 6-30-58 | 130.0 148.0 124.0 130.0 | .0 18.0 16.0 6.0 6.0 | 1101 | | |
| 25/12W-35K01 S | 139.0 | 8-01-57 8-29-57 9-26-57 10-31-57 11-27-57 | 153.0* 153.0* 158.0* 158.0* 158.0* | 14.0 16.0 16.0 19.0 19.0 | 1101 | 35/11W-06P02 S | 130.8 | 7-11-57 7-30-57 | 154.3 155.4 | 23.5 24.6 | 1101 | | |

GROUND WATER LEVELS AT WELLS

| Site Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | Site Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|-----------------|--------------------------------------|-----------------------------|-----------------------|------------------|--------------------|-----------------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| 35/111W-06P02 S | 130.8 | 8-32-57 157.5 | - | 26.7 | 1101 | 35/124W-01A04 S | 131.0 | 1-20-58 122.9 | 41100 | 8.1 | 1101 |
| | | 9-12-57 159.3 | - | 28.5 | | CONT. | | 2-10-58 122.8 | | 8.2 | |
| | | 10-2-57 158.0 | - | 27.2 | | | | 2-24-58 122.2 | | 9.0 | |
| | | 11-2-57 155.0 | - | 24.9 | | | | 3-10-58 120.3 | | 10.7 | |
| | | 12-05-57 155.0 | - | 24.9 | | | | 3-24-58 120.3 | | 10.7 | |
| | | 1-2-56-57 153.1 | - | 21.3 | | | | 4-14-58 118.6 | | 12.4 | |
| | | 1-16-58 152.1 | - | 21.3 | | | | 4-28-58 117.9 | | 13.1 | |
| | | 2-06-58 151.2 | - | 20.4 | | | | 5-19-58 115.8 | | 15.2 | |
| | | 2-27-58 149.0 | - | 19.0 | | | | 6-09-58 114.5 | | 16.5 | |
| | | 3-20-58 146.3 | - | 15.5 | | | | | | | |
| | | 4-10-58 143.4 | - | 12.6 | | 35/124W-01A06 S | 137.3 | 7-15-57 120.7 | 41100 | 16.6 | 1101 |
| | | 5-01-58 143.6 | - | 12.9 | | | | 8-05-57 121.0 | | 15.4 | |
| | | 5-22-58 143.6 | - | 12.8 | | | | 8-26-57 123.1 | | 16.2 | |
| | | 6-12-58 142.5 | - | 11.7 | | | | 9-16-57 124.2 | | 13.1 | |
| 35/111W-07B02 S | 124.0 | 11-06-57 129.3 | - | 5.3 | 1101 | | | 10-28-57 125.0 | | 11.4 | |
| | | 2-11-58 134.1 | - | 10.1 | | | | 11-18-57 126.4 | | 10.9 | |
| | | 4-15-58 133.5 | - | 9.5 | | | | 12-09-57 127.0 | | 10.3 | |
| | | 5-20-58 128.1 | - | 4.1 | | | | 1-20-58 127.6 | | 9.7 | |
| 35/111W-07E01 S | 115.0 | 11-15-57 136.0* | - | 21.0 | 1101 | | | 2-10-58 127.6 | | 9.7 | |
| | | 12-15-57 132.0* | - | 17.0 | | | | 3-03-58 127.6 | | 9.7 | |
| | | 6-15-58 135.0* | - | 20.0 | | | | 3-24-58 125.3 | | 12.0 | |
| 35/111W-07E02 S | 119.0 | 7-15-57 140.0* | - | 21.0 | 1101 | | | 4-14-58 123.5 | | 13.8 | |
| | | 8-15-57 140.0* | - | 21.0 | | | | 5-05-58 124.4 | | 12.9 | |
| | | 9-15-57 140.0* | - | 21.0 | | | | 5-26-58 124.2 | | 13.1 | |
| | | 10-15-57 141.0* | - | 22.0 | | | | 6-16-58 124.2 | | 13.1 | |
| | | 11-15-57 133.0* | - | 14.0 | | | | | | | |
| | | 12-15-57 135.0* | - | 16.0 | | 35/124W-01E01 S | 112.0 | 7-25-57 150.0* | 41100 | 38.0 | 1101 |
| | | 1-15-58 134.0* | - | 15.0 | | | | 9-25-57 156.0* | | 48.0 | |
| | | 2-15-58 134.0* | - | 15.0 | | | | 11-19-57 160.0* | | 48.0 | |
| | | 3-15-58 133.0* | - | 14.0 | | | | 3-21-58 145.0* | | 33.0 | |
| | | 4-15-58 130.0* | - | 11.0 | | | | 6-30-58 142.0* | | 30.0 | |
| | | 5-15-58 132.0* | - | 13.0 | | | | | | | |
| | | 6-01-58 133.0* | - | 14.0 | | 35/124W-01F06 S | 129.0** | 7-17-57 127.0 | 41100 | 2.0 | 1101 |
| 35/124W-01A04 S | 131.0 | 7-17-57 115.9 | - | 15.1 | 1101 | | | 8-19-57 129.7 | | 2.7 | |
| | | 8-19-57 117.5 | - | 13.5 | | | | 9-23-57 129.6 | | 1.6 | |
| | | 9-23-57 122.8 | - | 8.2 | | | | 10-16-57 129.6 | | 1.2 | |
| | | 10-16-57 123.7 | - | 7.2 | | | | 11-18-57 130.2 | | 2.0 | |
| | | 11-18-57 124.6 | - | 6.2 | | | | 12-02-57 131.0 | | 1.5 | |
| | | 12-02-57 125.1 | - | 5.9 | | | | 13-17-57 129.5 | | 1.2 | |
| | | 12-17-57 125.9 | - | 5.1 | | | | 1-23-57 130.2 | | 1.4 | |
| | | 12-23-57 122.9 | - | 8.1 | | | | 1-06-58 130.3 | | 1.1 | |
| | | 1-06-58 122.1 | - | 8.9 | | | | 2-10-58 130.1 | | 1.1 | |
| | | | - | | | | | 128.9 | | 1.1 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 41100 | | | | | | 41105 | | | | | |
| 35/12W-01F06 S | 129.0** | 2-24-58 | 128.3 | 7 | 1101 | 35/12W-01M04 S | 120.0 | 3-24-58 | 123.6 | - | 1101 |
| CONT. | | 3-10-58 | 127.9 | 1.1 | | CONT. | | 4-14-58 | 123.9 | 2.9 | |
| | | 3-21-58 | 126.3 | 2.7 | | | | 4-28-58 | 123.1 | 3.1 | |
| | | 4-14-58 | 124.6 | 4.4 | | | | 5-19-58 | 122.1 | 2.1 | |
| | | 4-28-58 | 123.3 | 5.7 | | | | 6-09-58 | 122.3* | 2.3 | |
| | | 5-19-58 | 122.1 | 6.9 | | | | | | | |
| | | 6-09-58 | 120.2 | 8.8 | | 35/12W-01N05 S | 115.0 | 9-28-57 | 128.0* | 13.0 | 1101 |
| 35/12W-01K01 S | 126.0 | 7-28-57 | 126.0* | 0 | 1101 | | | 11-19-57 | 132.0* | 17.0 | |
| | | 9-28-57 | 129.0* | 3.0 | | | | 3-21-58 | 125.0* | 10.0 | |
| | | 11-19-57 | 132.0* | 6.0 | | | | 6-30-58 | 124.0* | 9.0 | |
| | | 3-21-58 | 127.0* | 1.0 | | | | | | | |
| | | 6-30-58 | 127.0* | 1.0 | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 41100 | | | | | | 41105 | | | | | |
| 35/12W-01K02 S | 122.0** | 7-17-57 | 125.5 | 3.5 | 1101 | 35/12W-02A01 S | 129.3 | 7-17-57 | 124.3 | 5.0 | 1101 |
| | | 8-19-57 | 127.2 | 5.2 | | | | 8-19-57 | 126.5 | 2.8 | |
| | | 9-23-57 | 127.4 | 5.4 | | | | 9-23-57 | 132.2 | 2.9 | |
| | | 10-16-57 | 128.8 | 6.8 | | | | 10-16-57 | 127.2 | 2.1 | |
| | | 11-18-57 | 128.6 | 6.6 | | | | 11-18-57 | 128.1 | 1.2 | |
| | | 11-18-57 | 133.9 | 10.9 | | | | 12-02-57 | 127.6 | 1.7 | |
| | | 1-23-57 | 128.7 | 6.7 | | | | 12-23-57 | 126.6 | 2.7 | |
| | | 1-06-58 | 128.7 | 6.7 | | | | 1-06-58 | 128.4 | 2.9 | |
| | | 1-20-58 | 128.7 | 6.7 | | | | 1-20-58 | 124.8 | 4.5 | |
| | | 2-10-58 | 128.7 | 6.7 | | | | 2-10-58 | 125.5 | 3.8 | |
| | | 2-10-58 | 128.1 | 6.1 | | | | 2-24-58 | 123.1 | 6.2 | |
| | | 3-24-58 | 128.0 | 6.0 | | | | 3-10-58 | 122.2 | 7.1 | |
| | | 3-10-58 | 127.8 | 5.8 | | | | 3-24-58 | 120.6 | 8.7 | |
| | | 3-24-58 | 127.3 | 5.3 | | | | 4-14-58 | 116.2 | 14.7 | |
| | | 4-14-58 | 126.3 | 4.3 | | | | 4-28-58 | 116.2 | 13.1 | |
| | | 4-28-58 | 125.9 | 3.9 | | | | 5-19-58 | 120.5 | 8.8 | |
| | | 5-19-58 | 125.4 | 3.4 | | | | 6-09-58 | 114.0 | 15.3 | |
| | | 6-09-58 | 125.7 | 3.7 | | 35/12W-02B01 S | 128.5 | 6-30-58 | 112.2 | 17.1 | 1101 |
| 35/12W-01M03 S | 120.0 | 10-28-57 | 70.8 | 49.2 | 1101 | | | 7-17-57 | 123.2 | 5.3 | 1101 |
| | | 4-24-58 | 69.7 | 50.3 | | 35/12W-02C02 S | 131.0** | 8-19-57 | 118.1 | 14.4 | 1101 |
| 35/12W-01M04 S | 120.0 | 7-17-57 | 131.3 | 11.3 | 1101 | | | 9-23-57 | 118.8 | 12.9 | |
| | | 8-19-57 | 132.6 | 12.6 | | | | 10-15-57 | 118.6 | 12.2 | |
| | | 10-16-57 | 129.1 | 9.1 | | | | 11-18-57 | 117.8 | 13.2 | |
| | | 11-18-57 | 128.7 | 8.7 | | | | 12-02-57 | 119.7 | 11.3 | |
| | | 12-02-57 | 131.5 | 11.5 | | | | 12-23-57 | 120.0 | 11.0 | |
| | | 1-23-57 | 127.6 | 7.6 | | | | 1-06-58 | 118.0 | 12.6 | |
| | | 1-06-58 | 129.2 | 9.2 | | | | 2-10-58 | 118.4 | 12.5 | |
| | | 1-20-58 | 128.5 | 8.5 | | | | 2-24-58 | 118.9 | 12.1 | |
| | | 2-10-58 | 128.7 | 8.7 | | | | 3-10-58 | 118.9 | 12.1 | |
| | | 2-24-58 | 125.8 | 5.8 | | | | 3-24-58 | 118.9 | 12.1 | |
| | | 3-10-58 | 125.5 | 5.5 | | | | 4-14-58 | DRY | 12.1 | |
| | | 3-10-58 | 125.5 | 5.5 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| MONTERELLO FOREBAY AREA | | | | | | | | | | | |
| MONTERELLO FOREBAY AREA | | | | | | MONTERELLO FOREBAY AREA | | | | | |
| 35/124-02C02 S | 131.0** | 5-19-58 | 117.3 | 13.7 | 1101 | 35/124-02J04 S | 117.0 | 1-20-58 | 130.2 | 13.2 | 1101 |
| | | 6-00-58 | 118.1 | 12.9 | | | | 1-27-58 | 128.6 | 11.6 | |
| | | 6-09-58 | 117.5 | 13.5 | | | | 2-10-58 | 128.1 | 11.1 | |
| | | | | | | | | 2-17-58 | 127.7 | 10.7 | |
| 35/124-02F01 S | 129.0 | 7-17-57 | 135.4 | 6.4 | 1101 | | | 2-24-58 | 126.7 | 9.7 | |
| | | 8-19-57 | 135.4 | 6.4 | | | | 3-03-58 | 126.9 | 9.9 | |
| | | 9-23-57 | 136.6 | 7.6 | | | | 3-10-58 | 126.7 | 9.7 | |
| | | 10-15-57 | 133.1 | 4.1 | | | | 3-17-58 | 125.1 | 7.4 | |
| | | 11-18-57 | 132.3 | 3.3 | | | | 3-24-58 | 124.4 | 7.4 | |
| | | 12-02-57 | 134.9 | 5.9 | | | | 3-31-58 | 122.7 | 5.7 | |
| | | 12-23-57 | 130.6 | 1.6 | | | | 5-2-58 | 123.0 | 6.0 | |
| | | 1-06-58 | 133.2 | 4.2 | | | | 5-26-58 | 124.4 | 7.4 | |
| | | 1-20-58 | 133.1 | 4.1 | | | | 6-09-58 | 124.0 | 7.0 | |
| | | 2-10-58 | 130.8 | 1.8 | | | | | | | |
| | | 2-24-58 | 129.8 | 1.2 | | | | | | | |
| | | 3-10-58 | 127.8 | 4.0 | | | | | | | |
| | | 4-24-58 | 123.0 | 5.0 | | | | | | | |
| | | 4-28-58 | 122.5 | 4.9 | | | | | | | |
| | | 5-19-58 | 121.0 | 7.0 | | | | | | | |
| | | 6-09-58 | 121.2 | 7.8 | | | | | | | |
| | | 6-30-58 | 122.5 | 6.5 | | | | | | | |
| 35/124-02H04 S | | | | | | | | | | | |
| | 120.0 | 8-01-57 | 138.0* | 18.0 | 1101 | 35/124-02J05 S | 116.5 | 7-17-57 | 134.5 | 18.0 | 1101 |
| | | 8-29-57 | 138.0* | 18.0 | | | | 8-19-57 | 135.4 | 18.9 | |
| | | 9-26-57 | 136.0* | 16.0 | | | | 9-13-57 | 135.4 | 18.9 | |
| | | 10-31-57 | 136.0* | 16.0 | | | | 10-23-57 | 137.0 | 20.5 | |
| | | 11-27-57 | 135.0* | 15.0 | | | | 10-18-57 | 138.5 | 22.5 | |
| | | 1-02-58 | 135.0* | 15.0 | | | | 11-02-57 | 134.2 | 16.7 | |
| | | 1-30-58 | 133.0* | 13.0 | | | | 11-17-57 | 128.4 | 11.9 | |
| | | 2-27-58 | 130.0* | 10.0 | | | | 11-23-57 | 135.1 | 18.6 | |
| | | 3-28-58 | 127.0* | 7.0 | | | | 11-20-58 | 138.2 | 21.7 | |
| | | 5-01-58 | 127.0* | 7.0 | | | | 2-10-58 | 134.9 | 18.4 | |
| | | 5-28-58 | 127.0* | 7.0 | | | | 2-24-58 | 128.9 | 12.4 | |
| | | 6-26-58 | 125.0* | 5.0 | | | | 3-10-58 | 126.4 | 9.9 | |
| 35/124-02J04 S | | | | | | | | | | | |
| | 117.0 | 8-19-57 | 135.4 | 18.4 | 1101 | | | 3-24-58 | 124.0 | 7.5 | |
| | | 9-23-57 | 136.9 | 19.9 | | | | 4-16-58 | 129.7* | 13.2 | |
| | | 10-16-57 | 134.6 | 17.6 | | | | 4-28-58 | 134.9* | 18.4 | |
| | | 11-18-57 | 129.7 | 12.7 | | | | 5-19-58 | 124.4 | 7.4 | |
| | | 12-09-57 | 130.0 | 13.0 | | | | | | | |
| | | 12-17-57 | 128.9 | 11.9 | | | | | | | |
| | | 12-23-57 | 133.0 | 16.0 | | | | | | | |
| | | 1-30-57 | 129.6 | 12.6 | | | | | | | |
| | | 1-06-58 | 132.1 | 15.1 | | | | | | | |
| | | 1-13-58 | 129.1 | 12.1 | | | | | | | |
| 35/124-03H01 S | | | | | | | | | | | |
| | 114.0 | 7-01-57 | 138.0* | 24.0 | | | | 7-01-57 | 138.0* | 24.0 | 1101 |
| | | 8-01-57 | 137.0* | 23.0 | | | | 8-01-57 | 137.0* | 23.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 41100 | | | | | | 41105 | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 35/12W-03M01 S | 114.0 | 9-01-57 | 138.0* | - | 1101 | 35/12W-17K02 S | 100.4 | 4-07-58 | 89.8 | 10.6 | 1101 |
| | | 10-01-57 | 140.0* | 26.0 | | | | 4-14-58 | 89.8 | 10.6 | |
| | | 12-01-57 | 130.0* | - | | | | 4-21-58 | 90.3 | 10.1 | |
| | | 1-01-58 | 129.0* | 15.0 | | | | 4-28-58 | 90.3 | 10.1 | |
| | | 3-07-58 | 126.0* | 12.0 | | | | 5-05-58 | 90.2 | 10.2 | |
| | | 6-02-58 | 124.6* | - | | | | 5-12-58 | 90.3 | 10.1 | |
| 35/12W-10C03 S | 106.0 | 8-01-57 | 88.0* | 18.0 | 1101 | 5-19-58 | 90.4 | 5-19-58 | 90.4 | 9.6 | |
| | | 8-29-57 | 81.0* | 25.0 | | 5-26-58 | 90.4 | 5-26-58 | 90.4 | 10.0 | |
| | | 9-26-57 | 91.0* | 15.0 | | 6-02-58 | 90.6 | 6-02-58 | 90.6 | 9.8 | |
| | | 10-31-57 | 89.0* | 17.0 | | 6-09-58 | 90.6 | 6-09-58 | 90.6 | 9.8 | |
| | | 11-27-57 | 87.0* | 19.0 | | 6-16-58 | 91.2 | 6-16-58 | 91.2 | 9.6 | |
| | | 1-02-58 | 89.0* | 17.0 | | 6-23-58 | 90.8 | 6-23-58 | 90.8 | 9.6 | |
| | | 1-30-58 | 88.0* | 18.0 | | 6-30-58 | 90.9 | 6-30-58 | 90.9 | 9.5 | |
| | | 2-27-58 | 90.0* | 16.0 | | | | | | | |
| | | 3-28-58 | 88.0* | 18.0 | | | | | | | |
| | | 5-01-58 | 90.0* | 16.0 | | | | | | | |
| | | 5-28-58 | 84.0* | 22.0 | | | | | | | |
| | | 6-26-58 | 90.0* | 16.0 | | | | | | | |
| 35/12W-10K02 S | 103.0 | 7-08-57 | 90.1 | 12.9 | 1101 | 35/12W-11B04 S | 110.0 | 10-31-57 | 134.3 | - | 24.3 |
| | | 7-22-57 | 92.0 | 11.0 | | | | 4-23-58 | 133.4 | - | 23.9 |
| | | 7-29-57 | 91.9 | 11.1 | | | | | | | |
| | | 8-05-57 | 92.5 | 10.5 | | | | | | | |
| | | 8-12-57 | 92.8 | 10.2 | | | | | | | |
| | | 8-19-57 | 91.5 | 11.5 | | | | | | | |
| | | 8-26-57 | 91.7 | 11.3 | | | | | | | |
| | | 9-02-57 | 92.5 | 10.5 | | | | | | | |
| | | 9-16-57 | 93.5 | 9.5 | | | | | | | |
| | | 9-23-57 | 95.5 | 7.5 | | | | | | | |
| | | 9-30-57 | 96.8 | 6.2 | | | | | | | |
| | | 10-07-57 | 97.1 | 5.9 | | | | | | | |
| | | 10-14-57 | 94.3 | 8.7 | | | | | | | |
| | | 10-21-57 | 92.6 | 10.4 | | | | | | | |
| | | 10-28-57 | 92.7 | 10.3 | | | | | | | |
| | 100.0 | 11-04-57 | 92.8 | 7.2 | | | | | | | |
| | | 11-11-57 | 92.3 | 7.7 | | | | | | | |
| | | 11-18-57 | 90.4 | 9.6 | | | | | | | |
| | | 11-25-57 | 90.3 | 9.7 | | | | | | | |
| | | 12-02-57 | 90.4 | 9.6 | | | | | | | |
| | | 12-09-57 | 90.5 | 9.5 | | | | | | | |
| | | 12-23-57 | 89.9 | 10.1 | | | | | | | |
| | | 1-06-58 | 90.5 | 9.5 | | | | | | | |
| | | 1-13-58 | 90.6 | 9.4 | | | | | | | |
| | | 3-24-58 | 90.2 | 10.2 | | | | | | | |
| | | 3-31-58 | 89.9 | 10.5 | | | | | | | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 41100 | | | | | | 41105 | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 35/12W-11K06 S | 106.0 | 8-02-57 | 136.0* | - | 1101 | 35/12W-11E01 S | 108.0 | 8-02-57 | 144.0* | - | 36.0 |
| | | 8-30-57 | 137.0* | 31.0 | | | | 8-30-57 | 146.0* | - | 38.0 |
| | | 9-27-57 | 131.0* | 25.0 | | | | 9-27-57 | 140.0* | - | 32.0 |
| | | 11-01-57 | 125.0* | 19.0 | | | | 11-01-57 | 141.0* | - | 33.0 |
| | | 11-29-57 | 132.0* | 26.0 | | | | 11-29-57 | 134.0* | - | 26.0 |
| | | 1-03-58 | 127.0* | 23.0 | | | | 1-03-58 | 131.0* | - | 23.0 |
| | | 1-31-58 | 130.0* | 22.0 | | | | 1-31-58 | 130.0* | - | 22.0 |
| | | 2-28-58 | 127.0* | 19.0 | | | | 2-28-58 | 127.0* | - | 19.0 |
| | | 3-28-58 | 127.0* | 19.0 | | | | 3-28-58 | 127.0* | - | 19.0 |
| | | 5-02-58 | 127.0* | 19.0 | | | | 5-02-58 | 127.0* | - | 19.0 |
| | | 5-29-58 | 131.0* | 23.0 | | | | 5-29-58 | 131.0* | - | 23.0 |
| | | 6-27-58 | 133.0* | 25.0 | | | | 6-27-58 | 133.0* | - | 25.0 |
| 35/12W-11K06 S | 106.0 | 8-02-57 | 136.0* | - | 1101 | 35/12W-12A02 S | 119.0 | 7-15-57 | 128.0* | - | 9.0 |
| | | 8-30-57 | 137.0* | 31.0 | | | | 8-15-57 | 129.0* | - | 10.0 |
| | | 9-27-57 | 131.0* | 25.0 | | | | 9-15-57 | 127.0* | - | 8.0 |
| | | 11-01-57 | 125.0* | 19.0 | | | | | | | |
| | | 11-29-57 | 132.0* | 26.0 | | | | | | | |
| | | 1-03-58 | 127.0* | 23.0 | | | | | | | |
| | | 1-31-58 | 125.0* | 21.0 | | | | | | | |
| | | 2-28-58 | 123.0* | 17.0 | | | | | | | |
| | | 3-31-58 | 123.0* | 17.0 | | | | | | | |
| | | 5-02-58 | 122.0* | 16.0 | | | | | | | |
| | | 5-29-58 | 128.0* | 22.0 | | | | | | | |
| | | 6-27-58 | 130.0* | 24.0 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|------------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 41100 | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| MONTEBELLO FOREBAY AREA | | | | | | | | | | | |
| 41105 | | | | | | HOLLYWOOD BASIN | | | | | |
| 35/12W-12A02 S | 119.0 | 10-15-57 | 126.0* | - 7.0 | 1101 | 15/14W-17E02 S | 199.0 | 3-13-58 | 177.0* | 22.0 | 1101 |
| CONT. | | 11-15-57 | 126.0* | - 7.0 | | CONT. | | 4-10-58 | 174.0* | 22.0 | |
| | | 12-15-57 | 125.0* | - 6.0 | | | | 5-08-58 | 180.0* | 19.0 | |
| | | 2-15-58 | 125.0* | - 6.0 | | | | 6-05-58 | 179.0* | 20.0 | |
| | | 3-15-58 | 124.0* | - 5.0 | | | | 7-04-57 | 275.0* | - 102.0 | 1101 |
| | | 4-15-58 | 124.0* | - 5.0 | | | | 8-01-57 | 175.0* | - 2.0 | |
| | | 5-15-58 | 125.0* | - 6.0 | | | | 9-05-57 | 276.0* | - 103.0 | |
| | | 6-15-58 | 125.0* | - 6.0 | | | | 10-03-57 | 275.0* | - 102.0 | |
| 35/12W-12C05 S | 120.5 | 10-28-57 | 128.5 | - 8.0 | 1101 | | | 11-07-57 | 270.0* | - 97.0 | |
| | | 11-19-57 | 130.0* | - 9.5 | | | | 12-05-57 | 275.0* | - 102.0 | |
| | | 4-24-58 | 122.9 | - 2.4 | | | | 1-02-58 | 263.0* | - 90.0 | |
| | | 6-30-58 | 126.0* | - 5.5 | | | | 5-08-58 | 261.0* | - 88.5 | |
| 35/12W-12H01 S | 116.0 | 9-01-57 | 147.0* | - 31.0 | 1101 | 15/14W-18K01 S | 190.0 | 7-04-57 | 276.0* | - 88.0 | 1101 |
| | | 9-13-57 | 150.0* | - 34.0 | | | | 8-01-57 | 273.0* | - 83.0 | |
| | | 12-15-57 | 146.0* | - 30.0 | | | | 5-08-58 | 219.0* | - 29.0 | |
| | | 2-07-58 | 153.0 | - 37.0 | | | | 6-05-58 | 220.0* | - 3.0 | |
| HOLLYWOOD BASIN | | | | | | | | | | | |
| 41106 | | | | | | LOS ANGELES NARROWS BASIN | | | | | |
| 15/14W-09D01 S | 293.2 | 10-30-57 | DRY | | 1101 | 15/14W-19D04 S | 235.0 | 7-04-57 | 255.0* | - 23.0 | 1101 |
| | | 5-06-58 | DRY | | | | | 8-01-57 | 237.0* | - 2.0 | |
| 15/14W-10N01 S | 290.0 | 7-10-57 | 24.0 | 266.0 | 1101 | | | 10-03-57 | 262.0* | - 27.0 | |
| | | 8-14-57 | 24.3 | 265.7 | | | | 11-07-57 | 263.0* | - 30.0 | |
| | | 9-10-57 | 23.8 | 266.2 | | | | 1-05-57 | 262.0* | - 30.0 | |
| | | 10-30-57 | 24.5 | 265.5 | | | | 1-02-58 | 262.0* | - 29.0 | |
| | | 11-20-57 | 23.6 | 266.4 | | | | 5-08-58 | 268.0* | - 51.0 | |
| | | 12-10-57 | 23.9 | 266.1 | | | | 6-05-58 | 270.0* | - 35.0 | |
| | | 1-07-58 | 23.8 | 266.2 | | | | 7-04-57 | 250.0* | - 29.0 | 1101 |
| | | 2-11-58 | 23.0 | 265.0 | | | | 8-01-57 | 255.0* | - 25.0 | |
| | | 3-11-58 | 22.3 | 267.7 | | | | 9-05-57 | 253.0* | - 23.0 | |
| | | 4-09-58 | 20.8 | 269.2 | | | | 10-03-57 | 257.0* | - 27.0 | |
| | | 5-27-58 | 21.6 | 268.4 | | | | 11-07-57 | 262.0* | - 32.0 | |
| | | 6-10-58 | 21.3 | 268.7 | | | | 12-05-57 | 264.0* | - 36.0 | |
| | | 7-04-57 | 186.0* | 13.0 | 1101 | | | 1-02-58 | 252.0* | - 22.0 | |
| 15/14W-17E02 S | 199.0 | 8-08-57 | 183.0* | 16.0 | | | | 5-08-58 | 262.0* | - 32.0 | |
| | | 9-05-57 | 187.0* | 12.0 | | | | 6-05-58 | 266.0* | - 36.0 | |
| | | 10-03-57 | 186.0* | 13.0 | | | | | | | |
| | | 11-07-57 | 181.0* | 18.0 | | | | | | | |
| | | 12-05-57 | 180.0* | 19.0 | | | | | | | |
| | | 1-02-58 | 180.0* | 19.0 | | | | | | | |
| | | 2-13-58 | 182.0* | 17.0 | | | | | | | |
| | | | | | | COASTAL PLAIN LOS ANGELES CO | | | | | |
| | | | | | | MONTEBELLO FOREBAY AREA | | | | | |
| | | | | | | 41107 | | | | | |
| | | 7-17-57 | 36.6 | 378.6 | | | | 7-17-57 | 36.6 | 378.6 | 1200 |
| | | 8-21-57 | 37.4 | 377.8 | | | | 8-21-57 | 37.4 | 377.8 | |
| | | 9-17-57 | 38.0 | 377.2 | | | | 9-17-57 | 38.0 | 377.2 | |
| | | 10-30-57 | 37.7 | 377.5 | | | | 10-30-57 | 37.7 | 377.5 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| LOS ANGELES NARROWS BASIN | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| 1N/13W-34001 S | 415.2 | 11-21-57 | 37.2 | 378.0 | 1200 | 1S/13W-04J01 S | 373.9 | 3-12-58 | 53.5 | 320.4 | 1200 |
| CONT. | | | | | | | | | | | |
| | | 12-19-57 | 36.7 | 378.5 | | | | 4-17-58 | 50.5 | 323.4 | |
| | | 1-15-58 | 36.3 | 378.9 | | | | 5-16-58 | 51.2 | 321.7 | |
| | | 2-18-58 | 35.5 | 379.7 | | | | 6-13-58 | 52.5 | 326.4 | |
| | | 3-18-58 | 34.8 | 380.4 | | | | | | | |
| | | 4-17-58 | 33.5 | 381.7 | | 1S/13W-04L01 S | 361.2 | 7-17-57 | 44.6 | 316.6 | 1200 |
| | | 5-16-58 | 34.0 | 381.2 | | | | 8-22-57 | 47.5 | 313.7 | |
| | | 6-13-58 | 34.9 | 380.3 | | | | 9-17-57 | 49.4 | 311.8 | |
| | | | | | | | | 10-30-57 | 49.7 | 311.5 | |
| 1N/13W-33N01 S | 425.7 | 7-17-57 | 54.2 | 377.5 | 1200 | | | 11-05-57 | 49.9 | 311.3 | |
| | | 8-21-57 | 52.9 | 376.8 | | | | 11-06-57 | 49.9 | 311.3 | |
| | | 9-17-57 | 53.3 | 376.4 | | | | 11-07-57 | 49.8 | 311.3 | 1101 |
| | | 10-30-57 | 52.2 | 377.5 | | | | 11-14-57 | 49.9 | 311.3 | |
| | | 11-21-57 | 51.7 | 378.0 | | | | 11-21-57 | 49.9 | 311.3 | |
| | | 12-19-57 | 51.2 | 378.5 | | | | 11-27-57 | 49.8 | 311.4 | |
| | | 1-15-58 | 50.9 | 378.8 | | | | 12-04-57 | 49.8 | 311.4 | |
| | | 2-12-58 | 50.1 | 379.6 | | | | 12-19-57 | 48.7 | 310.5 | |
| | | 3-12-58 | 49.5 | 380.2 | | | | 1-15-58 | 47.6 | 313.6 | |
| | | 4-17-58 | 48.8 | 380.7 | | | | 2-12-58 | 45.0 | 316.2 | |
| | | 5-16-58 | 49.9 | 379.8 | | | | 3-12-58 | 41.9 | 313.3 | |
| | | 6-13-58 | 50.9 | 378.8 | | | | 4-17-58 | 38.9 | 322.3 | |
| 1S/12W-05H01 S | 571.6 | 7-01-57 | 25.7 | 545.9 | 1101 | | | 4-21-58 | 38.8 | 322.4 | 1101 |
| | | 8-05-57 | 25.9 | 545.7 | | | | 5-16-58 | 39.5 | 321.7 | 1200 |
| | | 9-03-57 | 26.0 | 545.6 | | | | 6-13-58 | 40.9 | 320.3 | |
| | | 10-02-57 | 25.9 | 545.7 | | | | 6-20-58 | 41.5 | 319.7 | |
| | | 10-21-57 | 25.9 | 545.7 | | | | | | | |
| | | 11-04-57 | 25.1 | 546.5 | | 1S/13W-04P01 S | 367.7 | 7-17-57 | 57.5 | 310.2 | 1200 |
| | | 12-02-57 | 25.6 | 546.0 | | | | 8-21-57 | 60.2 | 307.5 | |
| | | 1-06-58 | 25.2 | 546.4 | | | | 9-17-57 | 61.9 | 305.8 | |
| | | 2-14-58 | 24.9 | 546.7 | | | | 10-30-57 | 61.7 | 306.0 | |
| | | 4-08-58 | 23.7 | 547.9 | | | | 11-05-57 | 61.6 | 306.1 | |
| | | 4-28-58 | 23.9 | 547.7 | | | | 11-21-57 | 61.6 | 306.1 | |
| | | 5-13-58 | 23.2 | 548.4 | | | | 12-04-57 | 61.0 | 306.7 | |
| | | 6-04-58 | 23.7 | 547.9 | | | | 12-19-57 | 60.0 | 307.7 | |
| 1S/13W-04E01 S | 388.0 | 4-21-58 | 26.2 | 361.8 | 1101 | | | 1-15-58 | 59.0 | 308.7 | |
| | | 7-17-57 | 55.9 | 318.0 | 1200 | | | 2-12-58 | 57.4 | 310.3 | |
| 1S/13W-04J01 S | 373.9 | 8-22-57 | 58.9 | 315.0 | | | | 3-12-58 | 53.9 | 313.8 | |
| | | 9-17-57 | 60.0 | 313.9 | | | | 4-17-58 | 50.8 | 316.9 | |
| | | 10-30-57 | 61.2 | 312.7 | | | | 5-16-58 | 51.0 | 316.7 | |
| | | 11-21-57 | 61.4 | 312.5 | | | | 6-13-58 | 52.5 | 315.2 | |
| | | 12-19-57 | 60.0 | 313.9 | | 1S/13W-04P04 S | 353.0 | 11-05-57 | 57.0 | 296.0 | 1101 |
| | | 1-15-58 | 59.1 | 314.8 | | 1S/13W-04001 S | 358.7 | 10-30-57 | DRY | 1200 | |
| | | 2-12-58 | 56.5 | 317.4 | | | | 4-18-58 | 36.2 | 322.5 | |
| | | | | | | 1S/13W-05K01 S | 374.4 | 10-30-57 | 22.7 | 351.7 | 1200 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| LOS ANGELES NARROWS BASIN | | | | | | | | | | | |
| 15/13W-03K01 S | 374.4 | 4-18-58 | 20.1 | 354.3 | 1200 | 15/13W-15J01 S | 342.2 | 5-14-58 | 40.4 | 301.8 | 1200 |
| 15/13W-09B01 S | 347.0 | 4-21-58 | 25.1 | 321.9 | 1101 | CONT. | | 6-13-58 | 39.8 | 302.4 | |
| 15/13W-10N01 S | 336.4 | 10-30-57 | 26.0 | 310.4 | 1200 | 15/13W-22R01 S | 296.8 | 7-02-57 | 35.7 | 261.1 | 1101 |
| | | 11-20-57 | 26.0 | 310.4 | | | | 8-06-57 | 35.7 | 261.1 | |
| | | 12-19-57 | 25.7 | 310.7 | | | | 8-30-57 | 35.8 | 261.0 | |
| | | 1-15-58 | 26.0 | 310.4 | | | | 10-03-57 | 35.8 | 261.0 | |
| | | 2-12-58 | 25.5 | 310.9 | | | | 11-13-57 | 36.7 | 260.1 | |
| | | 3-12-58 | 25.3 | 311.1 | | | | 12-10-57 | 37.9 | 258.9 | |
| | | 4-02-58 | 24.8 | 311.6 | | | | 1-13-58 | 37.9 | 261.1 | |
| | | | | | | | | 2-11-58 | 35.3 | 261.5 | |
| 15/13W-15D01 S | 327.8 | 7-17-57 | 18.9 | 308.9 | 1200 | | | 3-11-58 | 34.6 | 262.2 | |
| | | 8-17-57 | 19.1 | 308.7 | | | | 4-16-58 | 34.6 | 262.0 | |
| | | 9-17-57 | 19.4 | 308.4 | | | | 5-07-58 | 34.9 | 262.0 | |
| | | 10-17-57 | 19.4 | 308.4 | | | | 5-21-58 | 34.9 | 261.9 | |
| | | 11-30-57 | 18.9 | 308.0 | | | | 6-11-58 | 35.0 | 261.8 | |
| | | 12-19-57 | 18.5 | 308.1 | | | | | | | |
| | | 1-15-58 | 18.8 | 308.3 | | | | | | | |
| | | 2-12-58 | 18.6 | 308.2 | | | | | | | |
| | | 3-12-58 | 18.6 | 308.2 | | | | | | | |
| | | 4-17-58 | 18.1 | 308.7 | | | | | | | |
| | | 5-14-58 | 19.0 | 308.8 | | | | | | | |
| | | 6-13-58 | 19.3 | 308.5 | | | | | | | |
| 15/13W-15H01 S | 352.5 | 10-31-57 | 52.7 | 299.8 | 1200 | 15/13W-23N01 S | 286.3 | 4-30-58 | 9.0 | 277.3 | 1101 |
| | | 11-21-57 | 52.8 | 299.7 | | | | 4-30-58 | 9.0 | 277.3 | |
| | | 1-15-58 | 52.9 | 299.6 | | | | 10-28-57 | 34.0 | 249.8 | 1101 |
| | | 2-12-58 | 52.8 | 299.7 | | | | 11-05-57 | 33.9 | 249.9 | 1200 |
| | | 3-12-58 | 52.3 | 300.2 | | | | 4-04-58 | 33.3 | 250.5 | |
| | | 4-17-58 | 51.1 | 301.4 | | | | 4-30-58 | 33.6 | 250.2 | 1101 |
| | | 5-14-58 | 50.2 | 302.3 | | | | | | | |
| | | 6-13-58 | 50.0 | 302.5 | | | | | | | |
| 15/13W-15J01 S | 342.2 | 7-17-57 | 40.4 | 301.8 | 1200 | 15/13W-35F01 S | 523.8 | 7-17-57 | 6.4 | 517.4 | 1200 |
| | | 7-18-57 | 40.4 | 301.8 | | | | 8-22-57 | 7.2 | 516.6 | |
| | | 9-17-57 | 40.2 | 302.0 | | | | 9-18-57 | 6.5 | 517.3 | |
| | | 10-30-57 | 40.5 | 301.7 | | | | 10-30-57 | 5.9 | 517.9 | |
| | | 11-21-57 | 40.6 | 301.6 | | | | 11-22-57 | 6.7 | 517.1 | |
| | | 12-19-57 | 40.5 | 301.7 | | | | 12-19-57 | 6.6 | 517.2 | |
| | | 1-17-58 | 40.5 | 301.7 | | | | 1-17-58 | 7.5 | 516.3 | |
| | | 2-12-58 | 40.4 | 301.8 | | | | 2-11-58 | 5.9 | 517.2 | |
| | | 3-12-58 | 40.3 | 301.9 | | | | 3-14-58 | 6.6 | 517.4 | |
| | | 4-17-58 | 40.1 | 302.1 | | | | 4-17-58 | 4.8 | 519.0 | |
| | | 4-23-58 | 40.0 | 302.2 | | | | 5-16-58 | 5.0 | 518.8 | |
| | | | | | | | | 6-18-58 | 4.8 | 519.0 | |
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| LOS ANGELES NARROWS BASIN | | | | | | | | | | | |
| 15/13W-03K01 S | 374.4 | 4-18-58 | 20.1 | 354.3 | 1200 | 15/13W-15J01 S | 342.2 | 5-14-58 | 40.4 | 301.8 | 1200 |
| 15/13W-09B01 S | 347.0 | 4-21-58 | 25.1 | 321.9 | 1101 | CONT. | | 6-13-58 | 39.8 | 302.4 | |
| 15/13W-10N01 S | 336.4 | 10-30-57 | 26.0 | 310.4 | 1200 | 15/13W-22R01 S | 296.8 | 7-02-57 | 35.7 | 261.1 | 1101 |
| | | 11-20-57 | 26.0 | 310.4 | | | | 8-06-57 | 35.7 | 261.1 | |
| | | 12-19-57 | 25.7 | 310.7 | | | | 8-30-57 | 35.8 | 261.0 | |
| | | 1-15-58 | 26.0 | 310.4 | | | | 10-03-57 | 35.8 | 261.0 | |
| | | 2-12-58 | 25.5 | 310.9 | | | | 11-13-57 | 36.7 | 260.1 | |
| | | 3-12-58 | 25.3 | 311.1 | | | | 12-10-57 | 37.9 | 258.9 | |
| | | 4-02-58 | 24.8 | 311.6 | | | | 1-13-58 | 37.9 | 261.1 | |
| | | | | | | | | 2-11-58 | 35.3 | 261.5 | |
| | | | | | | | | 3-11-58 | 34.6 | 262.2 | |
| | | | | | | | | 4-16-58 | 34.6 | 262.0 | |
| | | | | | | | | 5-07-58 | 34.9 | 262.0 | |
| | | | | | | | | 5-21-58 | 34.9 | 261.9 | |
| | | | | | | | | 6-11-58 | 35.0 | 261.8 | |
| 15/13W-15D01 S | 327.8 | 7-17-57 | 18.9 | 308.9 | 1200 | 15/13W-23N01 S | 286.3 | 4-30-58 | 9.0 | 277.3 | 1101 |
| | | 8-17-57 | 19.1 | 308.7 | | | | 4-30-58 | 9.0 | 277.3 | |
| | | 9-17-57 | 19.4 | 308.4 | | | | 10-28-57 | 34.0 | 249.8 | 1101 |
| | | 10-17-57 | 19.4 | 308.4 | | | | 11-05-57 | 33.9 | 249.9 | 1200 |
| | | 11-30-57 | 18.9 | 308.0 | | | | 4-04-58 | 33.3 | 250.5 | |
| | | 12-19-57 | 18.5 | 308.1 | | | | 4-30-58 | 33.6 | 250.2 | 1101 |
| | | 1-15-58 | 18.8 | 308.3 | | | | | | | |
| | | 2-12-58 | 18.6 | 308.2 | | | | | | | |
| | | 3-12-58 | 18.6 | 308.2 | | | | | | | |
| | | 4-17-58 | 18.1 | 308.7 | | | | | | | |
| | | 5-14-58 | 19.0 | 308.8 | | | | | | | |
| | | 6-13-58 | 19.3 | 308.5 | | | | | | | |
| 15/13W-15H01 S | 352.5 | 10-31-57 | 52.7 | 299.8 | 1200 | 15/13W-35F01 S | 523.8 | 7-17-57 | 6.4 | 517.4 | 1200 |
| | | 11-21-57 | 52.8 | 299.7 | | | | 8-22-57 | 7.2 | 516.6 | |
| | | 1-15-58 | 52.9 | 299.6 | | | | 9-18-57 | 6.5 | 517.3 | |
| | | 2-12-58 | 52.8 | 299.7 | | | | 10-30-57 | 5.9 | 517.9 | |
| | | 3-12-58 | 52.3 | 300.2 | | | | 11-22-57 | 6.7 | 517.1 | |
| | | 4-17-58 | 51.1 | 301.4 | | | | 12-19-57 | 6.6 | 517.2 | |
| | | 5-14-58 | 50.2 | 302.3 | | | | 1-17-58 | 7.5 | 516.3 | |
| | | 6-13-58 | 50.0 | 302.5 | | | | 2-11-58 | 5.9 | 517.2 | |
| | | | | | | | | 3-14-58 | 6.6 | 517.4 | |
| | | | | | | | | 4-17-58 | 4.8 | 519.0 | |
| | | | | | | | | 5-16-58 | 5.0 | 518.8 | |
| | | | | | | | | 6-18-58 | 4.8 | 519.0 | |
| LA HABRA BASIN | | | | | | | | | | | |
| 25/11W-02O01 S | 215.0** | 7-26-57 | 204.0 | 11.0 | 1101 | 25/11W-02O01 S | 215.0** | 7-26-57 | 204.0 | 11.0 | 1101 |
| | | 9-23-57 | 212.0 | 3.0 | 1200 | | | 9-23-57 | 212.0 | 3.0 | |
| | | 11-21-57 | 198.0 | 17.0 | | | | 11-21-57 | 198.0 | 17.0 | |
| | | 3-24-58 | 181.0 | 34.0 | | | | 3-24-58 | 181.0 | 34.0 | |
| 25/11W-29L01 S | 153.0 | 10-23-57 | 60.0 | 93.0 | 1101 | 25/11W-29L01 S | 153.0 | 10-23-57 | 60.0 | 93.0 | 1101 |
| | | 3-08-58 | 59.4 | 93.6 | | | | 3-08-58 | 59.4 | 93.6 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | |
|------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | | |
| LA HABRA BASIN | | | | | | LA HABRA BASIN | | | | | | |
| 41100 | | | | | | 41100 | | | | | | |
| 25/11W-29L01 S | 153.0 | 3-14-58 | 60.2 | 92.8 | 1101 | 35/11W-01N01 S | 245.0 | 7-26-57 | 214.0* | 31.0 | 1101 | |
| CONT. | | 3-21-58 | 59.9 | 93.1 | | | | 9-20-57 | 220.0* | 25.0 | | |
| | | 3-28-58 | 59.7 | 93.3 | | | | 11-20-57 | 226.0* | 19.0 | | |
| | | 4-05-58 | 59.6 | 93.4 | | | | 3-25-58 | 210.0* | 35.0 | | |
| | | 4-11-58 | 58.7 | 94.3 | | | | | | | | |
| | | 4-22-58 | 57.9 | 95.1 | | 35/11W-01P01 S | 267.0 | 11-21-57 | 236.0* | 31.0 | 1101 | |
| | | 4-29-58 | 57.7 | 95.3 | | | | 3-25-58 | 232.0 | 35.0 | | |
| | | 5-06-58 | 57.4 | 95.6 | | | | | | | | |
| | | 5-13-58 | 57.3 | 95.7 | | 35/11W-01P02 S | 265.0 | 11-20-57 | 72.0* | 193.0 | 1101 | |
| | | 5-21-58 | 57.2 | 95.8 | | | | 3-25-58 | 32.0 | 233.0 | | |
| | | 5-27-58 | 57.2 | 95.8 | | | | | | | | |
| | | 6-03-58 | 57.1 | 95.9 | | 35/11W-02K01 S | 220.0 | 7-26-57 | 200.0* | 20.0 | 1101 | |
| | | 6-10-58 | 57.1 | 95.9 | | | | 9-23-57 | 210.0* | 10.0 | | |
| | | 6-17-58 | 57.0 | 96.0 | | | | 11-21-57 | 200.0* | 20.0 | | |
| | | 6-24-58 | 56.8 | 96.2 | | | | 3-24-58 | 186.0* | 34.0 | | |
| 25/11W-29M01 S | 152.0 | 11-18-57 | 54.8* | 97.2 | 1101 | 35/11W-02M01 S | 193.0 | 10-23-57 | 4.2 | 188.8 | 1101 | |
| | | 12-02-57 | 61.7* | 90.3 | | | | 4-22-58 | 3.0 | 190.8 | | |
| | | 12-17-57 | 62.0* | 90.0 | | | | | | | | |
| | | 11-23-57 | 61.7* | 90.3 | | 35/11W-04M02 S | 150.0 | 10-29-57 | 83.2 | 66.8 | 1101 | |
| | | 1-06-58 | 61.8 | 90.2 | | | | 4-24-58 | 67.2 | 82.8 | | |
| | | 1-20-58 | 59.7* | 92.3 | | | | | | | | |
| | | 2-10-58 | 62.1* | 89.9 | | 35/11W-05B03 S | 161.0 | 10-23-57 | 85.2 | 75.8 | 1101 | |
| | | 2-24-58 | 62.5* | 89.5 | | | | 4-22-58 | 83.2 | 78.8 | | |
| | | 3-10-58 | 61.8 | 90.2 | | | | 6-09-58 | 81.4 | 80.6 | | |
| | | 3-24-58 | 61.5 | 90.5 | | 35/11W-05H03 S | 161.0 | 7-26-57 | 115.0* | 46.0 | 1101 | |
| | | 4-09-58 | 60.8* | 91.2 | | | | 9-24-57 | 120.0* | 41.0 | | |
| | | 4-14-58 | 60.6* | 91.4 | | | | 3-25-58 | 109.0* | 52.0 | | |
| | | 4-28-58 | 59.9 | 92.1 | | 35/11W-05J02 S | 170.0 | 10-28-57 | 126.1 | 43.9 | 1101 | |
| | | 5-19-58 | 59.4 | 92.6 | | | | | | | | |
| | | 6-09-58 | 59.1 | 92.9 | | | | | | | | |
| 25/11W-32003 S | 153.0** | 11-26-57 | 94.7 | 58.3 | 1101 | 35/11W-05N04 S | 151.0 | 10-29-57 | 174.6 | - | 23.6 | 1101 |
| | | 4-22-58 | 94.7 | 58.3 | | | | 4-24-58 | 164.9 | - | 13.9 | |
| 25/11W-33E02 S | 184.5 | 7-11-57 | 107.1 | 77.4 | 1101 | 35/11W-09C01 S | 175.0 | 10-29-57 | 156.4 | 18.6 | 1101 | |
| | | 7-30-57 | 107.6 | 76.9 | | | | 4-24-58 | 160.9 | - | 9.9 | |
| | | 8-22-57 | 108.7 | 75.8 | | | | 6-09-58 | 160.9 | - | 9.9 | |
| | | 9-12-57 | 109.1 | 75.4 | | | | 10-29-57 | 152.3 | 22.7 | | |
| 25/11W-33M01 S | 140.8 | 7-26-57 | 130.0* | 10.8 | 1101 | 35/11W-09J01 S | 114.0 | 11-12-57 | 138.9 | - | 24.9 | 1101 |
| | | 9-23-57 | 132.0* | 8.8 | | | | 4-24-58 | DRY | - | 24.9 | |
| | | 11-29-57 | 136.0* | 4.8 | | 35/11W-14B01 S | 238.0 | 10-29-57 | 230.0 | 8.0 | 1101 | |
| | | 3-25-58 | 115.0* | 25.8 | | | | 4-29-58 | 224.7 | 13.3 | | |
| 25/11W-35R01 S | 256.0 | 4-15-58 | 234.0 | 22.0 | 1101 | 35/11W-14C01 S | 219.0 | 10-29-57 | 190.9 | 28.1 | 1101 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|---------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|--|---|---|-----------------------|
| COASTAL PLAIN LOS ANGELES CO | | | | | | | | | | | |
| 41100 | | | | | | | | | | | |
| LA HÁGRA BASIN | | | | | | | | | | | |
| 41108 | | | | | | | | | | | |
| 3S/11W-14C01 S | 219.0 | 4-29-58 | 187.7 | 31.3 | 1101 | IN/13W-13A01 S | 1750.0 | 10-21-57 3-24-58 | 288.6 300.2 | 1461.4 1449.8 | 1050 5050 |
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| 41200 | | | | | | | | | | | |
| SAN FERNANDO BASIN | | | | | | | | | | | |
| 41201 | | | | | | | | | | | |
| | | | | | | IN/13W-19B01 S | 470.9 | 12-15-57 1-15-58 2-15-58 3-15-58 4-15-58 5-13-58 6-10-58 | 110.9 115.9 113.0 113.0 120.9 153.9* 158.9* | 360.0 359.0 357.0 357.0 350.0 317.0 312.0 | 1101 |
| | | | | | | IN/13W-19B04 S | 470.3 | 12-15-57 1-15-58 2-15-58 3-15-58 4-15-58 5-13-58 6-10-58 | 113.3 111.3 111.3 107.3 120.3 164.3* 171.3* | 357.0 359.0 359.0 363.0 350.0 306.0 299.0 | 1101 |
| | | | | | | IN/13W-19B05 S | 463.7 | 12-17-57 | 104.7 | 359.0 | 1101 |
| | | | | | | IN/13W-19B06 S | 465.0 | 12-15-57 1-15-58 2-15-58 3-25-58 | 107.0 101.0 105.0 97.0 | 358.0 364.0 360.0 368.0 | 1101 |
| | | | | | | IN/13W-19C01 S | 471.2 | 12-15-57 1-15-58 2-15-58 3-15-58 4-15-58 5-13-58 6-10-58 | 111.2 114.2 112.2 119.2 119.2 149.2* 155.2* | 360.0 357.0 359.0 352.0 352.0 322.0 316.0 | 1101 |
| | | | | | | IN/13W-19C02 S | 471.5 | 12-15-57 1-15-58 2-15-58 4-15-58 5-13-58 6-10-58 | 114.5 114.5 113.5 121.5 165.3* 171.3* | 357.0 357.0 358.0 350.0 306.0 300.0 | 1101 |
| | | | | | | IN/13W-19D03 S | 473.0 | 12-03-57 1-15-58 | 109.0 109.0 | 364.0 364.0 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---------------------|--------------------|-----------|--------------------------------------|------------------------------|-----------------------|---------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| SAN FERNANDO BASIN | | | | | | SAN FERNANDO VALLEY | | | | | |
| 41201 | | | | | | 41200 | | | | | |
| IN/13W-21001 S | 605+0 | 7-17-57 | 211+0 | 39+0 | 1200 | IN/13W-32E01 S | 404+7 | 4-23-58 | 18+8 | 385+9 | 1200 |
| | | 8-22-57 | 211+7 | 393+3 | | CONT. | | 5-16-58 | 20+0 | 384+7 | |
| | | 9-18-57 | 212+0 | 393+0 | | | | 6-13-58 | 20+9 | 383+8 | |
| | | 10-30-57 | 212+5 | 392+5 | | IN/13W-33N02 S | 440+9 | 4-23-58 | 72+7 | 368+2 | 1101 |
| | | 11-22-57 | 213+1 | 391+9 | | IN/13W-33N03 S | 435+7 | 10-29-57 | 61+7 | 374+0 | 1101 |
| | | 12-19-57 | 213+0 | 392+0 | | | | 4-21-58 | 61+4 | 374+3 | |
| | | 1-17-58 | 213+6 | 392+4 | | IN/13W-34B01 S | 519+9 | 7-17-57 | 140+8 | 379+1 | 1200 |
| | | 2-14-58 | 212+9 | 392+1 | | | | 8-22-57 | 142+3 | 377+6 | |
| | | 3-14-58 | 212+9 | 392+1 | | | | 9-18-57 | 143+3 | 376+6 | |
| | | 4-17-58 | 212+8 | 392+0 | | | | 10-30-57 | 142+5 | 377+4 | |
| | | 5-16-58 | 213+0 | 392+0 | | | | 11-22-57 | 141+9 | 378+0 | |
| | | 6-18-58 | 213+3 | 391+7 | | | | 12-19-57 | 141+0 | 378+5 | |
| | | | | | | | | 1-17-58 | 140+7 | 378+2 | |
| | | | | | | | | 2-14-58 | 140+2 | 378+7 | |
| | | | | | | | | 3-14-58 | 141+2 | 378+4 | |
| | | | | | | | | 4-17-58 | 142+3 | 377+6 | |
| | | | | | | | | 5-16-58 | 144+1 | 375+8 | |
| IN/13W-29A01 S | 540+4 | 8-22-57 | 126+6 | 413+8 | 1200 | | | 6-18-58 | 144+1 | 375+8 | |
| | | 11-01-57 | 131+2 | 409+2 | | | | | | | |
| | | 12-17-57 | 142+7 | 397+7 | | | | | | | |
| | | 1-10-58 | 147+1 | 393+3 | | | | | | | |
| | | 3-10-58 | 148+4 | 395+0 | | | | | | | |
| | | 5-09-58 | 135+3 | 403+1 | | | | | | | |
| IN/13W-29L01 S | 462+0 | 10-28-57 | 78+0 | 38+0 | 1101 | IN/14W-04N01 S | 687+2 | 7-02-57 | 182+5 | 504+7 | 1101 |
| | | 4-21-58 | 82+0 | 38+0 | | | | 8-13-57 | 188+2 | 499+0 | |
| | | | | | | | | 9-04-57 | 188+2 | 499+0 | |
| | | | | | | | | 10-01-57 | 198+6 | 488+6 | |
| | | | | | | | | 11-15-57 | 189+7 | 497+5 | |
| | | | | | | | | 1-17-58 | 184+0 | 503+2 | |
| | | | | | | | | 11-03-57 | 181+1 | 506+1 | |
| | | | | | | | | 1-24-57 | 179+0 | 508+2 | |
| | | | | | | | | 1-07-58 | 178+3 | 508+9 | |
| | | | | | | | | 2-01-58 | 176+8 | 510+4 | |
| | | | | | | | | 2-05-58 | 175+4 | 511+8 | |
| | | | | | | | | 3-04-58 | 173+4 | 513+8 | |
| | | | | | | | | 3-06-58 | 174+2 | 513+0 | |
| | | | | | | | | 3-25-58 | 172+9 | 514+3 | |
| | | | | | | | | 4-08-58 | 172+9 | 514+3 | |
| | | | | | | | | 4-23-58 | 175+4 | 511+8 | |
| | | | | | | | | 4-29-58 | 175+6 | 511+6 | |
| IN/13W-32D01 S | 419+0 | 7-17-57 | 36+5 | 382+5 | 1200 | IN/14W-04N03 S | 694+0** | 9-30-57 | 209+0* | 485+0 | 1101 |
| | | 8-29-57 | 37+8 | 381+2 | | IN/14W-05H02 S | 747+1 | 7-18-57 | 206+3 | 540+8 | 1200 |
| | | 9-17-57 | 38+7 | 380+3 | | | | 8-14-57 | 208+1 | 539+0 | |
| | | 10-30-57 | 38+2 | 380+8 | | | | 9-12-57 | 208+7 | 538+4 | |
| | | 11-21-57 | 37+7 | 381+3 | | | | 10-11-57 | 208+3 | 538+8 | |
| | | 1-2-19-57 | 36+3 | 382+7 | | | | | | | |
| | | 1-15-58 | 36+2 | 382+8 | | | | | | | |
| IN/13W-32E01 S | 404+7 | 10-31-57 | 23+8 | 380+9 | 1200 | | | | | | |
| | | 3-12-58 | 20+4 | 384+3 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN FERNANDO BASIN | | | | | | | | | | | |
| SAN FERNANDO BASIN | | | | | | 41201 | | | | | |
| 1N/14W-05H02 S | 747.1 | 11-14-57 | 197.7 | 549.4 | 1200 | 1N/14W-06G03 S | 712.9 | 4-16-58 | 217.0* | 495.9 | 1200 |
| CONT. | | 12-12-57 | 195.8 | 551.3 | | | | 11-22-57 | 181.0 | 532.7 | 1200 |
| | | 1-17-58 | 194.2 | 552.9 | | 1N/14W-06R01 S | 713.7 | 4-10-58 | 176.0 | 537.7 | |
| | | 2-13-58 | 192.7 | 554.4 | | | | 4-16-58 | 218.0* | 495.7 | |
| | | 3-12-58 | 197.4 | 549.7 | | | | | | | |
| | | 4-10-58 | 191.7 | 555.4 | | 1N/14W-07A01 S | 699.0 | 11-27-57 | 167.0 | 532.0 | 1200 |
| | | 5-08-58 | 202.6 | 544.5 | | | | | | | |
| | | 6-05-58 | 205.0 | 542.1 | | 1N/14W-07G02 S | 691.6 | 7-16-57 | 163.6 | 531.0 | 1200 |
| 1N/14W-05N01 S | 708.1 | 11-22-57 | 180.5 | 527.6 | 1200 | | | 8-13-57 | 160.4 | 528.2 | |
| | | 4-17-58 | 181.1 | 527.0 | | | | 9-10-57 | 165.6 | 526.0 | |
| 1N/14W-05P01 S | 703.5 | 11-22-57 | 184.1 | 519.4 | 1200 | | | 10-15-57 | 160.9 | 530.7 | |
| | | 4-16-58 | 178.0 | 525.5 | | | | 11-05-57 | 156.2 | 535.4 | |
| 1N/14W-05P02 S | 708.2 | 11-22-57 | 184.9 | 523.3 | 1200 | | | 11-12-57 | 154.9 | 536.7 | |
| | | 4-16-58 | 179.0 | 529.2 | | | | 11-19-57 | 153.9 | 537.7 | |
| 1N/14W-06F01 S | 737.8 | 7-19-57 | 194.6 | 543.2 | 1200 | | | 11-26-57 | 152.9 | 538.7 | |
| | | 8-12-57 | 197.1 | 549.7 | | | | 12-03-57 | 152.2 | 539.4 | |
| | | 9-13-57 | 194.1 | 545.9 | | | | 12-10-57 | 151.3 | 540.3 | |
| | | 11-21-57 | 187.5 | 553.3 | | | | 12-17-57 | 150.7 | 540.9 | |
| | | 12-09-58 | 184.5 | 552.4 | | | | 12-24-57 | 150.0 | 541.6 | |
| | | 2-05-58 | 181.1 | 552.7 | | | | 12-31-57 | 149.3 | 542.3 | |
| | | 3-05-58 | 181.6 | 556.2 | | | | 1-07-58 | 148.7 | 542.9 | |
| | | 4-02-58 | 180.9 | 556.9 | | | | 1-14-58 | 148.3 | 543.3 | |
| | | 5-02-58 | 189.8 | 548.0 | | | | 1-21-58 | 148.7 | 542.9 | |
| | | 6-06-58 | 194.4 | 543.4 | | | | 1-28-58 | 148.8 | 542.8 | |
| 1N/14W-06N01 S | 717.9 | 11-21-57 | 166.8 | 551.1 | 1200 | | | 2-04-58 | 147.3 | 548.3 | |
| | | 4-16-58 | 165.0 | 552.9 | | | | 2-11-58 | 146.8 | 548.8 | |
| | | 5-16-58 | 164.9 | 553.0 | | | | 2-18-58 | 146.3 | 545.3 | |
| 1N/14W-06P01 S | 721.1 | 4-16-58 | 172.0 | 549.1 | 1200 | | | 2-25-58 | 145.7 | 545.9 | |
| 1N/14W-06G01 S | 714.0 | 11-22-57 | 176.7 | 537.3 | 1200 | | | 3-04-58 | 148.6 | 543.0 | |
| | | 4-10-58 | 172.0 | 542.0 | | | | 3-11-58 | 149.1 | 542.5 | |
| | | 4-17-58 | 194.0* | 520.0 | | | | 3-18-58 | 146.4 | 545.2 | |
| 1N/14W-06G02 S | 714.3 | 11-22-57 | 172.5 | 541.8 | 1200 | | | 3-25-58 | 145.7 | 545.9 | |
| | | 4-10-58 | 168.0 | 546.3 | | | | 4-01-58 | 147.7 | 543.9 | |
| | | 4-16-58 | 217.0 | 497.3 | | | | 4-08-58 | 146.0 | 545.6 | |
| | | | | | | | | 4-15-58 | 145.3 | 546.3 | |
| | | | | | | | | 4-22-58 | 151.8 | 539.8 | |
| | | | | | | | | 4-29-58 | 153.8 | 537.8 | |
| | | | | | | | | 5-06-58 | 155.4 | 536.2 | |
| | | | | | | | | 5-13-58 | 150.9 | 540.7 | |
| | | | | | | | | 5-20-58 | 155.5 | 536.1 | |
| | | | | | | | | 5-27-58 | 157.5 | 536.1 | |
| | | | | | | | | 6-03-58 | 158.6 | 533.0 | |
| | | | | | | | | 6-10-58 | 160.7 | 530.9 | |
| 1N/14W-06G03 S | 712.9 | 11-22-57 | 170.8 | 542.1 | 1200 | | | 6-17-58 | 161.4 | 530.2 | |
| | | 4-10-58 | 168.0 | 544.9 | | | | 6-24-58 | 162.6 | 529.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SAN FERNANDO BASIN | | | | | | | | | | | |
| 41201 | | | | | | | | | | | |
| 1N/14W-07H01 S | 682.2 | 11-27-57 | 148.9 | 533.3 | 1200 | 1N/14W-09A02 S | 661.8 | 5-11-58 | 163.5 | 498.3 | 1101 |
| 1N/14W-07J01 S | 675.7 | 11-27-57 | 139.8 | 535.9 | 1200 | CONT. | | 5-25-58 | 166.5 | 493.3 | |
| 1N/14W-07K02 S | 676.2 | 11-11-57 | DRY | | 1101 | 1N/14W-09B04 S | 655.6 | 6-15-58 | 169.7 | 492.1 | 1101 |
| 1N/14W-08A01 S | 689.2 | 11-22-57 | 180.3 | 508.9 | 1200 | | | 7-15-57 | 165.5 | 490.1 | |
| | | 4-10-58 | 175.0 | 514.2 | | | | 8-12-57 | 160.0 | 499.6 | |
| | | 4-17-58 | 191.0* | 498.2 | | | | 9-09-57 | 169.0 | 486.6 | |
| 1N/14W-08A02 S | 687.8 | 11-22-57 | 177.2 | 510.6 | 1200 | | | 10-07-57 | 176.0 | 479.6 | |
| | | 4-10-58 | 172.0 | 515.8 | | | | 11-14-57 | 162.8 | 492.8 | |
| | | 4-17-58 | 193.0* | 494.8 | | | | 11-08-57 | 159.0 | 496.6 | |
| 1N/14W-08B01 S | 690.6 | 11-22-57 | 183.5 | 507.1 | 1200 | | | 12-03-57 | 157.4 | 498.2 | |
| | | 4-10-58 | 172.0 | 518.6 | | | | 1-23-58 | 156.5 | 499.1 | |
| | | 4-17-58 | 191.0* | 499.6 | | | | 1-30-58 | 156.2 | 497.1 | |
| 1N/14W-08J01 S | 663.8 | 11-27-57 | 154.0 | 509.8 | 1200 | | | 2-09-58 | 154.6 | 501.6 | |
| 1N/14W-08L01 S | 669.6 | 11-27-57 | 152.0 | 517.6 | 1200 | | | 2-23-58 | 154.0 | 501.6 | |
| 1N/14W-08L02 S | 667.3 | 11-27-57 | 145.5 | 521.8 | 1200 | | | 3-09-58 | 153.5 | 502.1 | |
| 1N/14W-08P01 S | 660.0 | 4-09-58 | 144.0* | 523.3 | | | | 4-13-58 | 149.5 | 506.1 | |
| | | 11-29-57 | 138.0 | 525.0 | 1200 | 1N/14W-09E03 S | 661.4 | 4-20-58 | 149.0 | 502.6 | |
| | | 4-20-58 | 155.0 | 505.0 | | | | 5-25-58 | 162.5 | 493.1 | |
| 1N/14W-09A02 S | 661.8 | 7-01-57 | 167.0 | 494.8 | 1101 | | | 6-15-58 | 166.3 | 489.3 | |
| | | 8-05-57 | 169.5 | 492.3 | | | | 7-16-57 | 167.7 | 493.7 | |
| | | 9-01-57 | 171.0 | 490.8 | | | | 8-13-57 | 170.5 | 499.9 | |
| | | 9-30-57 | 173.3 | 488.5 | | | | 10-29-57 | 166.7 | 494.7 | |
| | | 11-04-57 | 168.5 | 493.3 | | | | 11-05-57 | 165.0 | 496.4 | |
| | | 12-02-57 | 166.2 | 495.6 | | | | 11-12-57 | 163.7 | 497.7 | |
| | | 1-05-58 | 163.8 | 498.0 | | | | 11-19-57 | 162.5 | 498.9 | |
| | | 1-26-58 | 163.5 | 498.3 | | | | 11-26-57 | 161.7 | 499.7 | |
| | | 2-09-58 | 162.0 | 499.8 | | | | 12-03-57 | 160.8 | 500.6 | |
| | | 2-23-58 | 161.0 | 500.8 | | | | 12-10-57 | 160.0 | 501.4 | |
| | | 3-02-58 | 160.1 | 501.7 | | | | 12-17-57 | 159.2 | 502.2 | |
| | | 4-06-58 | 160.0 | 501.8 | | | | 1-24-57 | 158.3 | 503.1 | |
| | | 4-27-58 | 164.0 | 497.8 | | | | 1-31-57 | 157.5 | 503.9 | |
| | | | | | | | | 1-07-58 | 156.8 | 504.6 | |
| | | | | | | | | 1-14-58 | 156.2 | 505.2 | |
| | | | | | | | | 1-21-58 | 156.0 | 505.4 | |
| | | | | | | | | 1-28-58 | 156.1 | 505.3 | |
| | | | | | | | | 2-04-58 | 155.2 | 506.2 | |
| | | | | | | | | 2-11-58 | 154.2 | 507.2 | |
| | | | | | | | | 2-18-58 | 153.4 | 508.0 | |
| | | | | | | | | 2-25-58 | 152.7 | 508.7 | |
| | | | | | | | | 3-04-58 | 154.7 | 506.7 | |
| | | | | | | | | 3-11-58 | 155.6 | 505.8 | |
| | | | | | | | | 3-18-58 | 154.3 | 507.1 | |
| | | | | | | | | 3-25-58 | 152.9 | 508.5 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|---------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| SAN FERNANDO VALLEY | | | | | | SAN FERNANDO VALLEY | | | | | |
| 41200 | | | | | | 41200 | | | | | |
| SAN FERNANDO BASIN | | | | | | | | | | | |
| SAN FERNANDO BASIN | | | | | | SAN FERNANDO BASIN | | | | | |
| 41201 | | | | | | 41201 | | | | | |
| 1N/14W-09E03 S | 661.4 | 4-01-58 | 153.8 | 507.6 | 1200 | 1N/14W-09G03 S | 655.2 | 6-08-58 | 168.0 | 487.2 | 1101 |
| | | 4-08-58 | 153.1 | 508.5 | | | | 7-01-57 | 158.0 | 488.5 | |
| | | 4-15-58 | 151.2 | 502.2 | | | | 8-05-57 | 161.0 | 485.5 | |
| | | 4-22-58 | 156.2 | 502.6 | | | | 9-02-57 | 162.5 | 484.0 | |
| | | 4-29-58 | 158.0 | 502.6 | | | | 10-14-57 | 161.5 | 485.0 | |
| | | 5-06-58 | 160.5 | 500.8 | | | | 11-04-57 | 157.7 | 488.8 | |
| | | 5-13-58 | 159.6 | 501.8 | | | | 11-20-57 | 156.6 | 489.0 | |
| | | 5-20-58 | 162.0 | 497.7 | | | | 1-05-58 | 154.5 | 492.0 | |
| | | 6-01-58 | 162.7 | 497.7 | | | | 2-10-58 | 153.0 | 493.5 | |
| | | 6-08-58 | 162.2 | 496.8 | | | | 2-23-58 | 152.0 | 494.5 | |
| | | 6-10-58 | 169.5 | 493.5 | | | | 3-09-58 | 153.0 | 493.5 | |
| | | 6-11-58 | 169.5 | 493.5 | | | | 3-23-58 | 151.3 | 495.2 | |
| | | 6-14-58 | 169.0 | 492.4 | | | | 4-06-58 | 150.5 | 496.0 | |
| | | 6-24-58 | 169.0 | 492.4 | | | | 4-20-58 | 153.5 | 493.0 | |
| | | 7-08-57 | 159.0 | 485.0 | 1101 | | | 5-25-58 | 158.8 | 487.7 | |
| 1N/14W-09G02 S | 644.0 | 8-05-57 | 162.8 | 481.2 | | | | 6-08-58 | 160.0 | 486.5 | |
| | | 9-09-57 | 164.0 | 480.0 | | | | | | | |
| | | 10-07-57 | 166.5 | 477.5 | | | | | | | |
| | | 11-04-57 | 161.0 | 483.0 | | | | | | | |
| | | 11-20-57 | 157.6 | 486.4 | | | | | | | |
| | | 1-05-58 | 156.0 | 488.0 | | | | | | | |
| | | 1-26-58 | 155.5 | 488.5 | | | | | | | |
| | | 2-09-58 | 152.0 | 492.0 | | | | | | | |
| | | 2-16-58 | 152.0 | 492.0 | | | | | | | |
| | | 3-09-58 | 153.8 | 490.2 | | | | | | | |
| | | 3-23-58 | 152.0 | 492.0 | | | | | | | |
| | | 4-06-58 | 150.5 | 493.5 | | | | | | | |
| | | 4-20-58 | 150.0 | 494.0 | | | | | | | |
| | | 5-11-58 | 156.3 | 487.7 | | | | | | | |
| | | 6-08-58 | 160.2 | 483.8 | | | | | | | |
| | | 7-01-57 | 166.5 | 488.7 | 1101 | | | | | | |
| 1N/14W-09G03 S | 655.2 | 8-05-57 | 168.5 | 486.2 | | | | | | | |
| | | 9-01-57 | 170.0 | 485.7 | | | | | | | |
| | | 9-30-57 | 172.8 | 482.4 | | | | | | | |
| | | 11-04-57 | 168.3 | 486.9 | | | | | | | |
| | | 11-20-57 | 166.6 | 488.6 | | | | | | | |
| | | 1-05-58 | 164.5 | 490.7 | | | | | | | |
| | | 1-26-58 | 164.0 | 491.2 | | | | | | | |
| | | 2-09-58 | 161.5 | 493.7 | | | | | | | |
| | | 2-23-58 | 160.6 | 494.9 | | | | | | | |
| | | 3-09-58 | 160.6 | 494.6 | | | | | | | |
| | | 3-23-58 | 159.0 | 496.2 | | | | | | | |
| | | 4-06-58 | 158.5 | 496.7 | | | | | | | |
| | | 4-20-58 | 160.5 | 494.7 | | | | | | | |
| | | 5-11-58 | 164.8 | 490.4 | | | | | | | |
| | | 6-08-58 | 160.2 | 483.8 | | | | | | | |
| | | 7-01-57 | 136.2 | 485.3 | | | | | | | |
| | | 8-05-57 | 139.5 | 482.0 | | | | | | | |
| | | 9-01-57 | 140.0 | 481.5 | | | | | | | |
| | | 10-07-57 | 139.5 | 482.0 | | | | | | | |
| | | 11-04-57 | 136.5 | 485.0 | | | | | | | |
| | | 12-02-57 | 134.5 | 487.0 | | | | | | | |
| | | 1-05-58 | 131.5 | 490.5 | | | | | | | |
| | | 1-26-58 | 133.0 | 488.5 | | | | | | | |
| | | 2-09-58 | 128.5 | 493.0 | | | | | | | |
| | | 2-23-58 | 128.5 | 493.0 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|---------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| SAN FERNANDO VALLEY | | | | | | SAN FERNANDO VALLEY | | | | | |
| 41200 | | | | | | 41200 | | | | | |
| SAN FERNANDO BASIN | | | | | | | | | | | |
| SAN FERNANDO BASIN | | | | | | SAN FERNANDO BASIN | | | | | |
| 41201 | | | | | | 41201 | | | | | |
| IN/14W-09K01 S | 621.5 | 3-09-58 | 129.3 | 492.2 | 1101 | IN/14W-11001 S | 557.5 | 11-04-57 | 88.3 | 469.2 | 1101 |
| CONT. | | 3-23-58 | 128.4 | 493.2 | | CONT. | | 12-02-57 | 87.8 | 469.7 | |
| | | 4-06-58 | 128.0 | 493.6 | | | | 1-05-58 | 87.2 | 470.3 | |
| | | 4-27-58 | 132.4 | 489.1 | | | | 1-26-58 | 86.8 | 470.7 | |
| | | 5-11-58 | 133.0 | 488.5 | | | | 2-09-58 | 86.4 | 471.1 | |
| | | 5-25-58 | 135.0 | 486.5 | | | | 2-23-58 | 86.4 | 471.0 | |
| | | 6-01-58 | 137.5 | 484.0 | | | | 3-09-58 | 86.5 | 471.0 | |
| | | | | | | | | 3-23-58 | 86.4 | 471.5 | |
| IN/14W-09L04 S | 643.6 | 7-15-57 | 152.0 | 491.6 | 1101 | | | 4-26-58 | 86.0 | 472.5 | |
| | | 8-05-57 | 149.0 | 494.6 | | | | 4-30-58 | 93.0 | 467.5 | |
| | | 9-01-57 | 150.0 | 493.6 | | | | 5-11-58 | 90.0 | 467.5 | |
| | | 10-07-57 | 142.0 | 500.8 | | | | 6-08-58 | 90.0 | 467.5 | |
| | | 11-03-57 | 134.5 | 509.1 | | | | | | | |
| | | 12-02-57 | 129.8 | 513.6 | | IN/14W-13G01 S | 533.4 | 7-02-57 | 61.7 | 471.7 | 1101 |
| | | 1-05-58 | 127.3 | 516.3 | | | | 8-06-57 | 60.9 | 472.5 | |
| | | 1-26-58 | 128.0 | 515.6 | | | | 9-04-57 | 62.6 | 470.8 | |
| | | 2-09-58 | 128.0 | 515.6 | | | | 10-01-57 | 62.0 | 471.4 | |
| | | 2-23-58 | 126.5 | 517.1 | | | | 11-05-57 | 62.2 | 471.2 | |
| | | 3-09-58 | 135.0 | 508.6 | | | | | | | |
| | | 3-23-58 | 134.8 | 508.8 | | | | 11-26-57 | 61.6 | 471.8 | 1200 |
| | | 3-30-58 | 126.5* | 517.1 | | | | 12-03-57 | 62.3 | 471.1 | 1101 |
| | | 4-20-58 | 136.5 | 507.1 | | | | 12-24-57 | 62.3 | 471.1 | |
| | | 5-25-58 | 144.8 | 498.8 | | | | 1-07-58 | 62.9 | 470.5 | |
| | | 6-22-58 | 147.0 | 496.6 | | | | 1-21-58 | 63.0 | 470.4 | |
| IN/14W-09P01 S | 636.9 | 7-29-57 | 154.1 | 482.8 | 1101 | | | 2-05-58 | 63.0 | 470.4 | |
| | | 9-01-57 | 155.2 | 481.7 | | | | 2-26-58 | 63.0 | 470.4 | |
| | | 9-30-57 | 158.2 | 478.7 | | | | 3-04-58 | 62.6 | 470.8 | |
| | | 10-28-57 | 149.9 | 487.0 | | | | 3-25-58 | 62.0 | 471.4 | |
| | | 11-25-57 | 147.5 | 489.4 | | | | 4-08-58 | 63.5 | 469.9 | |
| | | 12-22-57 | 144.8 | 492.1 | | | | 4-18-58 | 62.3 | 470.1 | 1200 |
| | | 1-05-58 | 143.2 | 493.7 | | | | 4-23-58 | 63.0 | 470.4 | 1101 |
| | | 1-26-58 | 142.5 | 494.4 | | | | 5-06-58 | 62.9 | 470.5 | |
| | | 2-09-58 | 139.8 | 497.1 | | | | 6-04-58 | 62.8 | 470.6 | |
| | | 2-23-58 | 139.5 | 497.4 | | | | 6-17-58 | 62.4 | 471.0 | |
| | | 3-09-58 | 142.5 | 494.4 | | | | | | | |
| | | 3-23-58 | 140.5 | 486.4 | | IN/14W-13R01 S | 488.8 | 12-03-57 | 123.8 | 365.0 | 1101 |
| | | 4-06-58 | 140.3 | 486.6 | | | | 12-03-57 | 365.0* | 123.8 | 1200 |
| | | 5-27-58 | 146.5 | 490.4 | | | | 1-14-58 | 120.8 | 368.0 | 1101 |
| | | 5-29-58 | 150.2 | 486.7 | | | | 2-11-58 | 122.8 | 366.0 | |
| | | 6-06-58 | 153.0 | 483.9 | | | | 3-11-58 | 119.8 | 369.0 | |
| | | | | | | | | 4-08-58 | 125.8 | 363.0 | |
| | | | | | | | | 5-13-58 | 165.8* | 323.0 | |
| IN/14W-11001 S | 557.5 | 7-01-57 | 87.1 | 470.4 | 1101 | | | | | | |
| | | 8-19-57 | 93.0 | 465.5 | | | | 1-15-58 | 126.0 | 386.0 | 1101 |
| | | 9-09-57 | 91.0 | 465.5 | | | | 2-15-58 | 127.0 | 357.0 | |
| | | 10-07-57 | 93.0 | 462.5 | | | | | | | |
| | | | | | | IN/14W-13R02 S | 484.0 | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|---------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| SAN FERNANDO VALLEY | | | | | | SAN FERNANDO VALLEY | | | | | |
| SAN FERNANDO BASIN | | | | | | SAN FERNANDO BASIN | | | | | |
| SAN FERNANDO BASIN | | | | | | SAN FERNANDO BASIN | | | | | |
| 1N/14W-13R02 S | 484.0 | 3-15-58 | 127.0 | 357.0 | 1101 | 1N/14W-14F02 S | 546.0 | 8-21-57 | 84.0 | 462.0 | 1200 |
| CONT. | | 4-15-58 | 133.0 | 351.0 | | CONT. | | 9-10-57 | 84.5 | 461.5 | |
| | | 5-13-58 | 226.0* | 258.0 | | | | 10-30-57 | 83.5 | 461.7 | |
| | | 6-10-58 | 236.0* | 248.0 | | | | 11-22-57 | 82.9 | 462.5 | |
| 1N/14W-14A03 S | 544.0 | 11-11-57 | 74.3 | 465.7 | 1101 | | | 12-19-57 | 82.9 | 463.1 | |
| | | 4-21-58 | 74.7 | 465.3 | | | | 1-15-58 | 82.1 | 463.9 | |
| 1N/14W-14A04 S | 548.0 | 7-02-57 | 82.0 | 466.0 | 1101 | | | 2-14-58 | 82.4 | 464.0 | |
| | | 8-07-57 | 82.3 | 465.7 | | | | 3-14-58 | 82.0 | 464.0 | |
| | | 9-10-57 | 83.2 | 464.8 | | | | 4-17-58 | 82.1 | 463.9 | |
| | | 10-02-57 | 83.5 | 464.5 | | | | 5-14-58 | 83.4 | 462.6 | |
| | | 11-11-57 | 83.6 | 464.4 | | | | 6-12-58 | 84.7 | 461.3 | |
| | | 1-07-58 | 83.7 | 464.3 | | | | 7-02-57 | 116.3 | 436.0 | 1200 |
| | | 2-11-58 | 82.9 | 465.1 | | | | 7-09-57 | 116.6 | 435.7 | |
| | | 3-03-58 | 82.6 | 465.4 | | | | 7-16-57 | 117.2 | 435.1 | |
| | | 4-14-58 | 83.6 | 464.2 | | | | 7-23-57 | 117.5 | 434.8 | |
| | | 4-28-58 | 82.7 | 465.3 | | | | 7-30-57 | 117.8 | 434.5 | |
| | | 6-10-58 | 84.0 | 464.0 | | | | 8-06-57 | 118.1 | 434.2 | |
| 1N/14W-14B08 S | 559.0 | 7-01-57 | 91.6 | 467.4 | 1101 | 1N/14W-15P02 S | 552.3 | 8-13-57 | 118.1 | 434.6 | |
| | | 8-19-57 | 92.0 | 467.0 | | | | 8-20-57 | 118.7 | 434.6 | |
| | | 9-03-57 | 92.0 | 467.0 | | | | 8-21-57 | 118.2 | 433.1 | |
| | | 10-01-57 | 100.2 | 428.8 | | | | 9-03-57 | 118.3 | 433.0 | |
| | | 11-05-57 | 89.7 | 479.3 | | | | 9-10-57 | 118.3 | 433.0 | |
| | | 1-02-58 | 89.6 | 479.3 | | | | 9-21-57 | 118.9 | 432.4 | |
| | | 1-03-58 | 87.0 | 472.7 | | | | 10-08-57 | 120.4 | 431.2 | |
| | | 1-26-58 | 87.3 | 471.7 | | | | 10-08-57 | 120.7 | 431.2 | |
| | | 2-03-58 | 86.0 | 473.0 | | | | 10-23-57 | 118.9 | 429.7 | |
| | | 2-23-58 | 86.0 | 473.0 | | | | 10-26-57 | 105.1 | 426.6 | |
| | | 3-03-58 | 86.3 | 472.8 | | | | 11-02-57 | 106.1 | 426.0 | |
| | | 3-23-58 | 86.3 | 472.8 | | | | 11-16-57 | 105.2 | 426.1 | |
| | | 4-00-58 | 84.0 | 475.0 | | | | 11-26-57 | 105.5 | 426.8 | |
| | | 4-22-58 | 86.8 | 472.2 | | | | 12-05-57 | 103.9 | 428.8 | |
| | | 5-11-58 | 90.0 | 469.0 | | | | 12-10-57 | 105.7 | 428.8 | |
| | | 6-08-58 | 91.5 | 467.5 | | | | 12-21-57 | 105.7 | 428.7 | |
| 1N/14W-14D01 S | 560.2 | 7-17-57 | DRY | | 1200 | | | 12-21-57 | 101.6 | 430.1 | |
| | | 11-11-57 | DRY | | | | | 12-31-57 | 101.0 | 431.5 | |
| | | 4-31-58 | DRY | | | | | 1-01-58 | 100.6 | 425.7 | |
| | | 5-20-58 | DRY | | | | | 1-21-58 | 100.2 | 425.1 | |
| | | 6-11-58 | DRY | | | | | 1-26-58 | 105.7 | 422.9 | |
| | | 7-11-58 | DRY | | | | | 2-26-58 | 103.8 | 448.5 | |
| 1N/14W-14F02 S | 546.0 | 7-17-57 | 82.6 | 463.4 | 1200 | | | 2-01-58 | 101.7 | 450.2 | |
| | | | | | | | | 2-18-58 | 101.4 | 450.9 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|---------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| SAN FERNANDO BASIN | | | | | | SAN FERNANDO VALLEY | | | | | |
| 41200 | | | | | | 41200 | | | | | |
| SAN FERNANDO BASIN | | | | | | | | | | | |
| 41201 | | | | | | 41201 | | | | | |
| IN/14W-15P02 S | 552.3 | 2-25-58 | 100.9 | 451.4 | 1200 | IN/14W-17K06 S | 619.7 | 10-15-57 | 116.9 | 502.8 | 1200 |
| CONT. | | 3-04-58 | 101.4 | 450.9 | | | | 11-05-57 | 113.7 | 506.0 | |
| | | 3-11-58 | 102.4 | 442.9 | | | | 11-12-57 | 113.2 | 506.5 | |
| | | 3-18-58 | 109.6 | 449.4 | | | | 11-19-57 | 112.8 | 506.9 | |
| | | 3-23-58 | 101.3 | 451.0 | | | | 11-26-57 | 112.4 | 507.3 | |
| | | 4-01-58 | 100.7 | 443.6 | | | | 12-03-57 | 112.2 | 507.5 | |
| | | 4-08-58 | 101.3 | 423.0 | | | | 12-17-57 | 111.5 | 508.2 | |
| | | 4-13-58 | 103.0 | 423.0 | | | | 12-24-57 | 111.2 | 508.5 | |
| | | 4-20-58 | 112.0 | 437.2 | | | | 12-31-57 | 110.8 | 508.9 | |
| | | 4-26-58 | 115.1 | 436.6 | | | | 1-07-58 | 110.5 | 509.2 | |
| | | 5-03-58 | 111.3 | 441.0 | | | | 1-14-58 | 111.1 | 508.6 | |
| | | 5-20-58 | 115.2 | 436.9 | | | | 1-21-58 | 111.7 | 508.0 | |
| | | 5-27-58 | 115.9 | 436.4 | | | | 1-28-58 | 112.6 | 507.1 | |
| | | 6-03-58 | 116.2 | 436.1 | | | | 2-04-58 | 110.7 | 509.0 | |
| | | 6-10-58 | 116.9 | 435.4 | | | | 2-11-58 | 110.0 | 509.7 | |
| | | 6-17-58 | 117.8 | 434.5 | | | | 2-18-58 | 109.7 | 510.0 | |
| | | 6-24-58 | 110.7 | 433.6 | | | | 2-25-58 | 109.2 | 510.5 | |
| IN/14W-16D03 S | 637.0 | 10-30-57 | DRY | | 1101 | | | 3-04-58 | 111.1 | 508.6 | |
| | | 4-22-58 | DRY | | | | | 3-11-58 | 112.3 | 507.4 | |
| IN/14W-16E01 S | 620.2 | 11-27-57 | 131.4 | 488.8 | 1200 | | | 3-18-58 | 110.2 | 509.5 | |
| IN/14W-16P04 S | 592.9 | 7-19-57 | 102.4 | 490.5 | 1200 | | | 3-25-58 | 109.7 | 510.0 | |
| | | 8-14-57 | 103.1 | 489.8 | | | | 4-01-58 | 111.0 | 508.7 | |
| | | 9-13-57 | 104.0 | 488.9 | | | | 4-08-58 | 109.4 | 510.3 | |
| | | 10-30-57 | 102.9 | 490.0 | | | | 4-15-58 | 109.3 | 510.4 | |
| | | 11-22-57 | 102.5 | 490.4 | | | | 4-22-58 | 114.0 | 505.7 | |
| | | 12-19-57 | 101.8 | 491.1 | | | | 4-29-58 | 115.3 | 504.4 | |
| | | 1-15-58 | 102.3 | 490.6 | | | | 5-06-58 | 115.9 | 503.8 | |
| | | 2-14-58 | 101.4 | 491.5 | | | | 5-13-58 | 112.9 | 506.8 | |
| | | 3-14-58 | 102.9 | 490.0 | | | | 5-20-58 | 116.4 | 503.3 | |
| | | 4-16-58 | 106.6 | 486.3 | | | | 5-27-58 | 117.1 | 502.6 | |
| | | 5-14-58 | 103.9 | 489.0 | | | | 6-03-58 | 117.4 | 502.3 | |
| | | 6-13-58 | 105.7 | 487.2 | | | | 6-10-58 | 118.2 | 501.5 | |
| | | | | | | | | 6-17-58 | 118.7 | 501.0 | |
| | | | | | | | | 6-24-58 | 119.1 | 500.6 | |
| IN/14W-17H01 S | 621.1 | 11-01-57 | 121.5 | 499.6 | 1200 | IN/14W-18F03 S | 656.7 | 11-22-57 | DRY | | 1200 |
| | | 4-16-58 | 118.9 | 502.2 | | | | 4-17-58 | DRY | | |
| IN/14W-17K01 S | 612.5 | 11-21-57 | 112.5 | 500.0 | 1200 | | | 11-22-57 | 117.8 | 530.9 | 1200 |
| | | 4-17-58 | 108.4 | 504.1 | | | | 4-17-58 | 114.9 | 533.8 | |
| IN/14W-17K06 S | 619.7 | 7-16-57 | 116.3 | 503.4 | 1200 | | | 11-21-57 | 65.6 | 545.6 | 1200 |
| | | 8-13-57 | 117.7 | 502.6 | | | | 4-17-58 | 64.5 | 546.7 | |
| | | 9-15-57 | 118.8 | 500.9 | | | | 7-19-57 | 87.7 | 540.1 | 1200 |
| | | | | | | | | 8-14-57 | 88.8 | 539.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| SAN FERNANDO BASIN | | | | | | SAN FERNANDO DASIN | | | | | |
| 41200 | | | | | | | | | | | |
| 1N/14W-19B03 S | 627.48 | 9-13-57 | 89.7 | 538.1 | 1200 | 1N/14W-20F02 S | 594.1 | 6-10-58 | 114.2 | 479.9 | 1200 |
| | | 11-01-57 | 85.0 | 542.8 | | | | 6-17-58 | 114.8 | 479.3 | |
| | | 12-06-57 | 83.7 | 544.3 | | | | 6-24-58 | 115.5 | 478.6 | |
| | | 1-03-58 | 82.7 | 545.8 | | | | | | | |
| | | 2-02-58 | 81.6 | 546.8 | | | | | | | |
| | | 2-02-58 | 82.5 | 545.9 | | | | | | | |
| | | 5-03-58 | 85.8 | 542.0 | | | | | | | |
| | | 2-04-58 | 87.9 | 539.9 | | | | | | | |
| 1N/14W-19001 S | 639.1 | 11-21-57 | 79.7* | 559.4 | 1200 | 1N/14W-20R01 S | 584.0 | 7-02-57 | 79.1 | 504.9 | 1101 |
| | | 4-17-58 | 82.9* | 556.2 | | | | 8-06-57 | 78.9 | 505.1 | |
| | | | | | | | | 9-04-57 | 79.0 | 505.0 | |
| | | | | | | | | 11-21-57 | DRY | | 1200 |
| | | | | | | | | 4-17-58 | DRY | | |
| 41201 | | | | | | | | | | | |
| 1N/14W-20F02 S | 594.1 | 7-16-57 | 113.9 | 480.2 | 1200 | 1N/14W-21H03 S | 559.6 | 7-02-57 | 8.1 | 551.5 | 1101 |
| | | 8-13-57 | 115.5 | 478.6 | | | | 8-07-57 | 8.1 | 551.5 | |
| | | 9-10-57 | 116.8 | 477.3 | | | | 9-10-57 | 8.1 | 551.5 | |
| | | 10-15-57 | 111.7 | 482.4 | | | | 10-02-57 | 8.1 | 551.5 | |
| | | 11-12-57 | 103.3 | 490.8 | | | | 11-11-57 | 8.1 | 551.5 | |
| | | 11-19-57 | 102.5 | 491.6 | | | | 12-11-57 | 7.9 | 551.7 | |
| | | 11-26-57 | 101.9 | 492.2 | | | | 1-07-58 | 7.9 | 551.7 | |
| | | 12-03-57 | 101.3 | 492.8 | | | | 2-11-58 | 7.9 | 551.7 | |
| | | 12-03-57 | 100.0 | 494.1 | | | | 3-05-58 | 7.9 | 551.7 | |
| | | 12-24-57 | 99.4 | 494.7 | | | | 4-14-58 | 7.9 | 551.7 | |
| | | 1-07-58 | 98.7 | 495.4 | | | | 4-28-58 | 7.9 | 551.7 | |
| | | 1-14-58 | 98.2 | 495.9 | | | | 6-10-58 | 7.9 | 551.7 | |
| | | 1-21-58 | 102.5 | 491.6 | | | | | | | |
| | | 1-28-58 | 105.2 | 488.9 | | | | 7-18-57 | 118.5 | 445.0 | 1200 |
| | | 2-04-58 | 100.5 | 493.6 | | | | 8-14-57 | 120.1 | 443.4 | |
| | | 2-11-58 | 98.3 | 495.8 | | | | 9-13-57 | 121.0 | 442.5 | |
| | | 2-18-58 | 97.6 | 496.5 | | | | 10-30-57 | 113.6 | 449.9 | |
| | | 2-25-58 | 96.9 | 497.2 | | | | 11-22-57 | 109.3 | 454.2 | |
| | | 3-04-58 | 99.4 | 494.7 | | | | 1-19-57 | 105.3 | 458.2 | |
| | | 3-11-58 | 105.1 | 489.0 | | | | 1-15-58 | 106.6 | 456.9 | |
| | | 3-18-58 | 98.9 | 495.2 | | | | 2-14-58 | 102.8 | 460.7 | |
| | | 3-25-58 | 97.5 | 496.6 | | | | 3-14-58 | 109.7 | 453.8 | |
| | | 4-01-58 | 101.5 | 492.6 | | | | 4-16-58 | 105.8 | 457.7 | |
| | | 4-08-58 | 97.1 | 497.0 | | | | 5-14-58 | 113.8 | 449.7 | |
| | | 4-15-58 | 99.2 | 494.9 | | | | 6-13-58 | 117.9 | 445.6 | |
| | | 4-22-58 | 108.7 | 485.4 | | | | | | | |
| | | 4-29-58 | 110.5 | 483.6 | | | | 7-02-57 | 111.0 | 424.6 | 1101 |
| | | 5-06-58 | 111.3 | 482.8 | | | | 8-06-57 | 113.5 | 422.1 | |
| | | 5-13-58 | 106.1 | 488.0 | | | | 9-04-57 | 114.8 | 420.8 | |
| | | 5-20-58 | 112.0 | 482.1 | | | | 10-01-57 | 115.9 | 419.7 | |
| | | 5-27-58 | 112.9 | 481.2 | | | | 11-05-57 | 107.6 | 428.0 | |
| | | 6-03-58 | 113.2 | 480.9 | | | | 12-03-57 | 103.7 | 431.9 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|---------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| SAN FERNANDO BASIN | | | | | | SAN FERNANDO VALLEY | | | | | |
| SAN FERNANDO BASIN | | | | | | SAN FERNANDO BASIN | | | | | |
| IN/14W-22H03 S | 535+6 | 1-07-58 | 100+3 | 435+3 | 1101 | IN/14W-23J03 S | 495+4 | 3-14-58 | 84+3 | 411+1 | 1270 |
| | | 1-21-58 | 104+5 | 431+1 | | CONT. | | 4-16-58 | 84+3 | 411+1 | |
| | | 2-03-58 | 104+6 | 430+8 | | | | | | | |
| | | 5-16-58 | 102+3 | 433+3 | | IN/14W-23J05 S | 503+2 | 7-17-57 | 77+0 | 426+2 | 1200 |
| | | 3-04-59 | 101+1 | 434+5 | | | | 8-21-57 | 78+1 | 425+1 | |
| | | 6-08-58 | 102+5 | 431+1 | | | | 9-18-57 | 78+1 | 425+1 | |
| | | 4-23-58 | 106+0 | 423+6 | | | | 10-30-57 | 77+6 | 425+6 | |
| | | 5-06-58 | 110+0 | 427+6 | | | | 11-20-57 | 77+9 | 425+3 | |
| | | 5-20-58 | 109+7 | 428+9 | | | | 12-20-57 | 78+8 | 424+4 | |
| | | 6-04-58 | 110+3 | 423+3 | | | | 1-15-58 | 79+6 | 423+6 | |
| | | 6-24-58 | 113+0 | 422+6 | | | | 2-14-58 | 80+5 | 422+7 | |
| | | | | | | | | 3-14-58 | 80+7 | 422+5 | |
| IN/14W-22HC4 S | 523+0 | 10-30-57 | DRY | | 1101 | | | 5-16-58 | 77+0 | 424+2 | |
| | | 4-21-58 | DRY | | | | | 5-14-58 | 78+5 | 428+7 | |
| | | | | | | | | 6-13-58 | 69+6 | 433+6 | |
| IN/14W-23A01 S | 496+0 | 7-02-57 | 99+7 | 396+3 | 1101 | IN/14W-23L01 S | 487+6 | 7-17-57 | 66+7 | 422+9 | 1200 |
| | | 8-07-57 | 100+5 | 395+5 | | | | 8-21-57 | 63+3 | 424+3 | |
| | | 9-10-57 | 101+9 | 394+1 | | | | 9-18-57 | 66+5 | 421+3 | |
| | | 10-02-57 | 102+0 | 394+0 | | | | 10-30-57 | 72+3 | 415+3 | |
| | | 11-11-57 | 96+7 | 399+3 | | | | 11-20-57 | 75+2 | 412+4 | |
| | | 12-11-57 | 100+3 | 395+7 | | | | 12-20-57 | 74+5 | 413+1 | |
| | | 1-07-58 | 90+8 | 405+2 | | | | 1-15-58 | 74+2 | 413+4 | |
| | | 2-11-58 | 97+1 | 398+9 | | | | 2-14-58 | 77+0 | 410+6 | |
| | | | | | | | | 3-14-58 | 75+5 | 412+1 | |
| IN/14W-23A03 S | 481+4 | 7-17-57 | 96+4 | 385+0 | 1200 | | | 4-16-58 | 75+7 | 411+9 | |
| | | 9-18-57 | 98+2 | 383+2 | | | | 5-02-58 | 58+5 | 429+1 | |
| | | 10-30-57 | 94+9 | 386+5 | | | | 5-07-58 | 46+9 | 440+7 | |
| | | 11-20-57 | 90+9 | 390+5 | | | | 5-14-58 | 39+4 | 448+2 | |
| | | 12-20-57 | 87+3 | 394+1 | | | | 5-21-58 | 39+0 | 448+6 | |
| | | 1-15-58 | 87+4 | 394+0 | | | | 5-28-58 | 43+5 | 444+1 | |
| | | 2-14-58 | 91+8 | 389+6 | | | | 6-06-58 | 50+2 | 437+4 | |
| | | 3-14-58 | 93+2 | 388+2 | | | | 6-13-58 | 56+5 | 431+1 | |
| | | 4-02-58 | 97+3 | 384+1 | | | | | | | |
| | | 4-23-58 | 100+3 | 381+1 | | IN/14W-23M02 S | 514+0 | 6-25-58 | 96+4 | 417+6 | 1101 |
| | | 5-02-58 | 102+0 | 379+4 | | | | | | | |
| | | 6-04-58 | 99+4 | 382+0 | | IN/14W-23P02 S | 501+9 | 7-17-57 | 90+3 | 411+6 | 1200 |
| | | | | | | | | 8-21-57 | 90+5 | 411+4 | |
| | | 10-31-57 | 68+2 | 427+2 | 1200 | | | 9-18-57 | 89+6 | 412+3 | |
| | | 11-06-57 | 78+4 | 417+0 | | | | 10-30-57 | 93+3 | 408+6 | |
| | | 11-13-57 | 129+4 | 366+0 | | | | 11-20-57 | 92+9 | 409+0 | |
| | | 11-19-57 | 127+8 | 367+7 | | | | 12-20-57 | 91+4 | 410+5 | |
| | | 11-20-57 | 130+1 | 365+3 | | | | 1-15-58 | 97+3 | 404+6 | |
| | | 12-20-57 | 128+7 | 366+7 | | | | 2-14-58 | 92+2 | 409+7 | |
| | | 1-15-58 | 130+3 | 363+1 | | | | 3-14-58 | 87+9 | 414+0 | |
| | | 2-14-58 | 129+1 | 366+3 | | | | 4-16-58 | 87+8 | 414+1 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | P.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | P.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| SAN FERNANDO BASIN | | | | | | | | | | | |
| 1N/14W-23E03 S | 572.7 | 12-20-57 | 65.8 | 612.9 | 1200 | 1N/14W-24E05 S | 477.7 | 1-07-58 | 84.9 | 392.8 | 1200 |
| | | 2-16-58 | 70.8 | 411.9 | | CONT. | | 1-14-58 | 89.9 | 387.8 | |
| | | 3-14-58 | 66.9 | 413.8 | | | | 1-21-58 | 95.6 | 382.1 | |
| | | 4-16-58 | 66.7 | 416.0 | | | | 1-28-58 | 97.8 | 379.9 | |
| | | 5-02-58 | 66.7 | 434.0 | | | | 2-04-58 | 98.5 | 379.2 | |
| | | 5-07-58 | 71.3 | 453.2 | | | | 2-11-58 | 93.5 | 384.2 | |
| | | 5-14-58 | 50.3 | 452.4 | | | | 2-18-58 | 94.4 | 383.3 | |
| | | 5-21-58 | 64.3 | 438.4 | | | | 2-25-58 | 97.6 | 380.1 | |
| | | 6-13-58 | 66.0 | 436.7 | | | | 3-04-58 | 92.4 | 385.3 | |
| | | | | | | | | 3-11-58 | 92.0 | 385.7 | |
| 1N/14W-24E03 S | 477.3 | 10-31-57 | 99.2 | 378.0 | 1101 | | | 3-18-58 | 96.0 | 381.7 | |
| | | 4-21-58 | 101.7 | 375.5 | | | | 3-25-58 | 96.4 | 381.3 | |
| 1N/14W-24E03 S | 477.4 | 10-02-57 | 103.4 | 373.8 | 1200 | | | 4-01-58 | 98.9 | 378.8 | |
| | | 4-23-58 | 105.7 | 371.3 | | | | 4-08-58 | 99.5 | 378.2 | |
| 1N/14W-24E04 S | 483.9 | 10-02-57 | DRY | | 1200 | | | 4-15-58 | 100.2 | 377.5 | |
| | | 4-23-58 | DRY | | | | | 4-22-58 | 100.6 | 377.1 | |
| | | | | | | | | 4-29-58 | 102.0 | 375.7 | |
| | | | | | | | | 5-06-58 | 97.8 | 379.9 | |
| | | | | | | | | 5-13-58 | 95.7 | 382.0 | |
| 1N/14W-24E05 S | 477.7 | 7-02-57 | 98.6 | 379.1 | 1200 | | | 5-20-58 | 95.6 | 382.1 | |
| | | 7-09-57 | 98.4 | 379.3 | | | | 5-27-58 | 96.9 | 380.8 | |
| | | 7-16-57 | 98.6 | 379.1 | | | | 6-03-58 | 98.5 | 379.2 | |
| | | 7-23-57 | 98.7 | 379.0 | | | | 6-10-58 | 100.4 | 377.3 | |
| | | 7-30-57 | 98.8 | 378.9 | | | | 6-17-58 | 101.6 | 376.1 | |
| | | 8-06-57 | 98.8 | 378.9 | | | | 6-24-58 | 101.8 | 375.9 | |
| | | 8-13-57 | 98.1 | 379.6 | | | | | | | |
| | | 8-20-57 | 98.7 | 379.0 | | | | 10-31-57 | 101.3 | 376.0 | 1101 |
| | | 8-27-57 | 99.1 | 378.6 | | | | 4-21-58 | 104.6 | 372.7 | |
| | | 9-03-57 | 99.7 | 378.0 | | | | | | | |
| | | 9-10-57 | 99.7 | 378.0 | | | | | | | |
| | | 9-17-57 | 99.6 | 378.1 | | | | | | | |
| | | 9-24-57 | 99.5 | 378.2 | | | | 7-02-57 | 115.5 | 346.7 | 1200 |
| | | 10-01-57 | 98.6 | 379.1 | | | | 7-09-57 | 116.1 | 346.0 | |
| | | 10-08-57 | 98.5 | 379.2 | | | | 7-16-57 | 116.2 | 346.0 | |
| | | 10-15-57 | 98.3 | 379.4 | | | | 7-23-57 | 116.4 | 345.8 | |
| | | 10-22-57 | 97.3 | 380.4 | | | | 7-30-57 | 115.7 | 346.5 | |
| | | 10-29-57 | 96.3 | 381.4 | | | | 8-06-57 | 117.1 | 345.1 | |
| | | 11-05-57 | 94.8 | 382.9 | | | | 8-13-57 | 117.3 | 344.9 | |
| | | 11-12-57 | 93.7 | 384.0 | | | | 8-20-57 | 118.1 | 344.0 | |
| | | 11-19-57 | 92.0 | 385.7 | | | | 9-03-57 | 118.3 | 343.9 | |
| | | 11-26-57 | 90.9 | 386.8 | | | | 9-10-57 | 119.0 | 343.2 | |
| | | 12-03-57 | 90.3 | 387.4 | | | | 9-17-57 | 119.4 | 342.8 | |
| | | 12-10-57 | 89.4 | 388.3 | | | | 9-24-57 | 120.3 | 341.9 | |
| | | 12-17-57 | 88.4 | 389.3 | | | | 10-02-57 | 121.3 | 340.9 | |
| | | 12-24-57 | 87.1 | 390.6 | | | | 10-08-57 | 121.5 | 340.7 | |
| | | 12-31-57 | 85.9 | 391.8 | | | | 10-15-57 | 116.8 | 345.4 | |
| | | | | | | | | 10-22-57 | 114.2 | 348.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|---------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| SAN FERNANDO BASIN | | | | | | SAN FERNANDO VALLEY | | | | | |
| 41200 | | | | | | | | | | | |
| 41201 | | | | | | | | | | | |
| IN/14W-2R01 S | 768.4 ^b | 4-22-58 | 102.7 | 665.8 | 1101 | IN/15W-03R01 S | | 4-14-58 | DRY | | 1101 |
| IN/14W-29A02 S | 586.1 | 11-21-57 | DRY | | 1200 | CONT. | | 4-23-58 | DRY | | 1200 |
| IN/14W-3V01 S | 501.2 | 4-17-58 | DRY | | | IN/15W-04N01 S | 735.7 | 4-28-58 | DRY | | 1101 |
| IN/14W-3UC01 S | 593.8 | 11-21-57 | 46.8 | 554.4 | 1200 | | | 7-24-57 | 84.3 | 631.4 | 1200 |
| | | 8-14-57 | 37.3 | 556.5 | | | | 8-19-57 | 84.7 | 651.0 | |
| | | 11-01-57 | 38.4 | 555.4 | | | | 9-12-57 | 84.9 | 650.8 | |
| | | 12-06-57 | 38.2 | 555.6 | | | | 10-17-57 | 85.4 | 650.3 | |
| | | 1-03-58 | 38.3 | 555.5 | | | | 11-13-57 | 85.8 | 649.9 | |
| | | 2-05-58 | 38.3 | 555.5 | | | | 12-11-57 | 85.8 | 649.9 | |
| | | 3-05-58 | 38.3 | 555.5 | | | | 1-15-58 | DRY | | |
| | | 4-04-58 | 38.0 | 555.8 | | | | 2-30-58 | DRY | | |
| | | 5-02-58 | 37.8 | 556.0 | | | | 3-19-58 | DRY | | |
| | | 6-04-58 | 37.9 | 555.9 | | | | 4-09-58 | DRY | | |
| IN/15W-01K01 S | 733.1 | 11-27-57 | 169.5 | 563.6 | 1200 | IN/15W-04R01 S | 732.6 | 7-02-57 | 126.7 | 605.9 | 1101 |
| IN/15W-01M01 S | 733.2 | 4-16-58 | 169.0 | 564.1 | | | | 8-07-57 | 127.9 | 604.7 | |
| IN/15W-01P01 S | 720.0 | 11-11-57 | DRY | | 1101 | | | 9-10-57 | 128.6 | 604.0 | |
| | | 4-28-58 | DRY | | | | | 10-02-57 | 128.6 | 604.0 | |
| | | 11-27-57 | 153.6 | 566.4 | 1200 | | | 11-13-57 | 128.1 | 604.5 | |
| IN/15W-01Q01 S | 720.3 | 4-16-58 | 151.0 | 569.4 | | | | 12-11-57 | 128.4 | 604.2 | |
| | | 11-29-57 | 159.4 | 560.9 | | | | 1-07-58 | 128.4 | 604.2 | |
| | | 4-16-58 | 157.0 | 563.3 | | | | 2-11-58 | 128.4 | 604.2 | |
| IN/15W-01O02 S | 721.8 | 11-27-57 | 158.8 | 563.0 | 1200 | | | 3-05-58 | 128.9 | 603.7 | |
| IN/15W-01O03 S | 720.5 | 4-16-58 | 160.0 | 560.5 | | | | 4-14-58 | 128.2 | 604.4 | |
| IN/15W-02Q01 S | 712.6 | 11-29-57 | 130.7 | 581.9 | 1200 | IN/15W-06N01 S | 743.3 | 4-28-58 | 129.8 | 601.8 | |
| IN/15W-02R01 S | 724.4 | 4-23-58 | 148.0 | 576.4 | | | | 6-10-58 | 129.1 | 603.5 | |
| IN/15W-03R01 S | 724.4 | 11-11-57 | DRY | | 1101 | | | 7-24-57 | 99.8 | 643.5 | 1200 |
| | | 11-27-57 | DRY | | 1200 | | | 8-14-57 | 100.4 | 642.9 | |
| | | 4-23-58 | 147.8 | 576.6 | | | | 9-12-57 | 101.0 | 642.3 | |
| | | 4-23-58 | 148.0 | 576.4 | | | | 10-22-57 | 101.9 | 641.4 | |
| | | 11-11-57 | 147.8 | 576.6 | | | | 11-13-57 | 102.2 | 641.1 | |
| | | 11-27-57 | 148.0 | 576.4 | | | | 12-11-57 | 102.6 | 640.7 | |
| | | 11-29-57 | 130.7 | 581.9 | | | | 1-15-58 | 102.9 | 640.4 | |
| | | 4-16-58 | 156.0 | 560.5 | | | | 2-13-58 | 103.4 | 639.9 | |
| | | 11-29-57 | 147.8 | 576.6 | | | | 3-19-58 | 103.4 | 639.9 | |
| | | 4-23-58 | 148.0 | 576.4 | | | | 4-09-58 | 103.4 | 639.9 | |
| | | 11-11-57 | DRY | | 1101 | IN/15W-06P01 S | 741.6 | 5-08-58 | 103.4 | 639.9 | |
| | | 11-27-57 | DRY | | 1200 | IN/15W-07E01 S | 724.6 | 6-11-58 | 103.1 | 640.2 | |
| | | 7-24-57 | 62.7 | 661.9 | | | | 11-14-57 | 87.6 | 654.0 | 1200 |
| | | 4-16-58 | 88.0 | 653.6 | | | | 4-16-58 | 88.0 | 653.6 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| SAN FERNANDO BASIN | | | | | | SAN FERNANDO BASIN | | | | | |
| SAN FERNANDO BASIN | | | | | | SAN FERNANDO BASIN | | | | | |
| SAN FERNANDO BASIN | | | | | | SAN FERNANDO BASIN | | | | | |
| IN/15W-07E01 S | 724.6 | 8-16-57 | 63.2 | 661.4 | 1200 | IN/15W-09R02 S | 609.8 | 8-16-57 | 52.9 | 636.9 | 1200 |
| CONT. | | 9-11-57 | 63.7 | 660.9 | | CONT. | | 9-13-57 | 53.5 | 636.3 | |
| | | 10-11-57 | 63.9 | 660.7 | | | | 10-10-57 | 54.1 | 635.7 | |
| | | 1-11-57 | 64.1 | 660.5 | | | | 11-10-57 | 54.9 | 635.1 | |
| | | 1-15-58 | 64.2 | 660.4 | | | | 12-12-57 | 54.2 | 634.6 | |
| | | 2-13-58 | 64.3 | 660.4 | | | | 1-16-58 | 54.2 | 634.2 | |
| | | 3-10-58 | 64.4 | 660.5 | | | | 2-13-58 | 54.1 | 633.7 | |
| | | 5-10-58 | 64.5 | 660.5 | | | | 3-13-58 | 54.5 | 633.3 | |
| | | 4-09-58 | 63.5 | 661.1 | | | | 4-11-58 | 54.9 | 634.9 | |
| | | 5-08-58 | 63.4 | 661.2 | | | | 5-08-58 | 55.3 | 634.5 | |
| | | 6-11-58 | 62.5 | 662.1 | | | | 6-05-58 | 55.7 | 634.1 | |
| IN/15W-07F02 S | 719.0 | 11-20-57 | 72.2 | 646.8 | 1200 | IN/15W-10H02 S | 707.2 | 7-03-57 | 120.5 | 586.7 | 1101 |
| | | 4-16-58 | 71.2 | 647.8 | | | | 7-17-57 | 121.3 | 585.9 | 1200 |
| IN/15W-07Q01 S | 705.3 | 13-04-57 | 23.0 | 682.3 | 1200 | | | 8-07-57 | 122.3 | 584.9 | 1101 |
| | | 4-16-58 | 21.1 | 684.2 | | | | 8-14-57 | 122.7 | 584.5 | 1200 |
| IN/15W-08R01 S | 700.8 | 7-24-57 | 62.1 | 638.7 | 1200 | | | 9-10-57 | 123.4 | 583.8 | 1101 |
| | | 8-15-57 | 61.3 | 639.5 | | | | 9-12-57 | 121.8 | 585.4 | 1200 |
| | | 9-12-57 | 60.8 | 640.0 | | | | 10-02-57 | 121.3 | 585.9 | 1101 |
| | | 10-17-57 | 61.7 | 639.1 | | | | 10-10-57 | 121.7 | 585.5 | 1200 |
| | | 11-13-57 | 61.8 | 639.0 | | | | 11-11-57 | 120.2 | 587.0 | 1101 |
| | | 12-11-57 | 61.7 | 639.1 | | | | 11-14-57 | 120.1 | 587.1 | 1200 |
| | | 1-15-58 | 60.5 | 640.3 | | | | 12-11-57 | 120.6 | 586.6 | 1101 |
| | | 2-13-58 | 61.3 | 639.5 | | | | 12-12-57 | 119.8 | 587.4 | 1200 |
| | | 3-19-58 | 60.2 | 640.6 | | | | 1-07-58 | 119.9 | 587.3 | 1101 |
| | | 4-09-58 | 61.0 | 639.8 | | | | 1-16-58 | 119.6 | 587.6 | 1200 |
| | | 5-08-58 | 61.4 | 639.4 | | | | 2-11-58 | 119.6 | 587.6 | 1101 |
| | | 6-10-58 | 60.9 | 639.9 | | | | 2-12-58 | 119.4 | 587.8 | 1200 |
| IN/15W-09Q02 S | 693.4 | 7-02-57 | 53.9 | 639.5 | 1101 | | | 3-05-58 | 120.1 | 587.1 | 1101 |
| | | 8-07-57 | 53.4 | 640.0 | | | | 3-12-58 | 120.1 | 587.1 | 1200 |
| | | 9-10-57 | 55.7 | 637.7 | | | | 4-11-58 | 118.2 | 589.0 | 1101 |
| | | 10-02-57 | 53.9 | 639.5 | | | | 4-14-58 | 119.3 | 587.9 | 1101 |
| | | 11-11-57 | 54.3 | 639.1 | | | | 4-28-58 | 123.2 | 584.0 | 1200 |
| | | 12-11-57 | 54.7 | 638.7 | 1200 | | | 5-08-58 | 123.4 | 583.8 | 1200 |
| | | 1-07-58 | 55.1 | 638.3 | 1101 | IN/15W-10K01 S | 699.5 | 6-05-58 | 123.7 | 583.5 | 1101 |
| | | 2-11-58 | 55.4 | 638.0 | | IN/15W-11L01 S | 691.1 | 6-10-58 | 124.0 | 583.2 | 1101 |
| | | 3-03-58 | 55.6 | 637.8 | | | | 11-20-57 | DRY | 1200 | 1200 |
| | | 4-16-58 | 55.8 | 637.6 | | | | 11-20-57 | 108.2 | 582.9 | 1200 |
| | | 4-16-58 | 55.6 | 637.8 | 1200 | IN/15W-11M01 S | 688.4 | 4-16-58 | DRY | 1200 | 1200 |
| | | 4-28-58 | 55.9 | 637.5 | 1101 | | | 4-16-58 | DRY | 1200 | 1200 |
| | | 6-10-58 | 56.1 | 637.3 | | IN/15W-14E01 S | 672.4 | 11-20-57 | 83.2 | 589.2 | 1200 |
| IN/15W-09R02 S | 689.8 | 7-19-57 | 52.5 | 637.3 | 1200 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| SAN FERNANDO BASIN | | | | | | | | | | | |
| IN/15W-14E01 S | 672.4 | 4-16-58 | 81.9 | 590.5 | 1200 | IN/15W-16E01 S | 690.0 | 10-02-57 | 36.2 | 653.8 | 1101 |
| IN/15W-14J01 S | 668.2 | 7-09-57 | 92.1 | 576.1 | 1200 | CONC. | | | | | |
| | | 8-13-57 | 95.6 | 572.6 | | | | | | | |
| | | 9-10-57 | 96.8 | 571.4 | | | | | | | |
| | | 10-15-57 | 93.2 | 575.0 | | | | | | | |
| | | 11-12-57 | 91.2 | 577.0 | | | | | | | |
| | | 11-19-57 | 91.0 | 577.2 | | | | | | | |
| | | 12-17-57 | 90.2 | 578.0 | | | | | | | |
| | | 1-14-58 | 89.8 | 578.4 | | | | | | | |
| | | 2-18-58 | 89.2 | 579.0 | | | | | | | |
| | | 3-11-58 | 90.7 | 577.5 | | | | | | | |
| | | 4-15-58 | 88.8 | 579.4 | | | | | | | |
| | | 5-13-58 | 93.2 | 575.0 | | | | | | | |
| | | 6-10-58 | 96.1 | 572.1 | | | | | | | |
| IN/15W-15A02 S | 679.3 | 7-16-57 | 92.5 | 586.8 | 1200 | IN/15W-16G01 S | 675.9 | 7-02-57 | 41.5 | 638.0 | 1101 |
| | | 8-13-57 | 93.9 | 585.4 | | | | 8-06-57 | 41.9 | 638.0 | |
| | | 9-10-57 | 95.0 | 584.3 | | | | 9-04-57 | 42.1 | 637.8 | |
| | | 10-15-57 | 92.2 | 587.1 | | | | 10-01-57 | 42.6 | 637.3 | |
| | | 11-12-57 | 90.9 | 588.4 | | | | 11-05-57 | 43.1 | 636.8 | |
| | | 11-19-57 | 90.8 | 588.5 | | | | 11-20-57 | 43.9 | 636.6 | |
| | | 12-17-57 | 90.4 | 588.9 | | | | 11-26-57 | 43.3 | 636.6 | |
| | | 1-14-58 | 90.1 | 589.2 | | | | 12-03-57 | 43.4 | 636.5 | |
| | | 2-18-58 | 89.8 | 589.5 | | | | 12-24-57 | 43.5 | 636.4 | |
| | | 3-11-58 | 90.7 | 588.6 | | | | 1-07-58 | 43.8 | 636.1 | |
| | | 4-12-58 | 89.4 | 589.9 | | | | 1-21-58 | 43.9 | 636.0 | |
| | | 5-13-58 | 93.0 | 586.3 | | | | 2-05-58 | 44.1 | 635.8 | |
| | | 6-12-58 | 94.4 | 584.9 | | | | 2-18-58 | 44.1 | 635.8 | |
| IN/15W-15J02 S | 667.4 | 11-20-57 | 72.8 | 594.6 | 1200 | | | 3-04-58 | 43.9 | 636.0 | |
| | | 4-16-58 | 71.9 | 595.5 | | | | 3-18-58 | 43.6 | 636.1 | |
| IN/15W-15R01 S | 659.3 | 11-11-57 | DRY | | 1101 | | | 4-02-58 | 42.6 | 636.3 | |
| | | 11-11-57 | DRY | | 1200 | | | 4-16-58 | 42.6 | 637.3 | |
| | | 1-07-58 | DRY | | 1101 | | | 4-23-58 | 42.4 | 637.5 | |
| | | 2-11-58 | DRY | | | | | 5-06-58 | 42.2 | 637.7 | |
| | | 3-03-58 | DRY | | | | | 5-20-58 | 42.1 | 637.8 | |
| | | 3-03-58 | DRY | | | | | 6-04-58 | 42.2 | 637.7 | |
| | | 4-14-58 | DRY | | | | | 6-24-58 | 42.5 | 637.4 | |
| | | 4-28-58 | DRY | | | | | | | | |
| | | 6-10-58 | DRY | | | | | | | | |
| IN/15W-16E01 S | 690.0 | 7-02-57 | 35.4 | 654.6 | 1101 | IN/15W-16H01 S | 678.2 | 11-20-57 | 56.2* | 622.0 | 1200 |
| | | 8-07-57 | 35.7 | 654.3 | | IN/15W-16H04 S | 678.2 | 11-20-57 | 69.1 | 609.1 | 1200 |
| | | 9-10-57 | 36.0 | 654.0 | | | | 4-16-58 | 68.7 | 609.5 | |
| | | | | | | IN/15W-18N01 S | 722.9 | 7-24-57 | 13.0 | 709.9 | 1200 |
| | | | | | | | | 8-14-57 | 13.1 | 709.8 | |
| | | | | | | | | 9-11-57 | 13.3 | 709.6 | |
| | | | | | | | | 10-17-57 | 13.3 | 709.6 | |
| | | | | | | | | 11-13-57 | 13.4 | 709.5 | |
| | | | | | | | | 12-11-57 | 13.5 | 709.4 | |
| | | | | | | | | 1-15-58 | 13.4 | 709.5 | |
| | | | | | | | | 2-13-58 | 12.6 | 710.3 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| SAN FERNANDO BASIN | | | | | | SAN FERNANDO BASIN | | | | | |
| 41200 | | | | | | 41201 | | | | | |
| IN/15W-18N01 S | 722.9 | 3-19-58 | 11.9 | 711.0 | 1200 | IN/15W-23D03 S | 651.4 | 8-14-57 | 53.7 | 597.7 | 1200 |
| | | 4-09-58 | 9.9 | 713.0 | | CONT. | | 9-13-57 | 24.2 | 597.2 | |
| | | 5-08-58 | 10.8 | 712.1 | | | | 10-10-57 | 23.8 | 597.6 | |
| | | 6-11-58 | 10.8 | 712.1 | | | | 11-19-57 | 52.3 | 599.1 | |
| IN/15W-21A02 S | 659.3 | 7-19-57 | 44.7 | 614.6 | 1200 | | | 11-12-58 | 51.9 | 599.3 | |
| | | 8-14-57 | 45.5 | 613.8 | | | | 2-19-58 | 51.8 | 599.2 | |
| | | 9-12-57 | 46.0 | 613.3 | | | | 3-13-58 | 51.0 | 599.6 | |
| | | 10-10-57 | 43.9 | 613.4 | | | | 4-11-58 | 51.6 | 599.8 | |
| | | 11-19-57 | 45.2 | 614.2 | | | | 5-08-58 | 53.7 | 597.7 | |
| | | 12-14-58 | 45.1 | 614.3 | | | | 6-09-58 | 54.0 | 597.4 | |
| | | 2-19-58 | 44.0 | 614.5 | | | | | | | |
| | | 3-13-58 | 45.0 | 614.3 | | | | | | | |
| | | 4-11-58 | 44.0 | 615.3 | | | | | | | |
| | | 5-08-58 | 45.2 | 614.1 | | | | | | | |
| | | 6-09-58 | 45.2 | 614.1 | | | | | | | |
| IN/15W-22P01 S | 659.6 | 8-07-57 | 24.1 | 635.5 | 1101 | IN/15W-23H02 S | 644.0 | 11-20-57 | DRY | 1200 | |
| | | 9-10-57 | 24.3 | 635.3 | | | | 4-16-58 | DRY | | |
| | | 10-02-57 | 24.4 | 635.2 | | | | | | | |
| | | 11-11-57 | 24.6 | 635.0 | | | | | | | |
| | | 12-11-57 | 24.7 | 634.9 | | | | | | | |
| | | 1-07-58 | 24.6 | 635.0 | | | | | | | |
| | | 2-11-58 | 24.3 | 635.3 | | | | | | | |
| | | 3-05-58 | 23.6 | 636.0 | | | | | | | |
| | | 4-14-58 | 20.4 | 639.2 | | | | | | | |
| | | 4-28-58 | 21.1 | 638.5 | | | | | | | |
| | | 6-10-58 | 22.5 | 637.1 | | | | | | | |
| IN/15W-23A01 S | 652.1 | 11-20-57 | 75.3 | 576.8 | 1200 | IN/15W-23J01 S | 632.0 | 11-20-57 | 13.9 | 618.1 | 1200 |
| | | 4-16-58 | 73.1 | 579.0 | | | | 4-16-58 | 10.8 | 621.2 | |
| IN/15W-23D01 S | 651.9 | 7-02-57 | 56.8 | 595.1 | 1101 | IN/15W-23J02 S | 632.0 | 11-20-57 | 32.8 | 599.2 | 1200 |
| | | 8-07-57 | 57.7 | 593.2 | | | | 4-26-58 | 30.7 | 601.3 | |
| | | 9-10-57 | 59.9 | 592.0 | | | | | | | |
| | | 10-02-57 | 59.3 | 592.6 | | | | | | | |
| | | 11-18-57 | 57.8 | 594.1 | | | | | | | |
| | | 12-11-57 | 56.9 | 595.0 | | | | | | | |
| | | 1-07-58 | 57.2 | 594.7 | | | | | | | |
| | | 2-11-58 | 56.9 | 595.0 | | | | | | | |
| | | 3-05-58 | 56.3 | 595.6 | | | | | | | |
| | | 4-14-58 | 56.0 | 595.9 | | | | | | | |
| | | 4-28-58 | 57.6 | 594.3 | | | | | | | |
| | | 6-10-58 | 58.8 | 593.1 | | | | | | | |
| IN/15W-23D03 S | 651.4 | 7-19-57 | 52.7 | 598.7 | 1200 | IN/15W-24A01 S | 617.2 | 7-19-57 | 51.8 | 565.4 | 1200 |
| | | | | | | | | 8-14-57 | 52.4 | 564.8 | |
| | | | | | | | | 9-13-57 | 53.0 | 564.2 | |
| | | | | | | | | 10-10-57 | 53.3 | 563.9 | |
| | | | | | | | | 11-14-57 | 52.9 | 564.3 | |
| | | | | | | | | 12-12-58 | 52.7 | 564.3 | |
| | | | | | | | | 2-19-58 | 52.6 | 564.0 | |
| | | | | | | | | 3-13-58 | 52.7 | 564.9 | |
| | | | | | | | | 4-11-58 | 52.7 | 564.9 | |
| | | | | | | | | 5-08-58 | 52.2 | 565.0 | |
| | | | | | | | | 6-09-58 | 52.5 | 564.7 | |

GROUND WATER LEVELS AT WELLS

| Stile Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | Stile Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|---------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| SAN FERNANDO BASIN | | | | | | SAN FERNANDO VALLEY | | | | | |
| 41200 | | | | | | 41201 | | | | | |
| IN/15W-24001 S | 617.2 | 6-05-58 | 52.7 | 564.5 | 1200 | IN/16W-06G02 S | 791.4 | 9-10-57 | 14.3 | 777.1 | 1101 |
| IN/16W-02001 S | 728.7 | 11-20-57 | 20.1 | 708.6 | 1200 | CONT. | | 10-02-57 | 18.4 | 777.0 | |
| | | 4-16-58 | 18.2 | 710.5 | | | | 11-11-57 | 18.4 | 777.0 | |
| IN/16W-03003 S | 737.4 | 7-24-57 | 17.5 | 719.9 | 1200 | | | 12-11-57 | 18.4 | 777.0 | |
| | | 8-14-57 | 17.7 | 719.7 | | | | 1-07-58 | 18.3 | 777.1 | |
| | | 9-11-57 | 17.8 | 719.6 | | | | 2-15-58 | 18.5 | 778.2 | |
| | | 10-17-57 | 17.8 | 719.6 | | | | 3-03-58 | 18.2 | 778.2 | |
| | | 11-13-57 | 17.8 | 719.7 | | | | 4-28-58 | 18.9 | 779.1 | |
| | | 12-13-57 | 17.7 | 719.6 | | | | 6-10-58 | 18.4 | 779.0 | |
| | | 1-15-58 | 17.4 | 720.0 | | | | 7-02-57 | 13.6 | 772.9 | 1101 |
| | | 2-13-58 | 17.0 | 720.4 | | IN/16W-06K03 S | 786.5 | 8-07-57 | 13.6 | 772.9 | |
| | | 3-18-58 | 16.6 | 720.8 | | | | 9-10-57 | 13.9 | 772.9 | |
| | | 4-09-58 | 15.5 | 721.9 | | | | 11-11-57 | 13.7 | 772.8 | |
| | | 5-08-58 | 15.9 | 721.5 | | | | 7-02-57 | 12.9 | 773.6 | 1101 |
| | | 6-11-58 | 16.2 | 721.2 | | IN/16W-06K04 S | 786.5 | 8-07-57 | 13.1 | 773.4 | |
| IN/16W-03R01 S | 732.1 | 7-24-57 | 21.9 | 710.2 | 1200 | | | 9-10-57 | DRY | 771.7 | |
| | | 8-14-57 | 22.1 | 710.0 | | | | 10-02-57 | 14.8 | 771.7 | |
| | | 9-11-57 | 22.4 | 709.7 | | | | 11-11-57 | 14.9 | 771.6 | |
| | | 10-17-57 | 22.4 | 709.7 | | | | 12-11-57 | 14.6 | 769.9 | |
| | | 11-13-57 | 22.4 | 709.7 | | | | 1-07-58 | 15.2 | 771.3 | |
| | | 12-11-57 | 22.3 | 709.8 | | | | 2-11-58 | 15.1 | 771.4 | |
| | | 1-15-58 | 22.0 | 710.1 | | | | 3-05-58 | 15.1 | 771.4 | |
| | | 2-13-58 | 21.7 | 710.4 | | | | 4-14-58 | 14.9 | 771.4 | |
| | | 3-18-58 | 21.1 | 711.0 | | | | 6-10-58 | 14.8 | 771.7 | |
| | | 4-09-58 | 20.3 | 711.8 | | | | 8-07-57 | 14.3 | 773.0 | 1101 |
| | | 5-08-58 | 20.0 | 712.1 | | | | 9-10-57 | DRY | | |
| | | 6-11-58 | 20.4 | 711.7 | | IN/16W-06K05 S | 787.3 | 10-02-57 | DRY | | |
| IN/16W-04R01 S | 741.3 | 7-24-57 | 10.6 | 730.7 | 1200 | | | 11-11-57 | DRY | | |
| | | 8-14-57 | 10.8 | 730.5 | | | | 12-11-57 | DRY | | |
| | | 9-11-57 | 11.1 | 730.2 | | | | 1-07-58 | DRY | | |
| | | 10-17-57 | 11.1 | 730.2 | | | | 2-11-58 | DRY | | |
| | | 11-13-57 | 11.1 | 730.2 | | | | 3-05-58 | 13.4 | 773.9 | |
| | | 12-11-57 | 11.1 | 730.2 | | | | 4-14-58 | 11.0 | 776.3 | |
| | | 1-15-58 | 10.5 | 730.8 | | | | 6-10-58 | 12.5 | 774.8 | |
| | | 2-13-58 | 9.8 | 731.5 | | | | 8-07-57 | 14.9 | 763.6 | 1200 |
| | | 3-18-58 | 9.2 | 732.1 | | IN/16W-06R01 S | 778.5 | 9-11-57 | 15.7 | 762.8 | |
| | | 4-09-58 | 8.1 | 733.2 | | | | 10-17-57 | 17.1 | 761.4 | |
| | | 5-08-58 | 8.7 | 732.6 | | | | 11-13-57 | 16.9 | 761.6 | |
| | | 6-11-58 | 9.2 | 732.1 | | | | 11-13-57 | 16.7 | 761.8 | |
| IN/16W-06G02 S | 791.4 | 7-02-57 | 13.6 | 777.8 | 1101 | | | | | | |
| | | 8-09-57 | 13.0 | 776.4 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-------------------------|---------------------|---|--|---|-----------------------|-------------------------|---------------------|---|--|--|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| SAN FERNANDO BASIN | | | | | | SAN FERNANDO VALLEY | | | | | |
| 41200 | | | | | | | | | | | |
| SAN FERNANDO BASIN | | | | | | | | | | | |
| 41201 | | | | | | | | | | | |
| 1N/16W-06R01 S CONT. | 778.5 | 12-11-57 1-15-58 2-13-58 3-18-58 4-09-58 5-08-58 6-11-58 | 16.7 16.4 16.1 15.7 14.9 15.5 15.7 | 761.8 762.1 762.4 762.8 763.0 763.4 762.8 | 1200 | 1N/16W-15F01 S CONT. | 806.1 | 3-18-58 4-09-58 5-08-58 6-11-58 | 39.8 39.0 38.1 37.6 | 766.3 767.1 768.0 768.5 | 1200 |
| 1N/16W-07B01 S | 793.6 | 11-20-57 | 19.2 | 774.4 | 1200 | 1N/16W-18F01 S | 867.8 | 7-24-57 8-13-57 10-11-57 11-13-57 1-15-58 2-13-58 3-17-58 4-09-58 5-08-58 6-11-58 | 26.7 26.7 26.5 26.6 26.1 25.8 25.5 25.0 21.2 25.1 | 841.1 841.1 841.5 841.2 841.7 842.0 842.3 846.6 842.7 | 1200 |
| 1N/16W-09D01 S | 758.0 | 7-24-57 8-14-57 9-11-57 10-11-57 11-09-57 1-11-58 1-15-58 2-13-58 3-18-58 4-09-58 4-23-58 5-08-58 6-11-58 | 16.6 16.7 16.8 16.9 16.9 17.1 17.1 18.0 18.5 18.5 18.3 18.7 15.3 | 741.4 741.3 741.2 741.1 741.0 740.9 742.0 742.0 742.5 743.5 743.7 743.3 743.3 742.7 742.7 | 1200 | 1N/17W-03E01 S | 899.0 | 10-28-57 4-22-58 | 14.9 7.9 | 888.1 891.1 | 1101 |
| 1N/16W-11L02 S | 729.0 | 9-10-57 10-02-57 11-11-57 1-07-58 2-11-58 3-05-58 4-14-58 4-28-58 6-10-58 | 24.2 24.1 24.0 24.0 24.0 24.0 24.0 24.0 24.0 | 704.8 704.9 705.0 704.9 705.0 705.0 705.0 705.0 705.0 | 1101 | 1N/17W-03L01 S | 882.9 | 7-24-57 8-13-57 | 28.3 28.4 | 854.6 854.5 | 1200 |
| 1N/16W-12A02 S | 732.0 | 11-11-57 1-07-58 2-11-58 3-05-58 4-14-58 4-28-58 6-10-58 | 14.2 14.3 13.7 14.2 14.1 14.1 14.1 | 717.8 717.7 718.3 717.8 717.9 717.9 717.9 | 1101 | 1N/17W-03P01 S | 872.0 | 7-02-57 8-07-57 10-02-57 11-05-57 12-11-57 1-07-58 2-11-58 3-05-58 4-14-58 4-23-58 4-28-58 6-10-58 | 28.8 29.2 29.4 29.5 29.7 29.6 29.6 28.2 25.6 25.4 24.9 24.0 | 843.2 842.8 842.6 842.5 842.3 842.6 842.4 843.8 846.4 846.8 847.1 848.0 | 1101 |
| 1N/16W-15F01 S | 806.1 | 2-13-58 | 40.2 | 765.9 | 1200 | 1N/17W-10H01 S | 846.8 | 7-24-57 8-13-57 9-11-57 10-17-57 11-13-57 12-11-57 | 39.5 39.6 39.6 39.7 39.6 39.7 | 809.3 809.2 809.2 809.1 809.6 809.1 | 1200 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| SAN FERNANDO BASIN | | | | | | SAN FERNANDO VALLEY | | | | | |
| 41201 | | | | | | 41200 | | | | | |
| IN/17W-10H01 S CONT. | 848.8 | 1-15-58 | 39.8 | 809.0 | 1200 | IN/17W-12N01 S CONT. | 843.6 | 3-18-58 | 33.7 | 809.9 | 1200 |
| | | 2-13-58 | 39.6 | 809.2 | | | | 4-09-58 | 31.4 | 812.2 | |
| | | 3-18-58 | 39.2 | 809.6 | | | | 5-08-58 | 31.4 | 812.2 | |
| | | 4-09-58 | 38.2 | 810.6 | | | | 6-11-58 | 31.5 | 812.1 | |
| | | 5-08-58 | 37.8 | 811.0 | | | | 11-05-57 | 15.8 | 856.3 | 1101 |
| | | 6-11-58 | 37.5 | 811.3 | | IN/17W-13L01 S | 872.1 | 4-23-58 | 8.5 | 863.6 | |
| IN/17W-11B02 S | 833.3 | 7-02-57 | 32.6 | 800.7 | 1101 | IN/17W-22F01 S | 952.9 | 4-23-58 | 74.1 | 875.8 | 1101 |
| IN/17W-11F01 S | 844.7 | 4-23-58 | 40.9 | 803.8 | 1101 | 2N/14W-18A01 S | 1003.4 | 7-01-57 | 58.0 | 945.4 | 1101 |
| IN/17W-11F06 S | 845.0 | 7-02-57 | 42.7 | 802.3 | 1101 | | | 9-03-57 | 58.6 | 946.8 | |
| | | 8-02-57 | 42.2 | 802.8 | | | | 10-22-57 | 59.3 | 946.1 | |
| | | 9-10-57 | 42.0 | 803.0 | | | | 1-06-58 | 58.5 | 944.9 | |
| | | 10-02-57 | 41.7 | 803.3 | | | | 7-02-57 | DRY | | 1101 |
| | | 11-11-57 | 43.6 | 801.4 | | | | 9-04-57 | DRY | | |
| | | 12-11-57 | 42.6 | 802.4 | | | | 1-07-58 | DRY | | |
| | | 1-07-58 | 41.9 | 803.1 | | | | 2-12-58 | DRY | | |
| | | 2-11-58 | 41.6 | 803.4 | | | | 2-23-58 | DRY | | |
| | | 3-05-58 | 41.3 | 803.7 | | | | 4-25-58 | DRY | | |
| | | 4-14-58 | 40.5 | 804.5 | | | | 6-09-58 | 55.8 | 884.3 | |
| | | 4-23-58 | 40.3 | 804.7 | | | | 931.9 | | 876.1 | |
| | | 4-28-58 | 40.2 | 804.8 | | | | 2-07-58 | 200.5 | 748.4 | 1101 |
| | | 6-10-58 | 39.4 | 805.6 | | | | 2-09-58 | 180.0 | 768.9 | |
| IN/17W-11G04 S | 833.5 | 7-02-57 | 36.6 | 786.9 | 1101 | | | 2-12-58 | 173.1 | 777.3 | |
| | | 9-10-57 | 36.3 | 787.2 | | | | 2-24-58 | 175.1 | 775.8 | |
| | | 10-02-57 | 36.1 | 787.4 | | | | 3-02-58 | 172.8 | 776.1 | |
| | | 11-11-57 | 36.1 | 787.4 | | | | 3-18-58 | 189.3 | 759.6 | |
| | | 12-11-57 | 36.0 | 787.5 | | | | 3-24-58 | 180.9 | 768.0 | |
| | | 1-07-58 | 35.9 | 787.6 | | | | 3-25-58 | 179.3 | 765.6 | |
| | | 2-11-58 | 35.6 | 787.9 | | | | 4-18-58 | 178.8 | 770.1 | |
| | | 3-05-58 | 35.4 | 788.1 | | | | 4-22-58 | 156.6 | 792.3 | |
| | | 4-14-58 | 32.6 | 800.9 | | | | 5-01-58 | 115.5 | 833.4 | |
| | | 4-23-58 | 32.4 | 801.1 | | | | 5-07-58 | 104.0 | 844.9 | |
| | | 4-28-58 | 32.3 | 801.2 | | | | 5-14-58 | 101.9 | 847.0 | |
| | | 6-10-58 | 32.4 | 801.1 | | 2N/14W-18N04 S | 935.6 | 2-22-58 | 12.9 | 922.7 | 1101 |
| IN/17W-12D01 S | 843.6 | 7-24-57 | 36.9 | 806.7 | 1200 | | | 2-24-58 | 12.8 | 922.7 | |
| | | 8-13-57 | 36.8 | 806.8 | | | | 3-12-58 | 12.9 | 922.7 | |
| | | 9-11-57 | 36.4 | 807.2 | | | | 3-18-58 | 9.8 | 925.8 | |
| | | 10-17-57 | 36.0 | 807.6 | | | | 3-24-58 | 12.9 | 922.7 | |
| | | 11-13-57 | 36.0 | 807.6 | | | | 3-27-58 | 12.8 | 922.8 | |
| | | 12-11-57 | 35.9 | 807.7 | | | | 4-18-58 | 12.7 | 922.9 | |
| | | 1-15-58 | 35.6 | 808.0 | | | | 4-19-58 | 12.9 | 922.7 | |
| | | 2-13-58 | 35.0 | 808.6 | | | | 4-21-58 | 11.0 | 924.6 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|---------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| SAN FERNANDO VALLEY | | | | | | SAN FERNANDO VALLEY | | | | | |
| SAN FERNANDO RASIN | | | | | | SAN FERNANDO RASIN | | | | | |
| 2N/14W-18N04 S | 935.6 | 4-22-58 | 9.1 | 926.5 | 1101 | 2N/14W-30A01 S | 890.3 | 5-04-58 | 270.3 | 620.0 | 1101 |
| 2N/14W-19M01 S | 898.2 | 7-02-57 | DRY | | 1101 | 2N/14W-30A03 S | 881.5 | 11-23-57 | 268.1 | 613.4 | 1200 |
| | | 9-04-57 | DRY | | | | | 4-25-58 | 259.6 | 621.9 | |
| | | 10-22-57 | DRY | | | | | | | | |
| | | 1-07-58 | DRY | | | | | | | | |
| | | 2-12-58 | DRY | | | | | | | | |
| | | 2-23-58 | DRY | | | | | | | | |
| | | 4-08-58 | DRY | | | | | | | | |
| | | 4-24-58 | DRY | | | | | | | | |
| | | 4-25-58 | DRY | | | | | | | | |
| | | 6-09-58 | DRY | | | | | | | | |
| 2N/14W-19M02 S | 906.1 | 7-02-57 | 263.0 | 643.1 | 1101 | 2N/15W-09G01 S | 987.0 | 10-28-57 | 293.3 | 693.7 | 1101 |
| | | 9-03-57 | 266.0 | 640.1 | | 4-25-58 | 293.6 | 693.4 | | | |
| | | 10-22-57 | 270.0 | 636.1 | | 2N/15W-16J01 S | 924.5 | 7-02-57 | 226.5 | 698.0 | 1101 |
| | | 1-06-58 | 267.0 | 639.1 | | | | 9-03-57 | 231.3 | 693.2 | |
| | | 2-10-58 | 292.8* | 613.3 | | | | 10-28-57 | 235.1 | 689.4 | |
| | | 2-12-58 | 268.1 | 638.0 | | | | 1-06-58 | 238.4 | 686.1 | |
| | | 2-22-58 | 261.0 | 645.1 | | | | 2-12-58 | 239.0 | 685.5 | |
| | | 3-24-58 | 235.0 | 671.1 | | | | 2-22-58 | 190.9 | 733.5 | |
| | | 4-08-58 | 228.3 | 681.8 | | | | 3-18-58 | 152.3 | 772.2 | |
| | | 4-25-58 | 226.0 | 682.1 | | | | 4-08-58 | 132.7 | 771.8 | |
| | | 5-07-58 | 215.0 | 691.1 | | | | 4-08-58 | 133.6 | 790.9 | |
| | | 6-09-58 | 218.0 | 688.1 | | | | 4-25-58 | 142.0 | 782.5 | |
| | | | | | | | | 5-07-58 | 182.6 | 786.9 | |
| | | | | | | | | 6-09-58 | 153.3 | 769.2 | |
| 2N/14W-22P01 S | 1062.6 | 7-18-57 | 75.3 | 987.3 | 1200 | 2N/15W-21D01 S | 879.0 | 7-23-57 | 257.3 | 621.7 | 1200 |
| | | 8-16-57 | 75.4 | 987.2 | | | | 8-19-57 | 258.2 | 620.8 | |
| | | 9-12-57 | 75.5 | 987.1 | | | | 9-13-57 | 259.0 | 620.0 | |
| | | 10-11-57 | 75.6 | 987.2 | | | | 10-25-57 | 260.0 | 619.0 | |
| | | 11-15-57 | 75.1 | 987.5 | | | | 11-13-57 | 260.5 | 618.9 | |
| | | 12-12-57 | 75.1 | 987.5 | | | | 12-13-57 | 261.0 | 618.0 | |
| | | 1-16-58 | 75.2 | 987.4 | | | | 1-15-58 | 261.6 | 617.6 | |
| | | 2-12-58 | 75.3 | 987.3 | | | | 2-13-58 | 262.0 | 617.0 | |
| | | 3-11-58 | 74.8 | 988.8 | | | | 3-18-58 | 262.8 | 616.2 | |
| | | 4-10-58 | 73.8 | 988.8 | | | | 4-10-58 | 262.3 | 616.7 | |
| | | 5-09-58 | 70.4 | 992.2 | | | | 5-08-58 | 260.2 | 618.8 | |
| | | 6-06-58 | 66.2 | 996.4 | | | | 6-10-58 | 255.7 | 623.3 | |
| 2N/14W-26B01 S | 1201.2 | 11-21-57 | 27.6 | 1173.6 | 1200 | 2N/15W-22C01 S | 903.0 | 7-17-57 | 292.1 | 610.9 | 1200 |
| | | 4-24-58 | 3.5 | 1197.7 | | | | 9-12-57 | 294.1 | 608.9 | |
| 2N/14W-30A01 S | 890.3 | 11-03-57 | 289.1 | 601.2 | 1101 | | | 10-11-57 | 294.8 | 608.2 | |
| | | 11-23-57 | 271.9 | 618.4 | | | | 11-14-57 | 295.5 | 607.5 | |
| | | 11-23-57 | 271.9 | 618.4 | | | | 12-12-57 | 295.8 | 607.2 | |
| | | 4-25-58 | 260.3 | 630.0 | | | | 1-16-58 | 296.2 | 606.8 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| 41200 | | | | | | SAN FERNANDO VALLEY | | | | | |
| SAN FERNANDO BASIN | | | | | | | | | | | |
| 41201 | | | | | | 41201 | | | | | |
| 2N/15W-22C01 S CONT. | 903.0 | 2-12-58 | 296.6 | 606.4 | 1200 | 2N/15W-24K01 S CONT. | 888.8 | 12-12-57 | 303.5 | 585.3 | 1200 |
| | | 3-12-58 | 296.8 | 606.2 | | | | 1-16-58 | 303.5 | 585.3 | |
| | | 4-10-58 | 295.5 | 607.5 | | | | 2-12-58 | 303.5 | 585.3 | |
| | | 5-08-58 | 291.2 | 611.8 | | | | 3-13-58 | 300.1 | 588.7 | |
| | | 6-05-58 | 283.9 | 619.1 | | | | 4-10-58 | 293.5 | 595.3 | |
| 2N/15W-24B01 S | 910.7 | 7-02-57 | DRY | | 1101 | 2N/15W-25C01 S | 859.2 | 5-08-58 | 283.1 | 605.7 | |
| | | 9-03-57 | DRY | | | | | 6-05-58 | 267.0 | 621.8 | |
| | | 9-03-57 | DRY | | | | | 9-12-57 | 272.3 | 586.9 | 1200 |
| | | 10-30-57 | DRY | | | | | 10-22-57 | 273.4 | 585.8 | |
| | | 10-30-57 | DRY | | | | | 11-14-57 | 273.1 | 586.1 | |
| | | 10-30-57 | DRY | | 1200 | | | 12-12-57 | 273.1 | 586.1 | |
| | | 10-30-57 | DRY | | 1101 | | | 1-16-58 | 272.8 | 586.4 | |
| | | 1-07-58 | DRY | | | | | 2-12-58 | 272.8 | 586.4 | |
| | | 1-07-58 | DRY | | | | | 3-13-58 | 272.5 | 586.7 | |
| | | 2-10-58 | DRY | | | | | 4-10-58 | 270.0 | 589.2 | |
| | | 2-10-58 | DRY | | | | | 5-08-58 | 267.8 | 591.4 | |
| | | 2-12-58 | DRY | | | | | 6-05-58 | 262.4 | 596.8 | |
| | | 2-23-58 | DRY | | | | | 6-10-58 | 236.1 | 582.0 | 1101 |
| | | 2-23-58 | DRY | | | | | 10-29-57 | DRY | | 1101 |
| | | 4-08-58 | DRY | | | | | 4-25-58 | DRY | | |
| | | 4-08-58 | DRY | | 1200 | 2N/15W-25G01 S | | | | | |
| | | 4-08-58 | DRY | | 1101 | 2N/15W-27J01 S | 819.2 | 7-17-57 | 220.0 | 599.2 | 1200 |
| | | 4-25-58 | DRY | | | | | 8-14-57 | 221.2 | 598.0 | |
| | | 4-25-58 | DRY | | | | | 9-12-57 | 222.1 | 597.1 | |
| 2N/15W-24H01 S | 919.0 | 7-02-57 | 264.0 | 655.0 | 1101 | | | 10-11-57 | 222.7 | 596.5 | |
| | | 8-05-57 | 266.8 | 652.2 | | | | 12-12-57 | 222.9 | 596.3 | |
| | | 9-04-57 | 268.4 | 650.6 | | | | 1-16-58 | 223.0 | 596.2 | |
| | | 10-02-57 | 270.2 | 648.8 | | | | 2-12-58 | 223.2 | 596.0 | |
| | | 10-22-57 | 270.0 | 649.0 | | | | 3-12-58 | 223.4 | 595.8 | |
| | | 12-03-57 | 266.5 | 652.5 | | | | 4-10-58 | 222.9 | 596.3 | |
| | | 1-06-58 | 265.4 | 653.6 | | | | 5-08-58 | 222.8 | 596.4 | |
| | | 2-10-58 | 266.8 | 652.2 | | | | 6-05-58 | 221.0 | 598.2 | |
| | | 2-12-58 | 268.9 | 650.1 | | | | 7-01-57 | DRY | | 1101 |
| | | 2-23-58 | 249.2 | 669.8 | | | | 9-04-57 | DRY | | |
| | | 3-03-58 | 224.4 | 694.6 | | | | 10-28-57 | DRY | | |
| | | 3-24-58 | 211.5 | 707.5 | | | | 1-07-58 | DRY | | |
| | | 4-08-58 | 202.7 | 716.3 | | | | 2-22-58 | DRY | | |
| | | 4-25-58 | 197.7 | 721.3 | | | | 4-23-58 | DRY | | |
| | | 5-07-58 | 168.7 | 750.3 | | | | 6-09-58 | DRY | | |
| | | 6-05-58 | 175.5 | 743.5 | | | | | | | |
| | | 6-09-58 | 179.0 | 740.0 | | | | 7-23-57 | 156.6 | 639.6 | 1200 |
| 2N/15W-24K01 S | 888.8 | 10-22-57 | 303.0 | 585.8 | 1200 | 2N/15W-33D01 S | 796.2 | | | | |
| | | 11-14-57 | 304.0 | 584.8 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| 41200 | | | | | | | | | | | |
| SAN FERNANDO BASIN | | | | | | | | | | | |
| 41201 | | | | | | | | | | | |
| 2N/15W-33D01 S | 796.2 | 8-19-57 | 157.1 | 639.1 | 1200 | 2N/16W-20R01 S | 868.0 | 4-07-58 | 54.7 | 813.3 | 1101 |
| CONT. | | 9-13-57 | 151.5 | 639.7 | | CONT. | 868.1 | 4-09-58 | 54.7 | 813.4 | 1200 |
| | | 10-23-57 | 128.1 | 639.1 | | | 868.0 | 4-22-58 | 54.3 | 813.7 | 1101 |
| | | 1-13-57 | 128.4 | 637.8 | | | | 5-06-58 | 54.2 | 813.9 | 1200 |
| | | 1-15-58 | 151.3 | 637.6 | | | 868.1 | 5-08-58 | 54.2 | 813.9 | 1101 |
| | | 3-18-58 | 161.2 | 635.0 | | | 868.0 | 6-09-58 | 54.1 | 813.2 | 1101 |
| | | 4-10-58 | 160.5 | 635.3 | | | 868.1 | 6-11-58 | 54.0 | 813.1 | 1200 |
| | | 5-08-58 | 160.9 | 635.3 | | 2N/16W-21R01 S | 914.6 | 7-23-57 | 94.7 | 813.9 | 1200 |
| | | 6-10-58 | 160.9 | 635.3 | | | | 9-11-57 | 95.0 | 813.6 | |
| 2N/16W-07D01 S | 1017.0 | 10-28-57 | 47.5 | 969.5 | 1101 | | | 9-11-57 | 95.4 | 813.2 | |
| | | 4-22-58 | 44.0 | 973.0 | | | | 10-17-57 | 94.4 | 820.2 | |
| 2N/16W-17C01 S | 997.3 | 7-23-57 | 31.7 | 913.6 | 1200 | | | 11-13-57 | 94.2 | 819.5 | |
| | | 8-12-57 | 81.5 | 913.8 | | | | 1-15-58 | 94.3 | 820.3 | |
| | | 9-11-57 | 81.1 | 914.2 | | | | 2-13-58 | 94.4 | 820.1 | |
| | | 10-17-57 | 81.8 | 914.5 | | | | 3-13-58 | 94.5 | 820.1 | |
| | | 11-13-57 | 81.7 | 914.6 | | | | 4-09-58 | 94.6 | 820.0 | |
| | | 12-11-57 | 81.6 | 914.7 | | | | 5-08-58 | 93.2 | 821.4 | |
| | | 1-15-58 | 81.7 | 914.6 | | | | 6-11-58 | 93.2 | 821.4 | |
| | | 2-13-58 | 81.9 | 914.4 | | 2N/16W-21L01 S | 871.1 | 11-13-57 | 57.6 | 813.5 | 1200 |
| | | 3-11-58 | 81.9 | 914.4 | | | | 4-16-58 | 56.9 | 813.5 | |
| | | 4-09-58 | 81.7 | 914.6 | | 2N/16W-22K01 S | 850.9 | 8-21-57 | 28.6 | 822.3 | 1200 |
| 2N/16W-24D01 S | 933.0 | 10-29-57 | 93.4 | 839.6 | 1101 | | | 9-11-57 | 28.5 | 822.4 | |
| | | 4-22-58 | 93.1 | 839.9 | | | | 10-17-57 | 28.2 | 822.7 | |
| 2N/16W-20R01 S | 868.0 | 7-01-57 | 54.6 | 813.4 | 1101 | | | 10-22-57 | 28.1 | 822.8 | 1101 |
| | | 7-23-57 | 54.9 | 813.2 | 1200 | | | 12-11-57 | 28.1 | 822.8 | 1200 |
| | | 8-05-57 | 51.0 | 813.0 | 1101 | | | 1-15-58 | 28.1 | 822.8 | |
| | | 8-13-57 | 51.1 | 813.0 | 1200 | | | 2-13-58 | 28.1 | 822.8 | |
| | | 9-03-57 | 51.2 | 812.8 | 1101 | | | 3-13-58 | 27.9 | 823.0 | |
| | | 9-11-57 | 51.2 | 812.9 | 1200 | | | 4-09-58 | 27.8 | 823.1 | |
| | | 10-02-57 | 51.3 | 812.7 | 1101 | | | 4-22-58 | 27.1 | 823.8 | 1101 |
| | | 10-17-57 | 51.0 | 813.1 | 1200 | | | 5-08-58 | 26.9 | 824.0 | 1200 |
| | | 10-22-57 | 51.1 | 812.9 | 1101 | | | 6-11-58 | 26.6 | 824.3 | |
| | | 11-13-57 | 51.1 | 813.0 | 1200 | 2N/16W-25P01 S | 781.3 | 7-23-57 | 57.8 | 733.5 | 1200 |
| | | 12-03-57 | 51.3 | 812.7 | 1101 | | | 8-16-57 | 57.6 | 733.4 | |
| | | 12-11-57 | 51.3 | 812.8 | 1200 | | | 9-11-57 | 58.1 | 733.2 | |
| | | 1-06-58 | 51.3 | 812.7 | 1101 | | | 10-17-57 | 58.2 | 734.4 | 1101 |
| | | 1-13-58 | 51.3 | 811.8 | 1200 | | | 11-13-57 | 58.3 | 733.0 | 1200 |
| | | 2-10-58 | 51.3 | 812.7 | 1101 | | 783.0 | 12-11-57 | 58.3 | 733.0 | |
| | | 2-13-58 | 51.3 | 812.8 | 1200 | | 781.3 | 1-15-58 | 58.5 | 732.8 | |
| | | 3-03-58 | 51.1 | 812.9 | 1101 | | | | | | |
| | | 3-11-58 | 51.1 | 813.0 | 1200 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN FERNANDO BASIN | | | | | | | | | | | |
| 2N/16M-25P01 S CONT. | 781.3 | 2-13-58 | 58.5 | 722.8 | 1200 | 2N/17W-13H01 S CONT. | 960.3 | 4-09-58 | 3.8 | 956.5 | 1200 |
| | | 3-13-58 | 50.7 | 722.6 | | | | 5-08-58 | 4.5 | 955.8 | |
| | | 4-09-58 | 58.6 | 722.7 | | | | 10-22-57 | 12.8 | 948.1 | 1101 |
| | 783.0 | 4-22-58 | 58.4 | 722.6 | 1101 | 2N/17W-13H02 S | 960.9 | 4-22-58 | 4.7 | 956.2 | |
| | 781.3 | 5-08-58 | 58.4 | 722.9 | 1200 | | | | | | |
| | | 6-11-58 | 50.4 | 722.9 | | 2N/17W-13K01 S | 959.4 | 7-01-57 | 13.0 | 946.4 | 1101 |
| 2N/16M-27G01 S | 814.0 | 10-23-57 | 16.6* | 797.4 | 1101 | | | 8-05-57 | 15.5 | 944.9 | |
| | | 1-06-58 | 16.8 | 797.2 | | | | 10-03-57 | 15.0 | 944.4 | |
| | | 4-22-58 | DRY | | | | | 10-01-57 | 13.5 | 945.1 | |
| | | 6-09-58 | DRY | | | | | 1-23-57 | 14.9 | 945.5 | |
| | | | DRY | | | | | 1-03-57 | 14.9 | 946.2 | |
| 2N/16M-27H01 S | 905.1 | 9-19-57 | 5.9 | 799.2 | 1101 | | | 1-06-58 | 13.1 | 946.9 | |
| | | 10-28-57 | 5.9 | 799.2 | | | | 2-10-58 | 10.1 | 948.2 | |
| | | 4-22-58 | 5.1 | 800.0 | | | | 3-03-58 | 8.9 | 950.5 | |
| | | | 5.1 | 800.0 | | | | 4-22-58 | 8.1 | 951.3 | |
| 2N/16M-27K01 S | 791.2 | 9-25-57 | 12.8 | 778.4 | 1101 | | | 4-22-58 | 8.1 | 951.3 | |
| | | 10-28-57 | 12.8 | 778.4 | | | | 6-03-58 | 10.0 | 949.4 | |
| | | 10-28-57 | 12.8 | 778.4 | | | | 10-29-57 | 109.1 | 837.2 | 1101 |
| | | 10-28-57 | 12.6 | 779.7 | | | | 4-22-58 | 7.4 | 938.0 | |
| | | 4-22-58 | 11.5 | 779.7 | | 2N/17W-13L01 S | 946.3 | 4-22-58 | 36.2 | 1036.8 | 1101 |
| | | | 11.5 | 779.7 | | | | 4-22-58 | 102.1 | 947.9 | 1101 |
| 2N/16M-28B01 S | 830.0 | 11-15-57 | 18.3 | 811.7 | 1200 | 2N/17W-34M01 S | 1073.0 | 4-22-58 | 13.8 | 946.2 | 1101 |
| | | 4-16-58 | 18.0 | 812.0 | | | | 4-22-58 | 10.6 | 949.4 | |
| 2N/16M-28B02 S | 830.9 | 11-15-57 | 20.5 | 810.4 | 1200 | 2N/17W-34N01 S | 1050.0** | | | | |
| | | 4-16-58 | 19.4 | 811.5 | | 2N/17W-34P01 S | 960.0 | 10-28-57 | 13.8 | 946.2 | 1101 |
| 2N/16M-29C01 S | 879.6 | 11-19-57 | 64.7 | 814.9 | 1200 | | | 4-22-58 | | | |
| | | 4-16-58 | 64.2 | 815.4 | | | | | | | |
| 2N/16M-33G06 S | 777.1 | 10-29-57 | DRY | | 1101 | BULL CANYON BASIN | | | | | |
| | | 11-14-57 | DRY | | | 2N/16M-02G01 S | 1242.5 | 10-22-57 | 128.6 | 1114.0 | 1101 |
| | | | | | | | | 5-02-58 | 125.6 | 1116.9 | |
| 2N/16M-34G01 S | 760.0 | 4-22-58 | FLOW | | 1101 | SYLMAR BASIN | | | | | |
| | | | | | | 2N/15W-04B06 S | 1131.3 | 7-01-57 | 36.8 | 1094.5 | 1101 |
| 2N/17W-13A01 S | 973.1 | 10-23-57 | 15.0 | 958.1 | 1101 | | | 8-05-57 | 38.2 | 1093.1 | |
| | | 4-22-58 | 6.3 | 966.8 | | | | 9-04-57 | 39.0 | 1092.1 | |
| 2N/17W-13H01 S | 960.3 | 10-17-57 | 9.9 | 950.4 | 1200 | | | 10-01-57 | 38.1 | 1092.2 | |
| | | 11-19-57 | 9.2 | 951.1 | | | | 10-28-57 | 38.5 | 1092.8 | |
| | | 1-11-58 | 8.0 | 951.3 | | | | 12-03-57 | 18.8 | 1112.5 | |
| | | 1-15-58 | 8.0 | 952.0 | | | | 1-06-58 | 15.5 | 1116.8 | |
| | | 2-13-58 | 7.3 | 953.1 | | | | 2-10-58 | 24.2* | 1107.2 | |
| | | 3-13-58 | 5.5 | 954.8 | | | | 3-03-58 | 33.5* | 1097.8 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|---------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| SYLMAR BASIN | | | | | | SAN FERNANDO VALLEY | | | | | |
| 41200 | | | | | | 41200 | | | | | |
| 41203 | | | | | | 41203 | | | | | |
| 2N/15W-04B06 S | 1131.3 | 4-08-58 | 19.3 | 1112.0 | 1101 | 3N/15W-34K02 S | 1149.9 | 8-14-57 | 52.3 | 1097.6 | 1200 |
| | | 5-07-58 | DRY | | | CONT. | | 9-12-57 | 52.2 | 1097.7 | |
| | | 6-09-58 | DRY | | | | | 10-11-57 | 51.9 | 1098.0 | |
| 3N/15W-20R01 S | 1428.0 | 10-22-57 | 128.0 | 1300.0 | 1101 | | | 11-14-57 | 48.8 | 1101.1 | |
| | | 12-03-57 | 119.6 | 1308.4 | | | | 12-12-57 | 47.0 | 1102.9 | |
| | | 3-06-58 | 116.8 | 1311.2 | | | | 1-16-58 | 44.9 | 1105.0 | |
| | | 3-03-58 | 113.9 | 1314.1 | | | | 2-12-58 | 44.4 | 1105.5 | |
| | | 4-14-58 | 107.5 | 1320.5 | | | | 3-12-58 | 43.9 | 1106.0 | |
| | | 4-21-58 | 107.2 | 1320.8 | | | | 4-10-58 | 43.0 | 1106.9 | |
| | | 5-07-58 | 102.4 | 1325.6 | | | | 5-08-58 | 42.7 | 1107.4 | |
| | | 6-09-58 | 111.9 | 1310.1 | | | | 6-03-58 | 47.4 | 1102.5 | |
| 3N/15W-20R02 S | 1422.0 | 10-22-57 | 124.1 | 1297.9 | 1101 | 3N/15W-34K03 S | 1150.9 | 11-21-57 | 49.3 | 1101.6 | 1200 |
| | | 4-21-58 | 103.4 | 1316.6 | | | | 4-23-58 | 45.1 | 1105.8 | |
| 3N/15W-32B01 S | 1229.0 | 4-21-58 | 65.2 | 1163.8 | 1101 | 3N/15W-34P01 S | 1130.7 | 9-04-57 | 37.1 | 1093.6 | 1101 |
| 3N/15W-33E01 S | 1190.3 | 7-18-57 | 73.4 | 1116.9 | 1200 | | | 10-28-57 | 41.8 | 1088.9 | 1200 |
| | | 8-14-57 | 64.9 | 1121.6 | | | | 11-21-57 | 39.5 | 1090.3 | 1101 |
| | | 9-12-57 | 68.8 | 1123.5 | | | | 1-06-58 | 30.4 | 1100.3 | 1101 |
| | | 10-11-57 | 71.6 | 1125.7 | | | | 4-23-58 | 34.4 | 1095.5 | 1200 |
| | | 11-14-57 | 74.8 | 1115.5 | | | | 4-23-58 | 30.3 | 1100.4 | 1101 |
| | | 11-12-57 | 72.0 | 1119.3 | | | | 7-01-57 | 40.7 | 1089.3 | 1101 |
| | | 1-16-58 | 70.5 | 1119.8 | | | | 8-05-57 | 45.7 | 1084.3 | |
| | | 2-12-58 | 71.5 | 1118.8 | | | | 10-01-57 | 37.5 | 1092.5 | |
| | | 3-12-58 | 71.5 | 1118.8 | | | | 12-03-57 | 30.8 | 1099.2 | |
| | | 4-10-58 | 71.0 | 1119.3 | | | | 2-10-58 | 29.8 | 1100.2 | |
| | | 5-08-58 | 71.6 | 1118.7 | | | | 3-03-58 | 32.7* | 1097.3 | |
| | | 6-05-58 | 72.6 | 1117.7 | | | | 4-08-58 | 29.8 | 1100.2 | |
| 3N/15W-34A01 S | 1245.0 | 8-06-57 | 142.4 | 1102.6 | 1101 | 3N/15W-34P06 S | 1130.0 | 5-07-58 | 33.2 | 1096.8 | |
| | | 9-03-57 | 146.3 | 1098.7 | | | | 6-07-58 | 41.5* | 1088.5 | |
| | | 10-28-57 | 143.0 | 1102.0 | | | | 10-28-57 | 36.0 | 1089.0 | 1101 |
| | | 2-12-58 | 130.9 | 1114.1 | | | | 4-25-58 | 29.0 | 1096.0 | |
| | | 4-25-58 | 142.3 | 1102.7 | | | | | | | |
| | | 6-09-58 | 145.4 | 1099.6 | | | | | | | |
| 3N/15W-34B01 S | 1224.0 | 10-28-57 | 118.2 | 1105.8 | 1101 | PACOIMA BASIN | | | | | |
| | | 4-25-58 | 111.5 | 1112.5 | | 3N/15W-15G01 S | 1502.3 | 11-21-57 | 208.6* | 1293.7 | 1200 |
| 3N/15W-34C01 S | 1237.2 | 4-25-58 | 132.4 | 1104.8 | 1101 | 3N/15W-26G01 S | 1423.0 | 4-24-58 | 205.9 | 1296.4 | |
| 3N/15W-34H01 S | 1214.0 | 10-28-57 | 97.2 | 1116.8 | 1101 | | | 10-22-57 | 24.2 | 1175.8 | 1101 |
| | | 4-25-58 | 94.2 | 1119.8 | | | | 4-21-58 | 240.4 | 1182.6 | |
| 3N/15W-34K02 S | 1149.9 | 7-18-57 | 51.4 | 1098.5 | 1200 | 3N/15W-36C01 S | 1281.8 | 10-27-57 | 44.8 | 1237.0 | 1101 |
| | | | | | | | | 11-21-57 | 44.9 | 1236.9 | 1200 |
| | | | | | | | | 3-26-58 | 36.8 | 1245.0 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| PACOIMA BASIN | | | | | | TUJUNGA BASIN | | | | | |
| 41204 | | | | | | 41200 | | | | | |
| 3N/15W-36C01 S | 1281.8 | 4-21-58 | 31.9 | 1249.9 | 1101 | 2N/14W-08G02 S | 1066.5 | 1-06-58 | 21.4 | 1045.1 | 1101 |
| CONT. | | 4-23-58 | 31.9 | 1249.9 | 1200 | CONT. | | 2-10-58 | 19.6 | 1046.9 | |
| 3N/15W-36E01 S | 1229.6 | 7-02-57 | 25.2 | 1204.4 | 1101 | | | 3-03-58 | 17.0 | 1049.5 | |
| | | 8-05-57 | 25.9 | 1203.7 | | | | 4-10-58 | 12.3 | 1054.2 | |
| | | 9-03-57 | 26.1 | 1203.5 | | | | 4-21-58 | 11.9 | 1054.6 | |
| | | 10-01-57 | 25.9 | 1203.7 | | | | 5-06-58 | 11.4 | 1055.1 | |
| | | 10-22-57 | 25.8 | 1203.8 | | | | 6-05-58 | 11.8 | 1054.7 | |
| | | 12-03-57 | 25.7 | 1203.9 | | | | 6-09-58 | 19.3 | 1047.2 | |
| | | 1-06-58 | 23.6 | 1206.0 | | | | | | | |
| | | 2-07-58 | 23.7 | 1205.9 | | | | | | | |
| | | 2-11-58 | 11.4 | 1218.2 | | 2N/14W-09E01 S | 1099.1 | 11-21-57 | 45.6 | 1053.5 | 1200 |
| | | 3-03-58 | 9.5 | 1220.1 | | | | 4-24-58 | 34.3 | 1064.8 | 1200 |
| | | 3-25-58 | 8.9 | 1220.7 | | | | | | | |
| | | 3-31-58 | 9.3 | 1220.3 | | | | | | | |
| | | 4-07-58 | 7.8 | 1221.8 | | | | | | | |
| | | 4-14-58 | 8.4 | 1221.2 | | | | | | | |
| | | 4-21-58 | 8.3 | 1221.3 | | 2N/14W-09E03 S | 1097.6 | 11-21-57 | 39.3 | 1058.3 | 1200 |
| | | 4-28-58 | 8.7 | 1220.9 | | | | | | | |
| | | 5-05-58 | 7.8 | 1221.8 | | | | | | | |
| | | 5-12-58 | 6.4 | 1223.2 | | | | | | | |
| | | 5-16-58 | 7.1 | 1222.5 | | | | | | | |
| | | 6-09-58 | 9.5 | 1220.1 | | | | | | | |
| TUJUNGA BASIN | | | | | | | | | | | |
| 41205 | | | | | | 41205 | | | | | |
| 2N/13W-18N01 S | 1795.0** | 3-12-58 | 375.1 | 1419.9 | 1101 | 2N/14W-09H01 S | 1164.1 | 7-01-57 | 53.8 | 1110.3 | 1101 |
| | | 4-10-58 | 374.4 | 1420.6 | | | | 7-18-57 | 53.7 | 1110.4 | 1200 |
| | | 5-09-58 | 374.6 | 1420.4 | | | | 8-05-57 | 54.0 | 1110.1 | 1101 |
| | | 6-06-58 | 378.9 | 1416.1 | | | | 8-14-57 | 54.0 | 1110.1 | 1200 |
| | | | | | | | | 9-03-57 | 54.2 | 1109.9 | 1101 |
| | | | | | | | | 9-12-57 | 54.3 | 1109.8 | 1200 |
| | | | | | | | | 10-01-57 | 54.7 | 1109.4 | 1101 |
| | | | | | | | | 10-11-57 | 54.5 | 1109.6 | 1200 |
| | | | | | | | | 10-22-57 | 55.2 | 1108.9 | 1101 |
| | | | | | | | | 11-15-57 | 54.3 | 1109.8 | 1200 |
| | | | | | | | | 12-03-57 | 56.4 | 1109.7 | 1101 |
| | | | | | | | | 12-12-57 | 54.3 | 1109.8 | 1200 |
| 2N/13W-19J01 S | 1840.0 | 4-22-58 | 13.8 | 1826.2 | | | | 1-06-58 | 53.1 | 1111.0 | 1101 |
| | | | | | | | | 1-16-58 | 53.3 | 1110.8 | 1200 |
| | | | | | | | | 2-11-58 | 47.8 | 1116.3 | 1101 |
| | | | | | | | | 2-15-58 | 44.2 | 1119.9 | 1200 |
| | | | | | | | | 3-03-58 | 39.9 | 1124.2 | 1101 |
| | | | | | | | | 3-15-58 | 39.5 | 1124.6 | 1200 |
| | | | | | | | | 4-08-58 | 36.7 | 1126.4 | 1101 |
| | | | | | | | | 4-10-58 | 30.3 | 1127.8 | 1200 |
| | | | | | | | | 4-21-58 | 35.1 | 1129.0 | 1101 |
| | | | | | | | | 5-06-58 | 34.6 | 1129.5 | 1200 |
| | | | | | | | | 5-08-58 | 35.0 | 1129.1 | 1200 |
| | | | | | | | | 6-05-58 | 41.4 | 1127.7 | 1200 |
| | | | | | | | | 6-09-58 | 42.1 | 1122.0 | 1101 |
| 2N/14W-08G02 S | 1066.5 | 7-01-57 | 21.4 | 1044.7 | 1101 | | | | | | |
| | | 8-05-57 | 22.4 | 1044.1 | | | | | | | |
| | | 9-03-57 | 22.5 | 1044.0 | | | | | | | |
| | | 10-01-57 | 22.9 | 1043.6 | | | | | | | |
| | | 10-22-57 | 23.1 | 1043.4 | | | | | | | |
| | | 12-03-57 | 22.9 | 1043.6 | | | | | | | |
| 2N/14W-09N02 S | 1091.2 | 7-02-57 | 23.0 | 1068.2 | | 2N/14W-09N02 S | 1091.2 | 8-06-57 | 26.6 | 1064.6 | 1101 |
| | | 9-03-57 | 24.9 | 1066.3 | | | | 9-03-57 | 24.9 | 1066.3 | 1200 |
| | | 10-02-57 | 27.1 | 1064.1 | | | | 10-02-57 | 27.1 | 1064.1 | 1200 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|---------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| TUJUNGA BASIN | | | | | | SAN FERNANDO VALLEY | | | | | |
| 41200 | | | | | | 41205 | | | | | |
| 2N/14W-09N02 S | 1091.2 | 10-29-57 | 20.3 | 1070.9 | 1101 | 2N/14W-12C02 S | 1356.6 | 10-01-57 | 12.5 | 1344.1 | 1101 |
| CONT. | | 12-03-57 | 19.0 | 1071.4 | | CONT. | | 10-22-57 | 10.2 | 1346.4 | |
| | | 1-06-58 | 17.9 | 1073.3 | | | | 12-03-57 | 13.3 | 1341.3 | |
| | | 2-11-58 | 16.7 | 1076.5 | | | | 1-06-58 | 11.2 | 1345.4 | |
| | | 3-08-58 | 15.7 | 1075.0 | | | | 2-11-58 | 12.1 | 1344.5 | |
| | | 4-08-58 | 17.3 | 1073.0 | | | | 3-03-58 | 9.8 | 1346.8 | |
| | | 4-24-58 | 18.1 | 1073.1 | 1200 | | | 4-08-58 | 10.3* | 1346.3 | |
| | | 5-23-58 | 18.2 | 1073.6 | 1101 | | | 4-21-58 | 8.4 | 1348.2 | |
| | | 6-06-58 | 19.3 | 1071.9 | | | | 5-06-58 | 7.2 | 1349.4 | |
| | | | | | | | | 6-04-58 | 7.2 | 1349.4 | |
| | | | | | | | | 6-06-58 | 7.1* | 1340.5 | |
| 2N/14W-10F01 S | 1193.3 | 11-21-57 | 56.4 | 1136.9 | *1200 | 2N/14W-13D02 S | 1453.6 | 11-19-57 | 97.5 | 1356.1 | 1200 |
| | | 4-23-58 | 29.2 | 1164.1 | | | | 4-24-58 | 102.0 | 1351.6 | |
| 2N/14W-10N01 S | 1152.7 | 11-03-57 | 31.4 | 1121.3 | 1101 | | | 10-25-57 | 111.0 | 1356.0 | 1101 |
| | 1152.9 | 11-23-57 | 32.5 | 1120.4 | 1200 | | | 4-21-58 | 99.5 | 1367.5 | |
| | | 4-25-58 | 98.9* | 1054.0 | | | | 10-22-57 | 91.1 | 1349.3 | 1101 |
| | 1157.7 | 5-04-58 | 7.6 | 1123.1 | 1101 | | | 11-19-57 | 86.8 | 1353.6 | |
| 2N/14W-10R01 S | 1225.2 | 11-21-57 | 48.6 | 1176.6 | 1200 | | | 4-21-58 | 73.2 | 1361.2 | |
| | | 4-24-58 | 22.7 | 1202.5 | | | | 4-24-58 | 96.1 | 1344.3 | |
| 2N/14W-10R02 S | 1215.6 | 7-01-57 | 48.6 | 1171.0 | 1101 | | | 10-11-57 | 107.7 | 1347.9 | 1200 |
| | | 9-05-57 | 48.7 | 1170.9 | | | | 10-22-57 | 105.6 | 1349.4 | 1101 |
| | | 9-03-57 | 48.8 | 1170.8 | | | | 11-15-57 | 101.5 | 1356.1 | 1200 |
| | | 10-01-57 | 49.2 | 1170.4 | | | | 12-12-57 | 98.5 | 1350.1 | |
| | | 10-22-57 | 49.0 | 1170.6 | | | | 3-12-58 | 96.5 | 1361.1 | |
| | | 11-03-57 | 49.0 | 1170.6 | | | | 4-10-58 | 94.2 | 1363.4 | 1101 |
| | | 1-06-58 | 47.7 | 1171.9 | | | | 4-21-58 | 93.2 | 1361.8 | 1101 |
| | | 2-11-58 | 45.5 | 1174.1 | | | | 6-06-58 | 119.5 | 1338.1 | 1200 |
| | | 3-03-58 | 40.9 | 1178.7 | | | | 10-22-57 | 105.6 | 1351.8 | 1101 |
| | | 4-21-58 | 30.3 | 1189.3 | | | | 11-19-57 | 100.6 | 1356.8 | |
| | | 4-21-58 | 27.3 | 1192.3 | | | | 4-21-58 | 93.5 | 1363.9 | |
| | | 5-06-58 | 25.9 | 1193.7 | | | | 4-24-58 | 105.1 | 1352.3 | |
| | | 6-05-58 | 30.4 | 1189.2 | | | | 11-19-57 | 56.1 | 1348.5 | 1200 |
| | | 6-06-58 | 30.7 | 1188.9 | | | | 4-24-58 | 66.9 | 1339.7 | |
| 2N/14W-11K01 S | 1285.5 | 10-22-57 | 57.1 | 1233.4 | 1101 | 2N/14W-14A01 S | 1402.6 | 11-19-57 | 56.1 | 1348.5 | 1200 |
| | | 4-21-58 | 40.4 | 1245.1 | | | | 4-24-58 | 66.9 | 1339.7 | |
| 2N/14W-11N03 S | 1243.8 | 10-22-57 | 25.5 | 1218.3 | 1101 | 2N/14W-14A02 S | 1377.4 | 10-11-57 | 42.2 | 1335.2 | 1200 |
| | | 4-21-58 | 11.4 | 1232.4 | | | | 11-15-57 | 37.6 | 1339.8 | |
| 2N/14W-12C02 S | 1356.6 | 7-01-57 | 12.7 | 1343.9 | 1101 | | | 12-12-57 | 31.6 | 1342.0 | |
| | | 8-06-57 | 13.2 | 1343.4 | | | | 1-16-58 | 42.0 | 1343.0 | |
| | | 9-03-57 | 13.5 | 1343.1 | | | | 3-12-58 | 33.6 | 1343.8 | |
| | | | | | | | | 4-10-58 | 31.6 | 1345.8 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| TUJUNGA BASIN | | | | | | VERDUGO BASIN | | | | | |
| 2N/14W-14B01 S | 1335±2 | 7-01-57 | 14±8 | 1320±4 | 1101 | 1N/13W-03D02 S | 1230±0 | 9-03-57 | 115±0* | 1115±0 | 1101 |
| | | 8-05-57 | 18±6 | 1316±6 | | | | 10-31-57 | 115±0* | 1115±0 | |
| | | 9-03-57 | 20±8 | 1314±4 | | | | 11-30-57 | 110±0* | 1123±0 | |
| | | 10-01-57 | 18±2 | 1317±0 | | | | 1-31-58 | 106±0* | 1124±0 | |
| | | 10-22-57 | 15±1 | 1320±1 | 1200 | | | 2-28-58 | 130±0* | 1100±0 | |
| | | 11-19-57 | 12±4 | 1322±8 | 1101 | | | 3-31-58 | 130±0* | 1107±0 | |
| | | 12-03-57 | 11±9 | 1323±3 | | | | 4-32-58 | 133±0* | 1097±0 | |
| | | 1-06-58 | 10±3 | 1324±9 | | | | 6-32-58 | 132±0* | 1096±0 | |
| | | 2-10-58 | 12±7 | 1322±5 | | | | | | | |
| | | 3-03-58 | 9±7 | 1325±5 | | | | | | | |
| | | 4-08-58 | 7±9 | 1327±3 | | | | | | | |
| | | 4-21-58 | 7±4 | 1327±8 | | | | | | | |
| | | 4-24-58 | 9±3 | 1325±9 | 1200 | | | | | | |
| | | 5-06-58 | 10±6 | 1328±6 | 1101 | | | | | | |
| | | 6-06-58 | 15±3 | 1319±9 | | | | | | | |
| 2N/14W-14C04 S | 1325±8 | 10-32-57 | 7±7 | 1318±1 | 1101 | 1N/13W-03D05 S | 1153±0 | 7-05-57 | 127±0* | 1026±0 | 1101 |
| | | 11-17-57 | 7±9 | 1317±9 | 1200 | | | 8-20-57 | 133±0* | 1020±0 | |
| | | 4-21-58 | 5±2 | 1320±3 | 1101 | | | 8-26-57 | 137±0* | 1019±0 | |
| | | 4-24-58 | 5±6 | 1320±2 | 1200 | | | 9-25-57 | 125±0* | 1028±0 | |
| 2N/14W-14G01 S | 1373±4 | 11-19-57 | 4±7 | 1328±7 | 1200 | | | 9-22-57 | 133±0* | 1030±0 | |
| | | 4-24-58 | 40±6 | 1332±8 | | | | 10-02-57 | 135±0* | 1018±0 | |
| 2N/14W-14H02 S | 1415±7 | 3-12-58 | 62±5 | 1353±2 | 1101 | | | 10-16-57 | 122±0* | 1031±0 | |
| | | 4-10-58 | 60±2 | 1355±5 | | | | 10-28-57 | 121±9* | 1031±0 | |
| | | 5-09-58 | 74±2 | 1321±5 | | | | 11-09-57 | 116±0* | 1037±0 | |
| | | 6-06-58 | 81±7 | 1334±0 | | | | 11-23-57 | 111±0* | 1042±0 | |
| 2N/15N-01G01 S | 1201±0 | 10-32-57 | 212±0 | 989±0 | 1101 | | | 12-09-57 | 108±0* | 1045±0 | |
| | | 5-07-58 | 211±6 | 989±4 | | | | 1-26-57 | 103±0* | 1050±0 | |
| 3N/15N-35J02 S | 1205±0 | 2-11-58 | 30±2 | 1174±8 | 1101 | | | 1-01-58 | 102±0* | 1051±0 | |
| | | 3-25-58 | 46±6 | 1158±4 | | | | 1-11-58 | 113±0* | 1040±0 | |
| | | 3-31-58 | 40±3 | 1164±5 | | | | 2-04-58 | 99±0* | 1054±0 | |
| | | 4-02-58 | 36±4 | 1175±6 | | | | 2-28-58 | 110±0* | 1043±0 | |
| | | 4-02-58 | 32±4 | 1182±1 | | | | 3-06-58 | 99±0* | 1054±0 | |
| | | 4-30-58 | 17±5 | 1187±7 | | | | 3-27-58 | 97±0* | 1056±0 | |
| | | 4-30-58 | 20±8 | 1187±7 | | | | 4-10-58 | 88±0* | 1065±0 | |
| | | 5-07-58 | 13±2 | 1191±6 | | | | 5-23-58 | 93±0* | 1060±0 | |
| | | 5-14-58 | 9±7 | 1193±9 | | | | 6-01-58 | 95±0* | 1058±0 | |
| | | | | | | | | 6-28-58 | 97±0* | 1056±0 | |
| | | | | | | | | | | | |
| VERDUGO BASIN | | | | | | | | | | | |
| 1N/13W-03D02 S | 1230±0 | 7-31-57 | 116±0* | 1114±0 | 1101 | 1N/13W-10B01 S | 1003±4 | 9-15-57 | 52±0* | 951±0 | 1101 |
| | | | | | | | | 9-15-57 | 52±4 | 951±0 | |
| | | | | | | | | 10-15-57 | 52±0* | 951±0 | |
| | | | | | | | | 11-15-57 | 52±6 | 951±0 | |
| | | | | | | | | 11-15-57 | 52±6 | 951±0 | |
| | | | | | | | | 11-15-57 | 52±6 | 951±0 | |
| | | | | | | | | 12-15-57 | 52±6 | 951±0 | |
| | | | | | | | | 1-15-58 | 52±6 | 951±0 | |
| | | | | | | | | 1-15-58 | 52±6 | 951±0 | |
| | | | | | | | | 2-15-58 | 52±4* | 951±0 | |

GROUND WATER LEVELS AT WELLS

| Site Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| VERDUGO BASIN | | | | | | | | | | | |
| 41200 | | | | | | | | | | | |
| 1N/13W-1UB01 S | 1003.4 | 2-15-58 | 52.4 | 951.0 | 1101 | 1N/13W-1UF02 S | 965.5 | 6-15-58 | 42.5 | 923.0 | 1101 |
| CONT. | | 3-15-58 | 50.4 | 953.0 | | 1N/13W-10001 S | 884.9 | 7-15-57 | 29.9 | 855.0 | 1101 |
| | | 4-15-58 | 48.4 | 955.0 | | | | 8-15-57 | 29.9 | 855.0 | |
| | | 5-15-58 | 46.4 | 959.0 | | | | 9-15-57 | 29.9 | 855.0 | |
| | | 6-15-58 | 41.4 | 962.0 | | | | 10-15-57 | 29.9 | 855.0 | |
| | | 6-15-58 | 41.4 | 962.0 | | | | 11-15-57 | 29.9 | 855.0 | |
| 1N/13W-10F01 S | 965.2 | 12-15-57 | 54.2 | 911.0 | 1101 | | | 12-15-57 | 29.9 | 855.0 | |
| | | 1-15-58 | 53.2 | 912.0 | | | | 1-15-58 | 27.0 | 857.0 | |
| | | 2-15-58 | 54.2 | 911.0 | | | | 2-15-58 | 27.0 | 857.0 | |
| | | 3-15-58 | 53.7 | 911.5 | | | | 3-15-58 | 27.9 | 857.0 | |
| | | 4-15-58 | 53.2 | 912.0 | | | | 4-15-58 | 27.9 | 857.0 | |
| | | 5-15-58 | 49.2 | 916.0 | | | | 5-15-58 | 27.9 | 857.0 | |
| | | 6-15-58 | 47.2 | 918.0 | | | | 6-15-58 | 27.9 | 857.0 | |
| 1N/13W-1UF02 S | 965.5 | 9-15-57 | 49.5 | 916.0 | 1101 | 2N/13W-27N01 S | 1695.0 | 7-02-57 | 182.7 | 1512.3 | 1101 |
| | | 10-15-57 | 49.5 | 916.0 | | | | 8-02-57 | 178.6 | 1515.4 | |
| | | 11-15-57 | 49.5 | 916.0 | | | | 9-02-57 | 181.0 | 1519.2 | 1200 |
| | | 12-15-57 | 49.5 | 916.0 | | | | 10-02-57 | 179.3 | 1515.2 | 1101 |
| | | 1-15-58 | 49.5 | 916.0 | | | | 11-02-57 | 179.4 | 1515.6 | |
| | | 2-15-58 | 53.5 | 912.0 | | | | 12-02-57 | 179.3 | 1515.7 | |
| | | 3-15-58 | 53.5 | 912.0 | | | | 1-01-58 | 181.0 | 1514.0 | |
| | | 4-15-58 | 49.5 | 916.0 | | | | 2-01-58 | 181.0 | 1514.0 | |
| | | 5-15-58 | 49.5 | 916.0 | | | | 3-01-58 | 179.1 | 1515.9 | |
| | | 6-15-58 | 47.5 | 920.0 | | | | 4-10-58 | 178.7 | 1516.3 | |
| | | 7-15-58 | 49.2 | 916.0 | | | | 4-11-58 | 100.0 | 1595.2 | 1200 |
| | | 8-15-58 | 38.5 | 925.0 | | | | 4-20-58 | 178.8 | 1516.2 | 1101 |
| | | 9-15-58 | 38.5 | 925.0 | | | | 6-10-58 | 187.0 | 1508.0 | |
| | | 10-15-58 | 47.5 | 918.0 | | | | | | | |
| | | 11-15-58 | 44.5 | 921.0 | | | | 10-22-57 | 253.2 | 1491.8 | 1101 |
| | | 12-15-58 | 44.5 | 921.0 | | | | 4-22-58 | 263.9* | 1481.1 | |
| | | 1-15-59 | 44.5 | 921.0 | | | | | | | |
| | | 2-15-59 | 42.5 | 923.0 | | | | 7-05-57 | 115.0* | 1892.6 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| VERDUGO BASIN | | | | | | | | | | | |
| 2N/13W-28N01 S | 1487.6 | 7-06-57 | 88.0* | 1319.6 | 1101 | 2N/13W-29F01 S | 1590.0 | 10-22-57 | 77.0* | 1513.0 | 1101 |
| | | 7-21-57 | 86.0* | 1323.6 | | CONT. | 1591.0 | 10-28-57 | 55.8 | 1535.2 | |
| | | 9-02-57 | 87.0* | 1318.6 | | | | 11-03-57 | 61.0* | 1530.0 | |
| | | 9-26-57 | 48.0* | 1261.6 | | | | 11-22-57 | 60.0* | 1531.0 | |
| | | 10-31-57 | 97.0* | 1208.6 | | | | 11-09-57 | 58.0* | 1533.0 | |
| | | 10-08-57 | 92.0* | 1210.6 | | | | 11-26-57 | 57.0* | 1534.0 | |
| | | 10-08-57 | 82.0* | 1268.6 | | | | 11-01-58 | 57.0* | 1534.0 | |
| | | 11-03-57 | 90.0* | 1314.6 | | | | 11-10-58 | 57.0* | 1534.0 | |
| | | 11-22-57 | 90.0* | 1317.6 | 1200 | | | 2-06-58 | 53.0* | 1538.0 | |
| | | 11-26-57 | 93.0* | 1318.6 | 1101 | | | 2-27-58 | 51.0* | 1540.0 | |
| | | 12-02-57 | 92.0* | 1315.6 | | | | 3-06-58 | 49.0* | 1542.0 | |
| | | 12-01-58 | 94.0* | 1313.6 | | | | 3-27-58 | 47.0* | 1544.0 | |
| | | 1-01-58 | 94.0* | 1313.6 | 1200 | | | 4-04-58 | 45.0* | 1545.0 | |
| | | 1-01-58 | 92.0* | 1283.6 | 1101 | | | 4-10-58 | 46.0* | 1545.0 | |
| | | 1-30-58 | 92.0* | 1318.6 | | | | 5-10-58 | 47.0* | 1544.0 | |
| | | 1-31-58 | 87.0* | 1320.6 | | | | 6-02-58 | 48.0* | 1543.0 | |
| | | 2-06-58 | 72.0* | 1318.6 | | | | 6-23-58 | 47.0* | 1544.0 | |
| | | 2-25-58 | 89.0* | 1318.6 | | | | | | | |
| | | 2-28-58 | 87.0* | 1320.6 | | | | | | | |
| | | 3-06-58 | 88.0* | 1319.6 | | | | | | | |
| | | 3-27-58 | 82.0* | 1325.6 | | | | | | | |
| | | 4-11-58 | 79.0* | 1328.6 | | | | | | | |
| | | 5-02-58 | 70.0* | 1337.6 | | | | | | | |
| | | 5-08-58 | 78.0* | 1329.6 | | | | | | | |
| | | 6-03-58 | 78.0* | 1329.6 | | | | | | | |
| VERDUGO BASIN | | | | | | | | | | | |
| 2N/13W-29A01 S | 1750.0 | 7-15-57 | 144.0 | 1608.0 | 1101 | 2N/13W-29J01 S | 1532.0 | 7-15-57 | 66.0 | 1466.0 | 1101 |
| | | 8-15-57 | 144.0 | 1606.0 | | | | 8-06-57 | 66.0 | 1466.0 | |
| | | 9-15-57 | 143.0 | 1607.0 | | | | 9-15-57 | 66.0 | 1466.0 | |
| | | 10-15-57 | 143.0 | 1607.0 | | | | 10-15-57 | 67.0 | 1465.0 | |
| | | 11-15-57 | 142.0 | 1608.0 | | | | 11-15-57 | 66.0 | 1466.0 | |
| | | 12-15-57 | 142.0 | 1608.0 | | | | 11-15-57 | 66.0 | 1466.0 | |
| | | 1-15-58 | 142.0 | 1608.0 | | | | 1-15-58 | 66.0 | 1466.0 | |
| | | 2-15-58 | 142.0 | 1608.0 | | | | 2-15-58 | 65.0 | 1467.0 | |
| | | 3-15-58 | 142.0 | 1608.0 | | | | 3-15-58 | 64.0 | 1468.0 | |
| | | 4-15-58 | 139.0 | 1611.0 | | | | 4-15-58 | 59.0 | 1473.0 | |
| | | 5-15-58 | 138.0 | 1612.0 | | | | 5-15-58 | 55.0 | 1477.0 | |
| | | 6-15-58 | 136.5 | 1613.5 | | | | 6-15-58 | 53.0 | 1479.0 | |
| VERDUGO BASIN | | | | | | | | | | | |
| 2N/13W-29F01 S | 1590.0 | 7-07-57 | 73.0* | 1517.0 | 1101 | 2N/13W-29R01 S | 1435.0 | 7-05-57 | 80.0* | 1355.0 | 1101 |
| | | 8-04-57 | 102.0* | 1488.0 | | | | 7-19-57 | 82.0* | 1353.0 | |
| | | 8-22-57 | 102.0* | 1488.0 | | | | 8-04-57 | 82.0* | 1353.0 | |
| | | 9-16-57 | 71.0* | 1519.0 | | | | 8-22-57 | 82.0* | 1353.0 | |
| | | 10-03-57 | 71.0* | 1519.0 | | | | 9-16-57 | 65.0* | 1370.0 | |
| | | 10-21-57 | 70.0* | 1520.0 | | | | 10-02-57 | 65.0* | 1370.0 | |
| | | | | | | | | 10-28-57 | 73.1 | 1361.9 | |
| | | | | | | | | 11-04-57 | 56.0* | 1379.0 | |
| | | | | | | | | 11-22-57 | 80.0* | 1355.0 | |
| | | | | | | | | 11-25-57 | 57.0* | 1378.0 | |
| | | | | | | | | 11-26-57 | 56.0* | 1379.0 | |
| | | | | | | | | 1-10-58 | 82.0* | 1353.0 | |
| | | | | | | | | 1-14-58 | 57.0* | 1378.0 | |
| | | | | | | | | 2-06-58 | 54.0* | 1381.0 | |
| | | | | | | | | 2-16-58 | 49.0* | 1386.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | P.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|---------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | | | | | | |
| 41200 | | | | | | SAN FERNANDO VALLEY | | | | | |
| VERDUGO BASIN | | | | | | | | | | | |
| CONT. | | | | | | | | | | | |
| 2N/13W-29R01 S | 1435.0 | 2-24-58 | 47.0* | 1388.0 | 1101 | 2N/13W-33G01 S | 1294.0 | 7-19-57 | 80.0* | 1214.0 | 1101 |
| | | 2-25-58 | 68.0* | 1391.0 | | | | 7-21-57 | 76.0* | 1218.0 | |
| | | 3-01-58 | 47.0* | 1388.0 | | | | 8-04-57 | 78.0* | 1216.0 | |
| | | 3-28-58 | 42.0* | 1393.0 | | | | 8-26-57 | 75.0* | 1219.0 | |
| | | 4-11-58 | 35.0* | 1400.0 | | | | 9-05-57 | 83.0* | 1211.0 | |
| | | 4-25-58 | 45.0* | 1390.0 | | | | 9-27-57 | 78.0* | 1200.0 | |
| | | 5-11-58 | 33.0* | 1402.0 | | | | 10-22-57 | 77.0* | 1211.0 | |
| | | 5-22-58 | 34.0* | 1401.0 | | | | 10-26-57 | 73.0* | 1231.0 | |
| | | 6-12-58 | 38.0* | 1397.0 | | | | 11-09-57 | 72.0* | 1232.0 | |
| | | 6-29-58 | 35.0* | 1400.0 | | | | 11-22-57 | 76.0* | 1234.0 | |
| 2N/13W-29R02 S | 1435.0 | 10-28-57 | 65.9* | 1369.1 | 1101 | | | 12-09-57 | 70.0* | 1226.0 | |
| | | 4-22-58 | 39.1* | 1395.9 | | | | 12-24-57 | 68.0* | 1236.0 | |
| 2N/13W-33C01 S | 1368.0 | 7-05-57 | 92.0* | 1276.0 | 1101 | | | 1-01-58 | 68.0* | 1236.0 | |
| | | 7-19-57 | 92.0* | 1276.0 | | | | 1-10-58 | 67.0* | 1237.0 | |
| | | 8-08-57 | 94.0* | 1274.0 | | | | 4-22-58 | 44.7* | 1259.3 | |
| | | 8-25-57 | 96.0* | 1272.0 | | | | 5-08-58 | 45.0* | 1249.0 | |
| | | 9-17-57 | 84.0* | 1284.0 | | | | 5-29-58 | 48.0* | 1246.0 | |
| | | 10-05-57 | 84.0* | 1284.0 | | | | 6-03-58 | 50.0* | 1244.0 | |
| | | 10-28-57 | 86.9 | 1281.1 | | | | 6-20-58 | 52.0* | 1242.0 | |
| | | 11-05-57 | 84.0* | 1284.0 | | | | | | | |
| | | 11-21-57 | 100.0* | 1268.0 | | | | | | | |
| | | 12-11-57 | 90.0* | 1278.0 | | | | | | | |
| | | 1-11-58 | 84.0* | 1284.0 | | | | | | | |
| | | 1-30-58 | 82.0* | 1286.0 | | | | | | | |
| | | 2-06-58 | 94.0* | 1274.0 | | | | | | | |
| | | 2-07-58 | 79.0* | 1289.0 | | | | | | | |
| | | 2-25-58 | 81.0* | 1287.0 | | | | | | | |
| | | 3-06-58 | 83.0* | 1285.0 | | | | | | | |
| | | 3-29-58 | 72.0* | 1296.0 | | | | | | | |
| | | 4-06-58 | 68.0* | 1300.0 | | | | | | | |
| | | 4-24-58 | 81.0* | 1287.0 | | | | | | | |
| | | 5-08-58 | 140.0* | 1228.0 | | | | | | | |
| | | 5-12-58 | 124.0* | 1244.0 | | | | | | | |
| | | 6-02-58 | 126.0* | 1242.0 | | | | | | | |
| 2N/13W-33C03 S | 1350.0 | 10-28-57 | 84.0 | 1266.0 | 1101 | | | | | | |
| | | 4-22-58 | 69.1* | 1280.9 | | | | | | | |
| 2N/13W-33C05 S | 1341.0 | 10-28-57 | 53.4 | 1287.6 | 1101 | | | | | | |
| 2N/13W-33C06 S | 1347.0 | 10-28-57 | 95.3 | 1251.7 | 1101 | | | | | | |
| | | 4-22-58 | 76.1 | 1270.9 | | | | | | | |
| 2N/13W-33G01 S | 1294.0 | 7-06-57 | 72.0* | 1222.0 | 1101 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|---------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN FERNANDO VALLEY | | | | | | SAN FERNANDO VALLEY | | | | | |
| 41200 | | | | | | 41200 | | | | | |
| VERDUGO BASIN | | | | | | VERDUGO BASIN | | | | | |
| 2N/13W-33R01 S | 1230.7 | 5-29-58 | 74.0* | 1156.7 | 1101 | 2N/13W-33R05 S | 1230.0 | 6-08-58 | 52.0* | 1178.0 | 1101 |
| | | 6-06-58 | 83.0* | 1147.7 | | CONT. | | 6-20-58 | 52.0* | 1178.0 | |
| | | 6-19-58 | 78.0* | 1152.7 | | | | | | | |
| | | 6-29-58 | 75.0* | 1155.7 | | 2N/13W-33R07 S | 1224.0 | 7-05-57 | 83.0* | 1141.0 | 1101 |
| 2N/13W-33R03 S | 1220.0 | 7-05-57 | 75.0* | 1145.0 | 1101 | | | 7-22-57 | 84.0* | 1140.0 | |
| | | 7-22-57 | 77.0* | 1143.0 | | | | 8-03-57 | 87.0* | 1137.0 | |
| | | 8-03-57 | 80.0* | 1140.0 | | | | 8-21-57 | 89.0* | 1135.0 | |
| | | 9-05-57 | 82.0* | 1138.0 | | | | 9-05-57 | 87.5* | 1136.5 | |
| | | 9-22-57 | 77.0* | 1143.0 | | | | 9-22-57 | 84.0* | 1140.0 | |
| | | 10-02-57 | 77.0* | 1143.0 | | | | 10-02-57 | 84.0* | 1140.0 | |
| | | 10-26-57 | 75.0* | 1145.0 | | | | 10-14-57 | 80.0* | 1144.0 | |
| | | 11-03-57 | 75.0* | 1145.0 | | | | 10-26-57 | 84.0* | 1140.0 | |
| | | 11-08-57 | 75.0* | 1145.0 | | | | 11-03-57 | 83.0* | 1141.0 | |
| | | 12-09-57 | 73.0* | 1147.0 | | | | 11-08-57 | 83.0* | 1141.0 | |
| | | 12-26-57 | 72.0* | 1148.0 | | | | 12-09-57 | 82.0* | 1142.0 | |
| | | 1-11-58 | 68.0* | 1152.0 | | | | 12-26-57 | 80.0* | 1144.0 | |
| | | 2-28-58 | 62.0* | 1158.0 | | | | 1-11-58 | 77.0* | 1147.0 | |
| | | 3-31-58 | 56.0* | 1164.0 | | | | 2-06-58 | 75.0* | 1149.0 | |
| | | 4-30-58 | 55.0* | 1165.0 | | | | 2-24-58 | 69.0* | 1153.0 | |
| | | 5-31-58 | 53.0* | 1167.0 | | | | 3-08-58 | 67.0* | 1157.0 | |
| | | 6-12-58 | 52.0* | 1168.0 | | | | 3-28-58 | 63.0* | 1161.0 | |
| | | 6-20-58 | 48.0* | 1172.0 | | | | 4-04-58 | 65.0* | 1159.0 | |
| 2N/13W-33R05 S | 1230.0 | 7-05-57 | 89.0* | 1141.0 | 1101 | | | 4-24-58 | 60.0* | 1164.0 | |
| | | 7-06-57 | 72.0* | 1158.0 | | | | 5-09-58 | 57.0* | 1167.0 | |
| | | 7-21-57 | 79.0* | 1151.0 | | | | 5-31-58 | 63.0* | 1161.0 | |
| | | 8-03-57 | 83.0* | 1147.0 | | | | 6-12-58 | 57.0* | 1167.0 | |
| | | 8-04-57 | 93.0* | 1137.0 | | | | 6-28-58 | 61.0* | 1163.0 | |
| | | 8-21-57 | 85.0* | 1145.0 | | | | | | | |
| | | 9-05-57 | 83.0* | 1147.0 | | | | | | | |
| | | 9-07-57 | 94.0* | 1136.0 | | | | | | | |
| | | 9-22-57 | 79.0* | 1151.0 | | | | | | | |
| | | 10-02-57 | 79.0* | 1151.0 | | | | | | | |
| | | 10-14-57 | 76.0* | 1154.0 | | | | | | | |
| | | 10-26-57 | 89.0* | 1141.0 | | | | | | | |
| | | 11-01-57 | 80.0* | 1150.0 | | | | | | | |
| | | 11-03-57 | 89.0* | 1141.0 | | | | | | | |
| | | 12-09-57 | 88.0* | 1142.0 | | | | | | | |
| | | 12-26-57 | 85.0* | 1145.0 | | | | | | | |
| | | 1-11-58 | 72.0* | 1158.0 | | | | | | | |
| | | 1-31-58 | 64.0* | 1166.0 | | | | | | | |
| | | 2-28-58 | 64.0* | 1166.0 | | | | | | | |
| | | 3-31-58 | 57.0* | 1173.0 | | | | | | | |
| | | 4-30-58 | 58.0* | 1172.0 | | | | | | | |
| | | 5-31-58 | 52.0* | 1178.0 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dir't. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dir't. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | SAN GABRIEL VALLEY | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | MAIN SAN GABRIEL BASIN | | | | | |
| IN/10W-25R01 S | 704.7 | 7-18-57 | 278.7 | 426.0 | 1101 | IN/10W-32J01 S | 549.9 | 10-23-57 | 310.1 | 239.8 | 1101 |
| | | 8-08-57 | 271.6 | 432.9 | | | | 4-30-58 | 233.2 | 316.7 | |
| | | 9-23-57 | 269.0 | 436.8 | | | | 10-23-57 | 309.9 | 236.1 | |
| | | 10-10-57 | 267.8 | 436.9 | | | | 4-30-58 | 233.0 | 313.0 | |
| | | 1-13-57 | 273.6 | 431.3 | | | | | | | |
| | | 1-15-58 | 283.0* | 421.7 | | | | | | | |
| | | 5-06-58 | 277.2* | 427.5 | | | | | | | |
| | | 3-27-58 | 264.1 | 440.6 | | | | | | | |
| | | 4-17-58 | 271.2 | 433.5 | | | | | | | |
| | | 5-08-58 | 279.1* | 425.6 | | | | | | | |
| | | 5-29-58 | 280.7 | 424.0 | | | | | | | |
| | | 6-19-58 | 283.5 | 421.2 | | | | | | | |
| IN/10W-31A01 S | 510.8 | 1-24-58 | 240.0* | 270.8 | 1101 | IN/10W-33M01 S | 548.9 | 7-10-57 | 298.6 | 250.3 | 1101 |
| | | 2-07-58 | 268.0 | 242.8 | | | | 7-24-57 | 300.7 | 248.2 | |
| | | 2-14-58 | 257.0 | 253.8 | | | | 8-14-57 | 303.2 | 245.7 | |
| | | 3-07-58 | 255.9 | 254.9 | | | | 9-04-57 | 305.0 | 243.9 | |
| | | 3-28-58 | 217.8 | 293.0 | | | | 10-23-57 | 307.9 | 241.0 | |
| | | 4-18-58 | 183.7 | 327.1 | | | | 11-13-57 | 307.6 | 241.2 | |
| | | 4-29-58 | 195.5* | 315.3 | | | | 12-04-57 | 307.6 | 241.3 | |
| | | 5-09-58 | 184.3* | 326.5 | | | | 12-25-57 | 306.1 | 242.8 | |
| | | 5-13-58 | 203.8* | 307.0 | | | | 1-15-58 | 298.6 | 250.3 | |
| | | 5-30-58 | 185.5* | 325.3 | | | | 2-05-58 | 303.0 | 245.9 | |
| | | 6-02-58 | 204.7* | 306.1 | | | | 2-26-58 | 291.2 | 257.7 | |
| | | 6-20-58 | 191.0* | 319.8 | | | | 3-19-58 | 285.3 | 263.6 | |
| | | 6-23-58 | 202.1* | 308.7 | | | | 4-09-58 | 279.3 | 269.6 | |
| | | 6-30-58 | 203.5* | 307.3 | | | | 4-30-58 | 273.2 | 275.7 | |
| | | | | | | | | 5-21-58 | 239.0 | 309.9 | |
| | | | | | | | | 6-11-58 | 233.8 | 315.1 | |
| IN/10W-31M01 S | 450.0 | 8-09-57 | 210.3 | 239.7 | 1101 | IN/10W-34L01 S | 560.0 | 10-29-57 | 276.0* | 284.0 | 1101 |
| | | 8-30-57 | 211.9 | 238.1 | | | | 4-30-58 | 219.0 | 341.0 | |
| | | 9-17-57 | 213.3 | 237.6 | | | | | | | |
| | | 11-01-57 | 213.4 | 236.7 | | | | | | | |
| | | 11-22-57 | 213.4 | 237.6 | | | | | | | |
| | | 12-13-57 | 213.6 | 236.4 | | | | | | | |
| | | 1-24-58 | 212.4 | 237.6 | | | | | | | |
| | | 2-18-58 | 216.5 | 233.5 | | | | | | | |
| | | 3-07-58 | 215.0 | 235.0 | | | | | | | |
| | | 3-28-58 | 182.8 | 267.2 | | | | | | | |
| | | 4-18-58 | 177.1 | 272.9 | | | | | | | |
| | | 4-29-58 | 160.2 | 289.8 | | | | | | | |
| | | 5-13-58 | 161.6 | 288.2 | | | | | | | |
| | | 5-30-58 | 162.7 | 287.3 | | | | | | | |
| | | 6-02-58 | 161.0 | 287.0 | | | | | | | |
| | | 6-20-58 | 157.9 | 282.1 | | | | | | | |
| | | 6-30-58 | 160.0 | 290.0 | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | MAIN SAN GABRIEL BASIN | | | | | |
| IN/11W-13N01 S | 870.0 | 10-23-57 | 38.4 | 831.6 | 1101 | IN/11W-13N01 S | 870.0 | 10-23-57 | 38.4 | 831.6 | 1101 |
| | | 2-11-58 | 23.2 | 846.8 | | | | 2-11-58 | 23.2 | 846.8 | |
| | | 2-17-58 | 21.7 | 848.1 | | | | 2-17-58 | 21.9 | 848.1 | |
| | | 2-21-58 | 22.2 | 847.8 | | | | 2-21-58 | 22.2 | 847.8 | |
| | | 2-28-58 | 23.1 | 846.9 | | | | 2-28-58 | 23.1 | 846.9 | |
| | | 3-05-58 | 21.8 | 848.2 | | | | 3-05-58 | 21.8 | 848.2 | |
| | | 3-11-58 | 22.3 | 847.7 | | | | 3-11-58 | 22.3 | 847.7 | |
| | | 3-26-58 | 20.0 | 850.0 | | | | 3-26-58 | 20.0 | 850.0 | |
| | | 4-08-58 | 16.9 | 853.1 | | | | 4-08-58 | 16.9 | 853.1 | |
| | | 4-18-58 | 22.6 | 847.4 | | | | 4-18-58 | 22.6 | 847.4 | |
| | | 4-19-58 | 22.4 | 849.9 | | | | 4-19-58 | 22.4 | 849.9 | |
| | | 5-3-58 | 22.3 | 848.9 | | | | 5-3-58 | 22.3 | 848.9 | |
| | | 6-20-58 | 26.2 | 843.8 | | | | 6-20-58 | 26.2 | 843.8 | |
| IN/11W-24C01 S | 797.2 | 10-23-57 | 49.5 | 787.7 | 1101 | IN/11W-24C01 S | 797.2 | 10-23-57 | 49.5 | 787.7 | 1101 |
| | | 2-11-58 | 37.7 | 759.5 | | | | 2-11-58 | 37.7 | 759.5 | |
| | | 2-12-58 | 31.6 | 759.6 | | | | 2-12-58 | 31.6 | 759.6 | |
| | | 2-21-58 | 34.5 | 762.7 | | | | 2-21-58 | 34.5 | 762.7 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | | | | | | |
| 1N/11W-24C01 S | 797.2 | 2-28-58 | 32.8 | 764.4 | 1101 | 1N/11W-24L01 S | 697.6 | 3-11-58 | 81.4 | 616.2 | 1101 |
| CONT. | | 3-05-58 | 32.2 | 765.0 | | CONT. | | 3-19-58 | 78.1 | 619.5 | |
| | | 3-11-58 | 32.4 | 764.8 | | | | 4-08-58 | 68.1 | 629.5 | |
| | | 3-19-58 | 31.8 | 765.4 | | | | 4-18-58 | 57.9 | 639.7 | |
| | | 4-08-58 | 30.9 | 766.3 | | | | 4-29-58 | 46.3 | 641.3 | |
| | | 5-07-58 | 33.1 | 764.1 | | | | 5-04-58 | 62.8 | 634.8 | |
| | | 6-04-58 | 40.2 | 757.0 | | | | 5-09-58 | 63.1 | 634.5 | |
| | | 6-20-58 | 35.9 | 761.3 | | | | 5-13-58 | 66.7 | 630.9 | |
| | | | | | | | | 5-30-58 | 69.7 | 627.9 | |
| | | | | | | | | 6-04-58 | 75.4 | 622.2 | |
| | | | | | | | | 6-20-58 | 79.6 | 622.6 | |
| | | | | | | | | | | 618.0 | |
| 1N/11W-24E03 S | 765.3 | 10-23-57 | DRY | 705.8 | 1101 | 1N/11W-27F01 S | 495.0 | 7-01-57 | 256.5 | 238.5 | 1101 |
| | | 1-27-58 | 59.5 | 724.2 | | | | 7-03-57 | 258.2 | 236.8 | |
| | | 2-10-58 | 41.1 | 721.1 | | | | 7-10-57 | 258.6 | 236.4 | |
| | | 2-11-58 | 44.2 | 718.3 | | | | 7-24-57 | 258.8 | 236.2 | |
| | | 2-12-58 | 47.0 | 703.9 | | | | 7-31-57 | 258.9 | 236.1 | |
| | | 2-17-58 | 61.4* | 722.6 | | | | 8-07-57 | 258.6 | 236.4 | |
| | | 2-28-58 | 48.9 | 716.4 | | | | 8-28-57 | 257.4 | 237.6 | |
| | | 3-05-58 | 57.1* | 708.2 | | | | 9-04-57 | 258.0* | 235.0 | |
| | | 3-11-58 | 56.3* | 709.0 | | | | 9-18-57 | 259.0* | 234.0 | |
| | | 3-19-58 | 29.4 | 735.9 | | | | 9-25-57 | 259.0* | 234.0 | |
| | | 3-26-58 | 32.1 | 733.2 | | | | 10-02-57 | 258.0* | 235.0 | |
| | | 4-08-58 | 17.6 | 747.7 | | | | 10-16-57 | 259.0* | 234.0 | |
| | | 4-18-58 | 36.5 | 728.8 | | | | 11-20-57 | 260.0* | 233.0 | |
| | | 4-29-58 | 53.7 | 711.6 | | | | 12-04-57 | 261.0* | 232.0 | |
| | | 5-04-58 | 58.3 | 707.0 | | | | 12-26-57 | 259.0* | 234.0 | |
| | | 5-13-58 | 66.3 | 699.0 | | | | 1-29-58 | 260.0* | 233.0 | |
| | | 6-04-58 | 67.4 | 697.9 | | | | 2-26-58 | 258.0* | 235.0 | |
| | | 6-20-58 | 69.8 | 695.5 | | | | 3-26-58 | 248.0* | 245.0 | |
| | | | | | | | | 4-30-58 | 248.0* | 250.0 | |
| | | | | | | | | 5-21-58 | 243.0* | 252.0 | |
| | | | | | | | | 6-25-58 | 271.0 | 222.0 | |
| 1N/11W-24L01 S | 697.6 | 7-19-57 | 110.7 | 586.9 | 1101 | 1N/11W-31R01 S | 505.0** | 8-01-57 | 298.0* | 207.0 | 3051 |
| | | 8-09-57 | 111.5 | 586.1 | | | | 8-01-57 | 298.0* | 205.0 | 1050 |
| | | 8-30-57 | 113.0 | 584.6 | | | | 9-01-57 | 299.0* | 206.0 | 3051 |
| | | 9-17-57 | 113.5 | 584.1 | | | | 9-01-57 | 299.0* | 204.0 | 1050 |
| | | 10-11-57 | 114.1 | 583.5 | | | | 10-01-57 | 299.0* | 206.0 | 3051 |
| | | 11-01-57 | 110.1 | 587.5 | | | | 10-01-57 | 299.0* | 204.0 | 1050 |
| | | 11-22-57 | 109.1 | 588.5 | | | | 11-01-57 | 293.0* | 212.0 | 3051 |
| | | 12-13-57 | 108.8 | 588.8 | | | | 11-01-57 | 293.0* | 210.0 | 1050 |
| | | 1-24-58 | 108.0 | 589.6 | | | | 12-01-57 | 335.0* | 168.0 | 3051 |
| | | 2-11-58 | 103.9 | 593.7 | | | | 1-01-58 | 292.0* | 213.0 | 1050 |
| | | 2-12-58 | 103.0 | 594.6 | | | | 1-01-58 | 292.0* | 211.0 | 1050 |
| | | 2-14-58 | 99.4 | 598.2 | | | | | | | |
| | | 2-17-58 | 94.3 | 603.3 | | | | | | | |
| | | 2-18-58 | 93.1 | 604.5 | | | | | | | |
| | | 2-21-58 | 91.2 | 606.4 | | | | | | | |
| | | 2-28-58 | 85.3 | 612.3 | | | | | | | |
| | | 3-05-58 | 82.6 | 615.0 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| Side Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | Side Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|--------|-------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | SAN GABRIEL VALLEY | | | | | |
| 41300 | | | | | | 41300 | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | | | | | | |
| IN/11W-31R01 S | | | | | | | | | | | |
| CONT. | | | | | | | | | | | |
| 505.0** | 2-01-58 | 250.0* | 215.0 | 3051 | | 1N/11W-34N01 S | 417.0 | 3-28-58 | 177.0 | 240.0 | 1101 |
| 503.0 | 2-01-58 | 250.0* | 213.0 | 1050 | | | | 4-18-58 | 172.3 | 284.7 | |
| 503.0** | 3-01-58 | 286.0* | 217.0 | 3051 | | | | 5-14-58 | 171.9 | 245.1 | |
| 503.0 | 3-01-58 | 286.0* | 217.0 | 1050 | | | | 5-30-58 | 166.1 | 250.9 | |
| 503.0** | 4-01-58 | 280.0* | 223.0 | 3051 | | | | 6-20-58 | 164.8 | 252.2 | |
| 503.0 | 5-01-58 | 276.0* | 223.0 | 1050 | | | | 7-03-57 | 229.0* | 174.0 | 1101 |
| 503.0 | 5-01-58 | 276.0* | 227.0 | 1081 | | 1N/11W-34N03 S | 403.0 | 8-07-57 | 220.0* | 173.0 | |
| 503.0** | 6-01-58 | 276.0* | 229.0 | 3051 | | | | 9-07-57 | 220.0* | 176.0 | |
| 503.0 | 6-01-58 | 276.0* | 227.0 | 1050 | | | | 9-07-57 | 220.0* | 173.0 | |
| IN/11W-32002 S | | | | | | | | | | | |
| 469.0 | 7-03-57 | 250.0* | 222.0 | 1101 | | | | 10-23-57 | 172.0* | 231.0 | |
| | 7-24-57 | 247.0* | 219.0 | | | | | 11-06-57 | 172.0* | 231.0 | |
| | 8-07-57 | 248.0* | 221.0 | | | | | 11-13-57 | 171.0* | 232.0 | |
| | 9-11-57 | 250.0* | 219.0 | | | | | 11-27-57 | 171.0* | 232.0 | |
| | 9-18-57 | 249.0* | 220.0 | | | | | 12-11-57 | 170.0* | 233.0 | |
| | 9-25-57 | 248.0* | 221.0 | | | | | 1-08-58 | 175.0* | 228.0 | |
| | 10-02-57 | 250.0* | 219.0 | | | | | 2-26-58 | 227.0* | 176.0 | |
| | 10-09-57 | 251.0* | 218.0 | | | | | 3-26-58 | 223.0* | 180.0 | |
| | 10-16-57 | 249.0* | 220.0 | | | | | 4-02-58 | 157.0* | 246.0 | |
| | 10-23-57 | 247.0* | 222.0 | | | | | 5-28-58 | 207.0* | 196.0 | |
| | 11-06-57 | 246.0* | 223.0 | | | | | 6-25-58 | 204.0* | 199.0 | |
| | 11-13-57 | 245.0* | 224.0 | | | | | 7-03-57 | 230.0* | 173.0 | 1101 |
| | 11-20-57 | 247.0* | 222.0 | | | | | 8-07-57 | 225.0* | 178.0 | |
| | 11-27-57 | 246.0* | 223.0 | | | | | 9-04-57 | 174.0* | 229.0 | |
| | 12-04-57 | 247.0* | 222.0 | | | | | 10-16-57 | 170.0* | 233.0 | |
| | 12-26-57 | 243.0* | 226.0 | | | | | 10-23-57 | 169.0* | 234.0 | |
| | 1-29-58 | 244.0* | 225.0 | | | | | 11-06-57 | 174.0* | 229.0 | |
| | 2-26-58 | 243.0* | 226.0 | | | | | 11-13-57 | 173.0* | 230.0 | |
| | 3-26-58 | 238.0* | 231.0 | | | | | 11-27-57 | 173.0* | 230.0 | |
| | 4-30-58 | 230.0* | 239.0 | | | | | 12-11-57 | 170.0* | 233.0 | |
| | 5-21-58 | 230.0* | 239.0 | | | | | 1-29-58 | 231.0* | 172.0 | |
| | 5-28-58 | 231.0* | 238.0 | | | | | 2-05-58 | 175.0* | 228.0 | |
| | 6-25-58 | 230.0* | 239.0 | | | | | 3-26-58 | 229.0* | 174.0 | |
| | 7-19-57 | 172.1 | 244.9 | 1101 | | | | 4-02-58 | 160.0* | 243.0 | |
| | 8-09-57 | 174.7 | 242.3 | | | | | 5-28-58 | 207.0* | 196.0 | |
| | 8-30-57 | 175.4 | 241.6 | | | | | 6-25-58 | 223.0* | 180.0 | |
| | 9-17-57 | 177.0 | 240.0 | | | | | 7-15-57 | 163.0* | 240.0 | 1101 |
| | 10-11-57 | 175.0 | 242.0 | | | | | 8-13-57 | 166.0* | 237.0 | |
| | 11-01-57 | 175.0 | 242.0 | | | | | 9-13-57 | 167.0* | 236.0 | |
| | 11-22-57 | 176.1 | 240.5 | | | | | 10-13-57 | 168.0* | 235.0 | |
| | 12-13-57 | 178.0 | 238.2 | | | | | 11-13-57 | 167.0* | 236.0 | |
| | 1-24-58 | 179.1 | 237.9 | | | | | 12-13-57 | 167.0* | 236.0 | |
| | 2-14-58 | 177.8 | 239.2 | | | | | 2-08-58 | 165.7* | 237.8 | |
| | 3-07-58 | 177.2 | 239.8 | | | | | 2-12-58 | 165.8* | 237.9 | |
| | | | | | | | | 2-13-58 | 165.3* | 238.2 | |

GROUND WATER LEVELS AT WELLS

| Site Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | Site Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|---------------------------------|--------------------|----------------|--------------------------------------|------------------------------|-----------------------|---------------------------------|--------------------|----------------|--------------------------------------|------------------------------|-----------------------|
| SAN GABRIEL VALLEY 41300 | | | | | | SAN GABRIEL VALLEY 41300 | | | | | |
| MAIN SAN GABRIEL BASIN 41301 | | | | | | MAIN SAN GABRIEL BASIN 41301 | | | | | |
| IN/11W-35L01 S | 403.5 | 2-21-58 163.0* | 163.0* | 240.5 | 1101 | 15/09W-19C01 S | 530.1 | 8-19-57 137.6 | 137.6 | 392.5 | 1101 |
| CONT. | | 2-28-58 160.5* | 243.0 | 243.0 | | CONT. | | 9-23-57 137.8 | 137.8 | 392.3 | |
| | | 3-07-58 158.1* | 246.4 | 246.4 | | | | 10-15-57 128.1 | 128.1 | 405.0 | |
| | | 3-11-58 157.5* | 245.0 | 245.0 | | | | 11-18-57 114.7 | 114.7 | 412.4 | |
| | | 3-16-58 156.7* | 246.8 | 246.8 | | | | 4-23-58 114.7 | 114.7 | 415.4 | |
| | | 3-28-58 153.0* | 250.5 | 250.5 | | | | | | | |
| | | 4-08-58 148.9* | 254.6 | 254.6 | | 15/09W-19C03 S | 526.0 | 11-18-57 110.8 | 110.8 | 415.2 | 1101 |
| | | 4-18-58 143.4* | 260.1 | 260.1 | | | | 5-06-58 114.3 | 114.3 | 411.7 | |
| | | 4-28-58 139.1* | 264.4 | 264.4 | | | | | | | |
| | | 5-14-58 136.2* | 267.3 | 267.3 | | 15/10W-01R01 S | 657.0 | 7-18-57 297.6 | 297.6 | 359.4 | 1101 |
| | | 5-21-58 151.0* | 252.5 | 252.5 | | | | 8-08-57 298.6 | 298.6 | 358.4 | |
| | | 6-04-58 134.6* | 268.9 | 268.9 | | | | 8-29-57 302.6 | 302.6 | 354.4 | |
| | | 6-20-58 139.5* | 264.0 | 264.0 | | | | 9-10-57 308.6 | 308.6 | 348.4 | |
| | | 6-23-58 138.7* | 264.8 | 264.8 | | | | 10-31-57 315.2 | 315.2 | 341.8 | |
| | | 6-27-58 139.1* | 264.4 | 264.4 | | | | 11-21-57 315.8 | 315.8 | 341.2 | |
| | | 6-30-58 137.9* | 265.6 | 265.6 | | | | 12-12-57 318.7 | 318.7 | 338.3 | |
| IN/11W-36L01 S | 416.5 | 8-09-57 176.1 | 240.4 | 240.4 | 1101 | | | 1-02-58 309.0 | 309.0 | 348.0 | |
| | | 9-17-57 177.7 | 238.8 | 238.8 | | | | 1-23-58 314.6 | 314.6 | 342.4 | |
| | | 12-13-57 178.4 | 238.1 | 238.1 | | | | 2-13-58 308.2 | 308.2 | 348.8 | |
| | | 1-24-58 103.3* | 233.2 | 233.2 | | | | 3-06-58 307.4 | 307.4 | 349.6 | |
| | | 2-08-58 177.2 | 239.3 | 239.3 | | | | 3-27-58 298.0 | 298.0 | 351.0 | |
| | | 2-12-58 176.6 | 239.9 | 239.9 | | | | 4-17-58 296.0 | 296.0 | 361.0 | |
| | | 2-14-58 183.0 | 233.5 | 233.5 | | | | 5-08-58 294.2 | 294.2 | 362.8 | |
| | | 2-18-58 176.0 | 240.5 | 240.5 | | | | 5-29-58 288.6 | 288.6 | 368.4 | |
| | | 3-07-58 181.4 | 235.1 | 235.1 | | 15/10W-02R01 S | 569.0** | 6-19-58 287.0 | 287.0 | 370.0 | |
| | | 3-10-58 167.6 | 248.9 | 248.9 | | | | 2-04-58 58.4 | 58.4 | 510.6 | 1101 |
| | | 3-19-58 165.1 | 251.4 | 251.4 | | | | 2-05-58 58.6 | 58.6 | 510.4 | |
| | | 3-28-58 161.8 | 259.2 | 259.2 | | | | 2-15-58 59.5 | 59.5 | 509.5 | |
| | | 4-08-58 157.3 | 264.7 | 264.7 | | | | 2-19-58 59.6 | 59.6 | 509.4 | |
| | | 4-18-58 159.7 | 266.8 | 266.8 | | | | 2-26-58 59.8 | 59.8 | 509.2 | |
| | | 5-06-58 145.7 | 270.8 | 270.8 | | | | 3-07-58 60.0 | 60.0 | 509.0 | |
| | | 5-09-58 152.0 | 264.5 | 264.5 | | | | 3-11-58 60.2 | 60.2 | 508.8 | |
| | | 5-14-58 140.2 | 276.3 | 276.3 | | | | 3-12-58 60.2 | 60.2 | 508.8 | |
| | | 5-30-58 141.1 | 275.4 | 275.4 | | | | 3-17-58 60.2 | 60.2 | 508.6 | |
| | | 6-02-58 137.2 | 279.3 | 279.3 | | | | 3-20-58 60.4 | 60.4 | 508.6 | |
| | | 6-20-58 135.0 | 281.5 | 281.5 | | | | 3-21-58 60.4 | 60.4 | 508.6 | |
| | | 6-23-58 134.6 | 281.9 | 281.9 | | | | 3-26-58 60.6 | 60.6 | 508.4 | |
| | | 6-30-58 134.0 | 282.5 | 282.5 | | | | 3-27-58 60.0 | 60.0 | 509.0 | |
| | | | | | | | | 3-31-58 60.6 | 60.6 | 508.4 | |
| 15/09W-18A03 S | 673.0 | 7-22-57 170.4 | 502.6 | 502.6 | 1101 | | | 4-01-58 60.0 | 60.0 | 509.0 | |
| | | 9-23-57 171.2 | 501.1 | 501.1 | | | | 2-03-58 59.3 | 59.3 | 501.7 | 1101 |
| | | 10-13-57 172.5 | 500.5 | 500.5 | | | | 2-04-58 59.3 | 59.3 | 501.7 | |
| | | 11-18-57 165.1 | 507.9 | 507.9 | | 15/10W-02R02 S | 561.0** | 2-05-58 59.3 | 59.3 | 501.7 | |
| | | 4-23-58 164.6 | 508.4 | 508.4 | | | | 2-15-58 DRY | DRY | | |
| 15/09W-19C01 S | 530.1 | 7-22-57 133.2 | 396.9 | 396.9 | 1101 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| 41300 | | | | | | SAN GABRIEL VALLEY | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | MAIN SAN GABRIEL BASIN | | | | | |
| 41301 | | | | | | 41301 | | | | | |
| 15/10W-02R02 S | | 2-26-58 | DRY | | 1101 | 15/10W-04L01 S | 497.0 | 12-25-57 | 256.0 | 241.0 | 1101 |
| | | 3-07-58 | DRY | | | | | 1-22-58 | 256.0 | 241.0 | |
| | | 3-17-58 | DRY | | | | | 2-05-58 | 254.1 | 242.9 | |
| | | 3-27-58 | DRY | | | | | 2-26-58 | 249.8 | 247.2 | |
| | | 4-01-58 | DRY | | | | | 3-19-58 | 246.6 | 250.4 | |
| 15/10W-03A01 S | 526.0 | 10-29-57 | 275.0 | 251.0 | 1101 | | | 4-09-58 | 230.1 | 256.9 | |
| | | 7-18-57 | 288.0 | 250.0 | 1101 | | | 4-30-58 | 216.9 | 280.1 | |
| 15/10W-03C01 S | 538.0 | 12-12-57 | 286.9 | 251.5 | | | | 5-21-58 | 211.4 | 285.6 | |
| | 537.8 | 1-23-58 | 286.3 | 251.8 | | | | 6-11-58 | 207.5 | 289.5 | |
| | | 2-13-58 | 286.0 | 251.8 | | | | 12-03-57 | 235.6 | 237.8 | 1101 |
| | | 3-06-58 | 281.2 | 256.6 | | | | 5-06-58 | 184.0 | 289.4 | |
| | | 3-27-58 | 280.9 | 256.9 | | | | 7-03-57 | 210.1 | 246.5 | |
| | | 4-17-58 | 266.7 | 271.1 | | | | 7-10-57 | 211.1 | 245.5 | |
| | | 5-08-58 | 256.1 | 281.7 | | | | 7-17-57 | 211.9 | 244.7 | |
| | | 5-29-58 | 249.7 | 288.1 | | | | 7-24-57 | 212.6 | 244.0 | |
| | | 6-19-58 | 246.6 | 291.2 | | | | 7-31-57 | 213.2 | 243.4 | |
| 15/10W-03H01 S | 520.0 | 10-28-57 | 266.7 | 253.3 | 1101 | | | 8-07-57 | 213.9 | 242.7 | |
| | | 4-30-58 | 248.2 | 271.8 | | | | 8-14-57 | 214.4 | 242.2 | |
| 15/10W-03K01 S | 507.0 | 9-10-57 | 253.5 | 253.5 | 1101 | | | 8-21-57 | 215.0 | 241.6 | |
| | | 10-10-57 | 254.4 | 252.6 | | | | 9-04-57 | 215.5 | 241.1 | |
| | | 10-31-57 | 254.7 | 252.3 | | | | 9-28-57 | 216.0 | 240.6 | |
| | | 11-21-57 | 254.8 | 252.2 | | | | 9-11-57 | 216.5 | 240.1 | |
| | | 12-12-57 | 254.7 | 252.3 | | | | 9-18-57 | 216.9 | 239.7 | |
| | | 1-23-58 | 253.4 | 253.6 | | | | 10-25-57 | 217.3 | 239.3 | |
| | | 2-13-58 | 253.2 | 253.8 | | | | 10-02-57 | 217.6 | 239.0 | |
| | | 3-06-58 | 232.2 | 253.0 | | | | 10-09-57 | 218.0 | 238.6 | |
| | | 3-17-58 | 232.0 | 253.0 | | | | 10-16-57 | 217.9 | 238.7 | |
| | | 5-08-58 | 248.4 | 253.6 | | | | 10-23-57 | 217.9 | 238.7 | |
| | | 6-19-58 | 243.1 | 253.9 | | | | 1-03-57 | 217.8 | 238.7 | |
| | | 6-19-58 | 236.9 | 272.1 | | | | 1-10-57 | 217.8 | 239.3 | |
| | | 10-28-57 | 255.7 | 240.3 | 1101 | | | 1-20-57 | 217.3 | 239.0 | |
| 15/10W-03K02 S | 496.0 | 4-30-58 | 224.9 | 271.1 | | | | 1-25-57 | 217.9 | 238.9 | |
| | | 7-10-57 | 247.8 | 249.2 | | | | 1-04-57 | 217.9 | 238.7 | |
| | | 7-24-57 | 251.0 | 246.0 | | | | 1-11-57 | 217.8 | 238.8 | |
| | | 8-21-57 | 253.5 | 243.5 | | | | 1-18-57 | 217.5 | 239.1 | |
| | | 9-11-57 | 255.1 | 241.9 | | | | 1-25-57 | 218.3 | 238.3 | |
| | | 10-23-57 | 253.6 | 243.4 | | | | 1-08-58 | 216.6 | 240.0 | |
| | | 11-13-57 | 256.0 | 241.0 | | | | 1-15-58 | 216.3 | 240.3 | |
| | | 12-04-57 | 256.0 | 241.0 | | | | 1-22-58 | 216.5 | 240.5 | |
| | | | | | | | | 2-05-58 | 215.6 | 241.0 | |
| | | | | | | | | 2-12-58 | 214.8 | 241.8 | |
| | | | | | | | | 2-19-58 | 217.3 | 239.3 | |
| | | | | | | | | 2-26-58 | 203.9 | 252.7 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|---------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|---------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| 41300 | | | | | | 41301 | | | | | |
| SAN GABRIEL BASIN | | | | | | | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | | | | | | |
| 15/10W-05N01 S | 456.6 | 3-05-58 | 198.7 | 257.9 | 1101 | 15/10W-07L01 S | 390.1 | 4-29-58 | 105.8 | 284.3 | 1101 |
| | | 3-12-58 | 192.5 | 264.1 | | | | 5-07-58 | 105.7 | 284.4 | |
| | | 3-15-58 | 192.7 | 263.0 | | | | 5-14-58 | 105.9 | 284.7 | |
| | | 3-22-58 | 192.6 | 263.0 | | | | 5-28-58 | 105.5 | 284.6 | |
| | | 4-05-58 | 187.9 | 263.7 | | | | 6-04-58 | 104.0 | 287.1 | |
| | | 4-05-58 | 195.9 | 266.7 | | | | 6-18-58 | 105.2 | 287.7 | |
| | | 4-15-58 | 130.7 | 276.0 | | | | 6-20-58 | 101.9 | 288.2 | |
| | | 4-22-58 | 144.0 | 312.6 | | | | 6-27-58 | 103.1 | 288.0 | |
| | | 4-26-58 | 150.0 | 306.6 | | | | 6-30-58 | 105.9 | 284.2 | |
| | | 4-30-58 | 150.2 | 300.4 | | | | | | | |
| | | 5-03-58 | 159.5 | 297.1 | | | | 7-01-57 | 141.4 | 246.4 | |
| | | 5-14-58 | 182.2 | 294.0 | | | | 7-08-57 | 142.3 | 245.3 | |
| | | 5-21-58 | 182.0 | 294.5 | | | | 7-15-57 | 143.1 | 244.5 | |
| | | 5-28-58 | 182.3 | 294.3 | | | | 7-22-57 | 143.7 | 244.0 | |
| | | 6-04-58 | 182.1 | 294.5 | | | | 7-29-57 | 144.2 | 243.5 | |
| | | 6-11-58 | 181.1 | 295.5 | | | | 8-05-57 | 144.0 | 242.8 | |
| | | 6-18-58 | 159.6 | 297.0 | | | | 8-12-57 | 145.4 | 242.3 | |
| | | 6-25-58 | 159.4 | 297.2 | | | | 8-19-57 | 146.0 | 241.7 | |
| | | | | | | | | 8-28-57 | 146.6 | 241.1 | |
| 15/10W-06N02 S | 406.5 | 10-09-57 | 182.0* | 224.5 | 1101 | 15/10W-07R02 S | 387.7 | 9-03-57 | 147.0 | 240.7 | |
| | | 4-22-58 | 103.0* | 303.5 | | | | 9-10-57 | 147.4 | 240.3 | |
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| 41300 | | | | | | 41301 | | | | | |
| SAN GABRIEL BASIN | | | | | | | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | | | | | | |
| 15/10W-07L01 S | 390.1 | 7-17-57 | 148.3 | 241.8 | 1101 | | | 9-18-57 | 147.4 | 240.0 | |
| | | 8-07-57 | 149.5 | 240.6 | | | | 9-25-57 | 148.1 | 239.6 | |
| | | 8-14-57 | 150.0 | 240.1 | | | | 10-02-57 | 146.3 | 239.4 | |
| | | 9-04-57 | 151.4 | 238.7 | | | | 10-09-57 | 149.6 | 238.1 | |
| | | 11-09-57 | 153.7 | 236.4 | | | | 10-16-57 | 148.6 | 239.0 | |
| | | 11-20-57 | 152.4 | 237.7 | | | | 10-23-57 | 148.5 | 239.2 | |
| | | 11-11-57 | 153.1 | 237.0 | | | | 10-30-57 | 148.5 | 239.2 | |
| | | 11-22-58 | 153.3 | 236.8 | | | | 11-06-57 | 148.4 | 239.3 | |
| | | 12-08-58 | 150.6 | 239.5 | | | | 11-13-57 | 148.2 | 239.5 | |
| | | 5-11-58 | 150.2 | 239.9 | | | | 11-20-57 | 148.1 | 239.6 | |
| | | 5-15-58 | 149.8 | 240.3 | | | | 11-27-57 | 148.3 | 239.4 | |
| | | 5-18-58 | 149.4 | 240.7 | | | | 12-02-57 | 148.4 | 239.3 | |
| | | 5-21-58 | 148.0 | 242.1 | | | | 12-09-57 | 148.4 | 239.3 | |
| | | 5-24-58 | 146.3 | 243.8 | | | | 12-17-57 | 148.7 | 239.0 | |
| | | 5-26-58 | 144.8 | 245.3 | | | | 12-23-57 | 148.0 | 239.7 | |
| | | 5-28-58 | 143.7 | 246.4 | | | | 1-03-58 | 147.8 | 239.9 | |
| | | 5-05-58 | 141.3 | 248.8 | | | | 1-10-58 | 147.8 | 239.9 | |
| | | 5-07-58 | 140.4 | 249.7 | | | | 1-17-58 | 147.6 | 240.1 | |
| | | 5-11-58 | 138.7 | 251.4 | | | | 1-24-58 | 147.5 | 240.2 | |
| | | 5-15-58 | 136.2 | 253.9 | | | | 1-31-58 | 147.2 | 240.9 | |
| | | 5-26-58 | 131.5 | 265.6 | | | | 2-07-58 | 146.8 | 240.5 | |
| | | 4-08-58 | 124.5 | 268.6 | | | | 2-12-58 | 146.4 | 241.3 | |
| | | 4-16-58 | 116.0 | 274.1 | | | | 2-19-58 | 146.3 | 241.4 | |
| | | 4-18-58 | 112.6 | 277.5 | | | | 2-26-58 | 143.1 | 244.6 | |
| | | | | | | | | 3-05-58 | 140.1 | 247.6 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | P.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | P.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------|--------------------|------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------------|--------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| 41300 | | | | | | 41300 | | | | | |
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| 41301 | | | | | | 41301 | | | | | |
| SAN GABRIEL BASIN | | | | | | | | | | | |
| 15/10W-07R02 S | | | | | | 15/10W-10P01 S | | | | | |
| CONT. | | | | | | CONT. | | | | | |
| 3-12-58 | 387.7 | | 137.7 | 250.0 | 1101 | 15/10W-10P01 S | 462.4 | 8-21-57 | 213.5 | 248.9 | 1101 |
| 3-19-58 | | | 135.5 | 252.2 | | | | 8-28-57 | 214.1 | 248.3 | |
| 3-26-58 | | | 132.6 | 255.1 | | | | 9-04-57 | 214.4 | 248.0 | |
| 4-02-58 | | | 125.2 | 258.5 | | | | 9-11-57 | 214.6 | 247.8 | |
| 4-09-58 | | | 126.4 | 261.3 | | | | 9-18-57 | 214.9 | 247.5 | |
| 4-16-58 | | | 121.8 | 265.9 | | | | 9-25-57 | 215.6 | 246.8 | |
| 4-21-58 | | | 116.6 | 271.1 | | | | 10-02-57 | 215.9 | 246.5 | |
| 4-30-58 | | | 111.5 | 276.2 | | | | 10-09-57 | 216.1 | 246.3 | |
| 5-07-58 | | | 109.8 | 277.9 | | | | 10-16-57 | 214.5 | 246.9 | |
| 5-14-58 | | | 108.7 | 279.0 | | | | 10-23-57 | 214.1 | 248.3 | |
| 5-21-58 | | | 107.2 | 280.5 | | | | 10-30-57 | 214.1 | 248.3 | |
| 5-28-58 | | | 106.9 | 280.8 | | | | 11-06-57 | 214.1 | 248.3 | |
| 6-04-58 | | | 106.6 | 281.1 | | | | 11-13-57 | 214.4 | 248.0 | |
| 6-11-58 | | | 105.7 | 282.0 | | | | 11-20-57 | 217.8 | 247.6 | |
| 6-18-58 | | | 104.7 | 283.0 | | | | 11-27-57 | 214.5 | 247.9 | |
| 6-25-58 | | | 103.9 | 283.8 | | | | 12-04-57 | 215.5 | 246.9 | |
| 6-30-58 | | | 104.1 | 283.6 | | | | 12-11-57 | 213.9 | 248.5 | |
| | | | | | | | | 12-18-57 | 213.8 | 248.6 | |
| 9-19-57 | 456.0 | | 215.3 | 240.7 | 1101 | | | 1-08-58 | 213.7 | 248.7 | |
| 10-28-57 | 452.7 | | 209.7 | 243.0 | 1101 | | | 1-15-58 | 213.4 | 249.0 | |
| 4-30-58 | | | 182.7 | 270.0 | | | | 1-22-58 | 213.8 | 248.6 | |
| 4-30-58 | 454.0** | | 181.9 | 272.1 | 1101 | | | 2-05-58 | 213.2 | 249.2 | |
| 8-05-57 | 472.0 | | 224.2 | 247.8 | 1101 | | | 2-12-58 | 212.8 | 249.6 | |
| 9-02-57 | | | 226.1 | 245.9 | | | | 2-19-58 | 212.5 | 249.9 | |
| 10-02-57 | | | 229.1 | 242.9 | | | | 2-26-58 | 212.0 | 250.4 | |
| 10-17-57 | | | 228.3 | 243.7 | | | | 3-05-58 | 210.9 | 251.5 | |
| 11-28-57 | | | 226.6 | 243.4 | | | | 3-12-58 | 209.6 | 252.8 | |
| 1-19-58 | | | 226.4 | 243.6 | | | | 3-19-58 | 208.0 | 254.4 | |
| 2-09-58 | | | 226.1 | 245.9 | | | | 3-26-58 | 206.5 | 255.9 | |
| 2-16-58 | | | 225.2 | 245.9 | | | | 4-02-58 | 205.0 | 257.4 | |
| 3-19-58 | | | 215.9 | 253.1 | | | | 4-09-58 | 203.1 | 259.3 | |
| 4-09-58 | | | 215.1 | 252.9 | | | | 4-16-58 | 201.2 | 261.2 | |
| 5-21-58 | | | 198.6 | 270.4 | | | | 4-23-58 | 199.2 | 263.2 | |
| 6-11-58 | | | 193.1* | 276.9 | | | | 4-30-58 | 196.9 | 265.5 | |
| | | | | | | | | 5-07-58 | 194.7 | 267.7 | |
| | | | | | | | | 5-14-58 | 192.6 | 269.8 | |
| | | | | | | | | 5-21-58 | 190.8 | 271.6 | |
| 7-03-57 | 462.4 | | 210.4 | 282.0 | 1101 | | | 6-08-58 | 189.5 | 272.9 | |
| 7-10-57 | | | 210.7 | 281.7 | | | | 6-15-58 | 187.0 | 274.0 | |
| 7-17-57 | | | 211.4 | 281.0 | | | | 6-22-58 | 185.2 | 275.9 | |
| 7-24-57 | | | 211.4 | 281.0 | | | | 6-29-58 | 184.2 | 278.2 | |
| 7-31-57 | | | 212.0 | 280.4 | | | | | | | |
| 8-07-57 | | | 212.7 | 269.7 | | | | 15/10W-12R01 S | 627.0 | 298.0 | 1101 |
| 8-14-57 | | | 213.2 | 269.2 | | | | 15/10W-13E01 S | 548.0 | 275.5 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|--|--|-----------------------------|-----------------------|-------------------|--------------------|--|-------------------------------------|--|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| 41300 | | | | | | | | | | | |
| SAN GABRIEL BASIN | | | | | | | | | | | |
| 41301 | | | | | | | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | | | | | | |
| 15/10W-13E01 S | 548.0 | 10-15-57 271.2 11-18-57 269.7 5-05-58 263.5 | 276.8 278.3 284.5 | 1101 | | 15/10W-17A01 S | 401.5 | 5-08-58 130.2 5-29-58 126.3 6-19-58 123.8 | 41301 | 271.3 275.2 277.7 | 1101 |
| 15/10W-13G01 S | 567.0 | 11-18-57 274.0 5-05-58 270.2 | 293.0 296.8 | 1101 | | 15/10W-17A02 S | 401.5 | 7-18-57 156.3 8-08-57 157.9 8-29-57 159.3 9-10-57 159.8 10-10-57 161.1 10-31-57 160.6 11-21-57 161.6 12-12-57 160.5 1-23-58 160.0 2-13-58 162.8 3-06-58 161.3 3-27-58 155.7 4-17-58 149.9 5-08-58 130.6 5-29-58 126.8 6-19-58 124.3 | 1101 | 243.2 245.6 242.2 242.2 240.4 240.9 239.9 241.0 241.5 238.7 240.2 245.8 251.6 270.9 274.7 277.2 | 1101 |
| 15/10W-14B01 S | 534.0 | 12-12-57 264.5 1-23-58 264.6* 2-13-58 264.0* 3-06-58 260.7* 4-23-58 285.0 249.0 5-08-58 265.7* 5-29-58 266.6* 6-19-58 266.7* | 269.5 269.4 270.0 273.3 267.0 268.3 267.4 267.3 | 1101 | | 15/10W-17G01 S | 389.5 | 9-18-57 162.0 11-06-57 151.3 5-15-58 122.5 | 1101 | 227.5 238.2 267.0 | 1101 |
| 15/10W-14M01 S | 493.6 | 7-18-57 228.1 8-08-57 229.6 8-29-57 230.7 9-10-57 230.5 10-10-57 231.5 10-31-57 230.2 11-21-57 230.1 12-12-57 229.9 1-23-58 230.6 2-13-58 229.4 3-06-58 227.0 3-27-58 225.5 4-17-58 223.1 5-08-58 222.4 5-29-58 218.5 6-19-58 215.5 | 265.5 264.0 262.9 263.1 262.1 263.4 263.5 263.7 263.0 264.2 266.6 268.1 270.5 271.2 275.1 278.1 | 1101 | | 15/10W-17N01 S | 365.0 | 9-19-57 129.1 11-06-57 129.4 5-15-58 99.6 | 1101 | 235.9 235.6 265.4 | 1101 |
| 15/10W-17A01 S | 401.5 | 7-18-57 156.3 8-08-57 157.8 8-29-57 159.1 9-10-57 159.7 10-10-57 161.0 10-31-57 160.5 11-21-57 161.2 12-12-57 160.2 1-23-58 159.9 2-13-58 158.7 3-06-58 154.2 3-27-58 152.6 4-17-58 151.7 | 245.2 243.7 242.4 241.8 240.5 241.0 240.3 241.3 241.6 242.8 247.3 248.9 | 1101 | | 15/10W-18B01 S | 424.7 | 7-18-57 175.4 8-29-57 178.6 1-23-58 200.5* 2-13-58 193.3* 3-06-58 176.5 3-27-58 171.4 4-17-58 165.6 5-08-58 159.2 5-29-58 162.1 6-19-58 154.9 | 1101 | 249.3 246.1 224.2 231.4 248.2 253.3 259.1 265.5 262.1 269.8 | 1101 |
| 15/10W-18F01 S | 363.0 | 8-01-57 123.0* 9-28-57 128.0* 11-02-57 128.0* 11-29-57 128.0* 1-02-58 128.0* | 240.0 237.0 235.0 235.0 235.0 | 1101 | | 15/10W-18F01 S | 363.0 | 8-01-57 123.0* 9-28-57 128.0* 11-02-57 128.0* 11-29-57 128.0* 1-02-58 128.0* | 1101 | 240.0 237.0 235.0 235.0 235.0 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY 41300 | | | | | | | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | | | | | | |
| 15/10W-18F01 S | 363.0 | 1-30-58 | 127.0* | 236.0 | 1101 | 15/10W-20W03 S | | 8-19-57 | DRY | | 1101 |
| | | 2-27-58 | 124.0* | 239.0 | | CONT. | | 9-23-57 | DRY | | |
| | | 3-27-58 | 121.0* | 242.0 | | | | 7-03-57 | 153.6 | 253.4 | |
| | | 5-01-58 | 96.0* | 267.0 | | | | 7-11-57 | 153.9 | 253.1 | |
| | | 5-29-58 | 110.0* | 253.0 | | | | 7-24-57 | 153.5 | 253.7 | |
| | | 6-26-58 | 106.0* | 237.0 | | | | 7-31-57 | 153.7 | 253.3 | |
| SAN GABRIEL VALLEY 41300 | | | | | | | | | | | |
| 15/10W-18W01 S | 342.0 | 7-18-57 | 100.7 | 241.3 | 1101 | 15/10W-21A01 S | 407.0 | 8-07-57 | 154.3 | 252.7 | |
| | | 8-08-57 | 102.3 | 239.7 | | | | 8-14-57 | 154.5 | 252.5 | |
| | | 8-29-57 | 103.8 | 238.2 | | | | 8-21-57 | 154.9 | 252.1 | |
| | | 9-10-57 | 103.9 | 238.1 | | | | 8-28-57 | 155.2 | 251.8 | |
| | | 10-10-57 | 105.9 | 236.1 | | | | 9-04-57 | 155.2 | 251.5 | |
| | | 10-31-57 | 105.9 | 236.1 | | | | 9-11-57 | 155.9 | 251.1 | |
| | | 11-21-57 | 106.3 | 235.7 | | | | 9-18-57 | 156.2 | 250.8 | |
| | | 12-12-57 | 107.6 | 234.4 | | | | 9-25-57 | 156.6 | 250.4 | |
| | | 1-23-58 | 121.4 | 220.6 | | | | 10-02-57 | 156.7 | 250.3 | |
| | | 2-13-58 | 121.3 | 220.7 | | | | 10-09-57 | 156.9 | 250.1 | |
| | | 3-06-58 | 121.1 | 220.9 | | | | 10-16-57 | 157.2 | 249.8 | |
| | | 3-27-58 | 121.0 | 221.0 | | | | 10-23-57 | 157.6 | 249.4 | |
| | | 4-17-58 | 120.8 | 221.2 | | | | 10-30-57 | 157.4 | 249.6 | |
| | | 5-08-58 | 120.2 | 221.8 | | | | 11-06-57 | 157.4 | 249.6 | |
| | | 5-21-58 | 119.6 | 222.4 | | | | 11-13-57 | 157.6 | 249.4 | |
| | | 6-19-58 | | | | | | 11-20-57 | 157.6 | 249.4 | |
| 15/10W-19K01 S | 336.5 | 11-18-57 | 98.8 | 237.7 | 1101 | | | 11-27-57 | 157.7 | 249.3 | |
| | | 4-23-58 | 95.6 | 240.9 | | | | 12-04-57 | 157.8 | 249.2 | |
| SAN GABRIEL VALLEY 41300 | | | | | | | | | | | |
| 15/10W-19L01 S | 332.0 | 7-15-57 | 92.0* | 240.0 | 1101 | | | 12-11-57 | 157.9 | 249.1 | |
| | | 8-15-57 | 96.0* | 236.0 | | | | 12-18-57 | 158.1 | 248.9 | |
| | | 9-16-57 | 95.0* | 237.0 | | | | 12-25-57 | 158.2 | 248.8 | |
| | | 10-14-57 | 96.0* | 236.0 | | | | 1-08-58 | 158.1 | 248.9 | |
| | | 11-15-57 | 95.0* | 237.0 | | | | 1-15-58 | 165.1 | 241.9 | |
| | | 1-17-58 | 95.0* | 237.0 | | | | 1-22-58 | 165.0 | 242.0 | |
| | | 4-15-58 | 83.0* | 249.0 | | | | 2-05-58 | 166.5 | 240.5 | |
| | | 5-16-58 | 76.0* | 236.0 | | | | 2-12-58 | 166.7 | 240.3 | |
| SAN GABRIEL VALLEY 41300 | | | | | | | | | | | |
| 15/10W-19L02 S | 333.0** | 7-15-57 | 98.0* | 235.0 | 1101 | | | 2-19-58 | 166.6 | 240.4 | |
| | | 8-15-57 | 100.0* | 232.0 | | | | 2-26-58 | 166.6 | 240.4 | |
| | | 9-16-57 | 102.0* | 231.0 | | | | 3-05-58 | 163.6 | 243.4 | |
| | | 10-14-57 | 101.0* | 232.0 | | | | 3-12-58 | 163.1 | 243.9 | |
| | | 11-15-57 | 101.0* | 232.0 | | | | 3-19-58 | 163.0 | 243.3 | |
| | | 1-17-58 | 101.0* | 232.0 | | | | 4-02-58 | 166.7 | 248.1 | |
| | | 5-16-58 | 76.0* | 237.0 | | | | 4-09-58 | 156.8 | 253.3 | |
| | | 6-15-58 | 71.0* | 262.0 | | | | 4-16-58 | 153.7 | 255.5 | |
| SAN GABRIEL VALLEY 41300 | | | | | | | | | | | |
| 15/10W-20W03 S | 352.0 | 7-22-57 | DRY | | 1101 | | | 4-23-58 | 152.7 | 255.3 | |
| | | | | | | | | 4-30-58 | 151.2 | 255.8 | |
| | | | | | | | | 5-07-58 | 149.7 | 257.3 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-------------------------|---------------------|---|--|---|-----------------------|-------------------------|---------------------|--|--|---|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN GABRIEL BASIN | | | | | | SAN GABRIEL VALLEY | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | MAIN SAN GABRIEL BASIN | | | | | |
| 15/10W-21A01 S CONT. | 407.0 | 5-14-58 5-21-58 5-28-58 6-04-58 6-11-58 6-18-58 6-25-58 | 148.7 146.5 145.0 143.6 142.2 141.0 139.4 | 258.3 260.5 262.0 263.4 264.8 266.0 267.6 | 1101 | 15/10W-23J01 S CONT. | | 8-19-57 9-23-57 10-15-57 11-18-57 4-23-58 | DRY DRY DRY DRY 75.0 | 270.4 250.0 260.0 295.0 283.0 280.0 | 1101 |
| 15/10W-21L01 S | 383.6 | 11-05-57 5-08-58 | 141.5 126.6 | 242.1 257.0 | 1101 | 15/10W-23J02 S | 469.0 | 7-22-57 8-19-57 9-23-57 10-15-57 11-18-57 4-23-58 | DRY DRY DRY DRY DRY | 270.4 270.4 276.4 | 1101 |
| 15/10W-22J01 S | 441.0 | 7-18-57 8-29-57 9-10-57 10-10-57 10-31-57 11-21-57 12-12-57 3-06-58 3-27-58 | 184.7 181.7 180.9 180.1 178.5 179.5 178.2 177.4 177.2 | 256.3 259.3 260.1 260.9 262.5 261.5 262.8 263.6 263.8 | 1101 | 15/10W-23K01 S | 470.0 | 7-22-57 9-30-57 12-09-57 3-05-58 6-06-58 6-24-58 | 223.0* 220.0* 210.0* 175.0* 187.0 190.0 | 247.0 250.0 260.0 295.0 283.0 280.0 | 1101 |
| 15/10W-22N01 S | 411.5** | 7-17-57 10-15-57 12-11-57 3-10-58 6-10-58 | 169.0 166.0 165.0 160.0* 147.0* | 242.5 245.5 246.5 251.5 264.5 | 1101 | 15/10W-23K01 S | 441.0 | 7-22-57 8-19-57 9-23-57 10-15-57 11-18-57 | 187.6 181.6 180.8 184.2 186.0 180.1 | 270.4 276.4 260.2 258.0 256.8 255.0 260.9 | 1101 |
| 15/10W-23F01 S | 505.9 | 7-18-57 8-08-57 8-29-57 9-10-57 9-23-57 10-15-57 10-31-57 11-21-57 12-12-57 1-23-58 3-06-58 3-27-58 4-17-58 4-23-58 5-08-58 5-29-58 6-19-58 | 237.5 238.9 239.8 238.7 240.5 237.8 226.8 232.2 236.1 236.7 234.0 231.7 231.5 231.0 231.0 230.5 | 268.4 267.0 266.1 267.2 265.4 268.1 279.1 273.7 269.8 269.2 271.9 273.7 274.2 274.4 274.9 274.9 275.4 | 1101 | 15/10W-24D01 S | 503.1 | 7-22-57 8-19-57 9-23-57 10-15-57 11-18-57 4-24-58 | 209.5 212.0 212.5 211.9 209.4 205.6 | 293.6 291.1 290.6 291.2 293.4 297.5 | 1101 |
| 15/10W-23J01 S | 469.0 | 7-22-57 | DRY | | 1101 | 15/10W-24H01 S | 503.0 | 7-22-57 8-19-57 9-23-57 10-15-57 11-18-57 4-23-58 | 184.2 64.6 66.5 68.2 68.9 67.7 56.1 | 438.4 436.5 434.8 434.1 435.3 446.9 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | SAN GABRIEL VALLEY | | | | | |
| MAIN SAN GABRIEL BASIN | | | 41300 | | | MAIN SAN GABRIEL BASIN | | | 41300 | | |
| CONT. | | | 1101 | | | CONT. | | | 1101 | | |
| 15/10W-24H02 S | 503.0 | 8-19-57 | DRY | 8-19-57 | 1101 | 15/10W-29G02 S | 355.5 | 8-29-57 | 109.6 | 245.9 | 1101 |
| | | 9-23-57 | DRY | 9-23-57 | | | | 9-10-57 | 110.1 | 245.4 | |
| | | 10-15-57 | DRY | 10-15-57 | | | | 10-10-57 | 111.2 | 244.3 | |
| | | 11-18-57 | DRY | 11-18-57 | | | | 10-31-57 | 111.1 | 244.4 | |
| | 472.2 | 4-23-58 | 47.2 | 455.8 | | | | 11-21-57 | 110.8 | 244.7 | |
| 15/10W-24H01 S | | 10-15-57 | 176.3 | 295.9 | 1101 | | | 12-12-57 | 111.5 | 244.0 | |
| | | 11-18-57 | 172.7 | 299.5 | | | | 1-23-58 | 111.6 | 243.9 | |
| 15/10W-24H02 S | 472.0 | 11-05-57 | 168.5 | 303.5 | 1101 | | | 2-13-58 | 112.1 | 243.4 | |
| | | 5-09-58 | 171.2 | 300.8 | | | | 3-06-58 | 111.9 | 243.6 | |
| 15/10W-28B01 S | 390.0 | 7-22-57 | 138.1 | 251.9 | 1101 | | | 3-17-58 | 109.9 | 246.6 | |
| | | 8-19-57 | 139.9 | 250.1 | | | | 5-29-58 | 109.6 | 246.9 | |
| | | 9-23-57 | 140.2 | 249.8 | | | | 5-08-58 | 109.7 | 246.2 | |
| | | 10-11-57 | 140.5 | 249.2 | | | | 5-29-58 | 109.7 | 246.2 | |
| | | 11-18-57 | 141.4 | 248.6 | | | | 6-19-58 | 97.2 | 258.3 | |
| | | 4-23-58 | 136.1 | 251.9 | | | | 5-05-58 | 84.2 | 246.9 | 1101 |
| 15/10W-29A05 S | 369.5 | 7-22-57 | 121.4 | 248.1 | 1101 | 15/10W-30K01 S | 331.1 | 5-05-58 | 84.2 | 246.9 | 1101 |
| | | 8-19-57 | 123.2 | 246.3 | | | | 5-08-58 | 82.7 | 245.2 | |
| | | 9-23-57 | 124.9 | 244.6 | | | | 5-13-58 | 80.0 | 247.9 | |
| | | 10-15-57 | 127.6 | 241.9 | | | | 8-08-57 | 74.4 | 245.6 | 1101 |
| | | 11-21-57 | 125.5 | 244.0 | | | | 8-29-57 | 75.4 | 244.6 | |
| | | 5-05-58 | 119.0 | 256.5 | | | | 9-10-57 | 75.6 | 244.4 | |
| 15/10W-29E07 S | 338.0 | 7-10-57 | 95.7 | 242.3 | 1101 | 15/10W-31A02 S | 320.0 | 8-08-57 | 76.4 | 245.6 | 1101 |
| | | 7-24-57 | 96.1 | 241.9 | | | | 8-29-57 | 75.4 | 244.6 | |
| | | 8-21-57 | 98.9 | 239.1 | | | | 10-10-57 | 78.9 | 241.1 | |
| | | 9-11-57 | 99.2 | 238.8 | | | | 10-31-57 | 74.5 | 245.5 | |
| | | 10-02-57 | 102.5 | 235.5 | | | | 11-21-57 | 75.1 | 244.9 | |
| | | 10-23-57 | 98.3 | 239.7 | | | | 12-12-57 | 75.6 | 244.4 | |
| | | 11-13-57 | 98.0 | 240.0 | | | | 1-23-58 | 75.2 | 244.8 | |
| | | 12-04-57 | 99.5 | 238.5 | | | | 2-13-58 | 76.4 | 243.6 | |
| | | 12-25-57 | 97.9 | 240.1 | | | | 3-06-58 | 74.2 | 245.8 | |
| | | 1-15-58 | 97.9 | 240.1 | | | | 3-27-58 | 74.1 | 245.9 | |
| | | 2-05-58 | 98.0 | 240.0 | | | | 4-17-58 | 72.0 | 248.0 | |
| | | 2-26-58 | 96.7 | 241.3 | | | | 5-08-58 | 69.9 | 250.1 | |
| | | 3-19-58 | 94.7 | 243.3 | | | | 6-19-58 | 70.9 | 249.1 | |
| | | 4-09-58 | 92.0 | 246.0 | | | | 10-14-57 | 88.0 | 234.0 | 1101 |
| | | 4-30-58 | 90.6 | 247.4 | | | | 12-05-57 | 90.0 | 232.0 | |
| | | 5-21-58 | 86.5 | 251.5 | | | | 3-12-58 | 72.0 | 250.0 | |
| | | 6-11-58 | 87.7 | 250.3 | | | | 6-25-58 | 150.0* | 172.0 | |
| 15/10W-29G02 S | 355.5 | 7-18-57 | 107.2 | 248.3 | 1101 | 15/10W-31B01 S | 315.0 | 7-14-57 | 77.8 | 237.2 | 1101 |
| | | 8-08-57 | 108.3 | 247.2 | | | | 9-02-57 | 80.0* | 235.0 | |
| | | | | | | | | 10-01-57 | 83.5* | 231.5 | |
| | | | | | | | | 10-14-57 | 78.0* | 237.0 | |
| | | | | | | | | 11-20-57 | 77.8 | 237.2 | |
| | | | | | | | | 12-31-57 | 75.0* | 240.0 | |
| | | | | | | | | 2-01-58 | 75.5* | 239.5 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|----------------|-------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | SAN GABRIEL VALLEY | | | | | |
| 41300 | | | | | | 41301 | | | | | |
| 1S/11W-02A01 S | 376.5 | 4-08-58 | 111.9 | 266.6 | 1101 | 1S/11W-02F02 S | 360.0 | 8-07-57 | 130.0* | 230.0 | 1101 |
| | | 4-18-58 | 104.8 | 271.7 | | | | 8-14-57 | 133.0* | 227.0 | |
| | | 4-25-58 | 101.4 | 275.1 | | | | 8-21-57 | 132.0* | 228.0 | |
| | | 4-29-58 | 100.7 | 275.8 | | | | 9-04-57 | 135.0* | 225.0 | |
| | | 5-13-58 | 98.7 | 277.8 | | | | 9-11-57 | 132.0* | 228.0 | |
| | | 6-04-58 | 96.4 | 280.1 | | | | 9-18-57 | 131.0* | 229.0 | |
| | | 6-23-58 | 94.2 | 282.3 | | | | 10-02-57 | 132.0* | 228.0 | |
| | | 6-27-58 | 94.6 | 281.9 | | | | 10-09-57 | 133.0* | 227.0 | |
| | | 6-30-58 | 94.8 | 281.7 | | | | 10-16-57 | 132.0* | 228.0 | |
| | | | | | | | | 10-23-57 | 131.0* | 229.0 | |
| 1S/11W-02B01 S | 370.0 | 7-02-57 | 128.0* | 242.0 | 1101 | | | 11-06-57 | 129.0* | 231.0 | |
| | | 8-04-57 | 131.0* | 239.0 | | | | 11-13-57 | 129.0* | 231.0 | |
| | | 9-14-57 | 133.0* | 237.0 | | | | 11-20-57 | 131.0* | 229.0 | |
| | | 10-18-57 | 133.0* | 237.0 | | | | 11-27-57 | 130.0* | 231.0 | |
| | | 11-21-57 | 131.0* | 239.0 | | | | 12-26-57 | 129.0* | 230.0 | |
| | | 12-26-57 | 131.0* | 239.0 | | | | 1-29-58 | 128.0* | 232.0 | |
| | | 1-31-58 | 131.0* | 239.0 | | | | 2-26-58 | 125.0* | 235.0 | |
| | | 2-28-58 | 125.5* | 244.5 | | | | 3-26-58 | 116.0* | 244.0 | |
| | | 3-31-58 | 115.0* | 255.0 | | | | 4-30-58 | 96.0* | 264.0 | |
| | | 4-25-58 | 103.5* | 266.5 | | | | 5-14-58 | 93.0* | 267.0 | |
| | | 4-27-58 | 102.5* | 267.5 | | | | 5-21-58 | 94.0* | 266.0 | |
| | | 5-31-58 | 95.0* | 275.0 | | | | 6-11-58 | 97.0* | 263.0 | |
| | | 6-16-58 | 93.0* | 277.0 | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| 41300 | | | | | | 41301 | | | | | |
| 1S/11W-02F01 S | 360.0 | 7-03-57 | 143.0* | 217.0 | 1101 | 1S/11W-02H01 S | 378.0 | 7-02-57 | 135.0* | 243.0 | 1101 |
| | | 8-07-57 | 128.0* | 232.0 | | | | 8-04-57 | 137.0* | 241.0 | |
| | | 8-21-57 | 129.0* | 231.0 | | | | 9-14-57 | 139.0* | 239.0 | |
| | | 9-11-57 | 130.0* | 230.0 | | | | 10-18-57 | 139.0* | 239.0 | |
| | | 9-18-57 | 130.0* | 230.0 | | | | 11-21-57 | 138.0* | 240.0 | |
| | | 10-02-57 | 130.0* | 230.0 | | | | 12-26-57 | 138.0* | 240.0 | |
| | | 10-09-57 | 130.0* | 230.0 | | | | 1-31-58 | 137.0* | 241.0 | |
| | | 10-16-57 | 128.0* | 232.0 | | | | 2-28-58 | 129.0* | 242.0 | |
| | | 10-23-57 | 129.0* | 231.0 | | | | 3-31-58 | 117.5* | 260.5 | |
| | | 11-06-57 | 128.0* | 232.0 | | | | 4-25-58 | 102.0* | 276.0 | |
| | | 11-13-57 | 128.0* | 232.0 | | | | 4-27-58 | 102.8* | 275.2 | |
| | | 11-20-57 | 131.0* | 229.0 | | | | 5-31-58 | 96.0* | 282.0 | |
| | | 11-27-57 | 129.0* | 231.0 | | | | 6-16-58 | 93.5* | 284.5 | |
| | | 12-26-57 | 128.0* | 232.0 | | | | | | | |
| | | 1-29-58 | 127.0* | 233.0 | | | | 4-22-58 | 105.0 | 261.0 | 1101 |
| | | 2-26-58 | 122.0* | 238.0 | | | | 7-19-57 | 120.0 | 238.0 | 1101 |
| | | 3-26-58 | 114.0* | 246.0 | | | | 8-09-57 | 121.6 | 236.4 | |
| | | 4-30-58 | 98.0* | 262.0 | | | | 8-30-57 | 122.9 | 235.1 | |
| | | 5-14-58 | 93.0* | 267.0 | | | | 9-17-57 | 124.2 | 233.8 | |
| | | 5-21-58 | 94.0* | 266.0 | | | | 10-11-57 | 124.6 | 233.4 | |
| | | 6-25-58 | 93.0* | 267.0 | | | | 11-01-57 | 122.4 | 235.6 | |
| 1S/11W-02F02 S | 360.0 | 7-24-57 | 132.0* | 228.0 | 1101 | 1S/11W-02J01 S | 366.0 | | | | |
| | | | | | | | | 1S/11W-02K04 S | 358.0 | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|---|---|---|-----------------------|-------------------------|--------------------|---|--|---|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | | | | | | |
| 1S/10W-31B01 S CONT. | 315.0 | 3-03-58 4-01-58 4-15-58 5-01-58 | 73.0* 68.5 65.0* 62.5* | 242.0 246.5 250.0 252.5 | 1101 | 1S/10W-31P01 S CONT. | 305.1 | 4-18-58 5-01-58 6-16-58 | 51.6* 47.0* 46.8* | 253.6 258.1 258.3 | 1101 |
| 1S/10W-31E01 S | 307.4 | 7-14-57 9-02-57 10-01-57 10-14-57 11-20-57 1-31-57 2-01-58 3-03-58 4-01-58 4-15-58 5-01-58 | 72.0* 77.0* 77.0* 78.0* 68.0* 67.0* 67.0* 66.5* 60.0* 55.0* 53.5* | 233.4 230.4 230.4 229.4 239.4 240.4 240.4 240.4 247.4 252.4 253.9 | 1101 | 1S/10W-33P01 S | 343.0 | 11-04-57 5-08-58 | 70.3 58.4 | 272.7 284.6 | 1101 |
| 1S/10W-31F03 S | 310.0 | 7-14-57 10-14-57 11-20-57 12-31-57 2-01-58 3-03-58 4-01-58 4-15-58 5-01-58 | 79.5 79.0 73.0 73.0 73.5 73.0 68.0 62.5 60.5 | 230.5 231.0 237.0 237.0 236.5 237.0 242.0 247.5 249.5 | 1101 | 1S/11W-01B01 S | 414.1 414.1 | 10-23-57 1-07-58 1-27-58 2-08-58 2-15-58 2-21-58 2-28-58 3-07-58 3-11-58 3-19-58 3-26-58 4-08-58 4-18-58 4-29-58 5-13-58 6-04-58 6-20-58 6-23-58 6-27-58 6-30-58 | DRY DRY 177.1 173.6 173.1 168.4 160.8 158.1 157.0 150.4 143.4 132.4 126.6 126.6 126.1 128.0 124.1 123.6 124.7 124.6 | 259.1 263.7 270.7 281.7 287.5 287.5 288.0 290.0 290.5 289.4 289.5 | 1101 |
| 1S/10W-31I01 S | 307.6 | 7-14-57 9-02-57 10-01-57 10-14-57 11-20-57 12-31-57 2-01-58 3-03-58 4-01-58 4-15-58 5-01-58 | 72.0 78.0 78.5 78.0 73.0 73.0 73.0 67.0 68.5 67.0 64.0 | 235.6 229.6 228.1 227.6 234.6 240.6 240.6 238.1 239.6 239.6 238.6 | 1101 | 1S/11W-01C01 S | 280.8 | 7-24-57 2-15-58 2-21-58 2-28-58 3-10-58 3-18-58 3-26-58 4-18-58 | 39.8 40.6 37.9 32.4 248.4 252.5 254.9 259.0 273.9 | 241.0 242.2 242.9 248.4 252.5 254.9 259.0 273.9 | 1101 |
| 1S/10W-31P01 S | 305.1 | 7-14-57 10-14-57 11-20-57 12-31-57 2-01-58 3-03-58 4-01-58 4-15-58 5-01-58 | 74.3* 74.5* 67.0* 68.0* 69.0* 67.5* 61.0* | 230.8 230.6 238.1 237.1 236.1 244.1 | 1101 | 1S/11W-02A01 S | 376.5 | 2-08-58 2-15-58 2-21-58 2-28-58 3-11-58 3-18-58 3-28-58 | 133.6 133.9 130.4 126.8 124.7 123.3 116.4 | 242.9 243.2 246.1 249.7 251.8 253.2 255.2 260.1 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | SAN GABRIEL VALLEY | | | | | |
| 41300 | | | | | | 41301 | | | | | |
| 1S/11W-02K04 S | 358.0 | 11-22-57 | 122.1 | 235.9 | 1101 | 1S/11W-03R01 S | 347.0 | 8-30-57 | 107.0 | 240.0 | 1101 |
| | | 12-13-57 | 124.5 | 235.5 | | | | 10-11-57 | 108.8 | 238.2 | |
| | | 1-24-58 | 124.5 | 233.5 | | | | 11-01-57 | 108.0 | 239.0 | |
| | | 2-14-58 | 124.4 | 233.2 | | | | 12-13-57 | 108.4 | 237.6 | |
| | | 3-07-58 | 118.2 | 239.8 | | | | 1-24-58 | 117.1 | 229.9 | |
| | | 3-28-58 | 108.5 | 231.7 | | | | 2-14-58 | 113.5 | 233.5 | |
| | | 4-18-58 | 98.3 | 261.7 | | | | 3-28-58 | 117.3 | 229.7 | |
| | | 4-25-58 | 92.8 | 265.2 | | | | 3-28-58 | 101.4 | 245.6 | |
| | | 5-09-58 | 87.0 | 271.0 | | | | 4-18-58 | 93.9 | 253.1 | |
| | | 5-30-58 | 82.8 | 275.2 | | | | 5-06-58 | 90.7 | 256.3 | |
| | | 6-20-58 | 79.7 | 278.5 | | | | 5-09-58 | 90.2 | 256.8 | |
| | | | | | | | | 5-30-58 | 86.4 | 260.6 | |
| | | | | | | | | 6-20-58 | 83.3 | 263.7 | |
| 1S/11W-02N01 S | 350.0 | 5-06-58 | 88.6 | 261.4 | 1101 | 1S/11W-04L02 S | 370.6 | 7-10-57 | 150.0* | 220.6 | 1050 |
| | | | | | | | | 7-10-57 | 128.0* | 242.6 | 3051 |
| 1S/11W-03N03 S | 347.4 | 7-19-57 | 104.0 | 243.0 | 1101 | | | 7-10-57 | 128.0* | 242.6 | 1050 |
| | | 8-30-57 | 105.4 | 242.3 | | | | 7-24-57 | 129.0* | 241.6 | 3051 |
| | | 9-17-57 | 105.8 | 241.6 | | | | 7-24-57 | 129.0* | 241.6 | 1050 |
| | | 10-11-57 | 105.6 | 241.8 | | | | 7-31-57 | 154.0* | 216.6 | 3051 |
| | | 11-01-57 | 105.8 | 241.6 | | | | 8-07-57 | 130.0* | 240.6 | 1050 |
| | | 11-21-57 | 106.3 | 241.1 | | | | 8-07-57 | 130.0* | 240.6 | 1050 |
| | | 12-13-57 | 106.4 | 241.0 | | | | 8-14-57 | 129.0* | 241.6 | 3051 |
| | | 1-24-58 | 106.9 | 240.5 | | | | 8-14-57 | 129.0* | 241.6 | 1050 |
| | | 2-14-58 | 106.9 | 240.5 | | | | 8-21-57 | 130.0* | 240.6 | 3051 |
| 1S/11W-03P02 S | 346.0 | 10-21-57 | 104.9 | 241.1 | 1101 | | | 8-21-57 | 130.0* | 240.6 | 1050 |
| | | 2-08-58 | 105.8 | 240.2 | | | | 8-28-57 | 130.0* | 240.6 | 1050 |
| | | 2-11-58 | 105.2 | 240.8 | | | | 8-28-57 | 130.0* | 240.6 | 3051 |
| | | 2-21-58 | 104.5 | 241.5 | | | | 9-04-57 | 130.0* | 240.6 | 1050 |
| | | 2-28-58 | 103.4 | 242.6 | | | | 9-04-57 | 130.0* | 240.6 | 3051 |
| | | 3-04-58 | 103.1 | 242.9 | | | | 9-11-57 | 162.0* | 208.6 | 1050 |
| | | 3-11-58 | 103.3 | 243.7 | | | | 9-18-57 | 160.0* | 210.6 | 3051 |
| | | 3-19-58 | 101.3 | 244.7 | | | | 9-25-57 | 131.0 | 239.6 | 1050 |
| | | 3-28-58 | 100.0 | 246.0 | | | | 10-02-57 | 132.0* | 208.6 | 1050 |
| | | 4-09-58 | 97.9 | 248.1 | | | | 10-09-57 | 130.0 | 240.6 | 3051 |
| | | 4-18-58 | 96.1 | 249.9 | | | | 10-09-57 | 130.0 | 240.6 | 1050 |
| | | 4-29-58 | 94.4 | 251.6 | | | | 10-16-57 | 157.0* | 213.6 | 3051 |
| | | 5-13-58 | 92.3 | 253.7 | | | | 10-23-57 | 159.0* | 215.6 | 1050 |
| | | 6-04-58 | 90.5 | 255.5 | | | | 11-06-57 | 155.0* | 218.6 | 3051 |
| | | 6-20-58 | 88.5 | 257.5 | | | | 11-13-57 | 132.0* | 238.6 | 1050 |
| | | 6-23-58 | 88.4 | 257.6 | | | | 11-20-57 | 158.0* | 212.6 | 3051 |
| | | 6-27-58 | 87.6 | 258.4 | | | | 11-27-57 | 132.0* | 238.6 | 1050 |
| | | 6-30-58 | 87.8 | 258.2 | | | | 12-04-57 | 158.0* | 212.6 | 3051 |
| 1S/11W-03R01 S | 347.0 | 7-19-57 | 105.3 | 241.7 | 1101 | | | | | | |
| | | 8-09-57 | 106.2 | 240.8 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | SAN GABRIEL VALLEY | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | MAIN SAN GABRIEL BASIN | | | | | |
| 41300 | | | | | | 41300 | | | | | |
| 15/11W-04L02 S | 370.6 | 12-11-57 | 129.0* | 241.6 | 3051 | 15/11W-06D01 S | 509.0 | 7-31-57 | 304.0* | 205.0 | 1101 |
| CONT. | | 12-18-57 | 129.0* | 241.6 | 1050 | | | 8-31-57 | 308.0* | 201.0 | |
| | | 12-18-57 | 130.0* | 240.6 | 3051 | | | 9-30-57 | 309.0* | 200.0 | |
| | | 12-26-57 | 130.0* | 240.6 | 1050 | | | 10-31-57 | 309.0* | 200.0 | |
| | | 12-26-57 | 130.0* | 240.6 | 3051 | | | 11-30-57 | 303.0* | 206.0 | |
| | | 1-08-58 | 129.0* | 241.6 | 1050 | | | 12-31-57 | 303.0* | 206.0 | |
| | | 1-08-58 | 129.0* | 241.6 | 3051 | | | 1-31-58 | 301.0* | 208.0 | |
| | | 1-15-58 | 130.0* | 240.6 | 1050 | | | 2-28-58 | 299.0* | 210.0 | |
| | | 1-15-58 | 130.0* | 240.6 | 3051 | | | 3-31-58 | 295.0* | 216.0 | |
| | | 1-22-58 | 129.0* | 241.6 | 1050 | | | 4-17-58 | 294.0* | 215.0 | |
| | | 1-22-58 | 129.0* | 241.6 | 3051 | | | 4-30-58 | 293.0* | 216.0 | |
| | | 1-29-58 | 128.0* | 242.6 | 1050 | | | 5-19-58 | 292.0* | 215.0 | |
| | | 1-29-58 | 128.0* | 242.6 | 3051 | | | 5-29-58 | 294.0* | 217.0 | |
| | | 2-05-58 | 131.0* | 239.6 | 1050 | | 504.0 | 6-29-58 | 300.0* | 204.0 | |
| | | 2-05-58 | 131.0* | 239.6 | 3051 | | | | | | |
| | | 2-11-58 | 155.0* | 215.6 | 1050 | | | | | | |
| | | 2-20-58 | 129.0* | 241.6 | 3051 | 15/11W-06M01 S | 466.0 | 7-31-57 | 263.0* | 203.0 | 1101 |
| | | 2-20-58 | 129.0* | 241.6 | 1050 | | | 8-31-57 | 268.0* | 198.0 | |
| | | 2-26-58 | 128.0* | 242.6 | 3051 | | | 9-30-57 | 265.0* | 201.0 | |
| | | 2-26-58 | 128.0* | 242.6 | 1050 | | | 10-31-57 | 263.0* | 203.0 | |
| | | 3-05-58 | 128.0* | 242.6 | 3051 | | | 11-30-57 | 262.0* | 204.0 | |
| | | 3-05-58 | 128.0* | 242.6 | 1050 | | | 12-31-57 | 260.0* | 206.0 | |
| | | 3-12-58 | 128.0* | 242.6 | 3051 | | | 1-31-58 | 260.0* | 206.0 | |
| | | 3-12-58 | 128.0* | 242.6 | 1050 | | | 2-28-58 | 258.0* | 208.0 | |
| | | 3-19-58 | 126.0* | 244.6 | 3051 | | | 3-31-58 | 254.0* | 214.0 | |
| | | 3-19-58 | 126.0* | 244.6 | 1050 | | | 4-15-58 | 252.0* | 212.0 | |
| | | 3-26-58 | 126.0* | 244.6 | 3051 | | | 4-17-58 | 255.0* | 210.1 | |
| | | 3-26-58 | 126.0* | 244.6 | 1050 | | | 4-30-58 | 253.0* | 213.0 | |
| | | 4-02-58 | 125.0* | 245.6 | 3051 | | | 5-28-58 | 252.0* | 214.0 | |
| | | 4-02-58 | 125.0* | 245.6 | 1050 | | | 6-29-58 | 260.0* | 206.0 | |
| | | 4-09-58 | 125.0* | 245.6 | 3051 | 15/11W-07H02 S | 389.0** | 1-01-58 | 153.0 | 236.0 | 1101 |
| | | 4-09-58 | 125.0* | 245.6 | 1050 | | | 2-01-58 | 153.0 | 236.0 | |
| | | 4-20-58 | 148.0* | 225.6 | 3051 | | | 3-01-58 | 144.0 | 245.0 | |
| | | 4-20-58 | 148.0* | 225.6 | 1050 | | | 4-01-58 | 150.0 | 239.0 | |
| | | 5-07-58 | 123.0* | 247.6 | 3051 | | | 5-01-58 | 150.0 | 239.0 | |
| | | 5-07-58 | 123.0* | 247.6 | 1050 | | | 6-01-58 | 156.0 | 233.0 | |
| | | 5-21-58 | 152.0* | 218.6 | 3051 | | | | | | |
| | | 5-21-58 | 152.0* | 218.6 | 1050 | | | 7-01-57 | 175.0 | 196.5 | 1101 |
| | | 5-28-58 | 147.0* | 223.6 | 3051 | | 371.5** | 8-01-57 | 176.0 | 195.5 | |
| | | 5-28-58 | 147.0* | 223.6 | 1050 | | | 9-01-57 | 173.0 | 198.5 | |
| | | 6-04-58 | 123.0* | 247.6 | 3051 | | | 10-01-57 | 173.0 | 198.5 | |
| | | 6-11-58 | 122.0* | 248.6 | 1050 | | | 11-01-57 | 176.0 | 195.5 | |
| | | 6-11-58 | 122.0* | 248.6 | 3051 | | | 12-01-57 | 173.0 | 198.5 | |
| | | 6-18-58 | 148.0* | 222.6 | 1050 | | | 1-01-58 | 173.0 | 198.5 | |
| | | 6-25-58 | 149.0* | 221.6 | 3051 | | | 1-01-58 | 173.0 | 198.5 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|-----------------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|-----------------|-------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | | | | | | |
| 41300 | | | | | | 41301 | | | | | |
| 1S/11W-07N01 S | 371.5** | 2-01-58 172.0 | 168.0 | 199.5 | 1101 | 1S/11W-08J01 S | 349.0 | 4-18-58 102.5 | 102.5 | 246.5 | 1101 |
| | | 3-01-58 172.0 | 176.0* | 203.5 | | | | 4-29-58 102.5 | | 246.5 | |
| | | 4-01-58 182.0* | 189.5 | 189.5 | | | | 5-09-58 102.5 | | 246.5 | |
| | | 5-01-58 172.0 | 199.5 | 199.5 | | | | 5-13-58 102.4 | | 246.6 | |
| | | 6-01-58 173.0* | 198.5 | 198.5 | | | | 5-30-58 102.5 | | 246.5 | |
| 1S/11W-07N02 S | 366.0 | 7-01-57 169.0* | 197.0 | 1101 | | | | 6-04-58 102.4 | | 246.6 | |
| | | 8-01-57 176.0* | 190.0 | | | | | 6-20-58 102.3 | | 246.7 | |
| | | 9-01-57 170.0* | 196.0 | | | | | 7-01-57 95.0* | 95.0* | 259.0 | 1101 |
| | | 10-01-57 168.0* | 198.0 | | | | | 8-01-57 96.0* | 96.0* | 254.0 | |
| | | 11-01-57 168.0* | 198.0 | | | | | 9-01-57 96.0* | 96.0* | 254.0 | |
| | | 12-01-57 165.0* | 201.0 | | | | | 10-01-57 96.0* | 96.0* | 254.0 | |
| | | 1-01-58 166.0* | 200.0 | | | | | 11-01-57 97.0* | 97.0* | 253.0 | |
| | | 2-01-58 163.0* | 203.0 | | | | | 12-01-57 97.0* | 97.0* | 253.0 | |
| | | 3-01-58 162.0* | 204.0 | | | | | 1-01-58 98.0* | 98.0* | 252.0 | |
| | | 4-01-58 168.0* | 198.0 | | | | | 2-01-58 98.0* | 98.0* | 252.0 | |
| | | 5-01-58 165.0* | 201.0 | | | | | 3-01-58 105.0* | 105.0* | 245.0 | |
| | | 6-01-58 165.0* | 201.0 | | | | | 4-01-58 98.0* | 98.0* | 252.0 | |
| 1S/11W-08E02 S | 384.0 | 7-01-57 179.0* | 205.0 | 1101 | | | | 5-01-58 98.0* | 98.0* | 252.0 | |
| | | 8-01-57 183.0* | 201.0 | | | | | 6-01-58 98.0* | 98.0* | 252.0 | |
| | | 9-01-57 200.0* | 184.0 | | | | | 7-01-57 101.0* | 101.0* | 250.0 | 1101 |
| | | 10-01-57 176.0* | 209.0 | | | | | 8-01-57 105.0* | 105.0* | 246.0 | |
| | | 11-01-57 175.0* | 209.0 | | | | | 9-01-57 97.0* | 97.0* | 254.0 | |
| | | 12-01-57 175.0* | 209.0 | | | | | 10-01-57 105.0* | 105.0* | 246.0 | |
| | | 1-01-58 174.0* | 210.0 | | | | | 11-01-57 104.0* | 104.0* | 247.0 | |
| | | 2-01-58 173.0* | 211.0 | | | | | 12-01-57 104.0* | 104.0* | 247.0 | |
| | | 3-01-58 168.0* | 216.0 | | | | | 1-01-58 105.0* | 105.0* | 246.0 | |
| | | 4-01-58 167.0* | 217.0 | | | | | 2-01-58 104.0* | 104.0* | 247.0 | |
| | | 5-01-58 169.0* | 215.0 | | | | | 3-01-58 104.0* | 104.0* | 247.0 | |
| | | 6-01-58 173.0* | 211.0 | | | | | 4-01-58 102.0* | 102.0* | 249.0 | |
| 1S/11W-08J01 S | 349.0 | 7-19-57 100.1 | 248.9 | 1101 | | | | 5-01-58 100.0* | 100.0* | 251.0 | |
| | | 8-09-57 102.4 | 246.6 | | | | | 6-01-58 107.0* | 107.0* | 244.0 | |
| | | 8-30-57 100.9 | 248.1 | | | | | 7-01-57 118.0* | 118.0* | 242.0 | 1101 |
| | | 9-17-57 101.3 | 247.7 | | | | | 8-01-57 119.0* | 119.0* | 241.0 | |
| | | 10-11-57 101.6 | 247.4 | | | | | 9-01-57 118.0* | 118.0* | 242.0 | |
| | | 11-01-57 101.7 | 247.3 | | | | | 10-01-57 115.0* | 115.0* | 245.0 | |
| | | 11-22-57 101.9 | 247.1 | | | | | 11-01-57 116.0* | 116.0* | 244.0 | |
| | | 12-13-57 102.0 | 247.0 | | | | | 12-01-57 115.0* | 115.0* | 245.0 | |
| | | 1-24-58 102.5 | 246.5 | | | | | 1-01-58 118.0* | 118.0* | 242.0 | |
| | | 2-14-58 102.0 | 247.0 | | | | | 2-01-58 119.0* | 119.0* | 241.0 | |
| | | 3-07-58 102.6 | 246.2 | | | | | 3-01-58 116.0* | 116.0* | 244.0 | |
| | | 3-11-58 102.6 | 246.4 | | | | | 4-01-58 120.0* | 120.0* | 240.0 | |
| | | 3-28-58 102.6 | 246.4 | | | | | 5-01-58 115.0* | 115.0* | 245.0 | |
| | | 4-09-58 102.4 | 246.6 | | | | | 6-01-58 113.0* | 113.0* | 247.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | SAN GABRIEL VALLEY | | | | | |
| 41300 | | | | | | 41300 | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | | | | | | |
| 15/111W-09001 S | 306+2 | 7-19-57 | 63.9 | 242.3 | 1101 | 15/111W-11F04 S | 338+0 | 8-07-57 | 90.1 | 247.9 | 1101 |
| | | 8-09-57 | 64.4 | 241.8 | | | | 8-14-57 | 99.6 | 238.4 | |
| | | 8-30-57 | 64.8 | 241.1 | | | | 8-21-57 | 100.0 | 237.0 | |
| | | 9-17-57 | 65.1 | 241.1 | | | | 8-28-57 | 100.5 | 237.5 | |
| | | 10-11-57 | 65.6 | 240.4 | | | | 9-04-57 | 100.8 | 237.2 | |
| | | 11-01-57 | 65.6 | 240.6 | | | | 9-11-57 | 101.3 | 236.9 | |
| | | 11-22-57 | 66.0 | 240.2 | | | | 9-18-57 | 101.3 | 236.7 | |
| | | 12-13-57 | 66.2 | 240.0 | | | | 9-25-57 | 101.6 | 236.4 | |
| | | 1-24-58 | 66.4 | 239.8 | | | | 10-02-57 | 101.8 | 236.2 | |
| | | 2-14-58 | 66.4 | 239.8 | | | | 11-09-57 | 102.7 | 235.3 | |
| | | 3-07-58 | 65.6 | 240.6 | | | | 1-16-57 | 101.9 | 236.1 | |
| | | 3-28-58 | 63.9 | 242.3 | | | | 1-23-57 | 101.7 | 236.3 | |
| | | 4-18-58 | 61.9 | 244.3 | | | | 1-30-57 | 101.8 | 236.2 | |
| | | 5-09-58 | 60.4 | 245.8 | | | | 1-06-57 | 101.6 | 236.4 | |
| | | 5-30-58 | 59.5 | 246.7 | | | | 1-13-57 | 101.5 | 236.5 | |
| | | 6-20-58 | 58.6 | 247.6 | | | | 1-20-57 | 101.6 | 236.4 | |
| 15/111W-10A02 S | 325+0 | 7-03-57 | 107.0* | 218.0 | 1101 | | | 1-20-57 | 101.9 | 236.1 | |
| | | 8-07-57 | 94.0* | 231.0 | | | | 1-24-57 | 101.9 | 236.1 | |
| | | 9-04-57 | 115.0* | 210.0 | | | | 1-11-57 | 101.8 | 236.2 | |
| | | 10-02-57 | 113.0* | 212.0 | | | | 1-18-57 | 101.1 | 236.9 | |
| | | 11-06-57 | 110.0* | 215.0 | | | | 1-25-57 | 101.0 | 237.0 | |
| | | 11-27-57 | 110.0* | 215.0 | | | | 1-08-58 | 102.3 | 235.7 | |
| | | 12-26-57 | 113.0* | 212.0 | | | | 1-15-58 | 101.1 | 236.9 | |
| | | 1-29-58 | 109.0* | 216.0 | | | | 1-22-58 | 101.1 | 236.9 | |
| | | 2-26-58 | 107.0* | 218.0 | | | | 2-05-58 | 100.5 | 237.5 | |
| | | 3-26-58 | 100.0* | 225.0 | | | | 2-12-58 | 99.2 | 238.8 | |
| | | 4-30-58 | 85.0* | 250.0 | | | | 2-19-58 | 99.1 | 238.9 | |
| | | 5-28-58 | 75.0* | 250.0 | | | | 2-26-58 | 95.4 | 242.6 | |
| | | 6-25-58 | 75.0* | 250.0 | | | | 3-05-58 | 94.0 | 244.0 | |
| 15/111W-10F02 S | 327.0** | 5-15-58 | 55.0* | 272.0 | 1101 | | | 3-12-58 | 92.0 | 246.0 | |
| | | 6-15-58 | 51.0* | 276.0 | | | | 3-19-58 | 90.4 | 247.6 | |
| 15/111W-10P02 S | 322.0 | 10-23-57 | 85.7 | 236.3 | 1101 | | | 3-26-58 | 88.6 | 249.4 | |
| | | 4-24-58 | 71.5 | 250.5 | | | | 4-09-58 | 88.4 | 249.6 | |
| 15/111W-10R02 S | 326.0 | 10-23-57 | 91.9 | 236.1 | 1101 | | | 4-16-58 | 90.5 | 251.5 | |
| | | 4-24-58 | 70.7 | 255.3 | | | | 4-23-58 | 75.1 | 262.9 | |
| | | 4-25-58 | 70.4 | 255.0 | | | | 4-30-58 | 72.5 | 265.5 | |
| 15/111W-11F04 S | 338+0 | 7-03-57 | 96.2 | 241.8 | 1101 | | | 5-01-58 | 69.4 | 268.7 | |
| | | 7-10-57 | 97.0 | 241.0 | | | | 5-11-58 | 68.1 | 271.5 | |
| | | 7-17-57 | 97.3 | 240.7 | | | | 5-18-58 | 63.6 | 273.2 | |
| | | 7-24-57 | 98.1 | 239.9 | | | | 6-04-58 | 62.1 | 275.9 | |
| | | 7-31-57 | 98.6 | 239.4 | | | | 6-11-58 | 60.8 | 277.2 | |
| | | | | | | | | 6-18-58 | 59.8 | 278.2 | |
| | | | | | | | | 6-25-58 | 59.9 | 278.1 | |
| | | | | | | | | 12-18-57 | DRY | | 1101 |
| | | | | | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-------------------------|--------------------|---|--|---|-----------------------|-------------------------|--------------------|---|---|--|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | SAN GABRIEL VALLEY | | | | | |
| 41300 | | | | | | 41300 | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | | | | | | |
| 15/11W-11M01 S CONT. | 332.5 | 2-15-58 4-30-58 4-23-58 5-07-58 5-12-58 5-14-58 5-21-58 5-28-58 6-04-58 6-11-58 6-18-58 6-25-58 | DRY DRY DRY DRY DRY DRY DRY DRY DRY DRY DRY DRY | 260.4 72.1 69.4 68.6 67.0 65.3 67.2 67.9 66.6 65.2 67.3 59.4 | 1101 | 15/11W-14L01 S CONT. | 322.5 | 3-24-58 4-14-58 4-28-58 5-19-58 6-09-58 6-30-58 | 99.3 99.3 99.1 80.8 65.8 64.6* | 223.2 222.8 223.4 241.7 256.7 257.9 | 1101 |
| 15/11W-13B02 S | 350.0 | 6-27-58 6-30-58 | 78.6 66.0 | 271.4 283.1 | 1101 | 15/11W-15C02 S | 318.0 | 10-23-57 4-22-58 | 83.6 68.9 | 234.4 249.1 | 1101 |
| 15/11W-13N01 S | 320.8 | 7-10-57 7-24-57 8-21-57 9-11-57 10-23-57 11-13-57 12-04-57 12-25-57 1-15-58 2-05-58 3-19-58 4-09-58 4-30-58 5-21-58 6-11-58 | 81.2 82.3 84.2 85.2 87.2 87.1 86.0 84.5 83.7 83.2 84.5 74.4 62.5 54.1 50.0 | 239.6 238.5 236.6 233.6 233.7 233.9 236.3 237.1 237.6 246.4 258.3 266.7 270.8 | 1101 | 15/11W-15L02 S | 310.0** | 5-14-58 | 70.6 | 239.4 | 1101 |
| | | | | | | 15/11W-15Q04 S | | 5-06-58 6-23-58 | DRY | | 1101 |
| | | | | | | 15/11W-16F01 S | 297.6 | 10-23-57 4-22-58 | 70.7 57.1 | 226.9 240.5 | 1101 |
| | | | | | | 15/11W-17B01 S | 315.0 | 7-01-57 8-01-57 9-01-57 10-01-57 11-01-57 12-01-57 1-01-58 2-01-58 3-01-58 4-01-58 | 105.0* 108.0* 105.0* 103.0* 102.0* 100.0* 100.0* 95.0* 91.0* 90.0* | 210.0 207.0 210.0 212.0 213.0 215.0 215.0 220.0 224.0 225.0 | 1101 |
| | | | | | | 15/11W-17B02 S | 314.5 | 7-01-57 8-01-57 9-01-57 10-01-57 11-01-57 12-01-57 1-01-58 2-01-58 3-01-58 4-01-58 | 72.0* 80.0* 75.0* 68.0* 72.0* 73.0* 73.0* 73.0* 72.0* 73.0* | 242.5 234.5 239.5 246.5 242.5 241.5 240.5 241.5 242.0 241.5 | 1101 |
| 15/11W-14K01 S | 316.0 | 2-10-58 2-24-58 3-10-58 3-24-58 4-14-58 4-28-58 5-19-58 6-09-58 6-30-58 | 77.6 78.5 78.6 73.2 59.8 56.1* 48.8 44.5* 45.6 | 238.4 237.5 237.4 242.8 256.2 259.9 267.2 271.5 270.4 | 1101 | 15/11W-18H01 S | 323.4 | 7-24-57 8-21-57 9-11-57 10-02-57 10-23-57 | 98.9* 102.3* 99.3 102.9 92.4 | 224.5 221.1 224.1 220.5 231.0 | 1101 |
| 15/11W-14L01 S | 322.5 | 1-20-58 2-10-58 3-10-58 | 107.5 106.5 109.4 | 215.0 216.0 213.1 | 1101 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| 41300 | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| 41300 | | | | | | | | | | | |
| SAN GABRIEL BASIN | | | | | | | | | | | |
| 41301 | | | | | | | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | | | | | | |
| 15/11W-18H01 S | | | | | | | | | | | |
| CONT. | | | | | | | | | | | |
| 15/11W-18H01 S | 323.4 | 11-13-57 | 93.9 | 229.5 | 1101 | 15/11W-21D01 S | 242.6 | 7-31-57 | 17.6 | 225.0 | 1101 |
| | | 12-04-57 | 74.0 | 225.4 | | | | 8-07-57 | 17.7 | 224.9 | |
| | | 12-23-57 | 93.0 | 230.4 | | | | 8-14-57 | 17.8 | 224.8 | |
| | | 1-13-58 | 92.6 | 230.8 | | | | 8-28-57 | 18.0 | 224.6 | |
| | | 2-02-58 | 92.0 | 225.4 | | | | 9-04-57 | 18.1 | 224.5 | |
| | | 3-19-58 | 93.0 | 230.4 | | | | 9-11-57 | 18.3 | 224.3 | |
| | | 4-09-58 | 83.0 | 240.3 | | | | 9-18-57 | 18.3 | 224.3 | |
| | | 6-04-58 | 82.4 | 241.0 | | | | 10-12-57 | 18.4 | 224.2 | |
| | | 6-11-58 | 98.2* | 225.2 | | | | 10-25-57 | 18.5 | 224.1 | |
| | | | | | | | | 10-30-57 | 18.5 | 224.1 | |
| 15/11W-18K01 S | 330.0 | 7-01-57 | 135.0* | 195.0 | 1101 | | | 11-03-57 | 18.6 | 224.0 | |
| | | 8-01-57 | 137.0* | 193.0 | | | | 11-11-57 | 18.6 | 224.0 | |
| | | 9-01-57 | 134.0* | 196.0 | | | | 11-20-57 | 18.6 | 224.0 | |
| | | 10-01-57 | 132.0* | 198.0 | | | | 12-25-57 | 18.8 | 223.8 | |
| | | 11-01-57 | 132.0* | 198.0 | | | | 2-03-58 | 16.7 | 225.9 | |
| | | 12-01-57 | 129.0* | 201.0 | | | | 2-11-58 | 18.0 | 223.8 | |
| | | 1-01-58 | 144.0* | 186.0 | | | | 2-19-58 | 18.8 | 223.8 | |
| | | 2-01-58 | 129.0* | 201.0 | | | | 3-10-58 | 17.9 | 224.7 | |
| | | 3-01-58 | 126.0* | 204.0 | | | | 3-26-58 | 17.9 | 224.7 | |
| | | 4-01-58 | 122.0* | 208.0 | | | | 4-03-58 | 17.5 | 225.1 | |
| | | 5-01-58 | 123.0* | 207.0 | | | | 4-16-58 | 17.0 | 225.6 | |
| | | 6-01-58 | 125.0* | 205.0 | | | | 4-23-58 | 16.0 | 226.6 | |
| 15/11W-19F01 S | 276.0 | 7-01-57 | 77.0* | 199.0 | 1101 | | | 4-30-58 | 15.9 | 226.7 | |
| | | 8-01-57 | 79.0* | 197.0 | | | | 5-07-58 | 15.8 | 226.8 | |
| | | 9-01-57 | 75.0* | 201.0 | | | | 5-14-58 | 16.7 | 225.9 | |
| | | 10-01-57 | 72.0* | 204.0 | | | | 5-21-58 | 16.6 | 226.0 | |
| | | 11-01-57 | 71.0* | 205.0 | | | | 5-28-58 | 16.6 | 226.0 | |
| | | 12-01-57 | 67.0* | 209.0 | | | | 6-04-58 | 16.6 | 226.0 | |
| | | 1-01-58 | 69.0* | 207.0 | | | | 6-11-58 | 16.6 | 226.0 | |
| | | 2-01-58 | 67.0* | 209.0 | | | | 6-18-58 | 16.6 | 226.0 | |
| | | 3-01-58 | 65.0* | 211.0 | | | | 6-25-58 | 16.5 | 226.1 | |
| | | 4-01-58 | 67.0* | 209.0 | | | | 7-19-57 | 44.6 | 237.3 | 1101 |
| | | 5-01-58 | 68.0* | 208.0 | | | | 8-09-57 | 46.0 | 235.9 | |
| | | 6-01-58 | 69.0* | 207.0 | | | | 8-30-57 | 45.4 | 236.5 | |
| | | | | | | | | 9-17-57 | 45.9 | 236.0 | |
| 15/11W-19H03 S | 264.5 | 10-23-57 | 26.0 | 237.7 | 1101 | 15/11W-21D02 S | 281.9 | 10-11-57 | 46.3 | 235.6 | |
| | | 4-24-58 | 25.9* | 238.6 | | | | 11-01-57 | 46.9 | 235.0 | |
| 15/11W-20A03 S | 275.6 | 10-23-57 | 46.6 | 229.0 | 1101 | | | 11-22-57 | 47.1 | 234.8 | |
| | | 4-22-58 | 42.9 | 232.7 | | | | 12-13-57 | 47.5 | 234.4 | |
| 15/11W-20R03 S | DRY | | | | 1101 | | | 1-24-58 | 48.0 | 233.9 | |
| | | 5-06-58 | | | | | | 2-15-58 | 48.2 | 233.7 | |
| 15/11W-20N01 S | 242.6 | 7-10-57 | 17.7 | 224.9 | 1101 | | | 3-07-58 | 47.8 | 234.1 | |
| | | | | | | | | 3-28-58 | 47.5 | 234.4 | |
| | | | | | | | | 4-18-58 | 46.7 | 235.2 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------------|---------------------|----------|--------------------------------------|-----------------------------|-----------------------|------------------------|---------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY 41300 | | | | | | | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | MAIN SAN GABRIEL BASIN | | | | | |
| 41301 | | | | | | | | | | | |
| 15/11W-21002 S | 281.9 | 5-09-58 | 45.6 | 236.3 | 1101 | 15/11W-22N01 S | | 6-23-58 | DRY | | 1101 |
| CONT. | | 5-30-58 | 46.7 | 237.2 | | | | 1-26-57 | DRY | | 1101 |
| | | 6-20-58 | 43.7 | 234.2 | | | | 1-20-58 | DRY | | |
| 15/11W-21G02 S | 289.0 | 7-19-57 | 57.9 | 231.1 | 1101 | 15/11W-23M01 S | 303.4 | 2-24-58 | 26.5 | 275.5 | |
| | | 8-09-57 | 58.5 | 230.5 | | | | 3-10-58 | 26.4 | 277.0 | |
| | | 8-30-57 | 59.4 | 229.6 | | | | 3-24-58 | DRY | | |
| | | 9-17-57 | 60.1 | 228.9 | | | | 4-14-58 | DRY | | |
| | | 10-11-57 | 60.8 | 228.2 | | | | 4-28-58 | DRY | | |
| | | 11-01-57 | 61.3 | 227.7 | | | | 5-06-58 | DRY | | |
| | | 11-22-57 | 61.8 | 227.2 | | | | 5-19-58 | DRY | | |
| | | 12-13-57 | 61.8 | 227.2 | | | | 6-09-58 | DRY | | |
| | | 1-24-58 | 61.0 | 228.0 | | | | 6-30-58 | DRY | | |
| | | 2-14-58 | 61.7 | 227.3 | | | | | | | |
| | | 3-07-58 | 61.9 | 227.1 | | | | | | | |
| | | 3-28-58 | 53.8 | 235.2 | | | | | | | |
| | | 4-18-58 | 56.7 | 232.3 | | | | | | | |
| | | 5-09-58 | 55.0 | 234.0 | | | | | | | |
| | | 5-30-58 | 57.8 | 236.2 | | | | | | | |
| | | 6-20-58 | 50.0 | 239.0 | | | | | | | |
| 15/11W-21001 S | 272.0 | 10-06-57 | 46.6 | 225.4 | 1101 | 15/11W-23P04 S | 294.5 | 6-09-58 | 39.2 | 255.3 | 1101 |
| | | 4-24-58 | 43.0 | 229.0 | | | | 6-30-58 | 39.3 | 255.2 | |
| 15/11W-22B01 S | 302.0 | 10-01-57 | 72.7 | 229.3 | 1101 | 15/11W-23001 S | 293.0 | 7-03-57 | DRY | | 1101 |
| | | 10-23-57 | 73.0 | 229.0 | | | | 7-10-57 | DRY | | |
| | | 5-06-58 | 57.3 | 244.7 | | | | 7-17-57 | DRY | | |
| 15/11W-22F02 S | 291.0 | 7-19-57 | 60.2 | 230.8 | 1101 | | | 8-07-57 | DRY | | |
| | | 8-09-57 | 61.3 | 229.7 | | | | 9-15-57 | DRY | | |
| | | 8-30-57 | 62.5 | 228.5 | | | | 12-25-57 | DRY | | |
| | | 9-17-57 | 63.3 | 227.7 | | | | 1-01-58 | DRY | | |
| | | 10-11-57 | 64.3 | 226.7 | | | | 1-06-58 | DRY | | |
| | | 11-01-57 | 64.4 | 226.6 | | | | 1-16-58 | DRY | | |
| | | 11-22-57 | 64.3 | 226.7 | | | | 1-23-58 | DRY | | |
| | | 12-13-57 | 64.3 | 226.7 | | | | 2-10-58 | DRY | | |
| | | 1-24-58 | 62.8 | 228.2 | | | | 2-24-58 | DRY | | |
| | | 2-14-58 | 62.2 | 228.8 | | | | 3-10-58 | DRY | | |
| | | 3-07-58 | 59.7 | 231.3 | | | | 3-19-58 | 62.5 | 230.5 | |
| | | 3-28-58 | 59.7 | 231.3 | | | | 4-14-58 | 53.4 | 239.6 | |
| | | 4-18-58 | 55.8 | 235.2 | | | | 4-30-58 | 51.7 | 241.3 | |
| | | 5-09-58 | 51.9 | 239.1 | | | | 5-07-58 | 48.4 | 244.6 | |
| | | 5-30-58 | 48.0 | 243.0 | | | | 5-14-58 | 46.0 | 247.0 | |
| | | 6-11-58 | 46.2 | 244.8 | | | | 5-21-58 | 45.4 | 247.6 | |
| | | 6-20-58 | 47.8 | 243.2 | | | | 5-28-58 | 42.4 | 249.8 | |
| | | 5-06-58 | DRY | | | | | 6-04-58 | 42.4 | 250.6 | |
| 15/11W-22N01 S | | | | | 1101 | 15/11W-24C01 S | 325.0 | 6-09-58 | 42.4 | 250.6 | |
| | | | | | | | | 6-18-58 | 43.9 | 249.1 | |
| | | | | | | | | 6-25-58 | 41.7 | 251.9 | |
| | | | | | | | | 6-30-58 | 41.7 | 251.3 | |
| | | | | | | | | 11-05-57 | 91.5 | 233.5 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | SAN GABRIEL VALLEY | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | MAIN SAN GABRIEL BASIN | | | | | |
| 15/111W-24C01 S | 325.40 | 5-09-58 | 66.3 | 288.7 | 1101 | 15/111W-25L01 S | 302.5 | 8-29-57 | DRY | 41300 | 1101 |
| 15/111W-24F01 S | 315.40** | 11-05-57 | 84.7 | 231.3 | 1101 | CONT. | 302.5 | 9-15-57 | DRY | 239.3 | |
| | | 5-09-58 | 53.2 | 251.8 | | | | 10-31-57 | 43.2 | | |
| | | 5-09-58 | 63.2 | 251.8 | | | | 11-21-57 | DRY | | |
| 15/111W-24P01 S | 315.4 | 7-22-57 | 77.4 | 239.0 | 1101 | | | 12-12-57 | 63.1 | 239.4 | |
| | | 8-19-57 | 80.2 | 235.2 | | | | 1-23-58 | 63.1 | 239.4 | |
| | | 9-23-57 | 81.5 | 233.7 | | | | 2-13-58 | 62.6 | 239.7 | |
| | | 10-15-57 | 82.2 | 232.2 | | | | 3-06-58 | 62.1 | 240.4 | |
| | | 11-18-57 | 81.8 | 233.6 | | | | 3-27-58 | 62.1 | 240.4 | |
| | | 1-07-58 | 80.4 | 235.0 | | | | 4-17-58 | 61.5 | 241.0 | |
| | | 2-14-58 | 78.8 | 236.6 | | | | 5-08-58 | 57.7 | 244.8 | |
| | | 2-24-58 | 76.4 | 237.0 | | | | 5-29-58 | 54.8 | 248.1 | |
| | | 3-10-58 | 77.3 | 238.1 | | | | 6-19-58 | 51.1 | 251.4 | |
| | | 3-24-58 | 75.5 | 239.9 | | | | | | | |
| | | 4-14-58 | 71.0 | 244.4 | | | | | | | |
| | | 5-19-58 | 63.1 | 252.3 | | | | | | | |
| | | 6-09-58 | 59.5 | 255.9 | | | | | | | |
| | | 6-30-58 | 56.5 | 259.9 | | | | | | | |
| 15/111W-24Q04 S | 315.0 | 11-06-57 | 84.2 | 234.8 | 1101 | 15/111W-26D02 S | 295.0 | 11-21-57 | 64.0* | 231.0 | 1101 |
| | | 5-09-58 | 67.5 | 251.5 | | | | 7-03-57 | 63.6 | 225.4 | |
| | | 11-18-57 | 83.2 | 235.2 | | | | 7-10-57 | 64.5 | 228.5 | |
| | | 4-23-58 | 73.8 | 244.6 | | | | 7-17-57 | 64.8 | 228.2 | |
| | | | | | | | | 7-24-57 | 65.4 | 227.6 | |
| | | | | | | | | 7-31-57 | 65.9 | 227.1 | |
| | | | | | | | | 8-07-57 | 66.4 | 226.5 | |
| | | | | | | | | 8-14-57 | 66.5 | 226.5 | |
| | | | | | | | | 8-21-57 | 67.1 | 225.9 | |
| | | | | | | | | 8-28-57 | 67.4 | 225.6 | |
| | | | | | | | | 9-04-57 | 67.7 | 225.3 | |
| | | | | | | | | 9-11-57 | 68.4 | 224.6 | |
| | | | | | | | | 9-18-57 | 68.5 | 224.5 | |
| | | | | | | | | 10-05-57 | 69.3 | 223.3 | |
| | | | | | | | | 10-12-57 | 69.4 | 223.6 | |
| | | | | | | | | 10-19-57 | 69.7 | 223.0 | |
| | | | | | | | | 10-26-57 | 67.1 | 225.0 | |
| | | | | | | | | 10-16-57 | 67.1 | 225.0 | |
| | | | | | | | | 10-23-57 | 66.3 | 225.7 | |
| | | | | | | | | 10-30-57 | 66.4 | 225.6 | |
| | | | | | | | | 11-06-57 | 65.7 | 225.3 | |
| | | | | | | | | 11-13-57 | 65.3 | 221.7 | |
| | | | | | | | | 11-20-57 | 65.6 | 221.4 | |
| | | | | | | | | 11-27-57 | 65.8 | 221.2 | |
| | | | | | | | | 12-04-57 | 65.9 | 221.1 | |
| | | | | | | | | 1-11-57 | 64.9 | 228.1 | |
| | | | | | | | | 1-18-57 | 64.0 | 229.0 | |
| | | | | | | | | 1-25-57 | 63.9 | 229.1 | |
| | | | | | | | | 1-08-58 | 64.0 | 229.0 | |
| | | | | | | | | 1-15-58 | 63.4 | 229.6 | |
| | | | | | | | | 1-22-58 | 61.8 | 231.2 | |
| | | | | | | | | 2-05-58 | 61.4 | 231.6 | |
| 15/111W-25L01 S | 302.5 | 7-18-57 | 64.0 | 238.5 | 1101 | | | | | | |
| | | 8-08-57 | DRY | | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|---|--|--|-----------------------|-------------------------|--------------------|--|--|---|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | SAN GABRIEL VALLEY | | | | | |
| 41300 | | | | | | 41300 | | | | | |
| 15/11W-26D04 S CONT. | 293.0 | 2-12-58 2-19-58 2-26-58 3-5-58 3-12-58 3-19-58 3-26-58 4-2-58 4-9-58 4-16-58 4-23-58 4-30-58 5-7-58 5-14-58 5-21-58 5-28-58 6-4-58 6-11-58 6-18-58 6-25-58 | 61.0 60.1 59.9 58.8 59.0 57.4 56.9 56.9 52.3 51.7 51.8 48.5 48.3 47.1 46.4 46.5 46.3 45.2 45.0 44.1 | 232.0 232.7 233.1 234.0 234.0 235.6 236.1 238.0 240.7 241.3 241.2 244.5 244.7 245.9 246.6 246.5 246.7 247.8 248.0 248.9 | 1101 | 15/11W-26G01 S CONT. | 284.0 | 9-14-57 10-14-57 11-15-57 1-17-58 2-15-58 4-15-58 5-15-58 6-15-58 | 62.0* 61.0* 61.0* 57.0* 56.0* 53.0* 50.0* 51.0* | 222.0 223.0 223.0 227.0 228.0 231.0 234.0 233.0 | 1101 |
| MAIN SAN GABRIEL BASIN | | | | | | | | | | | |
| 41301 | | | | | | 41301 | | | | | |
| 15/11W-26F01 S | 280.0 | 12-23-57 1-06-58 1-20-58 2-10-58 2-24-58 3-10-58 3-24-58 3-24-58 4-14-58 4-28-58 5-19-58 6-09-58 6-30-58 | 37.4 DRY DRY DRY DRY DRY DRY DRY 37.4 36.2 33.5 32.2 30.5 | 242.6 243.8 246.5 247.8 249.5 | 1101 | 15/11W-26R06 S | 292.0 | 7-17-57 8-07-57 8-28-57 9-18-57 10-16-57 11-06-57 11-27-57 1-2-58 1-08-58 2-19-58 3-12-58 4-02-58 4-23-58 5-14-58 6-04-58 6-25-58 | 55.0 56.6 58.0 59.4 60.5 61.3 60.2 59.7 58.9 58.8 55.2 54.1 51.3 48.6 46.2 44.0 | 237.0 235.4 234.0 232.6 231.5 230.7 231.8 232.3 233.1 233.2 236.8 240.7 243.4 245.8 248.0 | 1101 |
| 15/11W-26F02 S | 284.0 | 7-15-57 8-15-57 9-16-57 10-14-57 11-15-57 1-17-58 4-15-58 5-16-58 6-15-58 | 58.0* 59.0* 62.0* 61.0* 61.0* 57.0* 46.0* 42.0* 41.0* | 226.0 225.0 223.0 223.0 223.0 227.0 238.0 242.0 243.0 | 1101 | 15/11W-27N03 S | DRY | 5-06-58 | DRY | 245.7 | 1101 |
| 15/11W-26G01 S | 284.0 | 7-15-57 8-15-57 | 58.0* 59.0* | 226.0 225.0 | 1101 | 15/11W-27N03 S | DRY | 5-06-58 | DRY | 245.8 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|---------|-------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | SAN GABRIEL VALLEY | | | | | |
| 41300 | | | | | | 41300 | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | | | | | | |
| 15/11W-27N03 S | | | | | | | | | | | |
| | 264.7 | 6-23-50 | DRY | | 1101 | 15/11W-28D02 S | 264.7 | 5-21-58 | 43.0 | 221.7 | 1101 |
| 15/11W-28D02 S | | | | | | | | | | | |
| | | 7-03-57 | 46.1 | 218.6 | | | | 5-28-58 | 42.2 | 223.5 | |
| | | 7-10-57 | 46.4 | 218.3 | | | | 6-04-58 | 41.7 | 223.0 | |
| | | 7-17-57 | 46.7 | 217.0 | | | | 6-11-58 | 41.4 | 223.3 | |
| | | 7-24-57 | 47.0 | 215.7 | | | | 6-18-58 | 41.2 | 223.5 | |
| | | 7-31-57 | 47.2 | 214.4 | | | | 6-25-58 | 40.6 | 224.1 | |
| | | 8-07-57 | 47.5 | 213.2 | | | | | | | |
| | | 8-14-57 | 47.8 | 211.9 | | 15/11W-28F02 S | | 5-06-58 | DRY | | 1101 |
| | | 8-21-57 | 48.1 | 210.6 | | | | 5-06-58 | DRY | | 1101 |
| | | 8-28-57 | 48.4 | 210.3 | | 15/11W-28J03 S | | 6-23-58 | DRY | | 1101 |
| | | 9-04-57 | 48.5 | 210.2 | | | | | | | |
| | | 9-11-57 | 48.8 | 210.9 | | | | | | | |
| | | 9-18-57 | 49.0 | 210.8 | | | | | | | |
| | | 9-25-57 | 49.1 | 210.6 | | | | | | | |
| | | 10-02-57 | 49.4 | 210.3 | | | | | | | |
| | | 10-09-57 | 49.5 | 210.2 | | | | | | | |
| | | 10-16-57 | 49.4 | 210.3 | | | | | | | |
| | | 10-23-57 | 49.5 | 210.2 | | | | | | | |
| | | 10-30-57 | 49.6 | 210.1 | | | | | | | |
| | | 11-06-57 | 49.5 | 210.2 | | | | | | | |
| | | 11-13-57 | 49.5 | 210.2 | | | | | | | |
| | | 11-20-57 | 49.6 | 210.1 | | | | | | | |
| | | 11-27-57 | 49.7 | 210.0 | | | | | | | |
| | | 12-04-57 | 49.8 | 210.0 | | | | | | | |
| | | 12-11-57 | 49.7 | 210.0 | | | | | | | |
| | | 12-18-57 | 50.3 | 210.4 | | | | | | | |
| | | 12-25-57 | 49.7 | 210.0 | | | | | | | |
| | | 1-08-58 | 49.5 | 210.2 | | | | | | | |
| | | 1-15-58 | 49.7 | 210.0 | | | | | | | |
| | | 1-22-58 | 49.0 | 210.7 | | | | | | | |
| | | 2-05-58 | 48.8 | 210.9 | | | | | | | |
| | | 2-12-58 | 48.3 | 210.9 | | | | | | | |
| | | 2-19-58 | 48.9 | 210.8 | | | | | | | |
| | | 2-26-58 | 47.7 | 216.8 | | | | | | | |
| | | 3-05-58 | 47.6 | 211.1 | | | | | | | |
| | | 3-12-58 | 47.2 | 210.5 | | | | | | | |
| | | 3-19-58 | 46.3 | 210.9 | | | | | | | |
| | | 3-26-58 | 46.5 | 210.2 | | | | | | | |
| | | 4-02-58 | 46.3 | 210.4 | | | | | | | |
| | | 4-09-58 | 45.5 | 210.4 | | | | | | | |
| | | 4-16-58 | 45.0 | 210.7 | | | | | | | |
| | | 4-23-58 | 44.5 | 220.2 | | | | | | | |
| | | 4-30-58 | 44.0 | 220.7 | | | | | | | |
| | | 5-07-58 | 43.5 | 221.2 | | | | | | | |
| | | 5-14-58 | 42.7 | 222.0 | | | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | | | | | | |
| 15/11W-28R01 S | | | | | | | | | | | |
| | 258.0 | | | | | | | | | | |
| | | 7-03-57 | 31.9 | 226.1 | | | | | | | |
| | | 7-10-57 | 32.3 | 225.7 | | | | | | | |
| | | 7-17-57 | 32.5 | 225.3 | | | | | | | |
| | | 7-24-57 | 33.0 | 225.0 | | | | | | | |
| | | 7-31-57 | 33.3 | 224.7 | | | | | | | |
| | | 8-07-57 | 33.7 | 224.3 | | | | | | | |
| | | 8-14-57 | 34.0 | 224.0 | | | | | | | |
| | | 8-21-57 | 34.5 | 223.5 | | | | | | | |
| | | 9-04-57 | 34.9 | 223.1 | | | | | | | |
| | | 9-11-57 | 35.3 | 222.7 | | | | | | | |
| | | 9-18-57 | 35.6 | 222.4 | | | | | | | |
| | | 9-25-57 | 35.7 | 222.3 | | | | | | | |
| | | 10-02-57 | 35.5 | 222.5 | | | | | | | |
| | | 10-09-57 | 36.3 | 221.7 | | | | | | | |
| | | 10-16-57 | 36.4 | 221.6 | | | | | | | |
| | | 10-23-57 | 36.3 | 221.7 | | | | | | | |
| | | 10-30-57 | 36.5 | 221.5 | | | | | | | |
| | | 11-06-57 | 36.5 | 221.5 | | | | | | | |
| | | 11-13-57 | 37.0 | 221.0 | | | | | | | |
| | | 11-20-57 | 37.3 | 220.5 | | | | | | | |
| | | 11-27-57 | 36.6 | 221.3 | | | | | | | |
| | | 12-04-57 | 36.7 | 221.3 | | | | | | | |
| | | 12-11-57 | 36.9 | 221.0 | | | | | | | |
| | | 12-18-57 | 36.1 | 221.9 | | | | | | | |
| | | 1-06-58 | 36.1 | 221.4 | | | | | | | |
| | | 1-13-58 | 37.0 | 220.9 | | | | | | | |
| | | 1-20-58 | 35.9 | 222.1 | | | | | | | |
| | | 1-27-58 | 35.8 | 222.2 | | | | | | | |
| | | 2-03-58 | 33.8 | 224.2 | | | | | | | |
| | | 2-10-58 | 33.4 | 224.6 | | | | | | | |
| | | 2-17-58 | 33.6 | 224.4 | | | | | | | |
| | | 2-24-58 | 33.4 | 224.6 | | | | | | | |
| | | 3-03-58 | 33.4 | 224.6 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | SAN GABRIEL VALLEY | | | | | |
| 41301 | | | | | | 41300 | | | | | |
| 15/11W-29R01 S | 258.0 | 3-12-58 | 33.6 | 224.4 | 1101 | 15/11W-30B01 S | 238.0 | 11-15-57 | 37.0* | 201.0 | 1101 |
| CONT. | | 3-19-58 | 33.4 | 226.6 | | CONT. | | 1-15-58 | 37.0* | 201.0 | |
| | | 3-26-58 | 32.9 | 225.1 | | | | 2-15-58 | 37.0* | 201.0 | |
| | | 4-02-58 | 32.5 | 225.5 | | | | 3-15-58 | 38.0* | 200.0 | |
| | | 4-09-58 | 31.8 | 226.2 | | | | 4-15-58 | 30.0* | 208.0 | |
| | | 4-16-58 | 31.9 | 226.1 | | | | 5-15-58 | 33.0* | 205.0 | |
| | | 4-23-58 | 30.0 | 228.0 | | | | 6-15-58 | 35.0* | 203.0 | |
| | | 4-30-58 | 29.4 | 228.6 | | | | 7-15-57 | 39.0* | 191.0 | |
| | | 5-07-58 | 28.8 | 229.2 | | | | 8-15-57 | 44.0* | 186.0 | |
| | | 5-14-58 | 28.6 | 229.4 | | | | 9-16-57 | 41.0* | 189.0 | |
| | | 5-21-58 | 27.4 | 230.6 | | | | 10-14-57 | 37.0* | 193.0 | |
| | | 5-28-58 | 26.1 | 231.9 | | | | 11-15-57 | 36.0* | 194.0 | |
| | | 6-04-58 | 26.7 | 231.3 | | | | 1-17-58 | 35.0* | 195.0 | |
| | | 6-11-58 | 26.1 | 231.9 | | | | 4-15-58 | 28.0* | 202.0 | |
| | | 6-18-58 | 25.8 | 232.2 | | | | 5-16-58 | 32.0* | 198.0 | |
| | | 6-25-58 | 25.2 | 232.8 | | | | 6-15-58 | 34.0* | 196.0 | |
| 15/11W-29P01 S | 237.0 | 7-17-57 | 19.1 | 217.9 | 1101 | 15/11W-30B03 S | 234.5 | 7-15-57 | 42.0* | 192.5 | 1101 |
| | | 8-19-57 | 19.8 | 217.2 | | | | 8-15-57 | 46.0* | 188.5 | |
| | | 9-24-57 | 21.5 | 215.5 | | | | 9-16-57 | 44.0* | 190.5 | |
| | | 11-18-57 | 21.5 | 215.5 | | | | 10-14-57 | 37.0* | 197.5 | |
| | | 12-02-57 | 22.0 | 215.0 | | | | 11-15-57 | 35.0* | 199.5 | |
| | | 12-18-57 | 21.1 | 215.9 | | | | 1-17-58 | 34.0* | 200.5 | |
| | | 12-23-57 | 21.0 | 216.0 | | | | 4-15-58 | 27.0* | 207.5 | |
| | | 1-06-58 | 21.9 | 215.1 | | | | 5-16-58 | 31.0* | 203.5 | |
| | | 1-21-58 | 20.7 | 216.3 | | | | 6-15-58 | 34.0* | 200.5 | |
| | | 2-11-58 | 20.0 | 217.0 | | | | 9-19-57 | 67.0* | 170.5 | |
| | | 2-24-58 | 19.8 | 217.2 | | | | 10-21-57 | 30.0* | 207.5 | |
| | | 3-10-58 | 19.8 | 217.2 | | | | 11-17-57 | 40.0* | 197.5 | |
| | | 3-24-58 | 18.1 | 218.9 | | | | 12-17-57 | 42.0* | 195.5 | |
| | | 4-14-58 | 18.0 | 219.0 | | | | 1-14-58 | 40.0* | 197.5 | |
| | | 4-28-58 | 18.0 | 219.0 | | | | 2-16-58 | 23.0* | 214.5 | |
| | | 5-19-58 | 17.9 | 219.1 | | | | 3-16-58 | 20.0* | 217.5 | |
| | | 6-09-58 | 15.6 | 221.4 | | | | 4-16-58 | 18.0* | 219.5 | |
| 15/11W-29R03 S | 247.0 | 10-23-57 | 30.2 | 216.8 | 1101 | | | 5-16-58 | 21.0* | 216.5 | |
| | | 4-22-58 | 26.1 | 220.9 | | | | 6-14-58 | 20.0* | 217.5 | |
| 15/11W-29R05 S | 248.0 | 9-09-57 | 31.8 | 216.2 | 1101 | 15/11W-30N02 S | 229.6 | 1-16-58 | 24.6 | 205.0 | 1101 |
| | | 10-23-57 | 30.5 | 217.5 | | | | 3-10-58 | 20.6 | 209.0 | |
| | | 4-22-58 | 25.0 | 223.0 | | | | 3-24-58 | 19.1 | 210.5 | |
| 15/11W-30B01 S | 238.0 | 7-17-57 | 41.0* | 197.0 | 1101 | | | 4-17-58 | 18.4 | 211.2 | |
| | | 8-15-57 | 45.0* | 193.0 | | | | 5-19-58 | 18.5 | 211.1 | |
| | | 9-16-57 | 42.0* | 196.0 | | | | 6-09-58 | 26.5 | 203.1 | |
| | | 10-14-57 | 41.0* | 197.0 | | | | 8-19-57 | 13.4 | 213.6 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | SAN GABRIEL VALLEY | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | MAIN SAN GABRIEL BASIN | | | | | |
| 1S/11W-3U01 S | 227.0 | 9-09-57 | 16.8 | 210.2 | 1101 | 1S/11W-31J03 S | 213.0 | 12-23-57 | 9.4 | 203.6 | 1101 |
| CONT. | | 9-24-57 | 17.1 | 208.9 | | | | 1-08-58 | 9.5 | 203.5 | |
| | | 10-16-57 | 16.3 | 210.7 | | | | 1-21-58 | 9.4 | 203.5 | |
| | | 11-18-57 | 16.2 | 210.8 | | | | 2-11-58 | 8.4 | 204.6 | |
| | | 11-02-57 | 16.5 | 210.5 | | | | 2-24-58 | 8.0 | 205.0 | |
| | | 11-18-57 | 15.4 | 211.6 | | | | 3-10-58 | 8.0 | 205.0 | |
| | | 11-23-57 | 15.3 | 211.7 | | | | 3-24-58 | 7.4 | 205.6 | |
| | | 1-08-58 | 15.2 | 211.8 | | | | 4-14-58 | 7.3 | 205.7 | |
| | | 1-20-58 | 15.0 | 212.0 | | | | 5-19-58 | 7.2 | 205.8 | |
| | | 2-11-58 | 13.7 | 213.1 | | | | 6-09-58 | 7.0 | 206.0 | |
| | | 2-24-58 | 13.4 | 213.6 | | | | | | | |
| | | 3-10-58 | 13.0 | 214.0 | | | | | | | |
| | | 3-24-58 | 12.6 | 214.4 | | | | | | | |
| | | 4-14-58 | 12.0 | 215.0 | | | | | | | |
| | | 5-19-58 | 11.6 | 215.4 | | | | | | | |
| | 224.0 | 6-09-58 | 11.6 | 212.4 | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | SAN GABRIEL VALLEY | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | MAIN SAN GABRIEL BASIN | | | | | |
| 1S/11W-3I001 S | 231.0 | 7-17-57 | 22.9 | 208.1 | 1101 | 1S/11W-32F05 S | 227.7 | 7-18-57 | 16.1 | 211.6 | 1101 |
| | | 9-24-57 | 23.9 | 207.1 | | | | 7-29-57 | 16.5 | 211.2 | |
| | | 10-16-57 | 22.3 | 208.7 | | | | 8-15-57 | 17.4 | 210.3 | |
| | | 11-18-57 | 22.1 | 208.9 | | | | 9-09-57 | 18.3 | 209.4 | |
| | | 12-02-57 | 22.5 | 208.5 | | | | 9-19-57 | 18.1 | 209.6 | |
| | | 12-18-57 | 21.0 | 210.0 | | | | 10-03-57 | 18.2 | 209.5 | |
| | | 12-23-57 | 21.0 | 210.0 | | | | 10-17-57 | 17.9 | 209.8 | |
| | | 1-08-58 | 20.9 | 210.1 | | | | 10-31-57 | 17.8 | 209.9 | |
| | | 1-20-58 | 20.9 | 210.1 | | | | 11-07-57 | 17.7 | 210.0 | |
| | | 2-11-58 | 20.7 | 210.3 | | | | 11-14-57 | 17.5 | 210.2 | |
| | | 2-24-58 | 19.0 | 212.0 | | | | 11-21-57 | 17.5 | 210.2 | |
| | 232.7 | 3-10-58 | 19.5 | 212.8 | | | | 11-27-57 | 17.8 | 209.9 | |
| | | 3-24-58 | 18.6 | 215.1 | | | | 12-12-57 | 17.4 | 210.3 | |
| | | 4-14-58 | 18.3 | 215.4 | | | | 12-18-57 | 17.0 | 210.7 | |
| | | 5-19-58 | 18.3 | 215.6 | | | | 1-09-58 | 16.4 | 211.3 | |
| | | 6-09-58 | 19.1 | 213.6 | | | | 1-16-58 | 16.2 | 211.5 | |
| | | | 19.6 | 213.1 | | | | 2-13-58 | 15.1 | 212.6 | |
| | | | | | | | | 2-27-58 | 14.3 | 213.4 | |
| | | | | | | | | 3-13-58 | 14.3 | 213.4 | |
| | | | | | | | | 3-20-58 | 14.0 | 213.7 | |
| | | | | | | | | 4-10-58 | 13.3 | 214.4 | |
| | | | | | | | | 4-28-58 | 13.9 | 213.8 | |
| | | | | | | | | 5-08-58 | 14.0 | 213.7 | |
| 1S/11W-3I002 S | 230.0 | 10-21-57 | 24.6 | 205.4 | 1101 | 1S/11W-32H05 S | 231.9 | 7-03-57 | 19.1 | 212.8 | 1101 |
| | 231.6 | 3-10-58 | 15.5 | 210.1 | | | | 7-10-57 | 19.5 | 212.4 | |
| | | 4-22-58 | 21.5 | 210.1 | | | | 7-21-57 | 20.4 | 211.5 | |
| | | | | | | | | 7-31-57 | 20.1 | 211.8 | |
| | | | | | | | | 8-01-57 | 21.3 | 210.9 | |
| | | | | | | | | 8-14-57 | 20.9 | 211.0 | |
| | | | | | | | | 8-21-57 | 21.2 | 210.7 | |
| | | | | | | | | 8-28-57 | 21.5 | 210.4 | |
| | | | | | | | | 9-04-57 | 21.6 | 210.3 | |
| 1S/11W-31J03 S | 213.0 | 7-17-57 | 10.1 | 202.9 | 1101 | | | | | | |
| | | 8-19-57 | 10.7 | 202.3 | | | | | | | |
| | | 9-09-57 | 11.2 | 201.8 | | | | | | | |
| | | 9-24-57 | 11.2 | 201.8 | | | | | | | |
| | | 10-16-57 | 10.9 | 202.1 | | | | | | | |
| | | 11-18-57 | 10.8 | 202.2 | | | | | | | |
| | | 12-02-57 | 11.3 | 201.7 | | | | | | | |
| | | 12-18-57 | 9.8 | 203.2 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SAN GAUBRIEL VALLEY | | | | | | | | | | | |
| MAIN SAN GAUBRIEL BASIN | | | | | | | | | | | |
| 15/11W-32002 S | 231.7 | 10-16-57 | 11.7 | 159.2 | 1101 | 15/11W-32002 S | 226.0 | 2-11-58 | 13.7 | 206.3 | 1101 |
| | | 10-23-57 | 11.7 | 159.2 | | | | 4-24-58 | 13.1 | 206.9 | |
| | | 11-30-57 | 11.7 | 159.2 | | | | 3-10-58 | 13.0 | 207.0 | |
| | | 11-06-57 | 11.6 | 159.2 | | | | 3-24-58 | 12.4 | 207.6 | |
| | | 11-11-57 | 11.7 | 159.2 | | | | 4-14-58 | 13.0 | 208.0 | |
| | | 11-20-57 | 11.7 | 159.2 | | | | 4-28-58 | 13.3 | 207.7 | |
| | | 11-27-57 | 11.6 | 159.2 | | | | 5-1-58 | 13.1 | 207.9 | |
| | | 12-04-57 | 11.7 | 159.2 | | | | 5-09-58 | 11.7 | 208.3 | |
| | | 12-18-57 | 11.4 | 209.3 | | | | 7-09-57 | 18.0 | 212.7 | |
| | | 12-23-57 | 11.5 | 210.0 | | | | 9-24-57 | 18.1 | 212.6 | |
| | | 1-08-58 | 11.0 | 210.0 | | | | 10-16-57 | 11.8 | 205.9 | |
| | | 1-15-58 | 10.8 | 211.1 | | | | 11-18-57 | 11.1 | 205.9 | |
| | | 1-22-58 | 10.6 | 211.1 | | | | 12-02-57 | 11.5 | 207.2 | |
| | | 2-05-58 | 10.8 | 211.1 | | | | 12-18-57 | 11.5 | 208.1 | |
| | | 2-12-58 | 10.6 | 211.1 | | | | 12-23-57 | 11.4 | 204.3 | |
| | | 2-19-58 | 11.7 | 212.2 | | | | 1-06-58 | 16.1 | 204.5 | |
| | | 2-26-58 | 11.1 | 212.1 | | | | 1-21-58 | 15.4 | 205.3 | |
| | | 3-05-58 | 11.0 | 212.1 | | | | 2-11-58 | 15.3 | 205.4 | |
| | | 3-12-58 | 11.0 | 212.0 | | | | 2-24-58 | 15.1 | 205.6 | |
| | | 3-19-58 | 11.0 | 212.0 | | | | 3-10-58 | 15.0 | 205.7 | |
| | | 3-26-58 | 11.4 | 213.5 | | | | 3-24-58 | 15.2 | 207.5 | |
| | | 4-09-58 | 11.5 | 214.4 | | | | 4-14-58 | 12.3 | 208.4 | |
| | | 4-16-58 | 11.2 | 214.7 | | | | 4-28-58 | 12.7 | 208.0 | |
| | | 4-23-58 | 11.7 | 215.2 | | | | 5-19-58 | 12.3 | 208.2 | |
| | | 4-30-58 | 11.8 | 215.1 | | | | 6-09-58 | 12.6 | 208.1 | |
| | | 5-07-58 | 11.4 | 215.5 | | | | 8-17-57 | 14.4 | 212.0 | |
| | | 5-14-58 | 11.4 | 215.5 | | | | 9-09-57 | 21.5 | 208.9 | |
| | | 5-21-58 | 11.4 | 214.5 | | | | 9-24-57 | 11.7 | 206.7 | |
| | | 5-28-58 | 11.0 | 215.0 | | | | 10-16-57 | 21.6 | 208.8 | |
| | | 6-04-58 | 11.9 | 216.0 | | | | 11-18-57 | 21.2 | 208.2 | |
| | | 6-11-58 | 11.9 | 215.1 | | | | 12-02-57 | 21.5 | 208.9 | |
| | | 6-25-58 | 11.6 | 216.3 | | | | 12-18-57 | 20.2 | 206.2 | |
| | | 7-17-57 | 11.3 | 204.7 | 1101 | | | 12-23-57 | 19.9 | 205.5 | |
| | | 8-19-57 | 11.0 | 204.0 | | | | 1-06-58 | 19.1 | 207.3 | |
| | | 9-09-57 | 11.9 | 203.1 | | | | 1-21-58 | 18.6 | 207.8 | |
| | | 9-24-57 | 11.1 | 202.9 | | | | 2-11-58 | 17.6 | 208.6 | |
| | | 10-16-57 | 11.7 | 203.3 | | | | 2-24-58 | 17.7 | 208.7 | |
| | | 11-06-57 | 11.4 | 203.6 | | | | 3-10-58 | 17.4 | 209.0 | |
| | | 11-18-57 | 11.9 | 205.1 | | | | 3-24-58 | 16.2 | 210.2 | |
| | | 12-02-57 | 11.2 | 204.8 | | | | 4-14-58 | 16.0 | 210.4 | |
| | | 12-18-57 | 11.5 | 204.5 | | | | 4-28-58 | 16.3 | 210.1 | |
| | | 12-23-57 | 11.1 | 204.9 | | | | 5-19-58 | 16.1 | 210.3 | |
| | | 1-06-58 | 11.9 | 205.1 | | | | 6-09-58 | 16.0 | 210.4 | |
| | | 1-21-58 | 11.6 | 205.4 | | | | 7-03-57 | 21.4 | 206.6 | |
| 15/11W-32P01 S | 221.0 | | | | | 15/11W-32005 S | 228.0 | | | | 1101 |
| SAN GAUBRIEL VALLEY | | | | | | | | | | | |
| MAIN SAN GAUBRIEL BASIN | | | | | | | | | | | |
| 15/11W-32002 S | 226.4 | | | | | 15/11W-32005 S | 228.0 | | | | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN GABRIEL BASIN | | | | | | SAN GABRIEL VALLEY | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | MAIN SAN GABRIEL VALLEY | | | | | |
| 41301 | | | | | | 41300 | | | | | |
| 15/11W-32005 S | 228.0 | 7-11-57 | 21.9 | 206.1 | 1101 | 15/11W-33E02 S | 240.0 | 9-25-57 | 24.6 | 215.4 | 1101 |
| | | 7-19-57 | 22.2 | 205.8 | | | | 10-02-57 | 24.5 | 215.5 | |
| | | 8-09-57 | 23.2 | 204.8 | | | | 10-09-57 | 24.9 | 215.1 | |
| | | 8-30-57 | 21.7 | 204.3 | | | | 10-16-57 | 24.8 | 215.2 | |
| | | 9-17-57 | 24.1 | 201.9 | | | | 10-23-57 | 24.7 | 215.3 | |
| | | 9-26-57 | 24.3 | 201.7 | | | | 10-30-57 | 24.8 | 215.2 | |
| | | 10-02-57 | 24.4 | 203.6 | | | | 11-06-57 | 24.7 | 215.3 | |
| | | 10-11-57 | 24.3 | 203.7 | | | | 11-13-57 | 24.7 | 215.3 | |
| | | 11-01-57 | 24.6 | 204.4 | | | | 11-20-57 | 24.7 | 215.3 | |
| | | 11-22-57 | 22.9 | 204.1 | | | | 11-27-57 | 25.0 | 215.0 | |
| | | 12-13-57 | 22.5 | 205.5 | | | | 12-04-57 | 25.0 | 215.0 | |
| | | 1-02-58 | 21.2 | 206.8 | | | | 12-11-57 | 25.6 | 214.4 | |
| | | 1-09-58 | 21.0 | 207.0 | | | | 12-18-57 | 25.7 | 214.3 | |
| | | 1-16-58 | 20.7 | 207.3 | | | | 12-27-57 | 25.6 | 214.4 | |
| | | 1-23-58 | 20.7 | 207.3 | | | | 1-01-58 | 26.3 | 213.7 | |
| | | 1-30-58 | 20.3 | 207.7 | | | | 1-08-58 | 23.5 | 216.5 | |
| | | 2-06-58 | 19.9 | 208.1 | | | | 1-15-58 | 29.1 | 210.9 | |
| | | 2-13-58 | 19.7 | 208.3 | | | | 1-22-58 | 28.1 | 211.9 | |
| | | 3-07-58 | 18.9 | 209.1 | | | | 2-05-58 | 28.1 | 211.9 | |
| | | 3-28-58 | 18.0 | 210.0 | | | | 2-12-58 | 26.2 | 213.8 | |
| | | 4-04-58 | 17.6 | 210.4 | | | | 2-19-58 | 26.2 | 213.8 | |
| | | 4-10-58 | 17.3 | 210.7 | | | | 2-26-58 | 25.8 | 214.2 | |
| | | 4-18-58 | 17.4 | 210.6 | | | | 3-05-58 | 23.7 | 216.3 | |
| | | 4-23-58 | 17.5 | 210.5 | | | | 3-12-58 | 23.8 | 216.2 | |
| | | 5-01-58 | 17.1 | 210.9 | | | | 3-19-58 | 23.7 | 216.3 | |
| | | 5-09-58 | 16.9 | 211.1 | | | | 3-26-58 | 23.2 | 216.8 | |
| | | 5-15-58 | 17.2 | 210.8 | | | | 4-02-58 | 23.1 | 216.9 | |
| | | 5-30-58 | 17.2 | 210.8 | | | | 4-09-58 | 21.6 | 218.4 | |
| | | 6-20-58 | 17.0 | 211.0 | | | | 4-16-58 | 21.4 | 218.6 | |
| | | 6-26-58 | 17.4 | 210.6 | | | | 4-23-58 | 21.2 | 218.0 | |
| 15/11W-32003 S | 229.0 | 10-23-57 | 21.5 | 207.5 | 1101 | | | 4-30-58 | 21.0 | 219.0 | |
| | | 4-24-58 | 18.2 | 218.8 | | | | 5-07-58 | 20.8 | 219.2 | |
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN GABRIEL BASIN | | | | | | SAN GABRIEL VALLEY | | | | | |
| 41301 | | | | | | 41300 | | | | | |
| 15/11W-33E02 S | 240.0 | 7-03-57 | 21.3 | 218.7 | 1101 | 15/11W-33E01 S | 246.0 | 7-03-57 | 23.4 | 222.6 | 1101 |
| | | 7-10-57 | 21.6 | 218.0 | | | | 7-10-57 | 23.5 | 222.5 | |
| | | 7-17-57 | 21.0 | 218.0 | | | | 7-17-57 | 24.0 | 222.0 | |
| | | 7-24-57 | 22.3 | 217.7 | | | | 7-24-57 | 24.5 | 221.5 | |
| | | 7-31-57 | 22.6 | 217.4 | | | | 7-31-57 | 24.4 | 221.6 | |
| | | 8-07-57 | 22.8 | 217.2 | | | | 8-07-57 | 24.9 | 221.1 | |
| | | 8-14-57 | 23.1 | 216.9 | | | | | | | |
| | | 8-21-57 | 23.4 | 216.6 | | | | | | | |
| | | 8-28-57 | 23.7 | 216.3 | | | | | | | |
| | | 9-04-57 | 23.8 | 216.2 | | | | | | | |
| | | 9-11-57 | 24.1 | 215.9 | | | | | | | |
| | | 9-18-57 | 24.3 | 215.7 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | SAN GABRIEL VALLEY | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | MAIN SAN GABRIEL BASIN | | | | | |
| 15/11W-33L01 S | | | | | | 15/11W-33L01 S | | | | | |
| CONT. | | | | | | CONT. | | | | | |
| 41300 | 246.0 | 8-14-57 | 25.5 | 220.5 | 1101 | 41300 | 236.0 | 7-10-57 | 21.6 | 214.4 | 1101 |
| | | 8-21-57 | 25.3 | 220.7 | | | | 7-17-57 | 20.6 | 215.4 | |
| | | 8-28-57 | 25.5 | 220.5 | | | | 7-24-57 | 20.8 | 215.2 | |
| | | 9-04-57 | 26.0 | 220.0 | | | | 7-31-57 | 21.0 | 215.0 | |
| | | 9-11-57 | 26.2 | 219.8 | | | | 8-07-57 | 21.4 | 214.6 | |
| | | 9-18-57 | 26.4 | 219.6 | | | | 8-14-57 | 21.6 | 214.4 | |
| | | 9-25-57 | 26.7 | 219.3 | | | | 8-21-57 | 21.8 | 214.2 | |
| | | 10-02-57 | 27.0 | 219.0 | | | | 8-28-57 | 23.0 | 213.0 | |
| | | 10-09-57 | 27.1 | 218.9 | | | | 9-04-57 | 23.2 | 212.8 | |
| | | 10-16-57 | 26.3 | 219.7 | | | | 9-11-57 | 23.7 | 212.3 | |
| | | 10-23-57 | 26.8 | 219.2 | | | | 9-18-57 | 24.8 | 211.2 | |
| | | 10-30-57 | 26.9 | 219.1 | | | | 9-25-57 | 25.2 | 213.8 | |
| | | 11-06-57 | 26.8 | 219.2 | | | | 10-02-57 | 25.5 | 213.5 | |
| | | 11-13-57 | 26.9 | 219.1 | | | | 10-09-57 | 24.9 | 211.1 | |
| | | 11-20-57 | 27.0 | 219.0 | | | | 10-16-57 | 25.9 | 213.1 | |
| | | 11-27-57 | 27.3 | 218.7 | | | | 10-23-57 | 26.6 | 213.4 | |
| | | 12-04-57 | 27.5 | 218.5 | | | | 10-30-57 | 25.9 | 213.1 | |
| | | 12-11-57 | 26.4 | 219.6 | | | | 11-06-57 | 25.8 | 213.2 | |
| | | 12-18-57 | 26.4 | 219.6 | | | | 11-13-57 | 25.3 | 213.7 | |
| | | 12-25-57 | 25.6 | 220.4 | | | | 11-20-57 | 25.2 | 213.8 | |
| | | 1-08-58 | 24.8 | 221.2 | | | | 12-04-57 | 23.6 | 212.6 | |
| | | 1-15-58 | 24.8 | 221.2 | | | | 12-11-57 | 25.0 | 214.0 | |
| | | 1-22-58 | 25.0 | 221.0 | | | | 12-18-57 | 25.6 | 214.4 | |
| | | 2-05-58 | 25.0 | 221.0 | | | | 1-08-58 | 20.1 | 215.9 | |
| | | 2-12-58 | 25.1 | 220.9 | | | | 1-15-58 | 19.7 | 216.3 | |
| | | 2-19-58 | 25.1 | 220.9 | | | | 1-22-58 | 20.0 | 216.0 | |
| | | 2-26-58 | 21.8 | 224.2 | | | | 1-29-58 | 20.6 | 217.4 | |
| | | 3-05-58 | 21.5 | 224.5 | | | | 2-05-58 | 19.9 | 218.1 | |
| | | 3-12-58 | 21.0 | 225.0 | | | | 2-19-58 | 18.9 | 219.1 | |
| | | 3-19-58 | 21.8 | 223.2 | | | | 2-26-58 | 21.0 | 217.0 | |
| | | 3-26-58 | 21.7 | 223.3 | | | | 3-05-58 | 18.5 | 219.5 | |
| | | 4-02-58 | 21.7 | 223.3 | | | | 3-12-58 | 18.3 | 219.7 | |
| | | 4-09-58 | 21.4 | 224.6 | | | | 3-19-58 | 17.8 | 218.2 | |
| | | 4-16-58 | 21.0 | 225.0 | | | | 4-02-58 | 17.6 | 218.4 | |
| | | 4-23-58 | 21.1 | 224.9 | | | | 4-09-58 | 17.6 | 218.4 | |
| | | 4-30-58 | 20.6 | 225.4 | | | | 4-16-58 | 16.7 | 219.3 | |
| | | 5-07-58 | 20.2 | 225.8 | | | | 4-23-58 | 15.7 | 220.3 | |
| | | 5-14-58 | 20.0 | 226.0 | | | | 4-30-58 | 15.5 | 220.5 | |
| | | 5-21-58 | 19.7 | 226.3 | | | | 5-07-58 | 16.6 | 218.4 | |
| | | 5-28-58 | 19.5 | 226.5 | | | | 5-14-58 | 16.9 | 218.1 | |
| | | 6-04-58 | 19.1 | 226.9 | | | | 5-21-58 | 16.5 | 218.5 | |
| | | 6-11-58 | 19.0 | 227.0 | | | | 5-28-58 | 16.7 | 218.3 | |
| | | 6-18-58 | 18.7 | 227.3 | | | | 6-04-58 | 16.0 | 220.5 | |
| | | 6-25-58 | 18.5 | 227.5 | | | | 6-11-58 | 16.0 | 220.0 | |
| 15/11W-33L01 S | 236.0 | 7-03-57 | 19.9 | 216.1 | 1101 | 15/11W-33L01 S | 236.0 | 6-18-58 | 16.0 | 220.0 | |
| | | | | | | | | 6-25-58 | 16.0 | 220.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| 41300 | | | | | | SAN GABRIEL VALLEY | | | | | |
| 41301 | | | | | | 41301 | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | | | | | | |
| 15/11W-33L01 S | 236.0 | 6-25-58 | 16.5 | 219.5 | 1101 | 15/11W-33P01 S | 231.0 | 2-03-58 | 15.5 | 215.5 | 1101 |
| 15/11W-33L05 S | 235.0 | 9-09-57 | 15.2 | 219.8 | 1101 | | | 2-16-58 | 11.1 | 219.9 | |
| | | 11-16-57 | 16.9 | 218.1 | | | | 2-16-58 | 11.0 | 220.0 | |
| | | 11-18-57 | 16.7 | 218.3 | | | | 2-26-58 | 12.4 | 218.6 | |
| | | 12-02-57 | 17.0 | 218.0 | | | | 3-05-58 | 13.8 | 217.2 | |
| | | 12-18-57 | 15.0 | 220.0 | | | | 3-11-58 | 13.7 | 217.3 | |
| | | 12-23-57 | 14.8 | 220.2 | | | | 3-19-58 | 13.3 | 217.7 | |
| | | 1-08-58 | 14.3 | 220.7 | | | | 3-26-58 | 13.0 | 218.0 | |
| | | 1-21-58 | 14.2 | 220.8 | | | | 4-00-58 | 12.6 | 218.4 | |
| | | 2-11-58 | 13.4 | 221.6 | | | | 4-09-58 | 12.2 | 218.8 | |
| | | 2-24-58 | 13.5 | 221.5 | | | | 4-16-58 | 12.2 | 218.8 | |
| | | 3-10-58 | 13.4 | 221.6 | | | | 4-23-58 | 12.0 | 219.0 | |
| | | 3-24-58 | 12.0 | 223.0 | | | | 4-30-58 | 12.4 | 218.6 | |
| | | 4-14-58 | 11.9 | 223.1 | | | | 5-07-58 | 11.9 | 219.1 | |
| | | 4-28-58 | 12.1 | 222.9 | | | | 5-14-58 | 12.1 | 218.9 | |
| | | 5-19-58 | 12.1 | 222.9 | | | | 5-21-58 | 11.8 | 219.2 | |
| | | 7-03-57 | 16.4 | 214.6 | 1101 | | | 5-28-58 | 11.7 | 219.3 | |
| 15/11W-33P01 S | 231.0 | 7-10-57 | 17.1 | 213.9 | | | | 6-04-58 | 12.1 | 218.9 | |
| | | 7-17-57 | 17.6 | 213.4 | | | | 6-11-58 | 11.6 | 219.4 | |
| | | 7-24-57 | 17.4 | 213.6 | | | | 6-18-58 | 11.5 | 219.5 | |
| | | 7-31-57 | 17.6 | 213.4 | | | | 6-25-58 | 11.7 | 219.3 | |
| | | 8-07-57 | 19.3 | 211.7 | | | | | | | |
| | | 8-14-57 | 18.3 | 212.7 | | | | | | | |
| | | 8-21-57 | 18.5 | 212.5 | | | | | | | |
| | | 8-28-57 | 19.4 | 211.6 | | | | | | | |
| | | 9-04-57 | 20.5 | 210.5 | | | | | | | |
| | | 9-18-57 | 20.1 | 210.9 | | | | | | | |
| | | 9-25-57 | 19.5 | 211.5 | | | | | | | |
| | | 10-02-57 | 19.6 | 211.4 | | | | | | | |
| | | 10-09-57 | 20.6 | 210.4 | | | | | | | |
| | | 10-16-57 | 19.2 | 211.8 | | | | | | | |
| | | 10-23-57 | 20.1 | 210.8 | | | | | | | |
| | | 10-30-57 | 19.3 | 211.7 | | | | | | | |
| | | 11-06-57 | 19.4 | 211.6 | | | | | | | |
| | | 11-13-57 | 19.2 | 211.8 | | | | | | | |
| | | 11-20-57 | 19.3 | 211.7 | | | | | | | |
| | | 11-27-57 | 19.6 | 211.4 | | | | | | | |
| | | 12-04-57 | 19.8 | 211.2 | | | | | | | |
| | | 12-18-57 | 19.1 | 211.9 | | | | | | | |
| | | 12-25-57 | 18.4 | 212.6 | | | | | | | |
| | | 1-06-58 | 15.2 | 215.8 | | | | | | | |
| | | 1-16-58 | 15.0 | 216.0 | | | | | | | |
| | | 1-22-58 | 15.2 | 215.8 | | | | | | | |
| 41300 | | | | | | SAN GABRIEL VALLEY | | | | | |
| 41301 | | | | | | 41301 | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | | | | | | |
| 15/11W-33P01 S | 247.0 | 7-17-57 | 27.8 | 219.2 | 1101 | 15/11W-33P01 S | 247.0 | 7-17-57 | 27.8 | 219.2 | 1101 |
| | | 8-07-57 | 29.8 | 217.2 | | | | 8-07-57 | 29.8 | 217.2 | |
| | | 8-28-57 | 31.1 | 215.9 | | | | 8-28-57 | 31.1 | 215.9 | |
| | | 9-18-57 | 31.9 | 215.1 | | | | 9-18-57 | 31.9 | 215.1 | |
| | | 9-23-57 | 32.0 | 215.0 | | | | 9-23-57 | 32.0 | 215.0 | |
| | | 10-21-57 | 30.6 | 216.4 | | | | 10-21-57 | 30.6 | 216.4 | |
| | | 11-06-57 | 30.7 | 216.3 | | | | 11-06-57 | 30.7 | 216.3 | |
| | | 11-27-57 | 32.0 | 215.0 | | | | 11-27-57 | 32.0 | 215.0 | |
| | | 12-18-57 | 24.7 | 222.3 | | | | 12-18-57 | 24.7 | 222.3 | |
| | | 12-23-57 | 26.8 | 220.2 | | | | 12-23-57 | 26.8 | 220.2 | |
| | | 1-06-58 | 23.5 | 223.5 | | | | 1-06-58 | 23.5 | 223.5 | |
| | | 1-16-58 | 24.1 | 222.9 | | | | 1-16-58 | 24.1 | 222.9 | |
| | | 1-20-58 | 24.1 | 222.9 | | | | 1-20-58 | 24.1 | 222.9 | |
| | | 2-13-58 | 23.4 | 223.6 | | | | 2-13-58 | 23.4 | 223.6 | |
| | | 3-12-58 | 22.1 | 224.9 | | | | 3-12-58 | 22.1 | 224.9 | |
| | | 4-21-58 | 22.0 | 225.0 | | | | 4-21-58 | 22.0 | 225.0 | |
| | | 5-11-58 | 21.6 | 225.4 | | | | 5-11-58 | 21.6 | 225.4 | |
| | | 5-19-58 | 20.1 | 226.9 | | | | 5-19-58 | 20.1 | 226.9 | |
| | | 6-04-58 | 20.7 | 226.3 | | | | 6-04-58 | 20.7 | 226.3 | |
| | | 6-09-58 | 21.3 | 225.7 | | | | 6-09-58 | 21.3 | 225.7 | |
| | | 6-25-58 | 21.7 | 225.3 | | | | 6-25-58 | 21.7 | 225.3 | |
| 41300 | | | | | | SAN GABRIEL VALLEY | | | | | |
| 41301 | | | | | | 41301 | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | | | | | | |
| 15/11W-34E01 S | 261.0 | 10-23-57 | 40.2 | 220.8 | 1101 | 15/11W-34E01 S | 261.0 | 10-23-57 | 40.2 | 220.8 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN GABRIEL BASIN | | | | | | SAN GABRIEL VALLEY | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | MAIN SAN GABRIEL BASIN | | | | | |
| 41300 | | | | | | 41300 | | | | | |
| 15/111W-34E01 S | 261.0 | 4-24-58 | 31.9 | 229.1 | 1101 | 15/111W-34Q01 S | 255.6 | 1-06-58 | 35.5 | 220.1 | 1101 |
| 15/111W-34F01 S | 249.5 | 7-15-57 | 31.0* | 218.5 | 1101 | | | 1-16-58 | 35.2 | 220.4 | |
| | | 8-15-57 | 35.0* | 214.5 | | | | 1-20-58 | 35.2 | 220.4 | |
| | | 9-16-57 | 38.0* | 211.5 | | | | 2-10-58 | 33.4 | 222.2 | |
| | | 10-14-57 | 34.0* | 215.5 | | | | 2-24-58 | 31.9 | 223.7 | |
| | | 11-15-57 | 31.0* | 218.5 | | | | 3-10-58 | 29.9 | 225.7 | |
| | | 1-17-58 | 30.0* | 219.5 | | | | 3-24-58 | 29.3 | 226.3 | |
| | | 4-15-58 | 17.0* | 232.5 | | | | 4-14-58 | 24.2 | 231.4 | |
| | | 5-15-58 | 15.0* | 234.5 | | | | 4-28-58 | 24.7 | 230.9 | |
| | | 6-15-58 | 14.0* | 235.5 | | | | 5-19-58 | 22.9 | 232.7 | |
| | | | | | | | | 6-30-58 | 25.0 | 230.6 | |
| 41301 | | | | | | 41301 | | | | | |
| 15/111W-34F02 S | 249.0 | 7-15-57 | 31.0* | 218.0 | 1101 | 15/111W-35D01 S | 264.0 | 10-21-57 | 39.8 | 224.2 | 1101 |
| | | 8-15-57 | 31.0* | 214.0 | | | | 11-18-57 | 38.7 | 225.3 | |
| | | 9-16-57 | 37.0* | 212.0 | | | | 12-02-57 | 46.0* | 218.0 | |
| | | 10-14-57 | 31.0* | 218.0 | | | | 12-23-57 | 36.9 | 227.1 | |
| | | 11-15-57 | 29.0* | 220.0 | | | | 1-20-58 | 42.1* | 221.9 | |
| | | 1-17-58 | 28.0* | 221.0 | | | | 2-10-58 | 34.6 | 229.4 | |
| | | 4-15-58 | 16.0* | 233.0 | | | | 2-24-58 | 31.7 | 232.3 | |
| | | 5-16-58 | 11.0* | 238.0 | | | | 3-10-58 | 30.2 | 233.8 | |
| | | 6-15-58 | 14.0* | 235.0 | | | | 3-24-58 | 27.0 | 237.0 | |
| | | | | | | | | 4-14-58 | 22.3 | 241.7 | |
| 15/111W-34K02 S | 267.0 | 8-19-57 | 55.5 | 211.5 | 1101 | | | 4-28-58 | 26.4* | 237.6 | |
| | | 9-23-57 | 42.0 | 225.0 | | | | 5-19-58 | 17.2 | 246.8 | |
| | | 10-21-57 | 50.9 | 216.1 | | | | 6-09-58 | 15.7 | 248.3 | |
| | | 11-18-57 | 49.1 | 217.9 | | | | 6-30-58 | 20.8* | 243.2 | |
| | | 12-02-57 | 51.1* | 215.9 | | | | | | | |
| | | 12-23-57 | 45.8 | 221.2 | | 15/111W-36G01 S | 295.0 | 7-18-57 | 43.2 | 251.8 | 1101 |
| | | 1-06-58 | 46.5 | 220.5 | | | | 8-08-57 | 43.1 | 251.9 | |
| | | 1-16-58 | 46.0 | 221.0 | | | | 8-29-57 | 44.3 | 250.7 | |
| | | 1-20-58 | 46.4 | 220.6 | | | | 9-10-57 | 43.9 | 251.1 | |
| | | 2-10-58 | 44.1 | 222.9 | | | | 10-10-57 | 44.7 | 250.3 | |
| | | 2-24-58 | 41.1 | 225.9 | | | | 10-31-57 | 43.7 | 251.3 | |
| | | 3-10-58 | 40.2 | 226.8 | | | | 11-21-57 | 43.8 | 251.2 | |
| | | 3-24-58 | 38.5 | 228.5 | | | | 12-12-57 | 43.6 | 251.4 | |
| | | 4-14-58 | 35.4 | 231.6 | | | | 1-23-58 | 43.8 | 251.2 | |
| | | 4-28-58 | 33.2 | 233.8 | | | | 2-13-58 | 43.0 | 252.0 | |
| | | 5-19-58 | 36.8* | 230.2 | | | | 3-06-58 | 42.3 | 252.7 | |
| | | 6-09-58 | 32.0 | 235.0 | | | | 3-27-58 | 41.5 | 253.5 | |
| 15/111W-34L01 S | 243.6 | 6-20-58 | 6.7 | 236.9 | 1101 | | | 4-17-58 | 40.2 | 254.8 | |
| | | 6-30-58 | 8.6 | 235.0 | | | | 5-08-58 | 39.2 | 255.8 | |
| 15/111W-34G01 S | 255.6 | 10-21-57 | 40.2 | 215.4 | 1101 | | | 5-29-58 | 39.2 | 255.8 | |
| | | 12-02-57 | 41.9 | 213.7 | | | | 6-19-58 | 37.6 | 257.4 | |
| | | 12-23-57 | 37.4 | 218.2 | | 15/12W-01E01 S | 498.6 | 7-31-57 | 312.7 | 185.9 | 1101 |
| | | | | | | | | 9-30-57 | 315.0 | 183.6 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|-----------------|--------------------------------------|-----------------------------|-----------------------|------------------------|--------------------|-----------------|--------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN GABRIEL BASIN | | | | | | SAN GABRIEL VALLEY | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | MAIN SAN GABRIEL BASIN | | | | | |
| CONT. | | | | | | CONT. | | | | | |
| 15/12W-01E01 S | 498.6 | 10-31-57 308.1 | 11-30-57 308.1 | 190.5 | 1101 | 15/12W-02001 S | 478.9 | 8-30-57 285.0* | 9-30-57 300.0* | 178.9 | 1101 |
| | | 12-31-57 308.1 | 190.5 | 190.5 | | | | 10-31-57 300.0* | 178.9 | | |
| | | 1-31-58 308.1 | 190.5 | 190.5 | | | | 11-30-57 300.0* | 178.9 | | |
| | | 2-28-58 304.5 | 195.1 | 195.1 | | | | 12-31-57 300.0* | 178.9 | | |
| | | 3-31-58 303.5 | 195.1 | 195.1 | | | | 1-31-58 300.0* | 178.9 | | |
| | | 4-30-58 304.5 | 195.1 | 195.1 | | | | 2-28-58 300.0* | 178.9 | | |
| | | 5-31-58 305.8 | 192.8 | 192.8 | | | | 3-31-58 300.0* | 178.9 | | |
| | | 6-30-58 308.1 | 190.5 | 190.5 | | | | 4-30-58 300.0* | 178.9 | | |
| | | | | | | | | 5-31-58 292.0* | 185.9 | | |
| | | | | | | | | 6-20-58 293.0 | 185.9 | | |
| 15/12W-02H01 S | 509.0** | 7-01-57 323.0 | 186.0 | 186.0 | 1101 | 15/12W-03K01 S | 521.0 | 7-01-57 357.0* | 16.0 | 1101 | |
| | | 8-01-57 326.0 | 183.0 | 183.0 | | | | 8-01-57 335.0* | 186.0 | | |
| | | 9-01-57 326.0 | 183.0 | 183.0 | | | | 9-01-57 336.0* | 185.0 | | |
| | | 10-01-57 325.0 | 184.0 | 184.0 | | | | 10-01-57 334.0* | 187.0 | | |
| | | 11-01-57 322.0 | 187.0 | 187.0 | | | | 11-01-57 332.0* | 180.0 | | |
| | | 12-01-57 324.0 | 185.0 | 185.0 | | | | 12-01-57 332.0* | 180.0 | | |
| | | 1-01-58 329.0 | 180.0 | 180.0 | | | | 2-01-58 326.0* | 195.0 | | |
| | | 2-01-58 320.0 | 189.0 | 189.0 | | | | 3-01-58 323.0* | 198.0 | | |
| | | 3-01-58 317.0 | 192.0 | 192.0 | | | | 4-01-58 326.0* | 195.0 | | |
| | | 4-01-58 316.0 | 193.0 | 193.0 | | | | 5-01-58 331.0* | 190.0 | | |
| | | 5-01-58 322.0 | 187.0 | 187.0 | | | | 6-01-58 336.0* | 165.0 | | |
| | | 6-01-58 321.0 | 188.0 | 188.0 | | | | | | | |
| 15/12W-02H02 S | 518.0** | 7-30-57 335.0* | 183.0 | 183.0 | 1050 | 15/12W-03M01 S | 551.4 | 7-31-57 405.0* | 146.4 | 1101 | |
| | | 7-30-57 335.0* | 183.0 | 183.0 | 1050 | | | 8-31-57 400.0* | 151.4 | | |
| | | 8-30-57 340.0* | 178.0 | 178.0 | 3051 | | | 9-30-57 400.0* | 151.4 | | |
| | | 9-30-57 340.0* | 178.0 | 178.0 | 3051 | | | 10-31-57 390.0* | 161.4 | | |
| | | 9-30-57 340.0* | 178.0 | 178.0 | 3051 | | | 11-30-57 390.0* | 161.4 | | |
| | | 10-31-57 337.0* | 181.0 | 181.0 | 3051 | | | 12-31-58 390.0* | 161.4 | | |
| | | 10-31-57 337.0* | 181.0 | 181.0 | 3051 | | | 1-31-58 390.0* | 171.4 | | |
| | | 11-29-57 334.0* | 184.0 | 184.0 | 3051 | | | 2-28-58 395.0* | 154.4 | | |
| | | 11-29-57 334.0* | 184.0 | 184.0 | 3051 | | | 3-31-58 390.0* | 171.4 | | |
| | | 12-30-57 332.0* | 186.0 | 186.0 | 3051 | | | 4-30-58 390.0* | 171.4 | | |
| | | 1-31-58 330.0* | 186.0 | 186.0 | 3051 | | | 5-31-58 390.0* | 171.4 | | |
| | | 2-28-58 328.0* | 186.0 | 186.0 | 3051 | | | 6-30-58 380.0* | 171.4 | | |
| | | 3-31-58 328.0* | 186.0 | 186.0 | 3051 | | | | | | |
| | | 4-30-58 328.0* | 190.0 | 190.0 | 3051 | | | | | | |
| | | 5-29-58 323.0* | 195.0 | 195.0 | 3051 | | | | | | |
| | | 6-30-58 323.0* | 195.0 | 195.0 | 3051 | | | | | | |
| | | 7-30-58 323.0* | 195.0 | 195.0 | 3051 | | | | | | |
| | | 8-30-58 335.0* | 183.0 | 183.0 | 3051 | | | | | | |
| | | 9-29-58 330.0* | 188.0 | 188.0 | 3051 | | | | | | |
| | | 5-29-58 330.0* | 188.0 | 188.0 | 3051 | | | | | | |
| 15/12W-02001 S | 478.9 | 7-31-57 290.0* | 188.9 | 188.9 | 1101 | 15/12W-10A01 S | 491.0 | 7-31-57 304.4 | 186.6 | 1101 | |
| | | | | | | | | 8-30-57 306.7 | 184.3 | | |
| | | | | | | | | 9-30-57 309.0 | 182.0 | | |
| | | | | | | | | 10-31-57 306.7 | 184.3 | | |
| | | | | | | | | 11-30-57 309.0 | 182.0 | | |
| | | | | | | | | 12-31-57 304.4 | 186.6 | | |
| | | | | | | | | 1-31-58 306.7 | 184.3 | | |
| | | | | | | | | 2-28-58 304.4 | 186.6 | | |
| | | | | | | | | 3-31-58 302.1 | 188.9 | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | SAN GABRIEL VALLEY | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | MAIN SAN GABRIEL BASIN | | | | | |
| 15/12W-1 A01 C | 429.0 | 4-10-58 | 204.4 | 188.6 | 1101 | 15/12W-11001 C | 429.1 | 1-10-58 | 249.0 | 188.1 | 1101 |
| | | 5-31-58 | 206.7 | 188.3 | | | | 3-31-58 | 234.0 | 176.1 | |
| | | 6-30-58 | 208.1 | 182.0 | | | | 4-30-58 | 231.0 | 181.1 | |
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | SAN GABRIEL VALLEY | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | MAIN SAN GABRIEL BASIN | | | | | |
| 15/12W-1 E01 C | 535.6 | 7-31-57 | 351.0 | 188.4 | 1050 | 15/12W-11002 C | 402.6 | 12-31-57 | 211.7 | 190.0 | 1101 |
| | | 8-10-57 | 353.8 | 193.8 | 1101 | | | 1-31-58 | 209.4 | 183.2 | |
| | | 8-21-57 | 353.0 | 192.4 | 1050 | | | 2-28-58 | 211.7 | 183.0 | |
| | | 7-20-57 | 359.0 | 192.4 | | | | 3-31-58 | 209.4 | 183.0 | |
| | | 10-11-57 | 356.4 | 190.2 | 1101 | | | 4-30-58 | 207.1 | 195.8 | |
| | | 10-11-57 | 356.4 | 192.4 | 1050 | | | 5-31-58 | 207.1 | 195.5 | |
| | | 11-30-57 | 353.0 | 183.4 | | | | 6-30-58 | 207.1 | 195.5 | |
| | | 11-30-57 | 353.5 | 181.1 | 1101 | | | | | | |
| | | 12-31-57 | 353.0 | 182.4 | 1050 | | | | | | |
| | | 1-24-58 | 353.0 | 181.6 | 1101 | | | | | | |
| | | 1-31-58 | 353.0 | 182.4 | 1050 | | | | | | |
| | | 2-14-58 | 352.0 | 182.6 | 1101 | | | | | | |
| | | 2-28-58 | 351.0 | 188.4 | 1050 | | | | | | |
| | | 3-07-58 | 351.7 | 192.9 | 1101 | | | | | | |
| | | 3-28-58 | 351.5 | 193.1 | | | | | | | |
| | | 3-31-58 | 351.0 | 188.4 | 1050 | | | | | | |
| | | 4-18-58 | 351.4 | 193.2 | 1101 | | | | | | |
| | | 4-30-58 | 351.0 | 188.4 | 1050 | | | | | | |
| | | 5-09-58 | 353.2 | 181.4 | 1101 | | | | | | |
| | | 5-30-58 | 354.4 | 180.2 | | | | | | | |
| | | 5-31-58 | 351.0 | 183.4 | 1050 | | | | | | |
| | | 6-20-58 | 358.0 | 176.6 | 1101 | | | | | | |
| | | 6-30-58 | 353.0 | 182.4 | 1050 | | | | | | |
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | SAN GABRIEL VALLEY | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | MAIN SAN GABRIEL BASIN | | | | | |
| 15/12W-1 R01 S | 440.0 | 7-31-57 | 257.0 | 193.0 | 1101 | 15/12W-13A01 S | 366.1 | 7-01-57 | 169.0 | 197.1 | 1101 |
| | | 8-31-57 | 261.6 | 178.4 | | | | 7-30-57 | 170.0 | 196.1 | |
| | | 9-30-57 | 261.5 | 178.4 | | | | 8-30-57 | 175.0 | 191.1 | |
| | | 10-31-57 | 259.3 | 190.7 | | | | 9-30-57 | 170.0 | 206.1 | |
| | | 11-30-57 | 257.0 | 183.0 | | | | 10-31-57 | 162.0 | 194.1 | |
| | | 12-31-57 | 257.0 | 183.0 | | | | 11-29-57 | 167.0 | 199.1 | |
| | | 1-31-58 | 257.0 | 193.0 | | | | 12-30-57 | 164.0 | 201.1 | |
| | | 2-28-58 | 254.1 | 185.9 | | | | 1-31-58 | 165.0 | 201.1 | |
| | | 3-31-58 | 252.4 | 187.6 | | | | 2-27-58 | 164.0 | 202.1 | |
| | | 4-30-58 | 257.0 | 193.0 | | | | 3-31-58 | 162.0 | 204.1 | |
| | | 5-31-58 | 257.0 | 183.0 | | | | 4-30-58 | 162.0 | 204.1 | |
| | | 6-30-58 | 253.2 | 190.7 | | | | 5-29-58 | 163.0 | 203.1 | |
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | SAN GABRIEL VALLEY | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | MAIN SAN GABRIEL BASIN | | | | | |
| 15/12W-11001 S | 429.1 | 7-30-57 | 252.0 | 177.1 | 1101 | 15/12W-14002 C | 388.5 | 7-30-57 | 173.0 | 180.5 | 1101 |
| | | 8-30-57 | 254.0 | 175.1 | | | | 8-30-57 | 169.0 | 184.5 | |
| | | 10-31-57 | 251.0 | 178.1 | | | | 9-30-57 | 167.0 | 186.5 | |
| | | 11-29-57 | 250.0 | 179.1 | | | | 10-31-57 | 168.0 | 185.5 | |
| | | 12-30-57 | 250.0 | 190.1 | | | | 11-29-57 | 165.0 | 188.5 | |
| | | | | | | | | 12-29-57 | 164.0 | 189.5 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|--|---|---|-----------------------|--------------------------------|--------------------|---|--|--|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | SAN GABRIEL BASIN | | | | | |
| 41370 | | | 41300 | | | 41301 | | | 41301 | | |
| MAIN SAN GABRIEL BASIN | | | | | | | | | | | |
| 1S/12W-13R02 S CONT. | 353.5 | 1-31-58 2-27-58 3-31-58 4-29-58 5-29-58 | 165.0* 164.0* 161.0* 162.0* 161.0* | 188.5 189.5 192.5 191.5 190.5 | 1101 | 1S/12W-14G01 S 1S/12W-22C01 | 38.5 413.0 | 6-10-58 3-07-58 4-18-58 8-09-58 5-30-58 6-20-58 | 136.0 173.4 183.2 188.5 188.5 186.6 | 191.5 215.5 216.0 216.5 216.8 | 1101 1101 |
| 1S/12W-13H01 S | 355.8 | 7-03-57 7-24-57 8-14-57 9-04-57 10-23-57 11-13-57 12-04-57 12-25-57 1-15-58 2-05-58 2-26-58 3-19-58 4-09-58 4-30-58 5-21-58 6-11-58 | 156.1 159.5 164.0 161.0 156.7 156.2 157.3 157.2 154.8 153.4 152.9 151.6 151.4 | 199.7 196.2 191.8 199.1 199.6 198.5 198.6 201.0 202.4 202.9 203.7 204.2 204.4 | 1101 | 1S/12W-27C02 S | 411.7 | 7-19-57 8-09-57 8-30-57 9-17-57 1-11-57 11-01-57 11-22-57 12-13-57 3-07-58 3-28-58 4-18-58 5-09-58 5-30-58 6-20-58 | 189.1 192.1 194.5 198.1 219.7 218.7 218.8 218.9 218.9 218.5 218.8 218.6 218.8 218.7 | 1101 | |
| 1S/12W-14G01 S | 425.0 | 7-31-57 8-31-57 9-30-57 10-31-57 11-30-57 12-31-57 1-31-58 2-28-58 3-31-58 4-30-58 5-31-58 6-30-58 | 238.7 238.6 241.0 238.7 238.7 238.7 236.7 236.6 234.0 234.0 236.7 | 189.3 189.4 187.0 189.3 189.3 189.3 187.3 191.6 194.0 191.6 191.6 | 1101 | 1S/12W-24G01 S | 326.0 | 7-31-57 8-31-57 10-31-57 11-30-57 12-31-57 1-31-58 2-28-58 3-31-58 4-30-58 5-31-58 6-30-58 | 137.4 139.7 130.5 135.1 130.5 130.5 130.5 125.9 128.1 130.5 130.5 | 188.6 186.3 195.5 190.5 195.5 195.5 200.1 197.9 195.5 195.5 | 1101 |
| 1S/12W-14G01 S | 380.5 | 7-31-57 8-31-57 9-30-57 10-31-57 11-30-57 1-31-58 2-28-58 3-31-58 4-30-58 5-31-58 6-30-58 | 187.0 187.0 189.3 189.3 189.3 187.3 191.6 194.0 191.6 191.6 | 191.5 189.0 189.2 191.5 196.1 196.1 200.8 200.8 196.1 | 1101 | 1S/12W-24E02 S | 308.0 | 5-01-58 | 109.0 | 199.0 | 1101 |
| | | 7-31-57 8-31-57 9-30-57 10-31-57 11-30-57 1-31-58 2-28-58 3-31-58 4-30-58 5-31-58 6-30-58 | 174.2 171.5 171.5 180.0 184.4 184.4 179.7 179.7 184.4 | 186.0 186.0 186.0 186.0 186.0 186.0 186.0 186.0 186.0 186.0 186.0 | 1101 | 1S/12W-24E04 S | 317.0 | 7-15-57 8-15-57 10-15-57 11-15-57 12-15-57 1-15-58 | 126.0* 126.0* 126.0* 126.0* 126.0* 122.0* | 193.0 187.0 191.0 191.0 197.0 195.0 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | SAN GABRIEL VALLEY | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | MAIN SAN GABRIEL BASIN | | | | | |
| 41300 | | | | | | | | | | | |
| 41301 | | | | | | | | | | | |
| 15/12M-25B03 S | | | | | | | | | | | |
| CONT. | | | | | | | | | | | |
| 15/12M-25B03 S | 317.0 | 2-15-58 | 172.0* | 195.0 | 1101 | 15/12M-25B03 S | 265.0 | 5-15-58 | 76.0* | 189.0 | 1101 |
| | | 3-21-58 | 112.0* | 205.0 | | CONT. | | 6-01-58 | 86.0* | 179.0 | |
| | | 4-15-58 | 116.0* | 201.0 | | | | | | | |
| | | 5-15-58 | 116.0* | 201.0 | | 15/12M-25B05 S | 266.0 | 7-15-57 | 96.0* | 170.0 | 1101 |
| | | 6-07-58 | 113.0 | 195.0 | | | | 8-07-57 | 102.0* | 164.0 | |
| 15/12M-25B03 S | | | | | | | | | | | |
| CONT. | | | | | | | | | | | |
| 15/12M-25B03 S | 244.0 | 7-16-57 | 74.0* | 167.0 | 1101 | | | 9-15-57 | 89.0* | 177.0 | |
| | | 8-17-57 | 106.0* | 161.0 | | | | 10-15-57 | 50.0* | 176.0 | |
| | | 3-15-57 | 73.0* | 165.0 | | | | 11-15-57 | 86.0* | 180.0 | |
| | | 10-17-57 | 85.0* | 156.0 | | | | 12-15-57 | 80.0* | 186.0 | |
| | | 11-16-57 | 86.0* | 173.0 | | | | 1-15-58 | 72.0* | 194.0 | |
| | | 12-16-57 | 84.0* | 177.0 | | | | 2-15-58 | 72.0* | 200.0 | |
| | | 1-17-58 | 90.0* | 181.0 | | | | 3-15-58 | 66.0* | 194.0 | |
| | | 2-16-58 | 90.0* | 171.0 | | | | 4-15-58 | 80.0* | 186.0 | |
| | | 3-15-58 | 84.0 | 177.0 | | | | 5-15-58 | 82.0* | 184.0 | |
| | | 4-15-58 | 95.0 | 176.0 | | | | 6-01-58 | 90.0* | 176.0 | |
| | | 5-15-58 | 95.0 | 176.0 | | | | 7-15-57 | 85.0* | 175.0 | 1101 |
| | | 6-18-58 | 91.0 | 180.0 | | | | 8-15-57 | 75.0* | 185.0 | |
| 15/12M-25B03 S | | | | | | | | | | | |
| CONT. | | | | | | | | | | | |
| 15/12M-25B03 S | 262.0 | 7-04-57 | 96.0* | 164.0 | 1101 | | | 9-14-57 | 72.0* | 188.0 | |
| | | 8-24-57 | 90.0* | 163.0 | | | | 10-15-57 | 68.0* | 192.0 | |
| | | 9-02-57 | 110.0* | 152.0 | | | | 11-15-57 | 63.0* | 197.0 | |
| | | 10-06-57 | 101.0* | 161.0 | | | | 12-16-57 | 73.0* | 187.0 | |
| | | 11-06-57 | 89.0* | 173.0 | | | | 1-14-58 | 74.0* | 186.0 | |
| | | 11-14-57 | 91.0* | 171.0 | | | | 2-15-58 | 62.0* | 198.0 | |
| | | 12-02-57 | 92.0* | 170.0 | | | | 3-15-58 | 65.0 | 195.0 | |
| | | 1-2-58 | 84.0* | 178.0 | | | | 4-15-58 | 64.0 | 196.0 | |
| | | 1-02-58 | 90.0* | 172.0 | | | | 5-15-58 | 63.0 | 197.0 | |
| | | 2-04-58 | 85.0* | 177.0 | | | | 6-01-58 | 58.0 | 202.0 | |
| | | 3-15-58 | 82.0* | 180.0 | | | | 7-14-57 | 75.0* | 184.0 | 1101 |
| | | 4-15-58 | 84.0* | 178.0 | | | | 8-17-57 | 84.0* | 175.0 | |
| | | 5-15-58 | 92.0* | 170.0 | | | | 9-15-57 | 75.0* | 184.0 | |
| | | 6-12-58 | 90.0* | 172.0 | | | | 10-16-57 | 76.0* | 183.0 | |
| 15/12M-25B03 S | | | | | | | | | | | |
| CONT. | | | | | | | | | | | |
| 15/12M-25B03 S | 265.0 | 7-15-57 | 94.0* | 171.0 | 1101 | | | 11-15-57 | 63.0* | 196.0 | |
| | | 8-15-57 | 84.0* | 181.0 | | | | 12-15-57 | 65.0* | 194.0 | |
| | | 9-15-57 | 88.0* | 177.0 | | | | 1-15-58 | 68.0* | 191.0 | |
| | | 10-15-57 | 88.0* | 177.0 | | | | 2-15-58 | 70.0* | 189.0 | |
| | | 11-15-57 | 97.0* | 178.0 | | | | 3-15-58 | 66.0* | 193.0 | |
| | | 12-15-57 | 74.0* | 191.0 | | | | 4-15-58 | 72.0* | 187.0 | |
| | | 1-15-58 | 72.0* | 193.0 | | | | 5-15-58 | 76.0* | 183.0 | |
| | | 2-15-58 | 70.0* | 195.0 | | | | 6-16-58 | 64.0* | 195.0 | |
| | | 3-15-58 | 68.0* | 197.0 | | | | 7-15-57 | 80.0 | 184.0 | 1101 |
| | | 4-07-58 | 68.0* | 197.0 | | | | 8-15-57 | 100.0* | 164.0 | |
| | | 4-15-58 | 78.0* | 187.0 | | | | 9-15-57 | 98.0* | 166.0 | |
| | | 4-21-58 | 70.0* | 195.0 | | | | 10-15-57 | 82.0 | 182.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|---|---|---|-----------------------|--|-------------------------|---|--|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | | | | | | |
| 41300 | | | | | | 41301 | | | | | |
| 15/12W-25B10 S CONT. | 264.0 | 11-15-57 12-15-57 1-15-58 2-15-58 3-15-58 4-15-58 5-15-58 6-01-58 6-07-58 | 82.0 72.0 70.0 72.0 66.0 70.0 74.0 82.0 75.0* | 182.0 192.0 194.0 192.0 194.0 195.0 194.0 182.0 189.0 | 1101 | 1S/12W-36702 S 1S/12W-36A06 S | 233.8 230.0 | 6-15-58 7-15-57 8-15-57 1-17-58 2-15-58 3-15-58 4-15-58 5-15-58 6-15-58 | 22.0* 31.0* 34.0* 36.2* 35.2* 37.2* 37.0* 36.2* | 1101 1101 | |
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | | | | | | |
| 41300 | | | | | | 41301 | | | | | |
| 15/12W-25G03 S | 256.5 | 7-14-57 8-15-57 9-14-57 10-15-57 11-15-57 12-15-57 1-15-58 2-14-58 3-19-58 4-21-58 5-12-58 6-02-58 | 72.0 75.0 70.0 66.0 68.0 70.0 57.0 62.0* 57.0* 68.0* 68.0* 59.0* | 184.5 181.5 186.5 190.5 185.5 188.5 186.5 194.5 195.5 188.5 197.5 | 1101 | 2S/10W-06A01 S | 312.0 | 7-15-57 8-08-57 3-29-57 1-10-57 1-10-57 1-31-57 1-21-57 1-15-57 1-23-58 2-13-58 3-05-58 4-11-58 5-01-58 5-29-58 4-11-58 | 355.7 334.0 356.3 364.0 363.4 378.0 374.6 383.1 387.7 387.7 372.5 362.3 368.0 362.8 | 1101 | |
| 15/12W-25G04 S | 258.5 | 7-15-57 8-17-57 9-15-57 10-16-57 11-14-57 12-15-57 1-14-58 2-18-58 3-18-58 4-18-58 5-20-58 6-14-58 | 72.0 75.0 71.0 71.0 73.0 72.0 66.0 64.0 67.0 67.0 67.0* | 186.5 183.5 181.5 185.5 185.5 186.5 192.5 195.2 193.5 195.5 191.5 | 1101 | 2S/11W-01B01 S 2S/11W-03D07 S 2S/11W-04L01 S | 302.0 316.7 335.0 | 11-04-57 5-09-58 10-21-57 4-27-54 1-16-57 1-03-57 1-15-57 2-24-58 5-10-58 4-24-58 4-14-58 4-28-58 5-19-58 6-09-58 | 351.7 359.7 324.3 334.6 305.5 305.6 305.2 303.9 208.0 208.0 206.9 206.6 206.6 207.8 | 1101 1101 1101 | |
| 15/12W-26A02 S | 233.8 | 7-15-57 8-15-57 9-15-57 10-15-57 11-15-57 1-15-58 2-15-58 3-15-58 4-15-58 5-15-58 | 32.0* 37.0* 58.0* 60.0* 60.0* 50.0* 42.0* 40.0* 38.0* 30.0* | 201.8 176.8 175.8 173.0 173.8 181.8 191.8 193.8 195.8 203.8 | 1101 | 2S/11W-04M01 S | 226.2 | 10-27-57 | 22.1 | 203.9 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| 41300 | | | | | | 41301 | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | | | | | | |
| 25/114-05814 S | 224.9 | 4-28-58 | 16.2 | 208.7 | 1101 | 25/114-05814 S | 224.9 | 4-28-58 | 16.2 | 208.7 | 1101 |
| 2/114-04911 S | 237.7 | 5-19-58 | 16.0 | 208.9 | | CONT. | | 5-19-58 | 16.0 | 208.9 | |
| 2/114-04911 S | 233.8** | 6-09-58 | 15.2 | 209.7 | | 25/114-05E02 S | 209.8 | 6-09-58 | 15.2 | 209.7 | |
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| 41300 | | | | | | 41301 | | | | | |
| 25/114-05814 S | 224.9 | 7-03-57 | 13.4 | 196.4 | | 25/114-05E02 S | 209.8 | 7-03-57 | 13.4 | 196.4 | |
| 2/114-04911 S | 237.7 | 7-10-57 | 14.1 | 195.7 | | | | 7-10-57 | 14.1 | 195.7 | |
| 2/114-04911 S | 233.8** | 7-17-57 | 14.6 | 195.2 | | | | 7-17-57 | 14.6 | 195.2 | |
| 2/114-04911 S | 233.8** | 7-24-57 | 14.6 | 195.2 | | | | 7-24-57 | 14.6 | 195.2 | |
| 2/114-04911 S | 233.8** | 7-31-57 | 14.8 | 194.0 | | | | 7-31-57 | 14.8 | 194.0 | |
| 2/114-04911 S | 233.8** | 8-07-57 | 15.4 | 194.4 | | | | 8-07-57 | 15.4 | 194.4 | |
| 2/114-04911 S | 233.8** | 8-14-57 | 15.5 | 194.3 | | | | 8-14-57 | 15.5 | 194.3 | |
| 2/114-04911 S | 233.8** | 8-21-57 | 15.7 | 194.1 | | | | 8-21-57 | 15.7 | 194.1 | |
| 2/114-04911 S | 233.8** | 8-28-57 | 16.1 | 193.7 | | | | 8-28-57 | 16.1 | 193.7 | |
| 2/114-04911 S | 233.8** | 9-04-57 | 16.3 | 193.5 | | | | 9-04-57 | 16.3 | 193.5 | |
| 2/114-04911 S | 233.8** | 9-11-57 | 16.2 | 193.6 | | | | 9-11-57 | 16.2 | 193.6 | |
| 2/114-04911 S | 233.8** | 9-18-57 | 16.1 | 193.7 | | | | 9-18-57 | 16.1 | 193.7 | |
| 2/114-04911 S | 233.8** | 9-25-57 | 16.0 | 193.8 | | | | 9-25-57 | 16.0 | 193.8 | |
| 2/114-04911 S | 233.8** | 10-2-57 | 15.4 | 194.4 | | | | 10-2-57 | 15.4 | 194.4 | |
| 2/114-04911 S | 233.8** | 10-30-57 | 15.5 | 194.3 | | | | 10-30-57 | 15.5 | 194.3 | |
| 2/114-04911 S | 233.8** | 11-06-57 | 15.1 | 194.7 | | | | 11-06-57 | 15.1 | 194.7 | |
| 2/114-04911 S | 233.8** | 11-13-57 | 14.8 | 195.0 | | | | 11-13-57 | 14.8 | 195.0 | |
| 2/114-04911 S | 233.8** | 11-20-57 | 15.1 | 194.7 | | | | 11-20-57 | 15.1 | 194.7 | |
| 2/114-04911 S | 233.8** | 11-27-57 | 15.3 | 194.5 | | | | 11-27-57 | 15.3 | 194.5 | |
| 2/114-04911 S | 233.8** | 12-04-57 | 15.6 | 194.2 | | | | 12-04-57 | 15.6 | 194.2 | |
| 2/114-04911 S | 233.8** | 12-11-57 | 15.0 | 194.8 | | | | 12-11-57 | 15.0 | 194.8 | |
| 2/114-04911 S | 233.8** | 12-18-57 | 13.6 | 196.2 | | | | 12-18-57 | 13.6 | 196.2 | |
| 2/114-04911 S | 233.8** | 12-25-57 | 13.5 | 196.3 | | | | 12-25-57 | 13.5 | 196.3 | |
| 2/114-04911 S | 233.8** | 1-06-58 | 12.1 | 197.7 | | | | 1-06-58 | 12.1 | 197.7 | |
| 2/114-04911 S | 233.8** | 1-13-58 | 11.3 | 198.5 | | | | 1-13-58 | 11.3 | 198.5 | |
| 2/114-04911 S | 233.8** | 1-20-58 | 11.7 | 198.1 | | | | 1-20-58 | 11.7 | 198.1 | |
| 2/114-04911 S | 233.8** | 2-05-58 | 11.0 | 198.8 | | | | 2-05-58 | 11.0 | 198.8 | |
| 2/114-04911 S | 233.8** | 2-12-58 | 10.9 | 198.9 | | | | 2-12-58 | 10.9 | 198.9 | |
| 2/114-04911 S | 233.8** | 2-19-58 | 10.2 | 199.6 | | | | 2-19-58 | 10.2 | 199.6 | |
| 2/114-04911 S | 233.8** | 2-26-58 | 9.8 | 200.0 | | | | 2-26-58 | 9.8 | 200.0 | |
| 2/114-04911 S | 233.8** | 3-05-58 | 9.8 | 200.0 | | | | 3-05-58 | 9.8 | 200.0 | |
| 2/114-04911 S | 233.8** | 3-12-58 | 9.6 | 200.2 | | | | 3-12-58 | 9.6 | 200.2 | |
| 2/114-04911 S | 233.8** | 3-19-58 | 9.1 | 200.7 | | | | 3-19-58 | 9.1 | 200.7 | |
| 2/114-04911 S | 233.8** | 3-26-58 | 8.7 | 201.1 | | | | 3-26-58 | 8.7 | 201.1 | |
| 2/114-04911 S | 233.8** | 4-02-58 | 8.4 | 201.4 | | | | 4-02-58 | 8.4 | 201.4 | |
| 2/114-04911 S | 233.8** | 4-09-58 | 7.5 | 202.3 | | | | 4-09-58 | 7.5 | 202.3 | |
| 2/114-04911 S | 233.8** | 4-16-58 | 8.0 | 201.8 | | | | 4-16-58 | 8.0 | 201.8 | |
| 2/114-04911 S | 233.8** | 4-23-58 | 8.1 | 201.7 | | | | 4-23-58 | 8.1 | 201.7 | |
| 2/114-04911 S | 233.8** | 4-30-58 | 7.3 | 202.5 | | | | 4-30-58 | 7.3 | 202.5 | |
| 2/114-04911 S | 233.8** | 5-07-58 | 7.4 | 202.4 | | | | 5-07-58 | 7.4 | 202.4 | |
| 2/114-04911 S | 233.8** | 5-14-58 | 7.5 | 202.3 | | | | 5-14-58 | 7.5 | 202.3 | |
| 2/114-04911 S | 233.8** | 5-21-58 | 7.4 | 202.4 | | | | 5-21-58 | 7.4 | 202.4 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| MAIN SAN GABRIEL PASTIN | | | | | | SAN GABRIEL VALLEY | | | | | |
| 41301 | | | | | | | | | | | |
| 25/11W-05E02 S | 209.6 | 5-28-58 | 7.8 | 202.0 | 1101 | 25/11W-05F03 S | 212.5 | 3-24-58 | 8.6 | 203.2 | 1101 |
| CONT. | | 6-04-58 | 7.0 | 202.8 | | CONT. | | 4-14-56 | 7.7 | 204.5 | |
| | | 6-09-58 | 7.6 | 202.2 | | | | 6-28-58 | 7.8 | 204.7 | |
| | | 6-11-58 | 7.5 | 202.3 | | | | 6-09-58 | 8.0 | 204.5 | |
| | | 6-18-58 | 7.5 | 202.3 | | | | 6-30-58 | 8.0 | 204.0 | |
| | | 6-25-58 | 8.2 | 201.6 | | | | | | | |
| | | 6-30-58 | 8.5 | 201.3 | | | | 6-23-58 | 5.8 | 208.6 | 1101 |
| 25/11W-05E04 S | 212.0 | 7-17-57 | 15.0 | 197.0 | 1101 | 25/11W-05F05 S | 214.4 | 8-26-57 | 20.0 | 193.0 | 1101 |
| | | 8-19-57 | 16.5 | 195.5 | | | | 9-03-57 | 19.0 | 194.2 | |
| | | 9-09-57 | 17.2 | 194.8 | | | | 1-28-57 | 15.4 | 197.6 | |
| | | 9-23-57 | 17.0 | 195.0 | | | | 11-12-57 | 13.4 | 199.1 | |
| | | 10-21-57 | 16.4 | 18.5 | | | | 1-16-57 | 12.4 | 203.6 | |
| | | 11-18-57 | 15.6 | 185.4 | | | | 1-13-58 | 10.4 | 202.4 | |
| | | 12-02-57 | 16.2 | 195.8 | | | | 2-10-58 | 10.0 | 203.0 | |
| | | 12-23-57 | 14.4 | 197.5 | | | | 3-13-58 | 9.0 | 204.0 | |
| | | 1-06-58 | 12.8 | 199.2 | | | | 4-14-58 | 7.0 | 206.0 | |
| | | 1-20-58 | 12.5 | 197.5 | | | | 5-11-58 | 9.0 | 204.0 | |
| | | 2-10-58 | 11.8 | 200.2 | | | | 6-16-58 | 10.0 | 203.0 | |
| | | 2-24-58 | 11.0 | 201.0 | | | | | | | |
| | | 3-10-58 | 10.5 | 201.5 | | | | 7-01-57 | 20.2 | 194.7 | 1101 |
| | | 3-24-58 | 9.7 | 202.3 | | | | 8-05-57 | 22.3 | 192.7 | |
| | | 4-14-58 | 8.6 | 203.4 | | | | 9-02-57 | 22.5 | 192.3 | |
| | | 4-28-58 | 8.1 | 203.9 | | | | 11-12-57 | 18.4 | 196.6 | |
| | | 5-19-58 | 8.0 | 204.0 | | | | 2-10-58 | 13.0 | 202.0 | |
| | | 6-09-58 | 7.5 | 204.5 | | | | 3-10-58 | 12.5 | 202.5 | |
| | | 6-30-58 | 9.3 | 202.7 | | | | 4-14-58 | 10.0 | 205.0 | |
| 25/11W-05F01 S | 216.0** | 9-13-57 | 18.0 | 198.0 | 1101 | 25/11W-05G04 S | 212.0 | 5-11-58 | 24.0* | 191.0 | 1101 |
| | | 10-22-57 | 17.4 | 198.6 | | | | 6-16-58 | 25.0* | 190.0 | |
| | | 5-06-58 | 10.4 | 205.6 | | | | 7-29-57 | 15.0* | 197.0 | 1101 |
| 25/11W-05F03 S | 212.5 | 7-17-57 | 13.6 | 198.9 | 1101 | | | 10-38-57 | 11.0* | 203.0 | |
| | | 8-19-57 | 14.8 | 197.7 | | | | 11-12-57 | 9.0* | 203.0 | |
| | | 9-09-57 | 15.3 | 197.2 | | | | 12-16-57 | 10.0* | 202.0 | |
| | | 9-23-57 | 15.1 | 197.4 | | | | 1-13-58 | 6.0* | 206.0 | |
| | | 10-21-57 | 14.4 | 198.1 | | | | 2-10-58 | 7.4* | 206.6 | |
| | | 11-18-57 | 14.0 | 198.5 | | | | 3-10-58 | 6.0* | 206.0 | |
| | | 12-02-57 | 12.3 | 199.9 | | | | 4-10-58 | 5.0* | 206.0 | |
| | | 12-23-57 | 12.0 | 199.9 | | | | 5-11-58 | 50.0* | 163.0 | |
| | | 1-06-58 | 11.9 | 201.0 | | | | 6-16-58 | 51.0* | 161.0 | |
| | | 1-13-58 | 12.7 | 199.8 | | | | 9-30-57 | 19.0* | 191.0 | 1101 |
| | | 1-20-58 | 11.2 | 201.3 | | | | 5-11-58 | 9.0* | 201.0 | |
| | | 2-10-58 | 10.3 | 202.2 | | | | 6-16-58 | 9.0* | 201.0 | |
| | | 2-24-58 | 9.6 | 202.9 | | | | 7-17-57 | DRY | | 1101 |
| | | 3-10-58 | 9.3 | 203.2 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | SAN GABRIEL VALLEY | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | MAIN SAN GABRIEL BASIN | | | | | |
| 25/11W-05H01 S | | 8-19-57 | DRY | | 1101 | 25/11W-05K01 S | 212.5 | 12-16-57 | 65.0* | 148.5 | 1101 |
| | | 9-09-57 | DRY | | | | | 1-13-58 | 5.0* | 208.5 | |
| | | 11-18-57 | DRY | | | | | 2-10-58 | 6.0* | 207.5 | |
| | | 12-02-57 | DRY | | | | | 3-10-58 | 8.0* | 205.5 | |
| | 223.0 | 12-09-57 | 15.4 | 207.6 | | | | 4-14-58 | 6.0* | 207.5 | |
| | | 12-17-57 | 14.4 | 208.6 | | | | 5-11-58 | 6.0* | 207.5 | |
| | | 12-23-57 | 16.0 | 207.0 | | | | 6-16-58 | 12.0* | 201.5 | |
| | | 12-30-57 | 11.7 | 211.3 | | | | | | | |
| | | 1-06-58 | 12.4 | 210.6 | | 25/11W-05K02 S | 210.0 | 3-24-58 | 8.0 | 202.0 | 1101 |
| | | 1-13-58 | 12.6 | 210.4 | | | | | | | |
| | | 1-20-58 | 13.7 | 209.3 | | | | | | | |
| | | 1-27-58 | 13.3 | 209.7 | | | | | | | |
| | | 2-10-58 | 12.5 | 210.5 | | | | | | | |
| | | 2-17-58 | 12.1 | 210.7 | | | | | | | |
| | | 2-24-58 | 12.1 | 210.9 | | | | | | | |
| | | 3-03-58 | 12.0 | 211.0 | | | | | | | |
| | | 3-10-58 | 12.0 | 211.0 | | | | | | | |
| | | 3-17-58 | 12.0 | 211.0 | | | | | | | |
| | | 3-24-58 | 11.9 | 211.1 | | | | | | | |
| | | 3-31-58 | 11.8 | 211.2 | | | | | | | |
| | | 4-14-58 | 11.4 | 211.6 | | | | | | | |
| | | 4-21-58 | 11.5 | 211.5 | | | | | | | |
| | | 4-28-58 | 7.3 | 215.7 | | | | | | | |
| | | 5-05-58 | 7.9 | 215.1 | | | | | | | |
| | | 5-12-58 | 7.6 | 215.2 | | | | | | | |
| | | 5-19-58 | 7.9 | 215.1 | | | | | | | |
| | | 5-26-58 | 8.3 | 214.7 | | | | | | | |
| | | 6-02-58 | 8.3 | 214.7 | | | | | | | |
| | | 6-09-58 | 7.9 | 215.1 | | | | | | | |
| | | 6-13-58 | 8.0 | 215.0 | | | | | | | |
| | | 6-23-58 | 10.1 | 212.9 | | | | | | | |
| | | 6-30-58 | 11.5 | 211.5 | | | | | | | |
| 25/11W-05J02 S | 215.0 | 10-22-57 | 18.6 | 196.4 | 1101 | | | | | | |
| | | 5-06-58 | 13.8 | 201.2 | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | MAIN SAN GABRIEL BASIN | | | | | |
| 25/11W-05J03 S | 214.0 | 7-09-57 | 12.0 | 202.0 | 1101 | | | | | | |
| | | 9-23-57 | 14.0 | 200.0 | | | | | | | |
| | | 11-21-57 | 16.0 | 198.0 | | | | | | | |
| | | 3-24-58 | 7.0 | 207.0 | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | MAIN SAN GABRIEL BASIN | | | | | |
| 25/11W-05K01 S | 213.5 | 7-29-57 | 16.0 | 197.5 | 1101 | | | | | | |
| | | 8-26-57 | 23.0 | 190.5 | | | | | | | |
| | | 9-30-57 | 22.5 | 191.0 | | | | | | | |
| | | 10-28-57 | 13.3 | 200.2 | | | | | | | |
| | | 11-12-57 | 12.0* | 201.5 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| 41300 | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| 41301 | | | | | | | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | | | | | | |
| 25/11W-05L01 S | 216.0 | 3-26-58 | 13.4 | 202.6 | 1101 | 25/11W-05R03 S | 207.0 | 12-02-57 | 11.6 | 195.4 | 1101 |
| CONT. | | 4-02-58 | 12.0 | 203.1 | | CONT. | | 12-25-57 | 8.7 | 198.3 | |
| | | 4-09-58 | 13.1 | 202.9 | | | | 1-06-58 | 8.0 | 199.0 | |
| | | 4-16-58 | 13.0 | 203.0 | | | | 2-10-58 | 6.9 | 198.3 | |
| | | 4-23-58 | 13.1 | 202.9 | | | | 2-10-58 | 6.4 | 200.1 | |
| | | 4-30-58 | 12.8 | 203.2 | | | | 3-10-58 | 5.8 | 201.2 | |
| | | 5-07-58 | 12.7 | 203.3 | | | | 3-21-58 | 5.4 | 201.6 | |
| | | 5-14-58 | 12.9 | 203.1 | | | | 4-14-58 | 4.7 | 202.3 | |
| | | 5-21-58 | 12.6 | 203.4 | | | | 5-19-58 | 5.2 | 201.8 | |
| | | 5-28-58 | 13.2 | 202.8 | | | | 6-09-58 | 4.8 | 202.2 | |
| | | 6-04-58 | 13.3 | 202.8 | | | | 6-30-58 | 5.4 | 201.6 | |
| | | 6-11-58 | 13.2 | 202.9 | | | | | | | |
| | | 6-18-58 | 14.1 | 201.7 | | | | | | | |
| | | 6-26-58 | 14.1 | 201.7 | | | | | | | |
| | | 6-30-58 | 14.0 | 202.0 | | 25/11W-06A01 S | 210.6 | 7-17-57 | 9.6 | 201.0 | 1101 |
| 25/11W-05N04 S | 203.0 | 7-17-57 | 15.2 | 187.8 | 1101 | | | 8-19-57 | 10.0 | 200.6 | |
| | | 8-28-57 | 17.2 | 185.8 | | | | 9-09-57 | 10.5 | 200.1 | |
| | | 9-18-57 | 19.6 | 183.4 | | | | 9-24-57 | 10.4 | 200.2 | |
| | | 9-23-57 | 17.1 | 185.9 | | | | 10-07-57 | 10.5 | 200.1 | |
| | | 10-21-57 | 16.7 | 186.3 | | | | 10-16-57 | 9.9 | 200.7 | |
| | | 10-30-57 | 16.9 | 186.1 | | | | 11-18-57 | 9.8 | 200.6 | |
| | | 11-20-57 | 16.4 | 186.6 | | | | 12-02-57 | 10.0 | 200.6 | |
| | | 12-11-57 | 16.1 | 186.9 | | | | 12-18-57 | 8.8 | 201.6 | |
| | | 12-23-57 | 16.1 | 186.9 | | | | 12-23-57 | 8.6 | 202.0 | |
| | | 1-06-58 | 13.8 | 189.2 | | | | 1-08-58 | 8.3 | 202.3 | |
| | | 1-20-58 | 13.1 | 189.9 | | | | 1-21-58 | 8.0 | 202.6 | |
| | | 1-25-58 | 17.8 | 185.2 | | | | 2-11-58 | 7.2 | 203.4 | |
| | | 2-15-58 | 15.0 | 188.0 | | | | 2-24-58 | 7.5 | 203.1 | |
| | | 3-12-58 | 13.4 | 189.6 | | | | 3-03-58 | 6.3 | 204.3 | |
| | | 4-02-58 | 11.2 | 191.8 | | | | 3-10-58 | 6.0 | 204.3 | |
| | | 4-23-58 | 11.1 | 191.9 | | | | 3-24-58 | 5.4 | 205.2 | |
| | | 5-07-58 | 11.1 | 191.9 | | | | 4-14-58 | 5.0 | 205.6 | |
| | | 5-28-58 | 9.8 | 193.2 | | | | 5-19-58 | 5.0 | 205.6 | |
| | | 6-09-58 | 9.8 | 193.2 | | | | 6-09-58 | 5.7 | 204.9 | |
| | | 6-18-58 | 9.8 | 193.2 | | | | | | | |
| | | 6-30-58 | 10.4 | 192.6 | | 25/11W-06H02 S | 208.3 | 7-17-57 | 16.3 | 195.0 | 1101 |
| 25/11W-05P01 S | 205.9 | 10-22-57 | 3.9 | 202.0 | 1101 | | | 8-19-57 | 15.7 | 192.5 | |
| | | 4-24-58 | 6.0 | 199.9 | | | | 9-09-57 | 16.6 | 192.8 | |
| 25/11W-05R03 S | 207.0 | 7-17-57 | 13.1 | 193.9 | 1101 | | | 9-23-57 | 15.2 | 193.1 | |
| | | 8-19-57 | 15.7 | 191.3 | | | | 10-21-57 | 15.4 | 194.1 | |
| | | 9-23-57 | 15.1 | 192.9 | | | | 11-18-57 | 15.1 | 194.1 | |
| | | 10-21-57 | 11.4 | 195.6 | | | | 12-02-57 | 15.7 | 193.6 | |
| | | 11-18-57 | 9.4 | 197.6 | | | | 12-23-57 | 13.9 | 195.4 | |
| | | | | | | | | 1-06-58 | 12.5 | 196.8 | |
| | | | | | | | | 1-20-58 | 11.1 | 197.2 | |
| | | | | | | | | 2-10-58 | 11.3 | 198.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------|---------------------|--|--|--|-----------------------|-------------------------|---------------------|--|---|---|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| MAIN SAN GABRIEL BASIN | | | | | | SAN GABRIEL VALLEY | | | | | |
| 41301 | | | | | | 41300 | | | | | |
| 25/11W-08H2 S CONT. | 209.3 | 2-24-58 3-10-58 3-24-58 4-14-58 4-28-58 5-19-58 6-09-58 6-30-58 | 10.4 10.1 9.2 8.3 7.9 7.9 8.9 | 198.9 195.2 200.1 201.4 201.4 201.4 201.4 | 1101 | 25/11W-08L03 S CONT. | 228.0 | 8-07-57 8-28-57 9-18-57 10-16-57 11-06-57 11-18-57 12-27-57 1-08-58 2-19-58 3-12-58 4-02-58 4-23-58 5-14-58 6-04-58 6-25-58 | 37.1 37.6 37.4 37.7 36.8 35.8 37.0 34.4 34.3 32.2 31.4 30.1 31.1 31.1 31.4 | 190.9 190.4 190.3 190.6 191.2 192.2 191.0 193.6 193.7 193.8 196.6 197.9 196.9 196.9 196.6 | 1101 |
| 25/11W-08H10 S | 207.0 | 7-17-57 6-19-57 9-09-57 9-23-57 10-21-57 | 16.7 18.5 19.3 19.4 18.9 | 190.3 188.5 187.7 187.6 188.1 | 1101 | MONK HILL BASIN | | | | | |
| 25/11W-08H10 S | 204.4 | 4-24-58 | 10.5 | 193.9 | 1101 | 1N/12W-05G01 S | 1302.3 | 10-21-57 3-24-58 | 281.3 272.6 | 1021.0 1029.7 | 1050 |
| 25/11W-08A02 S | 219.0 | 10-21-57 4-22-58 | 18.8 15.3 | 200.2 203.7 | 1101 | 1N/12W-05M01 S | 1091.1 | 7-01-57 7-23-57 9-28-57 9-28-57 10-06-57 10-29-57 11-03-57 12-13-57 1-08-58 1-21-58 2-11-58 3-04-58 4-02-58 5-14-58 6-04-58 6-25-58 | 174.6 229.0* 269.0* 268.8 285.8 262.9* 282.9* 189.5 181.1 116.9* 120.8 138.9 138.9 179.4* 179.4* 125.5 | 916.5 866.1 850.3 903.6 803.9 903.3 903.0 913.0 865.1 976.8 976.8 950.2 976.2 918.7 948.6 | 1050 |
| 25/11W-08B01 S | 217.0 | 7-17-57 8-07-57 8-28-57 9-18-57 10-16-57 11-06-57 11-27-57 12-18-57 1-08-58 2-19-58 3-12-58 4-02-58 4-23-58 5-14-58 6-04-58 6-25-58 | 20.3 21.3 21.9 27.8 20.8 20.1 20.4 19.2 18.6 18.7 19.4 16.8 17.1 19.9 17.4 18.0 | 196.7 195.7 195.1 189.2 196.2 196.9 196.6 197.8 198.2 198.3 199.4 200.2 200.0 199.9 199.6 199.0 | 1101 | 1N/12W-05N01 S | 1070.6 | 7-01-57 9-04-57 10-04-57 11-05-57 12-13-57 1-08-58 2-11-58 3-04-58 | 151.8 161.0 163.0 163.6 164.4 158.5 170.2 108.9 | 918.8 909.9 907.5 907.5 906.2 912.1 963.4 108.9 | 1050 |
| 25/11W-08B02 S | 209.0 | 10-21-57 4-22-58 | 19.5 17.2 | 189.5 191.8 | 1101 | | | | | | |
| 25/11W-08F01 S | 211.0 | 10-21-57 4-24-58 | 10.2 7.9 | 200.8 203.1 | 1101 | | | | | | |
| 25/11W-08G01 S | 213.0 | 10-21-57 5-06-58 | 21.5 20.1 | 191.5 192.9 | 1101 | | | | | | |
| 25/11W-08L03 S | 228.0 | 7-17-57 | 36.3 | 191.7 | 1101 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| MONK HILL BASIN | | | | | | MONK HILL UASIN | | | | | |
| 41300 | | | | | | 41302 | | | | | |
| 1N/12W-05N01 S | 1070.6 | 4-09-58 | 126.3* | 944.3 | 1050 | 1N/12W-06D02 S | 1272.3 | 3-25-58 | 261.0 | 1011.3 | 1050 |
| CONT. | | 5-01-58 | 81.7 | 941.9 | | IN/12W-06M01 S | 1175.9 | 10-24-57 | 240.9 | 939.0 | 1050 |
| | | 6-02-58 | 102.1 | 968.5 | | | | 3-24-58 | 230.9 | 943.0 | |
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| 41300 | | | | | | 41300 | | | | | |
| IN/12W-05P01 S | 1202.1 | 7-03-57 | 291.9 | 910.2 | 1101 | IN/12W-06M04 S | 1172.4 | 9-03-57 | 223.6 | 948.8 | 1050 |
| 1202.3 | | 7-31-57 | 296.0 | 906.3 | 1050 | | | 10-04-57 | 235.4 | 938.0 | |
| 1202.1 | | 8-08-57 | 297.5 | 904.6 | 1101 | | | 11-01-57 | 236.4 | 936.0 | |
| 1202.3 | | 8-31-57 | 299.0 | 903.3 | 1050 | | | 11-01-57 | 233.0 | 933.4 | |
| 1202.1 | | 9-04-57 | 301.3 | 900.8 | 1101 | | | 12-01-57 | 235.5 | 936.0 | |
| 1202.3 | | 9-30-57 | 304.0 | 898.3 | 1050 | | | 12-31-57 | 236.9 | 936.9 | |
| 1202.1 | | 10-02-57 | 303.7 | 898.4 | 1101 | | | 1-31-58 | 234.3 | 938.1 | |
| 1202.3 | | 10-21-57 | 301.0 | 899.3 | 1050 | | | 2-06-58 | 224.0 | 948.4 | |
| 1202.1 | | 10-31-57 | 304.0 | 895.9 | 1101 | | | 3-24-58 | 228.8 | 943.6 | |
| 1202.3 | | 11-04-57 | 297.6 | 904.5 | 1050 | | | 5-01-58 | 205.3 | 967.1 | |
| 1202.1 | | 11-30-57 | 305.0 | 897.3 | 1050 | | | 6-01-58 | 202.0 | 970.4 | |
| 1202.3 | | 12-02-57 | 306.0 | 896.1 | 1101 | IN/12W-06M05 S | 1192.2 | 7-01-57 | 247.9 | 946.3 | 1101 |
| 1202.1 | | 1-06-58 | 298.7 | 903.4 | 1101 | | | 8-05-57 | 247.2 | 945.0 | |
| 1202.3 | | 1-31-58 | 297.0 | 905.3 | 1050 | | | 9-03-57 | 249.5 | 942.7 | |
| 1202.1 | | 2-14-58 | 287.9 | 914.2 | 1101 | | | 10-01-57 | 251.0 | 942.3 | 1050 |
| 1202.3 | | 3-03-58 | 281.0 | 921.1 | 1050 | | | 10-02-57 | 251.5 | 940.7 | 1101 |
| 1202.1 | | 3-24-58 | 270.0 | 932.3 | 1050 | | | 10-21-57 | 249.1 | 944.2 | 1050 |
| 1202.3 | | 3-31-58 | 269.0 | 939.5 | 1101 | | | 10-24-57 | 247.4 | 944.9 | 1050 |
| 1202.1 | | 4-22-58 | 247.3 | 954.8 | 1050 | | | 10-31-57 | 252.0 | 941.3 | 1101 |
| 1202.3 | | 4-30-58 | 248.0 | 954.3 | 1050 | | | 11-04-57 | 249.4 | 942.9 | 1101 |
| 1202.1 | | 5-13-58 | 244.0 | 960.1 | 1101 | | | 11-30-57 | 253.0 | 942.3 | 1050 |
| 1202.3 | | 5-31-58 | 250.0 | 952.3 | 1050 | | | 12-02-57 | 252.5 | 935.7 | 1101 |
| 1202.1 | | 5-31-58 | 250.0* | 957.3 | 1051 | | | 12-30-57 | 264.0* | 923.3 | 1050 |
| 1202.3 | | 6-02-58 | 259.5 | 931.6 | 1101 | | | 1-06-58 | 268.0 | 935.4 | 1101 |
| 1202.1 | | 7-31-57 | 297.0 | 906.3 | 1050 | | | 2-14-58 | 248.0 | 949.3 | 1101 |
| 1203.3 | | 8-31-57 | 302.0 | 901.3 | 1050 | | | 2-28-58 | 245.0 | 952.1 | 1050 |
| | | 9-20-57 | 301.0 | 902.3 | 1050 | | | 3-06-58 | 243.0 | 953.9 | 1101 |
| | | 10-21-57 | 300.0 | 903.3 | 1050 | | | 3-24-58 | 237.9 | 955.1 | 1050 |
| | | 11-30-57 | 301.0 | 904.3 | 1050 | | | 3-31-58 | 237.9 | 955.4 | 1050 |
| | | 12-31-57 | 299.0 | 904.3 | 1050 | | | 4-08-58 | 226.4 | 965.8 | 1101 |
| | | 1-31-58 | 297.0 | 906.3 | 1050 | | | 4-22-58 | 228.5 | 963.7 | 1050 |
| | | 3-24-58 | 282.0 | 921.3 | 1101 | | | 4-30-58 | 224.0 | 969.3 | 1050 |
| | | 5-31-58 | 276.0 | 927.3 | 1101 | | | 5-13-58 | 219.5 | 972.7 | 1101 |
| | | 4-30-58 | 258.0 | 945.3 | 1050 | | | 6-02-58 | 220.0 | 973.3 | 1050 |
| | | 5-31-58 | 260.0 | 943.3 | 1050 | | | 6-04-58 | 219.6 | 972.6 | 1101 |
| | | 10-24-57 | 317.2 | 955.1 | 1050 | IN/12W-06M06 S | 1161.5 | 10-24-57 | 230.1 | 931.4 | 1050 |

GROUND WATER LEVELS AT WELLS

| State Well Number | P.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | P.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------|--------------------|---|---|---|-----------------------|-------------------|--------------------|--|--|---|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| MONK HILL BASIN | | | | | | MONK HILL BASIN | | | | | |
| 41300 | | | | | | 41302 | | | | | |
| 1N/12W-08E05 CONT. | 1161.5 | 2-76-58 3-24-58 5-01-58 | 234.6 228.5* | 946.9 933.1 966.8 | 1050 | 1N/12W-08E01 S | 1109.7 | 6-02-58 | 159.2 | 950.5 | 1050 |
| 1N/12W-07J.2 S | 1076.7 | 10-21-57 4-22-58 | DRY DRY | | 1101 | 1N/12W-08H01 S | 1141.1 | 7-01-57 8-05-57 9-06-57 10-01-57 10-21-57 11-01-57 12-01-57 1-06-58 2-01-58 3-02-58 3-24-58 4-01-58 5-01-58 6-02-58 | 243.7 248.6 248.7 249.9 246.5 246.5 245.8 244.1 241.7 237.8 233.3 231.0 226.0 225.7 | 897.4 892.5 892.4 891.2 894.6 894.6 895.3 895.3 899.4 903.3 907.8 915.1 915.4 | 1050 |
| 1N/12W-08A01 S | 1193.9 | 7-31-57 8-31-57 9-30-57 10-21-57 11-31-57 1-31-58 4-30-58 5-31-58 | 227.0 302.0 302.0 300.0 237.0 225.0 262.0 278.0 | 896.9 901.9 901.6 898.0 896.0 898.0 909.2 915.6 923.9 | 1050 | 1N/12W-08H02 S | 1155.0 | 7-01-57 8-01-57 9-01-57 10-21-57 11-01-57 12-01-57 1-26-58 2-28-58 3-24-58 4-01-58 5-01-58 6-03-58 | 258.5 278.7* 260.8 263.1 261.2 261.3 258.2 255.5 252.2 245.9 240.3 239.5 | 896.5 876.3 894.2 891.9 893.8 893.7 893.8 896.8 902.8 902.6 909.1 914.7 915.5 | 1050 |
| 1N/12W-08D01 S | 1151.9 | 7-01-57 8-13-57 9-04-57 9-24-57 10-04-57 10-29-57 11-04-57 1-13-58 1-08-58 2-11-58 3-04-58 4-09-58 5-01-58 6-02-58 | 233.2 241.7 241.9 323.3* 243.4 325.4* 244.8 240.2 309.4* 231.6 218.2 204.8 186.7 190.8 | 918.7 910.2 910.0 828.6 908.5 826.3 907.1 907.2 911.7 842.5 920.3 933.7 947.1 965.2 961.1 | 1050 | 1N/12W-08H03 S | 1152.7 | 7-01-57 9-07-57 10-01-57 10-21-57 11-01-57 12-01-57 1-06-58 1-31-58 3-01-58 3-24-58 4-01-58 5-01-58 6-02-58 | 255.5 261.9 258.2 257.8 257.6 255.8 255.8 253.7 249.5 244.8 242.2 237.2 236.5 | 897.2 890.8 894.5 894.9 895.1 896.9 896.9 899.0 903.2 907.9 910.5 915.4 916.2 | 1050 |
| 1N/12W-08E01 S | 1109.7 | 7-01-57 8-13-57 9-04-57 9-24-57 10-04-57 10-29-57 11-04-57 1-13-58 1-08-58 2-11-58 3-04-58 4-09-58 5-01-58 6-02-58 | 189.4 193.3 195.5 198.0 199.4 201.1 198.7 195.0 187.4 174.6 163.7 | 920.3 916.4 914.2 911.7 910.3 908.6 911.0 914.7 922.3 935.1 946.0 | 1050 | 1N/12W-08L02 S | 1085.0 | 7-01-57 | 167.1 | 917.9 | 1050 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| MONK HILL BASIN | | | | | | MONK HILL BASIN | | | | | |
| SAN GABRIEL VALLEY | | | 41300 | | | SAN GABRIEL VALLEY | | | 41300 | | |
| MONK HILL BASIN | | | | | | MONK HILL BASIN | | | | | |
| MONK HILL BASIN | | | 41302 | | | MONK HILL BASIN | | | 41302 | | |
| 1N/12W-08L02 S CONT. | 1085.0 | 8-13-57 | 172.4 | 914.6 | 1050 | 1N/12W-09D01 S CONT. | 1120.2 | 10-01-57 | 210.5 | 918.7 | 1050 |
| | | 9-04-57 | 172.4 | 912.6 | | | | 11-01-57 | 210.5 | 918.7 | |
| | | 10-04-57 | 174.7 | 910.3 | | | | 12-01-57 | 205.5 | 915.7 | |
| | | 11-05-57 | 176.1 | 908.9 | | | | 1-26-58 | 208.1 | 921.1 | |
| | | 12-13-57 | 177.0 | 908.0 | | | | 1-26-58 | 206.2 | 923.0 | |
| | | 1-08-58 | 176.0 | 909.0 | | | | 2-28-58 | 202.5 | 926.7 | |
| | | 2-11-58 | 173.3 | 911.7 | | | | 4-01-58 | 205.2 | 925.0 | |
| | | 3-04-58 | 167.8 | 917.2 | | | | 5-01-58 | 195.0 | 934.2 | |
| | | 4-09-58 | 157.3 | 927.7 | | | | 6-03-58 | 194.8 | 934.4 | |
| | | 5-01-58 | 148.0 | 937.0 | | | | | | | |
| | | 6-02-58 | 142.8 | 942.2 | | | | | | | |
| 1N/12W-09E01 S | 1188.5 | 10-21-57 | 293.2 | 895.3 | 1050 | 1N/12W-17D01 S | 1046.6 | 7-01-57 | 128.3 | 918.3 | 1050 |
| | | 3-24-58 | 290.6 | 897.9 | | | | 8-13-57 | 130.4 | 916.2 | |
| 1N/12W-09K01 S | 1130.3 | 7-02-57 | 226.9 | 903.4 | 1101 | | | 9-04-57 | 131.7 | 914.7 | |
| | | 8-01-57 | 230.0 | 900.3 | 1101 | | | 10-04-57 | 133.8 | 912.8 | |
| | | 9-04-57 | 235.0 | 895.3 | 1101 | | | 11-05-57 | 136.4 | 910.2 | |
| | | 10-01-57 | 236.0 | 894.3 | 1101 | | | 12-13-57 | 130.4 | 910.2 | |
| | | 10-01-57 | 236.0 | 894.3 | 1050 | | | 1-08-58 | 136.5 | 910.1 | |
| | | 10-21-57 | 231.2 | 899.1 | | | | 2-11-58 | 134.2 | 912.4 | |
| | | 11-01-57 | 230.0 | 900.3 | 1101 | | | 3-04-58 | 131.4 | 915.2 | |
| | | 11-01-57 | 230.0 | 900.3 | 1050 | | | 4-10-58 | 124.7 | 923.7 | |
| | | 12-02-57 | 228.2 | 902.1 | 1101 | | | 5-01-58 | 121.3 | 925.3 | |
| | | 1-02-58 | 228.0 | 902.3 | 1050 | | | 6-04-58 | 109.8 | 936.8 | |
| | | 1-02-58 | 228.0 | 902.3 | 1101 | 1N/13W-01H01 S | 1189.4 | 10-21-57 | 245.5 | 943.9 | 1101 |
| | | 2-03-58 | 227.3 | 903.0 | | | | 3-31-58 | 233.0 | 956.4 | |
| | | 3-03-58 | 227.3 | 903.0 | 1050 | | | 4-22-58 | 224.2 | 965.7 | |
| | | 3-03-58 | 227.3 | 906.5 | 1101 | | | | | | |
| | | 3-03-58 | 227.3 | 906.5 | 1050 | | | | | | |
| | | 3-03-58 | 227.3 | 909.5 | 1050 | | | | | | |
| | | 3-24-58 | 223.0 | 907.3 | 1101 | | | | | | |
| | | 4-02-58 | 221.9 | 908.2 | 1050 | | | | | | |
| | | 4-02-58 | 221.9 | 908.6 | 1050 | | | | | | |
| | | 5-04-58 | 223.3 | 907.0 | 1101 | | | | | | |
| | | 5-04-58 | 223.3 | 907.0 | 1050 | | | | | | |
| | | 6-03-58 | 225.2 | 905.1 | 1101 | | | | | | |
| | | 6-03-58 | 225.2 | 905.1 | 1050 | | | | | | |
| 1N/12W-09D01 S | 1129.2 | 7-01-57 | 244.0 | 885.2 | 1050 | 1N/11W-29K01 S | 514.1 | 10-22-57 | *9 | 513.2 | 1050 |
| | | 8-01-57 | 236.0 | 893.2 | | | | 3-25-58 | FLOW | | |
| | | 9-01-57 | 210.1 | 919.1 | | | | | | | |
| | | | | | | 1N/11W-30D01 S | 700.6 | 7-01-57 | 166.9 | 533.7 | 1050 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|--------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| PASADENA SUB AREA | | | | | | SAN GABRIEL VALLEY | | | | | |
| PASADENA SUB AREA | | | | | | PASADENA SUB AREA | | | | | |
| IN/11W-30J01 S | 601.2 | 6-01-58 | 69.0 | 532.2 | 1050 | IN/11W-30003 S | 583.7 | 11-01-57 | 54.0 | 529.7 | 1050 |
| IN/11W-30K01 S | 633.1 | 7-01-57 | 114.0 | 519.1 | 1050 | CONT. | | 12-01-57 | 53.0 | 530.7 | |
| | | 8-01-57 | 137.0* | 496.1 | | | | 1-01-58 | 55.0 | 528.7 | |
| | | 9-01-57 | 127.0 | 506.1 | | | | 2-01-58 | 58.0 | 525.7 | |
| | | 10-01-57 | 112.0 | 521.1 | | | | 3-01-58 | 54.0 | 529.7 | |
| | | 10-23-57 | 105.2 | 527.9 | | | | 3-24-58 | 53.7 | 530.0 | |
| | | 11-01-57 | 102.0 | 531.1 | | | | 4-01-58 | 58.0 | 525.7 | |
| | | 12-01-57 | 100.0 | 533.1 | | | | 5-01-58 | 55.0 | 528.7 | |
| | | 1-01-58 | 104.0 | 529.1 | | IN/11W-30R01 S | 583.0 | 7-10-57 | 82.0 | 501.0 | 1050 |
| | | 2-01-58 | 111.0 | 522.1 | | | | 8-24-57 | 80.0 | 503.0 | |
| | | 3-01-58 | 100.0 | 533.1 | | | | 9-14-57 | 95.0 | 498.0 | |
| | | 3-24-58 | 100.3 | 532.8 | | | | 0-18-57 | 64.0 | 503.0 | |
| | | 4-01-58 | 108.0 | 525.1 | | | | 0-25-57 | 62.0 | 524.0 | |
| | | 5-01-58 | 104.0 | 529.1 | | | | 10-16-57 | 57.0 | 530.0 | |
| | | 6-01-58 | 108.0 | 523.1 | | | | 10-23-57 | 57.2 | 529.2 | 5050 |
| IN/11W-30001 S | 603.6 | 9-01-57 | 61.3 | 542.3 | 1050 | | 586.4** | 11-13-57 | 54.0 | 526.0 | 1050 |
| | | 10-01-57 | 61.4 | 542.2 | | | 583.0 | 11-26-57 | 48.0 | 532.0 | |
| | | 10-23-57 | 62.6 | 541.0 | | | | 11-15-58 | 66.0 | 537.0 | |
| | | 11-01-57 | 60.1 | 543.5 | | | | 1-29-58 | 63.0 | 520.0 | |
| | | 1-01-58 | 63.0 | 540.6 | | | | 1-29-58 | 64.0 | 519.0 | |
| | | 2-01-58 | 62.0 | 541.6 | | | | 2-11-58 | 62.0 | 521.0 | |
| | | 3-01-58 | 62.9 | 540.6 | | | | 2-26-58 | 57.0 | 526.0 | |
| | | 4-01-58 | 61.0 | 542.6 | | | | 3-05-58 | 58.0 | 525.0 | |
| | | 5-01-58 | 62.0 | 541.0 | | | | 3-12-58 | 54.0 | 529.0 | |
| | | 6-01-58 | 61.5 | 542.1 | | | | 3-19-58 | 59.0 | 524.0 | |
| | | | | | | | 586.4** | 3-24-58 | 56.4 | 530.0 | 5050 |
| IN/11W-30002 S | 600.8 | 8-01-57 | 78.0 | 522.8 | 1050 | | 583.0 | 4-02-58 | 58.0 | 525.0 | 1050 |
| | | 10-01-57 | 66.0 | 534.8 | | | | 4-09-58 | 56.0 | 527.0 | |
| | | 10-23-57 | 66.7 | 534.1 | | | | 4-23-58 | 61.0 | 522.0 | |
| | | 11-01-57 | 63.0 | 537.8 | | | | 4-30-58 | 49.0 | 536.0 | |
| | | 12-01-57 | 62.0 | 538.8 | | | | 5-14-58 | 72.0* | 511.0 | |
| | | 1-01-58 | 63.0 | 537.8 | | | | 5-21-58 | 62.0 | 521.0 | |
| | | 2-01-58 | 65.0 | 535.8 | | | | 6-11-58 | 68.0 | 515.0 | |
| | | 3-01-58 | 62.0 | 538.8 | | | | 6-18-58 | 64.0 | 519.0 | |
| | | 3-24-58 | 65.8 | 535.0 | | | | 6-25-58 | 66.0* | 520.4 | 3051 |
| | | 4-01-58 | 64.0 | 536.8 | | | 586.4** | | | | |
| | | 5-01-58 | 64.0 | 536.8 | | IN/11W-31D01 S | 598.6 | 10-23-57 | 71.9 | 526.7 | 1101 |
| | | 6-01-58 | 68.0 | 532.8 | | | | 4-22-58 | 84.8 | 513.8 | |
| IN/11W-30003 S | 583.7 | 8-01-57 | 82.0 | 501.7 | 1050 | IN/11W-31D02 S | 592.7 | 7-07-57 | 92.0 | 500.7 | 1050 |
| | | 9-01-57 | 72.0 | 511.7 | | | | 8-13-57 | 106.3* | 486.4 | |
| | | 10-01-57 | 63.0 | 520.7 | | | | 9-04-57 | 89.2 | 503.5 | |
| | | 10-23-57 | 59.2 | 524.5 | | | | 10-02-57 | 80.8 | 511.9 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------|--------------------|--------|--------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|--------|--------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| PASADENA SUP. AREA | | | | | | SAN GABRIEL VALLEY | | | | | |
| 41300 | | | | | | 41303 | | | | | |
| 1N/11W-31D02 S | | | | | | 1N/12W-13001 S | | | | | |
| CONT. | | | | | | 1N/12W-21001 S | | | | | |
| 592.7 | 11-03-57 | 75.7 | 517.0 | 1050 | 1050 | 865.6 | 7-24-57 | 299.0 | 566.6 | 1050 | 1050 |
| | 12-15-57 | 65.6 | 527.1 | | | | 7-01-57 | 290.2 | 644.3 | | |
| | 1-08-58 | 74.8* | 517.8 | | | | 7-21-57 | 313.8* | 644.3 | | 1050 |
| | 2-05-58 | 6.6 | 529.1 | | | | 8-11-57 | 293.7 | 640.8 | | |
| | 3-05-58 | 60.5 | 532.2 | | | | 9-05-57 | 296.0 | 638.5 | | |
| | 4-10-58 | 71.5 | 521.2 | | | | 10-03-57 | 300.1 | 634.6 | | |
| | 5-01-58 | 89.1* | 503.6 | | | | 10-15-57 | 314.5* | 620.0 | | |
| | 6-03-58 | 70.7 | 522.0 | | | | 11-03-57 | 300.1 | 634.4 | | |
| | | | | | | | 12-15-57 | 303.5 | 631.0 | | |
| 1105.3 | 7-02-57 | 213.7 | 895.6 | 1101 | | | 1-11-58 | 304.1 | 630.4 | | |
| | 8-01-57 | 210.2 | 899.1 | | | | 1-21-58 | 328.4* | 606.1 | | |
| | 9-04-57 | 216.3 | 893.0 | | | | 2-19-58 | 304.7 | 629.8 | | |
| | 10-01-57 | 217.2 | 892.1 | | | | 3-04-58 | 300.6 | 633.9 | | |
| | 11-01-57 | 208.7 | 900.6 | | | | 3-20-58 | 314.5* | 620.0 | | |
| | 12-02-57 | 207.8 | 901.5 | | | | 4-03-58 | 302.9 | 631.6 | | |
| | 1-02-58 | 210.2 | 899.1 | | | | 5-01-58 | 300.1 | 634.6 | | |
| | 3-04-58 | 203.0 | 906.3 | | | | 5-21-58 | 322.6* | 611.9 | | |
| | 3-24-58 | 197.8 | 911.5 | | | | 6-04-58 | 303.5 | 631.0 | | |
| | 4-02-58 | 209.8* | 899.5 | | | | | | | | |
| | 5-03-58 | 203.3 | 906.0 | | | | | | | | |
| | 6-04-58 | 204.5 | 904.8 | | | | | | | | |
| 1115.4 | 10-24-57 | 55.0 | 1060.4 | 1050 | | 916.5 | 7-01-57 | 267.1* | 669.4 | | 1050 |
| | 3-25-58 | 17.2 | 1098.2 | | | | 7-23-57 | 307.1* | 609.4 | | |
| 937.0 | 7-02-57 | 181.6 | 755.4 | 1050 | | | 8-11-57 | 266.7* | 669.8 | | |
| | 8-13-57 | 184.9 | 752.1 | | | | 9-05-57 | 271.3 | 645.2 | | |
| | 9-04-57 | 185.9 | 751.1 | | | | 9-23-57 | 307.1* | 609.6 | | |
| | 10-02-57 | 186.9 | 750.1 | | | | 10-03-57 | 271.3 | 645.2 | | |
| | 11-03-57 | 187.3 | 749.7 | | | | 10-29-57 | 311.0* | 605.5 | | |
| | 12-10-57 | 185.2 | 751.8 | | | | 11-03-57 | 271.3 | 645.2 | | |
| | 1-08-58 | 182.2 | 754.8 | | | | 12-15-57 | 274.8 | 641.7 | | |
| | 2-05-58 | 168.5 | 768.5 | | | | 1-11-58 | 277.5 | 639.0 | | |
| | 3-04-58 | 118.5 | 818.5 | | | | 1-21-58 | 318.7* | 597.8 | | |
| | 3-24-58 | 56.9 | 880.1 | | | | 2-19-58 | 277.1 | 639.4 | | |
| | 4-10-58 | 58.8 | 878.2 | | | | 3-04-58 | 273.0 | 643.5 | | |
| | 5-02-58 | 45.3 | 891.7 | | | | 4-03-58 | 275.3 | 641.2 | | |
| | 6-04-58 | 64.7 | 872.3 | | | | 5-01-58 | 270.2 | 646.3 | | |
| 865.6 | 10-24-57 | 322.7 | 542.9 | 1050 | | 897.9 | 5-23-58 | 315.2* | 601.3 | | |
| | 3-24-58 | 317.0 | 548.6 | | | | 6-04-58 | 274.8 | 641.7 | | |
| 903.3 | 10-21-57 | 161.0 | 762.3 | 1101 | | | 7-01-57 | 246.7* | 651.2 | | 1050 |
| 890.3 | 10-29-57 | 160.6 | 762.0 | 1050 | | | 7-07-57 | 279.2* | 618.7 | | |
| | 3-24-58 | 135.4 | 774.9 | | | | 8-11-57 | 249.7 | 648.2 | | |
| 903.3 | 4-22-58 | 135.9 | 747.4 | 1101 | | | 9-05-57 | 251.9 | 646.0 | | |
| | | | | | | | 10-03-57 | 251.2 | 646.7 | | |
| | | | | | | | 11-03-57 | 250.4 | 647.5 | | |
| | | | | | | | 12-15-57 | 251.7 | 646.2 | | |
| | | | | | | | 1-11-58 | 254.4 | 643.5 | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------|---------------------|------|--------------------------------------|------------------------------|-----------------------|--------------------|---------------------|------|--------------------------------------|------------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| PASADENA SUB AREA | | | | | | SAN GABRIEL VALLEY | | | | | |
| 41303 | | | | | | 41300 | | | | | |
| PASADENA SUB AREA | | | | | | | | | | | |
| IN/12M-21K01 S | | | | | | IN/12M-24R02 S | | | | | |
| 897.9 | | | | | | 777.0 | | | | | |
| 2-19-58 253.9 | | | | | | 7-01-57 33.3 | | | | | |
| 3-04-58 253.2 | | | | | | 8-05-57 33.8 | | | | | |
| 4-09-58 254.1 | | | | | | 9-03-57 36.2 | | | | | |
| 5-01-58 252.4 | | | | | | 9-26-57 34.0 | | | | | |
| 5-23-58 231.5* | | | | | | 9-27-57 34.5 | | | | | |
| 6-04-58 254.3 | | | | | | 9-30-57 34.6 | | | | | |
| | | | | | | 10-03-57 34.6 | | | | | |
| 7-01-57 231.7 | | | | | | 10-10-57 36.7 | | | | | |
| 885.4 | | | | | | 10-21-57 27.8 | | | | | |
| 8-12-57 241.6 | | | | | | 10-23-57 35.4 | | | | | |
| 9-05-57 243.8 | | | | | | 11-04-57 35.4 | | | | | |
| 10-03-57 243.0 | | | | | | 12-02-57 36.0 | | | | | |
| 11-03-57 241.3 | | | | | | 1-06-58 36.7 | | | | | |
| 12-15-57 242.5 | | | | | | 3-04-58 * | | | | | |
| 1-11-58 246.1 | | | | | | | | | | | |
| 2-19-58 245.7 | | | | | | | | | | | |
| 3-04-58 243.0 | | | | | | | | | | | |
| 4-01-58 245.8 | | | | | | | | | | | |
| 5-01-58 244.3 | | | | | | | | | | | |
| 6-04-58 246.7 | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| IN/12M-23G01 S | | | | | | IN/12M-24B04 S | | | | | |
| 879.0 | | | | | | 777.9 | | | | | |
| 7-01-57 330.1 | | | | | | 10-23-57 186.7 | | | | | |
| 8-13-57 336.8 | | | | | | 10-26-57 188.6 | | | | | |
| 9-04-57 338.3 | | | | | | 10-28-57 190.6 | | | | | |
| 9-24-57 335.5* | | | | | | 10-28-57 194.0 | | | | | |
| 10-02-57 339.2 | | | | | | 10-29-57 195.0 | | | | | |
| 11-03-57 335.6 | | | | | | 11-01-57 198.5 | | | | | |
| 12-15-57 337.1 | | | | | | 11-06-57 204.9 | | | | | |
| 1-10-58 337.5 | | | | | | 11-08-57 206.9 | | | | | |
| 2-03-58 335.4 | | | | | | 11-22-57 227.4 | | | | | |
| 3-05-58 335.9 | | | | | | 11-25-57 228.2 | | | | | |
| 5-01-58 330.4 | | | | | | 12-03-57 225.2 | | | | | |
| 6-03-58 330.1 | | | | | | 1-10-58 220.5 | | | | | |
| | | | | | | 1-15-58 230.1 | | | | | |
| 7-01-57 296.0 | | | | | | 7-01-57 166.4 | | | | | |
| 8-13-57 305.9 | | | | | | 8-12-57 169.5 | | | | | |
| 9-04-57 305.8 | | | | | | 9-06-57 170.6 | | | | | |
| 10-02-57 305.6 | | | | | | 10-02-57 170.2 | | | | | |
| 11-03-57 304.0 | | | | | | 11-03-57 168.3 | | | | | |
| 12-15-57 303.5 | | | | | | 12-15-57 165.9 | | | | | |
| 1-10-58 303.7 | | | | | | 1-08-58 164.3 | | | | | |
| 2-05-58 300.9 | | | | | | 2-05-58 164.5 | | | | | |
| 3-04-58 295.9 | | | | | | 3-05-58 161.1 | | | | | |
| 4-10-58 287.1 | | | | | | 4-10-58 162.4 | | | | | |
| 5-01-58 284.9 | | | | | | 5-01-58 163.1 | | | | | |
| 6-03-58 295.8 | | | | | | 6-03-58 163.8 | | | | | |
| | | | | | | 7-01-57 177.3 | | | | | |
| | | | | | | 7-23-57 207.0* | | | | | |
| | | | | | | 8-12-57 181.8 | | | | | |
| | | | | | | 9-06-57 182.2 | | | | | |
| PASADENA SUB AREA | | | | | | | | | | | |
| IN/12M-23L01 S | | | | | | IN/12M-25B01 S | | | | | |
| 843.4 | | | | | | 710.3 | | | | | |
| 7-01-57 296.0 | | | | | | 7-01-57 166.4 | | | | | |
| 8-13-57 305.9 | | | | | | 8-12-57 169.5 | | | | | |
| 9-04-57 305.8 | | | | | | 9-06-57 170.6 | | | | | |
| 10-02-57 305.6 | | | | | | 10-02-57 170.2 | | | | | |
| 11-03-57 304.0 | | | | | | 11-03-57 168.3 | | | | | |
| 12-15-57 303.5 | | | | | | 12-15-57 165.9 | | | | | |
| 1-10-58 303.7 | | | | | | 1-08-58 164.3 | | | | | |
| 2-05-58 300.9 | | | | | | 2-05-58 164.5 | | | | | |
| 3-04-58 295.9 | | | | | | 3-05-58 161.1 | | | | | |
| 4-10-58 287.1 | | | | | | 4-10-58 162.4 | | | | | |
| 5-01-58 284.9 | | | | | | 5-01-58 163.1 | | | | | |
| 6-03-58 295.8 | | | | | | 6-03-58 163.8 | | | | | |
| | | | | | | 7-01-57 177.3 | | | | | |
| | | | | | | 7-23-57 207.0* | | | | | |
| | | | | | | 8-12-57 181.8 | | | | | |
| | | | | | | 9-06-57 182.2 | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|---------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| PASADENA SUR AREA | | | 41300 | | | SAN GABRIEL VALLEY | | | 41300 | | |
| 1N/12N-25B01 CONT. | 711.3 | 9-24-57 | 213.7* | 496.6 | 1077 | 1N/12N-25A-10 CONT. | 711.3 | 4-01-58 | 134.0 | 541.0 | 1077 |
| | | 10-02-57 | 171.6 | 529.7 | | | | 5-01-58 | 134.0 | 542.3 | |
| | | 10-29-57 | 210.2* | 500.1 | | | | 6-01-58 | 134.0 | 543.7 | |
| | 755.8 | 11-03-57 | 177.3 | 533.0 | | | | 1-30-57 | 277.7 | 635.2 | 1050 |
| | | 12-15-57 | 172.3 | 537.0 | | | | 2-30-58 | 280.3 | 542.3 | 1050 |
| | | 1-08-58 | 174.3 | 535.5 | | | | 3-05-58 | 277.8 | 537.3 | 1050 |
| | | 2-05-58 | 173.1 | 536.7 | | | | 7-01-57 | 242.0 | 547.3 | 1050 |
| | | 3-05-58 | 173.1 | 536.7 | | | | 7-21-57 | 211.7* | 527.3 | |
| | | 4-10-58 | 171.6 | 538.2 | | | | 8-11-57 | 253.5 | 527.3 | |
| | | 5-01-58 | 172.1 | 537.7 | | | | 9-04-57 | 235.2 | 527.3 | |
| | | 6-03-58 | 173.5 | 536.3 | | | | 10-02-57 | 185.0 | 535.3 | |
| 1N/12N-25E01 | 711.0 | 7-01-57 | 109.0* | 522.0 | 1101 | | | 10-20-57 | 197.8* | 493.3 | |
| | | 8-01-57 | 169.0* | 522.0 | | | | 11-03-57 | 267.3 | 527.4 | |
| | | 9-01-57 | 190.0* | 521.0 | | | | 12-15-57 | 263.0 | 527.4 | |
| | | 10-01-57 | 108.0* | 525.0 | | | | 1-10-58 | 263.4 | 527.8 | |
| | | 11-01-57 | 136.0* | 526.0 | | | | 2-05-58 | 249.6 | 541.7 | |
| | | 12-01-57 | 132.0* | 528.0 | | | | 3-04-58 | 246.5 | 544.4 | |
| | | 1-01-58 | 135.0* | 518.0 | | | | 4-10-58 | 243.5 | 545.7 | |
| | | 1-01-58 | 161.0* | 533.0 | | | | 5-01-58 | 245.2 | 545.7 | |
| | | 2-01-58 | 179.0* | 535.0 | | | | 6-01-58 | 245.1 | 546.1 | |
| | | 3-01-58 | 181.0* | 532.0 | | | | 7-01-57 | 150.0 | 531.6 | 1050 |
| | | 4-01-58 | 178.0* | 533.0 | | | | 8-01-57 | 145.0 | 532.6 | |
| | | 5-01-58 | 180.0* | 531.0 | | | | 9-01-57 | 156.0 | 534.6 | |
| | | 6-01-58 | 161.0* | 536.0 | | | | 10-01-57 | 160.0 | 534.6 | |
| 1N/12M-25G01 S | 698.8 | 10-29-57 | 173.5 | 525.3 | 1050 | | | 10-23-57 | 148.0 | 534.6 | |
| | | 3-25-58 | 160.3 | 529.5 | | | | 11-01-57 | 145.0 | 534.6 | |
| 1N/12M-25J01 S | 665.8 | 10-29-57 | 133.1 | 532.7 | 1050 | | | 12-01-57 | 144.0 | 534.6 | |
| | | 3-25-58 | 127.5 | 538.3 | | | | 1-01-58 | 143.0 | 534.6 | |
| 1N/12N-25R01 S | 642.3 | 10-23-57 | 114.5 | 527.8 | 1101 | | | 2-01-58 | 145.0 | 534.6 | |
| | | 4-22-58 | 116.7 | 525.6 | | | | 3-01-58 | 135.0 | 546.6 | |
| 1N/12M-26A01 S | 755.0 | 7-01-57 | 212.0 | 543.0 | 1050 | | | 3-24-58 | 138.3 | 543.3 | |
| | | 8-01-57 | 222.0 | 533.0 | | | | 4-01-58 | 141.0 | 540.6 | |
| | | 9-01-57 | 224.0 | 531.0 | | | | 5-01-58 | 142.0 | 539.6 | |
| | | 10-01-57 | 235.0 | 530.0 | | | | 6-01-58 | 146.0 | 535.6 | |
| | | 10-23-57 | 226.3 | 528.2 | | | | 7-11-57 | 167.8 | 608.5 | 1050 |
| | | 11-01-57 | 224.0 | 531.0 | | | | 8-13-57 | 170.0 | 606.3 | |
| | | 1-01-58 | 223.0 | 532.0 | | | | 9-03-57 | 170.9 | 605.4 | |
| | | 2-01-58 | 222.0 | 533.0 | | | | 10-02-57 | 171.6 | 604.7 | |
| | | 3-01-58 | 219.0 | 536.0 | | | | 11-03-57 | 169.3 | 607.0 | |
| | | 3-24-58 | 213.2 | 541.8 | | | | 12-18-57 | 167.2 | 609.1 | |
| | | | | | | | | 1-08-58 | 166.3 | 610.0 | |
| | | | | | | | | 2-03-58 | 164.7 | 610.6 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | P.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | P.P. Elev. in feet | Date | Dist. P.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| PASADENA SUP. AREA | | | | | | SAN GABRIEL VALLEY | | | | | |
| 41300 | | | | | | 41300 | | | | | |
| 1N12N-2BR01 S | 776.7 | 3-05-58 | 162.6 | 611.7 | 1050 | 1N12N-33G01 S | 761.4 | 4-10-58 | 104.9 | 646.0 | 1050 |
| CONT. | | 4-10-58 | 167.2 | 609.0 | | CONT. | | 5-01-58 | 104.2 | 645.9 | |
| | | 5-03-58 | 167.0 | 707.5 | | | | 6-03-58 | 105.2 | 646.1 | |
| | | 6-03-58 | 167.5 | 608.8 | | | | 10-25-57 | 101.0 | 582.6 | 1050 |
| 1N12N-33G01 S | 777.2 | 1-21-57 | 170.7 | 642.5 | 1050 | 1N12N-33G01 S | 680.6 | 3-25-58 | 101.0 | 578.7 | 1050 |
| | | 3-25-58 | 171.0 | 641.3 | | | | 3-25-58 | 101.0 | 578.7 | |
| 1N12N-33G01 S | 747.3 | 7-01-57 | 109.9 | 640.0 | 1101 | 1N12N-34G01 S | 736.3 | 3-25-57 | 191.0 | 545.3 | 1050 |
| | | 7-07-57 | 109.8 | 640.1 | | | | 3-25-58 | 188.2 | 548.1 | |
| | | 8-05-57 | 111.6 | 637.3 | 1101 | | | 7-01-57 | 176.0 | 551.8 | 3051 |
| | | 8-13-57 | 111.4 | 635.9 | 1050 | 1N12N-34G01 S | 727.8 | 7-01-57 | 176.0 | 548.8 | 1101 |
| | | 9-05-57 | 114.0 | 639.5 | 1101 | | | 8-01-57 | 176.0 | 548.8 | 3051 |
| | | 9-05-57 | 114.2 | 635.7 | 1050 | | | 8-01-57 | 191.0 | 535.8 | 1101 |
| | | 10-02-57 | 114.9 | 635.1 | 1101 | | | 9-01-57 | 191.0 | 535.8 | 3051 |
| | | 10-02-57 | 116.8 | 635.1 | 1101 | | | 10-01-57 | 161.0 | 565.8 | 1101 |
| | | 10-15-57 | 117.7* | 630.2 | 1050 | | | 10-01-57 | 161.0 | 565.8 | 3051 |
| | | 10-21-57 | 114.7 | 635.6 | 1101 | | | 10-01-57 | 150.0 | 576.8 | 1101 |
| | | 11-03-57 | 112.1 | 637.3 | 1050 | | | 10-23-57 | 147.5 | 577.3 | 5050 |
| | | 11-04-57 | 112.1 | 637.8 | 1101 | | | 11-01-57 | 150.0 | 576.8 | 1101 |
| | | 12-02-57 | 111.2 | 638.7 | 1050 | | | 11-01-57 | 144.0 | 582.8 | 1101 |
| | | 12-14-57 | 111.1 | 639.8 | 1050 | | | 12-01-57 | 144.0 | 572.8 | 3051 |
| | | 1-06-58 | 111.2 | 638.7 | 1101 | | | 1-01-58 | 141.0 | 584.8 | 1101 |
| | | 1-08-58 | 111.1 | 639.8 | 1050 | | | 1-02-58 | 141.0 | 584.8 | 3051 |
| | | 2-09-58 | 111.2 | 638.7 | 1101 | | | 2-01-58 | 141.0 | 585.8 | 1101 |
| | | 2-14-58 | 111.2 | 639.7 | 1101 | | | 2-01-58 | 131.0 | 588.8 | 3051 |
| | | 3-04-58 | 111.3 | 636.5 | 1050 | | | 3-01-58 | 131.0 | 588.8 | 1101 |
| | | 3-04-58 | 111.1 | 638.8 | 1101 | | | 3-01-58 | 131.0 | 588.8 | 3051 |
| | | 4-08-58 | 111.2 | 638.0 | 1050 | | | 3-01-58 | 150.0 | 580.5 | 5050 |
| | | 4-05-58 | 111.8 | 638.1 | 1050 | | | 3-24-58 | 144.7 | 580.5 | 5050 |
| | | 5-02-58 | 111.8 | 638.0 | 1050 | | | 4-01-58 | 150.0 | 576.8 | 3051 |
| | | 5-02-58 | 111.6 | 635.0 | 1050 | | | 4-01-58 | 150.0 | 574.8 | 1101 |
| | | 5-23-58 | 111.0 | 635.0 | 1101 | | | 5-01-58 | 150.0 | 574.8 | 3051 |
| | | 5-23-58 | 120.8* | 635.0 | 1050 | | | 5-01-58 | 161.0 | 573.8 | 1101 |
| | | 6-03-58 | 111.0 | 635.0 | 1050 | | | 6-01-58 | 161.0 | 566.8 | 3051 |
| | | 6-04-58 | 111.0 | 634.0 | 1101 | | | 6-01-58 | 150.0 | 573.8 | 3051 |
| | | 7-07-57 | 104.0 | 647.9 | 1050 | | | 7-31-57 | 94.0 | 601.8 | 1050 |
| | | 8-13-57 | 101.6 | 646.3 | | | | 8-31-57 | 94.0 | 601.8 | |
| | | 9-05-57 | 101.4 | 647.6 | | | | 9-30-57 | 94.0 | 601.8 | |
| | | 10-02-57 | 101.0 | 647.2 | | | | 10-25-57 | 102.9 | 592.9 | |
| | | 11-05-57 | 101.0 | 646.7 | | | | 10-31-57 | 103.0 | 592.9 | |
| | | 12-14-57 | 105.3 | 646.6 | | | | 11-30-57 | 97.0 | 598.8 | |
| | | 1-08-58 | 105.4 | 646.5 | | | | 12-31-57 | 97.0 | 598.8 | |
| | | 2-05-58 | 105.5 | 646.4 | | | | 1-31-58 | 93.0 | 600.8 | |
| | | 3-05-58 | 105.8 | 646.1 | | | | 2-28-58 | 93.0 | 602.8 | |
| 1N12N-33W01 S | 761.3 | 7-07-57 | 104.0 | 647.9 | 1050 | 1N12N-34E01 S | 695.8 | 7-31-57 | 94.0 | 601.8 | 1050 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------|--------------------|------|--------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|------|--------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| PASADENA SUB AREA | | | | | | SAN GABRIEL VALLEY | | | | | |
| 41300 | | | | | | 41300 | | | | | |
| 1N/12W-34E01 S | | | | | | 1N/12W-34H01 S | | | | | |
| 695.8 | | | | | | 659.0 | | | | | |
| 3-27-58 | | | | | | 1-31-58 | | | | | |
| 96.4 | | | | | | 104.0 | | | | | |
| 3-31-58 | | | | | | 3-25-58 | | | | | |
| 97.0 | | | | | | 101.4 | | | | | |
| 4-30-58 | | | | | | 4-01-58 | | | | | |
| 97.0 | | | | | | 105.0 | | | | | |
| 5-31-58 | | | | | | 5-01-58 | | | | | |
| 97.0 | | | | | | 105.0 | | | | | |
| 6-30-58 | | | | | | 6-01-58 | | | | | |
| 97.0 | | | | | | 106.0 | | | | | |
| 598.8 | | | | | | 553.0 | | | | | |
| 598.8 | | | | | | 553.0 | | | | | |
| PASADENA SUB AREA | | | | | | | | | | | |
| 41300 | | | | | | 41300 | | | | | |
| 1N/12W-34E02 S | | | | | | 1N/12W-34L01 S | | | | | |
| 753.0 | | | | | | 703.8 | | | | | |
| 7-01-57 | | | | | | 3-24-57 | | | | | |
| 156.0 | | | | | | 139.2 | | | | | |
| 8-01-57 | | | | | | 10-28-58 | | | | | |
| 160.0 | | | | | | 126.6 | | | | | |
| 9-01-57 | | | | | | 126.6 | | | | | |
| 161.0 | | | | | | 126.6 | | | | | |
| 10-01-57 | | | | | | 10-28-57 | | | | | |
| 146.0* | | | | | | 148.5 | | | | | |
| 10-23-57 | | | | | | 3-26-58 | | | | | |
| 154.7 | | | | | | 131.7 | | | | | |
| 11-01-57 | | | | | | 3-26-58 | | | | | |
| 157.0 | | | | | | 131.6 | | | | | |
| 12-01-57 | | | | | | 7-01-57 | | | | | |
| 154.0 | | | | | | 121.0 | | | | | |
| 1-01-58 | | | | | | 8-01-57 | | | | | |
| 149.0 | | | | | | 123.0 | | | | | |
| 2-01-58 | | | | | | 9-01-57 | | | | | |
| 140.0 | | | | | | 127.0 | | | | | |
| 3-01-58 | | | | | | 10-21-57 | | | | | |
| 146.0 | | | | | | 124.4 | | | | | |
| 3-19-58 | | | | | | 11-01-57 | | | | | |
| 146.0 | | | | | | 125.0 | | | | | |
| 4-01-58 | | | | | | 12-01-57 | | | | | |
| 147.0 | | | | | | 123.0 | | | | | |
| 5-01-58 | | | | | | 1-01-58 | | | | | |
| 147.0 | | | | | | 122.0 | | | | | |
| 6-01-58 | | | | | | 2-01-58 | | | | | |
| 150.0 | | | | | | 123.0 | | | | | |
| 592.7 | | | | | | 540.5 | | | | | |
| 604.7 | | | | | | 539.5 | | | | | |
| 1N/12W-34E03 S | | | | | | | | | | | |
| 720.2 | | | | | | 662.5 | | | | | |
| 10-24-57 | | | | | | 3-01-58 | | | | | |
| 127.5 | | | | | | 115.3 | | | | | |
| 3-25-58 | | | | | | 3-25-58 | | | | | |
| 115.5 | | | | | | 115.0 | | | | | |
| 1N/12W-34E04 S | | | | | | | | | | | |
| 673.6 | | | | | | 660.3 | | | | | |
| 7-31-57 | | | | | | 4-01-58 | | | | | |
| 119.0 | | | | | | 118.0 | | | | | |
| 8-31-57 | | | | | | 5-01-58 | | | | | |
| 120.0 | | | | | | 115.0 | | | | | |
| 9-30-57 | | | | | | 6-01-58 | | | | | |
| 111.0 | | | | | | 115.0 | | | | | |
| 10-25-57 | | | | | | 7-31-57 | | | | | |
| 122.8 | | | | | | 154.0 | | | | | |
| 550.8 | | | | | | 154.0 | | | | | |
| 10-31-57 | | | | | | 8-30-57 | | | | | |
| 94.0 | | | | | | 175.6* | | | | | |
| 579.6 | | | | | | 175.6* | | | | | |
| 11-30-57 | | | | | | 9-30-57 | | | | | |
| 97.0 | | | | | | 150.0 | | | | | |
| 12-31-57 | | | | | | 10-31-57 | | | | | |
| 98.0 | | | | | | 150.0 | | | | | |
| 1-31-58 | | | | | | 11-30-57 | | | | | |
| 97.0 | | | | | | 154.0 | | | | | |
| 2-28-58 | | | | | | 12-31-57 | | | | | |
| 93.0 | | | | | | 150.0 | | | | | |
| 580.6 | | | | | | 543.2 | | | | | |
| 3-25-58 | | | | | | 3-25-58 | | | | | |
| 98.4 | | | | | | 149.9 | | | | | |
| 575.2 | | | | | | 148.0 | | | | | |
| 3-31-58 | | | | | | 5-01-58 | | | | | |
| 97.0 | | | | | | 149.0 | | | | | |
| 4-30-58 | | | | | | 6-01-58 | | | | | |
| 100.0 | | | | | | 151.0 | | | | | |
| 573.6 | | | | | | 151.0 | | | | | |
| 5-31-58 | | | | | | 7-31-57 | | | | | |
| 96.0 | | | | | | 126.0 | | | | | |
| 6-30-58 | | | | | | 8-31-57 | | | | | |
| 103.0 | | | | | | 124.0 | | | | | |
| 540.0 | | | | | | 509.9 | | | | | |
| 542.0 | | | | | | 515.4 | | | | | |
| 8-30-57 | | | | | | 10-23-57 | | | | | |
| 117.0 | | | | | | 93.7 | | | | | |
| 9-30-57 | | | | | | 10-31-57 | | | | | |
| 117.0 | | | | | | 93.0 | | | | | |
| 10-24-57 | | | | | | 10-31-57 | | | | | |
| 111.7 | | | | | | 93.0 | | | | | |
| 547.3 | | | | | | 93.0 | | | | | |
| 10-30-57 | | | | | | 10-31-57 | | | | | |
| 109.0 | | | | | | 93.0 | | | | | |
| 550.0 | | | | | | 93.0 | | | | | |
| 11-30-57 | | | | | | 10-31-57 | | | | | |
| 106.0 | | | | | | 93.0 | | | | | |
| 553.0 | | | | | | 93.0 | | | | | |
| 12-31-57 | | | | | | 10-31-57 | | | | | |
| 102.0 | | | | | | 93.0 | | | | | |
| 1N/12W-34H01 S | | | | | | | | | | | |
| 659.0 | | | | | | 612.9 | | | | | |
| 7-31-57 | | | | | | 7-31-57 | | | | | |
| 119.0 | | | | | | 126.0 | | | | | |
| 8-30-57 | | | | | | 8-31-57 | | | | | |
| 117.0 | | | | | | 124.0 | | | | | |
| 9-30-57 | | | | | | 9-30-57 | | | | | |
| 117.0 | | | | | | 103.0 | | | | | |
| 10-24-57 | | | | | | 10-23-57 | | | | | |
| 111.7 | | | | | | 93.7 | | | | | |
| 547.3 | | | | | | 515.4 | | | | | |
| 10-30-57 | | | | | | 10-31-57 | | | | | |
| 109.0 | | | | | | 93.0 | | | | | |
| 550.0 | | | | | | 93.0 | | | | | |
| 11-30-57 | | | | | | 10-31-57 | | | | | |
| 106.0 | | | | | | 93.0 | | | | | |
| 553.0 | | | | | | 93.0 | | | | | |
| 12-31-57 | | | | | | 10-31-57 | | | | | |
| 102.0 | | | | | | 93.0 | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|----------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| 41300 | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| 41300 | | | | | | | | | | | |
| PASADENA SUB AREA | | | | | | | | | | | |
| IN/12W-36A01 S | 612.9 | 11-30-57 | 874.0 | 525.9 | 1050 | IN/12W-36G01 S | 608.0 | 11-30-57 | 89.0 | 519.0 | 1050 |
| CONT. | | 12-31-57 | 984.0 | 514.9 | | CONT. | | 12-31-57 | 92.0 | 516.0 | |
| | 609.1 | 1-31-58 | 904.0 | 522.0 | | | | 1-31-58 | 97.0 | 511.0 | |
| | 612.9 | 2-28-58 | 834.0 | 529.9 | | | | 2-28-58 | 86.0 | 524.0 | |
| | | 3-24-58 | 813.3 | 527.8 | | 604.3 | | 3-24-58 | 76.7 | 527.6 | |
| | | 3-31-58 | 974.0 | 515.9 | | 608.0 | | 3-31-58 | 91.0 | 517.0 | |
| | | 4-30-58 | 1234.0* | 489.9 | | | | 4-30-58 | 110.0 | 498.0 | |
| | | 5-31-58 | 994.0 | 513.9 | | | | 5-31-58 | 106.0 | 502.0 | |
| | | 6-30-58 | 1034.0 | 509.9 | | | | 6-30-58 | 103.0 | 505.0 | |
| IN/12W-36C01 S | 664.9 | 10-25-57 | 139.8 | 526.1 | 1050 | IN/12W-36H01 S | 611.0 | 7-31-57 | 135.0 | 476.0 | 1050 |
| | | 3-23-58 | 1324.2 | 532.7 | | | | 8-31-57 | 103.0 | 508.0 | |
| IN/12W-36E01 S | 623.5 | 7-31-57 | 170.0 | 453.5 | 1050 | | 606.1 | 9-30-57 | 100.0 | 511.0 | |
| | | 8-30-57 | 156.0 | 476.5 | | | 611.0 | 10-23-57 | 91.1 | 518.0 | |
| | | 10-23-57 | 126.4 | 498.1 | | | | 10-31-57 | 91.0 | 520.0 | |
| | | 11-30-57 | 152.0 | 498.1 | | | | 11-30-57 | 86.0 | 525.0 | |
| | | 11-29-57 | 121.0 | 502.5 | | | | 12-31-57 | 85.0 | 526.0 | |
| | | 11-30-57 | 118.0 | 505.5 | | | | 1-31-58 | 87.0 | 524.0 | |
| | | 1-31-58 | 115.0 | 508.5 | | 606.1 | | 2-28-58 | 97.0 | 524.0 | |
| | | 2-27-58 | 116.0 | 507.5 | | 611.0 | | 3-21-58 | 86.4 | 527.0 | |
| | | 3-24-58 | 110.2 | 514.3 | | | | 5-30-58 | 125.0* | 466.0 | |
| | | 3-31-58 | 116.0 | 507.5 | | | | 5-31-58 | 127.0* | 464.0 | |
| | | 4-30-58 | 125.0 | 498.5 | | | | 6-30-58 | 98.0 | 513.0 | |
| | | 5-29-58 | 138.0 | 485.5 | | | | 7-31-57 | 122.0* | 477.8 | 1050 |
| IN/12W-36E02 S | 625.7 | 7-31-57 | 172.0 | 453.7 | 1050 | IN/12W-36H02 S | 599.8 | 8-31-57 | 102.0 | 497.8 | |
| | | 8-30-57 | 148.0 | 477.7 | | | | 9-30-57 | 116.0* | 485.8 | |
| | | 9-30-57 | 132.0 | 493.7 | | | | 10-23-57 | 76.0 | 520.0 | |
| | | 10-23-57 | 128.5 | 497.2 | | 595.6 | | 10-31-57 | 75.0 | 524.8 | |
| | | 10-30-57 | 125.0 | 500.7 | | 599.8 | | 11-30-57 | 71.0 | 528.8 | |
| | | 11-29-57 | 121.0 | 504.7 | | | | 12-31-57 | 95.0* | 504.8 | |
| | | 11-30-57 | 118.0 | 507.7 | | | | 1-31-58 | 95.0* | 504.8 | |
| | | 1-31-58 | 122.0 | 503.7 | | | | 2-28-58 | 68.0 | 531.8 | |
| | | 2-27-58 | 116.0 | 509.7 | | 595.6 | | 3-21-58 | 64.6 | 531.0 | |
| | | 3-24-58 | 112.5 | 513.2 | | 599.8 | | 3-31-58 | 91.0 | 508.8 | |
| | | 3-31-58 | 116.0 | 509.7 | | | | 4-30-58 | 95.0 | 504.8 | |
| | | 4-30-58 | 126.0 | 499.7 | | | | 5-31-58 | 86.0 | 513.8 | |
| | | 5-20-58 | 145.0 | 480.7 | | | | 6-30-58 | 103.0 | 496.8 | |
| IN/12W-36G01 S | 608.0 | 7-31-57 | 135.0 | 473.0 | 1050 | SANTA ANITA SUB AREA | | | | | |
| | | 8-31-57 | 115.0 | 493.0 | | IN/11W-15L01 S | 759.4 | 10-23-57 | DRY | 1101 | |
| | | 9-30-57 | 107.0 | 501.0 | | | | 2-12-58 | 16.8 | 742.6 | |
| | 604.3 | 10-23-57 | 94.3 | 510.0 | | | | 2-17-58 | 18.3 | 741.1 | |
| | 608.0 | 10-31-57 | 94.0 | 514.0 | | | | 2-21-58 | 15.6 | 743.8 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|--|--|--|------------------------------|-------------------------|--------------------|--|--|----------------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SANTA ANITA SUB AREA | | | | | | SANTA ANITA SUB AREA | | | | | |
| 41300 | | | | | | 41300 | | | | | |
| IN/11W-19L01 S CONT. | 759+4 | 3-28-58 3-04-58 3-11-58 3-17-58 3-24-58 4-08-58 4-18-58 5-13-58 6-02-58 6-10-58 | 17+8 16+7 18+4 16+7 17+2 17+4 18+6 19+6 19+6 DRY | 741.6 741.1 741.7 742.7 742.1 741.8 741.9 741.8 741.8 | 1101 | IN/11W-21C04 S CONT. | 677+0 | 7-30-57 8-15-57 8-31-57 9-15-57 9-30-57 10-15-57 10-22-57 10-31-57 11-15-57 11-30-57 12-15-57 1-15-58 1-31-58 2-15-58 2-28-58 3-15-58 3-24-58 3-31-58 4-15-58 4-30-58 5-15-58 5-31-58 6-15-58 6-30-58 | 204+0 204+0 204+0 204+0 216+0 221+0 221+0 221+0 221+0 221+0 222+0 213+0 202+0 175+0 188+0 184+0 144+5 145+0 145+0 132+0 137+0 140+0 134+0 134+0 | 1050 | |
| IN/11W-19E01 S | 741. | 10-24-57 2-12-54 2-21-58 2-28-58 3-04-58 3-11-58 3-19-58 3-26-58 4-08-58 4-18-58 4-28-58 5-13-58 5-21-58 6-04-58 6-20-58 | DRY DRY DRY 8+2 80+4 75+3 75+5 69+6 63+0 62+3 59+7 57+7 57+4 61+1 70+4 | 658+1 660+0 665+5 665+8 671+7 677+7 679+0 681+6 683+6 683+9 680+2 670+0 | 1101 | IN/11W-21G01 S | 615+0 | 7-03-57 7-10-57 7-24-57 8-07-57 8-14-57 8-21-57 8-28-57 9-04-57 9-11-57 9-18-57 9-25-57 10-02-57 10-09-57 10-16-57 10-23-57 10-29-57 11-05-57 11-20-57 11-27-57 | 162+0* 162+0* 168+0* 168+0* 168+0* 170+0* 167+0* 166+0* 152+0 152+0 150+0 150+0 145+0 147+0 138+3 139+0 135+0 135+0 135+0 132+0 | 1050 | |
| IN/11W-20G01 S | 659+6 | 10-23-57 10-29-57 3-25-58 4-09-58 | 165+8 166+0 138+3 131+2 | 493+8 493+6 520+8 528+4 | 1050 1101 1050 1101 | IN/11W-20G02 S | 698+1 | 10-21-57 10-22-57 3-25-58 4-22-58 | 104+4 105+7 92+7 91+0 | 593+7 592+4 605+4 607+1 | 1101 1050 |
| IN/11W-21C02 S | 702+5 | 10-22-57 10-23-57 3-24-58 4-22-58 | 228+6 227+6 174+2 159+7 | 473+9 475+1 528+3 543+0 | 1050 1101 1050 1101 | IN/11W-21C03 S | 705+0 | 10-22-57 3-24-58 7-15-57 | 247+9 188+1 202+0 | 457+1 516+0 475+0 | 1101 1050 |
| IN/11W-21C04 S | 677+0 | 7-15-57 | 202+0 | 475+0 | 1050 | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|---------------------|---|--------------------------------------|---|-----------------------|--------------------|--------------------|------|--------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SANTA ANITA SUB AREA | | | | | | SAN GABRIEL VALLEY | | | | | |
| 41304 | | | | | | 41300 | | | | | |
| 1W/11W-21G01 S CONT. | 615.0 | 12-04-57 132.0 12-18-57 150.0 12-26-57 122.0 1-08-58 123.0 1-15-58 122.0 1-22-58 121.0 1-29-58 121.0 2-05-58 119.0 2-11-58 119.0 2-20-58 116.0 2-26-58 110.0 3-05-58 107.0 3-12-58 104.0 3-19-58 100.0 3-26-58 98.0 4-02-58 95.0 4-09-58 91.0 4-23-58 78.0 4-30-58 75.0 5-07-58 123.0* 5-14-58 122.0* 5-21-58 119.0* 5-28-58 118.0* 6-04-58 152.0* 6-11-58 152.0* 6-18-58 117.0* 6-25-58 121.0* | 615.0 | 1-7-11-57 210.3 1-14-57 211.4 1-21-57 211.4 1-28-57 211.4 2-4-57 211.4 2-11-57 211.4 2-18-57 211.4 2-25-57 211.4 3-4-57 211.4 3-11-57 211.4 3-18-57 211.4 3-25-57 211.4 4-1-57 211.4 4-8-57 211.4 4-15-57 211.4 4-22-57 211.4 4-29-57 211.4 5-6-57 211.4 5-13-57 211.4 5-20-57 211.4 5-27-57 211.4 6-3-57 211.4 6-10-57 211.4 6-17-57 211.4 6-24-57 211.4 7-1-57 211.4 7-8-57 211.4 7-15-57 211.4 7-22-57 211.4 7-29-57 211.4 8-5-57 211.4 8-12-57 211.4 8-19-57 211.4 8-26-57 211.4 9-2-57 211.4 9-9-57 211.4 9-16-57 211.4 9-23-57 211.4 9-30-57 211.4 10-7-57 211.4 10-14-57 211.4 10-21-57 211.4 10-28-57 211.4 11-4-57 211.4 11-11-57 211.4 11-18-57 211.4 11-25-57 211.4 12-2-57 211.4 12-9-57 211.4 12-16-57 211.4 12-23-57 211.4 12-30-57 211.4 1-6-58 211.4 1-13-58 211.4 1-20-58 211.4 1-27-58 211.4 2-3-58 211.4 2-10-58 211.4 2-17-58 211.4 2-24-58 211.4 3-2-58 211.4 3-9-58 211.4 3-16-58 211.4 3-23-58 211.4 3-30-58 211.4 4-6-58 211.4 4-13-58 211.4 4-20-58 211.4 4-27-58 211.4 5-4-58 211.4 5-11-58 211.4 5-18-58 211.4 5-25-58 211.4 6-1-58 211.4 6-8-58 211.4 6-15-58 211.4 6-22-58 211.4 6-29-58 211.4 7-6-58 211.4 7-13-58 211.4 7-20-58 211.4 7-27-58 211.4 8-3-58 211.4 8-10-58 211.4 8-17-58 211.4 8-24-58 211.4 8-31-58 211.4 9-7-58 211.4 9-14-58 211.4 9-21-58 211.4 9-28-58 211.4 10-5-58 211.4 10-12-58 211.4 10-19-58 211.4 10-26-58 211.4 11-2-58 211.4 11-9-58 211.4 11-16-58 211.4 11-23-58 211.4 11-30-58 211.4 12-7-58 211.4 12-14-58 211.4 12-21-58 211.4 12-28-58 211.4 1-4-59 211.4 1-11-59 211.4 1-18-59 211.4 1-25-59 211.4 2-1-59 211.4 2-8-59 211.4 2-15-59 211.4 2-22-59 211.4 2-29-59 211.4 3-6-59 211.4 3-13-59 211.4 3-20-59 211.4 3-27-59 211.4 4-3-59 211.4 4-10-59 211.4 4-17-59 211.4 4-24-59 211.4 5-1-59 211.4 5-8-59 211.4 5-15-59 211.4 5-22-59 211.4 5-29-59 211.4 6-5-59 211.4 6-12-59 211.4 6-19-59 211.4 6-26-59 211.4 7-3-59 211.4 7-10-59 211.4 7-17-59 211.4 7-24-59 211.4 7-31-59 211.4 8-7-59 211.4 8-14-59 211.4 8-21-59 211.4 8-28-59 211.4 9-4-59 211.4 9-11-59 211.4 9-18-59 211.4 9-25-59 211.4 10-2-59 211.4 10-9-59 211.4 10-16-59 211.4 10-23-59 211.4 10-30-59 211.4 11-6-59 211.4 11-13-59 211.4 11-20-59 211.4 11-27-59 211.4 12-4-59 211.4 12-11-59 211.4 12-18-59 211.4 12-25-59 211.4 1-1-60 211.4 1-8-60 211.4 1-15-60 211.4 1-22-60 211.4 1-29-60 211.4 2-5-60 211.4 2-12-60 211.4 2-19-60 211.4 2-26-60 211.4 3-5-60 211.4 3-12-60 211.4 3-19-60 211.4 3-26-60 211.4 4-2-60 211.4 4-9-60 211.4 4-16-60 211.4 4-23-60 211.4 4-30-60 211.4 5-7-60 211.4 5-14-60 211.4 5-21-60 211.4 5-28-60 211.4 6-4-60 211.4 6-11-60 211.4 6-18-60 211.4 6-25-60 211.4 7-2-60 211.4 7-9-60 211.4 7-16-60 211.4 7-23-60 211.4 7-30-60 211.4 8-6-60 211.4 8-13-60 211.4 8-20-60 211.4 8-27-60 211.4 9-3-60 211.4 9-10-60 211.4 9-17-60 211.4 9-24-60 211.4 10-1-60 211.4 10-8-60 211.4 10-15-60 211.4 10-22-60 211.4 10-29-60 211.4 11-5-60 211.4 11-12-60 211.4 11-19-60 211.4 11-26-60 211.4 12-3-60 211.4 12-10-60 211.4 12-17-60 211.4 12-24-60 211.4 12-31-60 211.4 1-7-61 211.4 1-14-61 211.4 1-21-61 211.4 1-28-61 211.4 2-4-61 211.4 2-11-61 211.4 2-18-61 211.4 2-25-61 211.4 3-4-61 211.4 3-11-61 211.4 3-18-61 211.4 3-25-61 211.4 4-1-61 211.4 4-8-61 211.4 4-15-61 211.4 4-22-61 211.4 4-29-61 211.4 5-6-61 211.4 5-13-61 211.4 5-20-61 211.4 5-27-61 211.4 6-3-61 211.4 6-10-61 211.4 6-17-61 211.4 6-24-61 211.4 7-1-61 211.4 7-8-61 211.4 7-15-61 211.4 7-22-61 211.4 7-29-61 211.4 8-5-61 211.4 8-12-61 211.4 8-19-61 211.4 8-26-61 211.4 9-2-61 211.4 9-9-61 211.4 9-16-61 211.4 9-23-61 211.4 9-30-61 211.4 10-7-61 211.4 10-14-61 211.4 10-21-61 211.4 10-28-61 211.4 11-4-61 211.4 11-11-61 211.4 11-18-61 211.4 11-25-61 211.4 12-2-61 211.4 12-9-61 211.4 12-16-61 211.4 12-23-61 211.4 12-30-61 211.4 1-6-62 211.4 1-13-62 211.4 1-20-62 211.4 1-27-62 211.4 2-3-62 211.4 2-10-62 211.4 2-17-62 211.4 2-24-62 211.4 3-2-62 211.4 3-9-62 211.4 3-16-62 211.4 3-23-62 211.4 3-30-62 211.4 4-6-62 211.4 4-13-62 211.4 4-20-62 211.4 4-27-62 211.4 5-4-62 211.4 5-11-62 211.4 5-18-62 211.4 5-25-62 211.4 6-1-62 211.4 6-8-62 211.4 6-15-62 211.4 6-22-62 211.4 6-29-62 211.4 7-6-62 211.4 7-13-62 211.4 7-20-62 211.4 7-27-62 211.4 8-3-62 211.4 8-10-62 211.4 8-17-62 211.4 8-24-62 211.4 8-31-62 211.4 9-7-62 211.4 9-14-62 211.4 9-21-62 211.4 9-28-62 211.4 10-5-62 211.4 10-12-62 211.4 10-19-62 211.4 10-26-62 211.4 11-2-62 211.4 11-9-62 211.4 11-16-62 211.4 11-23-62 211.4 11-30-62 211.4 12-7-62 211.4 12-14-62 211.4 12-21-62 211.4 12-28-62 211.4 1-4-63 211.4 1-11-63 211.4 1-18-63 211.4 1-25-63 211.4 2-1-63 211.4 2-8-63 211.4 2-15-63 211.4 2-22-63 211.4 2-29-63 211.4 3-6-63 211.4 3-13-63 211.4 3-20-63 211.4 3-27-63 211.4 4-3-63 211.4 4-10-63 211.4 4-17-63 211.4 4-24-63 211.4 5-1-63 211.4 5-8-63 211.4 5-15-63 211.4 5-22-63 211.4 5-29-63 211.4 6-5-63 211.4 6-12-63 211.4 6-19-63 211.4 6-26-63 211.4 7-3-63 211.4 7-10-63 211.4 7-17-63 211.4 7-24-63 211.4 7-31-63 211.4 8-7-63 211.4 8-14-63 211.4 8-21-63 211.4 8-28-63 211.4 9-4-63 211.4 9-11-63 211.4 9-18-63 211.4 9-25-63 211.4 10-2-63 211.4 10-9-63 211.4 10-16-63 211.4 10-23-63 211.4 10-30-63 211.4 11-6-63 211.4 11-13-63 211.4 11-20-63 211.4 11-27-63 211.4 12-4-63 211.4 12-11-63 211.4 12-18-63 211.4 12-25-63 211.4 1-1-64 211.4 1-8-64 211.4 1-15-64 211.4 1-22-64 211.4 1-29-64 211.4 2-5-64 211.4 2-12-64 211.4 2-19-64 211.4 2-26-64 211.4 3-5-64 211.4 3-12-64 211.4 3-19-64 211.4 3-26-64 211.4 4-2-64 211.4 4-9-64 211.4 4-16-64 211.4 4-23-64 211.4 4-30-64 211.4 5-7-64 211.4 5-14-64 211.4 5-21-64 211.4 5-28-64 211.4 6-4-64 211.4 6-11-64 211.4 6-18-64 211.4 6-25-64 211.4 7-2-64 211.4 7-9-64 211.4 7-16-64 211.4 7-23-64 211.4 7-30-64 211.4 8-6-64 211.4 8-13-64 211.4 8-20-64 211.4 8-27-64 211.4 9-3-64 211.4 9-10-64 211.4 9-17-64 211.4 9-24-64 211.4 10-1-64 211.4 10-8-64 211.4 10-15-64 211.4 10-22-64 211.4 10-29-64 211.4 11-5-64 211.4 11-12-64 211.4 11-19-64 211.4 11-26-64 211.4 12-3-64 211.4 12-10-64 211.4 12-17-64 211.4 12-24-64 211.4 12-31-64 211.4 1-7-65 211.4 1-14-65 211.4 1-21-65 211.4 1-28-65 211.4 2-4-65 211.4 2-11-65 211.4 2-18-65 211.4 2-25-65 211.4 3-4-65 211.4 3-11-65 211.4 3-18-65 211.4 3-25-65 211.4 4-1-65 211.4 4-8-65 211.4 4-15-65 211.4 4-22-65 211.4 4-29-65 211.4 5-6-65 211.4 5-13-65 211.4 5-20-65 211.4 5-27-65 211.4 6-3-65 211.4 6-10-65 211.4 6-17-65 211.4 6-24-65 211.4 7-1-65 211.4 7-8-65 211.4 7-15-65 211.4 7-22-65 211.4 7-29-65 211.4 8-5-65 211.4 8-12-65 211.4 8-19-65 211.4 8-26-65 211.4 9-2-65 211.4 9-9-65 211.4 9-16-65 211.4 9-23-65 211.4 9-30-65 211.4 10-7-65 211.4 10-14-65 211.4 10-21-65 211.4 10-28-65 211.4 11-4-65 211.4 11-11-65 211.4 11-18-65 211.4 11-25-65 211.4 12-2-65 211.4 12-9-65 211.4 12-16-65 211.4 12-23-65 211.4 12-30-65 211.4 1-6-66 211.4 1-13-66 211.4 1-20-66 211.4 1-27-66 211.4 2-3-66 211.4 2-10-66 211.4 2-17-66 211.4 2-24-66 211.4 3-2-66 211.4 3-9-66 211.4 3-16-66 211.4 3-23-66 211.4 3-30-66 211.4 4-6-66 211.4 4-13-66 211.4 4-20-66 211.4 4-27-66 211.4 5-4-66 211.4 5-11-66 211.4 5-18-66 211.4 5-25-66 211.4 6-1-66 211.4 6-8-66 211.4 6-15-66 211.4 6-22-66 211.4 6-29-66 211.4 7-6-66 211.4 7-13-66 211.4 7-20-66 211.4 7-27-66 211.4 8-3-66 211.4 8-10-66 211.4 8-17-66 211.4 8-24-66 211.4 8-31-66 211.4 9-7-66 211.4 9-14-66 211.4 9-21-66 211.4 9-28-66 211.4 10-5-66 211.4 10-12-66 211.4 10-19-66 211.4 10-26-66 211.4 11-2-66 211.4 11-9-66 211.4 11-16-66 211.4 11-23-66 211.4 11-30-66 211.4 12-7-66 211.4 12-14-66 211.4 12-21-66 211.4 12-28-66 211.4 1-4-67 211.4 1-11-67 211.4 1-18-67 211.4 1-25-67 211.4 2-1-67 211.4 2-8-67 211.4 2-15-67 211.4 2-22-67 211.4 2-29-67 211.4 3-6-67 211.4 3-13-67 211.4 3-20-67 211.4 3-27-67 211.4 4-3-67 211.4 4-10-67 211.4 4-17-67 211.4 4-24-67 211.4 5-1-67 211.4 5-8-67 211.4 5-15-67 211.4 5-22-67 211.4 5-29-67 211.4 6-5-67 211.4 6-12-67 211.4 6-19-67 211.4 6-26-67 211.4 7-3-67 211.4 7-10-67 211.4 7-17-67 211.4 7-24-67 211.4 7-31-67 211.4 8-7-67 211.4 8-14-67 211.4 8-21-67 211.4 8-28-67 211.4 9-4-67 211.4 9-11-67 211.4 9-18-67 211.4 9-25-67 211.4 10-2-67 211.4 10-9-67 211.4 10-16-67 211.4 10-23-67 211.4 10-30-67 211.4 11-6-67 211.4 11-13-67 211.4 11-20-67 211.4 11-27-67 211.4 12-4-67 211.4 12-11-67 211.4 12-18-67 211.4 12-25-67 211.4 1-1-68 211.4 1-8-68 211.4 1-15-68 211.4 1-22-68 211.4 1-29-68 211.4 2-5-68 211.4 2-12-68 211.4 2-19-68 211.4 2-26-68 211.4 3-5-68 211.4 3-12-68 211.4 3-19-68 211.4 3-26-68 211.4 4-2-68 211.4 4-9-68 211.4 4-16-68 211.4 4-23-68 211.4 4-30-68 211.4 5-7-68 211.4 5-14-68 211.4 5-21-68 211.4 5-28-68 211.4 6-4-68 211.4 6-11-68 211.4 6-18-68 211.4 6-25-68 211.4 7-2-68 211.4 7-9-68 211.4 7-16-68 211.4 7-23-68 211.4 7-30-68 211.4 8-6-68 211.4 8-13-68 211.4 8-20-68 211.4 8-27-68 211.4 9-3-68 211.4 9-10-68 211.4 9-17-68 211.4 9-24-68 211.4 10-1-68 211.4 10-8-68 211.4 10-15-68 211.4 10-22-68 211.4 10-29-68 211.4 11-5-68 211.4 11-12-68 211.4 11-19-68 211.4 11-26-68 211.4 12-3-68 211.4 12-10-68 211.4 12-17-68 211.4 12-24-68 211.4 12-31-68 211.4 1-7-69 211.4 1-14-69 211.4 1-21-69 211.4 1-28-69 211.4 2-4-69 211.4 2-11-69 211.4 2-18-69 211.4 2-25-69 211.4 3-4-69 211.4 3-11-69 211.4 3-18-69 211.4 3-25-69 211.4 4-1-69 211.4 4-8-69 211.4 4-15-69 211.4 4-22-69 211.4 4-29-69 211.4 5-6-69 211.4 5-13-69 211.4 5-20-69 211.4 5-27-69 211.4 6-3-69 211.4 6-10-69 211.4 6-17-69 211.4 6-24-69 211.4 7-1-69 211.4 7-8-69 211.4 7-15-69 211.4 7-22-69 211.4 7-29-69 211.4 8-5-69 211.4 8-12-69 211.4 8-19-69 211.4 8-26-69 211.4 9-2-69 211.4 9-9-69 211.4 9-16-69 211.4 9-23-69 211.4 9-30-69 211.4 10-7-69 211.4 10-14-69 211.4 10-21-69 211.4 10-28-69 211.4 11-4-69 211.4 11-11-69 211.4 11-18-69 211.4 11-25-69 211.4 12-2-69 211.4 12-9-69 211.4 12-16-69 211.4 12-23-69 211.4 12-30-69 211.4 1-6-70 211.4 1-13-70 211.4 1-20-70 211.4 1-27-70 211.4 2-3-70 211.4 2-10-70 211.4 2-17-70 211.4 2-24-70 211.4 3-2-70 211.4 3-9-70 211.4 3-16-70 211.4 3-23-70 211.4 3-30-70 211.4 4-6-70 211.4 4-13-70 211.4 4-20-70 211.4 4-27-70 211.4 5-4-70 211.4 5-11-70 211.4 5-18-70 211.4 5-25-70 211.4 6-1-70 211.4 6-8-70 211.4 6-15-70 211.4 6-22-70 211.4 6-29-70 211.4 7-6-70 211.4 7-13-70 211.4 7-20-70 211.4 7-27-70 211.4 8-3-70 211.4 8-10-70 211.4 8-17-70 211.4 8-24-70 211.4 8-31-70 211.4 9-7-70 211.4 9-14-70 211.4 9-21-70 211.4 9-28-70 211.4 10-5-70 211.4 10-12-70 211.4 10-19-70 211.4 10-26-70 211.4 11-2-70 211.4 11-9-70 211.4 11-16-70 211.4 11-23-70 211.4 11-30-70 211.4 12-7-70 211.4 12-14-70 211.4 12-21-70 211.4 12-28-70 211.4 1-4-71 211.4 1-11-71 211.4 1-18-71 211.4 1-25-71 211.4 2-1-71 211.4 2-8-71 211.4 2-15-71 211.4 2-22-71 211.4 2-29-71 211.4 3-6-71 211.4 3-13-71 211.4 3-20-71 211.4 3-27-71 211.4 4-3-71 211.4 4-10-71 211.4 4-17-71 211.4 4-24-71 211.4 5-1-71 211.4 5-8-71 211.4 5-15-71 211.4 5-22-71 211.4 5-29-71 211.4 6-5-71 211.4 6-12-71 211.4 6-19-71 211.4 6-26-71 211.4 7-3-71 211.4 7-10-71 211.4 7-17-71 211.4 7-24-71 211.4 7-31-71 211.4 8-7-71 211.4 8-14-71 211.4 8-21-71 211.4 8-28-71 211.4 9-4-71 211.4 9-11-71 211.4 9-18-71 211.4 9-25-71 211.4 10-2-71 211.4 10-9-71 211.4 10-16-71 211.4 10-23-71 211.4 10-30-71 211.4 11-6-71 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|---|--|--|-----------------------|----------------------|---|---|--|--|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SANTA ANITA SUP AREA | | | | | | SANTA ANITA SUB AREA | | | | | |
| 41300 | | | | | | 41304 | | | | | |
| IN/11W-21H02 S CONT. | 694.3 | 10-02-57 10-09-57 10-16-57 10-22-57 10-28-57 11-05-57 11-13-57 11-20-57 11-27-57 12-04-57 12-11-57 12-18-57 12-26-57 1-08-58 1-15-58 1-22-58 1-29-58 2-05-58 2-11-58 2-20-58 3-05-58 3-12-58 3-19-58 3-24-58 3-26-58 4-02-58 4-09-58 4-23-58 5-07-58 5-14-58 5-21-58 5-28-58 6-04-58 6-11-58 6-18-58 6-25-58 | 135.0 132.0 129.0 127.2 127.0 126.0 120.0 120.0 117.0 118.0 116.0 114.0 112.0 112.0 112.0 111.0 110.0 104.0 104.0 101.0 95.0 92.0 88.0 84.0 86.9 84.0 83.0 81.0 66.0 63.0 142.0* 143.0* 138.0* 138.0* 142.0* 90.0 139.0* 140.0* | 469.3 472.3 473.3 477.1 477.1 484.3 484.3 484.3 484.3 484.3 488.3 490.3 492.3 492.3 492.3 493.3 494.3 500.3 503.3 503.3 512.3 516.3 520.3 517.4 520.3 521.3 523.3 538.3 541.3 462.3 461.3 466.3 466.3 462.3 518.3 463.3 | 1050 | IN/11W-22F01 S | 594.0 | 12-02-57 1-06-58 2-12-58 2-11-58 2-21-58 3-01-58 3-11-58 3-18-58 3-24-58 3-26-58 4-08-58 4-20-58 4-28-58 5-15-58 5-21-58 6-04-58 6-20-58 | 16.8 16.2 13.2 13.8 12.9 13.2 13.7 13.6 13.5 13.5 13.7 13.4 13.3 13.3 13.8 13.9 14.1 14.1 | 577.2 577.8 580.8 580.2 581.1 580.8 580.3 579.6 580.4 580.9 580.7 582.6 581.5 580.7 580.7 580.2 570.1 579.9 | 1101 |
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SANTA ANITA SUP AREA | | | | | | UPPER CANYON BASIN | | | | | |
| 41300 | | | | | | 41305 | | | | | |
| IN/11W-22F01 S | 594.0 | 7-01-57 9-03-57 10-02-57 10-23-57 10-23-57 1-06-57 1-20-57 1-06-58 2-10-58 2-17-58 2-21-58 2-28-58 3-06-58 3-11-58 3-19-58 3-23-58 3-26-58 4-08-58 4-18-58 5-13-58 5-21-58 6-04-58 | 74.4 81.8 81.0 66.0 65.9 62.0 62.0 57.9 52.2 494.9 500.7 501.7 503.9 505.8 507.2 510.3 514.2 517.3 517.6 524.5 528.3 529.6 524.6 521.0 | 1101 | IN/11W-28C01 S | 547.3 | 7-01-57 9-03-57 10-02-57 10-23-57 10-23-57 1-06-57 1-20-57 1-06-58 2-10-58 2-17-58 2-21-58 2-28-58 3-06-58 3-11-58 3-19-58 3-23-58 3-26-58 4-08-58 4-18-58 5-13-58 5-21-58 6-04-58 | 74.4 81.8 81.0 66.0 65.9 62.0 62.0 57.9 52.2 494.9 500.7 501.7 503.9 505.8 507.2 510.3 514.2 517.3 517.6 524.5 528.3 529.6 524.6 521.0 | 1101 | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| UPPER CANYON BASIN | | | | | | SAN GABRIEL VALLEY | | | | | |
| 41300 | | | | | | 41300 | | | | | |
| 1N/10W-22M01 S | 686.3 | 8-09-57 | 84.4 | 601.9 | 1101 | 1N/10W-23A02 S | 849.5 | 6-30-58 | 5.4 | 844.1 | 1101 |
| | | 8-30-57 | 82.6 | 603.7 | | | | | | | |
| | | 9-11-57 | 80.6 | 605.4 | | 1N/10W-23B01 S | 785.8 | 2-07-58 | 14.5 | 771.3 | 1101 |
| | | 10-01-57 | 77.9 | 608.4 | | | | | | | |
| | | 11-21-57 | 60.9 | 625.4 | | 1N/10W-23C01 S | 784.9 | 10-29-57 | 30.6 | 754.3 | 1101 |
| | | 11-25-57 | 62.5 | 623.8 | | | | 2-07-58 | 16.0 | 768.9 | |
| | | 12-02-57 | 63.0 | 623.3 | | | | 3-05-58 | 11.7 | 773.2 | |
| | | 1-12-58 | 47.0 | 638.7 | | | | 3-31-58 | 18.6 | 772.3 | |
| | | 2-14-58 | 31.0 | 655.2 | | | | 4-09-58 | 6.6 | 775.3 | |
| | | 3-07-58 | 30.1 | 656.2 | | | | 4-30-58 | 11.0 | 773.9 | |
| | | 3-28-58 | 28.3 | 658.0 | | | | 6-09-58 | 11.0 | 773.9 | |
| | | 4-18-58 | 39.4* | 646.9 | | | | 6-20-58 | 13.3 | 743.0 | |
| | | 5-09-58 | 41.5* | 644.8 | | | | 6-23-58 | 12.4 | 772.5 | |
| | | 5-30-58 | 28.8 | 657.5 | | | | 6-30-58 | 13.0 | 771.9 | |
| | | 6-20-58 | 41.9* | 644.4 | | | | | | | |
| 1N/10W-22P02 S | 695.1 | 7-10-57 | 87.6 | 607.5 | 1101 | 1N/10W-23D01 S | 756.3 | 10-29-57 | 37.3 | 719.0 | 1101 |
| | | 8-01-57 | 97.7 | 597.4 | | | | 2-07-58 | 19.3 | 737.0 | |
| | | 8-20-57 | 96.9 | 598.2 | | | | 2-11-58 | 13.6 | 742.7 | |
| | | 9-10-57 | 94.3 | 600.8 | | | | 2-27-58 | 13.3 | 743.0 | |
| | | 10-01-57 | 92.5 | 602.6 | | | | 3-05-58 | 13.6 | 742.7 | |
| | | 10-21-57 | 80.6 | 614.5 | | | | 3-31-58 | 14.4 | 741.9 | |
| | | 11-11-57 | 61.7 | 633.4 | | | | 4-09-58 | 9.7 | 746.6 | |
| | | 12-10-57 | 63.7 | 631.4 | | | | 4-30-58 | 12.3 | 744.0 | |
| | | 1-23-58 | 62.7 | 632.4 | | | | 6-06-58 | 13.2 | 743.1 | |
| | | 2-13-58 | 21.6 | 673.5 | | | | 6-20-58 | 13.3 | 743.0 | |
| | | 3-06-58 | 20.7 | 674.4 | | | | 6-23-58 | 14.4 | 741.9 | |
| | | 3-27-58 | 19.6 | 675.5 | | | | 6-30-58 | 16.2 | 740.1 | |
| | | 4-17-58 | 15.0 | 680.1 | | 1N/10W-23E01 S | 756.3 | 10-29-57 | 35.8 | 720.5 | 1101 |
| | | 5-29-58 | 21.5 | 673.6 | | | | 2-07-58 | 14.0 | 742.3 | |
| | | 6-19-58 | 22.4 | 672.7 | | | | 2-11-58 | 9.8 | 746.5 | |
| 1N/10W-22R02 S | 719.0 | 10-29-57 | 31.2 | 687.8 | 1101 | | | 2-27-58 | 9.8 | 746.5 | |
| | | 4-30-58 | 20.6 | 698.4 | | | | 3-05-58 | 10.0 | 746.3 | |
| 1N/10W-23A02 S | 849.5 | 10-29-57 | DRY | 831.6 | 1101 | | | 3-31-58 | 11.3 | 745.0 | |
| | | 2-07-58 | 17.9 | 843.3 | | | | 4-09-58 | 7.2 | 747.1 | |
| | | 2-27-58 | 4.1 | 845.4 | | | | 4-30-58 | 8.7 | 747.6 | |
| | | 3-05-58 | 4.3 | 845.2 | | | | 6-06-58 | 8.6 | 747.6 | |
| | | 3-31-58 | 4.8 | 844.7 | | | | 6-23-58 | 10.8 | 745.5 | |
| | | 4-09-58 | 1.9 | 847.5 | | | | | | | |
| | | 4-30-58 | 3.9 | 842.7 | | 1N/10W-25F02 S | 809.0 | 10-29-57 | 75.0 | 734.0 | 1101 |
| | | 6-06-58 | 3.7 | 843.6 | | | | 4-30-58 | 52.6 | 756.4 | |
| | | 6-20-58 | 3.5 | 846.0 | | 1N/10W-27B01 S | 693.3 | 7-03-57 | 87.7 | 605.6 | 1101 |
| | | 6-23-58 | 4.3 | 845.2 | | | | 7-11-57 | 94.0 | 595.3 | |
| | | | | | | | | 7-18-57 | 98.1 | 595.2 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| UPPER CANYON BASIN | | | | | | UPPER CANYON BASIN | | | | | |
| 1N10W-27B01 S | 693.43 | 7-25-57 | 102.0 | 591.3 | 1101 | 1N10W-27C02 S | 681.1 | 7-10-57 | 85.6 | 595.5 | 1101 |
| | | 8-01-57 | 105.7 | 587.6 | | CONT. | | 7-20-57 | 91.7 | 589.4 | |
| | | 8-08-57 | 107.2 | 586.1 | | | | 8-01-57 | 99.7 | 581.4 | |
| | | 8-15-57 | 108.1 | 585.2 | | | | 8-10-57 | 100.5 | 580.6 | |
| | | 8-22-57 | 107.6 | 585.7 | | | | 8-20-57 | 99.2 | 581.9 | |
| | | 8-29-57 | 108.5 | 584.8 | | | | 8-31-57 | 100.6 | 580.5 | |
| | | 9-05-57 | 107.1 | 586.2 | | | | 9-10-57 | 101.9 | 579.2 | |
| | | 9-12-57 | 107.4 | 585.9 | | | | 9-20-57 | 99.3 | 581.8 | |
| | | 9-25-57 | 112.1 | 581.2 | | | | 10-01-57 | 99.9 | 581.2 | |
| | | 10-03-57 | 103.8 | 589.5 | | | | 10-10-57 | 96.9 | 584.2 | |
| | | 10-10-57 | 103.5 | 589.8 | | | | 10-21-57 | 84.9 | 596.2 | |
| | | 10-17-57 | 98.1 | 595.2 | | | | 11-02-57 | 53.0 | 628.1 | |
| | | 10-24-57 | 81.6 | 611.7 | | | | 11-11-57 | 54.8 | 626.3 | |
| | | 10-31-57 | 58.6 | 634.7 | | | | 11-21-57 | 56.6 | 624.5 | |
| | | 11-07-57 | 65.1 | 628.2 | | | | 12-02-57 | 66.8 | 614.3 | |
| | | 11-14-57 | 65.3 | 628.0 | | | | 12-10-57 | 59.5 | 621.6 | |
| | | 11-21-57 | 66.7 | 626.6 | | | | 12-20-57 | 63.5 | 617.6 | |
| | | 11-27-57 | 68.5 | 624.8 | | | | 1-02-58 | 44.1 | 637.0 | |
| | | 12-03-57 | 69.2 | 624.1 | | | | 1-11-58 | 29.2 | 651.9 | |
| | | 12-05-57 | 67.3 | 626.0 | | | | 1-20-58 | 29.8 | 651.3 | |
| | | 12-12-57 | 67.8 | 625.5 | | | | 1-25-58 | 23.5 | 657.6 | |
| | | 12-19-57 | 67.5 | 625.8 | | | | 2-01-58 | 19.5 | 661.6 | |
| | | 12-26-57 | 55.6 | 637.7 | | | | 2-08-58 | 14.5 | 666.6 | |
| | | 1-02-58 | 46.0 | 647.3 | | | | 2-15-58 | 10.8 | 670.3 | |
| | | 1-09-58 | 39.7 | 653.6 | | | | 2-21-58 | 9.6 | 671.5 | |
| | | 1-16-58 | 33.5 | 659.8 | | | | 3-01-58 | 8.6 | 678.5 | |
| | | 1-23-58 | 31.9 | 661.4 | | | | 3-08-58 | 9.1 | 672.0 | |
| | | 1-30-58 | 28.5 | 668.8 | | | | 3-17-58 | 22.3* | 658.8 | |
| | | 2-20-58 | 17.7 | 675.6 | | | | 3-25-58 | 9.7 | 671.4 | |
| | | 2-27-58 | 15.1 | 678.2 | | | | 4-02-58 | 4.8 | 676.3 | |
| | | 3-06-58 | 14.4 | 678.9 | | | | 4-21-58 | 4.7 | 676.4 | |
| | | 3-13-58 | 27.3* | 666.0 | | | | 5-01-58 | 9.8 | 671.3 | |
| | | 3-20-58 | 23.4* | 669.9 | | | | 5-20-58 | 13.0 | 668.1 | |
| | | 3-27-58 | 10.8 | 682.5 | | | | 6-02-58 | 18.5 | 662.6 | |
| | | 4-17-58 | 8.1 | 689.2 | | | | 6-09-58 | 16.9 | 662.2 | |
| | | 4-20-58 | 11.3 | 682.0 | | | | | | | |
| | | 5-01-58 | 13.7 | 679.6 | | | | 7-18-57 | 99.7 | 571.7 | 1101 |
| | | 5-08-58 | 15.5 | 677.8 | | | | 8-08-57 | 109.3 | 562.1 | |
| | | 5-15-58 | 15.4 | 677.9 | | | | 8-29-57 | 114.9 | 556.5 | |
| | | 5-22-58 | 15.7 | 677.6 | | | | 9-10-57 | 117.6 | 553.8 | |
| | | 5-29-58 | 16.9 | 676.4 | | | | 10-10-57 | 119.6 | 551.8 | |
| | | 6-06-58 | 16.3 | 677.0 | | | | 10-31-57 | 107.0 | 564.4 | |
| | | 6-12-58 | 17.3 | 676.0 | | | | 11-21-57 | 97.0 | 574.4 | |
| | | 6-19-58 | 17.7 | 675.6 | | | | 12-12-57 | 95.0 | 576.4 | |
| | | 6-26-58 | 15.2 | 678.1 | | | | 1-23-58 | 61.6 | 609.8 | |
| 1N10W-27C02 S | 681.1 | 7-01-57 | 78.2 | 602.9 | 1101 | 1N10W-27H01 S | 671.4 | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------|--------------------|----------|--------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| 41300 | | | | | | 41300 | | | | | |
| UPPER CANYON BASIN | | | | | | | | | | | |
| 1N/10W-27H01 S | 671.4 | 2-13-58 | 46.1 | 625.3 | 1101 | 1N/10W-26H01 S | 631.1 | 7-10-57 | 89.5 | 541.6 | 1101 |
| CONT. | | 3-06-58 | 34.9 | 636.3 | | | | 8-01-57 | 97.9 | 533.2 | |
| | | 3-27-58 | 34.5 | 636.3 | | | | 8-29-57 | 108.0 | 523.1 | |
| | | 4-17-58 | 30.1 | 644.3 | | | | 9-10-57 | 109.7 | 521.4 | |
| | | 5-08-58 | 31.6 | 649.3 | | | | 10-10-57 | 119.6 | 511.5 | |
| | | 5-24-58 | 33.4 | 637.2 | | | | 10-21-57 | 122.5 | 508.6 | |
| | | 6-19-58 | 34.2 | | | | | 11-21-57 | 123.7 | 507.4 | |
| 1N/10W-27H02 S | 669.9 | 10-29-57 | 120.0* | 549.9 | 1101 | | | 11-20-57 | 123.5 | 507.6 | |
| | | 5-18-58 | 19.0 | 650.9 | | | | 11-23-58 | 117.7 | 513.4 | |
| 1N/10W-27J01 S | 654.4 | 7-18-57 | 135.7 | 518.7 | 1101 | | | 2-13-58 | 118.8 | 512.3 | |
| | | 8-08-57 | 144.1 | 510.3 | | | | 3-06-58 | 83.5 | 547.6 | |
| | | 8-29-57 | 149.5 | 504.9 | | | | 9-27-58 | 65.1 | 566.0 | |
| | | 9-10-57 | 154.1 | 500.3 | | | | 4-17-58 | 41.7 | 589.4 | |
| | | 10-10-57 | 164.3 | 490.1 | | | | 5-08-58 | 34.7 | 596.4 | |
| | | 10-31-57 | 162.4 | 492.0 | | | | 5-29-58 | 33.5 | 597.6 | |
| | | 11-21-57 | 162.4 | 492.0 | | | | 6-19-58 | 32.6 | 598.5 | |
| | | 12-12-57 | 162.0 | 494.4 | | | | | | | |
| | | 1-02-58 | 160.0 | 494.4 | | | | | | | |
| | | 3-06-58 | 87.0 | 567.4 | | 1N/10W-26R01 S | 644.4 | 7-18-57 | 23.1 | 621.3 | 1101 |
| | | 3-27-58 | 85.6 | 568.8 | | | | 8-08-57 | 24.9 | 619.5 | |
| | | 4-17-58 | 60.7 | 593.7 | | | | 8-29-57 | 25.8 | 618.6 | |
| | | 5-08-58 | 60.0 | 594.4 | | | | 9-10-57 | 26.6 | 617.8 | |
| | | 5-29-58 | 60.7 | 593.7 | | | | 10-10-57 | 27.6 | 616.8 | |
| | | 6-19-58 | 59.7 | 594.7 | | | | 10-31-57 | 29.0 | 615.4 | |
| | | | | | | | | 11-21-57 | 30.3 | 614.1 | |
| 1N/10W-27K02 S | 647.8 | 7-13-57 | 130.7 | 517.1 | 1101 | | | 12-12-57 | 31.1 | 613.3 | |
| | | 8-08-57 | 148.0 | 499.8 | | | | 1-23-58 | 31.8 | 612.6 | |
| | | 8-29-57 | 153.0 | 494.8 | | | | 2-13-58 | 27.7 | 616.7 | |
| | | 9-10-57 | 155.8 | 492.0 | | | | 3-06-58 | 27.2 | 617.2 | |
| | | 10-03-57 | 164.9 | 482.9 | | | | 4-17-58 | 22.5 | 624.9 | |
| | | 10-30-57 | 163.0 | 484.8 | | | | 5-08-58 | 19.7 | 624.7 | |
| | | 11-11-57 | 163.4 | 484.4 | | | | 5-29-58 | 20.2 | 624.2 | |
| | | 12-10-57 | 162.2 | 485.6 | | | | 6-19-58 | 21.5 | 622.9 | |
| | | 1-23-58 | 153.0 | 494.8 | | | | | | | |
| | | 2-13-58 | 131.3 | 516.5 | | 1N/10W-27P01 S | 627.0 | 10-28-57 | 144.4 | 482.6 | 1101 |
| | | 3-06-58 | 95.2 | 552.6 | | | | 4-30-58 | 39.2 | 587.8 | |
| | | 3-27-58 | 76.4 | 571.4 | | | | | | | |
| | | 4-17-58 | 53.8 | 594.0 | | | | 7-10-57 | 34.9 | 600.2 | 1101 |
| | | 5-08-58 | 87.5* | 560.3 | | 1N/10W-28C01 S | 635.1 | 8-01-57 | 29.8 | 592.5 | |
| | | 5-29-58 | 83.4* | 564.4 | | | | 8-30-57 | 30.9 | 595.8 | |
| | | 6-19-58 | 81.8 | 566.0 | | | | 9-10-57 | 38.2 | 596.9 | |
| | | | | | | | | 10-11-57 | 36.6 | 598.3 | |
| | | | | | | | | 11-01-57 | 31.1 | 604.0 | |
| 1N/10W-27K04 S | 656.0 | 10-29-57 | 128.0* | 528.0 | 1101 | | | 11-22-57 | 28.5 | 606.6 | |
| | | 5-18-58 | 14.0 | 642.0 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | |
|--------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--|
| SAN GABRIEL VALLEY | | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | 41300 | SAN GABRIEL VALLEY | | | | 41307 | 41307 | | |
| GLENORA BASIN | | | | | | | | | | | | |
| GLENORA BASIN | | | | 41307 | GLENORA BASIN | | | | 41307 | 41307 | | |
| 1N/09W-29C01 S | 1115.0 | 5-12-58 | 40.8 | 1074.2 | 1101 | 1N/09W-29C02 S | 956.0 | 11-18-57 | 487.0* | 465.0 | 1101 | |
| CONT. | | 6-15-58 | 70.4* | 1044.6 | | CONT. | | 11-27-57 | 493.0* | 518.0 | | |
| | | 6-19-58 | 43.7 | 1071.1 | | | | 1-10-57 | 484.0* | 465.0 | | |
| | | 6-23-58 | 37.8 | 1077.2 | | | | 1-18-57 | 431.0* | 515.0 | | |
| | | 6-25-58 | 40.7 | 1074.3 | | | | 1-31-57 | 421.0* | 515.0 | | |
| 1N/09W-29C01 S | 968.0 | 7-01-57 | 451.0* | 517.0 | 1101 | | | 1-01-58 | 431.0* | 515.0 | | |
| | | 7-31-57 | 452.0* | 516.0 | | | | 1-13-58 | 431.0* | 515.0 | | |
| | | 9-03-57 | 452.0* | 516.0 | | | | 1-20-58 | 431.0* | 515.0 | | |
| | | 10-01-57 | 452.0* | 515.0 | | | | 1-31-58 | 436.0* | 518.0 | | |
| | | 11-01-57 | 453.0* | 516.0 | | | | 2-13-58 | 435.0* | 515.0 | | |
| | | 11-13-57 | 451.0* | 517.0 | | | | 3-00-58 | 435.0* | 515.0 | | |
| | | 11-18-57 | 511.0* | 457.0 | | | | 3-11-58 | 437.0* | 513.0 | | |
| | | 11-27-57 | 511.0* | 457.0 | | | | 3-24-58 | 436.0* | 518.0 | | |
| | | 12-11-57 | 508.0* | 460.0 | | | | 3-31-58 | 436.0* | 518.0 | | |
| | | 12-17-57 | 508.0* | 460.0 | | | | 4-16-58 | 437.0* | 518.0 | | |
| | | 12-18-57 | 452.0* | 516.0 | | | | 4-29-58 | 436.0* | 518.0 | | |
| | | 12-31-57 | 452.0* | 516.0 | | | | 5-01-58 | 436.0* | 518.0 | | |
| | | 1-01-58 | 452.0* | 516.0 | | | | 5-13-58 | 436.0* | 466.0 | | |
| | | 1-13-58 | 453.0* | 515.0 | | | | 5-21-58 | 435.0* | 515.0 | | |
| | | 1-20-58 | 453.0* | 515.0 | | | | 5-29-58 | 435.0* | 515.0 | | |
| | | 1-31-58 | 453.0* | 515.0 | | | | 6-05-58 | 436.0* | 466.0 | | |
| | | 2-14-58 | 454.0* | 514.0 | | | | 6-13-58 | 436.0* | 465.0 | | |
| | | 2-23-58 | 454.0* | 514.0 | | | | 6-30-58 | 435.0* | 515.0 | | |
| | | 3-03-58 | 454.0* | 514.0 | | | | 7-02-57 | 483.0* | 457.0 | 1101 | |
| | | 3-13-58 | 455.0* | 513.0 | | 1N/09W-29E01 S | 910.0 | 7-31-57 | 395.0 | 515.0 | | |
| | | 3-24-58 | 455.0* | 513.0 | | | | 8-30-57 | 446.0* | 474.0 | | |
| | | 3-25-58 | 507.0* | 461.0 | | | | 9-30-57 | 386.0 | 524.0 | | |
| | | 3-31-58 | 455.0* | 513.0 | | | | 10-30-57 | 371.0 | 538.0 | | |
| | | 4-15-58 | 506.0* | 462.0 | | | | 12-31-57 | 438.0* | 518.0 | | |
| | | 4-16-58 | 495.0* | 511.0 | | | | 1-21-58 | 398.0 | 520.8 | | |
| | | 4-29-58 | 477.0* | 511.0 | | | | 1-29-58 | 393.0 | 520.8 | | |
| | | 5-01-58 | 467.0* | 511.0 | | | | 2-28-58 | 392.0 | 518.0 | | |
| | | 5-13-58 | 466.0* | 512.0 | | | | 2-31-58 | 396.0 | 517.0 | | |
| | | 5-21-58 | 466.0* | 512.0 | | | | 3-31-58 | 396.0* | 517.0 | | |
| | | 5-29-58 | 477.0* | 468.0 | | | | 5-31-58 | 381.0* | 528.6 | | |
| | | 6-13-58 | 487.0* | 468.0 | | | | 6-30-58 | 370.0* | 510.7 | | |
| | | 6-13-58 | 487.0* | 468.0 | | | | 7-24-57 | 395.0 | 551.0 | 1101 | |
| 1N/09W-29C02 S | 956.0 | 7-01-57 | 432.0* | 518.0 | 1101 | 1N/09W-29K01 S | 936.0 | 8-28-57 | 385.0 | 550.1 | | |
| | | 7-31-57 | 431.0* | 519.0 | | | | 9-18-57 | 385.0 | 550.8 | | |
| | | 8-07-57 | 464.0* | 466.0 | | | | 10-21-57 | 377.0 | 555.8 | | |
| | | 9-03-57 | 432.0* | 518.0 | | | | 11-18-57 | 378.0 | 554.4 | | |
| | | 10-01-57 | 432.0* | 518.0 | | | | 12-10-57 | 375.0 | 556.5 | | |
| | | 11-01-57 | 431.0* | 519.0 | | | | 1-07-58 | 378.0 | 557.3 | | |
| | | 11-13-57 | 432.0* | 518.0 | | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| 41300 | | | | | | SAN GABRIEL VALLEY | | | | | |
| GLENDORA BASIN | | | | | | GLENDORA BASIN | | | | | |
| 41307 | | | | | | 41307 | | | | | |
| 1N/09W-29K01 S | 936.0 | 2-24-58 | 380.9 | 555.1 | 1101 | 1N/09W-32D01 S | 843.5 | 5-02-58 | 97.3 | 746.2 | 1101 |
| CONT. | | 3-11-58 | 387.5 | 548.5 | | | | 7-09-57 | 107.9 | 736.9 | |
| | | 4-15-58 | 388.2 | 547.8 | | 1N/09W-32H03 S | 844.8 | 9-04-57 | 109.6 | 736.2 | 1101 |
| | | 5-13-58 | 387.6 | 548.4 | | | | 10-02-57 | 110.1 | 734.7 | |
| | | 6-17-58 | 386.4 | 549.6 | | | | 11-06-57 | 108.5 | 736.3 | |
| 1N/09W-29L01 S | 911.0 | 8-21-57 | 416.6 | 484.4 | 1101 | | | 1-06-58 | 107.2 | 736.0 | |
| | | 9-18-57 | 415.7 | 495.3 | | | | 2-11-58 | 106.4 | 738.4 | |
| | | 10-23-57 | 408.1 | 502.9 | | | | 3-03-58 | 105.3 | 735.5 | |
| | | 11-18-57 | 406.4 | 504.6 | | | | 4-10-58 | 99.3 | 743.5 | |
| | | 12-10-57 | 408.9 | 502.1 | | | | 4-25-58 | 91.9 | 752.9 | |
| | | 1-07-58 | 407.6 | 503.4 | | | | 5-12-58 | 92.2 | 752.6 | |
| | | 2-18-58 | 402.1 | 508.9 | | | | 6-10-58 | 93.5 | 751.3 | |
| | | 3-11-58 | 407.7 | 521.3 | | | | 10-22-57 | 24.0 | 771.0 | 1101 |
| | | 4-15-58 | 405.5 | 505.5 | | | | 5-02-58 | 15.2 | 779.8 | |
| | | 5-19-58 | 411.8 | 489.2 | | 1N/09W-32K01 S | 795.0 | | | | |
| | | 6-17-58 | 412.3 | 488.7 | | | | | | | |
| 1N/09W-29M01 S | 868.0 | 7-02-57 | 363.0 | 505.0 | 1101 | 1N/10W-25G01 S | 882.0 | 10-29-57 | 153.0 | 729.0 | 1101 |
| | | 7-24-57 | 373.7 | 494.3 | | | | 4-30-58 | 131.9 | 750.1 | |
| | | 8-21-57 | 373.3 | 494.7 | | | | | | | |
| | | 9-18-57 | 373.5 | 484.5 | | 1N/11W-15L02 S | 764.0 | 10-23-57 | 20.1 | 743.9 | 1101 |
| | | 10-02-57 | 368.3 | 499.7 | | | | 2-12-58 | 12.4 | 751.6 | |
| | | 10-15-57 | 353.2 | 514.8 | | | | 2-17-58 | 12.9 | 751.1 | |
| | | 11-01-57 | 363.0 | 503.0 | | | | 2-21-58 | 11.6 | 752.4 | |
| | | 11-18-57 | 364.6 | 503.4 | | | | 2-22-58 | 12.0 | 752.0 | |
| | | 12-10-57 | 367.2 | 509.8 | | | | 2-26-58 | 13.4 | 750.6 | |
| | | 1-07-58 | 365.5 | 502.5 | | | | 3-04-58 | 13.5 | 750.5 | |
| | | 2-18-58 | 363.6 | 502.4 | | | | 3-11-58 | 14.0 | 750.0 | |
| | | 4-15-58 | 363.7 | 504.3 | | | | 3-19-58 | 12.3 | 751.6 | |
| | | 5-13-58 | 367.0 | 503.0 | | | | 3-26-58 | 12.4 | 751.7 | |
| 1N/09W-31P02 S | 713.0 | 7-17-57 | 104.2 | 608.8 | 1101 | | | 4-08-58 | 10.6 | 753.4 | |
| | | 8-14-57 | 104.3 | 608.7 | | | | 4-18-58 | 11.9 | 752.1 | |
| | | 9-11-57 | 104.5 | 608.5 | | | | 4-28-58 | 12.9 | 751.1 | |
| | | 10-09-57 | 104.4 | 608.6 | | | | 5-13-58 | 13.6 | 750.4 | |
| | | 11-13-57 | 104.4 | 608.6 | | | | 6-04-58 | 13.9 | 750.1 | |
| | | 12-10-57 | 104.6 | 608.4 | | | | 6-20-58 | 12.9 | 751.1 | |
| | | 1-07-58 | 104.1 | 609.0 | | | | | | | |
| | | 2-18-58 | 105.4 | 607.6 | | 15/09W-03B01 S | 975.0 | 7-03-57 | 114.5 | 860.5 | 1101 |
| | | 3-11-58 | 101.8 | 511.2 | | | | 7-10-57 | 106.7 | 868.3 | |
| | | 4-15-58 | 94.7 | 618.3 | | | | 7-17-57 | 111.1 | 863.9 | |
| | | 5-13-58 | 89.2 | 623.8 | | | | 7-24-57 | 110.3 | 866.7 | |
| | | 6-16-58 | 91.5 | 621.5 | | | | 7-31-57 | 106.6 | 868.4 | |
| 1N/09W-32B01 S | 843.5 | 11-06-57 | 113.7 | 729.8 | 1101 | | | 8-07-57 | 115.2 | 859.8 | |
| | | | | | | | | 8-14-57 | 113.7 | 861.3 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| 41300 | | | | | | SAM GABRIEL VALLEY | | | | | |
| GLENORA BASIN | | | | | | GLENORA BASIN | | | | | |
| 1S/09N-03B01 S | 975.0 | 8-21-57 | 114.3 | 860.7 | 1101 | 1S/10N-31P05 S | 301.0 | 2-01-58 | 69.0* | 232.0 | 1101 |
| | | 8-28-57 | 117.0* | 857.1 | | CONT. | | 3-03-58 | 67.5 | 233.0 | |
| | | 9-04-57 | 106.6 | 868.6 | | | | 4-01-58 | 54.0* | 237.0 | |
| | | 9-11-57 | 118.0* | 856.6 | | | | 4-15-58 | 53.0* | 247.0 | |
| | | 9-18-57 | 113.3 | 861.7 | | | | 5-01-58 | 44.0* | 254.0 | |
| | | 9-25-57 | 116.7* | 855.3 | | | | 6-16-58 | 44.0* | 255.7 | |
| | | 10-02-57 | 104.9 | 870.1 | | 2S/10N-14G01 S | 425.5 | 10-31-57 | 14.0 | 411.5 | 1101 |
| | | 10-09-57 | 110.0* | 856.8 | | | | 5-06-58 | 13.4 | 412.1 | |
| | | 10-16-57 | 92.1 | 882.9 | | | | 5-06-58 | 7.1 | 444.9 | 1101 |
| | | 10-23-57 | 88.6 | 886.4 | | | | | | | |
| | | 10-30-57 | 86.4 | 888.6 | | | | | | | |
| | | 11-06-57 | 85.3 | 889.7 | | 2S/10N-15F04 S | 454.0 | | | | |
| | | 11-13-57 | 84.2 | 890.8 | | WAY HILL BASIN | | | | | |
| | | 11-20-57 | 83.3 | 891.7 | | | | | | | |
| | | 12-04-57 | 98.0* | 876.8 | | 1S/09N-02D01 S | 1027.0 | 10-16-57 | 136.2 | 852.3 | 1101 |
| | | 12-11-57 | 92.7 | 882.3 | | | | 11-13-57 | 133.2 | 855.0 | |
| | | 12-18-57 | 81.8 | 893.2 | | | | 1-02-58 | 121.5 | 901.5 | |
| | | 1-02-58 | 80.5 | 894.5 | | | | 2-24-58 | 121.5 | 907.4 | |
| | | 1-08-58 | 79.9 | 895.1 | | | | 3-11-58 | 121.2 | 907.8 | |
| | | 1-15-58 | 79.5 | 895.5 | | | | 4-24-58 | 115.9 | 911.1 | |
| | | 1-29-58 | 79.6 | 895.4 | | | | | | | |
| | | 2-05-58 | 70.6 | 896.4 | | 1S/09N-03A01 S | 1006.0 | 7-17-57 | DRY | | 1101 |
| | | 2-12-58 | 77.6 | 897.4 | | | | 8-14-57 | DRY | | |
| | | 2-19-58 | 76.4 | 898.6 | | | | 9-11-57 | DRY | | |
| | | 2-27-58 | 77.4 | 897.6 | | | | 10-16-57 | DRY | | |
| | | 3-05-58 | 74.4 | 900.6 | | | | 11-13-57 | DRY | | |
| | | 3-12-58 | 73.4 | 901.6 | | | | 12-10-57 | 146.5* | 855.5 | |
| | | 3-19-58 | 72.3 | 902.7 | | | | 1-07-58 | 104.9 | 901.1 | |
| | | 3-26-58 | 70.9 | 904.1 | | | | 2-13-58 | 107.5 | 902.1 | |
| | | 4-02-58 | 69.7 | 905.3 | | | | 3-11-58 | 101.4 | 904.4 | |
| | | 4-09-58 | 67.1 | 907.9 | | | | 4-15-58 | 96.2 | 905.8 | |
| | | 4-16-58 | 62.9 | 913.1 | | | | 5-13-58 | 86.5 | 917.5 | |
| | | 4-24-58 | 65.3 | 908.7 | | | | 6-16-58 | 83.5 | 922.6 | |
| | | 4-30-58 | 67.1 | 907.4 | | | | | | | |
| | | 5-07-58 | 65.7 | 909.3 | | 1S/09N-03C01 S | 967.0 | 10-22-57 | 75.2 | 881.7 | 1101 |
| | | 5-14-58 | 67.0 | 908.0 | | | | 1-02-58 | 58.3* | 928.7 | |
| | | 5-21-58 | 68.4 | 906.6 | | | | 10-22-57 | 70.5 | 877.5 | 1101 |
| | | 6-01-58 | 70.6 | 904.4 | | 1S/09N-03C06 S | 948.0 | 5-02-58 | 58.4 | 809.6 | |
| | | 6-11-58 | 70.6 | 904.4 | | | | 10-22-57 | 82.5 | 900.5 | 1101 |
| | | 6-18-58 | 71.6 | 903.4 | | | | 5-02-58 | 68.7 | 914.3 | |
| | | 6-25-58 | 69.5 | 905.5 | | 1S/09N-03G01 S | 983.0 | | | | |
| | | 7-14-57 | 74.3 | 226.7 | 1101 | | | 10-22-57 | 153.8 | 864.2 | 1101 |
| | | 10-14-57 | 74.5* | 226.5 | | 1S/09N-03H01 S | 1018.0 | 5-02-58 | 154.4 | 863.6 | |
| | | 11-20-57 | 74.0* | 227.0 | | | | | | | |
| | | 12-31-57 | 69.0* | 232.0 | | 1S/09N-04G01 S | 880.6 | 7-17-57 | 94.1 | 786.5 | 1101 |
| 1S/10N-31P05 S | 301.0 | | | | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| MAY HILL BASIN | | | | | | SAN GABRIEL VALLEY | | | | | |
| 41300 | | | | | | 41300 | | | | | |
| MAY HILL BASIN | | | | | | MAY HILL BASIN | | | | | |
| 41308 | | | | | | 41308 | | | | | |
| 1S/09W-04G01 S | 980.6 | 8-14-57 | 93.9 | 786.7 | 1101 | 1S/09W-05J01 S | 821.6 | 4-10-58 | 118.7 | 702.9 | 1101 |
| | | 9-11-57 | 93.6 | 787.0 | | | | 4-25-58 | 116.1 | 705.5 | |
| | | 10-09-57 | 93.2 | 787.4 | | | | 6-16-58 | 111.2 | 710.4 | |
| | | 11-13-57 | 93.0 | 787.6 | | | | | | | |
| | | 12-10-57 | 93.3 | 787.3 | | 1S/09W-06H01 S | 739.9 | 10-22-57 | 63.8 | 676.1 | 1101 |
| | | 1-07-58 | 93.7 | 786.9 | | | | 5-02-58 | 53.8 | 686.1 | |
| | | 2-18-58 | 93.4 | 787.2 | | | | | | | |
| | | 3-11-58 | 92.5 | 788.1 | | 1S/09W-08C02 S | 741.0 | 7-17-57 | 203.1 | 537.9 | 1101 |
| | | 4-11-58 | 89.1 | 791.5 | | | | 7-22-57 | 203.4 | 537.6 | |
| | | 5-15-58 | 78.8 | 801.8 | | | | 8-14-57 | 204.0 | 537.0 | |
| | | 6-16-58 | 74.7 | 806.9 | | | | 9-11-57 | 203.9 | 537.1 | |
| | | | | | | | | 10-09-57 | 203.4 | 537.6 | |
| | | | | | | | | 11-13-57 | 201.6 | 539.4 | |
| | | | | | | | | 12-10-57 | 201.2 | 539.8 | |
| | | | | | | | | 1-07-58 | 202.5 | 538.5 | |
| | | | | | | | | 2-18-58 | 201.4 | 538.5 | |
| | | | | | | | | 3-11-58 | 201.9 | 539.1 | |
| | | | | | | | | 4-15-58 | 203.8 | 537.2 | |
| | | | | | | | | 5-13-58 | 205.0 | 536.0 | |
| 1S/09W-04J01 S | 906.6 | 8-06-57 | 92.9 | 813.7 | 1101 | | | | | | |
| | | 9-04-57 | 91.7 | 814.0 | | | | | | | |
| | | 10-10-57 | 90.6 | 816.0 | | | | | | | |
| | | 11-08-57 | 87.5 | 819.1 | | | | | | | |
| | | 12-02-57 | 86.4 | 820.2 | | | | | | | |
| | | 1-06-58 | 86.1 | 820.5 | | | | | | | |
| | | 2-11-58 | 85.5 | 821.1 | | | | | | | |
| | | 3-03-58 | 84.5 | 822.1 | | | | | | | |
| | | 4-10-58 | 81.4 | 825.2 | | | | | | | |
| | | 5-11-58 | 81.9 | 824.7 | | | | | | | |
| | | 6-10-58 | 81.9 | 824.7 | | | | | | | |
| 1S/09W-05F01 S | 790.0 | 7-17-57 | 162.7 | 627.3 | 1101 | IN/09W-35L01 S | 1100.0 | 10-22-57 | 109.4 | 990.6 | 1101 |
| | | 8-14-57 | 166.2 | 625.8 | | | | 4-24-58 | 25.2 | 1074.8 | |
| | | 9-11-57 | 165.6 | 623.4 | | IN/09W-35L02 S | 1080.0 | 10-22-57 | 87.0 | 993.0 | 1101 |
| | | 10-09-57 | 167.3 | 622.7 | | | | 4-24-58 | 8.1 | 1071.9 | |
| | | 11-13-57 | 165.0 | 625.0 | | IN/09W-35L03 S | 1090.0 | 10-22-57 | 103.5 | 986.5 | 1101 |
| | | 12-10-57 | 157.7 | 632.3 | | | | 4-24-58 | 19.5 | 1070.5 | |
| | | 1-07-58 | 158.0 | 632.0 | | IN/09W-35P01 S | 1047.0 | 7-31-57 | 248.3 | 798.7 | 1101 |
| | | 2-11-58 | 159.6 | 631.4 | | | | 8-21-57 | 250.9 | 796.1 | |
| | | 3-11-58 | 155.6 | 634.4 | | | | 9-11-57 | 251.1 | 795.9 | |
| | | 4-15-58 | 151.2 | 638.8 | | | | 10-16-57 | 252.8 | 795.2 | |
| | | 5-13-58 | 145.8 | 644.2 | | | | 11-13-57 | 248.5 | 798.5 | |
| | | 6-16-58 | 143.7 | 646.3 | | | | 12-10-57 | 253.3 | 793.7 | |
| | | | | | | | | 1-07-58 | 254.4 | 792.6 | |
| 1S/09W-05G01 S | 797.0 | 10-23-57 | 136.6 | 660.4 | 1101 | | | 2-18-58 | 256.3 | 790.7 | |
| | | 5-02-58 | 105.9 | 691.1 | | | | 3-11-58 | 255.4 | 791.6 | |
| | | 10-23-57 | 133.4 | 688.2 | | | | 4-15-58 | 248.3 | 798.7 | |
| | | 12-02-57 | 126.2 | 695.4 | | | | 5-13-58 | 236.0 | 811.0 | |
| | | 1-06-58 | 124.3 | 697.3 | | | | 6-16-58 | 228.6 | 818.4 | |
| | | 2-11-58 | 122.7 | 698.9 | | | | | | | |
| | | 3-03-58 | 122.0 | 699.6 | | IN/09W-35P02 S | 1054.0 | 7-03-57 | 252.7 | 801.3 | 1101 |
| | | | | | | | | 7-10-57 | 256.6 | 797.4 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|--------------------|--------------------|----------------|--------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN DIMAS BASIN | | | | | | SAN GABRIEL VALLEY | | | | | |
| SAN DIMAS BASIN | | | | | | | | | | | |
| 1N/09W-35P02 S | 1054.0 | 7-17-57 | 259.2 | 794.8 | 1101 | 1N/09W-35P02 S | 1054.0 | 6-18-58 | 238.0 | 816.0 | 1101 |
| | | 7-24-57 | 226.2 | 795.6 | | | | 6-29-58 | 239.2 | 814.8 | |
| | | 8-31-57 | 261.1 | 797.4 | | | | 7-31-57 | DRY | 788.3 | |
| | | 8-01-57 | 261.0 | 797.4 | | | | 9-11-57 | 271.7 | 789.3 | |
| | | 8-21-57 | 263.0 | 792.2 | | | | 10-11-57 | 271.7 | 788.5 | |
| | | 8-28-57 | 265.5 | 788.5 | | | | 11-19-57 | 261.8 | 792.2 | |
| | | 9-06-57 | 267.7 | 786.3 | | | | 12-10-57 | 277.5 | 782.5 | |
| | | 9-11-57 | 260.5 | 793.5 | | | | 1-07-58 | 273.8 | 786.2 | |
| | | 10-02-57 | 263.8 | 790.2 | | | | 2-18-58 | 277.1 | 782.9 | |
| | | 9-25-57 | 267.0 | 787.0 | | | | 3-11-58 | 271.9 | 785.1 | |
| | | 10-09-57 | 265.1 | 788.9 | | | | 4-15-58 | 265.8 | 792.7 | |
| | | 10-16-57 | 262.1 | 791.9 | | | | 5-13-58 | 251.7 | 801.3 | |
| | | 10-23-57 | 260.9 | 793.1 | | | | 6-16-58 | 246.2 | 811.8 | |
| | | 10-30-57 | 260.1 | 793.9 | | | | | | | |
| | | 11-06-57 | 260.7 | 793.3 | | | | 1N/09W-35G05 S | 1067.0 | 785.5 | 1101 |
| | | 11-13-57 | 258.4 | 795.6 | | | | 4-24-58 | 272.0 | 795.0 | |
| | | 11-20-57 | 258.0 | 796.0 | | | | | | | |
| | | 12-04-57 | 263.5 | 790.5 | | | | 1N/09W-36G01 S | 1125.0 | 827.4 | 1101 |
| | | 12-11-57 | 263.3 | 790.7 | | | | 10-22-57 | 297.6 | 872.4 | |
| | | 12-18-57 | 263.3 | 790.7 | | | | 4-24-58 | 245.5 | 870.5 | |
| | | 1-02-58 | 262.7 | 791.3 | | | | 1N/09W-36P01 S | 1170.0 | 936.5 | 1101 |
| | | 1-08-58 | 264.1 | 789.9 | | | | 10-22-57 | 233.5 | 936.5 | |
| | | 1-15-58 | 264.1 | 789.9 | | | | 4-28-58 | 220.9 | 940.1 | |
| | | 1-22-58 | 266.6 | 787.4 | | | | 10-22-57 | 262.8 | 892.2 | 1101 |
| | | 1-29-58 | 266.4 | 787.6 | | | | 4-28-58 | 205.7 | 940.1 | |
| | | 2-05-58 | 266.2 | 787.8 | | | | 1S/08W-06C01 S | 1155.0 | 930.9 | 1101 |
| | | 2-12-58 | 266.3 | 787.7 | | | | 10-28-57 | 224.1 | 930.9 | |
| | | 2-19-58 | 265.0 | 789.0 | | | | 4-28-58 | 206.7 | 948.3 | |
| | | 2-27-58 | 265.1 | 788.9 | | | | 10-23-57 | 159.0 | 975.0 | 1101 |
| | | 3-03-58 | 266.5 | 787.5 | | | | 4-28-58 | 154.3 | 980.0 | |
| | | 3-12-58 | 264.1 | 789.9 | | | | | | | |
| | | 3-19-58 | 263.8 | 790.2 | | | | 1S/08W-06L01 S | 1134.3 | 975.0 | 1101 |
| | | 3-26-58 | 262.6 | 791.4 | | | | 10-28-57 | 224.1 | 930.9 | |
| | | 4-02-58 | 260.5 | 793.5 | | | | 4-28-58 | 206.7 | 948.3 | |
| | | 4-09-58 | 257.8 | 796.2 | | | | 7-01-57 | 268.0* | 860.0 | 1101 |
| | | 4-16-58 | 256.7 | 797.3 | | | | 8-01-57 | 276.0* | 852.0 | |
| | | 4-24-58 | 255.3 | 800.7 | | | | 9-02-57 | 285.0* | 843.0 | |
| | | 4-30-58 | 248.4 | 805.6 | | | | 10-07-57 | 285.0* | 849.0 | |
| | | 5-07-58 | 243.6 | 806.4 | | | | 11-21-57 | 275.0* | 853.0 | |
| | | 5-14-58 | 243.6 | 806.4 | | | | 12-09-57 | 265.0* | 860.0 | |
| | | 5-21-58 | 241.1 | 812.9 | | | | 3-01-58 | 265.0* | 860.0 | |
| | | 5-28-58 | 244.4 | 809.6 | | | | 3-01-58 | 265.0* | 872.0 | |
| | | 6-04-58 | 243.7 | 812.3 | | | | 4-01-58 | 255.0* | 875.0 | |
| | | 6-11-58 | 242.0 | 812.0 | | | | 5-12-58 | 245.0* | 831.0 | |
| | | | | | | | | 5-26-58 | 246.0* | 832.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Sponsoring Date | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Sponsoring Date |
|--------------------|---------------------|----------|--------------------------------------|------------------------------|------------------------|--------------------|---------------------|----------|--------------------------------------|------------------------------|------------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN DIMAS BASIN | | | | | | SAN GABRIEL VALLEY | | | | | |
| SAN DIMAS BASIN | | | | | | SAN GABRIEL VALLEY | | | | | |
| SAN DIMAS BASIN | | | | | | | | | | | |
| 1S/09M-01F02 S | 1118.1 | 5-13-58 | 176.9 | 941.2 | 1101 | 1S/09M-01F02 S | 1118.1 | 5-13-58 | 176.9 | 941.2 | 1101 |
| 1S/09M-01G01 S | 1108.0 | 10-22-57 | 191.4 | 916.9 | 1101 | 1S/09M-01G01 S | 1108.0 | 10-22-57 | 191.4 | 916.9 | 1101 |
| | | 4-28-58 | 181.4 | 926.6 | | | | 4-28-58 | 181.4 | 926.6 | |
| 1S/09M-01K01 S | 1084.0 | 10-22-57 | 167.1 | 916.9 | 1101 | 1S/09M-01K01 S | 1084.0 | 10-22-57 | 167.1 | 916.9 | 1101 |
| | | 4-28-58 | 144.5 | 939.5 | | | | 4-28-58 | 144.5 | 939.5 | |
| 1S/09M-02C01 S | 1046.1 | 11-22-57 | 243.3 | 802.8 | 1101 | 1S/09M-02C01 S | 1046.1 | 11-22-57 | 243.3 | 802.8 | 1101 |
| | | 1-02-58 | 246.4 | 799.7 | | | | 1-02-58 | 246.4 | 799.7 | |
| | | 4-24-58 | 236.1 | 810.0 | | | | 4-24-58 | 236.1 | 810.0 | |
| 1S/09M-02C03 S | 1053.0 | 9-11-57 | 256.1 | 796.9 | 1101 | 1S/09M-02C03 S | 1053.0 | 9-11-57 | 256.1 | 796.9 | 1101 |
| | | 10-16-57 | 258.8 | 794.2 | | | | 10-16-57 | 258.8 | 794.2 | |
| | | 11-13-57 | 253.5 | 799.5 | | | | 11-13-57 | 253.5 | 799.5 | |
| | | 6-16-58 | 236.3 | 816.7 | | | | 6-16-58 | 236.3 | 816.7 | |
| 1S/09M-02H01 S | 1080.0 | 7-09-57 | 157.1 | 922.9 | 1101 | 1S/09M-02H01 S | 1080.0 | 7-09-57 | 157.1 | 922.9 | 1101 |
| | | 8-06-57 | 157.4 | 922.6 | | | | 8-06-57 | 157.4 | 922.6 | |
| | | 9-03-57 | 161.5 | 918.5 | | | | 9-03-57 | 161.5 | 918.5 | |
| | | 10-09-57 | 168.3 | 911.7 | | | | 10-09-57 | 168.3 | 911.7 | |
| | | 11-05-57 | 159.0 | 921.0 | | | | 11-05-57 | 159.0 | 921.0 | |
| | | 12-02-57 | 156.5 | 923.5 | | | | 12-02-57 | 156.5 | 923.5 | |
| | | 1-06-58 | 152.2 | 927.8 | | | | 1-06-58 | 152.2 | 927.8 | |
| | | 2-11-58 | 148.6 | 931.4 | | | | 2-11-58 | 148.6 | 931.4 | |
| | | 3-03-58 | 146.9 | 933.1 | | | | 3-03-58 | 146.9 | 933.1 | |
| | | 4-10-58 | 144.2 | 935.8 | | | | 4-10-58 | 144.2 | 935.8 | |
| | | 4-25-58 | 143.9 | 936.1 | | | | 4-25-58 | 143.9 | 936.1 | |
| | | 5-12-58 | 142.4 | 937.6 | | | | 5-12-58 | 142.4 | 937.6 | |
| | | 6-10-58 | 141.1 | 938.9 | | | | 6-10-58 | 141.1 | 938.9 | |
| 1S/09M-02J01 S | 1020.0 | 10-22-57 | 246.2 | 773.8 | 1101 | 1S/09M-02J01 S | 1020.0 | 10-22-57 | 246.2 | 773.8 | 1101 |
| | | 4-28-58 | 247.5 | 772.5 | | | | 4-28-58 | 247.5 | 772.5 | |
| 1S/09M-02K02 S | 1023.0 | 7-13-57 | 104.9 | 918.1 | 1101 | 1S/09M-02K02 S | 1023.0 | 7-13-57 | 104.9 | 918.1 | 1101 |
| | | 8-14-57 | 105.5 | 917.5 | | | | 8-14-57 | 105.5 | 917.5 | |
| | | 9-11-57 | 106.5 | 916.5 | | | | 9-11-57 | 106.5 | 916.5 | |
| | | 10-09-57 | 107.7 | 915.3 | | | | 10-09-57 | 107.7 | 915.3 | |
| | | 11-13-57 | 108.3 | 914.7 | | | | 11-13-57 | 108.3 | 914.7 | |
| | | 12-10-57 | 108.1 | 914.9 | | | | 12-10-57 | 108.1 | 914.9 | |
| | | 1-06-58 | 107.6 | 915.4 | | | | 1-06-58 | 107.6 | 915.4 | |
| | | 2-18-58 | 104.9 | 918.1 | | | | 2-18-58 | 104.9 | 918.1 | |
| | | 3-11-58 | 103.5 | 919.5 | | | | 3-11-58 | 103.5 | 919.5 | |
| | | 4-15-58 | 101.6 | 921.4 | | | | 4-15-58 | 101.6 | 921.4 | |
| | | 5-13-58 | 100.3 | 922.7 | | | | 5-13-58 | 100.3 | 922.7 | |
| | | 6-16-58 | 99.5 | 923.5 | | | | 6-16-58 | 99.5 | 923.5 | |
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN DIMAS BASIN | | | | | | SAN GABRIEL VALLEY | | | | | |
| SAN DIMAS BASIN | | | | | | | | | | | |
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| 1S/09M-01F01 S | 1119.8 | 10-23-57 | 220.5 | 899.3 | 1101 | 1S/09M-01F01 S | 1119.8 | 10-23-57 | 220.5 | 899.3 | 1101 |
| | | 11-13-57 | 197.0 | 923.0 | | | | 11-13-57 | 197.0 | 923.0 | |
| | | 12-10-57 | 193.3 | 926.5 | | | | 12-10-57 | 193.3 | 926.5 | |
| | | 1-07-58 | 181.5 | 931.3 | | | | 1-07-58 | 181.5 | 931.3 | |
| | | 2-18-58 | 180.1 | 935.7 | | | | 2-18-58 | 180.1 | 935.7 | |
| | | 3-12-58 | 182.0 | 937.8 | | | | 3-12-58 | 182.0 | 937.8 | |
| | | 4-05-58 | 178.1 | 940.7 | | | | 4-05-58 | 178.1 | 940.7 | |
| | | 5-13-58 | 177.9 | 941.9 | | | | 5-13-58 | 177.9 | 941.9 | |
| 1S/09M-01F02 S | 1118.1 | 10-23-57 | 220.1 | 898.0 | 1101 | 1S/09M-01F02 S | 1118.1 | 10-23-57 | 220.1 | 898.0 | 1101 |
| | | 11-13-57 | 197.1 | 924.6 | | | | 11-13-57 | 197.1 | 924.6 | |
| | | 12-10-57 | 193.3 | 928.9 | | | | 12-10-57 | 193.3 | 928.9 | |
| | | 1-07-58 | 181.5 | 931.3 | | | | 1-07-58 | 181.5 | 931.3 | |
| | | 2-18-58 | 180.1 | 935.7 | | | | 2-18-58 | 180.1 | 935.7 | |
| | | 3-12-58 | 182.0 | 937.8 | | | | 3-12-58 | 182.0 | 937.8 | |
| | | 4-05-58 | 178.1 | 940.7 | | | | 4-05-58 | 178.1 | 940.7 | |
| | | 5-13-58 | 177.9 | 941.9 | | | | 5-13-58 | 177.9 | 941.9 | |
| 1S/09M-01G02 S | 1119.0 | 10-29-57 | 201.9 | 928.1 | 1101 | 1S/09M-01G02 S | 1119.0 | 10-29-57 | 201.9 | 928.1 | 1101 |
| 1S/09M-01D01 S | 1120.0 | 7-24-57 | 197.0 | 923.0 | 1101 | 1S/09M-01D01 S | 1120.0 | 7-24-57 | 197.0 | 923.0 | 1101 |
| | | 8-21-57 | 208.7 | 913.3 | | | | 8-21-57 | 208.7 | 913.3 | |
| | | 9-18-57 | 206.7 | 913.3 | | | | 9-18-57 | 206.7 | 913.3 | |
| | | 10-16-57 | 206.5 | 913.5 | | | | 10-16-57 | 206.5 | 913.5 | |
| | | 11-13-57 | 200.1 | 913.9 | | | | 11-13-57 | 200.1 | 913.9 | |
| | | 12-10-57 | 197.6 | 924.4 | | | | 12-10-57 | 197.6 | 924.4 | |
| | | 1-07-58 | 194.3 | 925.7 | | | | 1-07-58 | 194.3 | 925.7 | |
| | | 2-18-58 | 189.8 | 930.2 | | | | 2-18-58 | 189.8 | 930.2 | |
| | | 3-10-58 | 186.0 | 932.0 | | | | 3-10-58 | 186.0 | 932.0 | |
| | | 4-13-58 | 186.0 | 934.0 | | | | 4-13-58 | 186.0 | 934.0 | |
| | | 5-13-58 | 184.5 | 935.5 | | | | 5-13-58 | 184.5 | 935.5 | |
| | | 6-16-58 | 192.7 | 927.3 | | | | 6-16-58 | 192.7 | 927.3 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SAN DIMAS BASIN | | | 41309 | SAN GABRIEL VALLEY | | | 41300 | | | | |
| 1S/09W-03E01 S | 930.0 | 10-22-57 | 54.2 | 875.8 | 1101 | 1S/09W-11G01 S | 1000.0 | 10-09-57 | 33.1 | 966.6 | 1101 |
| 1S/09W-04D01 S | 843.0** | 14-19-57 | 126.0 | 714.0 | 1101 | CONT. | | 11-13-57 | 32.6 | 967.4 | |
| | | 5-02-58 | 110.0 | 731.0 | | | | 12-10-57 | 36.5 | 965.5 | |
| 1S/09W-04R01 S | 869.7 | 7-09-57 | 226.2 | 643.5 | 1101 | | | 1-07-58 | 35.3 | 922.7 | |
| | | 9-04-57 | 239.0 | 639.0 | | | | 2-18-58 | 31.7 | 952.4 | |
| | | 10-16-57 | 219.7 | 650.0 | | | | 3-11-58 | 31.0 | 954.5 | |
| | | 11-06-57 | 216.4 | 653.3 | | | | 5-13-58 | 28.5 | 970.5 | |
| | | 12-10-57 | 214.2 | 655.5 | | | | 5-13-58 | 30.1 | 967.8 | |
| | | 1-10-58 | 212.6 | 657.1 | | | | 6-16-58 | 31.7 | 960.5 | |
| | | 2-11-58 | 211.5 | 658.5 | | 1S/09W-16A04 S | 672.0 | 7-22-57 | 160.3 | 512.3 | 1101 |
| | | 3-03-58 | 210.5 | 659.4 | | | | 9-23-57 | 161.5 | 511.5 | |
| | | 4-10-58 | 209.4 | 660.3 | | | | 10-15-57 | 160.9 | 512.1 | |
| | | 6-16-58 | 212.1 | 657.6 | | | | 11-18-57 | 159.7 | 513.1 | |
| | | | | | | | | 4-23-58 | 158.7 | 514.5 | |
| 1S/09W-08E01 S | 728.4 | 7-22-57 | 213.8 | 514.6 | 1101 | FOOTHILL BASIN | | 41310 | | | |
| | | 10-22-57 | 215.0 | 513.4 | | | | 7-17-57 | 35.6 | 1204.4 | 1101 |
| | | 1-15-58 | 199.0 | 529.4 | | | | 8-14-57 | 42.3 | 1197.7 | |
| | | 2-18-58 | 188.1 | 530.3 | | 1M/09W-25K01 S | 1240.0 | 9-11-57 | 43.3 | 1196.7 | |
| | | 3-12-58 | 188.4 | 530.0 | | | | 10-09-57 | 43.5 | 1196.5 | |
| 1S/09W-09B01 S | 842.0 | 10-22-57 | 224.3 | 617.7 | 1101 | | | 11-13-57 | 43.5 | 1196.5 | |
| | | 5-02-58 | 223.3 | 618.7 | | | | 12-10-57 | 43.3 | 1196.7 | |
| 1S/09W-09E01 S | 795.0 | 7-17-57 | 223.9 | 571.1 | 1101 | | | 1-07-58 | 41.8 | 1198.2 | |
| | | 3-14-57 | 224.1 | 570.9 | | | | 2-18-58 | 30.2 | 1209.8 | |
| | | 5-11-57 | 226.4 | 568.6 | | | | 3-11-58 | 34.2 | 1205.8 | |
| | | 10-09-57 | 224.5 | 570.5 | | | | 4-13-58 | 17.3 | 1222.7 | |
| | | 11-13-57 | 224.5 | 570.5 | | | | 5-13-58 | 22.4 | 1217.6 | |
| | | 12-10-57 | 224.4 | 570.6 | | | | 6-16-58 | 27.8 | 1212.2 | |
| | | 1-07-58 | 224.5 | 570.5 | | | | 10-22-57 | 59.9 | 1030.1 | 1101 |
| | | 2-18-58 | 224.3 | 570.7 | | 1M/09W-35G01 S | 1090.0 | 4-24-58 | 23.0 | 1067.0 | |
| | | 3-11-58 | 225.9 | 569.1 | | | | 7-17-57 | 50.1 | 1109.9 | 1101 |
| | | 4-15-58 | 224.2 | 570.8 | | | | 8-14-57 | 53.6 | 1106.4 | |
| | | 5-13-58 | 224.3 | 570.7 | | 1M/09W-35H01 S | 1160.0 | 9-11-57 | 58.2 | 1101.8 | |
| | | 6-16-58 | 224.0 | 571.0 | | | | 10-09-57 | 65.1 | 1094.9 | |
| 1S/09W-09E04 S | 793.0 | 10-22-57 | 109.7 | 683.3 | 1101 | | | 11-13-57 | 55.9 | 1104.1 | |
| | | 5-02-58 | 109.1 | 683.9 | | | | 12-10-57 | 52.6 | 1107.4 | |
| 1S/09W-10A01 S | 934.4 | 10-22-57 | 190.6 | 743.8 | 1101 | | | 1-07-58 | 48.5 | 1111.5 | |
| | | 5-02-58 | 190.0 | 744.4 | | | | 2-18-58 | 33.5 | 1126.5 | |
| 1S/09W-11G01 S | 1000.0 | 8-21-57 | 30.2 | 969.8 | 1101 | | | 3-10-58 | 28.7 | 1131.3 | |
| | | 9-11-57 | 31.3 | 968.7 | | | | 5-13-58 | 25.0 | 1137.0 | |
| | | | | | | | | 5-13-58 | 25.1 | 1137.1 | |
| | | | | | | | | 6-16-58 | 27.3 | 1132.7 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|--------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| FOOTHILL BASIN | | | | | | SPADRA BASIN | | | | | |
| 41310 | | | | | | 41300 | | | | | |
| 1N/09W-36E01 S | 1061.7 | 6-18-58 | 251.5 | 803.5 | 1101 | 15/09W-25E01 S | 801.7 | 1-07-58 | 143.9 | 657.8 | 1101 |
| 1N/09W-36E02 S | 1177.4 | 7-08-57 | 64.7 | 1112.7 | 1101 | | | 2-17-58 | 143.6 | 658.1 | |
| | | 8-05-57 | 65.7 | 1112.4 | | | | 3-10-58 | 142.8 | 658.9 | |
| | | 11-22-57 | 65.8 | 1112.1 | | | | 4-11-58 | 142.6 | 659.1 | |
| | | 11-27-57 | 65.0 | 1115.0 | | | | 4-28-58 | 142.1 | 659.6 | |
| | | 6-11-58 | 37.0 | 1133.0 | | | | 5-08-58 | 141.9 | 659.8 | |
| | | 8-18-58 | 34.6 | 1135.4 | | 15/09W-25E02 S | 801.0 | 6-10-58 | 142.9 | 658.8 | 1101 |
| | | 3-11-58 | 31.5 | 1138.4 | | | | 8-12-57 | 140.0* | 661.0 | 1101 |
| | | 4-19-58 | 24.7 | 1143.3 | | | | 11-30-57 | 142.0* | 659.0 | |
| | | 4-28-58 | 24.5 | 1143.4 | | | | 11-04-57 | 146.7 | 659.3 | 1101 |
| | | 5-11-58 | 27.9 | 1142.1 | | | | 5-05-58 | 147.1 | 658.9 | |
| | | 6-11-58 | 31.5 | 1139.4 | | | | 8-12-57 | 166.0 | 658.0 | 1101 |
| 1N/09W-36E02 S | 1235.7 | 10-27-57 | 227.4 | 1007.5 | 1101 | | | 11-30-57 | 176.0 | 648.0 | |
| | | 4-28-58 | 130.7 | 1104.7 | | | | 10-16-57 | 131.1 | 661.9 | 3100 |
| 1N/09W-36F01 S | 1277.0 | 10-27-57 | 146.1 | 1132.7 | 1101 | | | 4-24-58 | 131.1 | 665.9 | |
| | | 4-28-58 | 117.0 | 1160.0 | | | | 10-29-57 | 136.2 | 659.8 | 1101 |
| SPADRA BASIN | | | | | | 41311 | | | | | |
| 15/09W-22J01 S | | 11-04-57 | FLOW | | 1101 | 15/09W-27J01 S | 732.0 | 10-29-57 | 100.7 | 691.3 | 1101 |
| 15/09W-23F01 S | 767.0** | 10-27-57 | 103.3 | 663.7 | 1101 | | | 5-08-58 | 93.1 | 698.9 | |
| | | 5-05-58 | 98.0 | 668.0 | | 15/09W-27J02 S | 727.0 | 10-26-57 | 96.2 | 690.8 | 1101 |
| 15/09W-23R01 S | 799.0 | 10-28-57 | 133.6 | 665.2 | 1101 | | | 5-08-58 | 88.1 | 698.9 | |
| | | 5-05-58 | 124.7 | 678.3 | | 15/09W-33J01 S | 676.7 | 10-29-57 | 46.2 | 690.5 | 1101 |
| 15/09W-24O01 S | 835.0 | 10-29-57 | 153.5 | 681.5 | 1101 | | | 12-10-57 | 46.0 | 690.7 | |
| | | 5-05-58 | 152.4 | 682.6 | | | | 2-15-58 | 46.5 | 693.2 | |
| 15/09W-25B01 S | 824.0 | 8-12-57 | 165.0 | 659.0 | 1101 | | | 2-26-58 | 38.5 | 698.2 | |
| | | 11-30-57 | 197.0 | 627.0 | | | | 4-17-58 | 50.8 | 625.9 | |
| 15/09W-25D01 S | 797.0 | 8-12-57 | 140.0 | 657.0 | 1101 | | | 4-22-58 | 44.4 | 632.3 | |
| | | 11-30-57 | 150.0 | 647.0 | | | | 4-24-58 | 44.5 | 632.2 | |
| 15/09W-25E01 S | 801.7 | 7-09-57 | 143.8 | 657.9 | 1101 | 15/09W-33J02 S | 666.0** | 5-06-58 | 43.7 | 693.0 | |
| | | 9-03-57 | 145.4 | 656.3 | | | | 4-17-58 | 45.7 | 620.3 | 1101 |
| | | 10-01-57 | 146.1 | 656.6 | | | | 4-22-58 | 45.7 | 620.3 | |
| | | 11-04-57 | 144.5 | 657.2 | | | | 4-24-58 | 45.8 | 620.2 | |
| | | 12-02-57 | 144.5 | 657.2 | | 15/09W-34F01 S | 686.0 | 5-06-58 | 46.0 | 620.0 | |
| | | | | | | | | 10-29-57 | 78.1 | 609.9 | 1101 |
| | | | | | | 25/09W-03P03 S | 718.0 | 5-05-58 | 70.8 | 617.2 | 1101 |
| | | | | | | | | 11-04-57 | 33.7 | 684.3 | 1101 |

GROUND WATER LEVELS AT WELLS

| Site Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | | | | | | |
| SPADRA BASIN | | | | | | | | | | | |
| 2S/09W-03P03 S | 718.0 | 5-08-58 | 41311 | 690.1 | 1101 | 2S/09W-07R23 S | 527.0 | 6-12-58 | 41312 | 497.3 | 1101 |
| PUENTE BASIN | | | | | | | | | | | |
| 1S/09W-32C03 S | 737.0 | 10-29-57 | 41312 | 728.0 | 1101 | 2S/09W-06P01 S | 548.7 | 10-27-57 | 41313 | 515.7 | 1101 |
| | | 5-08-58 | 3.6 | 733.4 | | | | 5-08-58 | 21.0 | 815.0 | |
| 1S/09W-32G02 S | 700.0 | 10-29-57 | 13.3 | 686.7 | 1101 | 2S/09W-07G01 S | 636.3 | 11-04-57 | 16.5 | 611.4 | 1101 |
| | | 5-08-58 | 4.0 | 696.0 | | | | 5-08-58 | 14.7 | 675.7 | |
| 2S/09W-03P02 S | 715.0 | 11-04-57 | 37.2 | 681.8 | 1101 | 2S/09W-10D01 S | 615.5 | 11-04-57 | 15.3 | 632.7 | 1101 |
| | | 5-08-58 | 28.0 | 691.0 | | | | 5-08-58 | 14.3 | 610.5 | |
| 2S/09W-04E01 S | 606.0 | 10-29-57 | 29.2 | 576.8 | 1101 | 2S/09W-10D05 S | 476.0 | 11-04-57 | 21.4 | 454.5 | 1101 |
| | | 5-08-58 | 19.1 | 586.9 | | | | 5-08-58 | 19.2 | 456.8 | |
| 2S/09W-04C02 S | 605.0 | 10-29-57 | 30.0 | 579.0 | 1101 | 2S/10W-06P02 C | 303.2 | 7-18-57 | 26.7 | 382.1 | 1101 |
| | | 5-08-58 | 19.0 | 590.0 | | | | 8-08-57 | 27.1 | 385.0 | |
| 2S/09W-04G01 S | 621.0 | 10-29-57 | 44.8 | 576.2 | 1101 | | | 9-29-57 | 21.0 | 393.0 | |
| | | 5-08-58 | 35.0 | 586.0 | | | | 10-10-57 | 21.0 | 393.0 | |
| | | | | | | | | 10-10-57 | 21.4 | 393.0 | |
| | | | | | | | | 10-11-57 | 21.5 | 393.0 | |
| | | | | | | | | 12-13-57 | 21.5 | 393.0 | |
| | | | | | | | | 12-13-57 | 21.5 | 393.0 | |
| 2S/09W-04G02 S | 622.0 | 10-29-57 | 46.5 | 575.5 | 1101 | | | 1-25-58 | 21.5 | 393.0 | |
| | | 5-08-58 | 37.4 | 584.6 | | | | 2-11-58 | 19.7 | 381.0 | |
| 2S/09W-05N02 S | 563.0 | 10-29-57 | 6.8 | 556.2 | 1101 | | | 3-06-58 | 11.7 | 551.0 | |
| | | 5-27-58 | 10.7 | 552.3 | | | | 3-27-58 | 11.0 | 551.0 | |
| | | | | | | | | 4-17-58 | 11.0 | 551.0 | |
| | | | | | | | | 5-08-58 | 14.3 | 551.0 | |
| 2S/09W-05N03 S | 562.0 | 10-29-57 | 5.9 | 556.1 | 1101 | | | 5-29-58 | 14.3 | 551.0 | |
| | | 5-08-58 | 4.6 | 552.4 | | | | 6-19-58 | 14.1 | 554.1 | |
| | | 5-27-58 | 10.0 | 552.0 | | | | | | | |
| 2S/09W-07G03 S | 501.0 | 5-06-58 | 27.3 | 473.7 | 1101 | 2S/10W-07C01 S | 303.0** | 7-15-57 | 65.8* | 245.0 | 1101 |
| | | | | | | | | 8-15-57 | 65.8* | 245.0 | |
| 2S/09W-07R03 S | 523.0 | 7-09-57 | 37.0 | 466.0 | 1101 | | | 9-16-57 | 47.3* | 458.1 | |
| | | 9-06-57 | 36.0 | 487.0 | | | | 10-16-57 | 41.8* | 461.0 | |
| | | 8-03-57 | 36.4 | 486.6 | | | | 11-11-57 | 35.5* | 467.0 | |
| | | 10-01-57 | 36.4 | 486.6 | | | | 1-17-58 | 54.8* | 249.0 | |
| | | 11-04-57 | 33.2 | 489.8 | | | | 2-01-58 | 50.8* | 252.0 | |
| | | 12-12-57 | 30.6 | 492.4 | | | | 3-01-58 | 46.0* | 254.0 | |
| | | 1-07-58 | 29.1 | 493.9 | | | | 4-01-58 | 48.0* | 254.0 | |
| | | 2-17-58 | 27.1 | 495.9 | | | | 6-01-58 | 49.0* | 251.0 | |
| | | 3-03-58 | 26.2 | 496.8 | | | | | | | |
| | | 4-11-58 | 21.1 | 501.9 | | | | 11-04-57 | 39.9 | 275.1 | 1101 |
| | | 2-01-58 | 20.2 | 502.8 | | | | 5-09-58 | 36.2 | 278.8 | |
| | | 5-08-58 | 21.0 | 502.0 | | | | 7-18-57 | 29.8 | 297.2 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|--------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|--------------------|---------------------|----------|--------------------------------------|------------------------------|-----------------------|
| SAN GABRIEL VALLEY | | | | | | SAN GABRIEL VALLEY | | | | | |
| 41300 | | | | | | 41300 | | | | | |
| PUENTE BASIN | | | | | | PUENTE BASIN | | | | | |
| 41312 | | | | | | 41312 | | | | | |
| 25/10W-08E01 S | 327.0 | 8-08-57 | 11.4 | 295.4 | 1101 | 25/10W-13F02 S | 453.0 | 10-31-57 | 17.2 | 435.8 | 1101 |
| CONT. | | 8-29-57 | 12.0 | 295.0 | | | | 5-06-58 | 8.7 | 444.3 | |
| | | 9-10-57 | 10.6 | 294.4 | | | | | | | |
| | | 10-10-57 | 11.8 | 295.2 | | 25/10W-13F03 S | 452.0 | 10-31-57 | 16.8 | 435.2 | 1101 |
| | | 10-31-57 | 14.0 | 297.1 | | | | 5-06-58 | 8.4 | 443.6 | |
| | | 11-21-57 | 14.0 | 298.2 | | 25/10W-14L03 S | 435.5 | 10-31-57 | 61.3 | 374.2 | 1101 |
| | | 12-12-57 | 18.6 | 298.5 | | | | 5-06-58 | 46.5 | 389.0 | |
| | | 1-25-58 | 17.1 | 297.7 | | | | | | | |
| | | 1-13-59 | 18.5 | 301.5 | | 25/10W-14M01 S | 433.0 | 10-31-57 | 75.5 | 357.5 | 1101 |
| | | 2-26-59 | 13.3 | 303.7 | | | | 5-06-58 | 57.2 | 375.8 | |
| | | 3-27-59 | 11.6 | 305.4 | | 25/10W-14M02 S | 432.0 | 10-31-57 | 72.8 | 359.2 | 1101 |
| | | 4-17-59 | 17.4 | 308.1 | | | | 5-06-58 | 62.3 | 369.7 | |
| | | 5-03-59 | 18.7 | 311.3 | | 25/10W-15D01 S | 391.0 | 10-31-57 | 47.8 | 343.2 | 1101 |
| | | 5-27-59 | 18.5 | 307.5 | | | | 5-06-58 | 35.4 | 355.6 | |
| | | 6-14-59 | 10.7 | 306.3 | | | | | | | |
| 25/10W-08L01 S | 342.0 | 5-09-58 | 38.3 | 302.1 | 1101 | 25/10W-15H01 S | 421.0** | 11-31-57 | 70.3 | 350.7 | 1101 |
| 25/10W-09K01 S | 375.5 | 10-31-57 | 43.0 | 338.5 | 1101 | | | 5-06-58 | 55.9 | 365.1 | |
| | | 5-06-58 | 28.1 | 346.4 | | 25/10W-15H02 S | 422.0 | 10-31-57 | 72.1 | 349.9 | 1101 |
| 25/10W-09Q02 S | 375.0** | 12-30-57 | 34.2 | 340.4 | 1101 | | | 5-06-58 | 57.2 | 364.8 | |
| | | 5-06-58 | 35.1 | 347.0 | | 25/10W-15K01 S | 421.2** | 10-31-57 | 70.0 | 351.2 | 1101 |
| 25/10W-09Q06 S | 372.5 | 1-17-58 | 28.3 | 344.2 | 1101 | | | 5-06-58 | 55.9 | 365.3 | |
| 25/10W-09Q07 S | 375.0** | 12-30-57 | 34.2 | 340.8 | 1101 | 25/10W-15L01 S | 423.0 | 10-31-57 | 48.7 | 374.3 | 1101 |
| | | 5-06-58 | 35.0 | 340.0 | | | | 5-06-58 | 47.1 | 375.9 | |
| 25/10W-10M01 S | 391.0 | 11-04-57 | 26.6 | 364.4 | 1101 | 25/10W-23G01 S | 485.5 | 11-04-57 | 42.4 | 443.1 | 1101 |
| | | 5-06-58 | 23.1 | 367.9 | | | | 5-06-58 | 31.5 | 454.0 | |
| 25/10W-11M01 S | 405.0 | 10-30-57 | 33.1 | 371.9 | 1101 | | | | | | |
| | | 5-06-58 | 26.3 | 378.7 | | | | | | | |
| 25/10W-13A02 S | 480.0 | 11-04-57 | 21.0 | 459.0 | 1101 | | | | | | |
| | | 5-06-58 | 20.3 | 459.7 | | | | | | | |
| 25/10W-13D01 S | 460.1 | 11-04-57 | 31.0 | 429.0 | 1101 | | | | | | |
| | | 5-05-58 | 26.7 | 433.3 | | | | | | | |
| 25/10W-13E01 S | 443.0 | 10-31-57 | 15.8 | 427.2 | 1101 | | | | | | |
| | | 5-06-58 | 9.5 | 433.5 | | | | | | | |
| 25/10W-13F01 S | 460.0 | 11-04-57 | 14.1 | 445.9 | 1101 | | | | | | |
| | | 5-06-58 | 13.7 | 446.3 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| UP S ANA VALLEY L A CO | | | | | | | | | | | |
| CHINO BASIN | | | | | | | | | | | |
| UP S ANA VALLEY L A CO | | | | | | | | | | | |
| CHINO BASIN | | | | | | | | | | | |
| 1S/08W-28E01 S | 885.5 | 7-01-57 | 255.3 | 630.2 | 1101 | 1S/08W-28E02 S CONT. | 896.6 | 7-15-58 | 345.0 | 646.6 | 1101 |
| | | 7-15-57 | 266.0 | 618.6 | | | | 8-01-57 | 290.7 | 630.4 | |
| | | 8-01-57 | 266.9 | 618.0 | | | | 8-15-57 | 267.2 | 638.1 | |
| | | 8-15-57 | 271.5 | 615.0 | | | | 9-01-57 | 269.4 | | |
| | | 9-01-57 | 269.2 | 615.3 | | | | 9-15-57 | 269.2 | | |
| | | 9-15-57 | 269.2 | 615.0 | | | | 10-01-57 | 267.5 | | |
| | | 10-01-57 | 267.5 | 615.2 | | | | 10-01-57 | 267.5 | | |
| | | 10-01-57 | 267.5 | 615.4 | | | | 10-15-57 | 266.1 | | |
| | | 10-15-57 | 266.1 | 615.4 | | | | 11-01-57 | 268.4 | | |
| | | 11-01-57 | 268.4 | 637.1 | | | | 12-01-57 | 267.0 | | |
| | | 12-01-57 | 267.0 | 638.2 | | | | 1-15-58 | 247.2 | | |
| | | 1-15-58 | 247.2 | 645.2 | | | | 1-15-58 | 240.3 | | |
| | | 1-15-58 | 240.3 | 645.2 | | | | 2-01-58 | 242.6 | | |
| | | 2-01-58 | 242.6 | 644.0 | | | | 2-01-58 | 241.5 | | |
| | | 2-01-58 | 241.5 | 644.0 | | | | 3-01-58 | 236.8 | | |
| | | 3-01-58 | 236.8 | 648.7 | | | | 3-01-58 | 236.8 | | |
| | | 3-01-58 | 236.8 | 648.7 | | | | 3-15-58 | 234.5 | | |
| | | 3-15-58 | 234.5 | 651.0 | | | | 4-01-58 | 235.7 | | |
| | | 4-01-58 | 235.7 | 645.8 | | | | 4-15-58 | 235.1 | | |
| | | 4-15-58 | 235.1 | 646.3 | | | | 5-01-58 | 238.2 | | |
| | | 5-01-58 | 238.2 | 641.0 | | | | 5-15-58 | 236.8 | | |
| | | 5-15-58 | 236.8 | 648.7 | | | | 6-01-58 | 257.6 | | |
| | | 6-01-58 | 257.6 | 627.0 | | | | 6-15-58 | 256.5 | | |
| | | 6-15-58 | 256.5 | 625.0 | | | | 7-01-57 | 260.7 | | |
| | | 7-01-57 | 260.7 | 633.9 | 1101 | | | 7-15-57 | 272.3 | | |
| | | 7-15-57 | 272.3 | 622.3 | | | | 8-01-57 | 270.0 | | |
| | | 8-01-57 | 270.0 | 624.6 | | | | 8-15-57 | 274.6 | | |
| | | 8-15-57 | 274.6 | 620.0 | | | | 9-01-57 | 270.0 | | |
| | | 9-01-57 | 270.0 | 624.6 | | | | 9-15-57 | 271.8 | | |
| | | 9-15-57 | 271.8 | 621.8 | | | | 10-01-57 | 276.4 | | |
| | | 10-01-57 | 276.4 | 624.6 | | | | 10-15-57 | 256.4 | | |
| | | 10-15-57 | 256.4 | 624.2 | | | | 11-01-57 | 251.8 | | |
| | | 11-01-57 | 251.8 | 640.8 | | | | 11-15-57 | 251.8 | | |
| | | 11-15-57 | 251.8 | 640.8 | | | | 12-01-57 | 256.1 | | |
| | | 12-01-57 | 256.1 | 638.5 | | | | 12-15-57 | 256.1 | | |
| | | 12-15-57 | 256.1 | 643.1 | | | | 1-01-58 | 250.3 | | |
| | | 1-01-58 | 250.3 | 644.3 | | | | 1-15-58 | 250.3 | | |
| | | 1-15-58 | 250.3 | 644.3 | | | | 2-01-58 | 244.6 | | |
| | | 2-01-58 | 244.6 | 648.9 | | | | 2-15-58 | 244.6 | | |
| | | 2-15-58 | 244.6 | 637.0 | | | | 3-01-58 | 243.4 | | |
| | | 3-01-58 | 243.4 | 630.2 | | | | 3-15-58 | 244.6 | | |
| | | 3-15-58 | 244.6 | 630.0 | | | | 4-01-58 | 244.6 | | |
| | | 4-01-58 | 244.6 | 630.0 | | | | 4-15-58 | 248.5 | | |
| | | 4-15-58 | 248.5 | 646.0 | | | | 5-01-58 | 248.0 | | |
| | | 5-01-58 | 248.0 | 646.0 | | | | | | | |
| UP S ANA VALLEY L A CO | | | | | | | | | | | |
| CHINO BASIN | | | | | | | | | | | |
| UP S ANA VALLEY L A CO | | | | | | | | | | | |
| CHINO BASIN | | | | | | | | | | | |
| 1S/08W-28E02 S | 896.6 | 7-01-57 | 260.7 | 633.9 | 1101 | 1S/08W-28E01 S | 896.6 | 7-01-57 | 260.7 | 633.9 | 1101 |
| | | 7-15-57 | 272.3 | 622.3 | | | | 7-15-57 | 260.7 | 633.9 | |
| | | 8-01-57 | 270.0 | 624.6 | | | | 8-01-57 | 290.7 | 630.4 | |
| | | 8-15-57 | 274.6 | 620.0 | | | | 8-15-57 | 267.2 | 638.1 | |
| | | 9-01-57 | 270.0 | 624.6 | | | | 9-01-57 | 267.7 | 638.1 | |
| | | 9-15-57 | 271.8 | 621.8 | | | | 10-01-57 | 267.7 | 638.1 | |
| | | 10-01-57 | 276.4 | 624.6 | | | | 10-15-57 | 266.4 | 617.8 | |
| | | 10-15-57 | 256.4 | 624.2 | | | | 11-01-57 | 256.4 | 632.9 | |
| | | 11-01-57 | 251.8 | 640.8 | | | | 11-15-57 | 256.1 | 632.9 | |
| | | 11-15-57 | 251.8 | 640.8 | | | | 12-01-57 | 256.1 | 632.9 | |
| | | 12-01-57 | 256.1 | 638.5 | | | | 12-15-57 | 256.1 | 632.9 | |
| | | 12-15-57 | 256.1 | 643.1 | | | | 1-01-58 | 250.3 | 632.9 | |
| | | 1-01-58 | 250.3 | 644.3 | | | | 1-15-58 | 250.3 | 632.9 | |
| | | 1-15-58 | 250.3 | 644.3 | | | | 2-01-58 | 244.6 | 632.9 | |
| | | 2-01-58 | 244.6 | 648.9 | | | | 2-15-58 | 244.6 | 632.9 | |
| | | 2-15-58 | 244.6 | 637.0 | | | | 3-01-58 | 243.4 | 632.9 | |
| | | 3-01-58 | 243.4 | 630.2 | | | | 3-15-58 | 244.6 | 632.9 | |
| | | 3-15-58 | 244.6 | 630.0 | | | | 4-01-58 | 244.6 | 632.9 | |
| | | 4-01-58 | 244.6 | 630.0 | | | | 4-15-58 | 248.5 | 632.9 | |
| | | 4-15-58 | 248.5 | 646.0 | | | | 5-01-58 | 248.0 | 632.9 | |
| | | 5-01-58 | 248.0 | 646.0 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| UP S ANA VALLEY L A CO | | | | | | | | | | | |
| CHINO BASIN | | | | | | | | | | | |
| 15/08W-28G01 S | 896+0 | 5-01-58 | 248+8 | 647+2 | 1101 | 15/08W-28M01 S | 868+0 | 7-15-57 | 244+6 | 623+4 | 1101 |
| | | 5-15-58 | 251+1 | 644+9 | | CONT. | | 8-01-57 | 251+5 | 616+5 | |
| | | 6-01-58 | 260+3 | 635+7 | | | | 8-15-57 | 253+1 | 611+9 | |
| | | 6-15-58 | 263+8 | 632+2 | | | | 9-01-57 | 253+8 | 616+2 | |
| 15/08W-28G02 S | 905+0 | 7-01-57 | 273+0 | 632+0 | 1101 | | | 9-15-57 | 253+8 | 614+2 | |
| | | 7-15-57 | 279+9 | 625+1 | | | | 10-01-57 | 246+7 | 621+3 | |
| | | 8-01-57 | 279+9 | 625+1 | | | | 10-15-57 | 235+3 | 632+7 | |
| | | 8-15-57 | 284+6 | 620+4 | | | | 11-01-57 | 230+7 | 637+3 | |
| | | 9-01-57 | 279+9 | 625+1 | | | | 11-15-57 | 235+3 | 632+7 | |
| | | 9-15-57 | 279+9 | 625+1 | | | | 12-01-57 | 235+3 | 632+7 | |
| | | 10-01-57 | 277+6 | 627+4 | | | | 12-15-57 | 233+0 | 635+0 | |
| | | 10-15-57 | 266+1 | 638+9 | | | | 1-01-58 | 233+0 | 635+0 | |
| | | 1-15-58 | 261+0 | 644+0 | | | | 2-01-58 | 228+4 | 639+6 | |
| | | 2-01-58 | 261+5 | 644+7 | | | | 2-15-58 | 224+9 | 643+1 | |
| | | 3-15-58 | 254+5 | 650+5 | | | | 3-01-58 | 224+9 | 643+1 | |
| | | 4-01-58 | 252+2 | 652+8 | | | | 3-15-58 | 221+5 | 646+5 | |
| | | 4-15-58 | 254+5 | 650+5 | | | | | | | |
| | | 6-15-58 | 270+7 | 634+3 | | | | | | | |
| UP S ANA VALLEY L A CO | | | | | | | | | | | |
| CHINO BASIN | | | | | | | | | | | |
| 15/08W-28L01 S | 872+4 | 7-01-57 | 255+2 | 617+2 | 1101 | 15/08W-28M02 S | 870+0 | 7-01-57 | 244+6 | 623+4 | 1101 |
| | | 7-15-57 | 259+8 | 612+6 | | | | 7-15-57 | 244+6 | 623+4 | |
| | | 8-01-57 | 259+8 | 612+6 | | | | 8-01-57 | 251+5 | 618+5 | |
| | | 8-15-57 | 264+4 | 608+0 | | | | 8-15-57 | 256+1 | 613+9 | |
| | | 9-01-57 | 262+1 | 610+3 | | | | 9-01-57 | 253+8 | 616+2 | |
| | | 9-15-57 | 257+5 | 614+9 | | | | 9-15-57 | 253+8 | 616+2 | |
| | | 10-01-57 | 252+8 | 619+6 | | | | 10-01-57 | 246+9 | 623+1 | |
| | | 10-15-57 | 234+4 | 638+0 | | | | 10-15-57 | 235+3 | 634+7 | |
| | | 11-01-57 | 232+1 | 640+3 | | | | 11-01-57 | 230+7 | 639+3 | |
| | | 11-15-57 | 232+1 | 640+3 | | | | 11-15-57 | 235+3 | 634+7 | |
| | | 12-01-57 | 235+5 | 636+9 | | | | 12-01-57 | 235+3 | 634+7 | |
| | | 12-15-57 | 229+7 | 642+7 | | | | 12-15-57 | 233+0 | 637+0 | |
| | | 1-01-58 | 232+1 | 640+3 | | | | 1-01-58 | 233+0 | 637+0 | |
| | | 1-15-58 | 233+2 | 639+2 | | | | 2-01-58 | 228+4 | 641+6 | |
| | | 2-01-58 | 229+7 | 642+7 | | | | 2-15-58 | 224+9 | 645+1 | |
| | | 2-15-58 | 228+6 | 643+8 | | | | 3-01-58 | 224+9 | 645+1 | |
| | | 3-01-58 | 225+1 | 647+3 | | | | 3-15-58 | 221+5 | 648+5 | |
| | | 3-15-58 | 220+5 | 651+9 | | | | 6-15-58 | 246+9 | 623+1 | |
| | | 4-01-58 | 219+4 | 653+0 | | | | | | | |
| | | 4-15-58 | 221+7 | 650+7 | | | | 7-01-57 | 228+4 | 637+0 | |
| | | 5-01-58 | 225+1 | 647+3 | | | | 7-15-57 | 246+9 | 618+5 | |
| | | 5-15-58 | 220+5 | 651+9 | | | | 8-01-57 | 246+9 | 620+8 | |
| | | 6-15-58 | 244+9 | 627+5 | | | | 8-15-57 | 249+2 | 616+2 | |
| | | | | | | | | 9-01-57 | 249+2 | 616+2 | |
| | | | | | | | | 9-15-57 | 244+6 | 620+8 | |
| | | | | | | | | 10-01-57 | 239+9 | 625+5 | |
| | | | | | | | | 10-15-57 | 228+4 | 637+0 | |
| | | | | | | | | 11-01-57 | 223+8 | 641+6 | |
| 15/08W-28M01 S | 868+0 | 7-01-57 | 244+6 | 623+4 | 1101 | 15/08W-28M03 S | 865+4 | 7-01-57 | 228+4 | 637+0 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|---------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|---------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| UP S ANA VALLEY L A CO | | | | | | | | | | | |
| 41400 | | | | | | | | | | | |
| CHINO BASIN | | | | | | | | | | | |
| 41401 | | | | | | | | | | | |
| 1S/08W-28H03 S | 865.4 | 12-01-57 | 227.3 | 638.1 | 1101 | 1S/08W-28H02 S | 859.0 | 11-01-57 | 222.5 | 636.5 | 1101 |
| CONT. | | | | | | | | 1-15-57 | 217.8 | 641.2 | |
| | | 1-01-58 | 223.8 | 641.6 | | | | 12-01-57 | 225.9 | 633.1 | |
| | | 1-15-58 | 228.4 | 637.0 | | | | 12-15-57 | 222.5 | 636.5 | |
| | | 2-01-58 | 221.5 | 643.9 | | | | 1-01-58 | 224.8 | 634.2 | |
| | | 2-15-58 | 218.0 | 647.4 | | | | 1-15-58 | 229.4 | 629.6 | |
| | | 3-01-58 | 220.3 | 645.1 | | | | 2-01-58 | 223.6 | 635.4 | |
| | | 3-15-58 | 215.7 | 649.7 | | | | 2-15-58 | 217.8 | 641.2 | |
| | | 4-01-58 | 214.5 | 650.9 | | | | 3-01-58 | 219.0 | 640.0 | |
| | | 4-15-58 | 215.7 | 649.7 | | | | 3-15-58 | 216.7 | 642.3 | |
| | | 5-01-58 | 221.5 | 643.9 | | | | 4-01-58 | 213.2 | 645.8 | |
| | | 5-15-58 | 219.2 | 646.2 | | | | 4-15-58 | 214.4 | 644.6 | |
| | | 6-15-58 | 241.1 | 624.3 | | | | 5-01-58 | 219.0 | 640.0 | |
| | | | | | | | | 5-15-58 | 216.7 | 644.0 | |
| | | | | | | | | 6-15-58 | 236.3 | 624.4 | |
| 1S/08W-28N01 S | 860.2 | 7-01-57 | 242.3 | 617.9 | 1101 | | | 11-01-57 | 242.6 | 643.4 | 1101 |
| | | 7-15-57 | 251.5 | 608.7 | | | | 5-03-58 | 241.6 | 644.4 | |
| | | 8-01-57 | 248.0 | 612.2 | | | | | | | |
| | | 8-15-57 | 253.8 | 606.4 | | | | 10-29-57 | 117.0 | 691.0 | 1101 |
| | | 9-01-57 | 244.6 | 615.6 | | | | 5-05-58 | 115.8 | 692.2 | |
| | | 9-15-57 | 248.0 | 612.2 | | | | | | | |
| | | 10-01-57 | 237.6 | 622.5 | | | | | | | |
| | | 10-15-57 | 221.5 | 638.7 | | | | 10-29-57 | 174.2 | 644.8 | 1101 |
| | | 11-01-57 | 216.8 | 643.4 | | | | 5-05-58 | 174.0 | 645.0 | |
| | | 11-15-57 | 212.1 | 649.1 | | | | | | | |
| | | 12-01-57 | 222.6 | 637.6 | | | | 5-05-58 | 174.0 | 645.0 | |
| | | 12-15-57 | 219.2 | 641.0 | | | | | | | |
| | | 1-01-58 | 221.5 | 638.7 | | | | 10-16-57 | DRY | 31.00 | |
| | | 1-15-58 | 223.6 | 635.4 | | | | | | | |
| | | 2-01-58 | 215.0 | 648.0 | | | | | | | |
| | | 2-15-58 | 216.7 | 644.5 | | | | | | | |
| | | 3-01-58 | 205.9 | 650.3 | | | | 10-28-57 | 44.5 | 1487.4 | 1101 |
| | | 3-15-58 | 209.9 | 651.3 | | | | 3-04-58 | 18.3 | 1513.6 | |
| | | 4-15-58 | 211.1 | 649.1 | | | | 4-29-58 | 4.1 | 1527.8 | |
| | | 5-01-58 | 214.5 | 645.7 | | | | | | | |
| | | 5-15-58 | 223.8 | 636.4 | | | | 11-05-57 | 393.0 | 683.0 | 1101 |
| | | 6-15-58 | 233.3 | 624.0 | | | | | | | |
| UP S ANA VALLEY L A CO | | | | | | | | | | | |
| 41400 | | | | | | | | | | | |
| CHINO BASIN | | | | | | | | | | | |
| 41401 | | | | | | | | | | | |
| 1S/08W-28N02 S | 859.0 | 7-01-57 | 247.9 | 611.1 | 1101 | 1S/08W-07F02 S | 1078.0 | 11-20-57 | 384.8 | 693.2 | 1101 |
| CONT. | | | | | | | | 4-28-58 | 368.2 | 705.8 | |
| | | 7-15-57 | 253.7 | 605.3 | | | | 10-28-57 | 395.8 | 708.2 | 1101 |
| | | 8-01-57 | 257.1 | 601.9 | | | | 4-28-58 | 390.5 | 713.5 | |
| | | 8-15-57 | 254.8 | 604.2 | | | | | | | |
| | | 9-01-57 | 250.2 | 608.8 | | | | 10-15-57 | 400.0 | 692.8 | 1101 |
| | | 9-15-57 | 274.9* | 584.1 | | | | 11-14-57 | 396.0 | 696.8 | |
| | | 10-01-57 | 245.6 | 613.4 | | | | | | | |
| | | 10-15-57 | 227.1 | 631.9 | | | | 4-28-58 | 397.5 | 709.5 | 1101 |
| 1S/08W-28N02 S | 859.0 | | | | | 1S/08W-07H01 S | 1107.0 | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|--|---|-----------------------------|-----------------------|-------------------------|--------------------|---|--|---|-----------------------|
| JP S ANA VALLEY L A CO 41400 | | | | | | | | | | | |
| POHOHA BASIN 41402 | | | | | | | | | | | |
| 15/08W-07K01 S | 1085.0 | 10-29-57 4-28-58 | 697.6 700.2 | 1101 | 1101 | 15/08W-1JN02 S CONT. | 1117.0 | 5-27-58 6-16-58 | DRY DRY | 1101 | 1101 |
| 15/08W-07N01 S | 1044.0 | 11-26-57 5-27-58 | 703.2 699.6 | 1101 | 1101 | 15/08W-10N03 S | 1154.0 | 7-17-57 8-16-57 | 92.2* 104.2* | 1054.8 1049.8 | 1101 |
| 15/08W-08H01 S | 1176.0 | 7-01-57 5-15-58 6-01-58 | 924.4 941.0 901.0 | 1101 | 1101 | | | 8-10-57 10-01-57 10-23-57 11-06-57 11-03-58 2-11-58 | 265.4 270.0 265.3 270.7 270.1 269.2 | 884.6 884.0 884.0 883.1 882.3 883.4 | 1101 |
| 15/08W-09G01 S | 1225.0 | 10-23-57 4-29-58 | 1010.2 1006.5 | 1101 | 1101 | | | 4-19-58 5-15-58 | 267.6 262.2 | 884.6 886.4 881.8 | 1101 |
| 15/08W-09H01 S | 1230.0 | 10-28-57 4-29-58 | 1122.8 1141.0 | 1101 | 1101 | | | 6-16-58 | 269.6 | 884.4 | 1101 |
| 15/08W-09P01 S | 1120.0 | 7-15-57 7-30-57 8-15-57 9-15-57 10-15-57 11-15-57 12-15-57 | 826.0 825.0 825.0 827.0 825.0 825.0 836.0 | 1101 | 1101 | 15/08W-16R01 S | 1117.0 | 7-18-57 8-30-57 9-18-57 10-18-57 11-30-57 11-01-57 11-18-57 | 239.0* 260.0* 265.0* 262.0* 256.0* 265.0* 250.0* | 878.0 867.0 872.0 875.0 861.0 872.0 873.0 | 1101 |
| 15/08W-10N02 S | 1146.0 | 7-17-57 8-14-57 8-21-57 9-11-57 10-01-57 12-09-57 1-07-58 1-15-58 2-17-58 3-10-58 4-15-58 5-15-58 | 881.6 868.2 871.3 871.7 880.7 881.1 | 1101 | 1101 | | | 2-11-58 3-11-58 4-11-58 5-11-58 6-01-58 6-21-58 | 247.0* 243.0* 235.0* 230.0* 225.0* 224.0* | 870.0 874.0 882.0 887.0 892.0 893.0 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| UP S ANA VALLEY L A CO | | | | | | | | | | | |
| 41400 | | | | | | | | | | | |
| POMONA BASIN | | | | | | | | | | | |
| 1S/08W-17K01 S | 1016.0 | 6-15-58 | 325.7 | 690.3 | 1101 | 1S/08W-18J02 S | 997.4 | 11-15-57 | 349.9 | 647.5 | 1101 |
| 1S/08W-17K02 S | 1000.4 | 7-05-57 | 297.1 | 703.3 | 1101 | | | 12-01-57 | 369.9 | 647.5 | |
| | | 8-01-57 | 348.5* | 655.3 | | | | 12-15-57 | 369.9 | 647.5 | |
| | | 8-14-57 | 348.5* | 655.0 | | | | 1-01-58 | 347.6 | 640.8 | |
| | | 10-01-57 | 348.5* | 655.0 | | | | 1-15-58 | 345.3 | 652.1 | |
| | | 10-29-57 | 288.0 | 712.2 | | | | 2-01-58 | 344.1 | 653.3 | |
| | | 11-01-57 | 332.9* | 647.5 | | | | 2-13-58 | 331.1 | 646.3 | |
| | | 11-15-57 | 337.6* | 642.8 | | | | 3-01-58 | 332.2 | 645.2 | |
| | | 12-01-57 | 335.3* | 645.1 | | | | 3-15-58 | 347.6 | 645.8 | |
| | | 1-01-58 | 337.8* | 642.6 | | | | 4-01-58 | 345.6 | 645.8 | |
| | | 2-01-58 | 335.3* | 645.1 | | | | 5-13-58 | 349.3 | 627.1 | |
| | | 3-01-58 | 336.5* | 643.9 | | | | 5-15-58 | 354.9 | 642.9 | |
| | | 4-01-58 | 335.3* | 645.1 | | | | 6-01-58 | 377.6* | 615.8 | |
| | | 5-01-58 | 350.7* | 639.7 | | | | 6-13-58 | 356.8 | 640.6 | |
| | | 6-01-58 | 372.3* | 628.1 | | | | | | | |
| UP S ANA VALLEY L A CO | | | | | | | | | | | |
| 41400 | | | | | | | | | | | |
| POMONA BASIN | | | | | | | | | | | |
| 1S/08W-17K03 S | 1000.7** | 7-31-57 | 331.2 | 669.5 | 1101 | 1S/08W-18K01 S | 1000.0 | 5-16-58 | 318.2 | 681.8 | 1101 |
| | | 9-04-57 | 312.5 | 688.2 | | | | 7-10-57 | 208.5 | 714.0 | |
| | | 11-05-57 | 345.5* | 655.2 | | | | 8-13-57 | 209.3 | 713.2 | |
| | | 12-02-57 | 232.2* | 768.5 | | | | 10-01-57 | 208.9 | 713.6 | |
| | | 1-06-58 | 236.1 | 764.6 | | | | 11-05-57 | 200.2 | 712.6 | |
| | | 2-17-58 | 239.9 | 760.8 | | | | 12-02-57 | 210.3 | 712.2 | |
| | | 3-11-58 | 251.2* | 749.5 | | | | 1-06-58 | 208.3 | 715.2 | |
| | | 4-11-58 | 232.7 | 768.0 | | | | 2-17-58 | 210.2 | 715.3 | |
| | | 4-29-58 | 257.1 | 743.6 | | | | 3-11-58 | 210.2 | 712.3 | |
| | | 5-22-58 | 256.1 | 744.6 | | | | 4-11-58 | 199.5 | 723.0 | |
| | | 6-10-58 | 253.5 | 747.2 | | | | 4-26-58 | 206.5 | 716.0 | |
| 1S/08W-17N01 S | 952.0 | 10-28-57 | 320.9 | 631.1 | 1101 | 1S/08W-20B01 S | 942.0 | 10-24-57 | 88.5 | 853.5 | 1101 |
| 1S/08W-17P01 S | 966.0 | 10-29-57 | 221.2 | 744.8 | 1101 | 1S/08W-20B02 S | 948.0 | 8-12-57 | 342.0 | 606.0 | 1101 |
| 1S/08W-17P02 S | 969.0 | 5-08-58 | 223.4 | 742.6 | 1101 | | | 11-25-57 | 419.0 | 529.0 | |
| 1S/08W-18J02 S | 997.4 | 10-29-57 | 193.6 | 775.4 | 1101 | 1S/08W-20D02 S | 940.0** | 10-28-57 | 302.1 | 637.9 | 1101 |
| | | 5-08-58 | 187.6 | 781.4 | | | | 5-05-58 | 297.0 | 643.0 | |
| | | 7-01-57 | 349.9 | 647.5 | 1101 | 1S/09W-11J01 S | 997.0 | 11-04-57 | .3 | 996.7 | 1101 |
| | | 8-15-57 | 354.5 | 642.9 | | | | 5-05-58 | .0 | 997.0* | |
| | | 8-01-57 | 373.0 | 626.4 | | | | | | | |
| | | 9-13-57 | 352.2* | 615.2 | | | | | | | |
| | | 9-13-57 | 368.4 | 626.3 | | | | | | | |
| | | 10-01-57 | 353.4 | 644.0 | | | | | | | |
| | | 10-15-57 | 354.5 | 642.9 | | | | | | | |
| | | 11-01-57 | 349.9 | 647.5 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|------------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|------------------------------|-----------------------|
| UP S ANA VALLEY L A CO | | | | | | | | | | | |
| 41400 | | | | | | | | | | | |
| LIVE OAK BASIN | | | | | | | | | | | |
| 1N/08W-12C1 | 1048.0 | 5-01-57 | 175.0 | 570.0 | 1101 | 1N/08W-32P02 S | 1308.8 | 4-22-58 | 51.4 | 1257.4 | 1101 |
| 1N/08W-12C2 | | 10-01-57 | 336.0 | 562.0 | | CONT. | | 4-28-58 | 52.2 | 1256.6 | |
| 1N/08W-12C3 | | 11-01-57 | 331.0 | 647.0 | | | | 5-05-58 | 53.6 | 1256.2 | |
| 1N/08W-12C4 | | 11-01-57 | 377.0 | 653.0 | | | | 5-12-58 | 53.1 | 1255.7 | |
| 1N/08W-12C5 | 1055.0 | 11-04-57 | 342.0 | 490.5 | 1101 | | | 5-19-58 | 52.4 | 1256.4 | |
| 1N/08W-12C6 | | 5-05-58 | 337.0 | 618.3 | | | | 5-26-58 | 53.5 | 1256.3 | |
| 1N/08W-12C7 | 1052.0 | 11-04-57 | 105.0 | 486.4 | 1101 | | | 6-09-58 | 53.9 | 1255.9 | |
| 1N/08W-12C8 | | 5-05-58 | 302.3 | 603.7 | | | | 6-09-58 | 52.2 | 1256.3 | |
| 1N/08W-12C9 | 1057.0 | 2-24-58 | 377.4 | 692.6 | 1101 | 1N/08W-32P03 S | 1306.2 | 6-16-58 | 53.4 | 1256.4 | |
| 1N/08W-12C10 | | 3-10-58 | 335.8 | 593.2 | | | | 6-23-58 | 52.0 | 1256.8 | |
| 1N/08W-12C11 | | 4-15-58 | 423.6 | 508.4 | | | | 6-30-58 | 52.6 | 1256.2 | |
| 1N/08W-12C12 | | 5-22-58 | 325.9 | 604.1 | | | | | | | |
| 1N/08W-12C13 | | 6-10-58 | 330.3 | 690.7 | | | | | | | |
| 1N/08W-13A01 S | 1070.0 | 7-09-57 | 174.0 | 825.2 | 1101 | | | 11-05-57 | DRY | | 1101 |
| | | 8-06-57 | 175.4 | 823.6 | | | | 4-22-58 | 95.1 | 1211.1 | |
| | | 9-03-57 | 176.4 | 823.6 | | | | 4-28-58 | 95.7 | 1210.5 | |
| | | 10-01-57 | 177.1 | 822.0 | | | | 5-05-58 | 96.5 | 1209.7 | |
| | | 11-04-57 | 177.7 | 822.0 | | | | 5-12-58 | 97.9 | 1208.3 | |
| | | 1-06-58 | 174.0 | 841.0 | | | | 5-19-58 | 97.8 | 1208.4 | |
| | | 1-09-58 | 170.3 | 840.7 | | | | 5-26-58 | 98.8 | 1207.4 | |
| | | 2-18-58 | 152.4 | 837.6 | | | | 6-02-58 | 98.0 | 1208.2 | |
| | | 3-10-58 | 183.4 | 823.6 | | | | 6-09-58 | 98.3 | 1207.9 | |
| | | 4-10-58 | 104.8 | 835.2 | | | | 6-16-58 | 98.7 | 1207.5 | |
| | | 4-26-58 | 186.1 | 833.0 | | | | 6-23-58 | 98.3 | 1207.5 | |
| | | 5-12-58 | 186.0 | 834.0 | | | | 6-30-58 | 104.2 | 1207.0 | |
| | | 6-10-58 | 187.2 | 832.8 | | | | | | | |
| 41403 | | | | | | | | | | | |
| LIVE OAK BASIN | | | | | | | | | | | |
| 1N/08W-32P01 S | 1316.0 | 11-05-57 | DRY | | 1101 | 1N/08W-32P05 S | 1297.5 | 11-05-57 | DRY | | 1101 |
| | | 4-22-58 | DRY | | | | | 4-28-58 | DRY | | |
| | | 4-28-58 | DRY | | | | | 5-05-58 | DRY | | |
| | | 5-05-58 | DRY | | | | | 5-12-58 | DRY | | |
| | | 5-12-58 | DRY | | | | | 5-19-58 | DRY | | |
| | | 5-19-58 | DRY | | | | | 5-26-58 | DRY | | |
| | | 5-26-58 | DRY | | | | | 6-02-58 | DRY | | |
| | | 6-02-58 | DRY | | | | | 6-09-58 | DRY | | |
| | | 6-09-58 | DRY | | | | | 6-16-58 | DRY | | |
| | | 6-16-58 | DRY | | | | | 6-23-58 | DRY | | |
| | | 6-23-58 | DRY | | | | | 6-30-58 | DRY | | |
| | | 6-30-58 | DRY | | | | | | | | |
| 1N/08W-32P02 S | 1308.8 | 11-05-57 | 61.6 | 1247.2 | 1101 | 1N/08W-32P06 S | 1297.5 | 11-05-57 | DRY | | 1101 |
| | | 4-22-58 | DRY | | | | | 4-28-58 | DRY | | |
| | | 4-28-58 | DRY | | | | | 5-05-58 | DRY | | |
| | | 5-05-58 | DRY | | | | | 5-12-58 | DRY | | |
| | | 5-12-58 | DRY | | | | | 5-19-58 | DRY | | |
| | | 5-19-58 | DRY | | | | | 5-26-58 | DRY | | |
| | | 5-26-58 | DRY | | | | | 6-02-58 | DRY | | |
| | | 6-02-58 | DRY | | | | | 6-09-58 | DRY | | |
| | | 6-09-58 | DRY | | | | | 6-16-58 | DRY | | |
| | | 6-16-58 | DRY | | | | | 6-23-58 | DRY | | |
| | | 6-23-58 | DRY | | | | | 6-30-58 | DRY | | |
| | | 6-30-58 | DRY | | | | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|------------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| UP S ANA VALLEY L A CO 41400 | | | | | | | | | | | |
| LIVE OAK BASIN 41403 | | | | | | | | | | | |
| 1N/08W-32P06 S | | 6-09-58 | DRY | | 1101 | 1S/08W-05A01 S | 1286.2 | 4-10-58 | 177.2 | 1146.4 | 1101 |
| CONT. | | 6-16-58 | DRY | | | CONT. | | 4-28-58 | 128.2 | 1154.2 | |
| | | 6-23-58 | DRY | | | | | 6-10-58 | 128.2 | 1154.2 | |
| | | 6-30-58 | DRY | | | | | | | | |
| 1N/08W-32P07 S | 1305.8 | 11-05-57 | DRY | | 1101 | 1S/08W-05A02 S | 1286.3 | 10-21-57 | 225.1 | 1066.4 | 1101 |
| | | 4-22-58 | DRY | | | | | 12-03-57 | 164.2 | 1092.2 | |
| | | 4-28-58 | DRY | | | | | 2-02-58 | 164.2 | 1092.2 | |
| | | 5-05-58 | DRY | | | | | 4-01-58 | 164.2 | 1092.2 | |
| | | 5-12-58 | DRY | | | | | 8-01-58 | 174.1 | 1101.0 | |
| | | 5-19-58 | DRY | | | | | 6-16-58 | 162.4 | 1101.0 | |
| | | 6-05-58 | DRY | | | | | 6-25-58 | 174.0 | 1101.0 | |
| | | 6-09-58 | DRY | | | | | 6-10-58 | | 1101.0 | |
| | | 6-16-58 | DRY | | | | | 10-28-57 | 178.2 | 1101.0 | 1101 |
| | | 6-23-58 | DRY | | | | | 4-28-58 | 178.2 | 1101.0 | |
| | | 6-30-58 | DRY | | | | | | | | |
| 1N/08W-32P08 S | 1306.3 | 11-05-57 | DRY | | 1101 | 1S/08W-05A01 S | 1287.1 | 11-04-57 | 225.2 | 1171.5 | 1101 |
| | | 4-22-58 | DRY | | | | | 4-28-58 | 103.4 | 1171.7 | |
| | | 4-28-58 | DRY | | | | | 4-28-58 | 103.1 | 1171.7 | |
| | | 5-05-58 | DRY | | | | | 4-05-58 | 103.2 | 1171.7 | |
| | | 5-12-58 | DRY | | | | | 5-12-58 | 103.3 | 1171.7 | |
| | | 5-19-58 | DRY | | | | | 5-19-58 | 103.3 | 1171.7 | |
| | | 5-15-58 | DRY | | | | | 5-26-58 | 104.7 | 1171.7 | |
| | | 5-26-58 | DRY | | | | | 6-02-58 | 104.4 | 1171.7 | |
| | | 6-02-58 | DRY | | | | | 6-02-58 | 104.7 | 1171.7 | |
| | | 6-06-58 | DRY | | | | | 5-16-58 | 105.8 | 1171.7 | |
| | | 6-16-58 | DRY | | | | | 5-23-58 | 104.0 | 1171.7 | |
| | | 6-23-58 | DRY | | | | | 6-30-58 | 106.0 | 1171.7 | |
| | | 6-30-58 | DRY | | | | | | | | |
| 1N/08W-32P09 S | 1300.0 | 11-05-57 | DRY | | 1101 | 1S/08W-05D01 S | 1290.2 | 10-28-57 | 223.1 | 1067.1 | 1101 |
| 1N/08W-43N01 S | 1350.0 | 10-28-57 | 106.1 | 1243.9 | 1101 | 1S/08W-05D02 S | 1287.2 | 10-28-57 | 222.1 | 1067.7 | 1101 |
| | | 4-29-58 | 102.2 | 1247.8 | | | | 4-28-58 | 212.4 | 1077.4 | |
| 1S/08W-04M01 S | 1267.0 | 7-30-57 | 205.0 | 1062.0 | 1101 | 1S/08W-05D03 S | 1290.9 | 11-05-57 | DRY | | 1101 |
| | | 10-28-57 | 206.5 | 1060.5 | | | | 4-22-58 | 100.5 | 1190.4 | |
| | | 5-01-58 | 123.7 | 1143.3 | | | | 4-20-58 | 102.9 | 1188.0 | |
| 1S/08W-05A01 S | 1284.2 | 10-09-57 | 201.4 | 1082.8 | 1101 | | | 5-03-58 | 103.2 | 1187.7 | |
| | | 11-05-57 | 171.9 | 1112.3 | | | | 5-12-58 | 105.7 | 1189.2 | |
| | | 12-02-57 | 163.2 | 1121.0 | | | | 5-19-58 | 103.6 | 1189.2 | |
| | | 1-06-58 | 162.6 | 1121.6 | | | | 5-26-58 | 103.8 | 1189.2 | |
| | | 2-11-58 | 158.2 | 1126.0 | | | | 6-02-58 | 103.9 | 1189.2 | |
| | | 3-03-58 | 134.8 | 1149.4 | | | | 6-08-58 | 92.3 | 1198.4 | |
| | | | | | | | | 6-16-58 | 98.1 | 1192.9 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| UP S ANA VALLEY L A CO | | | | | | | | | | | |
| LIVE OAK BASIN | | | | | | | | | | | |
| 1S/08W-05D03 S | 1296.7 | 7-23-58 | 100.6 | 1190.3 | 1101 | 1S/08W-06J02 S | 1226.0 | 9-03-57 | 171.0 | 1055.0 | 1101 |
| | | 6-30-58 | 103.3 | 1187.6 | | CONT. | | 10-09-57 | 175.2 | 1050.8 | |
| 1J/08W-05D04 S | 1268.0 | 10-28-57 | 206.2 | 1061.8 | 1101 | | | 11-05-57 | 150.2 | 1066.8 | |
| | | 4-29-58 | 128.2 | 1139.8 | | | | 12-02-57 | 150.3 | 1067.7 | |
| 1S/08W-06F01 S | 1261.6 | 10-28-57 | 196.7 | 1065.4 | 1101 | | | 1-06-58 | 154.2 | 1071.8 | |
| | | 4-29-58 | 164.8 | 1076.9 | | | | 2-11-58 | 150.2 | 1075.1 | |
| 1S/08W-06E02 S | 1277.5 | 7-09-57 | 204.8 | 1072.7 | 1101 | | | 3-03-58 | 146.8 | 1076.2 | |
| | | 8-07-57 | 211.4 | 1066.1 | | | | 4-10-58 | 145.1 | 1080.9 | |
| | | 9-03-57 | 208.2 | 1059.3 | | | | 4-25-58 | 144.5 | 1081.5 | |
| | | 10-09-57 | 209.0 | 1068.5 | | | | 5-12-58 | 144.4 | 1081.5 | |
| | | 11-05-57 | 206.0 | 1071.5 | | | | 6-10-58 | 151.8 | 1072.7 | |
| | | 12-02-57 | 208.4 | 1073.1 | | | | | | | |
| | | 1-06-58 | 208.6 | 1074.9 | | | | | | | |
| | | 2-11-58 | 200.5 | 1077.0 | | | | | | | |
| | | 3-03-58 | 177.9 | 1071.0 | | | | | | | |
| | | 4-08-58 | 177.9 | 1071.0 | | | | | | | |
| | | 5-23-58 | 196.3 | 1083.2 | | | | | | | |
| | | 5-23-58 | 196.3 | 1083.2 | | | | | | | |
| | | 6-10-58 | 193.4 | 1086.2 | | | | | | | |
| | | 6-10-58 | 193.4 | 1084.1 | | | | | | | |
| 1S/08W-06A01 S | 1257.0 | 10-28-57 | 196.3 | 1060.7 | 1101 | 1S/08W-07D01 S | 1076.0 | 10-28-57 | 240.2 | 895.1 | 1101 |
| | | 4-28-58 | 149.9 | 1117.1 | | | | 4-28-58 | 219.7 | 896.3 | |
| 1S/08W-06A02 S | 1253.0 | 10-28-57 | 191.8 | 1060.2 | 1101 | 1S/09W-12F01 S | 1030.6 | 7-09-57 | 164.6 | 866.0 | 1101 |
| | | 4-28-58 | 143.6 | 1108.4 | | | | 8-06-57 | 167.8 | 862.8 | |
| 1S/08W-06A03 S | 1243.0 | 7-11-57 | 162.4 | 1080.6 | 1101 | | | 9-03-57 | 170.5 | 860.1 | |
| | | 8-21-57 | 167.0 | 1076.0 | | | | 10-02-57 | 174.5 | 856.1 | |
| | | 9-11-57 | 176.0 | 1073.0 | | | | 11-04-57 | 162.2 | 865.4 | |
| | | 10-23-57 | 166.6 | 1076.6 | | | | 12-02-57 | 156.8 | 873.8 | |
| | | 11-13-57 | 163.8 | 1079.2 | | | | 1-06-58 | 150.7 | 875.9 | |
| | | 12-10-57 | 163.9 | 1079.2 | | | | 2-11-58 | 144.6 | 886.0 | |
| | | 1-07-58 | 159.0 | 1084.0 | | | | 3-03-58 | 141.6 | 889.0 | |
| | | 2-18-58 | 161.7 | 1081.3 | | | | 4-10-58 | 136.3 | 894.3 | |
| | | 3-11-58 | 156.7 | 1086.3 | | | | 4-25-58 | 134.4 | 898.2 | |
| | | 4-15-58 | 156.8 | 1088.2 | | | | 5-12-58 | 133.4 | 897.2 | |
| | | 5-13-58 | 155.1 | 1087.5 | | | | 6-10-58 | 134.6 | 896.0 | |
| | | 6-18-58 | 154.8 | 1088.2 | | | | | | | |
| 1S/08W-06H01 S | 1220.0 | 10-28-57 | 177.5 | 1052.5 | 1101 | 1S/09W-12L01 S | 1029.0 | 7-09-57 | 170.1 | 858.9 | 1101 |
| | | 4-28-58 | 148.5 | 1081.5 | | | | 8-06-57 | 176.1 | 852.9 | |
| 1S/08W-06J02 S | 1226.0 | 7-09-57 | 167.6 | 1058.4 | 1101 | | | 9-03-57 | 178.0 | 851.0 | |
| | | | | | | | | 10-02-57 | 182.7 | 849.3 | |
| | | | | | | | | 11-04-57 | 166.2 | 862.8 | |
| | | | | | | | | 12-02-57 | 159.5 | 869.5 | |
| | | | | | | | | 1-06-58 | 152.5 | 875.5 | |
| | | | | | | | | 2-11-58 | 146.2 | 882.8 | |
| | | | | | | | | 3-03-58 | 143.0 | 886.0 | |
| | | | | | | | | 4-10-58 | 137.6 | 891.4 | |
| | | | | | | | | 4-25-58 | 135.6 | 893.4 | |
| | | | | | | | | 5-12-58 | 135.1 | 893.9 | |
| | | | | | | | | 6-10-58 | 135.8 | 893.2 | |
| CLAREMONT HEIGHTS BASIN | | | | | | | | | | | |
| 1S/08W-06J01 S | 2067.0 | 10-23-57 | 42.2 | 2024.8 | 1101 | 1N/08W-23J01 S | 2067.0 | 10-23-57 | 42.2 | 2024.8 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| UP S ANA VALLEY L A CO | | | | | | | | | | | |
| CLAREMONT HEIGHTS BASIN | | | | | | | | | | | |
| 41400 | | | | | | | | | | | |
| CLAREMONT HEIGHTS BASIN | | | | | | | | | | | |
| 41404 | | | | | | | | | | | |
| 1N/08W-23J01 S | 2067.0 | 3-04-58 | 17.6 | 2049.4 | 1101 | 1N/08W-27H01 S | 1780.0 | 3-29-58 | 45.0 | 1735.0 | 1101 |
| CONT. | | | | | | | | | | | |
| | | 3-29-58 | 20.8 | 2046.2 | | | | 4-14-58 | 21.6 | 1758.4 | |
| | | 4-14-58 | 19.9 | 2047.1 | | | | 4-21-58 | 22.3 | 1757.7 | |
| | | 4-21-58 | 21.6 | 2045.4 | | | | 4-28-58 | 25.0 | 1755.0 | |
| | | 4-28-58 | 21.7 | 2045.3 | | | | 5-05-58 | 23.5 | 1756.5 | |
| | | 5-05-58 | 21.9 | 2045.1 | | | | 5-12-58 | 24.0 | 1756.0 | |
| | | 5-12-58 | 22.0 | 2045.0 | | | | 5-19-58 | 26.7 | 1753.3 | |
| | | 5-19-58 | 22.1 | 2044.0 | | | | 5-26-58 | 29.7 | 1750.7 | |
| | | 5-26-58 | 22.1 | 2044.0 | | | | 6-02-58 | 31.5 | 1748.5 | |
| | | 6-02-58 | 22.3 | 2044.7 | | | | 6-09-58 | 34.5 | 1745.4 | |
| | | 6-09-58 | 22.3 | 2044.7 | | | | 6-16-58 | 37.1 | 1742.9 | |
| | | 6-23-58 | 21.9 | 2045.1 | | | | 6-23-58 | 42.1 | 1737.0 | |
| | | 6-30-58 | 22.6 | 2044.4 | | | | 6-30-58 | 48.6 | 1731.4 | |
| UP S ANA VALLEY L A CO | | | | | | | | | | | |
| CLAREMONT HEIGHTS BASIN | | | | | | | | | | | |
| 41400 | | | | | | | | | | | |
| CLAREMONT HEIGHTS BASIN | | | | | | | | | | | |
| 41404 | | | | | | | | | | | |
| 1N/08W-26D01 S | 1832.0 | 10-23-57 | 31.3 | 1800.7 | 1101 | 1N/08W-33J01 S | 1427.0 | 7-15-57 | 283.0 | 1174.0 | 1101 |
| | | 5-01-58 | 5.7 | 1826.3 | | | | 7-30-57 | 296.0 | 1171.0 | |
| | | 7-03-57 | 271.1 | 1469.2 | 1101 | | | 8-13-57 | 295.0 | 1172.0 | |
| | | 8-07-57 | 271.5 | 1468.8 | | | | 9-13-57 | 281.0 | 1186.0 | |
| | | 8-21-57 | 271.6 | 1468.7 | | | | 12-21-57 | 245.0 | 1187.0 | |
| | | 9-04-57 | 271.7 | 1468.6 | | | | 1-01-58 | 269.0* | 1184.0 | |
| | | 9-18-57 | 270.7 | 1465.6 | | | | 1-07-58 | 281.0 | 1184.0 | |
| | | 10-02-57 | 271.8 | 1468.5 | | | | 1-31-58 | 285.0* | 1182.0 | |
| | | 10-23-57 | 271.9 | 1468.5 | | | | 2-21-58 | 279.0* | 1168.0 | |
| | | 11-06-57 | 271.7 | 1468.6 | | | | 5-01-58 | 285.0 | 1168.0 | |
| | | 11-20-57 | 271.7 | 1468.7 | | | | 6-15-58 | 283.0 | 1184.0 | |
| | | 11-28-57 | 271.6 | 1468.7 | | | | 5-13-58 | 246.0 | 1187.0 | |
| | | 12-02-58 | 271.6 | 1468.7 | | | | 10-28-57 | 51.7 | 1363.3 | 1101 |
| | | 1-32-58 | 271.5 | 1468.8 | | | | 4-29-58 | 36.4 | 1390.6 | 1101 |
| | | 2-05-58 | 271.5 | 1468.6 | | | | 11-05-57 | 126.7 | 1225.3 | 1101 |
| | | 2-12-58 | 271.5 | 1468.8 | | | | 10-28-57 | 267.8 | 1107.2 | 1101 |
| | | 3-04-58 | 271.5 | 1468.8 | | | | 6-30-58 | 270.0 | 1155.0 | 1101 |
| | | 3-19-58 | 271.3 | 1469.0 | | | | 7-01-57 | 400.0 | 1002.0 | 1101 |
| | | 4-09-58 | 270.0 | 1470.3 | | | | 4-15-58 | 389.0 | 1013.0 | 1101 |
| | | 4-16-58 | 267.8 | 1472.5 | | | | 5-01-58 | 384.0 | 1018.0 | 1101 |
| | | 4-23-58 | 152.5 | 1587.0 | | | | 6-07-58 | 320.0 | 1082.0 | 1101 |
| | | 5-07-58 | 118.6 | 1621.7 | | | | 6-07-58 | 325.0 | 1077.0 | 1101 |
| | | 5-21-58 | 123.2 | 1617.1 | | | | 10-28-57 | 257.7 | 1412.3 | 1101 |
| | | 6-04-58 | 133.9 | 1606.4 | | | | 2-23-58 | 247.5 | 1422.5 | 1101 |
| | | 6-18-58 | 146.6 | 1593.7 | | | | 3-05-58 | 247.1 | 1422.9 | 1101 |
| | | 6-25-58 | 154.7 | 1585.6 | | | | 3-18-58 | 246.0 | 1424.0 | 1101 |
| UP S ANA VALLEY L A CO | | | | | | | | | | | |
| CLAREMONT HEIGHTS BASIN | | | | | | | | | | | |
| 41400 | | | | | | | | | | | |
| CLAREMONT HEIGHTS BASIN | | | | | | | | | | | |
| 41404 | | | | | | | | | | | |
| 1N/08W-27H01 S | 1780.0 | 10-23-57 | 57.4 | 1722.6 | 1101 | 1N/08W-34A01 S | 1670.0 | 10-28-57 | 257.7 | 1412.3 | 1101 |
| | | 3-04-58 | 49.2 | 1730.8 | | | | 2-23-58 | 247.5 | 1422.5 | 1101 |
| | | | | | | | | 3-05-58 | 247.1 | 1422.9 | 1101 |
| | | | | | | | | 3-18-58 | 246.0 | 1424.0 | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| UP S ANA VALLEY L A CO | | | | | | | | | | | |
| CLAREMONT HEIGHTS BASIN | | | | | | | | | | | |
| 41400 | | | | | | | | | | | |
| 15/08M-03F01 S | 1372.3** | 10-01-57 | 1247.7 | 1247.8 | 1101 | 15/08M-03F03 S | 1378.0** | 1-01-58 | 153.7 | 1234.3 | 1101 |
| CONT. | | 10-15-57 | 1247.4 | 1247.8 | | CONT. | | 3-13-58 | 1214.8 | 1256.2 | |
| | | 11-01-57 | 1294.4 | 1243.1 | | | | 5-01-58 | 1174.2 | 1260.8 | |
| | | 11-15-57 | 1294.7 | 1240.8 | | | | 9-13-58 | 1174.5 | 1260.7 | |
| | | 12-01-57 | 1294.4 | 1243.1 | | | | 2-15-58 | 1164.0 | 1263.1 | |
| | | 12-15-57 | 1264.0 | 1246.5 | | | | 4-01-58 | 1164.0 | 1263.7 | |
| | | 1-01-58 | 1164.7 | 1285.8 | | | | 4-01-58 | 1117.7 | 1266.8 | |
| | | 1-15-58 | 1154.5 | 1257.0 | | | | 4-15-58 | 1117.7 | 1266.8 | |
| | | 2-01-58 | 1154.5 | 1257.0 | | | | 5-01-58 | 1054.4 | 1255.9 | |
| | | 2-15-58 | 1134.2 | 1285.3 | | | | 5-15-58 | 1064.2 | 1255.9 | |
| | | 3-01-58 | 1134.2 | 1285.3 | | | | 6-01-58 | 1064.9 | 1271.4 | |
| | | 3-15-58 | 1104.9 | 1261.6 | | | | 6-01-58 | 1064.9 | 1271.4 | |
| | | 4-01-58 | 1134.2 | 1285.3 | | | | 6-15-58 | 1064.5 | 1271.2 | |
| | | 4-15-58 | 1104.7 | 1261.6 | | 15/08M-03G01 S | 1425.4# | 7-09-57 | 158.5 | 1271.3 | 1101 |
| | | 5-01-58 | 1084.6 | 1263.7 | | | | 8-06-57 | 1524.0 | 1263.6 | |
| | | 5-15-58 | 1084.6 | 1263.7 | | | | 9-03-57 | 1674.5 | 1262.8 | |
| | | 6-01-58 | 1084.6 | 1263.9 | | | | 10-02-57 | 1694.3 | 1265.0 | |
| | | 6-15-58 | 1084.6 | 1263.9 | | | | 11-05-57 | 1654.0 | 1265.0 | |
| 15/08M-03F02 S | 1380.0 | 7-15-57 | 163.9* | 1246.2 | 1101 | | | 12-02-57 | 1684.5 | 1261.8 | |
| | | 8-15-57 | 1384.4 | 1241.6 | | | | 1-06-58 | 1644.1 | 1265.7 | |
| | | 12-01-57 | 1614.5* | 1218.5 | | | | 2-13-58 | 1494.5 | 1278.6 | |
| | | 12-15-57 | 1594.2* | 1220.8 | | | | 3-03-58 | 1544.8* | 1273.6 | |
| | | 5-01-58 | 1174.6 | 1262.4 | | | | 4-10-58 | 1284.9 | 1297.4 | |
| | | 5-01-58 | 1104.7 | 1269.3 | | | | 4-25-58 | 1244.0 | 1301.4 | |
| | | 3-01-58 | 1154.3 | 1264.7 | | | | 5-12-58 | 1244.5 | 1301.8 | |
| | | 4-01-58 | 1154.3 | 1264.7 | | | | 6-10-58 | 1224.4 | 1303.9 | |
| | | 4-15-58 | 1134.0 | 1267.0 | | 15/08M-03G02 S | 14354.0 | 10-28-57 | 174.0 | 1260.0 | 1101 |
| | | 4-15-58 | 1134.0 | 1267.0 | | | | 4-29-58 | 152.3 | 1302.7 | |
| | | 5-01-58 | 1044.0 | 1257.9 | | | | 5-12-58 | 1214.8 | 1277.5 | 1101 |
| | | 5-15-58 | 1044.0 | 1257.9 | | 15/08M-03G03 S | 14154.3 | 6-10-58 | 1204.6 | 1273.7 | |
| | | 6-01-58 | 1044.0 | 1271.5 | | | | | | | |
| | | 6-15-58 | 1044.0 | 1271.5 | | 15/08M-03G04 S | 14424.0 | 7-15-57 | 155.0 | 1287.0 | 1101 |
| 15/08M-03F03 S | 1378.0** | 7-01-57 | 1064.3* | 1271.7 | 1101 | | | 7-30-57 | 1564.0 | 1286.0 | |
| | | 8-15-57 | 184.3* | 1188.1 | | | | 8-15-57 | 1574.0 | 1285.0 | |
| | | 8-01-57 | 184.3* | 1188.1 | | | | 9-15-57 | 1834.0 | 1259.0 | |
| | | 8-15-57 | 184.3* | 1188.1 | | | | 10-15-57 | 1804.0 | 1262.0 | |
| | | 9-01-57 | 224.6* | 1193.4 | | | | 1-01-58 | 1784.0 | 1264.0 | |
| | | 9-15-57 | 224.6* | 1193.4 | | | | 1-30-58 | 1904.0* | 1262.0 | |
| | | 10-01-57 | 224.6* | 1193.4 | | | | 3-01-58 | 1584.0 | 1284.4 | |
| | | 10-15-57 | 224.6* | 1168.8 | | | | 3-07-58 | 1744.0* | 1263.8 | |
| | | 11-01-57 | 231.3* | 1146.6 | | | | 5-01-58 | 1544.0 | 1292.8 | |
| | | 11-15-57 | 231.3* | 1144.0 | | | | 5-15-58 | 1444.0 | 1284.0 | |
| | | 12-01-57 | 206.1* | 1171.0 | | | | 6-15-58 | 1604.0* | 1282.0 | |
| | | 12-15-57 | 203.8* | 1174.0 | | | | 6-01-58 | 1404.0 | 1302.0 | |

GROUND WATER LEVELS AT WELLS

| State Well Number | P.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | P.P. Elev. in feet | Date | Dist. P.P. to Water Surface, in feet | Water Surface Elev. in feet | Agency Supplying Data |
|---|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|----------|--------------------------------------|-----------------------------|-----------------------|
| UP S ANA VALLEY L. A. CO. 41400 | | | | | | | | | | | |
| CLAREMONT HEIGHTS PA. IN. CLAREMONT HEIGHTS PA. IN. 41404 | | | | | | | | | | | |
| 15/08W-04D01 5 | 1411.4 | 4-14-58 | 1791.4 | 1219.4 | 1101 | 15/08W-04D01 5 | 1411.4 | 2-11-58 | 204.6 | 1115.8 | 1101 |
| | | 4-21-58 | 1891.1 | 1222.1 | | | | 3-03-58 | 201.7 | 1117.7 | |
| | | 4-28-58 | 188.6 | 1222.5 | | | | 4-10-58 | 198.1 | 1121.1 | |
| | | 5-05-58 | 188.0 | 1223.2 | | | | 4-25-58 | 201.3 | 1118.1 | |
| | | 5-12-58 | 188.1 | 1223.1 | | | | 5-12-58 | 176.5 | 1123.0 | |
| | | 5-19-58 | 190.7 | 1226.5 | | | | 6-10-58 | 183.8 | 1133.0 | |
| | | 5-26-58 | 159.3 | 1221.9 | | | | | | | |
| | | 6-02-58 | 188.1 | 1223.1 | | | | 7-09-57 | 207.4 | 1099.0 | |
| | | 6-09-58 | 176.7 | 1214.5 | | | | 8-06-57 | 236.1 | 1087.2 | |
| | | 6-16-58 | 171.8 | 1219.4 | | | | 9-0-57 | 233.1 | 1090.2 | |
| | | 6-23-58 | 187.1 | 1224.1 | | | | 10-9-57 | 234.7 | 1088.6 | |
| | | 6-30-58 | 184.0 | 1227.2 | | | | 11-05-57 | 233.9 | 1089.6 | |
| | | | | | | | | 12-02-57 | 230.4 | 1092.9 | |
| 15/08W-03D02 5 | 1344.0 | 7-09-57 | DRY | | 1101 | 15/08W-04K01 5 | 1323.8 | 1-06-58 | 226.9 | 1076.3 | |
| | | 8-06-57 | DRY | | | | | 7-11-58 | 223.1 | 1102.2 | |
| | | 9-03-57 | DRY | | | | | 3-03-58 | 221.0 | 1102.1 | |
| | | 10-02-57 | 88.0 | 1256.0 | | | | 4-10-58 | 217.3 | 1106.0 | |
| | | 11-05-57 | DRY | | | | | 4-25-58 | 215.8 | 1107.5 | |
| | | 12-02-57 | 88.6 | 1255.4 | | | | 5-12-58 | 216.0 | 1107.3 | |
| | | 1-06-58 | 94.8 | 1257.2 | | | | 6-10-58 | 217.9 | 1105.4 | |
| | | 2-11-58 | 78.5 | 1265.5 | | | | | | | |
| | | 3-03-58 | 72.3 | 1271.7 | | | | 7-15-57 | 410.0* | 891.0 | 1101 |
| | | 4-10-58 | 59.7 | 1284.5 | | | | 7-30-57 | 420.0* | 881.0 | |
| | | 5-12-58 | 67.1 | 1280.0 | | | | 8-15-57 | 419.0* | 882.0 | |
| | | 6-10-58 | 71.2 | 1272.8 | | | | 9-15-57 | 421.0* | 880.0 | |
| 15/08W-03D01 5 | 1329.2 | 7-09-57 | 67.9 | 1261.3 | 1101 | 15/08W-11D01 5 | 1301.0 | 10-15-57 | 417.0* | 884.0 | |
| | | 8-06-57 | 59.9 | 1259.3 | | | | 11-15-57 | 418.0* | 883.0 | |
| | | 9-03-57 | 75.1 | 1254.1 | | | | 12-15-57 | 410.0* | 891.0 | |
| | | 10-02-57 | 79.2 | 1250.0 | | | | 1-15-58 | 377.0* | 884.0 | |
| | | 11-05-57 | 82.2 | 1247.0 | | | | 2-15-58 | 397.0* | 904.0 | |
| | | 12-02-57 | 92.2 | 1247.0 | | | | 3-15-58 | 399.0* | 902.0 | |
| | | 1-06-58 | 77.6 | 1251.6 | | | | 4-15-58 | 386.0* | 915.0 | |
| | | 2-11-58 | 66.4 | 1262.8 | | | | 5-15-58 | 385.0* | 916.0 | |
| | | 3-03-58 | 61.9 | 1267.3 | | | | 6-01-58 | 379.0* | 922.0 | |
| | | 4-10-58 | 55.5 | 1273.7 | | | | | | | |
| | | 4-23-58 | 62.7 | 1266.5 | | | | | | | |
| | | 5-12-58 | 59.0 | 1270.2 | | | | | | | |
| 15/08W-04D01 5 | 1319.4 | 7-09-57 | 217.7 | 1101.7 | 1101 | | | | | | |
| | | 8-07-57 | 221.0 | 1097.6 | | | | | | | |
| | | 9-03-57 | 251.6 | 1087.6 | | | | | | | |
| | | 10-02-57 | 252.4 | 1084.0 | | | | | | | |
| | | 11-05-57 | 252.3 | 1084.1 | | | | | | | |
| | | 12-02-57 | 214.2 | 1105.9 | | | | | | | |
| | | 1-06-58 | 201.6 | 1117.8 | | | | | | | |

GROUND WATER LEVELS AT WELLS

| Site Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data | Site Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface, in feet | Water Surface Elev., in feet | Agency Supplying Data |
|----------------------|--------------------|--|--|--|-----------------------|-------------------------|--------------------|--|--|---|-----------------------|
| TIERRA RAJADA VALLEY | | | | | | | | | | | |
| 41500 | | | | | | TIERRA RAJADA VALLEY | | | | | |
| 2N/19W-11J01 S | 614.5 | 7-15-57 183.2 7-15-57 183.5 7-15-57 183.5 10-22-57 184.2 12-27-57 184.0 1-29-58 183.5 5-22-58 178.5 6-26-58 184.5 | 183.2 183.5 183.5 184.2 184.0 183.5 178.5 184.5 | 436.1 433.8 434.1 432.7 432.3 431.7 431.7 431.7 | 2100 | 2N/19W-15G01 S CONT. | 606.6 | 1-30-58 173.7 5-22-58 172.3 6-26-58 175.6 | 173.7 172.3 175.6 | 432.9 434.3 431.0 | 2100 |
| 2N/19W-11J01 S | 748.6 | 7-10-57 179.0 9-05-57 179.4 10-22-57 178.6 1-29-58 179.6 5-22-58 178.2 6-26-58 178.0 | 179.0 179.4 178.6 179.6 178.2 178.0 | 569.6 569.2 569.0 569.0 572.4 572.6 | 2100 | 2N/19W-15H01 S | 612.1 | 10-25-57 177.8 12-27-57 180.6 1-29-58 177.0 5-22-58 173.0 6-26-58 180.3 | 177.8 180.6 177.0 173.0 180.3 | 432.3 431.7 431.1 431.1 431.8 | 2100 |
| 2N/19W-11J02 S | 719.0 | 12-03-57 149.9 4-25-58 146.9 | 149.9 146.9 | 569.1 572.1 | 2100 | 2N/19W-15H02 S | 622.5 | 7-15-57 213.0* 9-05-57 225.2* 10-25-57 190.2* 12-27-57 190.8 1-29-58 187.5 5-22-58 182.1 6-26-58 185.1 | 213.0* 225.2* 190.2* 190.8 187.5 182.1 185.1 | 409.5 397.3 432.3 431.7 435.0 440.4 433.4 | 2100 |
| 2N/19W-12N01 S | 684.5 | 7-24-57 157.6 10-04-57 158.8 12-03-57 160.5 4-25-58 114.0 | 157.6 158.8 160.5 114.0 | 531.9 530.7 529.0 575.5 | 2100 | 2N/19W-15N02 S | 584.8 | 7-15-57 293.8* 9-05-57 291.3* 12-27-57 227.5 1-29-58 223.5 5-22-58 206.9* 6-26-58 224.5* | 293.8* 291.3* 227.5 223.5 206.9* 224.5* | 291.0 293.5 362.3 361.3 377.9 360.3 | 2100 |
| 2N/19W-12P01 S | 710.0 | 7-24-57 145.3 10-04-57 147.6 12-03-57 149.0 4-25-58 144.2 | 145.3 147.6 149.0 144.2 | 564.7 562.4 561.0 565.8 | 2100 | | | | | | |
| 2N/19W-14D01 S | 618.9 | 12-27-57 185.9 1-29-58 183.2 5-21-58 179.7 6-26-58 187.1 | 185.9 183.2 179.7 187.1 | 433.0 435.7 439.2 431.8 | 2100 | | | | | | |
| 2N/19W-14P01 S | 678.1 | 7-15-57 49.1 9-05-57 94.5* 12-27-57 50.0 1-29-58 48.7 5-22-58 33.6 6-26-58 78.4* | 49.1 94.5* 50.0 48.7 33.6 78.4* | 629.0 583.6 628.1 628.4 644.5 599.7 | 2100 | | | | | | |
| 2N/19W-14S01 S | 726.9 | 7-15-57 96.3 9-05-57 97.3 1-29-58 97.4 6-26-58 75.0 | 96.3 97.3 97.4 75.0 | 630.6 629.4 629.3 631.9 | 2100 | | | | | | |
| 2N/19W-15G01 S | 606.6 | 9-05-57 170.2 10-25-57 175.0 12-27-57 175.7 | 170.2 175.0 175.7 | 436.4 431.6 430.9 | 2100 | | | | | | |

GROUND WATER LEVELS AT WELLS

| VALLEY COASTAL GROUP | | HIDDEN VALLEY BASIN | | VALLEY CENTRAL GROUP | | | | | | | | | | |
|----------------------|---------------------|---------------------|------------------------------|-----------------------|-------------------|---------------------|----------|------------------------------|-----------------------|-------------------|---------------------|----------|------------------------------|-----------------------|
| State Well Number | R.P. Elev., in feet | Date | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Water Surface Elev., in feet | Agency Supplying Data | State Well Number | R.P. Elev., in feet | Date | Water Surface Elev., in feet | Agency Supplying Data |
| IN/19W-19E01 S | 1131.0 | 7-18-57 | 1093.4 | 2100 | IN/19W-24H01 S | 995.5 | 7-19-57 | 958.1 | 2100 | IN/19W-24H01 S | 995.5 | 7-19-57 | 958.1 | 2100 |
| | | 9-26-57 | 1092.6 | | | | 9-26-57 | 955.5 | | | | 9-26-57 | 955.5 | |
| | | 12-13-57 | 1091.8 | | | | 12-13-57 | 960.5 | | | | 12-13-57 | 960.5 | |
| | | 4-23-58 | 1126.7 | | | | 4-23-58 | 992.2 | | | | 4-23-58 | 992.2 | |
| | | 6-17-58 | 1124.6 | | | | 6-17-58 | 991.1 | | | | 6-17-58 | 991.1 | |
| IN/19W-19E01 S | 1088.1 | 7-18-57 | 996.3 | 2100 | IN/19W-24H01 S | 990.2 | 7-19-57 | 957.2 | 2100 | IN/19W-24H01 S | 990.2 | 7-19-57 | 957.2 | 2100 |
| | | 9-26-57 | 995.3 | | | | 9-26-57 | 954.6 | | | | 9-26-57 | 954.6 | |
| | | 12-13-57 | 994.7 | | | | 12-13-57 | 958.8 | | | | 12-13-57 | 958.8 | |
| | | 4-23-58 | 1030.4 | | | | 4-23-58 | 988.0 | | | | 4-23-58 | 988.0 | |
| | | 6-17-58 | 1044.6 | | | | 6-17-58 | 986.7 | | | | 6-17-58 | 986.7 | |
| IN/19W-19E01 S | 1088.1 | 7-18-57 | 1003.1 | 2100 | IN/19W-24H01 S | 999.1 | 12-13-57 | 961.3 | 2100 | IN/19W-24H01 S | 999.1 | 12-13-57 | 961.3 | 2100 |
| | | 9-26-57 | 1009.3 | | | | 9-26-57 | 995.3 | | | | 9-26-57 | 995.3 | |
| | | 12-13-57 | 1009.3 | | | | 12-13-57 | 994.7 | | | | 12-13-57 | 994.7 | |
| | | 4-23-58 | 1056.6 | | | | 4-23-58 | 994.0 | | | | 4-23-58 | 994.0 | |
| | | 6-17-58 | 1062.5 | | | | 6-17-58 | 994.7 | | | | 6-17-58 | 994.7 | |
| IN/19W-19E01 S | 1016.4 | 7-18-57 | 975.4 | 2100 | IN/19W-24H01 S | 997.1 | 7-19-57 | 941.6 | 2100 | IN/19W-24H01 S | 997.1 | 7-19-57 | 941.6 | 2100 |
| | | 9-26-57 | 974.1 | | | | 9-26-57 | 904.9 | | | | 9-26-57 | 904.9 | |
| | | 12-13-57 | 972.5 | | | | 12-13-57 | 937.9 | | | | 12-13-57 | 937.9 | |
| | | 4-23-58 | 988.7 | | | | 4-23-58 | 992.5 | | | | 4-23-58 | 992.5 | |
| | | 6-17-58 | 992.6 | | | | 6-17-58 | 989.2 | | | | 6-17-58 | 989.2 | |
| IN/19W-19E01 S | 1065.6 | 7-18-57 | 997.1 | 2100 | IN/19W-24H01 S | 1000.0 | 7-18-57 | 959.0 | 2100 | IN/19W-24H01 S | 1000.0 | 7-18-57 | 959.0 | 2100 |
| | | 9-26-57 | 996.6 | | | | 9-26-57 | 957.2 | | | | 9-26-57 | 957.2 | |
| | | 12-13-57 | 996.2 | | | | 12-13-57 | 961.8 | | | | 12-13-57 | 961.8 | |
| | | 4-23-58 | 1038.3 | | | | 4-23-58 | 996.2 | | | | 4-23-58 | 996.2 | |
| | | 6-17-58 | 1034.4 | | | | 6-17-58 | 998.6 | | | | 6-17-58 | 998.6 | |
| IN/19W-19E01 S | 1089.1 | 7-18-57 | 990.1 | 2100 | IN/19W-24H01 S | 1058.0 | 7-18-57 | 998.6 | 2100 | IN/19W-24H01 S | 1058.0 | 7-18-57 | 998.6 | 2100 |
| | | 9-26-57 | 990.2 | | | | 9-26-57 | 996.6 | | | | 9-26-57 | 996.6 | |
| | | 12-13-57 | 989.2 | | | | 12-13-57 | 1055.8 | | | | 12-13-57 | 1055.8 | |
| | | 4-23-58 | 1045.8 | | | | 4-23-58 | 1044.9 | | | | 4-23-58 | 1044.9 | |
| | | 6-17-58 | 1050.5 | | | | 6-17-58 | 1044.9 | | | | 6-17-58 | 1044.9 | |
| IN/19W-19E01 S | 1003.4 | 7-19-57 | 965.9 | 2100 | IN/19W-24H01 S | 1167.4 | 9-26-57 | 1076.4 | 2100 | IN/19W-24H01 S | 1167.4 | 9-26-57 | 1076.4 | 2100 |
| | | 9-26-57 | 962.4 | | | | 9-26-57 | 1081.9 | | | | 9-26-57 | 1081.9 | |
| | | 12-13-57 | 963.9 | | | | 12-13-57 | 1156.8 | | | | 12-13-57 | 1156.8 | |
| | | 4-23-58 | 993.7 | | | | 4-23-58 | 1058.8 | | | | 4-23-58 | 1058.8 | |
| | | 6-17-58 | 1000.0 | | | | 6-17-58 | 1103.9 | | | | 6-17-58 | 1103.9 | |
| IN/19W-20H01 S | 962.7 | 7-19-57 | 951.9 | 2100 | IN/19W-24H01 S | 1086.8 | 7-18-57 | 930.5 | 2100 | IN/19W-24H01 S | 1086.8 | 7-18-57 | 930.5 | 2100 |
| | | 9-26-57 | 924.5 | | | | 9-26-57 | 1026.0 | | | | 9-26-57 | 1026.0 | |
| | | 12-13-57 | 951.3 | | | | 12-13-57 | 951.3 | | | | 12-13-57 | 951.3 | |
| | | 4-23-58 | 951.0 | | | | 4-23-58 | 951.0 | | | | 4-23-58 | 951.0 | |
| | | 6-18-58 | 957.0 | | | | 6-18-58 | 957.0 | | | | 6-18-58 | 957.0 | |
| IN/19W-25A02 S | 1090.8 | 7-18-57 | 957.0 | 2100 | IN/19W-25A02 S | 1090.8 | 7-18-57 | 955.6 | 2100 | IN/19W-25A02 S | 1090.8 | 7-18-57 | 955.6 | 2100 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|----------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|----------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| MALIBU COASTAL GROUP | | | | | | | | | | | |
| MALIBU COASTAL GROUP | | | | | | MALIBU COASTAL GROUP | | | | | |
| 41600 | | | | | | 41600 | | | | | |
| HIDDEN VALLEY BASIN | | | | | | | | | | | |
| 41601 | | | | | | 41602 | | | | | |
| 1N/20W-25A02 S | 1057.8 | 9-26-57 | 96.9 | 993.9 | 2100 | 1N/19W-24A01 S | 968.3 | 9-26-57 | 54.6* | 913.7 | 2100 |
| | | 12-13-57 | 98.4 | 992.4 | | CONT. | | 12-13-57 | 47.1* | 921.2 | |
| | | 4-23-58 | 11.8 | 1073.0 | | | | 4-23-58 | 21.2 | 937.1 | |
| | | 6-17-58 | 21.2 | 1059.4 | | | | 6-18-58 | 27.9 | 940.8 | |
| 1N/20W-25C02 S | 1163.7 | 7-18-57 | 189.5 | 974.2 | 2100 | 1N/19W-24A01 S | 905.1 | 9-26-57 | 57.1 | 883.0 | 2100 |
| | | 9-26-57 | 179.2 | 964.5 | | | | 12-13-57 | 58.2 | 852.3 | |
| | | 12-12-57 | 174.4 | 957.3 | | | | 4-23-58 | 77.3 | 948.1 | |
| | | 4-23-58 | 77.4 | 1088.3 | | | | 6-18-58 | 78.3 | 854.9 | |
| 1N/20W-25C05 S | 1154.7 | 12-12-57 | 165.0 | 989.7 | 2100 | 1N/19W-26C01 S | 897.7 | 9-26-57 | 151.0 | 746.7 | 2100 |
| | | 4-23-58 | 82.6* | 1092.1 | | | | 12-13-57 | 151.0 | 805.5 | |
| 1N/20W-25D01 S | 1219.8 | 7-18-57 | 207.8 | 1012.0 | 2100 | | | 4-23-58 | 151.1 | 850.6 | |
| | | 4-23-58 | 31.2 | 1188.6 | | | | 6-18-58 | 151.3 | 877.3 | |
| | | 6-17-58 | 36.7 | 1183.1 | | | | | | | |
| 1N/20W-25D02 S | 1188.9 | 12-13-57 | 174.3 | 1014.6 | 2100 | 1N/19W-28A01 S | 964.5 | 9-26-57 | 151.1 | 845.4 | 2100 |
| | | 4-23-58 | 177.6 | 1011.6 | | | | 12-13-57 | 156.3 | 847.3 | |
| | | 6-17-58 | 150.2 | 1038.7 | | | | 4-23-58 | 35.0 | 961.2 | |
| | | | | | | | | 6-18-58 | 5.0 | 957.5 | |
| 1N/20W-25E01 S | 1208.6 | 7-18-57 | 150.4 | 1058.2 | 2100 | ARROYO SEQUIT CANYON BASIN | | | | | |
| | | 12-13-57 | 151.6 | 1057.0 | | 1S/20W-25E01 S | 56.0 | 11-25-57 | 24.9 | 31.1 | 1101 |
| | | 4-23-58 | 42.1 | 1166.5 | | | | 5-12-58 | 11.8 | 44.2 | |
| | | 6-17-58 | 41.9 | 1166.7 | | | | | | | |
| 1N/20W-25E02 S | 1204.6 | 9-26-57 | 230.0* | 976.6 | 2100 | 1S/20W-25E02 S | 50.9 | 11-25-57 | 33.3 | 17.6 | 1101 |
| | | 12-13-57 | 189.0 | 1015.6 | | | | 5-12-58 | 20.4 | 30.5 | |
| | | 4-23-58 | 26.4 | 1178.2 | | TRANCAS CANYON BASIN | | | | | |
| | | 6-17-58 | 39.7 | 1164.9 | | 1S/19W-35F01 S | 62.0 | 12-03-57 | 48.9 | 13.1 | 1101 |
| 1N/20W-25F01 S | 1192.9 | 7-19-57 | 130.0 | 1062.9 | 2100 | | | 5-07-58 | 13.0 | 43.0 | |
| | | 9-26-57 | 158.0 | 1034.9 | | | | | | | |
| | | 12-13-57 | 107.6 | 1085.3 | | 1S/19W-35F02 S | 87.0 | 5-07-58 | 29.6 | 57.4 | 1101 |
| | | 1-23-58 | 35.2 | 1157.7 | | | | | | | |
| | | 6-17-58 | 53.2 | 1139.7 | | 1S/19W-35P01 S | 26.3 | 12-03-57 | 25.3 | 1.0 | 1101 |
| 1N/20W-25H01 S | 1098.9 | 7-18-57 | 51.2 | 1047.7 | 2100 | | | 5-07-58 | 9.4 | 16.9 | |
| | | 9-26-57 | 55.4 | 1043.5 | | 1S/19W-35P01 S | 24.5** | 12-03-57 | 17.0 | 7.5 | 1101 |
| | | 12-13-57 | 57.2 | 1041.7 | | | | 5-07-58 | 8.4 | 14.8 | |
| | | 4-23-58 | 15.2 | 1083.7 | | 1S/19W-35O02 S | 19.5 | 12-03-57 | 18.9 | 6.6 | 1101 |
| | | 6-17-58 | 30.0 | 1068.9 | | | | 5-07-58 | 6.7 | 12.8 | |
| RUSSELL BASIN | | | | | | | | | | | |
| 41602 | | | | | | 41610 | | | | | |
| 1N/19W-24A01 S | 968.3 | 7-19-57 | 51.0 | 917.3 | 2100 | ZUMA CANYON BASIN | | | | | |
| | | | | | | 2S/18W-06E01 S | 68.6 | 12-03-57 | 69.3 | - | 1101 |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-----------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|---------------------------------|--------------------|----------|-------------------------------------|-----------------------------|-----------------------|
| MALIBU COASTAL GROUP 41600 | | | | | | | | | | | |
| MALIBU CREEK BASIN 41616 | | | | | | | | | | | |
| MALIBU CREEK BASIN 41616 | | | | | | | | | | | |
| | | | | | | 15/17W-29N01 S | 60.6 | 5-07-58 | 16.2 | 44.4 | 1101 |
| 25/18W-05E01 | 68.6 | 5-07-58 | 10.9 | 57.7 | 1101 | 15/17W-29N02 S | 64.3 | 5-07-58 | 12.0 | 52.8 | 1101 |
| 25/18W-05E02 | 62.3 | 12-03-57 | 72.1 | 10.1 | 1101 | 15/17W-30H01 S | 150.5 | 12-03-57 | 85.2 | 65.3 | 1101 |
| | | 5-07-58 | 14.1 | 47.9 | | 15/17W-32F01 S | 20.6 | 5-07-58 | 47.5 | 103.0 | |
| 25/18W-05E01 | 55.5 | 12-03-57 | 54.4 | 1.1 | 1101 | 15/17W-32F02 S | 23.6 | 12-03-57 | 19.9 | .7 | 1101 |
| | | 5-07-58 | 19.5 | 36.0 | | 15/17W-32F03 S | 17.6 | 5-07-58 | 14.9 | 5.7 | 1101 |
| 25/18W-06W02 S | 45.0 | 12-03-57 | 48.0 | 3.0 | 1101 | 15/17W-32L04 S | 18.1 | 12-03-57 | 17.6 | .5 | 1101 |
| | | 5-07-58 | 12.5 | 32.5 | | 15/17W-32L05 S | 17.2 | 5-07-58 | 13.2 | 4.0 | 1101 |
| RANERA CANYON BASIN 41611 | | | | | | | | | | | |
| | | | | | | 15/17W-32L05 S | 11.0 | 12-03-57 | 10.9 | .1 | 1101 |
| | | | | | | | | 5-07-58 | 8.6 | 2.4 | |
| 15/18W-32W01 S | 763.0 | 11-25-57 | 25.6 | 237.4 | 1101 | LOS FLORES CANYON BASIN 41619 | | | | | |
| | | 5-12-58 | 21.0 | 242.0 | | 15/17W-26E01 S | 327.0 | 5-13-58 | 26.2 | 300.8 | 1101 |
| 15/18W-32P01 S | 120.0 | 11-25-57 | 45.2 | 74.8 | 1101 | 15/17W-35E01 S | 73.0 | 11-25-57 | 43.1 | 29.9 | 1101 |
| | | 5-12-58 | 10.3 | 109.7 | | PIEDRA GORDA CANYON BASIN 41620 | | | | | |
| 15/18W-32P02 S | 136.0 | 11-25-57 | 52.1 | 83.9 | 1101 | 15/17W-35E01 S | 73.0 | 5-13-58 | 14.7 | 58.3 | 1101 |
| | | 5-12-58 | 125.0* | 11.0 | | 15/17W-35E01 S | 826.0 | 12-02-57 | 387.0 | 439.0 | 1101 |
| 25/18W-05B01 S | 100.0 | 5-12-58 | 11.3 | 88.7 | 1101 | 15/17W-36G01 S | 316.0 | 5-13-58 | 240.0 | 76.0 | 1101 |
| 25/18W-05C01 S | 126.0 | 5-12-58 | 52.9 | 73.1 | 1101 | 15/17W-36G01 S | 300.0 | 12-02-57 | 193.0 | 107.0 | 1101 |
| 25/18W-05C02 S | 100.0 | 11-25-57 | 9.6 | 90.4 | 1101 | 15/17W-36G02 S | 310.0 | 5-13-58 | 191.3 | 108.7 | 1101 |
| | | 5-12-58 | 7.5 | 92.5 | | 15/17W-36G02 S | 60.6 | 12-02-57 | 113.3 | 196.7 | 1101 |
| 25/18W-05C03 S | 97.0** | 5-12-58 | 2.2 | 94.8 | 1101 | MALIBU CREEK BASIN 41616 | | | | | |
| 25/18W-05C04 S | 100.0** | 5-12-58 | 8.5 | 91.5 | 1101 | 15/17W-29N01 S | 60.6 | 12-03-57 | 58.1 | 2.5 | 1101 |
| 25/18W-05C05 S | 126.0 | 11-25-57 | 29.6 | 96.4 | 1101 | SOLSTICE CANYON BASIN 41614 | | | | | |
| | | 5-12-58 | 45.2 | 154.8 | | 15/18W-34H01 S | 125.3 | 11-25-57 | 45.3 | 80.0 | 1101 |
| 25/18W-05E01 S | 200.0 | 11-25-57 | 74.2 | 125.8 | 1101 | | | 5-12-58 | 45.3 | 80.0 | |
| | | 5-12-58 | 45.2 | 154.8 | | MALIBU CREEK BASIN 41616 | | | | | |
| SOLSTICE CANYON BASIN 41614 | | | | | | | | | | | |
| 15/18W-34H01 S | 125.3 | 11-25-57 | 45.3 | 80.0 | 1101 | | | 12-03-57 | 58.1 | 2.5 | 1101 |
| | | 5-12-58 | 45.3 | 80.0 | | MALIBU CREEK BASIN 41616 | | | | | |
| 15/17W-29N01 S | 60.6 | 12-03-57 | 58.1 | 2.5 | 1101 | MALIBU CREEK BASIN 41616 | | | | | |

GROUND WATER LEVELS AT WELLS

| State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data | State Well Number | R.P. Elev. in feet | Date | Dist. R.P. to Water Surface in feet | Water Surface Elev. in feet | Agency Supplying Data |
|-------------------|--------------------|------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|------|-------------------------------------|-----------------------------|-----------------------|
|-------------------|--------------------|------|-------------------------------------|-----------------------------|-----------------------|-------------------|--------------------|------|-------------------------------------|-----------------------------|-----------------------|

41600

MALIBU COASTAL GROUP

41620

PIEDRA GORDA CANYON BASIN

| | | | | | |
|----------------|-------|---------|-------|------|------|
| 1S/17M-36G03 S | 231.0 | 5-13-58 | 180.0 | 51.0 | 1101 |
|----------------|-------|---------|-------|------|------|

| | | | | | |
|----------------|---------|----------|-------|-------|------|
| 1S/17M-36H02 S | 250.0** | 12-02-57 | 118.7 | 131.3 | 1101 |
|----------------|---------|----------|-------|-------|------|


| | | | | | |
|----------------|-------|----------|-------|--------|------|
| 1S/17M-36K01 S | 282.0 | 12-02-57 | 304.0 | - 22.0 | 1101 |
| | | 5-13-58 | 271.9 | 10.1 | |

LAS VIRGENES CANYON BASIN


41625

| | | | | | |
|----------------|-------|----------|------|-------|------|
| 1N/17M-31C01 S | 703.5 | 12-12-57 | 46.1 | 657.4 | 1101 |
| | | 5-14-58 | 40.8 | 662.7 | |





KEY MAP



- LEGEND
- GROUND WATER BASIN AND NUMERICAL DESIGNATION OF BASIN
 - REGION BOUNDARY
 - GROUND WATER VALLEY BOUNDARY
 - GROUND WATER BASIN BOUNDARY
 - GROUND WATER BASIN GROUP BOUNDARY

NOTE ALL TOWNSHIP AND RANGE LINES ARE REFERENCED TO SAN BERNARDINO BASE AND MERIDIAN

STATE OF CALIFORNIA
 DEPARTMENT OF WATER RESOURCES
 SOUTHERN CALIFORNIA DISTRICT
 WATER SUPPLY CONDITIONS IN SOUTHERN CALIFORNIA DURING 1957-58
 LOCATION OF GROUND WATER BASINS
 LOS ANGELES REGION NO 4



**Fold
Out**

QVM







**THIS BOOK IS DUE ON THE LAST DATE
STAMPED BELOW**

**RENEWED BOOKS ARE SUBJECT TO IMMEDIATE
RECALL**

LIBRARY, UNIVERSITY OF CALIFORNIA, DAVIS

Book Slip-20m-8, '61 (C1623s4) 458

21.0471

California. Dept. of
water resources.
Bulletin.

TCF24


C2

A2

no. 39:58

v.1-2

UNIVERSITY OF CALIFORNIA DAVIS



3 1175 02037 6623

PHYSICAL
SCIENCES
LIBRARY

LIBRARY
UNIVERSITY OF CALIFORNIA
DAVIS

240474

